



BOOK 54 80

INDEX DIAGRAM

TOWNSHIP 3 SOUTH, RANGE 2 WEST

6	5	4	3	2	1
12	12				
7	8	10	9	10	11
			8	8	
18	17	16	15	14	13
		10		7	
	11	9		6	
19	20	21	22	23	5
					24
				6	4
30	29	28	27	26	4
					25
				5	
31	32	33	34	35	36

## BOOK 5480

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

## CHAINS

The following field notes are those of the dependent resurvey of a portion of the subdivisional lines and the metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, Township 3 South, Range 2 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this dependent resurvey and survey is as follows: The south and west boundaries were surveyed by W. H. Thorn, W. G. Shapcott and W. K. Kierulff in 1915-16. The subdivisional lines were surveyed by W. H. Thorn and W. G. Shapcott in 1916.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated October 21, 1993, for Group No. 762, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by direct hour angle observations on the sun, and refer to the true meridian. Distances and angles were measured with a Lietz Set 2B II total station.

The geographic position of the 1/4 sec. cor. of secs. 20 and 21, as determined from a tie made to U.S. Geological Survey triangulation station "BOW 1936", located in the southwest quarter of section 29, Township 3 South, Range 2 West, is as follows:

Latitude: 33°09'09.39" N. Longitude: 112°28'39.74" W. NAD 27

The mean magnetic declination as taken from quadrangle map MOBILE NW, ARIZ., published in 1973 and photoinspected in 1978 by U.S. Geological Survey, is 13 1/2° E.

## BOOK 5480

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Restoring the survey executed by W. H. Thorn and W. G. Shapcott, in 1916</p> <hr/>
	<p>Beginning at the cor. of secs. 25, 26, 35 and 36, monumented with an iron post, 2 ins. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. T3S R2W S26 S25 S35 S36 1916.</p> <p>Add the marks 1993 on the brass cap.</p> <p>N. 0°01' E., bet. secs. 25 and 26.</p>
32.41	Point for A.P. 17 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.00	<p>The 1/4 sec. cor. of secs. 25 and 26, monumented with an iron post, 1 in. diam., firmly set, projecting 11 ins. above ground, with brass cap mkd. 1/4 S26 S25 1916.</p> <p>Add the marks T3S R2W 1993 on the brass cap.</p> <hr/> <p>North, beginning new measurement.</p>
9.44	<p>Point for a witness point at intersection with line 22-23 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 23 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 77°14' W., 0.44 chs. dist.</p>
16.26	<p>Point for a witness point at intersection with line 24-25 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 24 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 89°30' W., 0.77 chs. dist.</p>
40.01	<p>The cor. of secs. 23, 24, 25 and 26, monumented with an iron post, 2 ins. diam., firmly set, projecting 11 ins. above ground, with brass cap mkd. T3S R2W S23 S24 S26 S25 1916.</p> <p>Add the marks 1993 on the brass cap.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 24 and 25, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. S24 1/4 S25 1916.</p>

## BOOK 5480

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Add the marks T3S R2W 1993 on the brass cap.</p> <p>Cor. is located 80 lks. S. of a wash, 30 lks. wide, 3 ft. deep, drains ESE.</p> <p>N. 89°58' W., bet. secs. 24 and 25.</p>
3.60	<p>Intersect line 28-29 of the North Maricopa Mountains Wilderness Area Bdy., not monumented.</p> <p>From this cor. point, A.P. 29 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 20°41' E., 2.20 chs. dist.</p>
39.99	<p>The cor. of secs. 23, 24, 25 and 26.</p> <hr/>
	<p>North, bet. secs. 23 and 24.</p>
40.05	<p>The 1/4 sec. cor. of secs. 23 and 24, monumented with an iron post, 1 in. diam., firmly set, projecting 24 ins. above ground, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd. 1/4 S23 S24 1916.</p> <p>Add the marks T3S R2W 1993 on the brass cap.</p> <p>Cor. is located atop of a narrow, hogback ridge, 500 ft. high, bears irregularly ESE and W.</p> <hr/>
	<p>N. 0°01' W., beginning new measurement.</p>
40.04	<p>The cor. of secs. 13, 14, 23 and 24, monumented with an iron post, 2 ins. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd. T3S R2W S14 S13 S23 S24 1916.</p> <p>Add the marks 1993 on the brass cap.</p> <hr/>
	<p>From the cor. of secs. 25, 26, 35 and 36.</p> <p>N. 89°52' W., bet. secs. 26 and 35.</p>
8.27	<p>Point for a witness point at intersection with line 13-14 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 13 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 15°26' W., 5.59 chs. dist.</p>

## BOOK 54 80

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
39.96	<p>The 1/4 sec. cor. of secs. 26 and 35, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd. S26 1/4 S35 1916.</p> <p>Add the marks T3S R2W 1993 on the brass cap.</p> <hr/>
	<p>From the 1/4 sec. cor. of secs. 26 and 27, monumented with an iron post, 2 diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. 1/4 S27 S26 1916.</p> <p>Add the marks T3S R2W 1993 on the brass cap.</p> <p>N. 0°05' E., bet. secs. 26 and 27.</p>
40.00	<p>The cor. of secs. 22, 23, 26 and 27, monumented with an iron post, 2 ins. diam., firmly set, projecting 11 ins. above ground, with brass cap mkd. T3S R2W S22 S23 S27 S26 1916.</p> <p>Add the marks 1993 on the brass cap.</p> <hr/>
	<p>From the cor. of secs. 23, 24, 25 and 26.</p> <p>N. 89°53' W., bet. secs. 23 and 26.</p>
39.91	<p>The 1/4 sec. cor. of secs. 23 and 26, monumented with an iron post, 1 in. diam., firmly set, projecting 11 ins. above ground, with brass cap mkd. 1/4 S23 S26 1916.</p> <p>Add the marks T3S R2W 1993 on the brass cap.</p> <hr/>
39.90	<p>N. 89°52' W., beginning new measurement.</p> <p>The cor. of secs. 22, 23, 26 and 27.</p> <hr/>
39.84	<p>From the cor. of secs. 13, 14, 23 and 24.</p> <p>West, bet. secs. 14 and 23.</p> <p>The 1/4 sec. cor. of secs. 14 and 23, monumented with an iron post, 1 in. diam., firmly set, projecting 36 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with a mound of stone to the N., 2 ft. base, 2 ft. high, with brass cap mkd. 1/4 S14 S23 1916.</p> <p>Add the marks T3S R2W 1994 on the brass cap.</p>

## BOOK 54 80

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	Cor. is located in jumbled boulders, on a steep NE slope.
	N. 89°53' W., beginning new measurement.
15.47	Intersect line 47-48 of the North Maricopa Mountains Wilderness Area Bdy., not monumented.
	From this point, A.P. 48 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 0°44' W., 3.70 chs. dist.
39.86	The cor. of secs. 14, 15, 22 and 23, monumented with an iron post, 2 ins. diam., firmly set, projecting 36 ins. above ground, in a supporting mound of stone, 4 ft. base, to top, with a mound of stone to the N., 3 ft. base, 2 ft. high, with brass cap mkd. T3S R2W S15 S14 S22 S23 1916.
	Add the marks 1994 on the brass cap.
	Cor. is located on the steep SE face of a narrow, hogback ridge.
	North, bet. secs. 14 and 15.
28.09	Intersect line 52-53 of the North Maricopa Mountains Wilderness Area Bdy., not monumented.
	From this cor. point, A.P. 52 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 80°21' E., 0.17 chs. dist.
40.07	True point for the 1/4 sec. cor. of secs. 6 and 31, at proportionate dist.; falls on the side of a granite boulder, impracticable to monument.
44.18	The witness 1/4 sec. cor. of secs. 14 and 15, monumented with an iron post, 1 in. diam., firmly set, projecting 36 ins. above ground, in a supporting mound of stone, 4 ft. base, to top, with a mound of stone to the W., 2 ft. base, 2 ft. high, with brass cap mkd. 1/4 S15 S14 WC 1916.
	Add the marks T3S R2W 1916 on the brass cap.
	Cor. is located at the bottom of a steep, boulder covered slope, ascending to the top of a narrow, hogback ridge.

## BOOK 5480

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From the 1/4 sec. cor. of secs. 10 and 15, monumented with an iron post, 1 in. diam., firmly set, projecting 30 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with a mound of stone to the N., 2 ft. base, 2 ft. high, with brass cap mkd. S10 1/4 S15 1916.</p> <p>Add the marks T3S R2W 1994 on the brass cap.</p> <p>N. 89°56' W., bet. secs. 10 and 15.</p>
37.89	<p>Point for a witness point at intersection with line 57-58 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 57 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 32°46' E., 11.02 chs. dist.</p>
40.00	<p>The cor. of secs. 9, 10, 15 and 16, monumented with an iron post, 2 ins. diam., firmly set, projecting 28 ins. above ground, in a supporting mound of stone, 4 ft. base to top, with brass cap mkd. T3S R2W S9 S10 S16 S15 1916.</p> <p>Add the marks 1994 on the brass cap.</p> <p>Cor. is located in jumbled boulders, on the steep SW face of a narrow, hogback ridge, bears SE and NW.</p> <hr/> <p>N. 0°04' W., bet. secs. 9 and 10.</p>
3.29	<p>Point for A.P. 58 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p>
39.93	<p>The 1/4 sec. cor. of secs. 9 and 10, monumented with an iron post, 1 in. diam., firmly set, projecting 26 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with brass cap mkd. 1/4 S9 S10 1916.</p> <p>Add the marks T3S R2W 1994 on the brass cap.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 20 and 21, monumented with an iron post, 1 in. diam., firmly set, projecting 13 ins. above ground, with brass cap mkd. 1/4 S20 S21 1916, from which the original bearing tree</p> <p style="padding-left: 40px;">A mesquite, 20 ins. diam., bears S. 69 1/4° W., 150 lks. dist., mkd. BT.</p> <p>Add the marks 1994 on the brass cap.</p>

## BOOK 5480

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From this cor. point, U.S. Geological Survey triangulation station "BOW 1936", with published latitude of 33°08'10.35184" N. and longitude of 112°29'34.80895" W., NAD27, bears S. 38°07'36" W., (forward bearing), 114.93 chs. dist., monumented with a standard brass disk, 3 1/2 ins. diam., cemented flush with the top of an iron pipe, 2 ins. diam., in a concrete cylinder, 12 ins. diam., with top of disk mkd. BOW 1936 and a triangle.</p> <p>N. 19°34' W., bet. secs. 20 and 21.</p>
26.65	<p>Point for a witness point at intersection with line 86-87 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 87 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 30°57' W., 0.30 chs. dist.</p>
29.73	<p>Point for a witness point at intersection with line 94-95 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 95 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 33°01' E., 5.24 chs. dist.</p>
37.18	<p>The cor. of secs. 16, 17, 20 and 21, monumented with an iron post, 2 ins. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. T3S R2W S17 S16 S20 S21 1916.</p> <p>Add the marks 1994 on the brass cap.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 16 and 21, monumented with an iron post, 1 in. diam., firmly set, projecting 20 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with brass cap mkd. S16 1/4 S21 1916, from which the original bearing trees</p> <p style="padding-left: 40px;">A dead and rotted paloverde, lying on the ground, bears S. 66° E., 26 lks. dist., no visible mks.</p> <p style="padding-left: 40px;">A paloverde, 13 ins. diam., bears N. 51° W., 129 lks. dist., mkd. 1/4 S16 BT. (Record: 130 lks.)</p> <p>Add the marks T3S R2W 1994 on the brass cap.</p> <p>Cor. is located at the base of a steep, boulder covered SW slope, ascending to a ridge, bears N. and S.</p> <p>S. 84°38' W., bet. secs. 16 and 21.</p>

## BOOK 54 80

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
29.50	<p>Point for a witness point at intersection with line 83-84 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 84 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 4°39' W., 1.15 chs. dist.</p>
44.05	<p>Point for a witness point at intersection with line 95-96 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 96 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 43°35' E., 0.38 chs. dist.</p>
52.71	<p>The cor. of secs. 16, 17, 20 and 21.</p> <hr/>
	<p>N. 15°34' E., bet. secs. 16 and 17.</p>
30.80	<p>Point for a witness point at intersection with line 100-101 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 100 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 31°30' E., 5.16 chs. dist.</p>
32.65	<p>Point for a witness point at intersection with line 80-81 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 80 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 32°06' W., 4.30 chs. dist.</p>
46.63	<p>The 1/4 sec. cor. of secs. 16 and 17, monumented with an iron post, 1 in. diam., firmly set, projecting 30 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with a mound of stone to the W., 2 ft. base, 2 ft. high, with brass cap mkd. 1/4 S17 S16 1916.</p> <p>Add the marks T3S R2W 1994 on the brass cap.</p> <hr/> <p>From the cor. of secs. 8, 9, 16 and 17, monumented with an iron post, 2 ins. diam., firmly set, projecting 20 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with a mound of stone to the W., 2 ft. base, 2 ft. high, with brass cap mkd. T3S R2W S8 S9 S17 S16 1916.</p>

## BOOK 54 80

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Add the marks 1994 on the brass cap.</p> <p>Cor. is located 130 lks. N. of a wash, 40 lks. wide, 6 ft. deep, drains W.</p> <p>N. 0°06' W., bet. secs. 8 and 9.</p>
39.20	<p>Point for A.P. 64 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p>
39.96	<p>Point for the 1/4 sec. cor. of secs. 8 and 9, at proportionate dist.; the original witness corner, an iron post, 36 ins. long, 1 in. diam., is lying disturbed nearby, on top of the ground, there is no remaining evidence of the original cor. position.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W 1/4 S 8   S 9 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 20 lks. N. of a wash, 20 lks. wide, 5 ft. drains NNW.</p>
79.92	<p>The cor. of secs. 4, 5, 8 and 9, monumented with an iron post, 2 ins. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. T3S R2W S5 S4 S8 S9 1916.</p> <p>Add the marks 1994 on the brass cap.</p> <hr/> <p>From the cor. of secs. 16, 17, 20 and 21.</p> <p>N. 79°38' W., bet. secs. 17 and 20.</p>
28.07	<p>The 1/4 sec. cor. of secs. 17 and 20, monumented with an iron post, 1 in. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd. S17 1/4 S20.</p> <p>Add the marks T3S R2W 1994 on the brass cap.</p> <hr/> <p>From the cor. of secs. 8, 9, 16 and 17.</p> <p>N. 89°52' W., bet. secs. 8 and 17.</p>

## BOOK 54 80

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
22.57	Point for A.P. 74 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
24.09	Point for A.P. 106 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.13	<p>The 1/4 sec. cor. of secs. 8 and 17, monumented with an iron post, 1 in. diam., firmly set, projecting 15 ins. above ground, with brass cap mkd. S8 1/4 S17 1916.</p> <p>Add the marks T3S R2W 1916 on the brass cap.</p> <p>Cor. is located 160 lks. W. of a wash, 90 lks. wide, 5 ft. deep, drains N.</p> <hr/> <p>From the cor. of secs. 4, 5, 8 and 9.</p> <p>N. 89°51' W., bet. secs. 5 and 8, along the North Maricopa Mountains Wilderness Area Bdy.</p>
40.08	<p>The 1/4 sec. cor. of secs. 5 and 8, monumented with an iron post, 1 in. diam., firmly set, projecting 13 ins. above ground, with brass cap mkd. S5 1/4 S8 1916.</p> <p>Add the marks T3S R2W 1994 on the brass cap.</p> <hr/> <p>N. 89°50' W., beginning new measurement.</p>
40.08	<p>The cor. of secs. 5, 6, 7 and 8, monumented with an iron post, 2 ins. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. T3S R2W S6 S5 S7 S8 1916.</p> <p>Add the marks 1994 on the brass cap.</p> <hr/> <p>N. 89°56' W., bet. secs. 6 and 7, along the North Maricopa Mountains Wilderness Area Bdy.</p>
40.00	<p>The 1/4 sec. cor. of secs. 6 and 7, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd. S6 1/4 S7 1916.</p> <p>Add the marks T3S R2W 1994 on the brass cap.</p> <hr/> <p>N. 89°50' W., beginning new measurement.</p>

## BOOK 54 80

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
38.69	<p>The cor. of secs. 1, 6, 7, and 12, on the W. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 18 ins. above ground, with a mound of stone to the W., 5 ft. base, 1 ft. high, with brass cap mkd. T3S R3W R2W S1 S6 S12 S7 1916.</p>
	<p>Add the marks 1994 on the brass cap.</p>
	<p style="text-align: center;">Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 3 S., R. 2. W., Gila and Salt River Meridian, Arizona</p>
	<p style="text-align: center;">In Sec. 35</p>
	<p>From A.P. 1, on line bet. secs. 2 and 35, on the S. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above ground, with brass cap mkd. T3S R2W AP1 S35 NMMWA S2 T4S 1994 as described in the field note record of the dependent resurvey of a portion of the north boundary of T. 4 S., R. 2 W., executed concurrently under this same group.</p>
	<p>From this cor. point, the 1/4 sec. cor. of secs. 2 and 35, monumented with an iron post, 1 in. diam, firmly set, projecting 4 ins. above ground, with brass cap mkd. T3S R2W S35 1/4 S2 T4S 1993 1916 as described in the field note record of the dependent resurvey of a portion of the north boundary of T. 4 S., R. 2 W., executed concurrently under this same group, bears N. 89°52' W., 11.38 chs. dist.</p>
	<p>N. 32°03' W. on line 1-2 of the North Maricopa Mountains Wilderness Area Bdy.</p>
	<p>WSW of a trail road.</p>
3.21	<p>Point for A.P. 2.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T3S R2W NMMWA \ S35 AP2 / 1994</p>
	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>

Metes-and-Bounds Survey of the  
 North Maricopa Mountains Wilderness Area Boundary,  
 T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
4.64	<p>Cor. is located 45 lks. W. of a trail road, bears ESE and NNW, in curve.</p> <hr/> <p>N. 10°57' W. on line 2-3 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p> <p>Point for A.P. 3.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W              NMMWA } S35              AP3 }              1994 }</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 40 lks. W. of a trail road, bears N. and S.</p> <hr/>
6.63	<p>N. 11°14' E. on line 3-4 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p> <p>Point for A.P. 4.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W              NMMWA } S35              AP4 }              1994 }</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 50 lks. W. of a trail road, bears NNE and SSE, in curve.</p> <hr/> <p>N. 9°38' W. on line 4-5 of the North Maricopa Mountains Wilderness Area Bdy.</p>



BOOK 5480  
Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
12.32	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. W. of a trail road, bears NNE and SSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 12°39' E. on line 7-8 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p> <p>Point for A.P. 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. W. of a trail road, bears NE and SSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 24°03' E. on line 8-9 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p> <p>Point for A.P. 9.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: right; margin-right: 100px;">           T3S R2W            NMMWA            AP9 } S35            1994         </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. W. of a trail road, bears NNW and SSW, in curve.</p> <hr style="width: 20%; margin: 20px auto;"/> <p>N. 20°50' W. on line 9-10 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p>
3.45	<p>Point for A.P. 10.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: right; margin-right: 100px;">           T3S R2W            NMMWA            AP10 } S35            1994         </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. W. of a trail road, bears NNE and S., in curve.</p> <hr style="width: 20%; margin: 20px auto;"/> <p>N. 19°32' E. on line 10-11 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p>
8.76	<p>Point for A.P. 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: right;">T3S R2W NMMWA AP11 } S35 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. W. of a trail road, bears N. and SSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 11°04' W. on line 11-12 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p>
2.36	<p>Point for A.P. 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: right;">T3S R2W NMMWA AP12 } S35 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. W. of a trail road, bears NE and S., in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 34°43' E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p>
6.98	<p>Point for A.P. 13.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the  
 North Maricopa Mountains Wilderness Area Boundary,  
 T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="889 300 1049 449" style="text-align: center;">           T3S R2W            NMMWA            AP13 / S35            1994         </div> <p data-bbox="412 489 1417 548">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 583 1433 642">Cor. is located 45 lks. W. of a trail road, bears NNE and SW, in curve.</p> <hr data-bbox="711 667 1143 676"/> <p data-bbox="412 711 1336 770">N. 15°26' E. on line 13-14 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 806 727 835">WNW of a trail road.</p>
5.59	<p data-bbox="412 869 1450 928">Point for a witness point at intersection with line bet. secs. 26 and 35.</p> <p data-bbox="412 963 1349 1022">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="808 1062 1003 1245" style="text-align: center;">           WP            T3S R2W            / S26            NMMWA — / S35            1994         </div> <p data-bbox="412 1281 1417 1339">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 1375 1417 1404">Cor. is located 115 lks. W. of a trail road, bears NNE and SSW.</p> <p data-bbox="412 1440 1417 1499">From this cor. point, the cor. of secs. 25, 26, 35 and 36 bears S. 89°52' E., 8.27 chs. dist., hereinbefore described.</p> <p data-bbox="846 1535 1008 1564" style="text-align: center;">In Sec. 26</p> <hr data-bbox="711 1589 1143 1598"/>
12.02	<p data-bbox="412 1629 773 1659">Continue on line 13-14.</p> <p data-bbox="412 1694 695 1724">Point for A.P. 14.</p> <p data-bbox="412 1759 1349 1818">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the  
 North Maricopa Mountains Wilderness Area Boundary,  
 T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
<p>7.61</p>	<div style="text-align: right; margin-bottom: 10px;">                     T3S R2W                      NMMWA                      AP14 } S26                      1994                 </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 10°53' W. on line 14-15 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p> <p>Point for A.P. 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
<p>6.15</p>	<div style="text-align: right; margin-bottom: 10px;">                     T3S R2W                      NMMWA                      AP15 } S26                      1994                 </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. W. of a trail road, bears NNE and S., in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 8°52' E. on line 15-16 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p> <p>Point for A.P. 16.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: right; margin-top: 10px;">                     T3S R2W                      NMMWA                      AP16 } S26                      1994                 </div>

21  
BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
14.48	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 105 lks. W. of a trail road, bears NE and SSW, in curve.</p> <hr/> <p>N. 29°09' E. on line 16-17 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p> <p>Point for A.P. 17, on the line bet. secs. 25 and 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <div data-bbox="857 842 1019 1024" style="text-align: center;"><p>T3S R2W NMMWA AP17 S26   S25 1994</p></div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 150 lks. W. of a trail road, bears NNE and SW.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 25 and 26 bears N. 0°01' E., 7.59 chs. dist., hereinbefore described.</p> <hr/> <p style="text-align: center;">In Sec. 25</p> <hr/>
3.03	<p>N. 41°48' E. on line 17-18 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Point for A.P. 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="889 1696 1052 1850" style="text-align: center;"><p>T3S R2W NMMWA AP18   S25 1994</p></div>

Metes-and-Bounds Survey of the  
 North Maricopa Mountains Wilderness Area Boundary,  
 T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. W. of a trail road, bears NE and SSW, in curve.</p> <hr/> <p>N. 10°14' E. on line 18-19 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a wash.</p> <p>8.83 Point for A.P. 19.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W              NMMWA              AP19 } S25              1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 40 lks. E. of a wash, 15 lks. wide, 2 ft. deep, drains N., and 230 lks. W. of a trail road, bears NNE and SSW.</p> <hr/> <p>N. 12°58' W. on line 19-20 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a wash.</p>
<p>1.65</p>	<p>Point for A.P. 20.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W              NMMWA              AP20 } S25              1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>

23  
BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
1.55	<p>Cor. is located 20 lks. E. of a wash, 15 lks. wide, 2 ft. deep, drains NNE, and 300 lks. W. of a trail road, bears N. and S.</p> <hr/> <p>N. 29°48' E. on line 20-21 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ESE of a wash.</p> <p>Point for A.P. 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R2W NMMWA AP21 / S25 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 50 lks. E. of a wash, 50 lks. wide, 2 ft. deep, drains N., and 250 lks. W. of a trail road, bears NNE and SSW.</p> <hr/>
2.20	<p>N. 20°49' E. on line 21-22 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ESE of a wash.</p> <p>Point for A.P. 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R2W NMMWA AP22 / S25 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 20 lks. E. of a wash, 5 lks. wide, 1 ft. deep, drains N.</p> <hr/>



## BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>N. 77°14' W. on line 22-23 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of Don Tank.</p> <p>4.89 Point for a witness point at intersection with line bet. secs. 25 and 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="873 653 1016 867" style="text-align: center;"> <p>WP T3S R2W S26 S25 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 115 lks. S. of the S. diversion wing of Don Tank, an earth berm, 25 lks. wide, 2 ft. high, extends NE and SW.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 25 and 26 bears S., 9.44 chs. dist., hereinbefore described.</p> <p style="text-align: center;">In Sec. 26</p> <hr style="width: 20%; margin: auto;"/> <p>Continue on line 22-23.</p>
5.33	<p>Point for A.P. 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="873 1514 1057 1665" style="text-align: center;"> <p>T3S R2W NMMWA AP23 S26 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 65 lks. SW of a fence cor., abandoned barbed wire fences extend N. and SSE.</p> <hr style="width: 20%; margin: auto;"/>

## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
6.74	<p>N. 2°56' W. on line 23-24 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Point for A.P. 24.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>T3S R2W NMMWA AP24</p>  <p>S26 1994</p> </div>
	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>
	<p>Cor. is located 67 lks. NW of a fence cor., abandoned barbed wire fences extend S. and E.</p>
	<hr style="width: 20%; margin: auto;"/> <p>S. 89°30' E. on line 24-25 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>N. of Don Tank.</p>
0.77	<p>Point for a witness point at intersection with line bet. secs. 25 and 26.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>WP T3S R2W NMMWA</p>  <p>S26   S25 1994</p> </div>
	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>
	<p>From this cor. point, the cor. of secs. 23, 24, 25 and 26 bears N., 23.75 chs. dist., hereinbefore described.</p>
	<p style="text-align: center;">In Sec. 25</p> <hr style="width: 20%; margin: auto;"/>
	<p>Continue on line 24-25.</p>

## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
7.68	<p>Point for A.P. 25.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="873 457 1052 617" style="text-align: center;"> <p>T3S R2W NMMWA AP25 S25 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 50 lks. NE of a fence cor., abandoned barbed wire fences extend S. and W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 8°33' E. on line 25-26 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of Don Tank.</p>
6.04	<p>Point for A.P. 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="873 1192 1003 1373" style="text-align: center;"> <p>T3S R2W NMMWA AP26 S25 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 60 lks. N. of the N. diversion wing of Don Tank, an earth berm, 10 lks. wide, 3 ft. high, extends E. and W., and 70 lks. N. of a trail road, bears NE and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 47°58' E. on line 26-27 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NW of a trail road.</p>
15.34	<p>Point for A.P. 27.</p>



## BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA AP27 / S25 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 65 lks. N. of a trail road, bears NE and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 49°32' E. on line 27-28 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NW of a trail road.</p>
19.07	<p>Point for A.P. 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA AP28 / S25 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 60 lks. W. of a trail road, bears NNE and WSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 20°41' E. on line 28-29 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p>
7.61	<p>Intersect the line bet. secs. 24 and 25, not monumented.</p> <p>From this point, the 1/4 sec. cor. of secs. 24 and 25 bears S. 89°58' E., 3.60 chs. dist., hereinbefore described.</p> <div style="text-align: center;"> <p>In Sec. 24</p> <hr style="width: 20%; margin: 10px auto;"/> </div>



## BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona




CHAINS	
	Continue on line 28-29.
9.81	Point for A.P. 29.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	 <p style="text-align: center;">T3S R2W NMMWA AP29 S24 1994</p>
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears ENE and SSW, in curve.
	<hr style="width: 20%; margin: auto;"/>
	N. 46°30' E. on line 29-30 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
4.64	Point for A.P. 30.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	 <p style="text-align: center;">T3S R2W NMMWA AP30 S24 1994</p>
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 65 lks. W. of a trail road, bears ENE and SSW, in curve.
	<hr style="width: 20%; margin: auto;"/>
	N. 60°45' E. on line 30-31 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
8.30	Point for A.P. 31.

29  
BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
6.49	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA AP31</p>  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. N. of a trail road, bears ENE and W., in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 70°11' E. on line 31-32 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNW of a trail road.</p> <p>Point for A.P. 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA AP32</p>  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 55 lks. N. of a trail road, bears ENE and WSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 43°34' E. on line 32-33 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNW of a trail road.</p> <p>Point for A.P. 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

BOOK 5480  
Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
4.86	<div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 55 lks. N. of a trail road, bears ENE and SW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 63°01' E. on line 33-34 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNW of a trail road.</p> <p>Point for A.P. 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. N. of a trail road, bears NE and WSW., in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 40°42' E. on line 34-35 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NW of a trail road.</p> <p>Point for A.P. 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
2.98	<div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. N. of a trail road, bears NE and WSW., in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 40°42' E. on line 34-35 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NW of a trail road.</p> <p>Point for A.P. 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

## BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="852 300 1040 453" data-label="Diagram"> </div> <p data-bbox="412 489 1414 552">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 583 1446 646">Cor. is located 45 lks. W. of a trail road, bears E. and SSW., in curve.</p> <hr data-bbox="711 667 1143 676"/> <p data-bbox="412 709 1333 772">N. 74°40' E. on line 35-36 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 804 727 835">NNW of a trail road.</p> <p data-bbox="266 867 695 898">2.80 Point for A.P. 36.</p> <p data-bbox="412 930 1349 993">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>
	<div data-bbox="837 1031 1016 1184" data-label="Diagram"> </div> <p data-bbox="412 1220 1414 1283">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 1314 1398 1346">Cor. is located 55 lks. N. of a trail road, bears ENE and WSW.</p> <hr data-bbox="711 1367 1143 1375"/> <p data-bbox="412 1409 1333 1472">N. 63°59' W. on line 36-37 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="266 1503 870 1535">1.10 Toe of hogback ridge, ascend.</p> <p data-bbox="266 1566 695 1598">3.79 Point for A.P. 37.</p> <p data-bbox="412 1629 1446 1724">Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on exposed granite bedrock, with top mkd.</p>

32  
BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
13.71	<div style="text-align: center; margin-bottom: 10px;"> <p>T3S R2W S24</p> <hr style="width: 10%; margin: 0 auto;"/> <p>AP37 NMMWA 1993</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located at the top of the lowest point of a narrow, hogback ridge, bears SE and NW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 75°04' W. on line 37-38 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Ascend along the top of a narrow, hogback ridge.</p> <p>Point for A.P. 38.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 3 X 2 ft. high, with top mkd.</p>
16.08	<div style="text-align: center; margin-bottom: 10px;"> <p>T3S R2W S24</p> <hr style="width: 10%; margin: 0 auto;"/> <p>AP38 NMMWA 1993</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears SE and NW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 70°26' W. on line 38-39 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Ascend along the top of a narrow, hogback ridge.</p> <p>Point for A.P. 39.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 3 X 2 X 2 ft. high, with top mkd.</p>

BOOK 5480  
Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>T3S R2W S24</p> <hr style="width: 10%; margin: auto;"/> <p>AP39 NMMWA 1993</p>
	<p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears E. and W.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 82°11' W. on line 39-40 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Ascend along the top of a narrow, hogback ridge.</p>
8.58	<p>Point for A.P. 40.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 2 X 1 ft. high, with top mkd.</p>
	<p>T3S R2W S24</p> <hr style="width: 10%; margin: auto;"/> <p>AP40 NMMWA 1993</p>
	<p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly E. and WNW.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 72°14' W. on line 40-41 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Ascend along the top of a narrow, hogback ridge.</p>
12.03	<p>Point for A.P. 41.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 3 X 2 ft. high, with top mkd.</p>

34  
BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R2W S24</p> <hr/> <p style="text-align: center;">AP41 NMMWA 1993</p> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located atop a narrow, hogback ridge, bears ESE and WNW.</p> <hr/> <p>N. 67°35' W. on line 41-42 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Ascend along the top of a narrow, hogback ridge.</p>
16.21	<p>A.P. 42, identical with the 1/4 sec. cor. of secs. 23 and 24, hereinbefore described.</p> <hr/> <p style="text-align: center;">In Sec. 23</p> <hr/> <p>N. 89°58' W. on line 42-43 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Ascend along the top of a narrow, hogback ridge.</p>
7.68	<p>Point for A.P. 43.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on exposed granite bedrock, with top mkd.</p> <p style="text-align: center;">T3S R2W S23</p> <hr/> <p style="text-align: center;">AP43 NMMWA 1993</p> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly E. and NW.</p> <hr/>



## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
11.40	<p>N. 44°11' W. on line 43-44 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Ascend along the top of a narrow, hogback ridge.</p> <p>Point for A.P. 44.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on an exposed granite outcrop, with top mkd.</p> <div data-bbox="857 646 1003 804" style="text-align: center;"> <p>T3S R2W S23 AP44 NMMWA 1993</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears SE and NW.</p> <hr style="width: 20%; margin: 10px auto;"/>
19.44	<p>N. 47°31' W. on line 44-45 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Ascend along the top of a narrow, hogback ridge.</p> <p>Point for A.P. 45.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 5 X 3 X 4 ft. high, with top mkd.</p> <div data-bbox="873 1413 1052 1602" style="text-align: center;"> <p>T3S R2W S23 AP45 NMMWA 1993</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly SE and WSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 70°03' W. on line 45-46 of the North Maricopa Mountains Wilderness Area Bdy.</p>

## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
9.14	<p>Ascend along the top of a narrow, hogback ridge.</p> <p>Point for A.P. 46.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 3 X 4 ft. high, with top mkd.</p> <div style="text-align: center;"> <p>T3S R2W S23</p>  <p>AP46 NMMWA 1993</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly ENE and WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 75°24' W. on line 46-47 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Ascend along the top of a narrow, hogback ridge.</p>
17.10	<p>Point for A.P. 47.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 3 X 3 X 4 ft. high, with top mkd.</p> <div style="text-align: center;"> <p>T3S R2W S23</p>  <p>AP47 NMMWA 1994</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly N. and ESE.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°44' W. on line 47-48 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>End ascent, continue along the top of a narrow, hogback ridge.</p>

37  
BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
17.57	<p>Intersection the line bet. secs. 14 and 23, not monumented.</p> <p>From this point, the 1/4 sec. cor. of secs. 14 and 23 bears S. 89°53' E., 15.47 chs. dist., hereinbefore described.</p> <p style="text-align: center;">In Sec. 14</p> <hr style="width: 20%; margin: auto;"/> <p>Continue on line 47-48.</p>
21.27	<p>Point for A.P. 48.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 3 X 2 X 2 ft. high, with top mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly S. and W.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 79°24' W. on line 48-49 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a narrow, hogback ridge.</p>
20.70	<p>Point for A.P. 49.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 3 X 2 X 2 ft. high, with top mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p>

BOOK 5480  
Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.70	<p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly E. and NW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 37°49' W. on line 49-50 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a narrow, hogback ridge.</p> <p>Point for A.P. 50.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 2 X 2 X 2 ft. high, with top mkd.</p> <div style="text-align: center;"> <p>T3S R2W S14 AP50 NMMWA 1994</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly SE and N.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 1°22' E. on line 50-51 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a narrow, hogback ridge.</p> <p>Point for A.P. 51.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 3 X 2 X 1 ft. high, with top mkd.</p> <div style="text-align: center;"> <p>T3S R2W S14 AP51 NMMWA 1994</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p>
16.20	

## BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly S. and NW.</p> <hr/> <p>N. 52°38' W. on line 51-52 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a narrow, hogback ridge.</p>
2.46	<p>Point for A.P. 52.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 3 X 2 X 2 ft. high, with top mkd.</p> <div data-bbox="873 772 1023 928" style="text-align: center;"> <p>T3S R2W S14 AP52 NMMWA 1994</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly SE and W.</p> <hr/> <p>N. 80°21' W. on line 52-53 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a narrow, hogback ridge.</p>
0.17	<p>Intersect the line bet. secs. 14 and 15, not monumented.</p> <p>From this point, the 1/4 sec. cor. of secs. 14 and 15 bears N., 11.98 chs. dist., hereinbefore described.</p> <p style="text-align: center;">In Sec. 15</p> <hr/> <p>Continuing on line 52-53, beginning new measurement.</p>
28.23	<p>Point for A.P. 53.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 4 X 4 ft. high, with top mkd.</p>

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
12.79	<div style="text-align: center; margin-bottom: 10px;"> <p style="margin: 0;">T3S R2W S15 AP53 NMMWA 1994</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly E. and N.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 9°33' W. on line 53-54 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a narrow, hogback ridge.</p> <p>Point for A.P. 54.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on an exposed granite outcrop, with top mkd.</p> <div style="text-align: center; margin-top: 10px;"> <p style="margin: 0;">T3S R2W S15 AP54 NMMWA 1994</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly S. and WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 63°58' W. on line 54-55 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a narrow, hogback ridge.</p> <p>Point for A.P. 55.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on an exposed granite outcrop, 4 X 3 X 1 ft. high, with top mkd.</p>

Metes-and-Bounds Survey of the  
 North Maricopa Mountains Wilderness Area Boundary,  
 T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="857 296 1057 453" data-label="Diagram"> <p>A diagram showing a point labeled 'AP55' within a section labeled 'T3S R2W S15'. Below the point is the text 'NMMWA' and '1994'. A line extends from the point towards the bottom right.</p> </div> <p data-bbox="409 485 1404 548">Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p data-bbox="409 579 1404 642">Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly ESE and NNW.</p> <hr data-bbox="716 667 1146 678"/> <p data-bbox="409 709 1338 772">N. 32°36' W. on line 55-56 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="409 804 1065 835">Along the top of a narrow, hogback ridge.</p> <p data-bbox="250 869 334 900">12.71</p> <p data-bbox="409 869 699 900">Point for A.P. 56.</p> <p data-bbox="409 932 1451 1031">Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 8 X 4 X 4 ft. high, with top mkd.</p>
	<div data-bbox="857 1062 1019 1220" data-label="Diagram"> <p>A diagram showing a point labeled 'AP56' within a section labeled 'T3S R2W S15'. Below the point is the text 'NMMWA' and '1994'. A line extends from the point towards the bottom right.</p> </div> <p data-bbox="409 1251 1404 1314">Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p data-bbox="409 1346 1421 1409">Cor. is located atop a narrow, hogback ridge, bears irregularly SSE and WNW.</p> <hr data-bbox="716 1434 1146 1444"/> <p data-bbox="409 1472 1338 1535">N. 68°58' W. on line 56-57 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="409 1566 1065 1598">Along the top of a narrow, hogback ridge.</p> <p data-bbox="250 1631 334 1663">25.10</p> <p data-bbox="409 1631 699 1663">Point for A.P. 57.</p> <p data-bbox="409 1694 1451 1793">Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 6 X 3 X 4 ft. high, with top mkd.</p>


Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="857 296 1063 449" data-label="Diagram"> </div> <p data-bbox="412 485 1403 548">Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p data-bbox="412 583 1419 646">Cor. is located atop a narrow, hogback ridge, bears irregularly E. and NNW.</p> <hr data-bbox="714 667 1144 678"/> <p data-bbox="412 709 1338 772">N. 32°46' W. on line 57-58 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 808 1062 835">Along the top of a narrow, hogback ridge.</p>
11.02	<p data-bbox="412 871 1451 934">Point for a witness point at intersection with line bet. secs. 10 and 15.</p> <p data-bbox="412 966 1435 1060">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground, to bedrock, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div data-bbox="808 1094 1003 1276" data-label="Diagram"> </div> <p data-bbox="412 1312 1419 1375">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 1411 1435 1438">Cor. is located atop a narrow, hogback ridge, bears SSE and NNW.</p> <p data-bbox="412 1474 1403 1537">From this cor. point, the cor. of secs. 9, 10, 15 and 16 bears N. 89°56' W., 2.11 chs. dist., hereinbefore described.</p> <p data-bbox="846 1570 1008 1598" style="text-align: center;">In Sec. 10</p> <hr data-bbox="714 1619 1144 1629"/>
14.94	<p data-bbox="412 1663 769 1690">Continue on line 57-58.</p> <p data-bbox="412 1726 1159 1753">Point for A.P. 58, on line bet. secs. 9 and 10.</p> <p data-bbox="412 1789 1435 1883">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground, to bedrock, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>

## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS



Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.

from which

A brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 3 X 3 ft. high, for a reference monument, bears N. 32°45' W., 15.1 ft. dist., with cap mkd. T3S R2W RM 15.1 FT TO COR AP58 1994, and an arrow pointing to the cor. Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.

Cor. is located atop a narrow, hogback ridge, bears irregularly SSE and WNW.

From this cor. point, the cor. of secs. 9, 10, 15 and 16 bears S. 0°04' E., 3.29 chs. dist., hereinbefore described.

---

In Sec. 9

---


N. 58°35' W. on line 58-59 of the North Maricopa Mountains Wilderness Area Bdy.

Along the top of a narrow, hogback ridge.

18.46

Point for A.P. 59.



Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on exposed granite bedrock, with top mkd.



Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.



44  
BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
24.54	<p>Cor. is located atop a narrow, hogback ridge, bears irregularly ESE and NW.</p> <hr/> <p>N. 36°25' W. on line 59-60 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Begin descent, continue along the top of a narrow, hogback ridge.</p> <p>Point for A.P. 60.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 5 X 3 X 2 ft. high, with top mkd.</p> <div data-bbox="876 756 1023 966" style="text-align: center;"><p>T3S R2W S9</p><p>AP60 NMMWA 1994</p></div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located among jumbled boulders, atop a narrow, hogback ridge, bears irregularly SE and W.</p> <hr/>
12.46	<p>S. 87°21' W. on line 60-61 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a ridge.</p> <p>Point for A.P. 61.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 10 X 8 X 6 ft. high, with top mkd.</p> <div data-bbox="860 1554 1023 1764" style="text-align: center;"><p>T3S R2W S9</p><p>AP61 NMMWA 1994</p></div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <hr/>

## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
19.75	<p>N. 80°09' W. on line 61-62 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a ridge.</p> <p>Point for A.P. 62.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a conglomerate boulder, 3 X 3 X 2 ft. high, with top mkd.</p> <div style="text-align: center;"> <p>T3S R2W S9</p>  <p>AP62 NMMWA 1994</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <hr style="width: 25%; margin: 10px auto;"/>
16.68	<p>N. 71°01' W. on line 62-63 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Descend along the top of a ridge.</p> <p>Point for A.P. 63.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 6 X 3 X 8 ft. high, with top mkd.</p> <div style="text-align: center;"> <p>T3S R2W S9</p>  <p>AP63 NMMWA 1994</p> </div> <p>Deposit a magnet, 7/8 in. diam., 1 in. long, in the drill hole beneath the brass tablet.</p> <p>Cor. is located on top of a small prominent hill.</p> <hr style="width: 25%; margin: 10px auto;"/>
2.44	<p>S. 51°57' W. on line 63-64 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Point for A.P. 64, on line bet. secs. 8 and 9.</p>

## BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

## CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,  
25 ins. in the ground, with brass cap mkd.

T3S R2W  
S8 | S9  
AP 64  
NMMWA  
1994

Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath  
the stainless steel post.

Cor. is located 35 lks. W. of a wash, 15 lks. wide, 3 ft. deep,  
drains NNW.

From this cor. point, the 1/4 sec. cor. of secs. 8 and 9 bears  
N. 0°06' W., 0.76 chs. dist., hereinbefore described.

---

In Sec. 8

---

N. 39°42' W. on line 64-65 of the North Maricopa Mountains  
Wilderness Area Bdy.

SW of a wash.

3.02 Point for A.P. 65.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,  
25 ins. in the ground, with brass cap mkd.

T3S R2W  
S8  
AP65  
NMMWA  
1994

Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath  
the stainless steel post.

Cor. is located 45 lks. W. of a wash, 30 lks. wide, 5 ft. deep,  
drains NNW.

---

N. 11°53' W. on line 65-66 of the North Maricopa Mountains  
Wilderness Area Bdy.

WSW of a wash.

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
4.72	<p>Point for A.P. 66.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T3S R2W NMMWA \ S8 AP66 / 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 35 lks. W. of a wash, 30 lks. wide, 6 ft. deep, drains N.</p> <hr style="width: 20%; margin: 20px auto;"/> <p>N. 6°39' W. on line 66-67 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a wash.</p>
8.61	<p>Point for A.P. 67.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T3S R2W NMMWA \ S8 AP67 / 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 60 lks. W. of a wash, 35 lks. wide, 5 ft. deep, drains NNW.</p> <hr style="width: 20%; margin: 20px auto;"/> <p>N. 12°13' W. on line 67-68 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a wash.</p>
8.77	<p>Point for A.P. 68.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.75	<div style="text-align: center; margin-bottom: 10px;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 35 lks. W. of a wash, 15 lks. wide, 2 ft. deep, drains N., and 75 lks. E. of a trail road, bears NNE and SSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 23°26' W. on line 68-69 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ESE of a trail road.</p> <p>Point for A.P. 69.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin-top: 10px;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 70 lks. E. of a trail road, bears ENE and SSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 31°44' W. on line 69-70 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ESE of a trail road.</p> <p>Point for A.P. 70.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="889 302 1036 457" data-label="Diagram"> </div> <p data-bbox="412 491 1419 554">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 583 1351 617">Cor. is located 80 lks. E. of a trail road, bears N. and S.</p> <hr data-bbox="716 638 1146 646"/> <p data-bbox="412 680 1321 743">S. 4°57' W. on line 70-71 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 777 714 810">E. of a trail road.</p> <p data-bbox="269 840 698 873">9.36 Point for A.P. 71.</p> <p data-bbox="412 903 1351 966">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>
<p data-bbox="250 1570 331 1604">11.81</p>	<div data-bbox="889 999 1036 1188" data-label="Diagram"> </div> <p data-bbox="412 1222 1419 1285">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 1314 1351 1348">Cor. is located 75 lks. E. of a trail road, bears N. and S.</p> <hr data-bbox="716 1369 1146 1377"/> <p data-bbox="412 1411 1321 1474">S. 7°32' W. on line 71-72 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 1507 714 1541">E. of a trail road.</p> <p data-bbox="412 1570 698 1604">Point for A.P. 72.</p> <p data-bbox="412 1633 1351 1696">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R2W S8 / AP72 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 8°23' W. on line 72-73 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a trail road.</p>
13.61	<p>Point for A.P. 73.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R2W S8 / AP73 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 16°37' W. on line 73-74 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ESE of a trail road.</p>
15.34	<p>Point for A.P. 74, on line bet. secs. 8 and 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="889 296 1068 449" data-label="Diagram"> </div> <p data-bbox="415 485 1422 548">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="415 581 1354 611">Cor. is located 75 lks. E. of a trail road, bears N. and S.</p> <p data-bbox="415 644 1386 707">From this cor. point, the cor. of secs. 8, 9, 16 and 17 bears S. 89° 52' E., 22.57 chs. dist., hereinbefore described.</p> <hr data-bbox="716 730 1149 737"/> <p data-bbox="850 772 1013 802" style="text-align: center;">In Sec. 17</p> <hr data-bbox="716 829 1149 835"/> <p data-bbox="415 869 1321 932">S. 7°47' W. on line 74-75 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="415 961 716 991">E. of a trail road.</p> <p data-bbox="253 1024 699 1054">11.91 Point for A.P. 75.</p> <p data-bbox="415 1087 1354 1150">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p>
	<div data-bbox="873 1184 1068 1337" data-label="Diagram"> </div> <p data-bbox="415 1373 1422 1436">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="415 1465 1354 1495">Cor. is located 75 lks. E. of a trail road, bears N. and S.</p> <hr data-bbox="716 1522 1149 1528"/> <p data-bbox="415 1564 1338 1627">S. 19°31' E. on line 75-76 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="415 1656 727 1686">ENE of a trail road.</p> <p data-bbox="253 1719 699 1749">15.96 Point for A.P. 76.</p> <p data-bbox="415 1782 1354 1845">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
12.88	<div style="text-align: center; margin-bottom: 10px;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 18°22' E. on line 76-77 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p> <p>Point for A.P. 77.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>
3.15	<div style="text-align: center; margin-bottom: 10px;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. E. of a trail road, bears N. and S., and 135 lks. N. of a wash, 65 lks. wide, 7 ft. deep, drains WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 24°23' E. on line 77-78 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p> <p>Point for A.P. 78.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center; margin-bottom: 10px;"> </div>

## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. E. of a trail road, bears SSE and NNW.</p> <hr/> <p>S. 47°12' E. on line 78-79 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NE of a trail road.</p> <p>6.03 Point for A.P. 79.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="873 804 1068 961" style="text-align: center;"> <p>T3S R2W S17 / NMMWA           AP79 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 135 lks. E. of a trail road, bears SSE and NNW.</p> <hr/> <p>S. 38°10' E. on line 79-80 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NE of a trail road.</p>
4.88	<p>Point for A.P. 80.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="873 1503 1068 1661" style="text-align: center;"> <p>T3S R2W S17 / NMMWA           AP80 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. E. of a trail road, bears N. and S.</p> <hr/>



## BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona




CHAINS	
	<p>S. 32°06' E. on line 80-81 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p>
4.30	<p>Point for a witness point at intersection with line bet. secs. 16 and 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="873 653 1019 867" style="text-align: center;"> <p>WP T3S R2W NMMWA S16 S17 1994</p> <p>The diagram shows a vertical line representing a section boundary. A diagonal line representing a trail road intersects it. A witness point 'S17' is marked at the intersection. Above the intersection, the text 'WP', 'T3S R2W', and 'NMMWA' are stacked. To the right of the intersection, 'S16' is written. Below the intersection, 'S17' and '1994' are written.</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 16 and 17 bears N. 15°34' E., 13.98 chs. dist., hereinbefore described.</p> <p style="text-align: center;">In Sec. 16</p> <hr style="width: 20%; margin: auto;"/>
10.88	<p>Continue on line 80-81.</p> <p>Point for A.P. 81.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="873 1415 1068 1566" style="text-align: center;"> <p>T3S R2W NMMWA S16 AP81 1994</p> <p>The diagram shows a vertical line representing a section boundary. A diagonal line representing a trail road intersects it. A witness point 'AP81' is marked at the intersection. Above the intersection, the text 'T3S R2W' and 'NMMWA' are stacked. To the left of the intersection, 'S16' is written. To the right of the intersection, 'AP81' is written. Below the intersection, '1994' is written.</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. E. of a trail road, bears SSE and NNW.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 20°10' E. on line 81-82 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p>

## BOOK 5480



Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
9.40	<p>Point for A.P. 82.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T3S R2W S16 NMMWA AP82 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 32°18' E. on line 82-83 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p>
14.64	<p>Point for A.P. 83.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T3S R2W S16 NMMWA AP83 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 4°39' W. on line 83-84 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a trail road.</p>
2.52	<p>Point for a witness point at intersection with line bet. secs. 16 and 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the  
 North Maricopa Mountains Wilderness Area Boundary,  
 T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona



CHAINS	
	<div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 16 and 21 bears N. 84°38' E., 29.50 chs. dist., hereinbefore described.</p> <p style="text-align: center;">In Sec. 21</p> <hr style="width: 20%; margin: auto;"/> <p>Continue on line 83-84.</p> <p>3.67 Point for A.P. 84.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>
3.66	<div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 25 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 67°51' W. on line 84-85 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p> <p>3.66 Point for A.P. 85.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div>

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
10.47	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. S. of a trail road, bears E. and W.</p> <hr/> <p>S. 89°04' W. on line 85-86 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail road.</p> <p>Point for A.P. 86.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div data-bbox="889 808 1058 961" style="text-align: center;"> <p>T3S R2W S21</p>  <p>NMMWA AP86 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. S. of a trail road, bears E. and W.</p> <hr/> <p>S. 30°57' W. on line 86-87 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ESE of a trail road.</p>
10.95	<p>Point for a witness point at intersection with line bet. secs. 20 and 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="873 1543 1015 1753" style="text-align: center;"> <p>WP</p>  <p>T3S R2W S20 S21 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 150 lks. S. of a trail road, bears NNE and SSW.</p>



## BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From this cor. point, the 1/4 sec. cor. of secs. 20 and 21 bears S. 19°34' E., 26.65 chs. dist., hereinbefore described.</p> <p style="text-align: center;">In Sec. 20</p> <hr style="width: 20%; margin: auto;"/> <p>Continue on line 86-87.</p> <p>11.25 Point for A.P. 87.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 118 lks. S. of a trail road, bears NNE and SSW.</p> <hr style="width: 20%; margin: auto;"/>
3.66	<p>S. 43°11' W. on line 87-88 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SE of a trail road.</p> <p>Point for A.P. 88.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. E. of a trail road, bears SSE and NNW.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 3°02' W. on line 88-89 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a trail road.</p>



## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.41	<p>Point for A.P. 89.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T3S R2W S20 / NMMWA AP89 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. E. of a trail road, bears NNE and SSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 88°11' E. on line 89-90 of the North Maricopa Mountains Wilderness Area Bdy.</p>
3.03	<p>Point for A.P. 90.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T3S R2W S20 / NMMWA AP90 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 20 lks. S. of a wash, 15 lks. wide, 3 ft. deep, drains WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 17°35' W. on line 90-91 of the North Maricopa Mountains Wilderness Area Bdy.</p>
3.79	<p>Point for A.P. 91.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p>



## BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;">  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <hr/> <p>S. 77°34' W. on line 91-92 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of Don Tank.</p>
14.36	<p>Point for A.P. 92.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 35 lks. S. of the S. diversion wing of Don Tank, an earth berm, 24 lks. wide, 3 ft. high, extends ENE and WSW.</p> <hr/> <p>N. 11°55' E. on line 92-93 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of Don Tank.</p>
10.21	<p>Point for A.P. 93.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>

## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located 50 lks. NW of the cor. of barbed wire fences, 7 strands, extend ENE and S.</p> <hr/> <p>N. 82°46' E. on line 93-94 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>N. of Don Tank.</p> <p>8.84 Point for A.P. 94.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA AP94 / S20</p>  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of a trail road, bears NE and SW.</p> <hr/> <p>N. 33°01' E. on line 94-95 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p>
5.63	<p>Point for a witness point at intersection with line bet. secs. 20 and 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W WP NMMWA</p>  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 300 lks. N. of a trail road, bears NE and WSW.</p>


## BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From this cor. point, the cor. of secs. 16, 17, 20 and 21 bears N. 19°34' W., 7.45 chs. dist., hereinbefore described.</p> <p style="text-align: center;">In Sec. 21</p> <hr style="width: 20%; margin: auto;"/>
10.87	<p>Continue on line 94-95.</p> <p>Point for A.P. 95.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA / S21 AP95 / S21 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 105 lks. N. of a trail road, bears NNE and SSW.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 43°35' E. on line 95-96 of the North Maricopa Mountains Wilderness Area Bdy.</p>
4.75	<p>Point for a witness point at intersection with line bet. secs. 16 and 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>WP T3S R2W S16 NMMWA / S21 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>From this cor. point, the cor. of secs. 16, 17, 20 and 21 bears S. 84°38' W., 8.66 chs. dist., hereinbefore described.</p> <p style="text-align: center;">In Sec. 16</p> <hr style="width: 20%; margin: auto;"/>

## BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
5.13	<p>Continue on line 95-96.</p> <p>Point for A.P. 96.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA AP96</p>  <p>S16 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. N. of a trail road, bears ENE and SW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 85°28' E. on line 96-97 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>N. of a trail road.</p>
13.13	<p>Point for A.P. 97.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA AP97</p>  <p>S16 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 85 lks. W. of a trail road, bears N. and SSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 34°57' W. on line 97-98 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SW of a trail road.</p>
12.14	<p>Point for A.P. 98.</p>

## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA AP98 \ S16 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 90 lks. W. of a trail road, bears NE and SW.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 14°03' W. on line 98-99 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p> <p>4.24 Point for A.P. 99.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA AP99 \ S16 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 18°30' W. on line 99-100 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p> <p>9.58 Point for A.P. 100.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

## BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
5.16	<div data-bbox="857 296 1019 449" data-label="Diagram"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of a trail road, bears NE and SW.</p> <hr/> <p>N. 31°30' W. on line 100-101 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p> <p>Point for a witness point at intersection with line bet. secs. 16 and 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="873 1031 1019 1247" data-label="Diagram"> </div>
11.48	<div data-bbox="846 1535 1008 1562" data-label="Text"> <p>In Sec. 17</p> <hr/> </div> <p>Continue on line 100-101.</p> <p>Point for A.P. 101.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the  
 North Maricopa Mountains Wilderness Area Boundary,  
 T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
10.13	<div data-bbox="857 304 1019 457" style="text-align: center;">                     T3S R2W                      NMMWA                      AP101 \ S17                      1994                 </div> <p data-bbox="414 493 1421 556">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="414 588 1356 619">Cor. is located 75 lks. W. of a trail road, bears N. and S.</p> <hr data-bbox="714 640 1144 651"/> <p data-bbox="414 682 1372 745">N. 45°11' W. on line 101-102 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="414 777 714 808">SW of a trail road.</p> <p data-bbox="414 840 714 871">Point for A.P. 102.</p> <p data-bbox="414 903 1356 966">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>
4.67	<div data-bbox="857 1003 1019 1157" style="text-align: center;">                     T3S R2W                      NMMWA                      AP102 \ S17                      1994                 </div> <p data-bbox="414 1192 1421 1255">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="414 1287 1372 1318">Cor. is located 80 lks. W. of a trail road, bears SE and NW.</p> <hr data-bbox="714 1339 1144 1350"/> <p data-bbox="414 1381 1372 1444">N. 24°10' W. on line 102-103 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="414 1476 714 1507">WSW of a trail road.</p> <p data-bbox="414 1539 714 1570">Point for A.P. 103.</p> <p data-bbox="414 1602 1356 1665">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="857 1701 1019 1854" style="text-align: center;">                     T3S R2W                      NMMWA                      AP103 \ S17                      1994                 </div>

## BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
16.67	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 85 lks. W. of a trail road, bears SSE and NNW.</p> <hr/> <p>N. 19°49' W. on line 103-104 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p> <p>Point for A.P. 104.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA AP104 / S17 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of a trail road, bears SSE and NNW.</p> <hr/> <p>N. 17°01' W. on line 104-105 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p> <p>Point for A.P. 105.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA AP105 / S17 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of a trail road, bears N. and S.</p> <hr/>
11.54	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of a trail road, bears N. and S.</p> <hr/>

BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
11.89	<p>N. 7°48' E. on line 105-106 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p> <p>Point for A.P. 106, on line bet. secs. 8 and 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA / S8 AP106 ——— /                   / S17</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of a trail road, bears N. and S.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 8 and 17 bears N. 89°52' W., 16.04 chs. dist., hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p style="text-align: center;">In Sec. 8</p> <hr style="width: 20%; margin: 10px auto;"/>
25.76	<p>N. 11°50' E. on line 106-107 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p> <p>Point for A.P. 107.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA / S8 AP107 ——— /</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/>

## BOOK 54 80

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>N. 9°59' E. on line 107-108 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p>
14.94	<p>Point for A.P. 108.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA / S8 AP108 / 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/>
	<p>N. 5°56' E. on line 108-109 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p>
10.04	<p>Point for A.P. 109.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R2W NMMWA / S8 AP109 / 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/>
	<p>N. 29°48' E. on line 109-110 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p>
12.21	<p>Point for A.P. 110.</p>

70  
BOOK 5480

Metes-and-Bounds Survey of the  
North Maricopa Mountains Wilderness Area Boundary,  
T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
11.07	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T3S R2W NMMWA / S8 AP110 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 135 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 20°31' E. on line 110-111 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p> <p>Point for A.P. 111.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T3S R2W NMMWA / S8 AP111 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 50 lks. W. of a trail road, bears NNE and SSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 29°32' E. on line 111-112 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p> <p>A.P. 112, identical with the cor. of secs. 4, 5, 8 and 9, hereinbefore described.</p> <hr style="width: 80%; margin: 10px auto;"/>

## BOOK 54 80

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	GENERAL DESCRIPTION
	<p>The land encompassed in this survey is located approximately 36 miles southwest of Phoenix, Arizona and approximately 21 miles northeast of Gila Bend, Arizona. The general elevation is 1200 feet above sea level. An 800 ft. high ridge passes through sections 9, 14, 15, 23 and 24. The land varies from mountainous to flat and gently rolling, broken with numerous dry washes and drains. The vegetation consists of paloverde, ironwood, cactus, creosote, and sparse native grasses.</p> <p>Primary access is by way of United States Highway 80. Secondary access is by way of a natural gas pipeline maintenance road through sections 4, 9, 10 and 14, and numerous unimproved trail roads.</p>
	<p>Description of the North Maricopa Mountains Wilderness Area Bdy. T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona</p>
	<p>The following is for informational purposes only.</p> <hr/> <p>Beginning at Angle Point 1, on the line bet. secs. 2 and 35, on the S. bdy. of the Tp;</p> <p>thence N. 32°03' W., 3.21 chs. dist. to Angle Point 2;  thence N. 10°57' W., 4.64 chs. dist. to Angle Point 3;  thence N. 11°14' E., 6.63 chs. dist. to Angle Point 4;  thence N. 9°38' W., 5.99 chs. dist. to Angle Point 5;  thence N. 17°20' E., 8.51 chs. dist. to Angle Point 6;  thence N. 39°04' E., 14.18 chs. dist. to Angle Point 7;  thence N. 12°39' E., 12.32 chs. dist. to Angle Point 8;  thence N. 24°03' E., 4.63 chs. dist. to Angle Point 9;  thence N. 20°50' W., 3.45 chs. dist. to Angle Point 10;  thence N. 19°32' E., 8.76 chs. dist. to Angle Point 11;  thence N. 11°04' W., 2.36 chs. dist. to Angle Point 12;  thence N. 34°43' E., 6.98 chs. dist. to Angle Point 13;  thence N. 15°26' E., 12.02 chs. dist. to Angle Point 14;  thence N. 10°53' W., 7.61 chs. dist. to Angle Point 15;  thence N. 8°52' E., 6.15 chs. dist. to Angle Point 16;  thence N. 29°09' E., 14.48 chs. dist. to Angle Point 17, on the  line bet. secs. 25 and 26;  thence N. 41°48' E., 3.03 chs. dist. to Angle Point 18;  thence N. 10°14' E., 8.83 chs. dist. to Angle Point 19;  thence N. 12°58' W., 1.65 chs. dist. to Angle Point 20;  thence N. 29°48' E., 1.55 chs. dist. to Angle Point 21;  thence N. 20°49' E., 2.20 chs. dist. to Angle Point 22;  thence N. 77°14' W., 5.33 chs. dist. to Angle Point 23;</p>

## BOOK 54 80

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS			
thence N. 2°56' W.,	6.74	chs. dist.	to Angle Point 24;
thence S. 89°30' E.,	7.68	chs. dist.	to Angle Point 25;
thence S. 8°33' E.,	6.04	chs. dist.	to Angle Point 26;
thence N. 47°58' E.,	15.34	chs. dist.	to Angle Point 27;
thence N. 49°32' E.,	19.07	chs. dist.	to Angle Point 28;
thence N. 20°41' E.,	9.81	chs. dist.	to Angle Point 29;
thence N. 46°30' E.,	4.64	chs. dist.	to Angle Point 30;
thence N. 60°45' E.,	8.30	chs. dist.	to Angle Point 31;
thence N. 70°11' E.,	6.49	chs. dist.	to Angle Point 32;
thence N. 43°34' E.,	5.64	chs. dist.	to Angle Point 33;
thence N. 63°01' E.,	4.86	chs. dist.	to Angle Point 34;
thence N. 40°42' E.,	2.98	chs. dist.	to Angle Point 35;
thence N. 74°40' E.,	2.80	chs. dist.	to Angle Point 36;
thence N. 63°59' W.,	3.79	chs. dist.	to Angle Point 37;
thence N. 75°04' W.,	13.71	chs. dist.	to Angle Point 38;
thence N. 70°26' W.,	16.08	chs. dist.	to Angle Point 39;
thence S. 82°11' W.,	8.58	chs. dist.	to Angle Point 40;
thence N. 72°14' W.,	12.03	chs. dist.	to Angle Point 41;
thence N. 67°35' W.,	16.21	chs. dist.	to Angle Point 42,
		identical with	the 1/4 sec. cor. of secs. 23 and 24;
thence N. 89°58' W.,	7.68	chs. dist.	to Angle Point 43;
thence N. 44°11' W.,	11.40	chs. dist.	to Angle Point 44;
thence N. 47°31' W.,	19.44	chs. dist.	to Angle Point 45;
thence S. 70°03' W.,	9.14	chs. dist.	to Angle Point 46;
thence N. 75°24' W.,	17.10	chs. dist.	to Angle Point 47;
thence N. 0°44' W.,	21.27	chs. dist.	to Angle Point 48;
thence N. 79°24' W.,	20.70	chs. dist.	to Angle Point 49;
thence N. 37°49' W.,	3.70	chs. dist.	to Angle Point 50;
thence N. 1°22' E.,	16.20	chs. dist.	to Angle Point 51;
thence N. 52°38' W.,	2.46	chs. dist.	to Angle Point 52;
thence N. 80°21' W.,	28.23	chs. dist.	to Angle Point 53;
thence N. 9°33' W.,	12.79	chs. dist.	to Angle Point 54;
thence N. 63°58' W.,	13.28	chs. dist.	to Angle Point 55;
thence N. 32°36' W.,	12.71	chs. dist.	to Angle Point 56;
thence N. 68°58' W.,	25.10	chs. dist.	to Angle Point 57;
thence N. 32°46' W.,	14.94	chs. dist.	to Angle Point 58, on the
		line bet. secs.	9 and 10;
thence N. 58°35' W.,	18.46	chs. dist.	to Angle Point 59;
thence N. 36°25' W.,	24.54	chs. dist.	to Angle Point 60;
thence S. 87°21' W.,	12.46	chs. dist.	to Angle Point 61;
thence N. 80°09' W.,	19.75	chs. dist.	to Angle Point 62;
thence N. 71°01' W.,	16.68	chs. dist.	to Angle Point 63;
thence S. 51°57' W.,	2.44	chs. dist.	to Angle Point 64, on the
		line bet. secs.	8 and 9;
thence N. 39°42' W.,	3.02	chs. dist.	to Angle Point 65;
thence N. 11°53' W.,	4.72	chs. dist.	to Angle Point 66;
thence N. 6°39' W.,	8.61	chs. dist.	to Angle Point 67;
thence N. 12°13' W.,	8.77	chs. dist.	to Angle Point 68;
thence S. 23°26' W.,	3.75	chs. dist.	to Angle Point 69;
thence S. 31°44' W.,	12.43	chs. dist.	to Angle Point 70;
thence S. 4°57' W.,	9.36	chs. dist.	to Angle Point 71;

## BOOK 54 80

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS	
	thence S. 7°32' W., 11.81 chs. dist. to Angle Point 72;
	thence S. 8°23' W., 13.61 chs. dist. to Angle Point 73;
	thence S. 16°37' W., 15.34 chs. dist. to Angle Point 74, on the line bet. secs. 8 and 17;
	thence S. 7°47' W., 11.91 chs. dist. to Angle Point 75;
	thence S. 19°31' E., 15.96 chs. dist. to Angle Point 76;
	thence S. 18°22' E., 12.88 chs. dist. to Angle Point 77;
	thence S. 24°23' E., 3.15 chs. dist. to Angle Point 78;
	thence S. 47°12' E., 6.03 chs. dist. to Angle Point 79;
	thence S. 38°10' E., 4.88 chs. dist. to Angle Point 80;
	thence S. 32°06' E., 10.88 chs. dist. to Angle Point 81;
	thence S. 20°10' E., 9.40 chs. dist. to Angle Point 82;
	thence S. 32°18' E., 14.64 chs. dist. to Angle Point 83;
	thence S. 4°39' W., 3.67 chs. dist. to Angle Point 84;
	thence S. 67°51' W., 3.66 chs. dist. to Angle Point 85;
	thence S. 89°04' W., 10.47 chs. dist. to Angle Point 86;
	thence S. 30°57' W., 11.25 chs. dist. to Angle Point 87;
	thence S. 43°11' W., 3.66 chs. dist. to Angle Point 88;
	thence S. 3°02' W., 3.41 chs. dist. to Angle Point 89;
	thence N. 88°11' E., 3.03 chs. dist. to Angle Point 90;
	thence S. 17°35' W., 3.79 chs. dist. to Angle Point 91;
	thence S. 77°34' W., 14.36 chs. dist. to Angle Point 92;
	thence N. 11°55' E., 10.21 chs. dist. to Angle Point 93;
	thence N. 82°46' E., 8.84 chs. dist. to Angle Point 94;
	thence N. 33°01' E., 10.87 chs. dist. to Angle Point 95;
	thence N. 43°35' E., 5.13 chs. dist. to Angle Point 96;
	thence N. 85°28' E., 13.13 chs. dist. to Angle Point 97;
	thence N. 34°57' W., 12.14 chs. dist. to Angle Point 98;
	thence N. 14°03' W., 4.24 chs. dist. to Angle Point 99;
	thence N. 18°30' W., 9.58 chs. dist. to Angle Point 100;
	thence N. 31°30' W., 11.48 chs. dist. to Angle Point 101;
	thence N. 45°11' W., 10.13 chs. dist. to Angle Point 102;
	thence N. 24°10' W., 4.67 chs. dist. to Angle Point 103;
	thence N. 19°49' W., 16.67 chs. dist. to Angle Point 104;
	thence N. 17°01' W., 11.54 chs. dist. to Angle Point 105;
	thence N. 7°48' E., 11.89 chs. dist. to Angle Point 106, on the line bet. sec. 8 and 17;
	thence N. 11°50' E., 25.76 chs. dist. to Angle Point 107;
	thence N. 9°59' E., 14.94 chs. dist. to Angle Point 108;
	thence N. 5°56' E., 10.04 chs. dist. to Angle Point 109;
	thence N. 29°48' E., 12.21 chs. dist. to Angle Point 110;
	thence N. 20°31' E., 11.07 chs. dist. to Angle Point 111;
	thence N. 29°32' E., 10.33 chs. dist. to Angle Point 112, identical with the cor. of secs. 4, 5, 8 and 9;
	thence N. 89°51' W., 40.08 chs. dist. to the 1/4 sec. cor. of secs. 5 and 8;
	thence N. 89°50' W., 40.08 chs. dist. to the cor. of secs. 5, 6, 7 and 8;
	thence N. 89°56' W., 40.00 chs. dist. to the 1/4 sec. cor. of secs. 6 and 7;

## BOOK 5480

T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

thence N. 89°50' W., 38.69 chs. dist. to the cor. of secs. 1, 6,  
7 and 12, on the W. bdy. of the Tp.

---

BOOK 5480

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Dominica Smith	Land Surveyor
Steven R. Stokke	Land Surveyor
Cheryl A. Baier	Surveying Technician
Wallace R. Ott, Jr.	" "
Timothy F. Patro	" "
Mark R. Searles	" "
Clinton T. Lancaster	" "

BOOK 5480  
CERTIFICATE OF SURVEY

I, Olian T. Shockley, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 21st day of October, 1993, I have dependently resurveyed a portion of the subdivisional lines and conducted a metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 3 South, Range 2 West, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

January 06, 1997  
(Date)

Olian T. Shockley  
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
Arizona State Office  
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the subdivisional lines and a metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 3 South, Range 2 West, Gila and Salt River Meridian, Arizona, executed by Olian T. Shockley, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

2/18/97  
(Date)

Dale C. Wilson  
(Acting Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 3 S., R. 2 W., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~\_\_\_\_\_  
(Date)~~

~~\_\_\_\_\_  
(Acting Chief Cadastral Surveyor of Arizona)~~