

ORIGINAL

¹ BOOK 5481

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES
OF THE

DEPENDENT RESURVEY OF

A PORTION OF THE SUBDIVISIONAL LINES

AND

THE METES-AND-BOUNDS SURVEY OF THE

NORTH MARICOPA MOUNTAINS WILDERNESS AREA BOUNDARY,

TOWNSHIP 3 SOUTH, RANGE 3 WEST

Of the Gila and Salt River Meridian,
In the State of Arizona

EXECUTED BY
Olian T. Shockley, Cadastral Surveyor

Under Special Instructions dated October 21, 1993, approved October 21, 1993,
which provided for the surveys included under Group Number 762 and assignment
instructions dated October 22, 1993.

Survey commenced March 17, 1994

Survey completed August 2, 1994

BOOK 5481
INDEX DIAGRAM

TOWNSHIP 3 SOUTH, RANGE 3 WEST,

6	5	4	3	2	1
			8	6	4
7	8	9	10	11	12
			7		
18	17	16	15	14	13
			7		
19	20	21	22	23	24
			6	5	
14			12		4
30	13	29	10	28	27
					26
13			12		
31	32	8	33	34	35
					36

BOOK 5481

T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes are those of the dependent resurvey of a portion of the subdivisional lines, and the metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 3 South, Range 3 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this dependent resurvey and survey is as follows: The west boundary was surveyed by Solomon W. Foreman in 1871. The west boundary was resurveyed by Benjamin J. Kinsey and Karl L. Siebecker in 1930-31. The east boundary was surveyed by W. H. Thorn, W. G. Shapcott and W. K. Kierulff in 1915-16. The south boundary and subdivisional lines were surveyed by Benjamin J. Kinsey in 1931.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated October 21, 1993, for Group No. 762, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by direct hour angle observations on the sun, and refer to the true meridian. Distances and angles were measured with a Lietz Set 2B II total station.

The geographic position of the cor. of secs. 1, 6, 7, and 12 on the E. bdy. of the Tp., as determined from U.S. Geological Survey triangulation station "SKULL 1949", located in the NW quarter of section 19, Township 3 South, Range 3 West, is as follows:

Latitude: 33°11'20.13" N. Longitude: 112°30'43.14" W. NAD 27

The mean magnetic declination as taken from quadrangle map MARGIES PEAK, ARIZ., published in 1973 by U.S. Geological Survey, is 13 1/2° E.

BOOK 5481

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">Restoring the survey executed by Benjamin J. Kinsey, in 1931</p> <hr/>
	<p>From the cor. of secs. 1, 6, 7, and 12, on the E. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 18 ins. above ground, with a mound of stone to the W., 5 ft. base, 1 ft. high, with brass cap mkd. T3S R3W R2W S1 S6 S12 S7 1994 1916 as described in the field note record of the dependent resurvey of a portion of the subdivisional lines of T. 3 S., R. 2 W., executed concurrently under this same group.</p>
	<p>N. 89°47' W., bet. secs. 1 and 12, along the North Maricopa Mountains Wilderness Area Bdy.</p>
0.15	<p>Wash, 5 lks. wide, 1 ft. deep, drains NE.</p>
40.00	<p>The 1/4 sec. cor. of secs. 1 and 12, monumented with an iron post, 1 in. diam., firmly set, projecting 16 ins. above ground, with a mound of stone to the N., 4 ft. base, 1 ft. high, with brass cap mkd. 1/4 S1 S12 1931.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <hr/>
	<p>N. 89°54' W., beginning new measurement.</p>
39.95	<p>The cor. of secs. 1, 2, 11, and 12, monumented with an iron post, 2 ins. diam., firmly set, projecting 20 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. T3S R3W S2 S1 S11 S12 1931, from which the remaining original bearing tree</p> <p style="padding-left: 40px;">An ironwood, 12 ins. diam., bears N. 62 3/4° W., 120 lks. dist., mkd. BT on open blaze. (Record: paloverde, bears N. 73 1/2° W., 110 lks. dist.)</p> <p>Add the marks 1994 on the brass cap.</p> <p>Cor. is located 15 lks. E. of a wash, 20 lks. wide, 2 ft. deep, drains SSE.</p> <hr/>
	<p>From the 1/4 sec. cor. of secs. 23 and 26, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. 1/4 S23 S26 1931.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <p>N. 89°56' W., bet. secs. 23 and 26.</p>

BOOK 5481

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
4.76	<p>Point for a witness point at intersection with line 38-39 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 38 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 26°18' W., 4.41 chs. dist.</p>
6.60	<p>Point for a witness point at intersection with line 72-73 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 73 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 26°17' W., 3.61 chs. dist.</p>
40.05	<p>The cor. of secs. 22, 23, 26, and 27, monumented with an iron post, 2 ins. diam., firmly set, projecting 14 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. T3S R3W S22 S23 S27 S26 1931, from which the original bearing trees</p> <p style="padding-left: 40px;">A paloverde, 16 ins. diam., bears S. 5° E., 47 lks. dist., with healed blaze.</p> <p style="padding-left: 40px;">An ironwood, 30 ins. diam. at the base, bears N. 87° W., 71 lks. dist., mkd. R3W S S22 BT on a partially healed blaze.</p> <p>Add the marks 1994 on the brass cap.</p> <p>Cor. is located 70 lks. N. of a wash, 20 lks. wide, 3 ft. deep, drains NW.</p> <hr/> <p>N. 0°08' E., bet. secs. 22 and 23.</p>
18.88	<p>Point for a witness point at intersection with line 84-85 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 85 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 41°52' W., 0.67 chs. dist.</p>
21.22	<p>Point for A.P. 27 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p>
40.07	<p>The 1/4 sec. cor. of secs. 22 and 23, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. 1/4 S22 S23 1931 from which the original bearing tree</p>

BOOK 5481

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>A paloverde, 20 ins. diam. at the base, bears S. 25° E., 117 lks. dist., with illegible scribe marks.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <hr/>
40.02	<p>From the cor. of secs. 1, 2, 11, and 12.</p> <p>S. 89°39' W., bet. secs. 2 and 11, along the North Maricopa Mountains Wilderness Area Bdy.</p> <p>The 1/4 sec. cor. of secs. 2 and 11, monumented with an iron post, 1 in. diam., firmly set, projecting 18 ins. above ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. 1/4 S2 S11 1931.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <p>Cor. is located on a steep, rocky N. slope.</p> <hr/> <p>N. 89°17' W., beginning new measurement.</p>
40.00	<p>The cor. of secs. 2, 3, 10, and 11, monumented with an iron post, 2 ins. diam., firmly set, projecting 13 ins. above ground, with brass cap mkd. T3S R3W S3 S2 S10 S11 1931.</p> <p>Add the marks 1994 on the brass cap.</p> <hr/> <p>From the cor. of secs. 21, 22, 27, and 28, monumented with an iron post, 2 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T3S R3W S21 S22 S28 S27 1931, from which the remaining original bearing trees</p> <p>A paloverde, 22 ins. diam., bears N. 42 1/2° E., 185 lks. dist., with illegible marks on healed blaze. (Record: 182 lks. dist.)</p> <p>An ironwood, 13 ins. diam., bears S. 17° W., 146 lks. dist., mkd. T3S R3W S28 BT.</p> <p>An ironwood stump, 13 ins. diam., bears N. 86° W., 167 lks. dist., with illegible marks on healed blaze.</p> <p>Add the marks 1994 on the brass cap.</p> <p>N. 0°04' W., bet. secs. 21 and 22.</p>
3.19	<p>Point for A.P. 104 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p>

BOOK 5481

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
40.05	<p>The 1/4 sec. cor. of secs. 21 and 22, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above ground, with a mound of stone to the W., 3 ft. base, 2 ft. high, with brass cap mkd. 1/4 S21 S22 1931.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <p>Cor. is located 10 lks. S. of a trail road, bears ESE and WNW.</p> <hr/>
	<p>From the cor. of secs. 14, 15, 22, and 23, monumented with an iron post, 2 ins. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. T3S R3W S15 S14 S22 S23 1931, from which the original bearing tree</p> <p style="padding-left: 40px;">An ironwood, 20 ins. diam., bears N. 63 1/2° W., 213 lks. dist., mkd. T3S R3W S15 B. (Record: 211 lks. dist.)</p> <p>Add the marks 1994 on the brass cap.</p> <p>S. 89°51' W., bet. secs. 15 and 22.</p>
30.14	<p>Point for A.P. 15 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p>
40.13	<p>The 1/4 sec. cor. of secs. 15 and 22, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above ground, with a mound of stone to the N., 3 ft. base, 2 ft. high, with brass cap mkd. 1/4 S15 S22 1931.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <hr/>
	<p>From the cor. of secs. 10, 11, 14, and 15, monumented with an iron post, 2 ins. diam., firmly set, projecting 30 ins. above ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. T3S R3W S10 S11 S15 S14 1931, from which the original bearing tree</p> <p style="padding-left: 40px;">A forked ironwood, 13 ins. diam., bears S. 71 1/4° E., 68 lks. dist., mkd. R3S 14 BT. (Record: S. 66 1/2° E.)</p> <p>Add the marks 1994 on the brass cap.</p> <p>S. 89°48' W., bet. secs. 10 and 15.</p>
23.98	<p>Point for a witness point at intersection with line 5-6 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p>

BOOK 5481

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
40.17	<p>From this cor. point, A.P. 5 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 40°40' W., 2.72 chs. dist.</p> <p>The 1/4 sec. cor. of secs. 10 and 15, monumented with an iron post, 1 in. diam., firmly set, projecting 30 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. 1/4 S10 S15 1931.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <hr/>
10.32	<p>From the cor. of secs. 2, 3, 10, and 11.</p> <p>S. 89°53' W., bet. secs. 3 and 10, along the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Point for A.P. 1 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>Leave the North Maricopa Mountains Wilderness Area Bdy.</p>
40.06	<p>The 1/4 sec. cor. of secs. 3 and 10, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. 1/4 S3 S10 1931.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <hr/>
11.63	<p>From the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of the Tp., monumented with an iron post, 2 ins. diam., firmly set, projecting 3 ins. above ground, with a mound of stone to the W., 3 ft. base, 2 ft. high, with brass cap mkd. T3S R3W S32 S33 S5 S4 T4S 1931.</p> <p>Add the marks 1994 on the brass cap.</p> <p>Cor. is located 85 lks. N. of a wash, 70 lks. wide, 5 ft. deep, drains W.</p> <p>N. 0°03' E., bet. secs. 32 and 33.</p> <p>Point for a witness point at intersection with line 151-152 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 151 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 78°45' E., 0.40 chs. dist.</p>

BOOK 5481

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
13.53	<p>Intersect line 159-160 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>From this point, A.P. 160 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described, bears S. 70°34' E., 0.95 chs. dist.</p>
13.93	<p>Point for a witness point at intersection with line 160-161 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 160 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described, bears S. 51°25' E., 1.14 chs. dist.</p>
16.00	<p>Point for a witness point at intersection with line 147-148 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 147 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described, bears N. 64°03' W., 0.78 chs. dist.</p>
24.97	<p>Point for A.P. 145 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p>
32.97	<p>Point for a witness point at intersection with line 143-144 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 143 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 78°53' W., 0.60 chs. dist.</p>
34.16	<p>Point for a witness point at intersection with line 142-143 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 143 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 28°52' W., 1.23 chs. dist.</p>
37.65	<p>Point for a witness point at intersection with line 166-167 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 167 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 26°55' E., 1.46 chs. dist.</p>

BOOK 54 81

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
40.06	<p>The 1/4 sec. cor. of secs. 32 and 33, determined at record bearing and distance from the remaining original bearing tree</p> <p style="padding-left: 40px;">A paloverde, 20 ins. diam., bears N. 29° E., 234 lks. dist., mkd. 33 BT.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T3S R3W 1/4 S32 S33 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 130 lks. W. of a trail road, bears S. and NNW, and 190 lks. E. of a wash, 60 lks. wide, 2 ft. deep, drains S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°02' W., beginning new measurement.</p>
1.85	<p>Point for a witness point at intersection with line 167-168 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 168 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 12°37' W., 2.57 chs. dist.</p>
19.25	<p>Intersect line 136-137 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>From this point, A.P. 136 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 86°21' W., 0.36 chs. dist.</p>
40.08	<p>The cor. of secs. 28, 29, 32, and 33, monumented with an iron post, 2 ins. diam., firmly set, projecting 14 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd T3S R3W S29 S28 S32 S33 1931.</p> <p>Add the marks 1994 on the brass cap.</p> <hr style="width: 80%; margin: 10px auto;"/> <p>N. 0°01' W., bet. secs. 28 and 29.</p>

BOOK 5481

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS									
40.11	<p>The 1/4 sec. cor. of secs. 28 and 29, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. 1/4 S29 S28 1931, from which the remains of the original bearing trees</p> <p style="padding-left: 40px;">A root hole bears S. 37° W., 202 lks. dist., with fallen paloverde, 18 ins. diam., alongside, illegible marks on rotted blaze.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°01' E., beginning new measurement.</p>								
24.60	<p>Intersect line 119-120 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>From this point, A.P. 119 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 81°57' E., 7.61 chs. dist.</p>								
40.09	<p>The cor. of secs. 20, 21, 28, and 29, determined from the remains of the original bearing trees</p> <p style="padding-left: 40px;">A forked, dead ironwood, 8 ins. diam. at the base, bears N. 32° E., 83 lks. dist., mkd. T3S R3W S21 BT.</p> <p style="padding-left: 40px;">A forked ironwood, 24 ins. diam. at the base, bears S. 84 1/4° E., 148 lks. dist., with illegible mks. (Record: S. 85° E.)</p> <p style="padding-left: 40px;">A forked ironwood, 20 ins. diam. at the base, bears S. 56 1/4° W., 43.5 lks. dist., with illegible mks. (Record: S. 58° W., 41 lks. dist.)</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, atop a steel fence post, 5 ft. long, with brass cap mkd.</p> <div style="text-align: center; margin: 20px 0;"> <table style="border-collapse: collapse; margin: 0 auto;"> <tr> <td style="padding: 0 5px;">T3S</td> <td style="padding: 0 5px;">R3W</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S20</td> <td style="padding: 0 5px;">S21</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S29</td> <td style="padding: 0 5px;">S28</td> </tr> <tr> <td colspan="2" style="padding: 0 5px;">1994</td> </tr> </table> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>	T3S	R3W	S20	S21	S29	S28	1994	
T3S	R3W								
S20	S21								
S29	S28								
1994									

BOOK 5481

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>The original iron post, 3 ft. long, 2 ins. diam., with brass cap mkd. T3S R3W S20 S21 S29 S28 1931, was found lying disturbed nearby, 1 1/2 ft. below the surface of the ground. Remove the iron post.</p> <p>Cor. is located 470 lks. N. of a trail road, bears E. and W.</p> <hr/>
	<p>From the cor. of secs. 21, 22, 27, and 28.</p> <p>N. 89°56' W., bet. secs. 21 and 28.</p>
4.15	<p>Point for A.P. 105 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p>
40.12	<p>The 1/4 sec. cor. of secs. 21 and 28, monumented with an iron post, 1 in. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. 1/4 S21 S28 1931.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <p>Cor. is located 50 lks. N. of a trail road, bears E. and W.</p> <hr/>
	<p>From the cor. of secs. 28, 29, 32, and 33.</p> <p>West, bet. secs. 29 and 32.</p>
4.76	<p>Point for a witness point at intersection with line 131-132 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.</p> <p>From this cor. point, A.P. 132 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 0°40' W., 0.82 chs. dist.</p>
6.67	<p>Intersect line 176-177 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>From this point, A.P. 176 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 2°18' W., 0.28 chs. dist.</p>
40.13	<p>The 1/4 sec. cor. of secs. 29 and 32, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. 1/4 S29 S32 1931.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <hr/>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
34.91	<p>From the 1/4 sec. cor. of secs. 30 and 31, monumented with an iron post, 1 in. diam., firmly set, projecting 24 ins. above ground, in a mound of stone, 5 ft. base, 16 ins. high, with brass cap mkd. 1/4 S30 S31 1931.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <p>Cor. is located on the steep west slope of a ridge, approximately 160 ft. high, bears WNW and ESE.</p> <p>N. 89°54' W., bet. secs. 30 and 31.</p> <p>The closing cor. of secs. 30 and 31, on the W. bdy. of the Tp., monumented with an iron post, 2 ins. diam., firmly set, projecting 22 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. T3S T3S R4W S25 S30 S31 CC R3W 1994 1931 as described in the field note record of the dependent resurvey of a portion of the east boundary of T. 3 S., R. 4 W., executed concurrently under this same group.</p> <p>From this cor. point, the cor. of secs. 25 and 36 only, T. 3 S., R. 4 W., monumented with an iron post, 2 ins. diam, firmly set, projecting 22 ins. above ground, in a mound of stone, 5 ft. base, 1 ft. high, with brass cap mkd. T3S R4W R3W S25 S36 S31 1994 1930 as described in the field note record of the dependent resurvey of a portion of the east boundary of T. 3 S., R. 4 W., executed concurrently under this same group, bears S. 0°19' E., 2.74 chs. dist.</p>
25.61	<hr/> <p>From the 1/4 sec. cor. of secs. 29 and 30, monumented with an iron post, 1 in. diam., firmly set, projecting 20 ins. above ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. 1/4 S30 S29 1931.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <p>Cor. is located on a steep, rocky NW slope, 3 chs. N. of a rocky spur, slopes W.</p> <p>N. 0°01' W., bet. secs. 29 and 30.</p> <p>Intersection line 201-202 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>From this point, A.P. 202 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 61°50' W., 1.03 chs. dist.</p>

BOOK 5481

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
40.05	<p>The cor. of secs. 19, 20, 29, and 30, monumented with an iron post, 2 ins. diam., firmly set, projecting 12 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. T3S R3W S19 S20 S30 S29 1931.</p> <p>Add the marks 1994 on the brass cap.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 19 and 30, monumented with an iron post, 1 in. diam., firmly set, projecting 30 ins. above ground, in a mound of stone, 5 ft. base, to top, with brass cap mkd. 1/4 S19 S30 1931.</p> <p>Add the marks T3S R3W 1994 on the brass cap.</p> <p>N. 89°36' W., bet. secs. 19 and 30.</p> <p>Ascend steep, boulder covered, east slope of mountain.</p>
34.46	<p>The witness cor. to the closing cor. of secs. 19 and 30, monumented with an iron post, 2 ins. diam., firmly set, projecting 24 ins. above ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. WC T3S S19 CC S30 R3W T3S R4W S24 1931.</p> <p>Add the marks 1994 on the brass cap.</p>
35.35	<p>Intersect the W. bdy. of the Tp., true point for the closing cor. of secs. 19 and 30, falls on the steep face of an exposed rock outcrop; impracticable to monument.</p> <p>From this point, the cor. of secs. 24 and 25 only, T. 3 S., R. 4 W., monumented with an iron post, 2 ins. diam, firmly set, projecting 20 ins. above ground, in a mound of stone, 5 ft. base, to top, with brass cap mkd. T3S R4W R3W S24 S25 S30 1994 1930 as described in the field note record of the dependent resurvey of a portion of the east boundary of T. 3 S., R. 4 W., executed concurrently under this same group, bears S. 0°30' E., 3.19 chs. dist.</p> <p>From this same point, the 1/4 sec. cor. of sec. 24 only, T. 3 S., R. 4 W., monumented with an iron post, 1 in. diam, firmly set, projecting 18 ins. above ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. T3S R4W R3W 1/4 S24 1994 1930 as described in the field note record of the dependent resurvey of a portion of the east boundary of T. 3 S., R. 4 W., executed concurrently under this same group, bears N. 0°30' W., 36.79 chs. dist.</p> <hr/>

BOOK 54 81

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS

The point for the 1/4 sec. cor. of sec. 30 only, T. 3 S.,
R. 3 W., is at midpoint on the W. bdy. of sec. 30.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
23 ins. in the ground, with brass cap mkd.

T3S
R4W R3W
| 1/4 S30

1994

Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath
the stainless steel post.

Cor. is located on the N. edge of a dry wash, 20 lks. wide, 2 ft.
deep, drains WSW.

From this cor. point, the cor. of secs. 24 and 25 only, T. 3 S.,
R. 4 W., hereinbefore described, bears N. 0°15' W., 36.985 chs.
dist.

From this same cor. point, the 1/4 sec. cor. of sec. 25 only,
T. 3 S., R. 4 W., monumented with an iron post, 1 in. diam,
firmly set, projecting 5 ins. above ground, with brass cap mkd.
T3S R4W R3W 1/4 S25 1994 1930 as described in the field note
record of the dependent resurvey of a portion of the east
boundary of T. 3 S., R. 4 W., executed concurrently under this
same group, bears S. 0°15' W., 2.925 chs. dist.

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

In Sec. 10



From A.P. 1, on line bet. secs. 3 and 10.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,
26 ins. in the ground, with brass cap mkd.

T3S R3W
S 3

S10 / AP1
NMMWA
1994



BOOK 5481
Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
31.52	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 8 lks. E. of a barbed wire fence, 4 strand, bears N and SSW.</p> <p>From this cor. point, the cor. of secs. 2, 3, 10, and 11, hereinbefore described, bears N. 89°53' E., 10.32 chs. dist</p> <p>S. 7°10' W., on line 1-2 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a barbed wire fence.</p> <p>Point for A.P. 2.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T3S R3W S10 / AP2 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 8 lks. E. of a fence corner, barbed wire fences, 4 strands, bear N. and SSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 35°27' W., on line 2-3 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a barbed wire fence.</p> <p>Point for A.P. 3.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T3S R3W S10 / AP3 NMMWA 1994</p> </div>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 8 lks. E. of a barbed wire fence, 4 strands, bears NNE and SSW.</p> <hr/> <p>S. 35°45' W., on line 3-4 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a barbed wire fence.</p>
4.03	<p>Point for A.P. 4.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 840 1031 1018" style="text-align: center;"> <p>T3S R3W S10 AP4 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 8 lks. E. of a fence corner, barbed wire fences, 4 strand, extend NNE and SE.</p> <hr/> <p>S. 40°54' E., on line 4-5 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a barbed wire fence.</p>
18.13	<p>Point for A.P. 5.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 1596 1031 1774" style="text-align: center;"> <p>T3S R3W S10 AP5 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located on the west side of a rocky ridge, bears SE and NW, 8 lks. SE of the terminus of a barbed wire fence, 4 strand, bears NW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 40°40' E., on line 5-6 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a ridge.</p> <p>2.72 Point for a witness point at intersection with the line bet. secs. 10 and 15.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in place, in a drill hole, in a granite boulder, 8 X 5 X 1 1/2 ft. high, with top mkd.</p> <div style="text-align: center;">  <p>WP T3S R3W S10 S15 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located on a rocky, boulder covered slope, 25 ft. below the top of a narrow, hogback ridge, bears SE and NW.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 10 and 15, hereinbefore described, bears S. 89°48' W., 16.19 chs. dist.</p> <p style="text-align: center;">In Sec. 15</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Continue on line 5-6.</p>
7.73	<p>Point for A.P. 6.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on a granite outcrop, 14 X 12 X 4 ft. high, with top mkd.</p> <div style="text-align: center;">  <p>T3S R3W S15 AP6 NMMWA 1994</p> </div>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located atop a rocky ridge, bears irregularly N. and SW.</p> <hr/> <p>S. 48°12' W., on line 8-9 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a ridge.</p>
5.51	<p>Point for A.P. 9.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on exposed granite bedrock, 53 X 12 X 2 ft. high, with top mkd.</p> <div data-bbox="852 735 1015 924" style="text-align: center;"> <p>T3S R3W S15 AP9 NMMWA 1994</p> </div> <p>Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.</p> <p>Cor. is located at the highest point on a rocky ridge, 1900 ft. high, bears irregularly N. and SE.</p> <hr/> <p>S. 5°48' W., on line 9-10 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a ridge.</p>
7.21	<p>Point for A.P. 10.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, on exposed granite bedrock, 25 X 13 X 3 ft. high, with top mkd.</p> <div data-bbox="852 1533 1015 1722" style="text-align: center;"> <p>T3S R3W S15 AP10 NMMWA 1994</p> </div> <p>Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.</p> <p>Cor. is located atop a rocky ridge, bears irregularly N. and SSW.</p> <hr/>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>S. 16°46' W., on line 10-11 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a ridge.</p> <p>6.18 Point for A.P. 11.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 4 X 3 X 2 1/2 ft. high, with top mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet, 1 in. diam., 7/8 in. diam., in the drill hole beneath the brass tablet.</p> <p>Cor. is located atop a rocky ridge, bears N. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 17°26' W., on line 11-12 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Along the top of a ridge.</p> <p>9.93 Point for A.P. 12.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, in a drill hole, cemented in place, atop a granite boulder, 5 X 3 X 3 ft. high, with top mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole beneath the brass tablet.</p> <p>Cor. is located atop a rocky ridge, bears irregularly NNE and SE.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 54°40' E., on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy.</p>
--------	---



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
<p>3.43</p>	<p>Along the top of a ridge.</p> <p>Point for A.P. 13.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 514 1047 703" style="text-align: center;"> <p>T3S R3W S15 AP13 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located at the base of a rocky ridge, bears NW, and 8 lks. E. of the terminus of a barbed wire fence, 4 strands, bears SSE.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 27°12' E., on line 13-14 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>East of a barbed wire fence.</p>
<p>4.32</p>	<p>Point for A.P. 14.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div data-bbox="852 1344 1015 1533" style="text-align: center;"> <p>T3S R3W S15 AP14 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 8 lks. E. of the corner of barbed wire fences, 4 strand, extend NNW and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 7°04' W., on line 14-15 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>East of a barbed wire fence.</p>



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS					
30.16	<p>Point for A.P. 15, on the line bet. secs. 15 and 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W</p> <p style="text-align: center;"> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S15</td> <td style="padding: 0 5px;">AP15</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S22</td> <td style="padding: 0 5px;">NMMWA</td> </tr> </table> </p> <p style="text-align: center;">1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 8 lks. E. of a barbed wire fence, 4 strand, bears N and SSW.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 15 and 22, hereinbefore described, bears S. 89°51' W., 9.99 chs. dist.</p> <p style="text-align: center;"> <hr style="width: 20%; margin: 0 auto;"/> In Sec. 22 <hr style="width: 20%; margin: 0 auto;"/> </p> <p>S. 7°06' W., on line 15-16 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>East of a barbed wire fence.</p>	S15	AP15	S22	NMMWA
S15	AP15				
S22	NMMWA				
39.18	<p>Point for A.P. 16.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W</p> <p style="text-align: center;"> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S22</td> <td style="padding: 0 5px;">AP16</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;"></td> <td style="padding: 0 5px;">NMMWA</td> </tr> </table> </p> <p style="text-align: center;">1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located on the W. side of a low hill, 8 lks. E. of a barbed wire fence, 4 strand, bears N. and S.</p> <p style="text-align: center;"> <hr style="width: 20%; margin: 0 auto;"/> </p>	S22	AP16		NMMWA
S22	AP16				
	NMMWA				



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>S. 7°05' W., on line 16-17 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>East of a barbed wire fence.</p> <p>30.17 Point for A.P. 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T3S R3W NMMWA AP17 S22</p>  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 7 lks. E. of a barbed wire fence, 4 strand, bears N. and S., and 75 lks. N. of a trail road, bears E. and WNW, in curve.</p> <hr style="width: 20%; margin: 20px auto;"/>
3.79	<p>N. 66°51' E., on line 17-18 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNW of a trail road.</p> <p>Point for A.P. 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T3S R3W NMMWA AP18 S22</p>  <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 85 lks. N. of a trail road, bears ENE and WSW.</p> <hr style="width: 20%; margin: 20px auto;"/> <p>N. 69°41' E., on line 18-19 of the North Maricopa Mountains Wilderness Area Bdy.</p>


Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
6.46	<p>NNW of a trail road.</p> <p>Point for A.P. 19.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W NMMWA AP19</p>  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. N. of a trail road, bears E. and WSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 87°46' E., on line 19-20 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>N. of a trail road.</p>
6.83	<p>Point for A.P. 20.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W NMMWA AP20</p>  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 85 lks. N. of a trail road, bears ENE and W., in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 47°19' E., on line 20-21 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NW of a trail road.</p>
4.04	<p>Point for A.P. 21.</p>



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
2.37	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W NMMWA AP21</p>  <p>S22 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 105 lks. N. of a trail road, bears NE and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 73°37' E., on line 21-22 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNW of a trail road.</p>
4.60	<p>Point for A.P. 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W NMMWA AP22</p>  <p>S22 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 90 lks. N. of a trail road, bears ESE and WSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 58°41' E., on line 22-23 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNE of a trail road.</p>
	<p>Point for A.P. 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona


CHAINS	
	<p style="text-align: center;">T3S R3W NMMWA AP23  S22 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 90 lks. N. of a trail road, bears E. and WNW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 82°49' E., on line 23-24 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>N. of a trail road.</p> <p>3.87 Point for A.P. 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T3S R3W NMMWA AP24  S22 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. N. of a trail road, bears ENE and W., in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 68°12' E., on line 24-25 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNW of a trail road.</p> <p>3.90 Point for A.P. 25.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W NMMWA AP25</p>  <p style="text-align: center;">S22 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 90 lks. N. of a trail road, bears NE and WSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 54°12' E., on line 25-26 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NW of a trail road.</p>
3.50	<p>Point for A.P. 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>
2.99	<p style="text-align: center;">T3S R3W NMMWA AP26</p>  <p style="text-align: center;">S22 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 115 lks. N. of a trail road, bears ENE and SW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 71°09' E., on line 26-27 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNW of a trail road.</p> <p>Point for A.P. 27, on the line bet. secs. 22 and 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS



Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 105 lks. N. of the intersection of a trail road and wash, the trail road, 15 lks. wide, bears SE and W., in curve, the wash, 30 lks. wide, 4 ft. deep, drains SSW.

From this cor. point, the 1/4 sec. cor. of secs. 22 and 23, hereinbefore described, bears N. 0°08' E., 18.85 chs. dist.


In Sec. 23

S. 41°33' E., on line 27-28 of the North Maricopa Mountains Wilderness Area Bdy.

NE of a trail road.

4.58 Point for A.P. 28.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.


Cor. is located 90 lks. E. of a trail road, bears SE and NW.

S. 56°23' E., on line 28-29 of the North Maricopa Mountains Wilderness Area Bdy.


NNE of a trail road.

7.40 Point for A.P. 29.



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W NMMWA AP29</p>  <p style="text-align: center;">S23 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. N. of a trail road, bears ESE and NW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 71°29' E., on line 29-30 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNW of a trail road.</p> <p>1.53 Point for A.P. 30.</p>
1.53	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W NMMWA AP30</p>  <p style="text-align: center;">S23 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. N. of a trail road, bears ESE and WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 59°47' E., on line 30-31 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNW of a trail road.</p> <p>4.67 Point for A.P. 31.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W NMMWA AP31</p>  <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. N. of a trail road, bears ENE and WSW.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 72°52' E., on line 31-32 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNW of a trail road.</p> <p>4.71 Point for A.P. 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T3S R3W NMMWA AP32</p>  <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. N. of a trail road, bears E. and WSW, in curve.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 75°57' E., on line 32-33 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNW of a trail road.</p> <p>4.54 Point for A.P. 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

32
 BOOK 5481
 Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.65	<div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. E. of a trail road, bears SSE and W., in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 16°12' E., on line 33-34 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p> <p>Point for A.P. 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. E. of a trail road, bears SSE and NNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 22°23' E., on line 34-35 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p> <p>Point for A.P. 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="857 296 1003 485" data-label="Diagram"> <p>T3S R3W NMMWA AP35 S23 1994</p> </div> <p data-bbox="409 516 1421 579">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="409 611 1453 674">Cor. is located 120 lks. N. of a trail road, bears SE and NNW, in curve.</p> <hr data-bbox="716 699 1146 705"/> <p data-bbox="409 737 1356 800">S. 38°00' E., on line 35-36 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="409 831 716 863">NE of a trail road.</p> <p data-bbox="269 894 699 926">4.10 Point for A.P. 36.</p> <p data-bbox="409 957 1356 1020">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>
	<div data-bbox="857 1052 1003 1241" data-label="Diagram"> <p>T3S R3W NMMWA AP36 S23 1994</p> </div> <p data-bbox="409 1272 1421 1335">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="409 1367 1453 1430">Cor. is located 105 lks. E. of a trail road, bears ESE and NW, in curve.</p> <hr data-bbox="716 1455 1146 1461"/> <p data-bbox="409 1497 1356 1560">S. 71°07' E., on line 36-37 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="409 1591 716 1623">NNE of a trail road.</p> <p data-bbox="269 1654 699 1686">3.52 Point for A.P. 37.</p> <p data-bbox="409 1717 1356 1780">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="812 289 998 478" style="text-align: center;"> </div> <p data-bbox="410 512 1419 575">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="410 606 1451 669">Cor. is located 100 lks. N. of a trail road, bears SE and WNW, in curve.</p> <hr data-bbox="714 693 1144 703"/> <p data-bbox="410 732 1354 798">S. 42°47' E., on line 37-38 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="410 829 711 861">NE of a trail road.</p> <p data-bbox="267 892 698 924">3.06 Point for A.P. 38.</p> <p data-bbox="410 955 1349 1020">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>
	<div data-bbox="844 1054 998 1243" style="text-align: center;"> </div> <p data-bbox="410 1276 1419 1339">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="410 1371 1435 1434">Cor. is located 80 lks. E. of a trail road, bears SSE and NW, in curve.</p> <hr data-bbox="714 1459 1144 1470"/> <p data-bbox="410 1501 1354 1566">S. 26°18' E., on line 38-39 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="410 1598 727 1629">ENE of a trail road.</p> <p data-bbox="267 1661 1365 1724">4.41 Point for a witness point at intersection with the line bet. secs. 23 and 26.</p> <p data-bbox="410 1755 1349 1820">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="860 283 1088 483" data-label="Diagram"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. E. of a trail road, 15 lks. wide, bears SSE and NNW.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 23 and 26, hereinbefore described, bears S. 89°56' E., 4.76 chs. dist.</p> <p style="text-align: center;">In Sec. 26</p> <hr style="width: 20%; margin: auto;"/>
<p>13.27</p>	<p>Continue on line 38-39.</p> <p>Point for A.P. 39.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="844 1113 1006 1312" data-label="Diagram"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 90 lks. E. of a trail road, bears SSE and NNE.</p> <hr style="width: 20%; margin: auto;"/>
<p>6.05</p>	<p>S. 17°44' E., on line 39-40 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p> <p>Point for A.P. 40.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="873 289 1003 478" style="text-align: center;"> </div> <p data-bbox="412 512 1419 575">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 604 1435 667">Cor. is located 100 lks. E. of a trail road, bears NNE and S, in curve.</p> <hr data-bbox="714 693 1144 703"/> <p data-bbox="412 730 1338 793">S. 0°09' W., on line 40-41 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 827 711 856">E. of a trail road.</p> <p data-bbox="266 890 698 919">4.50 Point for A.P. 41.</p> <p data-bbox="412 953 1354 1016">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<div data-bbox="857 1050 1036 1239" style="text-align: center;"> </div> <p data-bbox="412 1272 1419 1335">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 1365 1435 1428">Cor. is located 95 lks. E. of a trail road, bears N. and SSW, in curve.</p> <hr data-bbox="714 1459 1144 1470"/> <p data-bbox="412 1491 1338 1554">S. 3°40' W., on line 41-42 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 1587 711 1617">E. of a trail road.</p> <p data-bbox="266 1650 698 1680">6.13 Point for A.P. 42.</p> <p data-bbox="412 1713 1354 1776">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="852 289 998 478" style="text-align: center;"> </div> <p data-bbox="412 512 1414 569">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 604 1360 632">Cor. is located 100 lks. E. of a trail road, bears N. and S.</p> <hr data-bbox="711 659 1143 667"/> <p data-bbox="412 699 1333 756">S. 7°45' E., on line 44-45 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 793 711 821">E. of a trail road.</p>
6.08	<p data-bbox="412 856 695 884">Point for A.P. 45.</p> <p data-bbox="412 926 1349 982">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 1024 998 1234" style="text-align: center;"> </div> <p data-bbox="412 1276 1414 1333">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 1371 1360 1398">Cor. is located 100 lks. E. of a trail road, bears N. and S.</p> <hr data-bbox="711 1425 1143 1434"/> <p data-bbox="412 1465 1349 1522">S. 14°07' E., on line 45-46 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 1560 711 1587">E. of a trail road.</p>
4.72	<p data-bbox="412 1623 695 1650">Point for A.P. 46.</p> <p data-bbox="412 1692 1349 1749">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>



Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 90 lks. E. of a trail road, bears SSE and NNW.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 62°30' E., on line 46-47 of the North Maricopa Mountains Wilderness Area Bdy.</p>
0.79	<p>Point for A.P. 47.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 140 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 30°35' E., on line 47-48 of the North Maricopa Mountains Wilderness Area Bdy.</p>
4.21	<p>Point for A.P. 48.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <hr style="width: 20%; margin: auto;"/>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
0.77	<p>S. 53°45' W., on line 48-49 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Point for A.P. 49.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="841 541 1036 701" style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. E. of a trail road, bears SE and NNW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/>
3.68	<p>S. 35°33' E., on line 49-50 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NE of a trail road.</p> <p>Point for A.P. 50.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="841 1276 1003 1436" style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. N. of a trail road, bears SE and NW.</p> <hr style="width: 20%; margin: 10px auto;"/>
5.39	<p>S. 49°31' E., on line 50-51 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NE of a trail road.</p> <p>Point for A.P. 51.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W NMMWA AP51</p>  <p>S26 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 150 lks. N. of a trail road, bears SE and NW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 57°01' E., on line 51-52 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNE of a trail road.</p> <p>3.45 Point for A.P. 52.</p>
<p>3.45</p>	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W AP52 NMMWA</p>  <p>S26 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 125 lks. N. of a trail road, bears SE and NNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 42°24' E., on line 52-53 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NE of a trail road.</p> <p>4.83 Point for A.P. 53.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="857 296 1029 447" style="text-align: center;"> <p>T3S R3W NMMWA S26 AP53 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. N. of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend E. and SSW.</p> <hr/> <p>N. 89°37' E., on line 53-54 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>N. of a barbed wire fence.</p> <p>3.51 Point for A.P. 54.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="857 1058 1029 1209" style="text-align: center;"> <p>T3S R3W AP54 S26 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 65 lks. NE of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend W. and S.</p> <hr/> <p>S. 3°39' E., on line 54-55 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a barbed wire fence.</p> <p>3.92 Point for A.P. 55.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="852 294 1039 483" style="text-align: center;"> <p>T3S R3W</p> <p>S26</p> <p>AP55 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 65 lks. SE of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend N. and W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89°03' W., on line 55-56 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a barbed wire fence.</p> <p>3.88 Point for A.P. 56.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>
	<div data-bbox="836 1081 1015 1270" style="text-align: center;"> <p>T3S R3W</p> <p>AP56</p> <p>S26</p> <p>NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 65 lks. SW of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend N. and E.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 3°58' W., on line 56-57 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a barbed wire fence.</p> <p>2.76 Point for A.P. 57.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="824 289 1003 478" style="text-align: center;"> </div> <p data-bbox="409 541 1421 604">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="409 640 1437 735">Cor. is located 45 lks. W. of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend NNE and S.</p> <hr data-bbox="714 756 1144 766"/> <p data-bbox="409 798 1339 861">N 53°47' W., on line 57-58 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="409 892 714 924">SW of a trail road.</p> <p data-bbox="267 955 698 987">3.89 Point for A.P. 58.</p> <p data-bbox="409 1018 1356 1081">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>
	<div data-bbox="836 1113 1023 1302" style="text-align: center;"> </div> <p data-bbox="409 1333 1421 1396">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="409 1428 1453 1491">Cor. is located 150 lks. S. of a trail road, bears S. and NNW, in curve.</p> <hr data-bbox="714 1522 1144 1533"/> <p data-bbox="409 1554 1356 1617">N. 34°52' W., on line 58-59 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="409 1648 714 1680">SW of a trail road.</p> <p data-bbox="267 1711 698 1743">1.55 Point for A.P. 59.</p> <p data-bbox="409 1774 1356 1837">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, brass cap mkd.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.25	<div data-bbox="836 294 1006 451" data-label="Diagram"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 125 lks. S. of a trail road, bears SSE and WNW, in curve.</p> <hr/> <p>N. 56°55' W., on line 59-60 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of a trail road.</p> <p>Point for A.P. 60.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
5.83	<div data-bbox="836 1029 1006 1186" data-label="Diagram"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 130 lks. S. of a trail road, bears SE and NW.</p> <hr/> <p>N. 49°13' W., on line 60-61 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SW of a trail road.</p> <p>Point for A.P. 61.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="820 1722 1006 1879" data-label="Diagram"> </div>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 115 lks. S. of a trail road, bears SE and NW.</p> <hr/> <p>N. 35°17' W., on line 61-62 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SW of a trail road.</p>
3.67	<p>Point for A.P. 62.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="873 800 987 989" style="text-align: center;"> <p>T3S R3W S26 AP62 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. S. of a trail road, bears SSE and NW, in curve.</p> <hr/> <p>S. 48°46' W., on line 62-63 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SW of a trail road.</p>
0.76	<p>Point for A.P. 63.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="841 1566 997 1755" style="text-align: center;"> <p>T3S R3W S26 AP63 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
4.74	<p>Cor. is located 50 lks. N. of a wash, 50 lks. wide, 3 ft. deep, drains SSE.</p> <hr/> <p>N. 26°13' W., on line 63-64 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SW of a trail road.</p> <p>Point for A.P. 64.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 735 998 924" style="text-align: center;"> <p>T3S R3W NMMWA AP64</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 18 lks. E. of a wash, 50 lks. wide, 3 ft. deep, drains SSE.</p> <hr/>
0.36	<p>N. 58°27' E., on line 64-65 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SW of a trail road.</p> <p>Point for A.P. 65.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="820 1501 1015 1690" style="text-align: center;"> <p>T3S R3W</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. W. of a trail road, bears N. and S.</p> <hr/>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>N. 20°31' W., on line 65-66 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p> <p>2.95 Point for A.P. 66.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 115 lks. W. of a trail road, bears NNW and SSE.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 7°58' W., on line 66-67 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p> <p>8.53 Point for A.P. 67.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 14°02' W., on line 67-68 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p>
--------	---

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
6.59	<p>Point for A.P. 68.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="841 447 1023 640" style="text-align: center;"> <p>T3S R3W NMMWA AP68 S26 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 5°01' W., on line 68-69 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p>
9.19	<p>Point for A.P. 69.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="841 1182 1023 1375" style="text-align: center;"> <p>T3S R3W NMMWA AP69 S26 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 90 lks. W. of a trail road, bears NNW and S, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 25°31' W., on line 69-70 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p>
2.71	<p>Point for A.P. 70.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="836 289 1015 478" style="text-align: center;"> <p>T3S R3W NMMWA AP70 } S26 1994</p> </div> <p data-bbox="410 514 1417 573">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="410 606 1446 665">Cor. is located 100 lks. W. of a trail road, bears NE and SSE, in curve.</p> <hr data-bbox="711 695 1143 701"/> <p data-bbox="410 735 1349 793">N. 11°07' E., on line 70-71 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="410 831 695 858">W of a trail road.</p> <p data-bbox="266 896 695 924">8.40 Point for A.P. 71.</p> <p data-bbox="410 957 1349 1016">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<div data-bbox="836 1056 1015 1245" style="text-align: center;"> <p>T3S R3W NMMWA AP71 } S26 1994</p> </div> <p data-bbox="410 1276 1417 1335">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="410 1369 1433 1428">Cor. is located 90 lks. W. of a trail road, bears NNE and S., in curve.</p> <hr data-bbox="711 1457 1143 1463"/> <p data-bbox="410 1497 1349 1556">N. 18°31' W., on line 71-72 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="410 1593 724 1621">WSW of a trail road.</p> <p data-bbox="266 1659 695 1686">5.64 Point for A.P. 72.</p> <p data-bbox="410 1719 1349 1778">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="841 296 1019 485" data-label="Diagram"> </div> <p data-bbox="410 516 1419 579">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="410 615 1414 646">Cor. is located 100 lks. W. of a trail road, bears SSE and NNW.</p> <hr data-bbox="711 667 1143 680"/> <p data-bbox="410 709 1352 772">N. 26°17' W., on line 72-73 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="410 804 727 835">WSW of a trail road.</p> <p data-bbox="269 867 1365 930">9.56 Point for a witness point at intersection with the line bet. secs. 23 and 26.</p> <p data-bbox="410 961 1349 1024">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p>
	<div data-bbox="776 1062 987 1251" data-label="Diagram"> </div> <p data-bbox="410 1283 1419 1346">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="410 1377 1419 1440">Cor. is located 60 lks. W. of a trail road, 15 lks. wide, bears SSE and NNW.</p> <p data-bbox="410 1472 1365 1535">From this cor. point, the cor., of secs. 22, 23, 26 and 27, hereinbefore described, bears N. 89°56' W., 33.45 chs. dist.</p> <p data-bbox="846 1566 1008 1598">In Sec. 23</p> <hr data-bbox="711 1619 1143 1631"/> <p data-bbox="410 1661 776 1692">Continue on line 72-73.</p> <p data-bbox="248 1724 695 1755">13.17 Point for A.P. 73.</p> <p data-bbox="410 1787 1349 1850">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="836 283 1023 472" data-label="Diagram"> <p>A diagram showing a boundary line segment. The text 'T3S R3W' is at the top. Below it, 'NMMWA' and 'AP73' are on the left side, and 'S23' is on the right side. At the bottom, '1994' is written.</p> </div> <p data-bbox="407 504 1421 577">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="407 598 1437 661">Cor. is located 80 lks. W. of a trail road, bears SSE and NW, in curve.</p> <hr data-bbox="714 682 1144 703"/> <p data-bbox="407 724 1356 787">N. 41°34' W., on line 73-74 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="407 819 714 850">SW of a trail road.</p> <p data-bbox="267 882 698 913">2.32 Point for A.P. 74.</p> <p data-bbox="407 945 1356 1018">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>
<p data-bbox="267 1617 332 1648">3.70</p>	<div data-bbox="836 1050 990 1207" data-label="Diagram"> <p>A diagram showing a boundary line segment. The text 'T3S R3W' is at the top. Below it, 'S23' is on the right side. Below that, 'AP74' and 'NMMWA' are on the left side. At the bottom, '1994' is written.</p> </div> <p data-bbox="407 1239 1421 1302">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="407 1333 1421 1396">Cor. is located 120 lks. W. of a trail road, bears SSE and WNW, in curve.</p> <hr data-bbox="714 1417 1144 1438"/> <p data-bbox="407 1459 1356 1522">N. 71°01' W., on line 74-75 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="407 1554 722 1585">SSW of a trail road.</p> <p data-bbox="407 1617 698 1648">Point for A.P. 75.</p> <p data-bbox="407 1680 1356 1743">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="808 296 1027 449" data-label="Diagram"> <p>T3S R3W NMMWA S23 AP75 1994</p> </div> <p data-bbox="412 485 1419 548">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 583 1451 646">Cor. is located 105 lks. W. of a trail road, bears ESE and NW, in curve.</p> <hr data-bbox="714 667 1144 676"/> <p data-bbox="412 709 1354 772">N. 37°26' W., on line 75-76 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 808 711 835">SW of a trail road.</p> <p data-bbox="267 871 698 898">4.51 Point for A.P. 76.</p> <p data-bbox="412 934 1354 997">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>
	<div data-bbox="808 1031 987 1184" data-label="Diagram"> <p>T3S R3W NMMWA S23 AP76 1994</p> </div> <p data-bbox="412 1220 1419 1283">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 1318 1435 1381">Cor. is located 90 lks. W. of a trail road, bears SE and NNW, in curve.</p> <hr data-bbox="714 1402 1144 1411"/> <p data-bbox="412 1444 1354 1507">N. 24°50' W., on line 76-77 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 1543 711 1570">WSW of a trail road.</p> <p data-bbox="267 1606 698 1633">3.36 Point for A.P. 77.</p> <p data-bbox="412 1669 1354 1732">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="808 289 987 478" data-label="Diagram"> <p>A diagram showing a point labeled 'AP77' and 'NMMWA'. To the right, there is a vertical line labeled 'S23' and '1994'. Above the vertical line is the text 'T3S R3W'. A short horizontal line is drawn below the text 'S23'.</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 85 lks. W. of a trail road, bears SSE and NNW.</p> <hr/> <p>N. 9°58' W., on line 77-78 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p>
2.33	<p>Point for A.P. 78.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="808 1024 987 1213" data-label="Diagram"> <p>A diagram showing a point labeled 'AP78' and 'NMMWA'. To the right, there is a vertical line labeled 'S23' and '1994'. Above the vertical line is the text 'T3S R3W'. A short horizontal line is drawn below the text 'S23'.</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. W. of a trail road, bears SSE and W., in curve.</p> <hr/> <p>N. 83°45' W., on line 78-79 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail load.</p>
3.09	<p>Point for A.P. 79.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>


Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S23</p> <p style="text-align: center;">  AP79 NMMWA 1994 </p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 70 lks. S. of a trail road, bears E. and WSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 69°09' W., on line 79-80 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a trail road.</p>
3.14	<p>Point for A.P. 80.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S23</p> <p style="text-align: center;">  AP80 NMMWA 1994 </p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 70 lks. S. of a trail road, bears ENE and WSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 63°32' W., on line 80-81 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a trail road.</p>
5.91	<p>Point for A.P. 81.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S23</p>  <p style="text-align: center;">AP81 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 70 lks. S. of a trail road, bears ESE and WSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 73°29' W., on line 81-82 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SW of a trail road.</p>
2.34	<p>Point for A.P. 82.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S23</p>  <p style="text-align: center;">AP82 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. S. of a trail road, bears ESE and NW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 54°25' W., on line 82-83 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SW of a trail road.</p>
	<p>4.47</p> <p>Point for A.P. 83.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T3S R3W S23</p>  <p>AP83 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. S. of a trail road, bears ESE and NW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 58°17' W., on line 83-84 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of a trail road.</p>
3.91	<p>Point for A.P. 84.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>T3S R3W S23</p>  <p>AP84 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. W. of a trail road, bears SE and NW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 41°52' W., on line 84-85 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SW of a trail road.</p>
2.57	<p>Point for a witness point at intersection with the line bet. secs. 22 and 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="857 289 1003 508" style="text-align: center;"> <p>WP T3S R3W S22 S23 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 90 lks. W. of a trail road, 15 lks. wide, bears ESE and NW, in curve.</p> <p>From this cor. point, the cor. of secs. 22, 23, 26, and 27, hereinbefore described, bears S. 0°08' W., 18.88 chs. dist.</p> <p style="text-align: center;">In Sec. 22</p> <hr style="width: 20%; margin: auto;"/>
3.24	<p>Continue on line 84-85.</p> <p>Point for A.P. 85.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>
5.48	<div data-bbox="857 1150 1003 1339" style="text-align: center;"> <p>T3S R3W S22 AP85 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 85 lks. S. of a trail road, bears ESE and WSW.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 60°56' W., on line 85-86 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a trail road.</p> <p>Point for A.P. 86.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>


Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S22  AP86 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. S. of a trail road, bears NE and WSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 68°02' W., on line 86-87 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a trail road.</p>
4.04	<p>Point for A.P. 87.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S22  AP87 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. S. of a trail road, bears ENE and W., in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 82°44' W., on line 87-88 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail road.</p>
4.26	<p>Point for A.P. 88.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S22</p>  <p style="text-align: center;">AP88 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 70 lks. S. of a trail road, bears E. and WNW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 68°38' W., on line 88-89 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of a trail road.</p>
<p>5.49</p>	<p>Point for A.P. 89.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S22</p>  <p style="text-align: center;">AP89 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 105 lks. S. of a trail road, bears NE and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 46°10' W., on line 89-90 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SE of a trail road.</p>
<p>4.16</p>	<p>Point for A.P. 90.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T3S R3W S22</p>  <p>AP90 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. S. of a trail road, bears ENE and W., in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 87°34' W., on line 90-91 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail road.</p>
7.42	<p>Point for A.P. 91.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W S22</p>  <p>AP91 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 70 lks. S. of a trail road, bears E. and WSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 70°01' W., on line 91-92 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a trail road.</p>
5.69	<p>Point for A.P. 92.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S22</p>  <p style="text-align: center;">AP92 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. S. of a trail road, bears ESE and WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 69°38' W., on line 92-93 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a trail road.</p>
5.08	<p>Point for A.P. 93.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S22</p>  <p style="text-align: center;">AP93 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. S. of a trail road, bears E. and WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 7°06' W., on line 93-94 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a barbed wire fence.</p>
6.07	<p>Point for A.P. 94.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>


Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S22 / AP94 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 5 lks. E. of a barbed wire fence, 4 strands, bears NNE and SSW, and 105 lks. S. of a wash, 135 lks. wide, 3 ft. deep, drains W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 86°25' W., on line 94-95 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p> <p>5.65 Point for A.P. 95.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
3.40	<p style="text-align: center;">T3S R3W S22 / AP95 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. S. of a wash, 110 lks. wide, 3 ft. deep, drains W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 86°06' W., on line 95-96 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p> <p>Point for A.P. 96.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S22</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP96 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. S. of a wash, 125 lks. wide, 3 ft. deep, drains W.</p> <hr style="width: 10%; margin: auto;"/> <p>N. 73°51' W., on line 96-97 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of a wash.</p>
3.45	<p>Point for A.P. 97.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T3S R3W S22</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP97 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 85 lks. S. of a wash, 80 lks. wide, 3 ft. deep, drains W.</p> <hr style="width: 10%; margin: auto;"/> <p>N. 88°46' W., on line 97-98 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
6.47	<p>Point for A.P. 98.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>


Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T3S R3W S22</p>  <p>AP98 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. S. of a wash, 145 lks. wide, 4 ft. deep, drains WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 72°03' W., on line 98-99 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of a wash.</p> <p>5.13 Point for A.P. 99.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>T3S R3W S22</p>  <p>AP99 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. S. of a wash, 145 lks. wide, 4 ft. deep, drains WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 72°14' W., on line 99-100 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of a wash.</p> <p>5.44 Point for A.P. 100.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S22</p>  <p style="text-align: center;">AP100 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 65 lks. S. of a wash, 105 lks. wide, 3 ft. deep, drains WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 88°36' W., on line 100-101 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
3.29	<p>Point for A.P. 101.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S22</p>  <p style="text-align: center;">AP101 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 175 lks. S. of a wash, 220 lks. wide, 2 ft. deep, drains WSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 76°49' W., on line 101-102 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a wash.</p>
2.93	<p>Point for A.P. 102.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S22  AP102 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. S. of a wash, 100 lks. wide, 2 ft. deep, drains WSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 58°47' W., on line 102-103 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a wash.</p>
2.86	<p>Point for A.P. 103.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T3S R3W S22  AP103 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 55 lks. S. of a wash, 60 lks. wide, 2 ft. deep, drains SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 44°49' W., on line 103-104 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SE of a wash.</p>
4.52	<p>Point for A.P. 104, on the line bet. secs. 21 and 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

<p>CHAINS</p>	<div style="text-align: center;"> <p>T3S R3W S21 S22 AP104 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 120 lks. S. of a wash, 145 lks. wide, 2 ft. deep, drains SW.</p> <p>From this cor. point, the cor. of secs. 21, 22, 27, and 28, hereinbefore described, bears S. 0°04' E., 3.19 chs. dist.</p> <hr style="width: 20%; margin: 10px auto;"/> <p style="text-align: center;">In Sec. 21</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 52°28' W., on line 104-105 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SE of a wash.</p> <p>5.22 Point for A.P. 105, on the line bet. secs. 21 and 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W S21 / NMMWA S28 / AP105 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 120 lks. S. of a wash, 130 lks. wide, 1 ft. deep, drains SW.</p> <p>From this cor. point, the cor. of secs. 21, 22, 27, and 28, hereinbefore described, bears N. 89°56' E., 4.15 chs. dist.</p> <hr style="width: 20%; margin: 10px auto;"/>
---------------	--

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>In Sec. 28</p> <hr/>
3.75	<p>S. 30°05' W., on line 105-106 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ESE of a wash.</p> <p>Point for A.P. 106.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W S28 AP106 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 150 lks. S. of a wash, 90 lks. wide, 3 ft. deep, drains WSW.</p> <hr/>
5.84	<p>S. 44°07' W., on line 106-107 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SW of a wash.</p> <p>Point for A.P. 107.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W S28 AP107 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 150 lks. S. of a wash, 185 lks. wide, 3 ft. deep, drains W.</p> <hr/>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>S. 83°17' W., on line 107-108 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
3.67	<p>Point for A.P. 108.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S28</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP108 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 90 lks. S. of a wash, 140 lks. wide, 4 ft. deep, drains WSW.</p>
	<p>S. 78°24' W., on line 108-109 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a wash.</p>
4.11	<p>Point for A.P. 109.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, to bedrock, encircled with a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S28</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP109 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. S. of a wash, 125 lks. wide, 4 ft. deep, drains W.</p>
	<p>S. 83°10' W., on line 109-110 of the North Maricopa Mountains Wilderness Area Bdy.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
5.68	<p>S. of a wash.</p> <p>Point for A.P. 110.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S28</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP110 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 125 lks. S. of a wash, 125 lks. wide, 3 ft. deep, drains W.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 83°11' W., on line 110-111 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
4.11	<p>Point for A.P. 111.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S28</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP111 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 105 lks. S. of a wash, 145 lks. wide, 3 ft. deep, drains W.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 80°17' W., on line 111-112 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
4.25	<p>Point for A.P. 112.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S28</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP112 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 115 lks. S. of a wash, 140 lks. wide, 3 ft. deep, drains W.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 85°01' W., on line 112-113 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
10.17	<p>Point for A.P. 113.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. in the ground, to bedrock, supported in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S28</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP113 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. S. of a wash, 190 lks. wide, 3 ft. deep, drains W.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 85°23' W., on line 113-114 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
6.85	<p>Point for A.P. 114.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S28</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP114 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 70 lks. S. of a wash, 70 lks. wide, 2 ft. deep, drains W.</p> <hr style="width: 10%; margin: auto;"/> <p>S. 89°07' W., on line 114-115 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
7.02	<p>Point for A.P. 115.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T3S R3W S28</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP115 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. S. of a wash, 60 lks. wide, 2 ft. deep, drains WSW.</p> <hr style="width: 10%; margin: auto;"/> <p>S. 74°14' W., on line 115-116 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a wash.</p>
5.06	<p>Point for A.P. 116.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S28</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP116 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 85 lks. S. of a wash, 105 lks. wide, 2 ft. deep, drains WNW.</p> <hr style="width: 10%; margin: auto;"/> <p>S. 70°41' W., on line 116-117 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a wash.</p>
6.65	<p>Point for A.P. 117.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T3S R3W S28</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP117 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 90 lks. S. of a wash, 45 lks. wide, 1 ft. deep, drains W.</p> <hr style="width: 10%; margin: auto;"/> <p>N. 66°15' W., on line 117-118 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a wash.</p>
3.02	<p>Point for A.P. 118.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S28</p>  <p style="text-align: center;">AP118 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 115 lks. S. of a wash, 135 lks. wide, 1 ft. deep, drains W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 88°11' W., on line 118-119 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
2.98	<p>Point for A.P. 119.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>
7.61	<p style="text-align: center;">T3S R3W S28</p>  <p style="text-align: center;">AP119 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. S. of a wash, 135 lks. wide, 1 ft. deep, drains WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 81°57' W., on line 119-120 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Leave south bank of wash.</p> <p>Intersect the line bet. secs. 28 and 29, not monumented.</p> <p>From this point, the cor. of secs. 20, 21, 28, and 29, hereinbefore described, bears N. 0°01' E., 15.49 chs. dist.</p> <p style="text-align: center;">In Sec. 29</p> <hr style="width: 20%; margin: 10px auto;"/>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
<p>24.32</p>	<p>Continue on line 119-120.</p> <p>Point for A.P. 120.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 514 1031 703" style="text-align: center;"> <p>T3S R3W S29 AP120 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. E. of a trail road, bears SSE and NNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 27°02' E., on line 120-121 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Thence enter Margies Cove, ENE of a trail road.</p>
<p>8.75</p>	<p>Point for A.P. 121.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 1249 1031 1417" style="text-align: center;"> <p>T3S R3W NMMWA AP121 S29 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. E. of a trail road, bears SSE and NNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 70°40' E., on line 121-122 of the North Maricopa Mountains Wilderness Area Bdy.</p>
<p>1.71</p>	<p>Point for A.P. 122.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="852 294 1015 483" data-label="Diagram"> <p>T3S R3W NMMWA AP122 S29 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 270 lks. E. of a trail road, bears SSE and NNW.</p> <hr/> <p>S. 24°56' E., on line 122-123 of the North Maricopa Mountains Wilderness Area Bdy.</p>
5.63	<p>Point for A.P. 123.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 955 1015 1123" data-label="Diagram"> <p>T3S R3W NMMWA AP123 S29 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 285 lks. E. of a trail road, bears SSE and NNW.</p> <hr/> <p>S. 63°22' W., on line 123-124 of the North Maricopa Mountains Wilderness Area Bdy.</p>
1.67	<p>Point for A.P. 124.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 1596 1015 1764" data-label="Diagram"> <p>T3S R3W S29 AP124 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>Cor. is located 95 lks. E. of a trail road, bears SSE and NNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 20°14' E., on line 124-125 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p> <p>4.93 Point for A.P. 125.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. E. of a trail road, bears SSE and NNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 11°21' E., on line 125-126 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a trail road.</p> <p>5.58 Point for A.P. 126.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 7°15' W., on line 126-127 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a trail road.</p>
--------	--

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
4.86	<p>Point for A.P. 127.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 6°20' E., on line 127-128 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a trail road.</p>
3.37	<p>Point for A.P. 128.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 7°37' E., on line 128-129 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a trail road.</p>
8.29	<p>Point for A.P. 129.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T3S R3W S29 NMMWA AP129 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 3°55' E., on line 129-130 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a trail road.</p> <p>4.94 Point for A.P. 130.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
5.09	<div style="text-align: center;"> <p>T3S R3W S29 NMMWA AP130 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 85 lks. E. of a trail road, bears N. and SSE, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 16°48' E., on line 130-131 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p> <p>Point for A.P. 131.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W S29 NMMWA AP131 1994</p> </div>



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
13.01	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 90 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 0°40' W., on line 131-132 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a trail road.</p> <p>Point for a witness point at intersection with the line bet. secs. 29 and 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 105 lks. E. of a trail road, 15 lks. wide, bears SSE and N., in curve.</p> <p>From this cor. point, the cor. of secs. 28, 29, 32, and 33, hereinbefore described, bears E., 4.76 chs. dist.</p> <p style="text-align: center;">In Sec. 32</p> <hr style="width: 20%; margin: 10px auto;"/>
13.83	<p>Continue on line 131-132.</p> <p>Point for A.P. 132.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>



Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
6.84	<p>Cor. is located 120 lks. E. of a trail road, bears SSE and NNW.</p> <hr/> <p>S. 24°13' E., on line 132-133 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p> <p>Point for A.P. 133.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W NMMWA S32 AP133 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. E. of a trail road, bears S. and NW, in curve.</p> <hr/>
4.18	<p>S. 15°07' E., on line 133-134 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p> <p>Point for A.P. 134.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W NMMWA S32 AP134 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. E. of a trail road, bears S. and NNW, in curve.</p> <hr/> <p>S. 7°35' E., on line 134-135 of the North Maricopa Mountains Wilderness Area Bdy.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	E. of a trail road.
4.30	Point for A.P. 135.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. E. of a trail road, bears N. and S.
	<hr style="width: 20%; margin: auto;"/> <p>S. 0°25' W., on line 135-136 of the North Maricopa Mountains Wilderness Area Bdy.</p>
	E. of a trail road.
5.49	Point for A.P. 136.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. E. of a trail road, bears N. and S.
	<hr style="width: 20%; margin: auto;"/> <p>N. 86°21' E., on line 136-137 of the North Maricopa Mountains Wilderness Area Bdy.</p>
0.36	Intersect the line bet. secs. 32 and 33, not monumented.
	From this point, the cor. of secs. 28, 29, 32, and 33, hereinbefore described, bears N. 0°02' W., 20.83 chs. dist.

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.81	<p style="text-align: center;">In Sec. 33</p> <hr style="width: 20%; margin: auto;"/> <p>Continue on line 136-137.</p> <p>Point for A.P. 137.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 460 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: auto;"/>
8.97	<p>S. 9°34' W., on line 137-138 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Point for A.P. 138.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 270 lks. E. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: auto;"/>
2.85	<p>S. 9°07' W., on line 138-139 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Point for A.P. 139.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="841 296 1036 449" style="text-align: center;"> <p>T3S R3W S33 AP139 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 60 lks. E. of a wash, 15 lks. wide, 1 ft. deep, drains SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 51°23' W., on line 139-140 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a trail road.</p> <p>1.62 Point for A.P. 140.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="841 1024 1036 1178" style="text-align: center;"> <p>T3S R3W S33 NMMWA AP140 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 60 lks. E. of a trail road, bears N. and SSE, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 14°58' E., on line 140-141 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p> <p>6.70 Point for A.P. 141.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="852 289 1031 445" data-label="Diagram"> <p>A diagram showing a vertical line labeled 'S33' on the left. To its right, a line branches off to the right, labeled 'NMMWA' and 'AP141'. Above the 'S33' label are the coordinates 'T3S R3W'. Below the 'AP141' label is the year '1994'.</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 70 lks. E. of a trail road, bears N. and S.</p> <hr/> <p>S. 5°41' W., on line 141-142 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a trail road.</p> <p>3.28 Point for A.P. 142.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 991 1031 1146" data-label="Diagram"> <p>A diagram showing a vertical line labeled 'S33' on the left. To its right, a line branches off to the right, labeled 'NMMWA' and 'AP142'. Above the 'S33' label are the coordinates 'T3S R3W'. Below the 'AP142' label is the year '1994'.</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 85 lks. E. of a trail road, bears NNE and SW, in curve.</p> <hr/> <p>S. 28°52' W., on line 142-143 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ESE of a trail road.</p> <p>3.37 Point for a witness point at intersection with the line bet. secs. 32 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="857 298 1003 514" data-label="Diagram"> <p>WP T3S R3W S32 S33 NMMWA 1994</p> </div> <p data-bbox="409 550 1416 613">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="409 646 1432 709">Cor. is located 100 lks. E. of a trail road, 15 lks. wide, bears SSE and NNW.</p> <p data-bbox="409 743 1351 806">From this cor. point, the 1/4 sec. cor. of secs. 32 and 33, hereinbefore described, bears N. 0°03' E., 5.90 chs. dist.</p> <p data-bbox="847 835 1010 865" style="text-align: center;">In Sec. 32</p> <hr data-bbox="711 890 1143 898"/>
4.60	<p data-bbox="409 932 808 961">Continue on line 142-143.</p> <p data-bbox="409 995 711 1024">Point for A.P. 143.</p> <p data-bbox="409 1058 1351 1121">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="857 1155 1036 1312" data-label="Diagram"> <p>T3S R3W S32 S33 NMMWA AP143 1994</p> </div> <p data-bbox="409 1346 1416 1409">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="409 1442 1432 1505">Cor. is located 90 lks. E. of a trail road, bears NNE and S., in curve.</p> <hr data-bbox="711 1530 1143 1539"/>
0.60	<p data-bbox="409 1566 1383 1629">S. 78°53' E., on line 143-144 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="409 1663 1367 1726">Point for a witness point at intersection with the line bet. secs. 32 and 33.</p> <p data-bbox="409 1759 1351 1822">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="852 294 998 483" style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 145 lks. E. of a trail road, bears NNE and S., in curve.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 32 and 33, hereinbefore described, bears N. 0°03' E., 7.09 chs. dist.</p> <p style="text-align: center;">In Sec. 33</p> <hr style="width: 20%; margin: auto;"/> <p>Continue on line 143-144.</p>
<p>1.35</p>	<p>Point for A.P. 144.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 1123 1031 1281" style="text-align: center;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 145 lks. E. of a trail road, bears NNE and S., in curve.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 5°24' W., on line 144-145 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a trail road.</p>
	<p>7.89</p> <p>Point for A.P. 145, on the line bet. secs. 32 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p>



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="844 289 1031 514" data-label="Diagram"> <p>A diagram showing a vertical line with a horizontal line crossing it. The top-left corner is labeled 'T3S R3W' and 'S32'. The top-right corner is labeled 'S33'. The intersection point is labeled 'AP145'. Below the intersection is 'NMMWA' and '1994'.</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 220 lks. E. of a trail road, bears N. and S..</p> <hr/> <p style="text-align: center;">In Sec. 32</p> <hr/> <p>N. 79°36' W., on line 145-146 of the North Maricopa Mountains Wilderness Area Bdy.</p>
<p>1.53</p>	<p>Point for A.P. 146.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="844 1087 1047 1249" data-label="Diagram"> <p>A diagram showing a vertical line with a horizontal line crossing it. The top-left corner is labeled 'T3S R3W' and 'S32'. The top-right corner is labeled 'AP146'. The intersection point is labeled 'NMMWA' and '1994'.</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 70 lks. E. of a trail road, bears N. and S.</p> <hr/> <p>S. 5°05' E., on line 146-147 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>E. of a trail road.</p>
<p>8.94</p>	<p>Point for A.P. 147.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
0.78	<div data-bbox="852 283 1031 451" style="text-align: center;"> <p>T3S R3W NMMWA S32 AP147 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. E. of a trail road, bears ESE and NW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 64°03' E., on line 147-148 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>NNE of a trail road.</p> <p>Point for a witness point at intersection with the line bet. secs. 32 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 1018 998 1218" style="text-align: center;"> <p>WP T3S R3W NMMWA S32 S33 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. N. of a trail road, bears E. and S.</p> <p>From this cor. point, the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of the Tp., hereinbefore described, bears S. 0°03' W., 16.00 chs. dist.</p> <p style="text-align: center;">In Sec. 33</p> <hr style="width: 20%; margin: 10px auto;"/>
2.70	<p>Continue on line 147-148.</p> <p>Point for A.P. 148.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 17 ins. in the ground, to bedrock, supported in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;">  <p>T3S R3W NMMWA S33 AP148 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 120 lks. N. of a trail road, bears WNW and SSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 33°34' E., on line 148-149 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ENE of a trail road.</p>
1.75	<p>Point for A.P. 149.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T3S R3W NMMWA S33 AP149 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 115 lks. E. of a trail road, bears NNW and SSW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 18°09' W., on line 149-150 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>ESE of a trail road.</p>
1.78	<p>Point for A.P. 150.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="852 289 1031 451" style="text-align: center;"> <p>T3S R3W S33 / NMMWA AP150 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. E. of a trail road, bears N. and W., in curve, and 65 lks. N. of a barbed wire fence, 4 strands, bears E. and W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 75°47' W., on line 150-151 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a trail road.</p>
1.81	<p>Point for A.P. 151.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 1050 1031 1207" style="text-align: center;"> <p>T3S R3W S33 / NMMWA AP151 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. S. of a trail road, bears E. and WNW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 78°45' W., on line 151-152 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail road.</p>
0.40	<p>Point for a witness point at intersection with the line bet. secs. 32 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="852 294 998 483" data-label="Diagram"> <p>WP T3S R3W NMMWA S32 S33 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 5 lks. S. of a shallow drain, course E.; 65 lks. N. of a barbed wire fence, 4 strands, bears ENE and WSW; and 75 lks. S. of a trail road, bears E. and WNW, in curve.</p> <p>From this cor. point, the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of the Tp., hereinbefore described, bears S. 0°03' W., 11.63 chs. dist.</p> <p style="text-align: center;">In Sec. 32</p> <hr style="width: 20%; margin: auto;"/>
3.99	<p>Continue on line 151-152.</p> <p>Point for A.P. 152.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>
2.30	<div data-bbox="852 1176 998 1375" data-label="Diagram"> <p>T3S R3W S32 AP152 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. S. of a trail road, bears SE and WNW, in curve.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 59°25' W., on line 152-153 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SW of a trail road.</p> <p>Point for A.P. 153.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T3S R3W S32</p>  <p>AP153 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 110 lks. N. of a trail road, bears SE and NW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 54°25' W., on line 153-154 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SW of a trail road.</p>
4.15	<p>Point for A.P. 154.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W S32</p>  <p>AP154 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. S. of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend N. and W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 82°37' W., on line 154-155 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a barbed wire fence.</p>
3.50	<p>Point for A.P. 155.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>


Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="824 296 1024 380" style="text-align: center;"> <p>T3S R3W NMMWA / S32</p> </div> <div data-bbox="857 390 959 449" style="text-align: center;"> <p>AP155 1994</p> </div> <p data-bbox="415 485 1422 546">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="415 581 1435 674">Cor. is located 65 lks. SW of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend N. and E.</p> <hr data-bbox="716 699 1149 705"/> <p data-bbox="415 741 1370 802">N. 4°43' E., on line 155-156 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="415 837 824 865">W. of a barbed wire fence.</p>
<p data-bbox="272 898 337 926">3.92</p>	<p data-bbox="415 898 716 926">Point for A.P. 156.</p> <p data-bbox="415 961 1352 1022">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="857 1058 1052 1213" style="text-align: center;"> <p>T3S R3W NMMWA AP156 / S32 1994</p> </div> <p data-bbox="415 1249 1422 1310">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="415 1346 1435 1438">Cor. is located 65 lks. NW of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend E. and S.</p> <hr data-bbox="716 1463 1149 1470"/> <p data-bbox="415 1505 1386 1566">S. 82°46' E., on line 156-157 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="415 1602 824 1629">N. of a barbed wire fence.</p>
	<p data-bbox="272 1661 337 1688">3.92</p> <p data-bbox="415 1661 716 1688">Point for A.P. 157.</p> <p data-bbox="415 1724 1352 1785">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="841 289 1015 445" data-label="Diagram"> </div> <p data-bbox="412 478 1414 541">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 575 1430 667">Cor. is located 65 lks. NE of a fence corner, barbed wire fences surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extend S. and W.</p> <hr data-bbox="711 697 1143 701"/> <p data-bbox="412 735 1365 798">S. 4°10' W., on line 157-158 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 831 821 856">E. of a barbed wire fence.</p> <p data-bbox="266 894 711 919">2.44 Point for A.P. 158.</p> <p data-bbox="412 957 1349 1020">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>
	<div data-bbox="854 1054 1015 1209" data-label="Diagram"> </div> <p data-bbox="412 1247 1414 1310">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 1344 1430 1436">Cor. is located 45 lks. E. of a barbed wire fence surrounding an Arizona State Game and Fish Dept. wildlife water catchment, 4 strand, extending N. and S.</p> <hr data-bbox="711 1465 1143 1470"/> <p data-bbox="412 1503 1382 1566">S. 58°49' E., on line 158-159 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 1600 724 1625">NNE of a trail road.</p> <p data-bbox="266 1663 711 1688">4.14 Point for A.P. 159.</p> <p data-bbox="412 1726 1349 1789">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W NMMWA AP159</p>  <p style="text-align: center;">S32 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 140 lks. N. of a trail road, bears SSE and NW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 70°34' E., on line 159-160 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>N. of a trail road.</p>
5.04	<p>Intersect the line bet. secs. 32 and 33, not monumented</p> <p>From this point, the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of the Tp., hereinbefore described, bears S. 0°03' W., 13.53 chs. dist.</p> <p style="text-align: center;">In Sec. 33</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Continue on line 159-160.</p>
5.99	<p>Point for A.P. 160.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W NMMWA AP160 S33</p>  <p style="text-align: center;">1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located inside the sharp bend of a trail road, bears WNW and NW, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 51°25' W., on line 160-161 of the North Maricopa Mountains Wilderness Area Bdy.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
1.14	<p>SE of a trail road.</p> <p>Point for a witness point at intersection with the line bet. secs. 32 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="857 541 1003 730" style="text-align: center;"> <p>WP T3S R3W S32 S33 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 65 lks. S. of a trail road, bears SE and WNW, in curve, and 27 lks. N. of a wash, 20 lks. wide, 2 ft. deep, drains WNW.</p> <p>From this cor. point, the cor. of secs. 4, 5, 32, and 33, on the S. bdy. of the Tp., hereinbefore described, bears S. 0°03' W., 13.93 chs. dist.</p> <p style="text-align: center;">In Sec. 32</p> <hr style="width: 20%; margin: auto;"/>
3.93	<p>Continue on line 160-161.</p> <p>Point for A.P. 161.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="792 1434 1008 1591" style="text-align: center;"> <p>T3S R3W NMMWA AP161 S32 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. W. of a trail road, bears SE and N., in curve.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 13°26' W., on line 161-162 of the North Maricopa Mountains Wilderness Area Bdy.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
<p>1.55</p>	<p>WSW of a trail road.</p> <p>Point for A.P. 162.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="824 520 1015 672" style="text-align: center;"> <p>T3S R3W NMMWA AP162 S32 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of a trail road, bears N. and SSE, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 3°59' W., on line 162-163 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p>
<p>8.38</p>	<p>Point for A.P. 163.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="836 1249 998 1407" style="text-align: center;"> <p>T3S R3W NMMWA AP163 S32 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 70 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 79°36' W., on line 163-164 of the North Maricopa Mountains Wilderness Area Bdy.</p>
<p>3.15</p>	<p>Point for A.P. 164.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="836 289 1019 445" data-label="Diagram"> </div> <p data-bbox="412 478 1419 541">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 575 1365 604">Cor. is located 380 lks. W. of a trail road, bears N. and S.</p> <hr data-bbox="711 632 1143 640"/> <p data-bbox="412 674 1386 737">N. 22°07' E., on line 164-165 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="267 768 711 798">6.24 Point for A.P. 165.</p> <p data-bbox="412 831 1349 894">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>
<p data-bbox="267 1499 331 1528">2.47</p>	<div data-bbox="836 932 1003 1087" data-label="Diagram"> </div> <p data-bbox="412 1121 1419 1184">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p data-bbox="412 1213 1451 1276">Cor. is located 235 lks. W. of a trail road, bears NNE and S., in curve.</p> <hr data-bbox="711 1304 1143 1312"/> <p data-bbox="412 1339 1386 1402">N. 47°33' E., on line 165-166 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p data-bbox="412 1436 711 1465">NW of a trail road.</p> <p data-bbox="412 1499 711 1528">Point for A.P. 166.</p> <p data-bbox="412 1562 1349 1625">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="836 1659 1003 1814" data-label="Diagram"> </div> <p data-bbox="412 1843 1419 1906">Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located 75 lks. W. of a trail road, bears NNE and S., in curve and 60 lks. NE of the terminus of a barbed wire fence, 4 strand, extends SSW.</p> <hr/> <p>N. 26°55' E., on line 166-167 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WNW of a trail road.</p> <p>4.60 Point for a witness point at intersection with the line bet. secs. 32 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 798 998 1018" style="text-align: center;"> <p>WP T3S R3W NMMWA S32 S33 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. W. of a trail road, bears NNE and SW, in curve.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 32 and 33, hereinbefore described, bears N. 0°03' E., 2.41 chs. dist.</p> <p style="text-align: center;">In Sec. 33</p> <hr/>
<p>6.06</p>	<p>Continue on line 166-167.</p> <p>Point for A.P. 167.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 1648 998 1816" style="text-align: center;"> <p>T3S R3W NMMWA AP167 S33 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.03	<p>Cor. is located 70 lks. W. of a trail road, bears N. and S.</p> <hr/> <p>N. 12°37' W., on line 167-168 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p> <p>Point for a witness point at intersection with the line bet. secs. 32 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="857 737 1003 957" style="text-align: center;"> <p>WP T3S R3W S32 S33 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. W. of a trail road, bears N. and S.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 32 and 33, hereinbefore described, bears S. 0°02' E., 1.85 chs. dist.</p> <p style="text-align: center;">In Sec. 32</p> <hr/>
5.60	<p>Continue on line 167-168.</p> <p>Point for A.P. 168.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="857 1566 1019 1724" style="text-align: center;"> <p>T3S R3W NMMWA AP168 S32 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of a trail road, bears SSE and NNW.</p> <hr/>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
4.38	<p>N. 13°01' W., on line 168-169 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p> <p>Point for A.P. 169.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="852 604 1015 772" style="text-align: center;"> <p>T3S R3W NMMWA AP169 1994</p> <p style="margin-left: 100px;">S32</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/>
1.71	<p>N. 1°53' W., on line 169-170 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p> <p>Point for A.P. 170.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="820 1304 998 1461" style="text-align: center;"> <p>T3S R3W S32</p> <div style="border: 1px solid black; padding: 2px; display: inline-block;"> <p>AP170 NMMWA</p> </div> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/>
1.47	<p>S. 85°18' W., on line 170-171 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Point for A.P. 171.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W NMMWA AP171 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 220 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 2°32' W., on line 171-172 of the North Maricopa Mountains Wilderness Area Bdy.</p>
<p>8.83</p>	<p>Point for A.P. 172.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W NMMWA AP172 S32 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 225 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 86°21' E., on line 172-173 of the North Maricopa Mountains Wilderness Area Bdy.</p>
<p>1.53</p>	<p>Point for A.P. 173.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W NMMWA AP173 S32 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: auto;"/>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>N. 2°16' W., on line 173-174 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p> <p>8.95 Point for A.P. 174.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. W. of a trail road, bears NNW and S., in curve.</p> <hr style="width: 20%; margin: 20px auto;"/> <p>N. 15°18' W., on line 174-175 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p> <p>5.01 Point for A.P. 175.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 90 lks. W. of a trail road, bears NW and S., in curve.</p> <hr style="width: 20%; margin: 20px auto;"/> <p>N. 24°16' W., on line 175-176 of the North Maricopa Mountains Wilderness Area Bdy.</p>
--------	--

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
7.56	<p>WSW of a trail road.</p> <p>Point for A.P. 176.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in place, in a drill hole, in a granite boulder, 12 X 5 X 3 ft. high, with top mkd.</p> <div style="text-align: center;"> <p>T3S R3W</p> <p>NMMWA</p> <p>AP176 } S32</p> <p>1994</p> </div> <p>Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole beneath the brass tablet.</p> <p>Cor. is located 95 lks. W. of a trail road, bears N. and SSE, in curve.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 2°18' E., on line 176-177 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p>
0.28	<p>Intersection the line bet. secs. 29 and 32, not monumented</p> <p>From this point, the 1/4 sec. cor. of secs. 29 and 32, hereinbefore described, bears West, 33.46 chs. dist.</p> <div style="text-align: center;"> <p>In Sec. 29</p> <hr style="width: 20%; margin: 10px auto;"/> </div> <p>Continue on line 176-177.</p>
13.98	<p>Point for A.P. 177.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W</p> <p>NMMWA</p> <p>AP177 } S29</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.57	<p>Cor. is located 75 lks. W. of a trail road, bears NNW and S., in curve.</p> <hr/> <p>N. 23°08' W., on line 177-178 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p> <p>Point for A.P. 178.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W</p> <p>NMMWA AP178 S29</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. W. of a trail road, bears NNW and S., in curve.</p> <hr/> <p>N. 3°49' W., on line 178-179 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p>
5.33	<p>Point for A.P. 179.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W</p> <p>NMMWA AP179 S29</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located 75 lks. W. of a trail road, bears S. and NW, in curve.</p> <hr/> <p>N. 17°00' W., on line 179-180 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p> <p>3.90 Point for A.P. 180.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W</p> <p>NMMWA S29</p> <p>AP180 </p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 65 lks. W. of a trail road, bears N. and SSE, in curve.</p> <hr/> <p>N. 1°17' W., on line 180-181 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p>
5.18	<p>Point for A.P. 181.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W</p> <p>NMMWA S29</p> <p>AP181 </p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. W. of a trail road, bears N. and S.</p> <hr/>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>N. 4°00' W., on line 181-182 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p> <p>3.67 Point for A.P. 182.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T3S R3W</p> <p>NMMWA</p> <p>AP182 S29</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 90 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 5°12' E., on line 182-183 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>W. of a trail road.</p> <p>4.76 Point for A.P. 183.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T3S R3W</p> <p>NMMWA</p> <p>AP183 S29</p> <p>1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 80 lks. W. of a trail road, bears N. and S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 16°09' W., on line 183-184 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p>
--------	---

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
9.31	<p>Point for A.P. 184.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="841 449 1003 604" style="text-align: center;"> <p>T3S R3W S29 AP184 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. W. of a trail road, bears SSE and NNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 63°22' W., on line 184-185 of the North Maricopa Mountains Wilderness Area Bdy.</p>
1.63	<p>Point for A.P. 185.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="824 1087 1042 1243" style="text-align: center;"> <p>T3S R3W NMMWA S29 AP185 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 255 lks. W. of a trail road, bears SSE and NNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 24°57' W., on line 185-186 of the North Maricopa Mountains Wilderness Area Bdy.</p>
6.27	<p>Point for A.P. 186.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="824 1717 1026 1873" style="text-align: center;"> <p>T3S R3W NMMWA S29 AP186 1994</p> </div>


Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
1.65	<p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 275 lks. W. of a trail road, bears SSE and NNW.</p> <hr/> <p>N. 70°40' E., on line 186-187 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>Point for A.P. 187.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div data-bbox="824 741 1019 898" style="text-align: center;"> <p>T3S R3W NMMWA AP187 S29 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. W. of a trail road, bears SSE and NNW.</p> <hr/> <p>N. 26°29' W., on line 187-188 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>WSW of a trail road.</p>
9.05	<p>Point for A.P. 188.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div data-bbox="824 1440 1019 1598" style="text-align: center;"> <p>T3S R3W S29 AP188 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 95 lks. W. of a trail road, bears SSE and NNW.</p> <hr/> <p>S. 81°57' W., on line 188-189 of the North Maricopa Mountains Wilderness Area Bdy.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

<p>CHAINS</p> <p>8.98</p> <p>3.90</p>	<p>Leave Margies Cove.</p> <p>Point for A.P. 189.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., on bedrock, and supported in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S29  AP189 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 55 lks. S. of a wash, 55 lks. wide, 2 ft. deep, drains WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 70°13' W., on line 189-190 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of a wash.</p> <p>Point for A.P. 190.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S29  AP190 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 40 lks. S. of a wash, 30 lks. wide, 3 ft. deep, drains W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 83°50' W., on line 190-191 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
---------------------------------------	---

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.11	<p>Point for A.P. 191.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W S29</p>  <p>AP191 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 65 lks. S. of a wash, 35 lks. wide, 4 ft. deep, drains WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 61°58' W., on line 191-192 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of a wash.</p>
2.68	<p>Point for A.P. 192.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W S29</p>  <p>AP192 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. S. of a wash, 35 lks. wide, 4 ft. deep, drains WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 73°21' W., on line 192-193 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of a wash.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
5.42	<p>Point for A.P. 193.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 11 ins. in the ground, to bedrock, supported in a mound of stone, 4 ft. base., to top, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S29 ----- AP193 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 65 lks. S. of a wash, 35 lks. wide, 2 ft. deep, drains WNW.</p> <p style="text-align: center;">-----</p> <p>N. 74°35' W., on line 193-194 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of a wash.</p>
3.42	<p>Point for A.P. 194.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S29 ----- AP194 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 50 lks. S. of a wash, 65 lks. wide, 2 ft. deep, drains W.</p> <p style="text-align: center;">-----</p> <p>N. 89°57' W., on line 194-195 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
6.71	<p>Point for A.P. 195.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S29</p>  <p style="text-align: center;">AP195 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 100 lks. S. of a wash, 100 lks. wide, 1 ft. deep, drains W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 82°21' W., on line 195-196 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p> <p>3.30 Point for A.P. 196.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S29</p>  <p style="text-align: center;">AP196 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 75 lks. S. of a wash, 100 lks. wide, 2 ft. deep, drains W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 69°36' W., on line 196-197 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of a wash.</p>
6.36	<p>Point for A.P. 197.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>



Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S29</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP197 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 60 lks. S. of a wash, 70 lks. wide, 3 ft. deep, drains W.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 77°15' W., on line 197-198 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of a wash.</p>
3.01	<p>Point for A.P. 198.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T3S R3W S29</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP198 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 60 lks. S. of a wash, 70 lks. wide, 2 ft. deep, drains W.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 87°40' W., on line 198-199 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
4.30	<p>Point for A.P. 199.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>


Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S29</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP199 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 70 lks. S. of a wash, 70 lks. wide, 3 ft. deep, drains W.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 79°45' W., on line 199-200 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
4.67	<p>Point for A.P. 200.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, to bedrock, supported in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
	<p style="text-align: center;">T3S R3W S29</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP200 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 70 lks. S. of a wash, 100 lks. wide, 2 ft. deep, drains WNW.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 89°24' W., on line 200-201 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a wash.</p>
5.21	<p>Point for A.P. 201.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S29</p>  <p style="text-align: center;">AP201 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 135 lks. S. of a wash, 105 lks. wide, 1 ft. deep, drains WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 61°50' W., on line 201-202 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSW of a wash.</p>
2.89	<p>Intersect the line bet. secs. 29 and 30, not monumented.</p> <p>From this point, the cor. of secs. 19, 20, 29, and 30, hereinbefore described, bears N. 0°01' W., 14.44 chs. dist.</p> <p style="text-align: center;">In Sec. 30</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Continue on line 201-202.</p>
3.92	<p>Point for A.P. 202.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S30</p>  <p style="text-align: center;">AP202 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. S. of a wash, 60 lks. wide, 2 ft. deep, drains W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 79°55' W., on line 202-203 of the North Maricopa Mountains Wilderness Area Bdy.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
4.01	<p>S. of a wash.</p> <p>Point for A.P. 203.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W S30</p>  <p>AP203 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 50 lks. S. of a trail road, bears WNW and ESE, and 200 lks. W. of a wash, 40 lks. wide, 2 ft. deep, drains WNW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 65°29' W., on line 203-204 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a trail road.</p>
4.74	<p>Point for A.P. 204.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T3S R3W S30</p>  <p>AP204 NMMWA 1994</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. S. of a trail road, bears ENE and WSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 80°23' W., on line 204-205 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail road.</p>
5.11	<p>Point for A.P. 205.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S30</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP205 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 40 lks. S. of a trail road, bears ENE and W., in curve.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 87°22' W., on line 205-206 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail road.</p> <p>6.61 Point for A.P. 206.</p>
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S30</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP206 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 40 lks. S. of a trail road, bears E. and W., and 55 lks. N. of a wash, 45 lks. wide, 2 ft. deep, drains WSW.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 81°34' W., on line 206-207 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail road.</p> <p>6.83 Point for A.P. 207.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S30</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP207 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. S. of a trail road, bears E. and W.</p> <hr style="width: 10%; margin: auto;"/> <p>N. 85°17' W., on line 207-208 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail road.</p>
3.40	<p>Point for A.P. 208.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>
5.99	<p style="text-align: center;">T3S R3W S30</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP208 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. S. of a trail road, bears E. and W.</p> <hr style="width: 10%; margin: auto;"/> <p>N. 77°17' W., on line 208-209 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail road.</p> <p>Point for A.P. 209.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>


Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S30</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP209 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 40 lks. S. of a trail road, bears E. and WSW, in curve.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 78°13' W., on line 209-210 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>S. of a trail road.</p>
<p>3.07</p>	<p>Point for A.P. 210.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S30</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP210 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. S. of a trail road, bears ENE and WSW.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 63°21' W., on line 210-211 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a trail road.</p>
	<p>13.49</p> <p>Point for A.P. 211.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
 North Maricopa Mountains Wilderness Area Boundary,
 T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S30</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP211 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 50 lks. S. of a trail road, bears ENE and WSW.</p> <hr style="width: 10%; margin: auto;"/> <p>S. 65°09' W., on line 211-212 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a trail road.</p>
4.42	<p>Point for A.P. 212.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T3S R3W S30</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP212 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. S. of a trail road, bears ENE and WSW.</p> <hr style="width: 10%; margin: auto;"/> <p>S. 63°12' W., on line 212-213 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a trail road.</p>
14.79	<p>Point for A.P. 213.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of the
North Maricopa Mountains Wilderness Area Boundary,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T3S R3W S30</p>  <p style="text-align: center;">AP213 NMMWA 1994</p> <p>Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.</p> <p>Cor. is located 45 lks. S. of a trail road, bears ENE and WSW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 75°43' W., on line 213-214 of the North Maricopa Mountains Wilderness Area Bdy.</p> <p>SSE of a trail road.</p> <p>6.41 A.P. 214, identical with A.P. 1, T. 3 S., R. 4 W., on line bet. secs. 25 and 30, on the W. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. T3S R4W R3W S25 S30 AP1 AP214 NMMWA 1994 as described in the field note record of the metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Bdy., T. 3 S., R. 4 W., executed concurrently under this same group.</p> <p>From this cor. point, the cor. of secs. 24 and 25 only, monumented with an iron post, 2 ins. diam, firmly set, projecting 20 ins. above ground, in a mound of stone, 5 ft. base, to top, with brass cap mkd. T3S R4W R3W S24 S25 S30 1994 1930 as described in the field note record of the dependent resurvey of a portion of the east boundary of T. 3 S., R. 4 W., executed concurrently under this same group, bears N. 0°15' W., 27.70 chs. dist.</p> <hr/> <p style="text-align: center;">GENERAL DESCRIPTION</p> <hr/> <p>The land encompassed in this survey is located approximately 40 miles southwest of Phoenix, Arizona and 18 miles north-northeast of Gila Bend, Arizona. The general elevation varies from 1300 to 2500 feet above sea level. The land is rugged and broken with volcanic mountains, ridges and low hills. The vegetation consists of paloverde, ironwood, cactus, creosote, and sparse native grasses.</p> <p>Primary access is by way of United States Highway 66. Secondary access is by way of various unimproved trail roads.</p> <hr/>

T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS

Description of the North Maricopa Mountains Wilderness Area,
T. 3 S., R. 3 W., Gila and Salt River Meridian, Az.

The following is for informational purposes only.

Beginning at the cor. of secs. 1, 6, 7, and 12, on the E. bdy. of the Tp;

thence N. 89°47' W., 40.00 chs. dist. to the 1/4 sec. cor. of secs. 1 and 12;
 thence N. 89°54' W., 39.95 chs. dist. to the cor. of secs. 1, 2, 11, and 12;
 thence S. 89°39' W., 40.02 chs. dist. to the 1/4 sec. cor. of secs. 2 and 11;
 thence N. 89°17' W., 40.00 chs. dist. to the cor. of secs. 2, 3, 10, and 11;
 thence S. 89°53' W., 10.32 chs. dist. to Angle Point 1, on the line bet. secs. 3 and 10;
 thence S. 7°10' W., 31.52 chs. dist. to Angle Point 2;
 thence S. 35°27' W., 36.36 chs. dist. to Angle Point 3;
 thence S. 35°45' W., 4.03 chs. dist. to Angle Point 4;
 thence S. 40°54' E., 18.13 chs. dist. to Angle Point 5;
 thence S. 40°40' E., 7.73 chs. dist. to Angle Point 6;
 thence S. 9°03' W., 6.49 chs. dist. to Angle Point 7;
 thence S. 1°14' E., 7.82 chs. dist. to Angle Point 8;
 thence S. 48°12' W., 5.51 chs. dist. to Angle Point 9;
 thence S. 5°48' W., 7.21 chs. dist. to Angle Point 10;
 thence S. 16°46' W., 6.18 chs. dist. to Angle Point 11;
 thence S. 17°26' W., 9.93 chs. dist. to Angle Point 12;
 thence S. 54°40' E., 3.43 chs. dist. to Angle Point 13;
 thence S. 27°12' E., 4.32 chs. dist. to Angle Point 14;
 thence S. 7°04' W., 30.16 chs. dist. to Angle Point 15, on the line bet. secs. 15 and 22;
 thence S. 7°06' W., 39.18 chs. dist. to Angle Point 16;
 thence S. 7°05' W., 30.17 chs. dist. to Angle Point 17;
 thence N. 66°51' E., 3.79 chs. dist. to Angle Point 18;
 thence N. 69°41' E., 6.46 chs. dist. to Angle Point 19;
 thence N. 87°46' E., 6.83 chs. dist. to Angle Point 20;
 thence N. 47°19' E., 4.04 chs. dist. to Angle Point 21;
 thence N. 73°37' E., 2.37 chs. dist. to Angle Point 22;
 thence S. 58°41' E., 4.60 chs. dist. to Angle Point 23;
 thence N. 82°49' E., 3.87 chs. dist. to Angle Point 24;
 thence N. 68°12' E., 3.90 chs. dist. to Angle Point 25;
 thence N. 54°12' E., 3.50 chs. dist. to Angle Point 26;
 thence N. 71°09' E., 2.99 chs. dist. to Angle Point 27, on the line bet. secs. 22 and 23;
 thence S. 41°33' E., 4.58 chs. dist. to Angle Point 28;
 thence S. 56°23' E., 7.40 chs. dist. to Angle Point 29;
 thence S. 71°29' E., 1.53 chs. dist. to Angle Point 30;

T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS			
thence N. 59°47' E.,	4.67	chs. dist. to	Angle Point 31;
thence N. 72°52' E.,	4.71	chs. dist. to	Angle Point 32;
thence S. 75°57' E.,	4.54	chs. dist. to	Angle Point 33;
thence S. 16°12' E.,	3.65	chs. dist. to	Angle Point 34;
thence S. 22°23' E.,	1.96	chs. dist. to	Angle Point 35;
thence S. 38°00' E.,	4.10	chs. dist. to	Angle Point 36;
thence S. 71°07' E.,	3.52	chs. dist. to	Angle Point 37;
thence S. 42°47' E.,	3.06	chs. dist. to	Angle Point 38;
thence S. 26°18' E.,	13.27	chs. dist. to	Angle Point 39;
thence S. 17°44' E.,	6.05	chs. dist. to	Angle Point 40;
thence S. 0°09' W.,	4.50	chs. dist. to	Angle Point 41;
thence S. 3°40' W.,	6.13	chs. dist. to	Angle Point 42;
thence S. 5°21' E.,	9.58	chs. dist. to	Angle Point 43;
thence S. 13°32' E.,	6.29	chs. dist. to	Angle Point 44;
thence S. 7°45' E.,	6.08	chs. dist. to	Angle Point 45;
thence S. 14°07' E.,	4.72	chs. dist. to	Angle Point 46;
thence N. 62°30' E.,	0.79	chs. dist. to	Angle Point 47;
thence S. 30°35' E.,	4.21	chs. dist. to	Angle Point 48;
thence S. 53°45' W.,	0.77	chs. dist. to	Angle Point 49;
thence S. 35°33' E.,	3.68	chs. dist. to	Angle Point 50;
thence S. 49°31' E.,	5.39	chs. dist. to	Angle Point 51;
thence S. 57°01' E.,	3.45	chs. dist. to	Angle Point 52;
thence S. 42°24' E.,	4.83	chs. dist. to	Angle Point 53;
thence N. 89°37' E.,	3.51	chs. dist. to	Angle Point 54;
thence S. 3°39' E.,	3.92	chs. dist. to	Angle Point 55;
thence S. 89°03' W.,	3.88	chs. dist. to	Angle Point 56;
thence N. 3°58' W.,	2.76	chs. dist. to	Angle Point 57;
thence N. 53°47' W.,	3.89	chs. dist. to	Angle Point 58;
thence N. 34°52' W.,	1.55	chs. dist. to	Angle Point 59;
thence N. 56°55' W.,	3.25	chs. dist. to	Angle Point 60;
thence N. 49°13' W.,	5.83	chs. dist. to	Angle Point 61;
thence N. 35°17' W.,	3.67	chs. dist. to	Angle Point 62;
thence S. 48°46' W.,	0.76	chs. dist. to	Angle Point 63;
thence N. 26°13' W.,	4.74	chs. dist. to	Angle Point 64;
thence N. 58°27' E.,	0.36	chs. dist. to	Angle Point 65;
thence N. 20°31' W.,	2.95	chs. dist. to	Angle Point 66;
thence N. 7°58' W.,	8.53	chs. dist. to	Angle Point 67;
thence N. 14°02' W.,	6.59	chs. dist. to	Angle Point 68;
thence N. 5°01' W.,	9.19	chs. dist. to	Angle Point 69;
thence N. 25°31' W.,	2.71	chs. dist. to	Angle Point 70;
thence N. 11°07' E.,	8.40	chs. dist. to	Angle Point 71;
thence N. 18°31' W.,	5.64	chs. dist. to	Angle Point 72;
thence N. 26°17' W.,	13.17	chs. dist. to	Angle Point 73;
thence N. 41°34' W.,	2.32	chs. dist. to	Angle Point 74;
thence N. 71°01' W.,	3.70	chs. dist. to	Angle Point 75;
thence N. 37°26' W.,	4.51	chs. dist. to	Angle Point 76;
thence N. 24°50' W.,	3.36	chs. dist. to	Angle Point 77;
thence N. 9°58' W.,	2.33	chs. dist. to	Angle Point 78;
thence N. 83°45' W.,	3.09	chs. dist. to	Angle Point 79;
thence S. 69°09' W.,	3.14	chs. dist. to	Angle Point 80;
thence S. 63°32' W.,	5.91	chs. dist. to	Angle Point 81;

T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS		
thence N. 73°29' W.,	2.34 chs.	dist. to Angle Point 82;
thence N. 54°25' W.,	4.47 chs.	dist. to Angle Point 83;
thence N. 58°17' W.,	3.91 chs.	dist. to Angle Point 84;
thence N. 41°52' W.,	3.24 chs.	dist. to Angle Point 85;
thence S. 60°56' W.,	5.48 chs.	dist. to Angle Point 86;
thence S. 68°02' W.,	4.04 chs.	dist. to Angle Point 87;
thence S. 82°44' W.,	4.26 chs.	dist. to Angle Point 88;
thence N. 68°38' W.,	5.49 chs.	dist. to Angle Point 89;
thence S. 46°10' W.,	4.16 chs.	dist. to Angle Point 90;
thence S. 87°34' W.,	7.42 chs.	dist. to Angle Point 91;
thence S. 70°01' W.,	5.69 chs.	dist. to Angle Point 92;
thence S. 69°38' W.,	5.08 chs.	dist. to Angle Point 93;
thence S. 7°06' W.,	6.07 chs.	dist. to Angle Point 94;
thence N. 86°25' W.,	5.65 chs.	dist. to Angle Point 95;
thence N. 86°06' W.,	3.40 chs.	dist. to Angle Point 96;
thence N. 73°51' W.,	3.45 chs.	dist. to Angle Point 97;
thence N. 88°46' W.,	6.47 chs.	dist. to Angle Point 98;
thence N. 72°03' W.,	5.13 chs.	dist. to Angle Point 99;
thence N. 72°14' W.,	5.44 chs.	dist. to Angle Point 100;
thence S. 88°36' W.,	3.29 chs.	dist. to Angle Point 101;
thence S. 76°49' W.,	2.93 chs.	dist. to Angle Point 102;
thence S. 58°47' W.,	2.86 chs.	dist. to Angle Point 103;
thence S. 44°49' W.,	4.52 chs.	dist. to Angle Point 104, on the line bet. secs. 21 and 22;
thence S. 52°28' W.,	5.22 chs.	dist. to Angle Point 105, on the line bet. secs. 21 and 28;
thence S. 30°05' W.,	3.75 chs.	dist. to Angle Point 106;
thence S. 44°07' W.,	5.84 chs.	dist. to Angle Point 107;
thence S. 83°17' W.,	3.67 chs.	dist. to Angle Point 108;
thence S. 78°24' W.,	4.11 chs.	dist. to Angle Point 109;
thence S. 83°10' W.,	5.68 chs.	dist. to Angle Point 110;
thence S. 83°11' W.,	4.11 chs.	dist. to Angle Point 111;
thence S. 80°17' W.,	4.25 chs.	dist. to Angle Point 112;
thence S. 85°01' W.,	10.17 chs.	dist. to Angle Point 113;
thence S. 85°23' W.,	6.85 chs.	dist. to Angle Point 114;
thence S. 89°07' W.,	7.02 chs.	dist. to Angle Point 115;
thence S. 74°14' W.,	5.06 chs.	dist. to Angle Point 116;
thence S. 70°41' W.,	6.65 chs.	dist. to Angle Point 117;
thence N. 66°15' W.,	3.02 chs.	dist. to Angle Point 118;
thence N. 88°11' W.,	2.98 chs.	dist. to Angle Point 119;
thence S. 81°57' W.,	24.32 chs.	dist. to Angle Point 120;
thence S. 27°02' E.,	8.75 chs.	dist. to Angle Point 121;
thence N. 70°40' E.,	1.71 chs.	dist. to Angle Point 122;
thence S. 24°56' E.,	5.63 chs.	dist. to Angle Point 123;
thence S. 63°22' W.,	1.67 chs.	dist. to Angle Point 124;
thence S. 20°14' E.,	4.93 chs.	dist. to Angle Point 125;
thence S. 11°21' E.,	5.58 chs.	dist. to Angle Point 126;
thence S. 7°15' W.,	4.86 chs.	dist. to Angle Point 127;
thence S. 6°20' E.,	3.37 chs.	dist. to Angle Point 128;
thence S. 7°37' E.,	8.29 chs.	dist. to Angle Point 129;
thence S. 3°55' E.,	4.94 chs.	dist. to Angle Point 130;

T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS			
thence S. 16°48' E.,	5.09 chs.	dist. to Angle Point	131;
thence S. 0°40' W.,	13.83 chs.	dist. to Angle Point	132;
thence S. 24°13' E.,	6.84 chs.	dist. to Angle Point	133;
thence S. 15°07' E.,	4.18 chs.	dist. to Angle Point	134;
thence S. 7°35' E.,	4.30 chs.	dist. to Angle Point	135;
thence S. 0°25' W.,	5.49 chs.	dist. to Angle Point	136;
thence N. 86°21' E.,	3.81 chs.	dist. to Angle Point	137;
thence S. 9°34' W.,	8.97 chs.	dist. to Angle Point	138;
thence S. 9°07' W.,	2.85 chs.	dist. to Angle Point	139;
thence S. 51°23' W.,	1.62 chs.	dist. to Angle Point	140;
thence S. 14°58' E.,	6.70 chs.	dist. to Angle Point	141;
thence S. 5°41' W.,	3.28 chs.	dist. to Angle Point	142;
thence S. 28°52' W.,	4.60 chs.	dist. to Angle Point	143;
thence S. 78°53' E.,	1.35 chs.	dist. to Angle Point	144;
thence S. 5°24' W.,	7.89 chs.	dist. to Angle Point	145, on the
	line bet. secs. 32 and 33;		
thence N. 79°36' W.,	1.53 chs.	dist. to Angle Point	146;
thence S. 5°05' E.,	8.94 chs.	dist. to Angle Point	147;
thence S. 64°03' E.,	2.70 chs.	dist. to Angle Point	148;
thence S. 33°34' E.,	1.75 chs.	dist. to Angle Point	149;
thence S. 18°09' W.,	1.78 chs.	dist. to Angle Point	150;
thence S. 75°47' W.,	1.81 chs.	dist. to Angle Point	151;
thence N. 78°45' W.,	3.99 chs.	dist. to Angle Point	152;
thence N. 59°25' W.,	2.30 chs.	dist. to Angle Point	153;
thence N. 54°25' W.,	4.15 chs.	dist. to Angle Point	154;
thence N. 82°37' W.,	3.50 chs.	dist. to Angle Point	155;
thence N. 4°43' E.,	3.92 chs.	dist. to Angle Point	156;
thence S. 82°46' E.,	3.92 chs.	dist. to Angle Point	157;
thence S. 4°10' W.,	2.44 chs.	dist. to Angle Point	158;
thence S. 58°49' E.,	4.14 chs.	dist. to Angle Point	159;
thence S. 70°34' E.,	5.99 chs.	dist. to Angle Point	160;
thence N. 51°25' W.,	3.93 chs.	dist. to Angle Point	161;
thence N. 13°26' W.,	1.55 chs.	dist. to Angle Point	162;
thence N. 3°59' W.,	8.38 chs.	dist. to Angle Point	163;
thence N. 79°36' W.,	3.15 chs.	dist. to Angle Point	164;
thence N. 22°07' E.,	6.24 chs.	dist. to Angle Point	165;
thence N. 47°33' E.,	2.47 chs.	dist. to Angle Point	166;
thence N. 26°55' E.,	6.06 chs.	dist. to Angle Point	167;
thence N. 12°37' W.,	5.60 chs.	dist. to Angle Point	168;
thence N. 13°01' W.,	4.38 chs.	dist. to Angle Point	169;
thence N. 1°53' W.,	1.71 chs.	dist. to Angle Point	170;
thence S. 85°18' W.,	1.47 chs.	dist. to Angle Point	171;
thence N. 2°32' W.,	8.83 chs.	dist. to Angle Point	172;
thence N. 86°21' E.,	1.53 chs.	dist. to Angle Point	173;
thence N. 2°16' W.,	8.95 chs.	dist. to Angle Point	174;
thence N. 15°18' W.,	5.01 chs.	dist. to Angle Point	175;
thence N. 24°16' W.,	7.56 chs.	dist. to Angle Point	176;
thence N. 2°18' E.,	13.98 chs.	dist. to Angle Point	177;
thence N. 23°08' W.,	3.57 chs.	dist. to Angle Point	178;
thence N. 3°49' W.,	5.33 chs.	dist. to Angle Point	179;
thence N. 17°00' W.,	3.90 chs.	dist. to Angle Point	180;

T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona

CHAINS

thence N. 1°17' W., 5.18 chs. dist. to Angle Point 181;
 thence N. 4°00' W., 3.67 chs. dist. to Angle Point 182;
 thence N. 5°12' E., 4.76 chs. dist. to Angle Point 183;
 thence N. 16°09' W., 9.31 chs. dist. to Angle Point 184;
 thence S. 63°22' W., 1.63 chs. dist. to Angle Point 185;
 thence N. 24°57' W., 6.27 chs. dist. to Angle Point 186;
 thence N. 70°40' E., 1.65 chs. dist. to Angle Point 187;
 thence N. 26°29' W., 9.05 chs. dist. to Angle Point 188;
 thence S. 81°57' W., 8.98 chs. dist. to Angle Point 189;
 thence N. 70°13' W., 3.90 chs. dist. to Angle Point 190;
 thence N. 83°50' W., 3.11 chs. dist. to Angle Point 191;
 thence N. 61°58' W., 2.68 chs. dist. to Angle Point 192;
 thence N. 73°21' W., 5.42 chs. dist. to Angle Point 193;
 thence N. 74°35' W., 3.42 chs. dist. to Angle Point 194;
 thence N. 89°57' W., 6.71 chs. dist. to Angle Point 195;
 thence N. 82°21' W., 3.30 chs. dist. to Angle Point 196;
 thence S. 69°36' W., 6.36 chs. dist. to Angle Point 197;
 thence S. 77°15' W., 3.01 chs. dist. to Angle Point 198;
 thence S. 87°40' W., 4.30 chs. dist. to Angle Point 199;
 thence N. 79°45' W., 4.67 chs. dist. to Angle Point 200;
 thence S. 89°24' W., 5.21 chs. dist. to Angle Point 201;
 thence N. 61°50' W., 3.92 chs. dist. to Angle Point 202;
 thence N. 79°55' W., 4.01 chs. dist. to Angle Point 203;
 thence S. 65°29' W., 4.74 chs. dist. to Angle Point 204;
 thence S. 80°23' W., 5.11 chs. dist. to Angle Point 205;
 thence S. 87°22' W., 6.61 chs. dist. to Angle Point 206;
 thence N. 81°34' W., 6.83 chs. dist. to Angle Point 207;
 thence N. 85°17' W., 3.40 chs. dist. to Angle Point 208;
 thence N. 77°17' W., 5.99 chs. dist. to Angle Point 209;
 thence S. 78°13' W., 3.07 chs. dist. to Angle Point 210;
 thence S. 63°21' W., 13.49 chs. dist. to Angle Point 211;
 thence S. 65°09' W., 4.42 chs. dist. to Angle Point 212;
 thence S. 63°12' W., 14.79 chs. dist. to Angle Point 213;
 thence S. 75°43' W., 6.41 chs. dist. to Angle Point 214,
 identical with Angle Point 1, T. 3 S., R. 4 W., on the
 line bet. secs. 25 and 30, on the W. bdy. of the Tp.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Daniel R. Muth	Student Trainee
Cheryl A. Baier	Surveying Technician
Gordon R. Bubel	" "
Geoffrey A. Graham	" "
Jeff A. Hill	" "
Lawrence T. Kempe	" "
Wallace R. Ott Jr.	" "
Clinton T. Lancaster	" "

CERTIFICATE OF SURVEY

I, Olian T. Shockley, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 21st day of October, 1993, I have dependently resurveyed a portion of the subdivisional lines and conducted a metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 3 South, Range 3 West, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

January 06, 1997

(Date)

Olian T. Shockley

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Arizona State Office
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the subdivisional lines and the metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 3 South, Range 3 West, Gila and Salt River Meridian, Arizona, executed by Olian T. Shockley, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

2/25/97

(Date)

Dale C. Wilson

(Acting Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 3 S., R. 3 W., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~(Date)~~

~~(Acting Chief Cadastral Surveyor of Arizona)~~