

ORIGINAL

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES
OF THE
SURVEY

OF A PORTION OF THE EAST BOUNDARY,

THE DEPENDENT RESURVEY OF

A PORTION OF THE WEST BOUNDARY

AND A PORTION OF THE SUBDIVISIONAL LINES

AND

THE METES AND BOUNDS SURVEY OF

THE TABLE TOP WILDERNESS AREA BOUNDARY,

TOWNSHIP 7 SOUTH, RANGE 2 EAST

Of the Gila and Salt River Meridian,
In the State of Arizona

EXECUTED BY

William P. Carpender

Cadastral Surveyor

Under Special Instructions dated April 8, 1996, approved April 8, 1996, which provided for the surveys included under Group Number 797, and assignment instructions dated April 8, 1996.

Survey Commenced April 23, 1996

Survey Completed June 4, 1996

INDEX DIAGRAM

TOWNSHIP 7 SOUTH, RANGE 2 EAST,

	6	5	4	3	2	1
	7	8	9	10	11	12
	12	12				
7	18	17	16	15	14	13
			11	10		
			11	9	9	8
6	19	20	21	22	23	24
5	30	29	28	27	26	25
4	31	32	33	34	35	36

Metes and Bounds Survey of TTWA Bdy., in secs. 17 and 18
 Metes and Bounds Survey of TTWA Bdy., Tract 37
 Metes and Bounds Survey of TTWA Bdy., Tract 38

Pgs. 13-24
 Pgs. 24-27
 Pgs. 27-35

T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes describe the survey of a portion of the east boundary, the dependent resurvey of a portion of the west boundary and a portion of the subdivisional lines and the metes and bounds survey of the Table Top Wilderness Area Boundary, Township 7 South, Range 2 East, Gila and Salt River Meridian, Arizona.

The west boundary, a portion of the east boundary and a portion of the subdivisional lines were surveyed by W. H. Thorn and W. K. Kierulff, in 1915.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated April 8, 1996, for Group No. 797, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by the technique of static differential positioning using Ashtech models M-XII and MS-XII geodetic units, confirmed by direct hour angle observations on the sun, and refer to the true meridian. Distances and angles were measured with Sokkia SET2BII and Topcon GTS3B total station instruments.

The geographic position of the cor. of Townships 7 and 8 South, Ranges 1 and 2 East, was determined by static differential positioning using Ashtech models M-XII and MS-XII geodetic units. U.S. Coast and Geodetic Survey triangulation stations "CREST 1960" and "TULE 1960" were used as the control stations, is as follows:

Latitude: 32°46'04.45" N. Longitude: 112°12'12.82" W.
NAD83 (1992)

The mean magnetic declination of 12 1/4° E. was derived from U.S. Geological Survey computer program MAGPOINT, utilizing the Regional Magnetic Field Model for Epoch 1995 for the dates of the survey.

Survey of a Portion of the East Boundary,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 20 ins. above ground, in a mound of stone, 4 ft. base, 1 1/2 ft. high, with brass cap mkd. T7S R2E R3E S13 S18 S24 S19 1915.</p> <p>from which an original bearing tree</p> <p style="padding-left: 40px;">An ironwood, 8 ins. diam., bears N. 24° W., 18 lks. dist., mkd. with faint scribe marks in a partly healed blaze.</p> <p>Add the marks 1996 to the brass cap.</p> <p>The cor. is located on the E. bank of a small wash, course N.</p> <p>From this cor., U.S. Coast and Geodetic Survey triangulation station "TULE 1960", monumented with a standard disk, set and referenced as described in the published data, mkd. TULE 1960 and a triangle, with published latitude of 32°49'56.8745" N., and longitude of 112°03'59.0984" W., NAD 83 (1992), bears N. 53°57'15" E. (forward bearing), 197.47 chs. dist.</p> <p>South, bet. secs. 19 and 24, on the E. bdy. of the Tp., along the Table Top Wilderness Area Bdy.</p> <p>Over gently rolling desert terrain, with moderate growth of mesquite, ironwood, paloverde, creosote, and cactus.</p>
5.45	<p>Point for Angle Point 7, Tract 37, on the metes and bounds survey of the Table Top Wilderness Area Bdy., hereinafter described.</p> <p>Leave the Table Top Wilderness Area Bdy.</p>
6.97	<p>Point for Angle Point 1, Tract 37, on the metes and bounds survey of the Table Top Wilderness Area Bdy., hereinafter described.</p> <p>Terminate the survey of a portion of the E. bdy.; remainder falls in the Table Top Wilderness Area.</p>
<hr/> <p>Dependent Resurvey of a Portion of the West Boundary, T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona</p> <hr/>	
<p>Restoring the Survey Executed by W. H. Thorn and W. K. Kierulff, in 1915</p> <hr/>	
<p>Beginning at the cor. of Tps. 7 and 8 S., Rgs. 1 and 2 E., monumented with an iron post, 3 ins. diam., firmly set, projecting 8 ins. above ground, in a mound of stone, 4 ft. base,</p>	

Dependent Resurvey of a Portion of the West Boundary,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>to top, with a mound of stone, 3 ft. base, 1 ft. high, S. of the cor., with brass cap mkd. T7S R1E R2E S36 S31 S1 S6 T8S 1915.</p>
	<p>Add the marks 1996 to the brass cap.</p>
	<p>The cor. is located in a cor. of barbed wire fences extending ENE and W.</p>
	<p>N. 0°01' W., bet. secs. 31 and 36, on the W. bdy. of the Tp, along the Table Top Wilderness Area Bdy.</p>
	<p>Over gently rolling, open desert.</p>
<p>39.99</p>	<p>The 1/4 sec. cor. of secs. 31 and 36, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above ground, with a mound of stone, 3 ft. base, 1 1/2 ft. high, W. of the cor., with brass cap mkd. S36 1/4 S31 1915.</p>
	<p>Add the marks T7S R1E R2E 1996 to the brass cap.</p>
	<p>N. 0°04' E., beginning new measurement.</p>
<p>39.98</p>	<p>The cor. of secs. 25, 30, 31, and 36, monumented with an iron post, 3 ins. diam., firmly set, projecting 24 ins. above ground, in a mound of stone, 4 x 3 ft. base, to top, with brass cap mkd. T7S R1E R2E S25 S30 S36 S31 1915.</p>
	<p>Add the marks 1996 to the brass cap.</p>
	<p>The cor. is located on the N. bank of a wash, 150 lks. wide, course W.</p>
	<p>N. 0°03' E., bet. secs. 25 and 30.</p>
	<p>Over gently rolling, open desert.</p>
<p>34.26</p>	<p>Point for Angle Point 32, Tract 38, on the metes and bounds survey of the Table Top Wilderness Area Bdy., hereinafter described.</p>
	<p>Leave the Table Top Wilderness Area Bdy.</p>
<p>35.00</p>	<p>Dirt road, bears SE and NW.</p>
<p>35.73</p>	<p>Point for Angle Point 8, Tract 38, on the metes and bounds survey of the Table Top Wilderness Area Bdy., hereinafter described.</p>
	<p>Thence along the Table Top Wilderness Area Bdy.</p>

Dependent Resurvey of a Portion of the West Boundary,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
40.08	<p>The 1/4 sec. cor. of secs. 25 and 30, monumented with an iron post, 1 in. diam., firmly set, projecting 18 ins. above ground, in a mound of stone, 4 ft. base, 1 ft. high, with a mound of stone, 3 ft. base, 2 ft. high, W. of the cor., with brass cap mkd. S25 1/4 S30 1915.</p> <p>Add the marks T7S R1E R2E 1996 to the brass cap.</p> <hr/> <p>N. 0°01' E., beginning new measurement.</p>
40.01	<p>The cor. of secs. 19, 24, 25, and 30, monumented with an iron post, 3 ins. diam., firmly set, projecting 30 ins. above ground, in a mound of stone, 4 ft. base, 2 ft. high, with brass cap mkd. T7S R1E R2E S24 S19 S25 S30 1915.</p> <p>Add the marks 1996 to the brass cap.</p> <p>The cor. is located on a ridge, bears ESE and WNW.</p> <hr/> <p>N. 0°02' E., bet. secs. 19 and 24.</p> <p>Over gently rolling, open desert.</p>
7.59	<p>Point for Angle Point 19, sec. 24, T. 7 S., R. 1 E., on the Table Top Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div data-bbox="824 1287 995 1539" style="text-align: center;"> <p>T7S R1E R2E TTWA AP19 S24 1996</p> </div> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p>The cor. is located on the N. bank of a wash, 5 ft. deep, 50 lks. wide, drains NNW.</p> <p>Leave the Table Top Wilderness Area Bdy.</p>

Dependent Resurvey of a Portion of the West Boundary,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
40.06	<p>The 1/4 sec. cor. of secs. 19 and 24, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above ground, with a mound of stone, 3 ft. base, 2 1/2 ft. high, W. of the cor., with brass cap mkd. S24 1/4 S19 1915.</p> <p>Add the marks T7S R1E R2E 1996 to the brass cap.</p> <hr/> <p>N. 0°01' E., beginning new measurement.</p>
40.00	<p>The cor. of secs. 13, 18, 19, and 24, monumented with an iron post, 3 ins. diam., firmly set, projecting 18 ins. above ground, with a mound of stone, 4 ft. base, 3 ft. high, W. of the cor., with brass cap mkd. T7S R1E R2E S13 S18 S24 S19 1915.</p> <p>Add the marks 1996 to the brass cap.</p> <hr/> <p>North, bet. secs. 13 and 18.</p> <p>Over gently rolling, open desert.</p>
40.00	<p>The 1/4 sec. cor. of secs. 13 and 18, monumented with an iron post, 1 in. diam., firmly set, projecting 5 ins. above ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. S13 1/4 S18 1915.</p> <p>Add the marks T7S R1E R2E 1996 to the brass cap.</p> <hr/> <p>N. 0°01' E., beginning new measurement.</p>
36.58	<p>Point for Angle Point 13, sec. 18, identical with Angle Point 1, sec. 13, T. 7 S., R. 1 E., on the metes and bounds survey of the Table Top Wilderness Area Bdy., hereinafter described.</p>
40.02	<p>The cor. of secs. 7, 12, 13, and 18, monumented with an iron post, 3 ins. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd. T7S R1E R2E S12 S7 S13 S18 191.</p> <p>Add the marks 1996 to the brass cap.</p>

Dependent Resurvey of a Portion of the West Boundary,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From this cor. point, U.S. Coast and Geodetic Survey triangulation station "CREST 1960", monumented with a standard disk, set in concrete flush with the ground, mkd. CREST 1960 and a triangle, with published latitude of 32°49'56.6975" N., and longitude of 112°09'18.8529" W., NAD83 (1992), bears N. 81°00'15" E. (forward bearing), 227.60 chs. dist. The reference monuments are in good condition, but the azimuth mark has been destroyed by interstate highway construction.</p>
	<p>Dependent Resurvey of a Portion of the Subdivisional Lines, T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona</p>
	<p>Restoring the survey executed by W. H. Thorn and W. K. Kierulff, in 1915</p>
	<p>From the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp., hereinbefore described.</p>
	<p>N. 89°59' W., bet. secs. 13 and 24, along the Table Top Wilderness Area Bdy.</p>
	<p>Over gently rolling desert terrain, with moderate growth of mesquite, ironwood, paloverde, creosote, and cactus.</p>
<p>40.01</p>	<p>The 1/4 sec. cor. of secs. 13 and 24, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above ground, encircled in a stone collar, with a mound of stone, 3 ft. base, 2 ft. high, N. of the cor., with brass cap mkd. S13 1/4 S24 1915.</p> <p>Add the marks T7S R2E 1996 to the brass cap.</p>
	<p>N. 89°52' W., beginning new measurement.</p>
<p>39.94</p>	<p>The cor. of secs. 13, 14, 23, and 24, monumented with an iron post, 2 ins. diam., firmly set, projecting 14 ins. above ground, in a mound of stone, 2 ft. base, 1 ft. high, with a mound of stone, 2 ft. base, 1 1/2 ft. high, W. of the cor., with brass cap mkd. T7S R2E S14 S13 S23 S24 1915.</p> <p>from which the original bearing trees</p> <p>An ironwood, 8 ins. diam., bears S. 47 3/4° E., 23 lks. dist., with a rotted blaze. (Record, S. 49 1/2° E.)</p> <p>An ironwood, 5 ins. diam., bears N. 57 1/4° W., 14 lks. dist., faintly mkd. T7SR2ES14BT. (Record, N. 63 1/2° W.)</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Add the marks 1996 to the brass cap.</p> <p>The cor. is located 1 ch. WSW of the confluence of 2 small washes, courses N. and E.</p> <hr/>
40.04	<p>S. 89°55' W., bet. secs. 14 and 23.</p> <p>Over gently rolling desert terrain, with moderate growth of mesquite, ironwood, paloverde, creosote, and cactus.</p> <p>The 1/4 sec. cor. of secs. 14 and 23, monumented with an iron post, 1 in. diam., firmly set, projecting 7 ins. above ground, in a mound of stone, 3 ft. base, to top, with a mound of stone, 4 ft. base, 1 ft. high, N. of the cor., with brass cap mkd. S14 1/4 S23 1915.</p> <p>Add the marks T7S R2E 1996 to the brass cap.</p> <hr/>
40.02	<p>S. 89°58' W., beginning new measurement.</p> <p>The cor. of secs. 14, 15, 22, and 23, monumented with an iron post, 2 ins. diam., firmly set, projecting 8 ins. above ground, in a mound of stone, 3 ft. base, to top, with a mound of stone, 2 ft. base, 2 ft. high, W. of the cor., with brass cap mkd. T7S R2E S15 S14 S22 S23 1915.</p> <p>Add the marks 1996 to the brass cap.</p> <p>The cor. is located 15 lks. E. of a dirt road, bears SSE and NNW.</p> <hr/>
38.50	<p>N. 89°55' W., bet. secs. 15 and 22.</p> <p>Over gently rolling desert terrain, with moderate growth of mesquite, ironwood, paloverde, creosote, and cactus.</p> <p>The witness cor. to the 1/4 sec. cor. of secs. 15 and 22, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above ground, with the scattered remains of a mound of earth, N. of the cor., with brass cap mkd. 1/4 S15 S22 1915.</p> <p>Add the marks WC T7S R2E 1996 and an arrow pointing to the true point to the brass cap.</p> <hr/>
1.50	<p>S. 89°59' W., beginning new measurement.</p> <p>The true point for the 1/4 sec. cor. of secs. 15 and 22, at proportionate distance; falls in a wash.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
39.50	E. bank of a wash, 6 ft. deep, course NE.
41.48	<p>The true point for the cor. of secs. 15, 16, 21, and 22, falls in a wash, where it is impractical to establish a permanent monument.</p> <p><u>Note:</u> The original field notes place the true point for this sec. cor. East, 1 ch. dist. from the witness cor., hereinafter described. Retracement values indicate that the record is in error, and that this cor. was actually witnessed North, 1 ch. dist. from the true point. In order to place the true cor. point in its original position in accordance with section 5-17 of the Manual of Surveying Instructions, 1973, it was determined on the extension of the bearing of the line bet. secs. 15 and 16, at record dist.</p> <p>Leave the Table Top Wilderness Area Bdy.</p> <hr/> <p>N. 0°02' E., bet. secs. 15 and 16.</p> <p>Over gently rolling desert terrain, with moderate growth of mesquite, ironwood, paloverde, creosote, and cactus, along a fence.</p>
1.00	<p>The witness cor. to the cor. of secs. 15, 16, 21, and 22, monumented with an iron post, 2 ins. diam., firmly set, projecting 8 ins. above the ground, encircled with a collar of stone, with brass cap mkd. T7S R2E WC S16 S15 S21 S22 1915.</p> <p>from which an original bearing tree</p> <p style="padding-left: 40px;">A Paloverde, 9 ins. diam., bears S. 14 3/4° E., 33 lks. dist., with a rotted blaze. (Record, S. 16° W., 25 lks.)</p> <p>Add the marks 1996 to the brass cap.</p> <p>The cor. is located in a barbed wire fence, bears N. and S.</p>
39.99	<p>The 1/4 sec. cor. of secs. 15 and 16, monumented with an iron post, 1 in. diam., firmly set, projecting 18 ins. above the ground, in a mound of stone, 3 ft. base, 1 ft. high, with a mound of stone, 3 ft. base, 2 ft. high, W. of the cor., with brass cap mkd. S16 1/4 S15 1915.</p> <p>Add the marks T7S R2E 1996 to the brass cap.</p> <p>The cor. is located in a barbed wire fence, bears N. and S.</p> <hr/>


Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From the true point for the cor. of secs. 15, 16, 21, and 22. N. 89°56' W., bet. secs. 16 and 21, along the Table Top Wilderness Area Bdy.</p>
	<p>Over gently rolling desert terrain, with moderate growth of mesquite, ironwood, paloverde, creosote, and cactus.</p>
0.55	<p>W. bank of a wash, 6 ft. deep, course NE.</p>
40.01	<p>The 1/4 sec. cor. of secs. 16 and 21, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above the ground, with brass cap mkd. S16 1/4 S21 1915.</p>
	<p>Add the marks T7S R2E 1996 to the brass cap.</p> <hr/>
	<p>N. 89°58' W., beginning new measurement.</p>
40.00	<p>The cor. of secs. 16, 17, 20, and 21, monumented with an iron post, 2 ins. diam., firmly set, projecting 8 ins. above the ground, supported in a mound of stone, 3 ft. base, to top, with brass cap mkd. T7S R2E S17 S16 S20 S21 1915.</p>
	<p>from which an original bearing tree</p>
	<p>An ironwood, 9 ins. diam., bears S. 44 1/2° W., 74 lks. dist. with faint scribe marks. (Record, 76 lks. dist.)</p>
	<p>Add the marks 1996 to the brass cap.</p>
	<p>The cor. is located on the E. bank of a wash, 6 ft. deep, 75 lks. wide, drains N.</p> <hr/>
	<p>North, bet. secs. 16 and 17, along the Table Top Wilderness Area Bdy.</p>
	<p>Over gently rolling desert terrain, with moderate growth of mesquite, ironwood, paloverde, creosote, and cactus.</p>
10.45	<p>Point for Angle Point 1, sec. 17, on the metes and bounds survey of the Table Top Wilderness Area Bdy., hereinafter described.</p>
	<p>Leave the Table Top Wilderness Area Bdy.</p>
11.00	<p>Wash, 6 ft. deep, 100 lks. wide, course NW.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
40.02	<p>The 1/4 sec. cor. of secs. 16 and 17, monumented with an iron post, 1 in. diam., firmly set, projecting 6 ins. above the ground, encircled with a collar of stone, with a mound of stone, 2 1/2 ft. base, 2 ft. high, W. of the cor., and with a mining claim location cor., a mound of stone, 1 1/2 ft. base, 1 ft. high, with a rotted 2 x 2 ins. post alongside, S. of the cor., with brass cap mkd. S17 1/4 S16 1915.</p> <p>Add the marks T7S R2E 1996 to the brass cap.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 17 and 18, monumented with an iron post, 1 in. diam., firmly set, projecting 15 ins. above ground, in a mound of stone, 3 ft. base, 1 ft. high, with brass cap mkd. S18 1/4 S17 1915.</p> <p>Add the marks 1996 to the brass cap.</p> <p>N. 0°01' E., bet. secs. 17 and 18.</p> <p>Over gently rolling desert terrain, with moderate growth of mesquite, ironwood, paloverde, creosote, and cactus.</p>
16.40	<p>The N. berm of a water tank, 15 ft. high, bears ENE and WSW.</p>
40.02	<p>The cor. of secs. 7, 8, 17, and 18, monumented with an iron post, 2 ins. diam., firmly set, projecting 24 ins. above ground, in a mound of stone, 7 x 5 ft. base, 1 1/2 ft. high, with brass cap mkd. T7S R2E S7 S8 S18 S17 1915.</p> <p>Add the marks 1996 to the brass cap.</p> <hr/> <p>N. 89°57' W., bet. secs. 7 and 18.</p> <p>Over gently rolling desert terrain, with moderate growth of mesquite, ironwood, paloverde, creosote, and cactus, along a wash.</p>
40.01	<p>The 1/4 sec. cor. of secs. 7 and 18, monumented with an iron post, 1 in. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. S7 1/4 S18 1915.</p> <p>from which an original bearing tree</p> <p style="padding-left: 40px;">A mesquite, 12 ins. diam., bears N. 85° W., 64 lks. dist., with faint scribe marks.</p> <p>Add the marks T7S R2E 1996 to the brass cap.</p>



Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
38.65	<p>The cor. is located on the S. bank of a wash, 50 lks. wide, 3 ft. deep, course W.</p> <hr/> <p>N. 89°46' W., beginning new measurement.</p> <p>The cor. of secs. 7, 12, 13, and 18, on the W. bdy. of the Tp., hereinbefore described.</p>
	<hr/> <p>Metes and Bounds Survey of the Table Top Wilderness Area Bdy., T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona</p> <hr/>
	<p style="text-align: center;">In Section 17</p> <hr/> <p>From the point for Angle Point 1, sec. 17, on the line bet. secs. 16 and 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground, in a mound of stone, 4 1/2 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  <p style="text-align: center;">1996</p> </div>
8.89	<p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p>The cor. is located on the S. bank of a wash, 6 ft. deep, 100 lks. wide, course WNW.</p> <p>From this cor. point, the cor. of secs. 16, 17, 20, and 21, hereinbefore described, bears South, 10.45 chs. dist.</p> <p>N. 64°01' W., on line 1-2, sec. 17, of the metes and bounds survey of the Table Top Wilderness Area Bdy., along the S. side of a wash.</p> <p>Point for Angle Point 2, sec. 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, in a mound of stone, 4 1/2 ft. base, to top, with brass cap mkd.</p>


Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="841 300 1029 520" data-label="Diagram"> <p>T7S R2E S17 AP2 TTWA 1996</p> </div> <p data-bbox="406 556 1393 615">Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p data-bbox="406 651 1341 709">The cor. is located on the S. bank of the wash, 6 ft. deep, 100 lks. wide, course NNW from ESE.</p> <hr data-bbox="722 735 1104 745"/> <p data-bbox="406 777 961 808">N. 27°02' W., on line 2-3, sec. 17.</p> <p data-bbox="243 840 930 871">10.77 Point for Angle Point 3, sec. 17.</p> <p data-bbox="406 903 1393 997">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 15 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p>
15.23	<div data-bbox="854 1031 979 1218" data-label="Diagram"> <p>T7S R2E S17 AP3 TTWA 1996</p> </div> <p data-bbox="406 1253 1393 1312">Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p data-bbox="406 1348 1341 1407">The cor. is located on the W. bank of the wash, 6 ft. deep, 50 lks. wide, course N. from SSE.</p> <hr data-bbox="722 1432 1104 1442"/> <p data-bbox="406 1474 961 1505">N. 13°11' W., on line 3-4, sec. 17.</p> <p data-bbox="243 1537 930 1568">15.23 Point for Angle Point 4, sec. 17.</p> <p data-bbox="406 1600 1393 1694">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="836 300 982 514" style="text-align: center;">  <p>1996</p> </div> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p>The cor. is located on the W. bank of the wash, 4 ft. deep, 250 lks. wide, course NW, from S.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 55°33' W., on line 4-5, sec. 17.</p>
15.81	<p>Point for Angle Point 5, sec. 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div data-bbox="812 1029 1031 1249" style="text-align: center;">  <p>1996</p> </div> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p>The cor. is located on the SW bank of the wash, 4 ft. deep, 100 lks. wide, course W. from SE.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 76°59' W., on line 5-6, sec. 17.</p>
10.57	<p>Point for Angle Point 6, sec. 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T7S R2E S17</p>  <p style="text-align: center;">AP6 TTWA</p> <p style="text-align: center;">1996</p> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p>The cor. is located on the S. bank of the wash, 6 ft. deep, 50 lks. wide, course WSW from E.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 65°31' W., on line 6-7, sec. 17.</p>
<p>5.35</p>	<p>Point for Angle Point 7, sec. 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T7S R2E S17</p>  <p style="text-align: center;">AP7 TTWA</p> <p style="text-align: center;">1996</p> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p>The cor. is located on the S. bank of the wash, 10 ft. deep, 50 lks. wide, course NW from ENE.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 65°39' W., on line 7-8, sec. 17.</p>
<p>25.80</p>	<p>Point for Angle Point 8, sec. 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 13 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="860 304 1015 451" style="text-align: center;"> <p>T7S R2E S17</p>  <p>1996</p> </div> <p data-bbox="406 556 1388 619">Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p data-bbox="406 651 1339 714">The cor. is located on the S. bank of the wash, 5 ft. deep, 50 lks. wide, course SW from SE.</p> <hr data-bbox="722 735 1104 745"/> <p data-bbox="406 777 958 808">S. 46°45' W., on line 8-9, sec. 17.</p> <p data-bbox="259 840 925 871">8.42 Point for Angle Point 9, sec. 17.</p> <p data-bbox="406 903 1339 966">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p>
<p data-bbox="259 1543 324 1575">9.33</p>	<div data-bbox="836 997 1015 1186" style="text-align: center;"> <p>T7S R2E</p>  <p>1996</p> </div> <p data-bbox="406 1218 1388 1281">Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p data-bbox="406 1312 1372 1407">The cor. is located on the bank of the confluence of a wash, 4 ft. deep, 50 lks. wide, drains SW, with another wash, 4 ft. deep, 300 lks. wide, drains NNW.</p> <hr data-bbox="722 1428 1104 1438"/> <p data-bbox="406 1470 974 1501">S. 13°11' W., on line 9-10, sec. 17.</p> <p data-bbox="406 1543 941 1575">Point for Angle Point 10, sec. 17.</p> <p data-bbox="406 1606 1404 1690">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="828 294 1023 493" style="text-align: center;"> <p>T7S R2E</p> <p>1996</p> </div> <p data-bbox="402 520 1393 583">Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p data-bbox="402 615 1360 678">The cor. is located on the E. bank of the wash, 10 ft. deep, 100 lks. wide, course NNE from SSE.</p> <hr data-bbox="722 703 1104 709"/> <p data-bbox="402 741 990 772">S. 35°29' E., on line 10-11, sec. 17.</p> <p data-bbox="243 808 941 840">10.82 Point for Angle Point 11, sec. 17.</p> <p data-bbox="402 871 1404 966">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 14 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>
	<div data-bbox="828 997 1023 1186" style="text-align: center;"> <p>T7S R2E</p> <p>1996</p> </div> <p data-bbox="402 1218 1393 1281">Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p data-bbox="402 1312 1360 1375">The cor. is located on the E. bank of the wash, 10 ft. deep, 100 lks. wide, drains NW.</p> <hr data-bbox="722 1396 1104 1402"/> <p data-bbox="402 1438 1291 1470">S. 81°02' W., on line 11-12, sec. 17, crossing the wash.</p> <p data-bbox="243 1501 941 1533">4.13 Point for Angle Point 12, sec. 17.</p> <p data-bbox="402 1564 1339 1638">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>
	<div data-bbox="828 1659 1023 1879" style="text-align: center;"> <p>T7S R2E</p> <p>1996</p> </div>


Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
8.29	<p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p>The cor. is located 50 ft. SW of a road, 15 lks. wide, bears NW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 45°16' W., on line 12-13, sec. 17, along the SW side of the road.</p> <p>Point for Angle Point 13, sec. 17, identical with Angle Point 1, sec. 18, and the 1/4 sec. cor. of secs. 17 and 18, hereinbefore described.</p>
5.32	<p style="text-align: center;">In Section 18</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 31°01' W., on line 1-2, sec. 18, along the SW side of a road.</p> <p>Point for Angle Point 2, sec. 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 20px 0;"> <p>T7S R2E S18 AP2 TTWA 1996</p> </div>
8.13	<p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p>The cor. is located 60 lks. W. of the road.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°40' E., on line 2-3, sec. 18.</p> <p>Point for Angle Point 3, sec. 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div data-bbox="841 296 980 516" data-label="Diagram"> <p>T7S R2E S18 AP3 TTWA 1996</p> </div> <p data-bbox="402 554 1393 615">Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p data-bbox="402 646 1084 678">The cor. is located 60 lks. SW of the road.</p> <hr data-bbox="721 701 1104 709"/> <p data-bbox="402 743 959 774">N. 59°26' W., on line 3-4, sec. 18.</p> <p data-bbox="245 810 927 842">10.81 Point for Angle Point 4, sec. 18.</p> <p data-bbox="402 873 1406 968">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>
	<div data-bbox="854 999 993 1220" data-label="Diagram"> <p>T7S R2E S18 AP4 TTWA 1996</p> </div> <p data-bbox="402 1251 1393 1312">Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <hr data-bbox="721 1335 1104 1344"/> <p data-bbox="402 1377 959 1409">N. 34°54' W., on line 4-5, sec. 18.</p> <p data-bbox="256 1444 927 1476">6.86 Point for Angle Point 5, sec. 18.</p> <p data-bbox="402 1507 1341 1568">Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>
	<div data-bbox="854 1602 993 1822" data-label="Diagram"> <p>T7S R2E S18 AP5 TTWA 1996</p> </div>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
3.77	<p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <hr/> <p>N. 12°42' E., on line 5-6, sec. 18.</p> <p>Point for Angle Point 6, sec. 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T7S R2E S18 AP6 TTWA 1996</p>  </div> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <hr/>
10.11	<p>N. 66°00' W., on line 6-7, sec. 18.</p> <p>Point for Angle Point 7, sec. 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T7S R2E S18 AP7 TTWA 1996</p>  </div> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <hr/>
6.61	<p>N. 84°24' W., on line 7-8, sec. 18.</p> <p>Point for Angle Point 8, sec. 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona


CHAINS	
	<p style="text-align: center;">T7S R2E S18</p>  <p style="text-align: center;">AP8 TTWA</p> <p style="text-align: center;">1996</p> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p>The cor. is located 100 lks. SE from the SE cor. of a corral, and 3 chs. WSW of a steel water tank.</p> <hr style="width: 20%; margin: auto;"/> <p style="text-align: center;">S. 71°36' W., on line 8-9, sec. 18.</p>
2.15	<p>Point for Angle Point 9, sec. 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T7S R2E S18</p>  <p style="text-align: center;">AP9 TTWA</p> <p style="text-align: center;">1996</p> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <hr style="width: 20%; margin: auto;"/> <p style="text-align: center;">N. 79°34' W., on line 9-10, sec. 18.</p>
9.17	<p>Point for Angle Point 10, sec. 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T7S R2E</p>  <p style="text-align: center;">S18</p> <p style="text-align: center;">AP10 TTWA</p> <p style="text-align: center;">1996</p>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
16.33	<p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <hr/> <p>N. 77°05' W., on line 10-11, sec. 18.</p> <p>Point for Angle Point 11, sec. 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T7S R2E S18 _____ AP11 TTWA 1996</p> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <hr/>
9.04	<p>S. 79°01' W., on line 11-12, sec. 18.</p> <p>Point for Angle Point 12, sec. 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T7S R2E S18 _____ AP12 TTWA 1996</p> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <hr/>
12.05	<p>N. 82°16' W., on line 12-13, sec. 18.</p> <p>Point for Angle Point 13, sec. 18, identical with Angle Point 1, sec. 13, T. 7 S., R. 1 E., on the W. bdy. of the Tp.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS




Deposit a magnet in a white plastic case beneath the stainless steel post.

From this cor. point, the cor. of secs. 7, 12, 13, and 18, hereinbefore described, bears N. 0°01' E., 3.44 chs. dist.

Tract 37

From the point for Angle Point 1, Tract 37, identical with Angle Point 17, Tract 37, T. 7 S., R. 3 E., on the line bet. secs. 19 and 24, on the E. bdy. of the Tp.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 17 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.



Deposit a magnet in a white plastic case beneath the stainless steel post.


From this cor. point, the cor. of secs. 13, 18, 19 and 24, hereinbefore described, bears North, 6.97 chs. dist.

S. 77°08' W., on line 1-2, Tract 37, of the metes and bounds survey of the Table Top Wilderness Area Bdy., along the S. side of a road.

6.64 Point for Angle Point 2, Tract 37.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona


CHAINS	
	<p style="text-align: center;">T7S R2E  1996</p> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <hr style="width: 20%; margin: auto;"/>
5.56	<p>S. 10°12' W., on line 2-3, Tract 37, around a fenced area enclosing a well, trough and tank.</p> <p>Point for Angle Point 3, Tract 37.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T7S R2E  1996</p> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <hr style="width: 20%; margin: auto;"/>
2.57	<p>N. 81°18' W., on line 3-4, Tract 37.</p> <p>Point for Angle Point 4, Tract 37.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>
	<p style="text-align: center;">T7S R2E  1996</p> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p>The cor. is located on the W. edge of a wash, 10 ft. deep, 10 lks. wide, drains NNE.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 6°05' W., on line 4-5, Tract 37.</p>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.83	<p>Point for Angle Point 5, Tract 37.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <div data-bbox="836 457 998 619" style="text-align: center;"> <p>T7S R2E TTWA AP5 1996</p> </div> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <p>The cor. is located on the S. edge of a wash, 12 ft. deep, 50 lks. wide, drains ENE.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 76°45' E., on line 5-6, Tract 37.</p>
3.83	<p>Point for Angle Point 6, Tract 37.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="836 1092 1006 1281" style="text-align: center;"> <p>T7S R2E TTWA AP6 1996</p> </div> <p>Deposit a magnet in a white plastic case beneath the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 70°28' E., on line 6-7, along the N. side of a road.</p>
7.19	<p>Point for Angle Point 7, Tract 37, on the line bet. secs. 19 and 24, on the E. bdy. of the Tp.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS




Deposit a magnet in a white plastic case beneath the stainless steel post.

From this cor. point, the cor. of secs. 13, 18, 19 and 24, hereinbefore described, bears North, 5.45 chs. dist.

Tract 38

From the point for Angle Point 8, Tract 38, on the line bet. secs. 25 and 30, on the W. bdy. of the Tp.

Set an aluminum rod, 36 ins. long, 3/4 in. diam., 4 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.



From this cor. point, the 1/4 sec. cor. of secs. 25 and 30, hereinbefore described, bears N. 0°03' E., 4.35 chs. dist.




S. 51°06' E., on line 8-9, Tract 38, on the metes and bounds survey of the Table Top Wilderness Area Bdy., along the N. side of a dirt road.

43.64




Point for Angle Point 9, Tract 38.

Set an aluminum rod, 36 ins. long, 3/4 in. diam., 20 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.



Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T7S R2E TTWA AP9</p>  <p>1996</p> </div> <p>S. 64°34' E., on line 9-10, Tract 38.</p>
25.78	<p>Point for Angle Point 10, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T7S R2E TTWA AP10</p>  <p>1996</p> </div> <p>S. 51°29' E., on line 10-11, Tract 38.</p>
6.41	<p>Point for Angle Point 11, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T7S R2E TTWA AP11</p>  <p>1996</p> </div> <p>S. 35°37' E., on line 11-12, Tract 38.</p>
11.42	<p>Point for Angle Point 12, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T7S R2E TTWA AP12</p>  <p>1996</p> </div>
6.37	<p>S. 57°50' E., on line 12-13, Tract 38.</p> <p>Point for Angle Point 13, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 19 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>T7S R2E TTWA AP13</p>  <p>1996</p> </div>
19.41	<p>S. 68°23' E., on line 13-14, Tract 38.</p> <p>Point for Angle Point 14, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with brass cap mkd.</p>
9.72	<div style="text-align: center;"> <p>T7S R2E TTWA AP14</p>  <p>1996</p> </div> <p>S. 42°02' E., on line 14-15, Tract 38.</p> <p>Point for Angle Point 15, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with brass cap mkd.</p>




Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T7S R2E TTWA AP15</p>  <p>1996</p> <hr style="width: 20%; margin: auto;"/> </div>
10.03	<p>S. 67°08' E., on line 15-16, Tract 38.</p> <p>Point for Angle Point 16, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>T7S R2E TTWA AP16</p>  <p>1996</p> <hr style="width: 20%; margin: auto;"/> </div>
19.72	<p>S. 87°36' E., on line 16-17, Tract 38.</p> <p>Point for Angle Point 17, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 5 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>T7S R2E TTWA AP17</p>  <p>1996</p> <hr style="width: 20%; margin: auto;"/> </div>
3.57	<p>N. 74°42' E., on line 17-18, Tract 38, around a water catchment.</p> <p>Point for Angle Point 18, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 15 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>



Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T7S R2E TTWA AP18</p>  <p>1996</p> <hr style="width: 20%; margin: 0 auto;"/> </div>
<p>3.44</p>	<p>S. 16°36' E., on line 18-19, Tract 38.</p> <p>Point for Angle Point 19, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>T7S R2E TTWA AP19</p>  <p>1996</p> <hr style="width: 20%; margin: 0 auto;"/> </div>
<p>3.54</p>	<p>S. 75°26' W., on line 19-20, Tract 38.</p> <p>Point for Angle Point 20, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>T7S R2E</p>  <p>1996</p> <hr style="width: 20%; margin: 0 auto;"/> </div>
<p>1.88</p>	<p>N. 17°07' W., on line 20-21, Tract 38.</p> <p>Point for Angle Point 21, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 19 ins. in the ground, in a mound of stone, 4 1/2 ft. base, to top, with brass cap mkd.</p>




Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T7S R2E</p>  <p style="text-align: center;">1996</p> <hr style="width: 20%; margin: auto;"/> <p>N. 88°54' W., on line 21-22, Tract 38, along the S. side of the same dirt road.</p>
22.19	<p>Point for Angle Point 22, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T7S R2E</p>  <p style="text-align: center;">1996</p> <hr style="width: 20%; margin: auto;"/> <p>S. 85°47' W., on line 22-23, Tract 38.</p>
6.40	<p>Point for Angle Point 23, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 35 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T7S R2E</p>  <p style="text-align: center;">1996</p> <hr style="width: 20%; margin: auto;"/> <p>N. 67°34' W., on line 23-24, Tract 38.</p>
3.72	<p>Point for Angle Point 24, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, with brass cap mkd.</p>



Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;">  <p>T7S R2E AP24 TTWA 1996</p> <hr style="width: 20%; margin: auto;"/> </div> <p>N. 10°58' W., on line 24-25, Tract 38.</p>
5.43	<p>Point for Angle Point 25, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  <p>T7S R2E AP25 TTWA 1996</p> <hr style="width: 20%; margin: auto;"/> </div>
6.69	<p>N. 34°42' W., on line 25-26, Tract 38.</p> <p>Point for Angle Point 26, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 13 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;">  <p>T7S R2E AP26 TTWA 1996</p> <hr style="width: 20%; margin: auto;"/> </div>
19.02	<p>N. 68°29' W., on line 26-27, Tract 38.</p> <p>Point for Angle Point 27, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 10 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;">  <p>T7S R2E AP27 TTWA 1996</p> </div> <p>N. 58°34' W., on line 27-28, Tract 38.</p>
6.83	<p>Point for Angle Point 28, Tract 38.</p>
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;">  <p>T7S R2E AP28 TTWA 1996</p> </div> <p>N. 35°16' W., on line 28-29, Tract 38.</p>
11.52	<p>Point for Angle Point 29, Tract 38.</p>
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 22 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;">  <p>T7S R2E AP29 TTWA 1996</p> </div> <p>N. 51°48' W., on line 29-30, Tract 38.</p>
6.21	<p>Point for Angle Point 30, Tract 38.</p>
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with brass cap mkd.</p>

Metes and Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;">  <p>T7S R2E AP30 TTWA 1996</p> </div> <hr style="width: 20%; margin: auto;"/> <p>N. 64°26' W., on line 30-31, Tract 38.</p>
25.63	<p>Point for Angle Point 31, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>
	<div style="text-align: center;">  <p>T7S R2E AP31 TTWA 1996</p> </div> <hr style="width: 20%; margin: auto;"/> <p>N. 50°44' W., on line 31-32, Tract 38.</p>
42.94	<p>Point for Angle Point 32, Tract 38, on the line bet. secs. 25 and 30, on the W. bdy. of the Tp.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to top, with brass cap mkd.</p>
	<div style="text-align: center;">  <p>T7S R1E R2E S25 AP32 TTWA 1996</p> </div> <p>From this cor. point, the cor. of secs. 25, 30, 31, and 36, hereinbefore described, bears S. 0°03' W., 34.26 chs. dist.</p>
	<div style="text-align: center;"> <p>GENERAL DESCRIPTION</p> <p>The area surveyed is located approximately 30 miles east of Gila Bend, Arizona. Access is provided by U.S. Interstate Highway 8, and various dirt roads.</p> </div>

T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS

The terrain is gently rolling, rocky, open desert, rising into desert mountains in the center of the Table Top Wilderness. The vegetation consists of creosote, paloverde, mesquite, ironwood, and cactus, with considerable riparian growth in the larger washes. The average elevation is approximately 2000 feet above sea level.

The mean magnetic declination is $12 \frac{1}{4}^{\circ}$ E.

Description of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

The following is for informational purposes only.

Beginning at Angle Point 1, Tract 37, identical with Angle Point 17, Tract 37, T. 7 S., R. 3 E., on the line bet. secs. 19 and 24, on the E. bdy. of the Tp.

thence S. $77^{\circ}08'$ W., 6.64 chs. dist., to Angle Point 2,
Tract 37;
thence S. $10^{\circ}12'$ W., 5.56 chs. dist., to Angle Point 3,
Tract 37;
thence N. $81^{\circ}18'$ W., 2.57 chs. dist., to Angle Point 4,
Tract 37;
thence N. $6^{\circ}05'$ W., 4.83 chs. dist., to Angle Point 5,
Tract 37;
thence N. $76^{\circ}45'$ E., 3.83 chs. dist., to Angle Point 6,
Tract 37;
thence N. $70^{\circ}28'$ E., 7.19 chs. dist., to Angle Point 7,
Tract 37, on the line bet. secs. 19 and 24, on the E. bdy.
of the Tp.;

thence North, on the line bet. secs, 19 and 24, 5.45 chs.
dist., to the cor. of secs. 13, 18, 19, and 24.
thence N. $89^{\circ}59'$ W., on the line bet. secs. 13 and 24, 40.01 chs.
dist., to the $\frac{1}{4}$ sec. cor. of secs. 13 and 24;
thence N. $89^{\circ}52'$ W., on the line bet. secs. 13 and 24, 39.94 chs.
dist., to the cor. of secs. 13, 14, 23, and 24;
thence S. $89^{\circ}55'$ W., on the line bet. secs. 14 and 23, 40.04 chs.
dist., to the $\frac{1}{4}$ sec. cor. of secs. 14 and 23;
thence S. $89^{\circ}58'$ W., on the line bet. secs. 14 and 23, 40.02 chs.
dist., to the cor. of secs. 14, 15, 22, and 23;
thence N. $89^{\circ}55'$ W., on the line bet. secs. 15 and 22, 38.50 chs.
dist., to the witness cor. to the $\frac{1}{4}$ sec. cor. of secs. 15
and 22;
thence S. $89^{\circ}59'$ W., on the line bet. secs. 15 and 22, 41.48 chs.
dist., to the cor. of secs. 15, 16, 21, and 22;

T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS

thence N. 89°56' W., on the line bet. secs. 16 and 21, 40.01 chs. dist., to the 1/4 sec. cor. of secs. 16 and 21;
 thence N. 89°58' W., on the line bet. secs. 16 and 21, 40.00 chs. dist., to the cor. of secs. 16, 17, 20, and 21;
 thence North, on the line bet. secs. 16 and 17, 10.45 chs. dist., to Angle Point 1, sec. 17;
 thence N. 64°01' W., 8.89 chs. dist., to Angle Point 2, sec. 17;
 thence N. 27°02' W., 10.77 chs. dist., to Angle Point 3, sec. 17;
 thence N. 13°11' W., 15.23 chs. dist., to Angle Point 4, sec. 17;
 thence N. 55°33' W., 15.81 chs. dist., to Angle Point 5, sec. 17;
 thence N. 76°59' W., 10.57 chs. dist., to Angle Point 6, sec. 17;
 thence S. 65°31' W., 5.35 chs. dist., to Angle Point 7, sec. 17;
 thence N. 65°39' W., 25.80 chs. dist., to Angle Point 8, sec. 17;
 thence S. 46°45' W., 8.42 chs. dist., to Angle Point 9, sec. 17;
 thence S. 13°11' W., 9.33 chs. dist., to Angle Point 10, sec. 17;
 thence S. 35°29' E., 10.82 chs. dist., to Angle Point 11, sec. 17;
 thence S. 81°02' W., 4.13 chs. dist., to Angle Point 12, sec. 17;
 thence N. 45°16' W., 8.29 chs. dist., to Angle Point 13, sec. 17, identical with Angle Point 1, sec. 18, and the 1/4 sec. cor. of secs. 17 and 18;
 thence N. 31°01' W., 5.32 chs. dist., to Angle Point 2, sec. 18;
 thence N. 0°40' E., 8.13 chs. dist., to Angle Point 3, sec. 18;
 thence N. 59°26' W., 10.81 chs. dist., to Angle Point 4, sec. 18;
 thence N. 34°54' W., 6.86 chs. dist., to Angle Point 5, sec. 18;
 thence N. 12°42' E., 3.77 chs. dist., to Angle Point 6, sec. 18;
 thence N. 66°00' W., 10.11 chs. dist., to Angle Point 7, sec. 18;
 thence N. 84°24' W., 6.61 chs. dist., to Angle Point 8, sec. 18;
 thence S. 71°36' W., 2.15 chs. dist., to Angle Point 9, sec. 18;
 thence N. 79°34' W., 9.17 chs. dist., to Angle Point 10, sec. 18;
 thence N. 77°05' W., 16.33 chs. dist., to Angle Point 11, sec. 18;
 thence S. 79°01' W., 9.04 chs. dist., to Angle Point 12, sec. 18;
 thence N. 82°16' W., 12.05 chs. dist., to Angle Point 13, sec. 18, identical with Angle Point 1, sec. 13, T. 7 S., R. 1 E., on the line bet. secs. 13 and 18, on the W. bdy. of the Tp.

From Angle Point 19, sec. 24, T. 7 S. R. 1 E., on the line bet. secs. 19 and 24, on the W. bdy. of the Tp.

thence S. 0°02' W., on the line bet. secs. 19 and 24, 7.59 chs. dist., to the cor. of secs. 19, 24, 25, and 30;
 thence S. 0°01' W., on the line bet. secs. 25 and 30, 40.01 chs. dist., to the 1/4 sec. cor. of secs. 25 and 30;
 thence S. 0°03' W., on the line bet. secs. 25 and 30, 4.35 chs. dist., to Angle Point 8, Tract 38;

T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	thence S. 51°06' E., 43.64 chs. dist., to Angle Point 9, Tract 38;
	thence S. 64°34' E., 25.78 chs. dist., to Angle Point 10, Tract 38;
	thence S. 51°29' E., 6.41 chs. dist., to Angle Point 11, Tract 38;
	thence S. 35°37' E., 11.42 chs. dist., to Angle Point 12, Tract 38;
	thence S. 57°50' E., 6.37 chs. dist., to Angle Point 13, Tract 38;
	thence S. 68°23' E., 19.41 chs. dist., to Angle Point 14, Tract 38;
	thence S. 42°02' E., 9.72 chs. dist., to Angle Point 15, Tract 38;
	thence S. 67°08' E., 10.03 chs. dist., to Angle Point 16, Tract 38;
	thence S. 87°36' E., 19.72 chs. dist., to Angle Point 17, Tract 38;
	thence N. 74°42' E., 3.57 chs. dist., to Angle Point 18, Tract 38;
	thence S. 16°36' E., 3.44 chs. dist., to Angle Point 19, Tract 38;
	thence S. 75°26' W., 3.54 chs. dist., to Angle Point 20, Tract 38;
	thence N. 17°07' W., 1.88 chs. dist., to Angle Point 21, Tract 38;
	thence N. 88°54' W., 22.19 chs. dist., to Angle Point 22, Tract 38;
	thence S. 85°47' W., 6.40 chs. dist., to Angle Point 23, Tract 38;
	thence N. 67°34' W., 3.72 chs. dist., to Angle Point 24, Tract 38;
	thence N. 10°58' W., 5.43 chs. dist., to Angle Point 25, Tract 38;
	thence N. 34°42' W., 6.69 chs. dist., to Angle Point 26, Tract 38;
	thence N. 68°29' W., 19.02 chs. dist., to Angle Point 27, Tract 38;
	thence N. 58°34' W., 6.83 chs. dist., to Angle Point 28, Tract 38;
	thence N. 35°16' W., 11.52 chs. dist., to Angle Point 29, Tract 38;
	thence N. 51°48' W., 6.21 chs. dist., to Angle Point 30, Tract 38;
	thence N. 64°26' W., 25.63 chs. dist., to Angle Point 31, Tract 38;
	thence N. 50°44' W., 42.94 chs. dist., to Angle Point 32, Tract 38, on the line bet. secs. 25 and 30, on the W. bdy. of the Tp.;
	thence S. 0°03' W., on the line bet. secs. 25 and 30, 34.26 chs. dist., to the cor. of secs. 25, 30, 31, and 36;

T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona

CHAINS

thence S. $0^{\circ}04'$ W., on the line bet. secs. 31 and 36, 39.98 chs.
dist., to the $1/4$ sec. cor. of secs. 31 and 36;
thence S. $0^{\circ}01'$ E., on the line bet. secs. 31 and 36, 39.99 chs.
dist., to the cor. of Tps. 7 and 8 S., Rs. 1 and 2 E.

UNITED STATES
 DEPARTMENT OF THE INTERIOR
 BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
Joe R. Salazar	Cadastral Surveyor
Cheryl A. Hansen	Surveying Technician
W. William Foster	Surveying Technician
Mark R. Searles	Surveying Technician

CERTIFICATE OF SURVEY

I, William P. Carpender, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 8th day of April, 1996, I have surveyed a portion of the east boundary, dependently resurveyed a portion of the west boundary and a portion of the subdivisional lines and executed the metes and bounds survey of the Table Top Wilderness Area Boundary, Township 7 South, Range 2 East, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

AUGUST 25, 1999
(Date)

William P Carpender
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Arizona State Office
Phoenix, Arizona

The foregoing field notes of the survey of a portion of the east boundary, the dependent resurvey of a portion of the west boundary and a portion of the subdivisional lines and the metes and bounds survey of the Table Top Wilderness Area Boundary, Township 7 South, Range 2 East, Gila and Salt River Meridian, Arizona, executed by William P. Carpender, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

September 7, 1999
(Date)

Kenny D Ravunkar
(Chief Cadastral Surveyor of Arizona)

 CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 7 S., R. 2 E., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.

(Date)

(Chief Cadastral Surveyor of Arizona)