

ORIGINAL

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FIELD NOTES
OF THE
DEPENDENT RESURVEY OF

A PORTION OF THE SOUTH BOUNDARY

AND A PORTION OF THE SUBDIVISIONAL LINES

AND

THE METES-AND-BOUNDS SURVEY OF

THE TABLE TOP WILDERNESS AREA BOUNDARY,

TOWNSHIP 7 SOUTH, RANGE 3 EAST

Of the Gila and Salt River Meridian,
In the State of Arizona

EXECUTED BY

Joe R. Salazar

Cadastral Surveyor

Under Special Instructions dated April 8, 1996, approved April 8, 1996, which provided for the surveys included under Group Number 797, and assignment instructions dated January 8, 1997.

Survey Commenced January 13, 1997

Survey Completed January 30, 1997

INDEX DIAGRAM

TOWNSHIP 7 SOUTH, RANGE 3 EAST,

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Diagram annotations: A vertical line labeled '9' is between columns 1 and 2, and a horizontal line labeled '8' is between rows 2 and 3. A vertical line labeled '8' is between columns 2 and 3, and a horizontal line labeled '7' is between rows 3 and 4. A vertical line labeled '5' is between columns 3 and 4, and a horizontal line labeled '6' is between rows 4 and 5. A vertical line labeled '6' is between columns 2 and 3, and a horizontal line labeled '6' is between rows 5 and 6. A vertical line labeled '4' is between columns 1 and 2, and a horizontal line labeled '4' is between rows 6 and 7.

Metes and Bounds Survey of TTWA Bdy., Tract 38
 Metes and Bounds Survey of TTWA Bdy.
 Metes and Bounds Survey of TTWA Bdy., Tract 37

Pgs. 10-13
 Pgs. 13-43
 Pgs. 43-45

T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes describe the dependent resurvey of a portion of the south boundary and a portion of the subdivisional lines and the metes-and-bounds survey of the Table Top Wilderness Area Boundary, Township 7 South, Range 3 East, Gila and Salt River Meridian, Arizona.

The south boundary, a portion of the west boundary and a portion of the subdivisional lines were surveyed by W. H. Thorn and W. K. Kierulff, in 1915.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated April 8, 1996, for Group No. 797, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by the technique of static differential positioning using Ashtech models M-XII and MS-XII geodetic units, confirmed by direct hour angle observations on the sun, and refer to the true meridian. Distances and angles were measured with Sokkia SET2BII and Topcon GTS3B total station instruments.

The geographic position of the cor. of secs. 4, 5, 32 and 33, on the south boundary of the township, was determined by static differential positioning using Ashtech models M-XII and MS-XII geodetic units. U.S. Coast and Geodetic Survey triangulation station "TULE 1960" was used as the control station. The coordinates refer to the top of the monument.

Latitude: 32°46'04.26" N. Longitude: 112°04'00.12" W.
NAD83(1992)

The mean magnetic declination of 12 1/4° E. was derived from U.S. Geological Survey computer program MAGPOINT, utilizing the Regional Magnetic Field Model for Epoch 1995 for the dates of the survey.

Dependent Resurvey of a Portion of the South Boundary,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS

Restoring the survey executed by
W. H. Thorn and W. K. Kierulff, in 1915.

Beginning at the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of Tp., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 11 ins. above ground, in a mound of stone 2 ft. base, 8 ins. high, with brass cap mkd., T7S R3E S32 S33 S5 S4 T8S 1915.

Add the marks 1997 to the brass cap.

From this cor. point, U.S. Coast and Geodetic Survey triangulation station "TULE 1960", with published latitude of 32°49'56.87446" N. and longitude of 112°03'59.09841" W., NAD83(1992), bears N. 0°12'45" E. (forward bearing), 356.22 chs. dist., monumented with a standard brass disk, 3 ins. diam., incased in concrete 12 ins. square, 8 ins. high and rounded on top, with top of disk mkd. TULE 1960 and a triangle.


N. 89°59' W., bet. secs. 5 and 32, on the S. bdy. of the Tp.

Over rolling and rocky land, through creosote and cacti.

15.76

Point for AP 1, Tract 38, identical with AP 44, sec. 5, T. 8 S., R. 3 E., on the Table Top Wilderness Area Bdy.

Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.



Cor. is located 30 ft. easterly of two track road.

40.00

The 1/4 sec. cor. of secs. 5 and 32, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above the ground, with a mound of stone, 3 1/2 ft base, 1/2 ft. high, N. of cor., with brass cap mkd. S32 1/4 S5 1915.

Add the marks T7S R3E T8S 1997 to the brass cap.

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">Restoring the survey executed by W. H. Thorn and W. K. Kierulff, in 1915.</p> <hr style="width: 20%; margin: auto;"/> <p>From the cor. of secs. 21, 22, 27 and 28, monumented with an iron post, 2 ins. diam, firmly set, projecting 7 ins. above the ground, with brass cap mkd. T7S R3E S21 S22 S28 S27 1915, from which the remaining original bearing trees.</p> <p style="padding-left: 40px;">A palo verde, 17 ins. diam., bears S. 26 1/2° E., 64 lks. dist., no marks visible on rotted blaze.</p> <p style="padding-left: 40px;">An ironwood, 22 ins. diam., bears S. 67° W., 130 lks. dist., with no visible blaze or marks.</p> <p style="padding-left: 40px;">An ironwood, 9 ins. diam., bears N. 25° W., 282 lks. dist., mkd. T7S R3E S21 on open blaze.</p> <p>Add the marks 1997 to the brass cap.</p> <p>North, bet. secs. 21 and 22.</p> <p>Over rolling and rocky land, through creosote and cacti.</p>
26.93	Point for AP 25, sec. 21, identical with AP 1, sec. 22, on the Table Top Wilderness Area Bdy., not monumented.
40.02	<p>The 1/4 sec. cor. of secs. 21 and 22, monumented with an iron post, 1 in. diam. firmly set, projecting 10 ins. above the ground, with brass cap mkd. S21 1/4 S22 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p> <hr style="width: 20%; margin: auto;"/>
13.72	<p>N. 0°01' W., beginning new measurement.</p> <p>Point for AP 26, sec. 21, identical with AP 7, sec. 22, on the Table Top Wilderness Area Bdy., not monumented.</p>
40.02	<p>The cor. of secs. 15, 16, 21 and 22, monumented with an iron post, 2 ins. diam., firmly set, projecting 17 ins. above the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. T7S R3E S16 S15 S21 S22 1915, from which the original bearing trees.</p> <p style="padding-left: 40px;">A palo verde, 17 ins. diam., bears N. 21 1/4° E., 39 lks. dist., mkd. T and other illegible marks on bark.</p> <p style="padding-left: 40px;">A palo verde, 20 ins. diam., bears N. 47 1/2° W., 113 lks. dist., with illegible marks on bark.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	Add the marks 1997 to the brass cap.
	From the cor. of secs. 4, 5, 32 and 33 on the S. bdy. of Tp., hereinbefore described.
	North, bet. secs. 32 and 33.
	Over rolling and rocky land, through creosote and cacti.
37.47	Point for AP 10, Tract 38, identical with AP 1, sec. 33, on the Table Top Wilderness Area Bdy., not monumented.
39.98	The 1/4 sec. cor. of secs. 32 and 33, monumented with an iron post, 1 in. diam., firmly set, projecting 11 ins. above the ground, with brass cap mkd. S32 1/4 S33 1915.
	Add the marks T7S R3E 1997 to the brass cap.
	North, beginning new measurement.
40.00	The cor. of secs. 28, 29, 32 and 33, monumented with an iron post, 2 ins. diam., firmly set, projecting 13 ins. above the ground, with brass cap mkd. T7S R3E S29 S28 S32 S33 1915.
	Add the marks 1997 to the brass cap.
	From the 1/4 sec. cor. of secs. 28 and 33, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above the ground, with brass cap mkd. S28 1/4 S33 1915.
	Add the marks T7S R3E 1997 to the brass cap.
	West, bet. secs. 28 and 33.
	Over rolling and rocky land, through creosote and cacti.
21.48	Point for AP 1, sec. 28, identical with AP 8, sec. 33, on the Table Top Wilderness Area Bdy., not monumented.
39.98	The cor. of secs. 28, 29, 32 and 33.
	From the cor. of secs. 21, 22, 27 and 28.
	S. 89°59' W., bet. secs. 21 and 28.
	Over rolling and rocky land, through creosote and cacti.

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
27.43	Point for AP 1, sec. 21, identical with AP 19, sec. 28, on the Table Top Wilderness Area Bdy., not monumented
40.01	<p>The 1/4 sec. cor. of secs. 21 and 28, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above the ground, with brass cap mkd. S21 1/4 S28 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p> <hr/> <p>From the cor. of secs. 15, 16, 21 and 22.</p> <p>S. 89°49' W., bet. secs. 16 and 21.</p> <p>Over rolling and rocky land, through creosote and cacti.</p>
40.04	<p>The 1/4 sec. cor. of secs. 16 and 21, monumented with an iron post, 1 in. diam., firmly set, projecting 24 ins. above the ground, in a mound of stone, 4 ft. base, to top, with a mound of stone, 2 ft. base, 1 ft. high, N. of cor., with brass cap mkd. S16 1/4 S21 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p> <hr/> <p>N. 89°54' W., beginning new measurement.</p> <p>Over rolling and rocky land, through creosote and cacti.</p>
11.23	<p>Point for AP 27, sec. 21, on the Table Top Wilderness Area Bdy.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 18 ins. high, with aluminum cap mkd.</p> <div data-bbox="818 1413 1024 1598" style="text-align: center;"> <p>T7S R3E S16</p> <p>AP27 TTWA 1997</p> </div> <p>Cor. is located 210 ft. S. of 500 KV. Transmission line.</p> <p>From this cor. point, a reinforcing bar, 5/8 in. diam., firmly set, projecting 2 ins. above the ground, with 2 in. aluminum cap mkd. LS 1144 CL R/W TGE, established by Robert L. Frazer, Arizona Registered Land Surveyor No. 1144, bears S. 89°59' E., 5.59 chs. dist.</p> <p>Thence, along the Table Top Wilderness Area Bdy.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
40.03	<p>The cor. of secs. 16, 17, 20 and 21, monumented with an iron post, 2 ins. diam., firmly set, projecting 33 ins. above the ground, in a mound of stone, 3 ft. base, 2 ft. high, with a mound of stone, 2 ft. base, 2 ft. high, W. of cor., with brass cap mkd. T7S R3E S17 S16 S20 S21 1915.</p> <p>Add the marks 1997 to the brass cap.</p>
14.66	<p>N. 0°01' E., bet. secs. 16 and 17, along the Table Top Wilderness Area Bdy.</p> <p>Over rolling and rocky land, through creosote and cacti.</p> <p>Point for AP 1, sec. 17, on the Table Top Wilderness Area Bdy.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 18 ins. high, with aluminum cap mkd.</p> <div data-bbox="841 934 998 1123" style="text-align: center;"> </div>
40.02	<p>Cor. is located 210 ft. S. of 500 KV. Transmission line.</p> <p>Leave the Table Top Wilderness Area Bdy.</p> <p>The 1/4 sec. cor. of secs. 16 and 17, monumented with an iron post, 1 in. diam., firmly set, projecting 32 ins. above the ground, in a mound of stone, 3 ft. base, 18 ins. high, with brass cap mkd. 1/4 S16 S17 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 18 and 19, monumented with an iron post, 1 in. diam., firmly set, projecting 28 ins. above the ground, in a mound of stone, 2 ft. base, 1 ft. high, with a mound of stone, 3 ft. base, 1 ft. high, N. of cor., with brass cap mkd. S18 1/4 S19 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p> <p>N. 89°59' W., bet. secs. 18 and 19.</p> <p>Over rolling and rocky land, through creosote and cacti.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
10.86	Point for AP 11, Tract 37, identical with AP 23, sec. 18, on the Table Top Wilderness Area Bdy., not monumented.
38.27	<p>The cor. of secs. 13, 18, 19 and 24 on the W. bdy. of Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 20 ins. above the ground, in a mound of stone, 4 ft. base, 18 ins. high, with brass cap mkd. T7S R2E R3E S13 S18 S24 S19 1915 1996, as witnessed and described in the field notes of the survey of a portion of the E. bdy., T. 7 S., R. 2 E., executed concurrently under this same group.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 17 and 18, monumented with an iron post, 1 in. diam., firmly set, projecting 32 ins. above the ground, in a mound of stone, 3 ft. base, 18 ins. high, with a mound of stone W. of cor., with brass cap mkd. 1/4 S18 S17 1915.</p> <p>Add the marks T7S R3E 1997 to the brass cap.</p> <p>N. 0°01' W., bet. secs. 17 and 18.</p> <p>Over rolling and rocky land, through creosote and cacti.</p>
15.50	<p>Point for AP 2, sec. 17, identical with AP 1, sec. 18, on the Table Top Wilderness Area Bdy.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 18 ins. high, with aluminum cap mkd.</p> <div data-bbox="846 1251 997 1440" style="text-align: center;"> <pre> T7S R3E S18 S17 ----- ----- AP1 AP2 TTWA 1997 </pre> </div> <p>Cor. is located 210 ft. S. of 500 KV. Transmission line.</p>
18.31	A reinforcing bar, 5/8 in. diam., firmly set, projecting 3 ins. above the ground, with 2 in. aluminum cap mkd. LS 1144 CL R/W TGE, established by Robert L. Frazer, Arizona Registered Land Surveyor No. 1144.
40.04	The cor. of secs. 7, 8, 17 and 18, monumented with an iron post, 2 ins. diam., firmly set, projecting 36 ins. above the ground, in a mound of stone, 3 ft. base, 18 ins. high, with brass cap mkd. T7S R3E S7 S8 S18 S17 1915.

Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Add the marks 1997 to the brass cap.</p> <hr/> <p>Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy., T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona</p> <hr/> <p style="text-align: center;">Tract 38</p> <hr style="width: 20%; margin: auto;"/> <p>From AP 1, Tract 38, on line bet. secs. 5 and 32, on the S. bdy. of Tp., hereinbefore described.</p> <p>N. 27°44' E., on line 1-2, Tract 38, of the metes-and bounds survey of the Table Top Wilderness Area Bdy.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>5.47 Point for AP 2, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP2 /1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 33°41' E., on line 2-3, Tract 38.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>5.17 Point for AP 3, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 14 ins. in the ground to bedrock, in a mound of stone, 2 ft. base, 16 ins high, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP3 /1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.02	<p>N. 52°10' E., on line 3-4, Tract 38.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 4, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="846 583 980 737" style="text-align: center;"> <p>T7S R3E TTWA AP4 1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/>
3.89	<p>N. 45°19' E., on line 4-5, Tract 38.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 5, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="846 1150 980 1304" style="text-align: center;"> <p>T7S R3E TTWA AP5 1997</p> </div> <p>Cor. is located on E. bank of wash, drains NE. and 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/>
0.60	<p>N. 1°40' W., on line 5-6, Tract 38.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Wash, drains NE.</p>
5.31	<p>Point for AP 6, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T7S R3E TTWA AP6 1997</p> </div> <p>Cor. is located on E. bank of wash, drains NE. and 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 5°57' E., on line 6-7, Tract 38.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
0.50	Wash, drains NE.
7.43	<p>Point for AP 7, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p>
	<div style="text-align: center;"> <p>T7S R3E TTWA AP7 1997</p> </div> <p>Cor. is located on E. bank of wash, drains N. and 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 19°11' E., on line 7-8, Tract 38.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
2.84	<p>Point for AP 8, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p>
	<div style="text-align: center;"> <p>T7S R3E TTWA AP8 1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 27°10' E., on line 8-9, Tract 38.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.58	<p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 9, Tract 38.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  <p>T7S R3E TTWA AP9 1997</p> </div> <p>Cor. is located on E. bank of wash, drains NNE. and 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 11°49' E., on line 9-10, Tract 38.</p>
3.75	<p>Over rolling and rocky lands, through creosote and cacti.</p> <p>The point for AP 10, Tract 38, identical with AP 1, sec. 33, on line bet. secs. 32 and 33, hereinbefore described.</p> <p>From this point, the 1/4 sec. cor. of secs. 32 and 33, bears North, 2.51 chs. dist., hereinbefore described.</p> <hr/> <p style="text-align: center;">In Section 33</p> <hr/> <p>From the point for AP 1, sec. 33, identical with AP 10, Tract 38, on line bet. secs. 32 and 33.</p> <p>N. 11°49' E., on line 1-2, sec. 33, of the metes-and bounds survey of the Table Top Wilderness Area Bdy.</p>
5.71	<p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 2, sec. 33.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  <p>T7S R3E TTWA AP2 S33 1997</p> </div>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
<p>0.50</p> <p>6.00</p> <p>6.52</p>	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 16°21' E., on line 2-3, sec. 33.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Wash, drains NE.</p> <p>Wash, drains E.</p> <p>Point for AP 3, sec. 33.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  </div>
<p>7.24</p>	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 30°09' E., on line 3-4, sec. 33.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 4, sec. 33.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  </div>
<p>7.37</p>	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 33°22' E., on line 4-5, sec. 33.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 5, sec. 33.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.68	<div data-bbox="846 296 1029 449" data-label="Diagram"> <p>T7S R3E TTWA AP5 S33 1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr/> <p>N. 43°58' E., on line 5-6, sec. 33.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 6, sec. 33.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p>
9.08	<div data-bbox="846 867 1029 1020" data-label="Diagram"> <p>T7S R3E TTWA AP6 S33 1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr/> <p>N. 20°18' E., on line 6-7, sec. 33.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 7, sec. 33.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p>
6.53	<div data-bbox="846 1438 1029 1591" data-label="Diagram"> <p>T7S R3E TTWA AP7 S33 1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr/> <p>N. 12°27' E., on line 7-8, sec. 33.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>The point for AP 8, sec. 33, identical with AP 1, sec. 28, on the line bet. secs. 28 and 33, hereinbefore described.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
2.94	<p>From this point, the 1/4 sec. cor. of secs. 28 and 33, bears East, 21.48 chs. dist., hereinbefore described.</p> <hr/> <p style="text-align: center;">In Section 28</p> <hr/> <p>From the point for AP 1, sec. 28, identical with AP 8, sec. 33, on line bet. secs. 28 and 33.</p> <p>N. 12°27' E., on line 1-2, sec. 28, of the metes-and-bounds survey of the Table Top Wilderness Area Bdy.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 2, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr/> <p>N. 1°01' E., on line 2-3, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.60	<p>Point for AP 3, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr/> <p>N. 10°03' E., on line 3-4, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
2.00	Wash, drains NE.
4.75	<p>Point for AP 4, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="850 516 1032 667" style="text-align: center;"> <p>T7S R3E TTWA AP4 } S28 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 4°51' W., on line 4-5, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
4.21	<p>Point for AP 5, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="850 1083 1032 1234" style="text-align: center;"> <p>T7S R3E TTWA AP5 } S28 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 37°50' E., on line 5-6, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
5.69	<p>Point for AP 6, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="850 1650 1032 1801" style="text-align: center;"> <p>T7S R3E TTWA AP6 } S28 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.30	<p>N. 24°14' E., on line 6-7, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 7, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="841 583 1008 737" style="text-align: center;"> <p>T7S R3E</p> <p>AP7 S28</p> <p>TTWA</p> <p>1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/>
3.95	<p>N. 29°47' E., on line 7-8, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 8, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="841 1150 1008 1304" style="text-align: center;"> <p>T7S R3E</p> <p>AP8 S28</p> <p>TTWA</p> <p>1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/>
5.24	<p>N. 0°51' W., on line 8-9, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 9, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="841 1724 1008 1877" style="text-align: center;"> <p>T7S R3E</p> <p>AP9 S28</p> <p>TTWA</p> <p>1997</p> </div>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
7.24	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 19°34' W., on line 9-10, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 10, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  </div>
6.55	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 20°37' E., on line 10-11, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 11, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  </div>
3.79	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 32°40' E., on line 11-12, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 12, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
6.53	<div data-bbox="836 296 1019 449" style="text-align: center;"> <p>T7S R3E AP12 S28 TTWA 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 50°08' E., on line 12-13, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 13, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 23 ins. in the ground, in a mound of stone, 2 ft. base, to top, with aluminum cap mkd.</p>
3.94	<div data-bbox="836 905 1019 1058" style="text-align: center;"> <p>T7S R3E AP13 S28 TTWA 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 10°43' E., on line 13-14, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 14, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p>
6.70	<div data-bbox="836 1472 1019 1625" style="text-align: center;"> <p>T7S R3E AP14 S28 TTWA 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 24°58' E., on line 14-15, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 15, sec. 28.</p>




Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="841 394 1019 546" style="text-align: center;"> <p>T7S R3E AP15 / S28 TTWA 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 32°01' E., on line 15-16, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
4.59	<p>Point for AP 16, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="841 955 1019 1106" style="text-align: center;"> <p>T7S R3E TTWA / S28 AP16 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 41°43' E., on line 16-17, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
5.21	<p>Point for AP 17, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="841 1528 1019 1680" style="text-align: center;"> <p>T7S R3E TTWA / S28 AP17 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 39°00' E., on line 17-18, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
7.61	<p>Point for AP 18, sec. 28.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="836 441 1015 598" style="text-align: center;"> </div>
	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/>
5.81	<p>N. 51°25' E., on line 18-19, sec. 28.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>The point for AP 19, sec. 28, identical with AP 1, sec. 21, on line bet. secs. 21 and 28, hereinbefore described.</p> <p>From this point, the cor. of secs. 21, 22, 27 and 28, bears N. 89°59' E., 27.43 chs. dist., hereinbefore described.</p> <hr style="width: 80%; margin: 0 auto;"/>
	<p style="text-align: center;">In Section 21</p> <hr style="width: 20%; margin: 0 auto;"/>
	<p>From the point for AP 1, sec. 21, identical with AP 19, sec. 28, on line bet. secs. 21 and 28.</p> <p>N. 51°25' E., on line 1-2, sec. 21, of the metes-and-bounds survey of the Table Top Wilderness Area Bdy.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
0.32	<p>Point for AP 2, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="860 1585 1015 1774" style="text-align: center;"> </div>
	<p>Cor. is located 30 ft. northwesterly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/>


Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
5.66	<p>N. 78°39' E., on line 2-3, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 3, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  <p>T7S R3E TTWA AP3 S21 1997</p> </div> <p>Cor. is located 30 ft. northwesterly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/>
5.57	<p>N. 41°07' E., on line 3-4, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 4, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  <p>T7S R3E TTWA AP4 S21 1997</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/>
4.17	<p>N. 18°25' E., on line 4-5, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 5, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  <p>T7S R3E TTWA AP5 S21 1997</p> </div>


Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
7.39	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr/> <p>N. 26°33' E., on line 5-6, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 6, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="862 678 1024 831" style="text-align: center;"> <p>T7S R3E TTWA AP6 1997</p> </div>
3.54	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr/> <p>N. 41°46' E., on line 6-7, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 7, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="862 1247 1024 1400" style="text-align: center;"> <p>T7S R3E TTWA AP7 1997</p> </div>
2.60 2.77	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr/> <p>N. 74°06' W., on line 7-8, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Wash, 45 ft. wide, drains NE.</p> <p>Point for AP 8, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T7S R3E S21</p>  <p style="text-align: center;">AP8 TTWA 1997</p>
1.50	<p>Cor. is located 30 ft. southerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 88°39' W., on line 8-9, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Wash, 17 ft. wide, drains NE.</p>
1.72	<p>Point for AP 9, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T7S R3E S21</p>  <p style="text-align: center;">AP9 TTWA 1997</p>
3.94	<p>Cor. is located 30 ft. southerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 51°18' W., on line 9-10, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 10, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T7S R3E S21</p>  <p style="text-align: center;">AP10 TTWA 1997</p> <p>Cor. is located 30 ft. southerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 59°05' W., on line 10-11, sec. 21.</p>


Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
1.31	<p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 11, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="852 514 982 703" style="text-align: center;"> <p>T7S R3E S21</p>  <p>AP11 TTWA 1997</p> </div> <p>Cor. is located 30 ft. southerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 19°08' W., on line 11-12, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
1.38	<p>Point for AP 12, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 22 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="836 1113 1031 1270" style="text-align: center;"> <p>T7S R3E</p>  <p>S21 TTWA AP12 1997</p> </div> <p>Cor. is located 42 ft., SSE., of corner of fences, bears N. and W.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 70°36' W., on line 12-13, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.54	<p>Point for AP 13, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
3.42	<div data-bbox="865 296 998 485" style="text-align: center;"> <p>T7S R3E S21 AP13 TTWA 1997</p> </div> <p>Cor. is located 42 ft., SW. of corner of fences, bears E. and N.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 20°03' W., on line 13-14, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 14, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 23 ins. in the ground, with aluminum cap mkd.</p>
1.26	<div data-bbox="865 905 998 1115" style="text-align: center;"> <p>T7S R3E TTWA AP14 S21 1997</p> </div> <p>Cor. is located 42 ft., NW. of corner of fences, bears E. and S.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 57°26' E., on line 14-15, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 15, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, with aluminum cap mkd.</p>
	<div data-bbox="846 1539 987 1724" style="text-align: center;"> <p>T7S R3E TTWA AP15 S21 1997</p> </div> <p>Cor. is located 42 ft., N. of fences, bears E. and W.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 72°22' E., on line 15-16, sec. 21.</p>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
1.00	<p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 16, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP16</p>  <p>S21 1997</p> </div>
2.36	<p>N. 83°30' E., on line 16-17, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 17, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP17</p>  <p>S21 1997</p> </div> <p>Cor. is located 42 ft., NE., of fence corner, bears W. and S.</p>
1.45	<p>S. 34°04' E., on line 17-18, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 18, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP18</p>  <p>S21 1997</p> </div>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 65°03' E., on line 18-19, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
1.30	Point for AP 19, sec. 21.
	Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.
	<div style="text-align: center;"> <p>T7S R3E TTWA AP19</p>  <p>S21 1997</p> </div>
	<p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 50°29' E., on line 19-20, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.88	Point for AP 20, sec. 21.
	Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.
	<div style="text-align: center;"> <p>T7S R3E TTWA AP20</p>  <p>S21 1997</p> </div>
	<p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 89°44' E., on line 20-21, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
1.00	Wash, 30 ft. wide, drains NE.
1.44	Point for AP 21, sec. 21.




Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 18 ins. high, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP21</p>  <p>S21 1997</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 77°04' E., on line 21-22, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
0.50	Wash, 30 ft. wide, drains NE.
2.10	Wash, 33 ft. wide, drains NE.
3.43	Point for AP 22, sec. 21.
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T7S R3E TTWA AP22</p>  <p>S21 1997</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 53°08' E., on line 22-23, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
6.42	Point for AP 23, sec. 21.
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.66	<div style="text-align: center;"> <p>T7S R3E</p> <p>TTWA</p> <p>AP23 S21</p>  <p>1997</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 58°45' E., on line 23-24, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 24, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p>
1.70	<div style="text-align: center;"> <p>T7S R3E</p> <p>TTWA</p> <p>AP24 S21</p>  <p>1997</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 49°05' E., on line 24-25, sec. 21.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>The point for AP 25, sec. 21, identical with AP 1, sec. 22, on line bet. secs. 21 and 22, hereinbefore described.</p> <p>From this point, the cor. of secs. 21, 22, 27 and 28, bears South, 26.93 chs. dist., hereinbefore described.</p>
	<div style="text-align: center;"> <p>In Section 22</p> <hr style="width: 20%; margin: auto;"/> </div> <p>From the point for AP 1, sec. 22, identical with AP 25, sec. 21, on line bet. secs. 21 and 22.</p> <p>N. 49°05' E., on line 1-2, sec. 22, of the metes-and-bounds survey of the Table Top Wilderness Area Bdy.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>


Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
3.08	<p>Point for AP 2, sec. 22.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p>
	
	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 26°57' E., on line 2-3, sec. 22.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
5.24	<p>Point for AP 3, sec. 22.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> 
	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 48°00' E., on line 3-4, sec. 22.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
4.16	<p>Point for AP 4, sec. 22.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 25 ins. high, with aluminum cap mkd.</p>
	


Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
5.18	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 9°16' W., on line 4-5, sec. 22.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 5, sec. 22.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div>
8.27	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 5°59' E., on line 5-6, sec. 22.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 6, sec. 22.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div>
8.79	<p>Cor. is located 210 ft. southerly of a 500 KV. Transmission line.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 62°56' W., on line 6-7, sec. 22, along the southerly right-of-way of a 500 KV. Transmission line.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>The point for AP 7, sec. 22, identical with AP 26, sec. 21, on the line bet. secs. 21 and 22, hereinbefore described.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From this point, the cor. of secs. 15, 16, 21 and 22, bears N. 0°01' W., 26.30 chs. dist., hereinbefore described.</p>
	<p style="text-align: center;">In Section 21</p> <hr style="width: 20%; margin: auto;"/>
35.98	<p>From the point for AP 26, sec. 21, identical with AP 7, sec. 22, on line bet. secs. 21 and 22.</p>
	<p>N. 62°56' W., on line 26-27, sec. 21, along the southerly right-of-way of a 500 KV. Transmission line.</p>
	<p>Over rolling and rocky lands, through creosote and cacti.</p>
	<p>Point selected for a witness point, on line 1-2, sec. 17.</p>
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 16 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 12 ins. high, with aluminum cap mkd.</p>
	<div style="text-align: center;"> <p>WP T7S R3E S21</p>  <p>TTWA 1997</p> </div>
	<p>Cor. is located 210 ft. southerly of a 500 KV. Transmission line.</p>
57.59	<p>AP 27, sec. 21, on line bet. secs. 16 and 21, hereinbefore described.</p>
	<p>From this cor. point, the 1/4 sec. cor. of secs. 16 and 21, bears S. 89°54' E., 11.23 chs. dist., hereinbefore described.</p>
	<p style="text-align: center;">In Section 17</p> <hr style="width: 20%; margin: auto;"/>
	<p>From AP 1, sec. 17, on line bet. secs. 16 and 17, hereinbefore described.</p>
	<p>From this cor. point, the cor. of secs. 16, 17, 20 and 21, bears S. 0°01' W., 14.66 chs. dist., hereinbefore described</p>
	<p>N. 62°56' W., on line 1-2, sec. 17, on the metes-and-bounds survey of the Table Top Wilderness Area Bdy., along the southerly right-of way of a 500 KV. Transmission line.</p>
	<p>Over rolling and rocky lands, through creosote and cacti.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
44.92	<p>Point selected for a witness point, on line 1-2, sec. 17.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 16 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 12 ins. high, with aluminum cap mkd.</p> <div style="text-align: center;">  <p>WP T7S R3E S17 TTWA 1997</p> </div> <p>Cor. is located 210 ft. S. of 500 KV. Transmission line.</p>
89.84	<p>AP 2, sec. 17, identical with AP 1 sec. 18, on line bet. secs. 16 and 17, hereinbefore described.</p> <p>From this cor. point, the cor. of secs. 7, 8, 17 and 18, bears N. 0°01' W., 24.54 chs. dist., hereinbefore described.</p>
	<p style="text-align: center;">In Section 18</p> <hr style="width: 20%; margin: auto;"/> <p>From AP 1, sec. 18, identical with AP 2, sec. 17, on line bet. secs. 17 and 18.</p> <p>N. 62°56' W., on line 1-2, sec. 18, of the metes-and-bounds survey of the Table Top Wilderness Areas Bdy., along the southerly right-of-way of a 500 KV. Transmission line.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
20.21	<p>Point for AP 2, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  <p>T7S R3E S18 AP2 TTWA 1997</p> </div> <p>Cor. is located 210 ft. southerly of a 500 KV. Transmission line.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 11°56' W., on line 2-3, sec. 18.</p>




Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
3.44	<p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 3, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 14 ins. in the ground to bedrock, in a mound of stone, 2 1/2 ft. base, 18 ins. high, with aluminum cap mkd.</p> <div data-bbox="812 535 1039 703" style="text-align: center;"> <p>A diagram showing a point location. At the top is 'T7S R3E'. Below it, a vertical line descends to a point labeled 'S18'. From this point, a line goes down and to the right to a point labeled 'AP3'. From 'AP3', a line goes down and to the left to a point labeled 'TTWA'. Below the 'AP3' and 'TTWA' points is the year '1997'.</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 29°11' E., on line 3-4, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
2.65	<p>Point for AP 4, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="812 1102 1039 1270" style="text-align: center;"> <p>A diagram showing a point location. At the top is 'T7S R3E'. Below it, a vertical line descends to a point labeled 'S18'. From this point, a line goes down and to the right to a point labeled 'AP4'. From 'AP4', a line goes down and to the left to a point labeled 'TTWA'. Below the 'AP4' and 'TTWA' points is the year '1997'.</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 2°12' W., on line 4-5, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
4.57	<p>Point for AP 5, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="812 1669 1039 1837" style="text-align: center;"> <p>A diagram showing a point location. At the top is 'T7S R3E'. Below it, a vertical line descends to a point labeled 'S18'. From this point, a line goes down and to the right to a point labeled 'AP5'. From 'AP5', a line goes down and to the left to a point labeled 'TTWA'. Below the 'AP5' and 'TTWA' points is the year '1997'.</p> </div>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
1.75	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 39°09' W., on line 5-6, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 6, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div>
6.19	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 1°38' W., on line 6-7, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 7, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 35 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div>
4.47	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 11°28' W., on line 7-8, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 8, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;">  </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 13°34' E., on line 8-9, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
6.39	<p>Point for AP 9, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 36°30' E., on line 9-10, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.07	<p>Point for AP 10, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;">  </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 18°50' E., on line 10-11, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.25	<p>Point for AP 11, sec. 18.</p>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="803 388 1039 535" style="text-align: center;"> <p>T7S R3E S18 AP11 TTWA 1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 10°04' W., on line 11-12, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>5.88 Point for AP 12, sec. 18.</p>
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="803 955 1039 1102" style="text-align: center;"> <p>T7S R3E S18 AP12 TTWA 1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 15°13' E., on line 12-13, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>3.73 Point for AP 13, sec. 18.</p>
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="803 1522 1039 1669" style="text-align: center;"> <p>T7S R3E S18 AP13 TTWA 1997</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 6°30' E., on line 13-14, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.37	<p>Point for AP 14, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="808 451 1047 609" style="text-align: center;"> <p>A diagram showing a point labeled 'S18' to the left of a vertical line. Above the line is 'T7S R3E'. To the right of the line is 'AP14 TTWA'. Below the line is '1997'.</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 31°51' W., on line 14-15, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
4.98	<p>Point for AP 15, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="808 1018 1047 1176" style="text-align: center;"> <p>A diagram showing a point labeled 'S18' to the left of a diagonal line sloping upwards to the right. Above the line is 'T7S R3E'. To the right of the line is 'AP15 TTWA'. Below the line is '1997'.</p> </div> <p>Cor. is located 30 ft. easterly of two track road and 27 ft. W. of 4 strand barbed wire fence, bears ENE. and SW.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 56°34' W., on line 15-16, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.43	<p>Point for AP 16, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 2 ft. base, 1 ft. high, with aluminum cap mkd.</p> <div data-bbox="828 1648 998 1837" style="text-align: center;"> <p>A diagram showing a point labeled 'S18' to the left of a diagonal line sloping upwards to the right. Above the line is 'T7S R3E'. Below the line is 'AP16 TTWA' and '1997'.</p> </div>



Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
5.55	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 67°16' W., on line 16-17, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 17, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T7S R3E S18</p>  <p>AP17 TTWA 1997</p> </div>
2.89	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 75°05' W., on line 17-18, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 18, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 10 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 2 ft. high, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T7S R3E S18</p>  <p>AP18 TTWA 1997</p> </div>
2.99	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 64°16' W., on line 18-19, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 19, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T7S R3E S18</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP19 TTWA 1997</p> <p>Cor. is located 30 ft. southeasterly of two track road.</p> <hr style="width: 10%; margin: auto;"/> <p>S. 79°09' W., on line 19-20, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
4.92	<p>Point for AP 20, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 2 ft. base, 1 ft. high, with aluminum cap mkd.</p>
	<p style="text-align: center;">T7S R3E S18</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP20 TTWA 1997</p> <p>Cor. is located 30 ft. southeasterly of two track road.</p> <hr style="width: 10%; margin: auto;"/> <p>S. 70°17' W., on line 20-21, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
8.83	<p>Point for AP 21, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T7S R3E S18</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP21 TTWA 1997</p> <p>Cor. is located 30 ft. southeasterly of two track road.</p> <hr style="width: 10%; margin: auto;"/> <p>S. 61°26' W., on line 21-22, sec. 18.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
2.76	<p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 22, sec. 18.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 2 ft. base, 1 ft. high, with aluminum cap mkd.</p>
	<p style="text-align: center;">T7S R3E S18</p>  <p style="text-align: center;">AP22 TTWA 1997</p>
	<p>Cor. is located 30 ft. southeasterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 70°15' W., on line 22-23, sec. 18.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
4.48	<p>The point for AP 23, sec. 18, identical with AP 11, Tract 37, on line bet. secs. 18 and 19, hereinbefore described.</p> <p>From this point, the 1/4 sec. cor. of secs. 18 and 19, bears S. 89°59' E., 10.86 chs. dist., hereinbefore described.</p>
	<p style="text-align: center;">Tract 37</p> <hr style="width: 20%; margin: auto;"/> <p>From the point for AP 11, Tract 37, identical with AP 23, sec. 18, on line bet. secs. 18 and 19.</p> <p>S. 70°15' W., on line 11-12, Tract 37, of the metes-and-bounds survey of the Table Top Wilderness Area Bdy.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p>
3.80	<p>Point for AP 12, Tract 37.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T7S R3E</p>  <p style="text-align: center;">AP12 TTWA 1997</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
2.94	<p>Cor. is located southerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 73°16' W., on line 12-13, Tract 37.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 13, Tract 37.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 22 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T7S R3E</p> <hr style="width: 10%; margin: auto;"/> <p>AP13 TTWA 1997</p> </div> <p>Cor. is located on N. bank of wash, drains W. and southerly of two track road.</p> <hr style="width: 20%; margin: auto;"/>
3.78	<p>S. 77°40' W., on line 13-14, Tract 37.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 14, Tract 37.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 20 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 1 ft high, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T7S R3E</p> <hr style="width: 10%; margin: auto;"/> <p>AP14 TTWA 1997</p> </div>
5.46	<p>Cor. is located southerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 85°00' W., on line 14-15, Tract 37.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 15, Tract 37.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 16 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, 18 ins. high, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.99	<p style="text-align: center;">T7S R3E <hr style="width: 10%; margin: 0 auto;"/> AP15 TTWA 1997</p> <p>Cor. is located southerly of two track road.</p> <hr style="width: 10%; margin: 0 auto;"/> <p>S. 72°47' W., on line 15-16, Tract 37.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 16, Tract 37.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground to bedrock, in a mound of stone, 2 ft. base, 1 ft. high, with aluminum cap mkd.</p>
7.43	<p style="text-align: center;">T7S R3E <hr style="width: 10%; margin: 0 auto;"/> AP16 TTWA 1997</p> <p>Cor. is located southerly of two track road.</p> <hr style="width: 10%; margin: 0 auto;"/> <p>S. 73°51' W., on line 16-17, Tract 37.</p> <p>Over rolling and rocky lands, through creosote and cacti.</p> <p>Point for AP 17, Tract 37, identical with AP 1, Tract 37, T. 7 S., R. 2 E., on the line bet. secs. 19 and 24, on the W. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 11 ins. above ground, and in a mound of stone, 3 ft. base, to top, with brass cap mkd. T7S R2E R3E AP1 AP17 TTWA 1996 as described in the field notes of the metes-and-bounds survey of the Table Top Wilderness Area Bdy., T. 7 S., R. 2 E., surveyed concurrently under this same group.</p>
	<p style="text-align: center;">General Description <hr style="width: 10%; margin: 0 auto;"/></p> <p>Table Top Wilderness Area is located about 30 miles easterly of Gila Bend, Arizona. The land is rolling and rocky. Vegetation consists of creosote, palo verde, ironwood, and cacti.</p> <p>Access is through Interstate 8.</p>

T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS

Description of the Table Top Wilderness Area Bdy.,
T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

The following is for informational purposes only.

Beginning at Angle Point 1, Tract 38, identical with Angle Point 44, sec. 5, T. 8 S., R. 3 E., on line bet. secs. 5 and 32, on the S. bdy. of the Tp.

thence N. 27°44' E., 5.47 chs. dist. to Angle Point 2, Tract 38;
 thence N. 33°41' E., 5.17 chs. dist. to Angle Point 3, Tract 38;
 thence N. 52°10' E., 4.02 chs. dist. to Angle Point 4, Tract 38;
 thence N. 45°19' E., 3.89 chs. dist. to Angle Point 5, Tract 38;
 thence N. 1°40' W., 5.31 chs. dist. to Angle Point 6, Tract 38;
 thence N. 5°57' E., 7.43 chs. dist. to Angle Point 7, Tract 38;
 thence N. 19°11' E., 2.84 chs. dist. to Angle Point 8, Tract 38;
 thence N. 27°10' E., 4.58 chs. dist. to Angle Point 9, Tract 38;
 thence N. 11°49' E., 3.75 chs. dist. to Angle Point 10, Tract
 38, identical with Angle Point 1, sec. 33, on the line bet.
 secs. 32 and 33;
 thence N. 11°49' E., 5.71 chs. dist. to Angle Point 2, sec. 33;
 thence N. 16°21' E., 6.52 chs. dist. to Angle Point 3, sec. 33;
 thence N. 30°09' E., 7.24 chs. dist. to Angle Point 4, sec. 33;
 thence N. 33°22' E., 7.37 chs. dist. to Angle Point 5, sec. 33;
 thence N. 43°58' E., 4.68 chs. dist. to Angle Point 6, sec. 33;
 thence N. 20°18' E., 9.08 chs. dist. to Angle Point 7, sec. 33;
 thence N. 12°27' E., 6.53 chs. dist. to Angle Point 8, sec. 33,
 identical with Angle Point 1, sec. 28, on the line bet.
 secs. 28 and 33;
 thence N. 12°27' E., 2.94 chs. dist. to Angle Point 2, sec. 28;
 thence N. 1°01' E., 3.60 chs. dist. to Angle Point 3, sec. 28;
 thence N. 10°03' E., 4.75 chs. dist. to Angle Point 4, sec. 28;
 thence N. 4°51' W., 4.21 chs. dist. to Angle Point 5, sec. 28;
 thence N. 37°50' E., 5.69 chs. dist. to Angle Point 6, sec. 28;
 thence N. 24°14' E., 4.30 chs. dist. to Angle Point 7, sec. 28;
 thence N. 29°47' E., 3.95 chs. dist. to Angle Point 8, sec. 28;
 thence N. 0°51' W., 5.24 chs. dist. to Angle Point 9, sec. 28;
 thence N. 19°34' W., 7.24 chs. dist. to Angle Point 10, sec. 28;
 thence N. 20°37' E., 6.55 chs. dist. to Angle Point 11, sec. 28;
 thence N. 32°40' E., 3.79 chs. dist. to Angle Point 12, sec. 28;
 thence N. 50°08' E., 6.53 chs. dist. to Angle Point 13, sec. 28;
 thence N. 10°43' E., 3.94 chs. dist. to Angle Point 14, sec. 28;
 thence N. 24°58' E., 6.70 chs. dist. to Angle Point 15, sec. 28;
 thence N. 32°01' E., 4.59 chs. dist. to Angle Point 16, sec. 28;
 thence N. 41°43' E., 5.21 chs. dist. to Angle Point 17, sec. 28;
 thence N. 39°00' E., 7.61 chs. dist. to Angle Point 18, sec. 28;
 thence N. 51°25' E., 5.81 chs. dist. to Angle Point 19, sec. 28,
 identical with Angle Point 1, sec. 21, on the line bet.
 secs. 21 and 28;

T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	thence N. 51°25' E., 0.32 chs. dist. to Angle Point 2, sec. 21;
	thence N. 78°39' E., 5.66 chs. dist. to Angle Point 3, sec. 21;
	thence N. 41°07' E., 5.57 chs. dist. to Angle Point 4, sec. 21;
	thence N. 18°25' E., 4.17 chs. dist. to Angle Point 5, sec. 21;
	thence N. 26°33' E., 7.39 chs. dist. to Angle Point 6, sec. 21;
	thence N. 41°46' E., 3.54 chs. dist. to Angle Point 7, sec. 21;
	thence N. 74°06' W., 2.77 chs. dist. to Angle Point 8, sec. 21;
	thence S. 88°39' W., 1.72 chs. dist. to Angle Point 9, sec. 21;
	thence N. 51°18' W., 3.94 chs. dist. to Angle Point 10, sec. 21;
	thence N. 59°05' W., 1.31 chs. dist. to Angle Point 11, sec. 21;
	thence S. 19°08' W., 1.38 chs. dist. to Angle Point 12, sec. 21;
	thence S. 70°36' W., 3.54 chs. dist. to Angle Point 13, sec. 21;
	thence N. 20°03' W., 3.42 chs. dist. to Angle Point 14, sec. 21;
	thence N. 57°26' E., 1.26 chs. dist. to Angle Point 15, sec. 21;
	thence N. 72°22' E., 1.00 chs. dist. to Angle Point 16, sec. 21;
	thence N. 83°30' E., 2.36 chs. dist. to Angle Point 17, sec. 21;
	thence S. 34°04' E., 1.45 chs. dist. to Angle Point 18, sec. 21;
	thence S. 65°03' E., 1.30 chs. dist. to Angle Point 19, sec. 21;
	thence S. 50°29' E., 3.88 chs. dist. to Angle Point 20, sec. 21;
	thence S. 89°44' E., 1.44 chs. dist. to Angle Point 21, sec. 21;
	thence S. 77°04' E., 3.43 chs. dist. to Angle Point 22, sec. 21;
	thence N. 53°08' E., 6.42 chs. dist. to Angle Point 23, sec. 21;
	thence N. 58°45' E., 4.66 chs. dist. to Angle Point 24, sec. 21;
	thence N. 49°05' E., 1.70 chs. dist. to Angle Point 25, sec. 21, identical with Angle Point 1, sec. 22, on the line bet. secs. 21 and 22;
	thence N. 49°05' E., 3.08 chs. dist. to Angle Point 2, sec. 22;
	thence N. 26°57' E., 5.24 chs. dist. to Angle Point 3, sec. 22;
	thence N. 48°00' E., 4.16 chs. dist. to Angle Point 4, sec. 22;
	thence N. 9°16' W., 5.18 chs. dist. to Angle Point 5, sec. 22;
	thence N. 5°59' E., 8.27 chs. dist. to Angle Point 6, sec. 22;
	thence N. 62°56' W., 8.79 chs. dist. to Angle Point 7, sec. 22, identical with Angle Point 26, sec. 21, on the line bet. secs. 21 and 22;
	thence N. 62°56' W., 57.59 chs. dist. to Angle Point 27, sec. 21, on the line bet. secs. 16 and 21;
	thence N. 89°54' W., 28.80 chs. dist., bet. secs. 16 and 21, to the cor. of secs. 16, 17, 20 and 21;
	thence N. 0°01' E., 14.66 chs. dist., bet. secs. 16 and 17, to Angle Point 1, sec. 17;
	thence N. 62°56' W., 89.84 chs. dist., to Angle Point 2, sec. 17, identical with Angle Point 1, sec. 18, on the line bet. secs. 17 and 18;
	thence N. 62°56' W., 20.21 chs. dist. to Angle Point 2, sec. 18;
	thence S. 11°56' W., 3.44 chs. dist. to Angle Point 3, sec. 18;
	thence S. 29°11' E., 2.65 chs. dist. to Angle Point 4, sec. 18;
	thence S. 2°12' W., 4.57 chs. dist. to Angle Point 5, sec. 18;
	thence S. 39°09' W., 1.75 chs. dist. to Angle Point 6, sec. 18;
	thence S. 1°38' W., 6.19 chs. dist. to Angle Point 7, sec. 18;
	thence S. 11°28' W., 4.47 chs. dist. to Angle Point 8, sec. 18;
	thence S. 13°34' E., 6.39 chs. dist. to Angle Point 9, sec. 18;

T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona

CHAINS	
	thence S. 36°30' E., 3.07 chs. dist. to Angle Point 10, sec. 18;
	thence S. 18°50' E., 3.25 chs. dist. to Angle Point 11, sec. 18;
	thence S. 10°04' W., 5.88 chs. dist. to Angle Point 12, sec. 18;
	thence S. 15°13' E., 3.73 chs. dist. to Angle Point 13, sec. 18;
	thence S. 6°30' E., 4.37 chs. dist. to Angle Point 14, sec. 18;
	thence S. 31°51' W., 4.98 chs. dist. to Angle Point 15, sec. 18;
	thence S. 56°34' W., 3.43 chs. dist. to Angle Point 16, sec. 18;
	thence S. 67°16' W., 5.55 chs. dist. to Angle Point 17, sec. 18;
	thence S. 75°05' W., 2.89 chs. dist. to Angle Point 18, sec. 18;
	thence S. 64°16' W., 2.99 chs. dist. to Angle Point 19, sec. 18;
	thence S. 79°09' W., 4.92 chs. dist. to Angle Point 20, sec. 18;
	thence S. 70°17' W., 8.83 chs. dist. to Angle Point 21, sec. 18;
	thence S. 61°26' W., 2.76 chs. dist. to Angle Point 22, sec. 18;
	thence S. 70°15' W., 4.48 chs. dist. to Angle Point 23, sec. 18, identical with Angle Point 11, Tract 37;
	thence S. 70°15' W., 3.80 chs. dist. to Angle Point 12, Tract 37;
	thence S. 73°16' W., 2.94 chs. dist. to Angle Point 13, Tract 37;
	thence S. 77°40' W., 3.78 chs. dist. to Angle Point 14, Tract 37;
	thence S. 85°00' W., 5.46 chs. dist. to Angle Point 15, Tract 37;
	thence S. 72°47' W., 4.99 chs. dist. to Angle Point 16, Tract 37;
	thence S. 73°51' W., 7.43 chs. dist. to Angle Point 17, Tract 37, identical with Angle Point 1, Tract 37, T. 7 S., R. 2 E. on the line bet. secs. 19 and 24, on the W. bdy. of the Tp.;

CERTIFICATE OF SURVEY

I, Joe R. Salazar, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 8th day of April, 1996, I have dependently resurveyed a portion of the south boundary and a portion of the subdivisional lines and executed the metes-and-bounds survey of the Table Top Wilderness Area Boundary, Township 7 South, Range 3 East, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

9/28/99

(Date)

Joe R. Salazar

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Arizona State Office
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the south boundary and a portion of the subdivisional lines and the metes-and-bounds survey of the Table Top Wilderness Area Boundary, Township 7 South, Range 3 East, Gila and Salt River Meridian, Arizona, executed by Joe R. Salazar, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

December 8, 1999

(Date)

Kenny D. Ravnitzky

(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 7 S., R. 3 E., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~_____
(Date)~~

~~_____
(Chief Cadastral Surveyor of Arizona)~~