

## ORIGINAL

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD NOTES  
OF THE  
DEPENDENT RESURVEY OF

---

A PORTION OF THE GILA AND SALT RIVER BASE LINE,

---

TOWNSHIP 1 NORTH, RANGE 9 WEST

---

A PORTION OF THE EAST AND WEST BOUNDARIES

---

AND A PORTION OF THE SUBDIVISIONAL LINES,

---

THE SUBDIVISION OF SECTIONS 16 AND 19

---

AND THE METES-AND-BOUNDS SURVEY OF

---

THE EAGLETAIL MOUNTAINS WILDERNESS AREA BOUNDARY,

---

TOWNSHIP 1 SOUTH, RANGE 10 WEST,

---

Of the Gila and Salt River Meridian,  
In the State of Arizona

---

EXECUTED BY  
Joe R. Salazar Cadastral Surveyor


---

Under Special Instructions dated April 15, 1998, approved April 15, 1998, which provided for the surveys included under Group Number 827, and assignment instructions dated April 15, 1998.

Survey Commenced June 6, 1998  
Survey Completed April 8, 1999

INDEX DIAGRAM

TOWNSHIP 1 SOUTH, RANGE 10 WEST



Subdivision of Section 16  
 Subdivision of Section 19  
 Metes-and-Bounds Survey of EMWA

pp. 13-14  
 pp. 14-15  
 pp. 15-45

## T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

## CHAINS

The following field notes describe the dependent resurvey of a portion of the Gila and Salt River Base line, Township 1 North, Range 9 West, a portion of the east and west boundaries and a portion of the subdivisional lines, the subdivision of sections 16 and 19 and the metes-and-bounds survey of the Eagletail Mountains Wilderness Area Boundary, Township 1 South, Range 10 West, Gila and Salt River Meridian, Arizona.

Jesse B. Wright surveyed a portion of the Gila and Salt River Base Line in 1914. John F. Hesse surveyed the south, east and west boundaries in 1914. John F. Hesse and Jesse B. Wright surveyed the subdivisional lines in 1914. William E. Hiester and Ty White resurveyed the W. boundary in 1941.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions, 1973, and the Special Instructions dated April 15, 1998, for Group Number 827, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The distances and directions of all lines were determined by use of the Trimble 4400 real time kinematic survey system, and refer to the true meridian.

The geographic position of the corner of sections 1, 6, 7 and 12, on the E. bdy. of the Tp., as determined from a relative global positioning vector made to United States Coast and Geodetic Survey triangulation station "COURT 1948", with published latitude of 33°27'29.79051 N., and published longitude of 113°17'14.89736 W., NAD 83 (1992) is as follows:

Latitude: 33°21'46.29" N. Longitude: 113°13'44.37" W.  
NAD 83 (1992)

The mean magnetic declination is 12 3/4° E.

Dependent Resurvey of a Portion of the Gila and Salt River Base Line,  
T. 1 N., R. 9 W., Gila and Salt River Meridian, Arizona

CHAINS	
9.95	<p style="text-align: center;">Restoring the Survey Executed by John F. Hesse, in 1914</p> <hr/> <p>Beginning at the standard cor. of Tps. 1 N., Rgs. 9 and 10 W., monumented with an iron post, 3 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. SC T1N R10W R9W S36 S31 1998 1914 as described and witnessed in the field notes of the dependent resurvey of a portion of the Gila and Salt River Base Line, T. 1 N., R. 10 W., executed concurrently under this same group.</p> <p>N. 89°59' E., on the S. bdy. of sec. 31, T. 1 N., R. 9 W.</p> <p>Over nearly level land.</p> <p>Point for the closing cor. of Tps. 1 S., Rs. 9 and 10 W., at proportionate dist.; there is no remaining evidence of the original cor., hereinafter described.</p> <p>From this cor. point, the standard cor. of secs. 34 and 35, T. 1 N., R. 9 W., bears N. 89°59' E., 310.27 chs. dist., recovered by Arizona Public Service, in 1958, and perpetuated in 1977, monumented with an iron post, 3 ins. diam., firmly set, 9 ins. below the ground, in graveled road, with brass cap mkd. T1N R9W S34 S35 APS. This position is accepted as a careful and faithful perpetuation of the original cor.</p> <p>This controlling line was fully retraced and a careful search was made for the intervening cors., which were not recovered.</p>
	<p style="text-align: center;">Dependent Resurvey of a Portion of the East Boundary, T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona</p>
	<p style="text-align: center;">Restoring the Survey Executed by John F. Hesse, in 1914</p> <hr/> <p>From the 1/4 sec. cor. of secs. 7 and 12, on the E. bdy. of the Tp., monumented with an iron post, 1 in. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. 1/4 S12 S7 1914.</p> <p>Add the marks T1S R10W R9W 1998 to the brass cap.</p> <p>Cor. is located in a barbed wire fence, 5 strand, bears N. and S.</p> <p>N. 0°02' E., bet. secs. 7 and 12, on the E. bdy. of the Tp.</p>

Dependent Resurvey of a Portion of the East Boundary,  
T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
17.22	<p>Over nearly level land, along fence line.</p> <p>Point for AP 10, sec. 12, on the Eagletail Mountains Wilderness Area Bdy.</p> <p>Set an aluminum rod, 72 ins. long, 3/4 in. diam., 67 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="812 514 1023 745" style="text-align: center;"> </div> <p>Cor. is located 30 ft., northerly of two track road., bears E. and W., and 1 ft. E. of barbed wire fence, bears N. and S.</p> <p>Thence along the Eagletail Mountains Wilderness Area Bdy.</p>
39.47	<p>Point for AP 11, sec. 12.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 16 ins. in the ground, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p> <div data-bbox="812 1123 1023 1375" style="text-align: center;"> </div> <p>Cor is located in barbed wire fence, bears N. and S., and 10 ft. S. of natural gas line, bears NW. and SE.</p> <p>Leave the Eagletail Mountains Wilderness Area Bdy.</p>
39.99	<p>The cor. of secs. 1, 6, 7 and 12, monumented with an iron post, 3 ins. diam., firmly set, projecting 10 ins. above the ground, with the brass cap mkd. T1S R10W R9W S1 S6 S12 S7 1914.</p> <p>Add the marks 1998 to the brass cap.</p> <p>Cor. is located in a barbed wire fence, 5 strand, bears N. and S.</p> <p>From this cor. point, U. S. Coast and Geodetic Survey Triangulation station "COURT 1948", bears N. 27°12' W., 591.53 chs. dist., monumented with a brass tablet, 3 1/2 ins.</p>

Dependent Resurvey of a Portion of the East Boundary,  
T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>diam., firmly set, in concrete, flush with bedrock, with brass cap mkd. COURT 1948 and a triangle. Reference monuments were recovered in good condition and were used to verify the position of the triangulation station.</p> <hr/> <p>N. 0°01' E., bet. secs. 1 and 6.</p> <p>Over nearly level land, along fence line.</p> <p>40.03 The 1/4 sec. cor. of secs. 1 and 6, monumented with an iron post, 1 in. diam., filled with concrete, firmly set, 16 ins. below ground, with brass cap broken off, lying alongside, mkd. 1/4 S1 S6 1914.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W R9W 1/4 S1   S6 1999</p> </div> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case beneath the stainless steel post and place the iron post and brass cap inside the stainless steel post.</p> <p>Cor. is located 15 ft. W. of barbed wire fence, 5 strand, bears NE and SW.</p> <hr/>
40.61	<p>N. 0°01' E., beginning new measurement.</p> <p>Point for the closing sec. cor. of secs. 1 and 6, on the Gila and Salt River Base Line.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. below the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T1N R9W S31 ----- S1   S6 R10W R9W T1S CC 1999</p> </div>


Dependent Resurvey of a Portion of the East Boundary,  
T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Deposit a magnet in a 1 x 1 x 2 5/8 in. white colored plastic case beneath the stainless steel post.</p> <p>Cor. is located in graveled road., bears E. and W.</p> <p>From this cor. point, the cor. of Tps. 1 N., Rgs. 9 and 10 W., bears S. 89°59' W., 9.95 chs. dist., hereinbefore described.</p> <hr/> <p>Dependent Resurvey of a Portion of the West Boundary, T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona</p> <hr/> <p>Restoring the Resurvey Executed by William E. Hiester and Ty White, in 1914</p> <hr/> <p>From the 1/4 sec. cor. of sec. 19 only, on the W. bdy. of Tp., monumented with an iron post, 1 in. diam., firmly set, projecting 8 ins. above the ground, with brass cap mkd. 1/4 S19 1914, with a mound of stone, 2 ft. base, 2 ft. high, E. of cor.</p> <p>Add the marks T1S R11W R10W 1998 to the brass cap.</p> <p>N. 0°01' W., on the W. bdy. of sec. 19, along the Eagletail Mountains Wilderness Area Bdy.</p> <p>Over nearly level land.</p>
5.16	<p>The 1/4 sec. cor. of sec. 24 only, T. 1 S., R. 11 W., monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above the ground, with brass cap mkd. 1/4 S24 1941, with a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.</p> <p>Add the marks T1S R11W R10W 1998 to the brass cap.</p> <hr/> <p>N. 0°01' W., beginning new measurement.</p> <p>Leave the Eagletail Mountains Wilderness Area Bdy.</p> <p>Over nearly level land.</p>
34.85	<p>The cor. of secs. 18 and 19 only, monumented with an iron post, 3 ins. diam., firmly set, projecting 8 ins. above the ground, with brass cap mkd. T1S R10W S18 T1S S24 R11W S19 1914, with a mound of stone, 3 ft. base, 1 1/2 ft. high, E. of cor.</p> <p>Add the marks 1998 to the brass cap.</p> <hr/>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">Restoring the Survey Executed by John F. Hesse and Jesse B. Wright, in 1914</p> <hr style="width: 20%; margin: auto;"/> <p>From the 1/4 sec. cor. of secs. 11 and 12, monumented with an iron post, 1 in. diam., firmly set, projecting 11 ins. above the ground, with brass cap mkd. 1/4 S11 S12 1914.</p> <p>Add the marks T1S R10W 1998 to the brass cap.</p> <p>N. 0°01' W., bet. secs. 11 and 12.</p> <p>Over nearly level land.</p> <p>22.77 Point for AP 8, sec. 11, identical with AP 1, sec. 12, on the Eagletail Mountains Wilderness Area Bdy., not monumented.</p> <p>40.00 The cor. of secs. 1, 2, 11 and 12, monumented with an iron post, 2 ins. diam., firmly set, projecting 8 ins. above the ground, with brass cap mkd. T1S R10W S2 S1 S11 S12 1914.</p> <p>Add the marks 1998 to the brass cap.</p>
	<hr/> <p>From the cor. of secs 1, 6, 7 and 12, on the E. bdy. of Tp., hereinbefore described.</p> <p>N. 89°57' W., bet. secs. 1 and 12.</p> <p>Over nearly level land.</p> <p>0.45 Point for AP 1, sec. 1, identical with AP 13, sec. 12, on the Eagletail Mountains Wilderness Area Bdy., not monumented.</p> <p>40.06 The 1/4 sec. cor. of secs. 1 and 12, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above the ground, with brass cap mkd. S1 1/4 S12 1914.</p> <p>Add the marks T1S R10W 1998 to the brass cap.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 89°59' W., beginning new measurement.</p> <p>40.01 The cor. of secs. 1, 2, 11 and 12.</p>
	<hr/> <p>N. 89°55' W., bet. secs. 2 and 11.</p> <p>Over nearly level land.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
8.62	Point for AP 1, sec. 11, identical with AP 7, sec. 2, on the Eagletail Mountains Wilderness Area Bdy., not monumented.
39.99	The 1/4 sec. cor. of secs. 2 and 11, monumented with an iron post, 1 in. diam., firmly set, projecting 12 ins. above the ground, with brass cap mkd. S2 1/4 S11 1914.  Add the marks T1S R10W 1998 to the brass cap.  _____
	S. 89°57' W., beginning new measurement.
	Over nearly level land.
39.97	The cor. of secs. 2, 3, 10 and 11, monumented with an iron post, 2 ins. diam., firmly set, projecting 18 ins. above the ground, in a mound of stone, 2 ft. base, to top, with brass cap mkd. T1S R10W S3 S2 S10 S11 1914.  Add the marks 1998 to the brass cap.
	N. 0°01' W., bet. secs. 2 and 3, on the Eagletail Mountains Wilderness Area Bdy.
	Over nearly level land.
20.37	Point for AP 1, sec. 3.  Set an aluminum rod, 72 ins. long, 3/4 in. diam., 62 ins. in the ground, with aluminum cap mkd.
	<p style="text-align: center;">T1S R10W</p> 
	Cor. is located 30 ft. southerly of two track road.
	Leave the Eagletail Mountains Wilderness Area Bdy.
21.00	Point for AP 7, sec. 3, identical with AP 1, sec. 2, on the Eagletail Mountains Wilderness Area Bdy., not monumented.
40.08	The 1/4 sec. cor. of secs. 2 and 3, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above the ground, with brass cap mkd. 1/4 S3 S2 1914.

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
	Add the marks T1S R10W 1998 to the brass cap.
	From the 1/4 sec. cor. of secs. 15 and 16, monumented with an iron post, 1 in. diam., firmly set, projecting 11 ins. above the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd. 1/4 S16 S15 1914.
	Add the marks T1S R10W 1998 to the brass cap.
	North, bet. secs. 15 and 16.
	Over nearly level land.
5.48	Point for AP12, sec. 16, identical with AP 1, sec. 15, on the Eagletail Mountains Wilderness Area Bdy., not monumented.
39.90	The cor. of secs. 9, 10, 15 and 16, monumented with an iron post, 2 ins. diam., firmly set, projecting 11 ins. above the ground, with brass cap mkd. T1S R10W S9 S10 S16 S15 1914.
	Add the marks 1998 to the brass cap.
	From the 1/4 sec. cor. of secs. 10 and 15, monumented with an iron post, 1 in. diam., firmly set, projecting 7 ins. above the ground, with brass cap mkd. S10 1/4 S15 1914.
	Add the marks T1S R10W 1998 to the brass cap.
	S. 89°57' W., bet. secs. 10 and 15.
	Over nearly level land.
10.97	Point for AP 1, sec. 10, identical with AP 12, sec. 15, on the Eagletail Mountains Wilderness Area Bdy., not monumented.
40.01	The cor of secs. 9, 10, 15 and 16.
	From the cor. of secs. 2, 3, 10 and 11.
	N. 89°57' W., bet. secs. 3 and 10, on the Eagletail Mountains Wilderness Area Bdy.
	Over nearly level land.
40.01	The 1/4 sec. cor. of secs. 3 and 10, monumented with an iron post, 1 in. diam., firmly set, projecting 5 ins. above the ground, with brass cap mkd. S3 1/4 S10 1914.


Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
22.91	<p>Add the marks T1S R10W 1998 to the brass cap.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 89°58' W., beginning new measurement.</p> <p>Over nearly level land.</p> <p>Point for AP6, sec. 10.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p>Cor. is located on toe of ridge, bears SSE.</p> <p>Leave the Eagletail Mountains Wilderness Area Bdy.</p>
39.93	<p>The cor. of secs. 3, 4, 9 and 10, monumented with an iron post, 2 ins. diam., firmly set, projecting 23 ins. above the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd. T1S R10W S4 S3 S9 S10 1914.</p> <p>Add the marks 1998 to the brass cap.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 20 and 21, monumented with an iron post, 1 in. diam., firmly set, projecting 7 ins. above the ground, with brass cap mkd. 1/4 S20 S21 1914.</p> <p>Add the marks T1S R10W 1998 to the brass cap.</p> <p>N. 0°03' E., bet. secs. 20 and 21.</p> <p>Over nearly level land.</p>
13.38	<p>Point for AP 13, sec. 20, identical with AP 1, sec. 21, on the Eagletail Mountains Wilderness Area Bdy., not monumented.</p>
40.01	<p>The cor. of secs. 16, 17, 20 and 21, monumented with an iron post, 2 ins. diam., firmly set, projecting 9 ins. above the ground, with brass cap mkd. T1S R10W S17 S16 S20 S21 1914, from which the remaining orig. bearing tree</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>An ironwood, 8 ins. diam., bears S. 1 1/2° E., 210 lks. dist., mkd. BT and other illegible marks. (Record, S. 1° E., 205 lks. dist.)</p> <p>Add the marks 1998 to the brass cap.</p>
<p>12.01</p> <p>40.03</p>	<p>From the 1/4 sec. cor. of secs. 16 and 21, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above the ground, with brass cap mkd. S16 1/4 S21 1914.</p> <p>Add the marks T1S R10W 1998 to the brass cap.</p> <p>N. 89°57' W., bet. secs. 16 and 21.</p> <p>Over nearly level land.</p> <p>Point for AP 1, sec. 16, identical with AP 10, sec. 21, on the Eagletail Mountains Wilderness Area Bdy., not monumented.</p> <p>The cor. of secs. 16, 17, 20 and 21.</p>
<p>22.08</p>	<p>From the cor. of secs. 19, 20, 29 and 30, monumented with an iron post, 2 ins. diam., firmly set, projecting 8 ins. above the ground, with brass cap mkd. T1S R10W S19 S20 S30 S29 1914.</p> <p>Add the marks 1998 to the brass cap.</p> <p>North, bet. secs. 19 and 20.</p> <p>Over nearly level land.</p> <p>Point for AP 1, sec. 20, on the Eagletail Mountains Wilderness Area Bdy.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="857 1541 1019 1724" style="text-align: center;"> <p>T1S R10W</p> <p>EMWA</p> <p>AP1</p> <p>S19   S20</p> <p>1998</p> </div> <p>Cor. is located 30 ft. N. of two track road.</p> <p>Thence on the Eagletail Mountains Wilderness Area Bdy.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
40.02	<p>The 1/4 sec. cor. of secs. 19 and 20, monumented with an iron post, 1 in. diam., firmly set, projecting 6 ins above the ground, with brass cap mkd. S19 1/4 S20 1914.</p> <p>Add the marks T1S R10W 1998 to the brass cap.</p>
<p>Subdivision of Section 16, T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona</p>	
	<p>From the 1/4 sec. cor. of secs. 16 and 21.</p> <p>N. 0°05' W., on the N. and S. centerline of sec. 16.</p> <p>Over nearly level land.</p>
26.34	<p>Point for AP 6, sec. 16, on the Eagletail Mountains Wilderness Area Bdy.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 16 ins. in the ground, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p>
	
	<p>Cor. is located 30 ft. westerly of two track road.</p> <p>Thence on the Eagletail Mountains Wilderness Area Bdy.</p>
40.02	<p>Point for the center 1/4 sec. cor. of sec. 16, at intersection with the E. and W. center line of sec. 16.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 15 ins. in the ground to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T1S R10W C1/4 S16 1999</p> <p>Deposit a magnet in a 1 x 1 x 2 5/8 ins. white plastic case beneath the stainless steel post.</p> <p>Leave the Eagletail Mountains Wilderness Area Bdy.</p>




Subdivision of Section 16,  
T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
79.88	<p>The 1/4 sec. cor. of secs. 9 and 16, monumented with an iron post, 1 in. diam., firmly set, projecting 7 ins. above the ground, with brass cap mkd. S9 1/4 S16 1914.</p> <p>Add the marks T1S R10W 1998 to the brass cap.</p>
	<p>From the 1/4 sec. cor. of secs. 15 and 16.</p> <p>West, on the E. and W. centerline of sec. 16.</p> <p>Over nearly level land.</p>
19.49	<p>Point for AP 7, sec. 16, on the Eagletail Mountains Wilderness Area Bdy.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p>
	<div style="text-align: center;"> <p>T1S R10W EMWA AP7 C ——— C</p> <p>S16 1999</p> </div>
	<p>Cor. is located 30 ft. northerly of two track road.</p> <p>Thence on the Eagletail Mountains Wilderness Area Bdy.</p>
39.94	<p>The center 1/4 sec. cor. of sec. 16.</p> <p>Leave the Eagletail Mountains Wilderness Area Bdy.</p>
79.85	<p>The 1/4 sec. cor. of secs. 16 and 17, monumented with an iron post, 1 in. diam., firmly set, projecting 26 ins. above the ground, in a mound of stone, 4 ft. base to top, with brass cap mkd. 1/4 S17 S16 1914.</p> <p>Add the marks T1S R10W 1998 to the brass cap.</p>
	<p style="text-align: center;">Subdivision of Section 19, T. 1 N., R. 10 W., Gila and Salt River Meridian, Arizona</p>
	<p>From the 1/4 sec. cor. of secs. 19 and 20, hereinbefore described.</p>

Subdivision of Section 19,  
T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
36.41	<p>N. 89°54' W., on the E. and W. centerline of sec. 19, on the Eagletail Mountains Wilderness Area Bdy.</p> <p>Over nearly level land.</p> <p>Point selected for a witness point on the E. and W. centerline of sec. 19.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, in a mound of stone, 2 1/2 ft. base, to top, with aluminum cap mkd.</p> <p style="text-align: center;">WP T1S R10W EMWA</p> <p style="text-align: center;">S19 1998</p> <p>Cor. is located on small ridge, bears NNE. and SSW.</p>
78.20	<p>The 1/4 sec. cor. of sec. 19 only, on the W. bdy. of the Tp., hereinbefore described.</p> <hr/> <p style="text-align: center;">Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area Bdy., T. 1 S., R. 10 W., Gila and Salt River Mer., Arizona</p> <hr/> <p style="text-align: center;">In section 20</p> <hr/> <p>From AP 1, sec. 20, on the line bet. secs. 19 and 20, hereinbefore described.</p> <p>From this point, the 1/4 sec. cor. of secs. 19 and 20, bears North, 17.94 chs. dist., hereinbefore described.</p> <p>N. 61°13' E., on line 1-2, sec. 20, on the metes-and-bounds survey of the Eagletail Mountains Wilderness Area Bdy.</p> <p>Over nearly level land.</p>
14.44	<p>Point for AP 2, sec. 20.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground with aluminum cap mkd.</p>



Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
5.91	<p style="text-align: center;">T1S R10W EMWA AP2</p>  <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 72°10' E., on line 2-3, sec. 20.</p> <p>Over nearly level land.</p> <p>Point for AP 3, sec. 20.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p>
10.17	<p style="text-align: center;">T1S R10W EMWA AP3</p>  <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 78°33' E., on line 3-4, sec. 20.</p> <p>Over nearly level land.</p> <p>Point for AP 4, sec. 20.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T1S R10W EMWA AP4</p>  <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 62°36' E., on line 4-5, sec. 20.</p> <p>Over nearly level land.</p>




Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
7.48	<p>Point for AP 5, sec. 20.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T1S R10W EMWA AP5 _____ S20 1998</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <p style="text-align: center;">_____</p> <p>N. 67°38' E., on line 5-6, sec. 20.</p> <p>Over nearly level land.</p>
6.95	<p>Point for AP 6, sec. 20.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T1S R10W EMWA AP6 _____ S20 1998</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <p style="text-align: center;">_____</p> <p>N. 70°09' E., on line 6-7, sec. 20.</p> <p>Over nearly level land.</p>
7.46	<p>Point for AP 7, sec. 20.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T1S R10W EMWA AP7 _____ S20 1998</p>


Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
5.76	<p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 46°25' E., on line 7-8, sec. 20.</p> <p>Over nearly level land.</p> <p>Point for AP 8, sec. 20.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W EMWA AP8</p>  <p>S20 1998</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/>
4.43	<p>N. 78°03' E., on line 8-9, sec. 20.</p> <p>Over nearly level land.</p> <p>Point for AP 9, sec. 20.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W EMWA AP9</p>  <p>S20 1999</p> </div>
5.36	<p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 54°37' E., on line 9-10, sec. 20.</p> <p>Over nearly level land.</p> <p>Point for AP 10, sec. 20.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T1S R10W EMWA AP10</p>  <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 64°35' E., on line 10-11, sec. 20.</p> <p>Over nearly level land.</p>
8.82	<p>Point for AP 11, sec. 20.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T1S R10W EMWA AP11</p>  <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 81°17' E., on line 11-12, sec. 20.</p> <p>Over nearly level land.</p>
9.20	<p>Point for AP 12, sec. 20.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T1S R10W EMWA AP12</p>  <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 54°05' E., on line 12-13, sec. 20.</p> <p>Over nearly level land.</p>



Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
2.18	<p>The point for AP 13, sec. 20, identical with AP 1, sec. 21, on line bet. secs. 20 and 21, hereinbefore described.</p> <p>From this point, the 1/4 sec. cor. of secs. 20 and 21, bears S. 0°03' W., 13.38 chs. dist., hereinbefore described.</p>
3.91	<p style="text-align: center;">In section 21</p> <hr style="width: 20%; margin: auto;"/> <p>S. 54°05' E., on line 1-2, sec. 21, on the metes-and-bounds survey of the Eagletail Mountains Wilderness Area Bdy.</p> <p>Over nearly level land.</p> <p>Point for AP 2, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W EMWA AP2</p>  <p>S21 1999</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p>
5.37	<hr style="width: 20%; margin: auto;"/> <p>N. 81°11' E., on line 2-3, sec. 21.</p> <p>Over nearly level land.</p> <p>Point for AP 3, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W EMWA AP3</p>  <p>S21 1999</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 74°14' E., on line 3-4, sec. 21.</p>



Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
9.29	<p>Over nearly level land.</p> <p>Point for AP 4, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="803 504 998 703" style="text-align: center;"> <p>T1S R10W EMWA AP4 S21 1999</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 15°57' W., on line 4-5, sec. 21.</p> <p>Over nearly level land.</p>
4.22	<p>Point for AP 5, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="803 1113 1031 1270" style="text-align: center;"> <p>T1S R10W EMWA AP5 S21 1999</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 32°21' E., on line 5-6, sec. 21.</p> <p>Over nearly level land.</p>
10.75	<p>Point for AP 6, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="820 1680 1039 1837" style="text-align: center;"> <p>T1S R10W AP6 EMWA S21 1999</p> </div>

Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
5.84	<p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 22°35' E., on line 6-7, sec. 21.</p> <p>Over nearly level land.</p> <p>Point for AP 7, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 19 ins. in the ground, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  <p>T1S R10W AP7 EMWA      S21 1999</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 59°38' E., on line 7-8, sec. 21.</p> <p>Over nearly level land.</p>
2.45	<p>Point for AP 8, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  <p>T1S R10W AP8 EMWA      S21 1999</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 21°06' E., on line 8-9, sec. 21.</p> <p>Over nearly level land.</p>
3.20	<p>Point for AP 9, sec. 21.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p>



Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
2.85	<div style="text-align: center;">  <p>T1S R10W AP9 EMWA 1999 S21</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 10°38' E., on line 9-10, sec. 21.</p> <p>Over nearly level land.</p> <p>The point for AP 10, sec. 21, identical with AP 1, sec. 16, on line bet. secs. 16 and 21, hereinbefore described.</p> <p>From this point, the 1/4 sec. cor. of secs. 16 and 21, bears S. 89°57' E., 12.01 chs. dist., hereinbefore described.</p>
3.60	<div style="text-align: center;"> <p>In section 16</p> <hr style="width: 20%; margin: auto;"/> </div> <p>N. 10°38' E., on line 1-2, sec. 16, on the metes-and-bounds survey of the Eagletail Mountains Wilderness Area Bdy.</p> <p>Over nearly level land.</p> <p>Point for AP 2, sec. 16.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p>
5.33	<div style="text-align: center;">  <p>T1S R10W EMWA AP2 1999 S16</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 36°03' E., on line 2-3, sec. 16.</p> <p>Over nearly level land.</p> <p>Point for AP 3, sec. 16.</p>


Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="828 378 1006 535" style="text-align: center;"> <p>T1S R10W AP3 EMWA S16 1999</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 17°31' E., on line 3-4, sec. 16.</p> <p>Over nearly level land.</p>
6.43	<p>Point for AP 4, sec. 16.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="828 955 1006 1113" style="text-align: center;"> <p>T1S R10W AP4 EMWA S16 1999</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 34°31' E., on line 4-5, sec. 16.</p> <p>Over nearly level land.</p>
7.85	<p>Point for AP 5, sec. 16.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="828 1522 1006 1680" style="text-align: center;"> <p>T1S R10W AP5 EMWA S16 1999</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 16°53' E., on line 5-6, sec. 16.</p> <p>Over nearly level land.</p>



Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
6.14	<p>AP 6, sec. 16, on the N. and S. centerline of sec. 16, hereinbefore described.</p> <p>From this cor. point, the center 1/4 sec. cor of sec. 16, bears N. 0°05' W., 13.68 chs. dist., hereinbefore described.</p>
	<p>From AP 7, sec. 16, on the E. and W. centerline of sec. 16, hereinbefore described.</p> <p>From this cor. point, the 1/4 sec. cor of secs. 15 and 16, bears East, 19.49 chs. dist., hereinbefore described.</p> <p>N. 53°12' E., on line 7-8, sec. 16.</p> <p>Over nearly level land.</p>
8.27	<p>Point for AP 8, sec. 16.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W EMWA AP8</p>  <p>S16 1999</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <p>N. 41°52' E., on line 8-9, sec. 16.</p> <p>Over nearly level land.</p>
3.91	<p>Point for AP 9, sec. 16.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 18 ins. in the ground, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W EMWA AP9</p>  <p>S16 1999</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <p>N. 70°14' E., on line 9-10, sec. 16.</p>




Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
4.29	<p>Over nearly level land.</p> <p>Point for AP 10, sec. 16.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T1S R10W EMWA AP10</p>  <p style="text-align: center;">S16 1999</p>
	<p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 55°03' E., on line 10-11, sec. 16.</p>
6.06	<p>Over nearly level land.</p> <p>Point for AP 11, sec. 16.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T1S R10W EMWA AP11</p>  <p style="text-align: center;">S16 1999</p>
	<p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 73°43' E., on line 11-12, sec. 16.</p>
1.30	<p>Over nearly level land.</p> <p>The point for AP 12, sec. 16, identical with AP 1, sec. 15, on the line bet. secs. 15 and 16, hereinbefore described.</p> <p>From this point, the 1/4 sec. cor. of secs. 15 and 16, bears South, 5.48 chs. dist., hereinbefore described.</p>
	<hr style="width: 80%; margin: 0 auto;"/> <p style="text-align: center;">In section 15</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 73°43' E., on line 1-2, sec. 15 on the metes-and-bounds survey of the Eagletail Mountains Wilderness Area Bdy.</p>


Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.93	<p>Over nearly level land.</p> <p>Point for AP 2, sec. 15.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W AP2 EMWA</p>  <p>S15 1999</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 74°41' E., on line 2-3, sec. 15.</p> <p>Over nearly level land.</p>
3.53	<p>Point for AP 3, sec. 15.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W EMWA</p>  <p>AP3 S15 1999</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 60°40' E., on line 3-4, sec. 15.</p> <p>Over nearly level land.</p>
1.69	<p>Point for AP 4, sec. 15.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, in a mound of stone, 2 ft. base, to top, with aluminum cap mkd.</p>



Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
3.37	<div data-bbox="868 289 998 472" style="text-align: center;"> <p>T1S R10W EMWA AP4  S15 1999</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 24°54' E., on line 4-5, sec. 15.</p> <p>Over nearly level land.</p> <p>Point for AP 5, sec. 15.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p>
4.02	<div data-bbox="868 898 998 1081" style="text-align: center;"> <p>T1S R10W EMWA AP5  S15 1999</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 57°42' E., on line 5-6, sec. 15.</p> <p>Over nearly level land.</p> <p>Point for AP 6, sec. 15.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p>
	<div data-bbox="868 1507 998 1690" style="text-align: center;"> <p>T1S R10W EMWA AP6  S15 1999</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 37°59' E., on line 6-7, sec. 15.</p> <p>Over nearly level land.</p>



Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
8.00	<p>Point for AP 7, sec. 15.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 10 ins. in the ground, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W EMWA AP7</p>  <p>S15 1999</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 63°46' E., on line 7-8, sec. 15.</p> <p>Over nearly level land.</p>
4.41	<p>Point for AP 8, sec. 15.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W EMWA AP8</p>  <p>S15 1999</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 83°23' E., on line 8-9, sec. 15.</p> <p>Over nearly level land.</p>
5.42	<p>Point for AP 9, sec. 15.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, to top, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
5.19	<p style="text-align: center;">T1S R10W EMWA AP9</p>  <p style="text-align: center;">S15 1999</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 78°14' E., on line 9-10, sec. 15.</p> <p>Over nearly level land.</p> <p>Point for AP 10, sec. 15.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p>
4.59	<p style="text-align: center;">T1S R10W EMWA AP10</p>  <p style="text-align: center;">S15 1999</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 81°10' E., on line 10-11, sec. 15.</p> <p>Over nearly level land.</p> <p>Point for AP 11, sec. 15.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p>
.	<p style="text-align: center;">T1S R10W EMWA AP11</p>  <p style="text-align: center;">S15 1999</p> <p>Cor. is located 30 ft. northerly of two track road, in barbed wire fence, 5 strand, bears SE. and NW.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 19°43' W., on line 11-12, sec. 15.</p> <p>Over nearly level land, along fence line.</p>


Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
24.62	<p>The point for AP 12, sec. 15, identical with AP 1, sec. 10, on line bet. secs. 10 and 15, hereinbefore described.</p> <p>From this point, the 1/4 sec. cor. of secs. 10 and 15, bears N. 89°57' E., 10.97 chs. dist., hereinbefore described.</p>
	<p style="text-align: center;">In section 10</p> <hr style="width: 20%; margin: auto;"/> <p>N. 19°43' W., on line 1-2, sec. 10, on the metes-and-bounds survey of the Eagletail Mountains Wilderness Area Bdy.</p> <p>5.76 Point for AP 2, sec. 10.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W</p>  </div> <p>Cor. is in located in barbed wire fence, 5 strand, bears SE. and NW.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 19°57' W., on line 2-3, sec. 10.</p> <p>Over steep W. slope of ridge.</p>
15.60	Top of ridge, bears SE and NW.
15.64	<p>Point for AP 3, sec. 10.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 6 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to top, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W</p>  </div> <p>Cor. is located on top of ridge.</p> <hr style="width: 20%; margin: auto;"/>



Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
8.66	<p>N. 43°25' W., on line 3-4, sec. 10.</p> <p>Along rugged top of ridge.</p> <p>Point for AP 4, sec. 10.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 5 ins. in the ground, in a mound of stone, 5 ft. base, to top, with aluminum cap mkd.</p> <div data-bbox="850 621 1013 806" style="text-align: center;"> <p>T1S R10W</p> <p>AP4 EMWA</p> <p>S10</p> <p>1998</p> </div> <p>Cor. is located on top of ridge, bears NNE. and SE.</p> <hr style="width: 20%; margin: auto;"/>
34.77	<p>N. 19°44' E., on line 4-5, sec. 10.</p> <p>Along rugged top of ridge.</p> <p>Point for AP 5, sec. 10.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 2 ins. in the ground, in a mound of stone, 4 ft. base, to top, with aluminum cap mkd.</p> <div data-bbox="867 1255 997 1474" style="text-align: center;"> <p>T1S R10W</p> <p>AP5 EMWA</p> <p>S10</p> <p>1998</p> </div> <p>Cor. is located on top of ridge, bears SSW and NNW.</p> <hr style="width: 20%; margin: auto;"/>
23.43	<p>N. 26°39' W., on line 5-6, sec. 10.</p> <p>Along rugged top of ridge.</p> <p>AP 6, sec. 10, on line bet. secs. 3 and 10, hereinbefore described.</p>

Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From this cor. point, the cor. of secs. 3, 4, 9 and 10, bears N. 89°58' W., 17.02 chs. dist., hereinbefore described.</p> <hr/> <p style="text-align: center;">In section 3</p> <hr/> <p>From AP 1, sec. 3, on line bet. secs. 2 and 3, hereinbefore described.</p> <p>From this cor. point, the cor of secs. 2, 3, 10 and 11, bears S. 0°01' E., 20.37 chs., hereinbefore described.</p> <p>N. 77°51' W., on line 1-2, sec. 3, on the metes-and-bounds survey of the Eagletail Mountains Wilderness Area Bdy.</p> <p>Over nearly level land.</p>
36.68	<p>Point for AP 2, sec. 3.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W S3</p>  <p>AP2 EMWA 1998</p> </div> <p>Cor. is located 30 ft. southerly of two track road.</p> <hr/>
27.49	<p>N. 77°56' W., on line 2-3, sec. 3.</p> <p>Over nearly level land.</p> <p>Point for AP 3, sec. 3.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, in a mound of stone, 2 ft. base, to top, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W S3</p>  <p>AP3 EMWA 1998</p> </div>



Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
1.89	<p>Cor. is located 30 ft. southerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 75°47' W., on line 3-4, sec. 3.</p> <p>Over nearly level land.</p> <p>Point for AP 4, sec. 3.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  </div>
2.07	<p>Cor. is located 30 ft. southwesterly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>N. 0°17' E., on line 4-5, sec. 3.</p> <p>Over nearly level land.</p> <p>Point for AP 5, sec. 3.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;">  </div>
29.71	<p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 77°38' E., on line 5-6, sec. 3.</p> <p>Over nearly level land.</p> <p>Point for AP 6, sec. 3.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
36.45	<p style="text-align: center;">T1S R10W EMWA AP6</p> <p style="text-align: center;">S3 1998</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 77°12' E., on line 6-7, sec. 3.</p> <p>Over nearly level land.</p> <p>The point for AP 7, sec. 3, identical with AP 1, sec. 2, on line bet. secs. 2 and 3, hereinbefore described.</p> <p>From this point, the 1/4 sec. cor. of secs. 2 and 3, bears, N. 0°01' W., 19.08 chs. dist., hereinbefore described.</p>
4.56	<p style="text-align: center;">In section 2</p> <hr style="width: 20%; margin: auto;"/> <p>S. 77°12' E., on line 1-2, sec. 2, on the metes-and-bounds survey of the Eagletail Mountains Wilderness Area Bdy.</p> <p>Over nearly level land.</p> <p>Point for AP 2, sec. 2.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p>
26.37	<p style="text-align: center;">T1S R10W EMWA AP2</p> <p style="text-align: center;">S2 1998</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 77°29' E., on line 2-3, sec. 2.</p> <p>Over nearly level land.</p> <p>Point for AP 3, sec. 2.</p>



Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T1S R10W EMWA AP3</p>  <p style="text-align: center;">S2 1998</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <p style="text-align: center;">_____</p> <p>S. 78°26' E., on line 3-4, sec. 2.</p> <p>Over nearly level land.</p>
13.91	<p>Point for AP 4, sec. 2.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T1S R10W EMWA AP4</p>  <p style="text-align: center;">S2 1998</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <p style="text-align: center;">_____</p> <p>S. 87°28' E., on line 4-5, sec. 2.</p> <p>Over nearly level land.</p>
28.39	<p>Point for AP 5, sec. 2.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T1S R10W EMWA AP5</p>  <p style="text-align: center;">S2</p> <p style="text-align: center;">1998</p> <p>Cor. is located 30 ft. northeasterly of two track road.</p> <p style="text-align: center;">_____</p>

Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
5.92	<p>S. 8°32' W., on line 5-6, sec. 2. Over nearly level land.</p> <p>Point for AP 6, sec. 2.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="868 577 1047 766" style="text-align: center;"> <p>T1S R10W</p> </div> <p>Cor. is located 30 ft. westerly of two track road.</p> <hr style="width: 20%; margin: 10px auto;"/>
4.39	<p>S. 0°31' E., on line 6-7, sec. 2. Over nearly level land.</p> <p>The point for AP 7, sec. 2, identical with AP 1, sec. 11, on line bet. secs. 2 and 11, hereinbefore described.</p> <p>From this point, the cor. of secs. 1, 2, 11 and 12, bears S. 89°55' E., 8.62 chs. dist. hereinbefore described.</p> <hr style="width: 100%;"/>
2.53	<p style="text-align: center;">In section 11</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 0°31' E., on line 1-2, sec. 11, on the metes-and-bounds survey of the Eagletail Mountains Wilderness Area Bdy. Over nearly level land.</p> <p>Point for AP 2, sec. 11.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div data-bbox="860 1648 1047 1837" style="text-align: center;"> <p>T1S R10W</p> </div>

Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 28°05' E., on line 2-3, sec. 11.</p> <p>Over nearly level land.</p>
4.62	<p>Point for AP 3, sec. 11.</p>
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p>
	
	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/>
	<p>S. 29°43' E., on line 3-4, sec. 11.</p>
	<p>Over nearly level land.</p>
3.38	<p>Point for AP 4, sec. 11.</p>
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p>
	
	<p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/>
	<p>S. 1°40' W., on line 4-5, sec. 11.</p>
	<p>Over nearly level land.</p>
3.57	<p>Point for AP 5, sec. 11.</p>
	<p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p>



Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T1S R10W S11 { EMWA           AP5           1998</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 9°10' E., on line 5-6, sec. 11.</p> <p>Over nearly level land.</p> <p>3.27 Point for AP 6, sec. 11.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd.</p>
	<div style="text-align: center;"> <p>T1S R10W S11 { EMWA           AP6           1998</p> </div> <p>Cor. is located 30 ft. easterly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 69°03' E., on line 6-7, sec. 11.</p> <p>Over nearly level land.</p> <p>3.73 Point for AP 7, sec. 11.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 22 ins. in the ground, in a mound of stone, 2 ft. base, to top, with aluminum cap mkd.</p>
	<div style="text-align: center;"> <p>T1S R10W EMWA AP7 S11 1998</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 63°42' E., on line 7-8, sec. 11.</p> <p>Over nearly level land.</p>

Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
0.96	<p>The point for AP 8, sec. 11, identical with AP 1, sec. 12, on line bet. secs. 11 and 12, hereinbefore described.</p> <p>From this point, the cor. of secs. 1, 2, 11 and 12, bears N. 0°01' W., 17.23 chs. dist, hereinbefore described.</p>
	<p style="text-align: center;">In section 12</p> <hr style="width: 20%; margin: auto;"/> <p>N. 63°42' E., on line 1-2, sec. 12, on the metes-and-bounds survey of the Eagletail Mountains Wilderness Area Bdy.</p> <p>Over nearly level land.</p>
6.04	<p>Point for AP 2, sec. 12.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W EMWA AP2</p>  <p>S12</p> <p>1998</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/>
	<p>S. 79°42' E., on line 2-3, sec. 12.</p> <p>Over nearly level land.</p>
6.16	<p>Point for AP 3, sec. 12.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 22 ins. in the ground, in a mound of stone, 2 ft. base, to top, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W EMWA AP3</p>  <p>S12</p> <p>1998</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/>

Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
6.98	<p>N. 87°14' E., on line 3-4, sec. 12.</p> <p>Over nearly level land.</p> <p>Point for AP 4, sec. 12.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W EMWA AP4</p>  <p>S12 1998</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p>
24.35	<p>S. 68°21' E., on line 4-5, sec. 12.</p> <p>Over nearly level land.</p> <p>Point for AP 5, sec. 12.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W EMWA AP5</p>  <p>S12 1998</p> </div> <p>Cor. is located 30 ft. northerly of two track road.</p>
7.68	<p>S. 67°23' E., on line 5-6, sec. 12.</p> <p>Over nearly level land.</p> <p>Point for AP 6, sec. 12.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p>



Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T1S R10W EMWA AP6</p> <p style="text-align: center;">S12</p> <p style="text-align: center;">1998</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 70°52' E., on line 6-7, sec. 12.</p> <p>Over nearly level land.</p>
7.16	<p>Point for AP 7, sec. 12.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T1S R10W EMWA AP7</p> <p style="text-align: center;">S12</p> <p style="text-align: center;">1998</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 87°30' E., on line 7-8, sec. 12.</p> <p>Over nearly level land.</p>
8.80	<p>Point for AP 8, sec. 12.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T1S R10W EMWA AP8</p> <p style="text-align: center;">S12</p> <p style="text-align: center;">1998</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/>

Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
8.62	<p>N. 81°39' E., on line 8-9, sec. 12.</p> <p>Over nearly level land.</p> <p>Point for AP 9, sec. 12.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 34 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T1S R10W EMWA AP9</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">S12</p> <p style="text-align: center;">1998</p> <p>Cor. is located 30 ft. northerly of two track road.</p> <hr style="width: 20%; margin: auto;"/>
7.82	<p>N. 86°37' E., on line 9-10, sec. 12.</p> <p>Over nearly level land.</p> <p>AP 10, sec. 12, on line bet. secs. 7 and 12, on the E. bdy. of Tp., hereinbefore described.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 7 and 12, bears S. 0°02' W., 17.22 chs. dist., hereinbefore described.</p>
0.61	<p>From AP 11, sec. 12, on line bet. sec. 7 and 12, on the E. bdy. of Tp., hereinbefore described.</p> <p>From this cor. point, the cor. of secs. 1, 6, 7 and 12, bears N. 0°02' E., 0.52 ch. dist., hereinbefore described.</p> <p>N. 47°27' W., on line 11-12, sec. 12.</p> <p>Over nearly level land.</p> <p>Point for AP 12, sec. 12.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 34 ins. in the ground, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
0.11	<div style="text-align: center;"> <p>T1S R10W</p>  </div> <p>Cor. is located 10 ft. W. of natural gas line, bears N. and SE. and 29 ft. W. of barbed wire fence line, bears N. and S.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 0°02' W., on line 12-13, sec. 12.</p> <p>Over nearly level land.</p> <p>The point for AP 13, sec. 12, identical with AP 1, sec. 1, hereinbefore described.</p> <p>From this point, the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., bears S. 89°57' E., 0.45 chs. dist., hereinbefore described.</p>
40.86	<div style="text-align: center;"> <p>In section 1</p> <hr style="width: 20%; margin: auto;"/> </div> <p>N. 0°02' W., on line 1-2, sec. 1, on the metes-and-bounds survey of the Eagletail Mountains Wilderness Area Bdy.</p> <p>Over nearly level land.</p> <p>Point for AP 2, sec. 1.</p> <p>Set an aluminum rod, 22 ins. long, 3/4 in. diam., 16 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T1S R10W</p>  </div> <p>Cor. is located in 4 strand barbed wire fence bears SSE and NNW.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 13°22' W., on line 2-3, sec. 1.</p> <p>Along a 4 strand barbed wire fence, identical with the extents of the westerly right-of-way of the Eagletail Reach Canal, along the W. side of an improved dirt road, 20 ft. wide, parallels fence.</p>

Metes-and-Bounds Survey of the Eagletail Mountains Wilderness Area  
Bdy., T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

CHAINS	
12.94	<p>Point for AP 3, sec. 1, occupied with a galvanized fence post, 2 3/4 ins. diam., firmly set, in concrete, projecting 4 ft. above ground, with 4 strand barbed wire fences extending SSE and WNW.</p> <p>from which</p> <p style="padding-left: 40px;">An aluminum rod, 36 ins. long, 3/4 in. diam., set 27 ins. in the ground, for a reference monument, bears S. 44°58' E., 19.0 ft. dist., with aluminum cap mkd. RM T1S R10W S1 19.0 FT TO AP 3 1999, and an arrow pointing to the cor.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 60°49' W., on line 3-4, sec. 1.</p> <p>Along a 4 strand barbed wire fence, identical with the extents of the westerly right-of-way of the Eagletail Reach Canal, along the W. side of an improved dirt road, 20 ft. wide, parallels fence.</p>
14.04	<p>Point for AP 4, sec. 1, occupied with a galvanized fence post, 2 3/4 ins. diam., firmly set, in concrete, projecting 4 ft. above ground, with 4 strand barbed wire fences extending ESE and NW.</p> <p>from which</p> <p style="padding-left: 40px;">An aluminum rod, 36 ins. long, 3/4 in. diam., set 29 ins. in the ground, for a reference monument, bears N. 57°27' E., 25.1 ft. dist., with aluminum cap mkd. RM T1S R10W S1 25.1 FT TO AP 4 1999, and an arrow pointing to the cor.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 33°45' W., on line 4-5, sec. 1.</p> <p>Along a 4 strand barbed wire fence, identical with the extents of the westerly right-of-way of the Eagletail Reach Canal, along the W. side of an improved dirt road, 20 ft. wide, parallels fence.</p>
24.47	<p>AP 5, sec. 1, identical with AP 1, sec. 36, T. 1 N., R. 10 W., monumented with an aluminum rod, 3/4 in. diam., firmly set, projecting 7 ins. above ground, with aluminum cap mkd. T1N R10W AP1 S36 EMWA AP5 S31 T1S 1998 as described in the field notes of the metes-and-bounds survey, T. 1 N., R. 10 W., executed concurrently under this same group.</p> <p>From this cor. point, the standard cor. of Tps. 1 N., Rs. 9 and 10 W., bears East, 19.39 chs. dist., hereinbefore described.</p> <hr/>

## T. 1 S., R. 10 W, Gila and Salt River Meridian, Arizona

CHAINS

Description of the Eagletail Mountains Wilderness Area Boundary,  
T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona

The following description is for informational purposes only.

Beginning at the 1/4 sec. cor. of sec. 24 only, T. 1 S.,  
R. 11 W., on the W. bdy. of Tp.

thence S. 0°01' E., on the W. bdy. of sec. 19, 5.16 chs. dist.,  
to the 1/4 sec. cor. of sec. 19 only;  
thence S. 89°54' E., on the E. and W. center line of sec. 19,  
78.20 chs. dist., to the 1/4 sec. cor. of secs. 19 and 20;  
thence South, on the line bet. secs. 19 and 20, 17.94 chs. dist.,  
to Angle Point 1, sec. 20;  
thence N. 61°13' E., 14.44 chs. dist., to Angle Point 2, sec. 20;  
thence N. 72°10' E., 5.91 chs. dist., to Angle Point 3, sec. 20;  
thence N. 78°33' E., 10.17 chs. dist., to Angle Point 4, sec. 20;  
thence N. 62°36' E., 7.48 chs. dist., to Angle Point 5, sec. 20;  
thence N. 67°38' E., 6.95 chs. dist., to Angle Point 6, sec. 20;  
thence N. 70°09' E., 7.46 chs. dist., to Angle Point 7, sec. 20;  
thence N. 46°25' E., 5.76 chs. dist., to Angle Point 8, sec. 20;  
thence N. 78°03' E., 4.43 chs. dist., to Angle Point 9, sec. 20;  
thence N. 54°37' E., 5.36 chs. dist., to Angle Point 10, sec.  
20;  
thence N. 64°35' E., 8.82 chs. dist., to Angle Point 11, sec.  
20;  
thence N. 81°17' E., 9.20 chs. dist., to Angle Point 12, sec.  
20;  
thence S. 54°05' E., 2.18 chs. dist., to Angle Point 13, sec.  
20, identical with Angle Point 1, sec. 21, on the line bet.  
secs. 20 and 21.  
thence S. 54°05' E., 3.91 chs. dist., to Angle Point 2, sec. 21;  
thence N. 81°11' E., 5.37 chs. dist., to Angle Point 3, sec. 21;  
thence N. 74°14' E., 9.29 chs. dist., to Angle Point 4, sec. 21;  
thence N. 15°57' W., 4.22 chs. dist., to Angle Point 5, sec. 21;  
thence N. 32°21' E., 10.75 chs. dist., to Angle Point 6, sec. 21;  
thence N. 22°35' E., 5.84 chs. dist., to Angle Point 7, sec. 21;  
thence N. 59°38' E., 2.45 chs. dist., to Angle Point 8, sec. 21;  
thence N. 21°06' E., 3.20 chs. dist., to Angle Point 9, sec. 21;  
thence N. 10°38' E., 2.85 chs. dist., to Angle Point 10, sec.  
21, identical with Angle Point 1, sec. 16, on the line bet.  
secs. 16 and 21.  
thence N. 10°38' E., 3.60 chs. dist., to Angle Point 2, sec. 16;  
thence N. 36°03' E., 5.33 chs. dist., to Angle Point 3, sec. 16;  
thence N. 17°31' E., 6.43 chs. dist., to Angle Point 4, sec. 16;  
thence N. 34°31' E., 7.85 chs. dist., to Angle Point 5, sec. 16;  
thence N. 16°53' E., 6.14 chs. dist., to Angle Point 6, sec. 16,  
on the N. and S. center line of sec. 16;  
thence N. 0°05' W., on the N. and S. center line of sec. 16,  
13.68 chs. dist., to the center 1/4 sec. cor. of sec. 16;

## T. 1 S., R. 10 W, Gila and Salt River Meridian, Arizona

CHAINS	
	thence East, on the E. and W. center line of sec. 16, 20.45 chs. dist., to Angle Point 7, sec. 16;
	thence N. 53°12' E., 8.27 chs. dist., to Angle Point 8, sec. 16;
	thence N. 41°52' E., 3.91 chs. dist., to Angle Point 9, sec. 16;
	thence N. 70°14' E., 4.29 chs. dist., to Angle Point 10, sec. 16;
	thence S. 55°03' E., 6.06 chs. dist., to Angle Point 11, sec. 16;
	thence S. 73°43' E., 1.30 chs. dist., to Angle Point 12, sec. 16, identical with Angle Point 1, sec. 15, on the line bet. secs. 15 and 16;
	thence S. 73°43' E., 3.93 chs. dist., to Angle Point 2, sec. 15;
	thence S. 74°41' E., 3.53 chs. dist., to Angle Point 3, sec. 15;
	thence N. 60°40' E., 1.69 chs. dist., to Angle Point 4, sec. 15;
	thence N. 24°54' E., 3.37 chs. dist., to Angle Point 5, sec. 15;
	thence N. 57°42' E., 4.02 chs. dist., to Angle Point 6, sec. 15;
	thence N. 37°59' E., 8.00 chs. dist., to Angle Point 7, sec. 15;
	thence N. 63°46' E., 4.41 chs. dist., to Angle Point 8, sec. 15;
	thence S. 83°23' E., 5.42 chs. dist., to Angle Point 9, sec. 15;
	thence S. 78°14' E., 5.19 chs. dist., to Angle Point 10, sec. 15;
	thence N. 81°10' E., 4.59 chs. dist., to Angle Point 11, sec. 15;
	thence N. 19°43' W., 24.62 chs. dist., to Angle Point 12, sec. 15, identical with Angle Point 1, sec. 10, on the line bet. secs. 10 and 15;
	thence N. 19°43' W., 5.76 chs. dist., to Angle Point 2, sec. 10;
	thence N. 19°57' W., 15.64 chs. dist., to Angle Point 3, sec. 10;
	thence N. 43°25' W., 8.66 chs. dist., to Angle Point 4, sec. 10;
	thence N. 19°44' E., 34.77 chs. dist., to Angle Point 5, sec. 10;
	thence N. 26°39' W., 23.43 chs. dist., to Angle Point 6, sec. 10, on the line bet. secs. 3 and 10;
	thence S. 89°58' E., on the line bet. secs. 3 and 10, 22.91 chs. dist., to the 1/4 sec. cor. of secs. 3 and 10;
	thence S. 89°57' E., on the line bet. secs. 3 and 10, 40.01 chs. dist., to the cor. of secs. 2, 3, 10 and 11;
	thence N. 0°01' W., on the line bet. secs. 2 and 3, 20.37 chs. dist., to Angle Point 1, sec. 3;
	thence N. 77°51' W., 36.68 chs. dist., to Angle Point 2, sec. 3;
	thence N. 77°56' W., 27.49 chs. dist., to Angle Point 3, sec. 3;
	thence S. 75°47' W., 1.89 chs. dist., to Angle Point 4, sec. 3;
	thence N. 0°17' E., 2.07 chs. dist., to Angle Point 5, sec. 3;
	thence S. 77°38' E., 29.71 chs. dist., to Angle Point 6, sec. 3;
	thence S. 77°12' E., 36.45 chs. dist., to Angle Point 7, sec. 3, identical with Angle Point 1, sec. 2, on the line bet. secs. 2 and 3;
	thence S. 77°12' E., 4.56 chs. dist., to Angle Point 2, sec. 2;
	thence S. 77°29' E., 26.37 chs. dist., to Angle Point 3, sec. 2;
	thence S. 78°26' E., 13.91 chs. dist., to Angle Point 4, sec. 2;
	thence S. 87°28' E., 28.39 chs. dist., to Angle Point 5, sec. 2;
	thence S. 8°32' W., 5.92 chs. dist., to Angle Point 6, sec. 2;

## T. 1 S., R. 10 W, Gila and Salt River Meridian, Arizona

## CHAINS

thence S. 0°31' E., 4.39 chs. dist., to Angle Point 7, sec. 2, identical with Angle Point 1, sec. 11, on the line bet. secs. 2 and 11;

thence S. 0°31' E., 2.53 chs. dist., to Angle Point 2, sec. 11;

thence S. 28°05' E., 4.62 chs. dist., to Angle Point 3, sec. 11;

thence S. 29°43' E., 3.38 chs. dist., to Angle Point 4, sec. 11;

thence S. 1°40' W., 3.57 chs. dist., to Angle Point 5, sec. 11;

thence S. 9°10' E., 3.27 chs. dist., to Angle Point 6, sec. 11;

thence S. 69°03' E., 3.73 chs. dist., to Angle Point 7, sec. 11;

thence N. 63°42' E., 0.96 chs. dist., to Angle Point 8, sec. 11, identical with Angle Point 1, sec. 12, on the line bet. secs. 11 and 12;

thence N. 63°42' E., 6.04 chs. dist., to Angle Point 2, sec. 12;

thence S. 79°42' E., 6.16 chs. dist., to Angle Point 3, sec. 12;

thence N. 87°14' E., 6.98 chs. dist., to Angle Point 4, sec. 12;

thence S. 68°21' E., 24.35 chs. dist., to Angle Point 5, sec. 12;

thence S. 67°23' E., 7.68 chs. dist., to Angle Point 6, sec. 12;

thence N. 70°52' E., 7.16 chs. dist., to Angle Point 7, sec. 12;

thence N. 87°30' E., 8.80 chs. dist., to Angle Point 8, sec. 12;

thence N. 81°39' E., 8.62 chs. dist., to Angle Point 9, sec. 12;

thence N. 86°37' E., 7.82 chs. dist., to Angle Point 10, sec. 12, on the line bet. secs. 7 and 12, on the E. bdy. of Tp.;

thence N. 0°02' E., on the line bet. secs. 7 and 12, 22.25 chs. dist., to Angle Point 11, sec. 12;

thence N. 47°27' W., 0.61 chs. dist., to Angle Point 12, sec. 12;

thence N. 0°02' W., 0.11 chs. dist., to Angle Point 13, sec. 12, identical with Angle Point 1, sec. 1, on the line bet. secs. 1 and 12;

thence N. 0°02' W., 40.86 chs. dist., to Angle Point 2, sec. 1;

thence N. 13°22' W., 12.94 chs. dist., to Angle Point 3, sec. 1;

thence N. 60°49' W., 14.04 chs. dist., to Angle Point 4, sec. 1;

thence N. 33°45' W., 24.47 chs. dist., to Angle Point 5, sec. 1, identical with Angle Point, 1 sec. 36, T. 1 N., R. 10 W., on the N. bdy. of Tp.

### General Description

The Eagletail Mountains Wilderness Area is located about 65 miles west of Phoenix, Arizona, in Maricopa, Yuma and LaPaz counties.

Terrain is nearly level to rolling, rugged and rocky and covered with vegetation of creosote, cacti and grasses. There are scattered ironwood and palo verde trees throughout the area.

Access is by way of Harquahala Valley Road, which connects to Interstate 10 near Tonapah, Arizona. There are numerous trail roads throughout the region.

T. 1 S., R. 10 W, Gila and Salt River Meridian, Arizona

CHAINS

Elevation is about 1600 feet above sea level.

Principle uses of the surrounding area include irrigated farming, ranching, and recreation.

There was mining activity in the past, but no current activity in the area was noted during the course of this survey.

The mean magnetic declination of  $12\ 3/4^\circ$  E., was derived from the United States Geological Survey computer "MAGPOINT", utilizing the Regional Magnetic Field Model for Epoch 1995 for the dates of survey.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY
W. William Foster	Surveying Technician
Robert J. Lyle	Surveying Technician
Cheryl A. Hansen	Surveying Technician
Mark S. Searles	Surveying Technician

CERTIFICATE OF SURVEY

I, Joe R. Salazar, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 15th day of April, 1998, I have dependently resurveyed a portion of the Gila and Salt River Base Line, Township 1 North, Range 9 West, a portion of the east and west boundaries and a portion of the subdivisional lines, subdivided sections 16 and 19 and executed the metes-and-bounds survey of the Eagletail Mountains Wilderness Area Boundary, Township 1 South, Range 10 West, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

5/7/01  
(Date)

Joe R. Salazar  
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
Arizona State Office  
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the Gila and Salt River Base Line, Township 1 North, Range 9 West, a portion of the east and west boundaries and a portion of the subdivisional lines, the subdivision of sections 16 and 19 and the metes-and-bounds survey of the Eagletail Mountains Wilderness Area boundary, Township 1 South, Range 10 West, Gila and Salt River Meridian, Arizona, executed by Joe R. Salazar, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

July 30, 2001  
(Date)

Kenny D. Ravnikar  
(Chief Cadastral Surveyor of Arizona)

CERTIFICATE OF TRANSCRIPT

I CERTIFY that the foregoing transcript of the field notes of the above-described surveys in T. 1 S., R. 10 W., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.

\_\_\_\_\_  
(Date)

\_\_\_\_\_  
(Chief Cadastral Surveyor of Arizona)