

**ORIGINAL**

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

**FIELD NOTES**

**OF THE DEPENDENT RESURVEY OF  
THE EAST AND WEST BOUNDARIES,  
THE SUBDIVISIONAL LINES AND A PORTION OF  
THE BOUNDARY, MANAGEMENT DISTRICT NO. 6,  
HOPI INDIAN RESERVATION,  
  
TOWNSHIP 26 NORTH, RANGE 18 EAST,  
OF THE GILA AND SALT RIVER MERIDIAN,  
IN THE STATE OF ARIZONA.**

**EXECUTED BY**

**Scott A. Burkhardt, Cadastral Surveyor**

Under Special Instructions dated January 20, 2004, approved January 20, 2004, which provided for the surveys included under Group No. 922 and assignment instructions dated January 20, 2004.

**Survey commenced January 27, 2004**

**Survey completed March 4, 2004**

## INDEX DIAGRAM

TOWNSHIP 26 NORTH                  RANGE 18 EAST  
GILA AND SALT RIVER MERIDIAN, ARIZONA

|                       |               |               |               |               |              |
|-----------------------|---------------|---------------|---------------|---------------|--------------|
| 13 <b>6</b> 55<br>54  | 5    43<br>54 | 4    37<br>43 | 3    29<br>36 | 2    21<br>28 | 1    9<br>21 |
| 12 <b>7</b> 53<br>52  | 8    43<br>52 | 9    36<br>42 | 10   28<br>35 | 11   20<br>27 | 12   8<br>19 |
| 12 <b>18</b> 51<br>50 | 17   41<br>50 | 16   34<br>41 | 15   26<br>34 | 14   18<br>26 | 13   7<br>18 |
| 11 <b>19</b> 49<br>48 | 20   40<br>47 | 21   33<br>39 | 22   25<br>32 | 23   17<br>24 | 24   6<br>16 |
| 11 <b>30</b> 46<br>46 | 29   39<br>45 | 28   31<br>38 | 27   23<br>30 | 26   15<br>22 | 25   5<br>15 |
| 10 <b>31</b> 44       | 32   37       | 33   29       | 34   22       | 35   14       | 36   4       |

**T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

## CHAINS

The following field notes describe the dependent resurvey of the east and west boundaries, the subdivisional lines and a portion of the boundary, Management District No. 6, Hopi Indian Reservation, Township 26 North, Range 18 East, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this resurvey is as follows:

Sidney E. Blout surveyed the east and south boundaries in 1908, as well as the subdivision of the township. Blout also resurveyed the north and west boundaries in 1908. Leonard Murphy and Wallace Ott surveyed the boundary, Management District No. 6, Hopi Indian Reservation in 1963-64. Gordon R. Bubel dependently resurveyed the north boundary in 2002 and Joe R. Salazar dependently resurveyed the south boundary in 2003.

During the course of the survey, certain corners which called for stones had been replaced by brass caps (or stones were found where brass caps were called for). It is suspected that some type of remonumentation program was started (but not completed) and was never documented.

A portion of the Boundary, Management District No. 6, Hopi Indian Reservation was retraced, none of the original mile corners were recovered in Jeddito Wash. Seven original reference monuments for mile corners were found in their original positions. The true point positions for these mile corners were perpetuated at record from the reference monuments and these positions were held fixed. A grant boundary adjustment was used to determine the position of angle points, lost mile corners and section line intersections between the perpetuated mile corner positions. No monumentation was done for this retracement.

The survey was executed in accordance with the specifications as set forth in the Manual of Instructions for the Survey of the Public Lands of the United States, 1973 and the Special Instructions dated January 20, 2004, for Group No. 922, Arizona.

The true meridian direction and length of all lines were determined by real time kinematic global positioning system observations using Trimble Navigation 4700 model receivers.

Preliminary to the resurvey, the lines of the prior surveys were retraced and search was made for all corners and other calls of record. Identified corners were remonumented in their original positions. Lost corners were reestablished and remonumented at proportionate positions based on the official record. The retracement data were thoroughly verified and only the true line field notes are given herein.

**T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

CHAINS

Geodetic control was derived from Global Positioning System (GPS) static post observations processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) Fredonia, Ferno Mesa and Flagstaff 1.

The NAD 1983 (CORS 96) Epoch Date 2002.00, geographic position of the corner of Townships 26 North, Ranges 18 and 19 East, is as follows:

Latitude: 35°36'22.34" N.                      Longitude: 110°21'26.30" W.

The mean magnetic declination is 12° E.

---

**Dependent Resurvey of the East Boundary,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

---

Restoring the survey executed by  
Sidney E. Blout, in 1908

---

Beginning at the cor. of Tps. 26 N., Rs. 18 and 19 E., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, flush with collar of stone, 4 ft. diam., with brass cap mkd. T26N R18E R19E S36 S31 T25N R19E 2003.

Cor. is located 51 lks. N. of a fence line, bears E. and W.

N. 0°06' W., bet. secs. 31 and 36, on the E. bdy. of the Tp.

Over flat country, little vegetation.

22.90 Graded road, 25 ft. wide, bears N. 82° E. and S. 79° W.

40.01 The 1/4 sec. cor. of secs. 31 and 36, monumented with a malpais stone, 12 x 8 x 8 ins., firmly set, projecting 3 ins. above ground, mkd. 1/4 on the W. face.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T 26 N  
1/4  
R 18 E | R 19 E  
S 36 | S 31

2004

Dependent Resurvey of the East Boundary,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |        |  |        |        |      |      |      |      |
|--------|---|--------|--|--------|--------|------|------|------|------|
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/> <p>N. 0°05' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>  |        |  |        |        |      |      |      |      |
| 40.03  | <p>The cor. of secs. 25, 30, 31 and 36, monumented with a malpais stone, 16 x 10 x 6 ins., firmly set, projecting 5 ins. above ground, mkd. with 5 notches on N. side and 1 notch on S. side.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <table border="1" data-bbox="797 934 1044 1066" style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="2" style="text-align: center;">T 26 N</td> </tr> <tr> <td style="text-align: center;">R 18 E</td> <td style="text-align: center;">R 19 E</td> </tr> <tr> <td style="text-align: center;">S 25</td> <td style="text-align: center;">S 30</td> </tr> <tr> <td style="text-align: center;">S 36</td> <td style="text-align: center;">S 31</td> </tr> </table> <p style="text-align: center;">2004</p> | T 26 N |  | R 18 E | R 19 E | S 25 | S 30 | S 36 | S 31 |
| T 26 N |   |        |  |        |        |      |      |      |      |
| R 18 E | R 19 E  |        |  |        |        |      |      |      |      |
| S 25   | S 30  |        |  |        |        |      |      |      |      |
| S 36   | S 31  |        |  |        |        |      |      |      |      |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/>   |        |  |        |        |      |      |      |      |
| 1.45   | <p>N. 0°02' E., bet. secs. 25 and 30, on the E. bdy. of the Tp.</p> <p>Over shallow washes, along the W. slope of Little Star Mountain.</p> <p>Center line of graded dirt road, 12 ft. wide, bears N. 79° E. and S. 81° W.</p>  |        |  |        |        |      |      |      |      |
| 40.04  | <p>The 1/4 sec. cor. of secs. 25 and 30 monumented with a malpais stone, 12 x 6 x 5 ins., firmly set, projecting 2 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>   |        |  |        |        |      |      |      |      |

Dependent Resurvey of the East Boundary,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
|        | <p style="text-align: center;">T 26 N<br/>1/4<br/>R 18 E   R 19 E<br/>S 25   S 30</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <p>Raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 0°03' E., beginning new measurement.</p> <p>Over shallow washes, along the W. slope of Little Star Mountain.</p>   |
| 40.01  | <p>The cor. of secs. 19, 24, 25 and 30, monumented with a malpais stone, 14 x 10 x 8 ins., firmly set, projecting 4 ins. above ground, mkd. with 4 notches on N. side and 2 notches on S. side.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>   |
|        | <p style="text-align: center;">T 26 N<br/>R 18 E   R 19 E<br/>S 24   S 19<br/><hr style="width: 10%; margin: auto;"/>S 25   S 30</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <p>Raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 0°01' E., bet. secs. 19 and 24, on the E. bdy. of the Tp.</p> <p>Over shallow washes, along the W. slope of Little Star Mountain.</p> |
| 39.51  | <p>Intersect the Boundary, Management District No. 6, Hopi Indian Reservation.</p> <p>Point not monumented.</p>  |

Dependent Resurvey of the East Boundary,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
| 40.01  | <p>True point for the 1/4 sec. cor. of secs. 19 and 24, falls in Jeddito Wash, impracticable to monument, there is no remaining evidence of the original witness cor.</p> <p>From this point, the point selected for a witness cor. to the 1/4 sec. cor. of secs. 19 and 24, bears N. 45°00' W., 2.50 chs. dist.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>WC<br/>T 26 N<br/>1/4<br/>R 18 E   R 19 E<br/>S 24   S 19<br/>↘<br/>2004</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located 30 lks. N. of top of right bank of Jeddito Wash.</p> |
| 80.02  | <p>The cor. of secs. 13, 18, 19 and 24, monumented with a malpais stone, 12 x 10 x 8 ins., firmly set, projecting 3 ins. above ground, mkd. with 3 grooves on N. side and 3 grooves on S. side.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 26 N<br/>R 18 E   R 19 E<br/>S 13   S 18<br/>S 24   S 19<br/>2004</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post</p> <hr/> <p>North, bet. secs. 13 and 18, on the E. bdy. of the Tp.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.02  | <p>The 1/4 sec. cor. of secs. 13 and 18, monumented with a malpais stone, 12 x 11 x 8 ins., firmly set, projecting 3 ins. above ground, mkd. 1/4 on the W. face.</p>   |

Dependent Resurvey of the East Boundary,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |        |  |        |        |        |        |      |      |
|--------|--|--------|--|--------|--------|--------|--------|------|------|
|        | <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <table border="0" style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T 26 N</td></tr> <tr><td colspan="2" style="text-align: center;">1/4</td></tr> <tr><td style="text-align: center;">R 18 E</td><td style="text-align: center;">  R 19 E</td></tr> <tr><td style="text-align: center;">S 13</td><td style="text-align: center;">  S 18</td></tr> </table> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°03' E., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   | T 26 N |  | 1/4    |        | R 18 E | R 19 E | S 13 | S 18 |
| T 26 N |  |        |  |        |        |        |        |      |      |
| 1/4    |  |        |  |        |        |        |        |      |      |
| R 18 E | R 19 E   |        |  |        |        |        |        |      |      |
| S 13   | S 18   |        |  |        |        |        |        |      |      |
| 40.02  | <p>The cor. of secs. 7, 12, 13 and 18, monumented with a malpais stone, 14 x 12 x 6 ins., firmly set, projecting 7 ins. above ground, mkd. with 4 grooves on S. side and 2 grooves on N. side.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <table border="0" style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T 26 N</td></tr> <tr><td style="text-align: center;">R 18 E</td><td style="text-align: center;">  R 19 E</td></tr> <tr><td style="text-align: center;">S 12</td><td style="text-align: center;">  S 7</td></tr> <tr><td style="text-align: center;">S 13</td><td style="text-align: center;">  S 18</td></tr> </table> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°02' E., bet. secs. 7 and 12, on the E. bdy. of the Tp.</p> <p>Over rolling, sandy terrain.</p> | T 26 N |  | R 18 E | R 19 E | S 12   | S 7    | S 13 | S 18 |
| T 26 N |  |        |  |        |        |        |        |      |      |
| R 18 E | R 19 E   |        |  |        |        |        |        |      |      |
| S 12   | S 7  |        |  |        |        |        |        |      |      |
| S 13   | S 18   |        |  |        |        |        |        |      |      |
| 40.02  | <p>The 1/4 sec. cor. of secs. 7 and 12, monumented with a malpais stone, 16 x 9 x 7 ins., firmly set, projecting 4 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p>  |        |  |        |        |        |        |      |      |

Dependent Resurvey of the East Boundary,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS       |   |
|--------------|---|
|              | <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N<br/>1/4<br/>R 18 E   R 19 E<br/>S 12   S 7</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post</p> <hr style="width: 20%; margin: auto;"/> <p>N. 0°03' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>  |
| <p>40.05</p> | <p>The cor. of secs. 1, 6, 7 and 12, monumented with a malpais stone, 12 x 9 x 9 ins., firmly set, projecting 2 ins. above ground, mkd. with 1 groove on N. side and 5 grooves on S. side.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N<br/>R 18 E   R 19 E<br/>S 1   S 6<br/><hr style="width: 10%; margin: auto;"/>S 12   S 7</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 0°06' W., bet. secs. 1 and 6, on the E. bdy. of the Tp.</p> <p>Over rolling, sandy terrain.</p> |
| <p>40.04</p> | <p>The 1/4 sec. cor. of secs. 1 and 6, monumented with a malpais stone, 13 x 9 x 8 ins., firmly set, projecting 4 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p>  |

**Dependent Resurvey of the East Boundary,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

CHAINS

Set a stainless steel post, 28 ins. long, 2½ ins. diam., 25 ins. in the ground, with brass cap mkd.

T 26 N  
1/4  
R 18 E | R 19 E  
S 1 | S 6

2004

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

Bury the mkd. stone W. of the stainless steel post.

---

N. 0°09' W., beginning new measurement.

Over rolling, sandy terrain.

40.04 The cor. of Tps. 26 and 27 N., Rs. 18 and 19 E., monumented with an iron post, 3 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. T27N R18E R19E S36 S31 S1 S6 T26N 2002.

---

**Dependent Resurvey of the West Boundary,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

---

Restoring the survey executed by  
Sidney E. Blout, in 1908

---

Beginning at the cor. of Tps. 26 N., Rs. 17 and 18 E., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. T26N R17E R18E S36 S31 T25N R18E S6 2003.

N. 0°03' W., bet. secs. 31 and 36, on the W. bdy. of the Tp.

Over rolling, sandy terrain.

40.07 The 1/4 sec. cor. of secs. 31 and 36, monumented with an iron post, 1 in. diam., firmly set, flush with ground, with brass cap mkd. S36 1/4 S31 1908.

Add the marks T26N R17E R18E 2004 to the brass cap.

---

N. 0°01' E., beginning new measurement.

Over rolling, sandy terrain.

**Dependent Resurvey of the West Boundary,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

| CHAINS |  |
|--------|--|
| 40.08  | <p>The cor. of secs. 25, 30, 31 and 36, monumented with a galvanized iron post, 3 ins. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd. T26N R17E R18E S30 S25 S36 S31.</p> <p>Remove the marks S30 S25 and add the marks S25 S30 2004 to the brass cap.</p> <hr/> <p>N. 0°06' E., bet. secs. 25 and 30, on the W. bdy. of the Tp.</p> <p>Over rolling, sandy terrain.</p>      |
| 39.98  | <p>The 1/4 sec. cor. of secs. 25 and 30, monumented with an iron post, 1 in. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. S30 1/4 S25 1908.</p> <p>Remove the marks S30 S25 and add the marks R17E R18E S25 S30 2004 to the brass cap.</p> <hr/> <p>N. 0°04' E., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.07  | <p>The cor. of secs. 19, 24, 25 and 30, monumented with an iron post, 3 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. T26N R17E R18E S19 S24 S30 S25.</p> <p>Remove the marks S19 S24 S30 S25 and add the marks S24 S19 S25 S30 2004 to the brass cap.</p> <hr/> <p>N. 0°01' E., bet. secs. 19 and 24, on the W. bdy. of the Tp.</p> <p>Over rolling, sandy terrain.</p> |
| 40.05  | <p>The 1/4 sec. cor. of secs. 19 and 24, monumented with an iron post, 1 in. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. S19 1/4 S24 1908.</p> <p>Remove the marks S19 S24 and add the marks R17E R18E S24 S19 2004 to the brass cap.</p> <hr/> <p>N. 0°02' E., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.08  | <p>The cor. of secs. 13, 18, 19 and 24, monumented with an iron post, 3 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. T26N R17E R18E S13 S18 S24 S19.</p>  |

Dependent Resurvey of the West Boundary,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
|        | <p>Add the marks 2004 to the brass cap.</p> <hr/>   |
|        | <p>N. 0°02' E., bet. secs. 13 and 18, on the W. bdy. of the Tp.</p>   |
|        | <p>Over rolling, sandy terrain.</p>   |
| 40.05  | <p>The 1/4 sec. cor. of secs. 13 and 18, monumented with an iron post, 1 in. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. S13 1/4 S18 1908.</p>             |
|        | <p>Add the marks 2004 to the brass cap.</p> <hr/>   |
|        | <p>N. 0°03' E., beginning new measurement.</p>  |
|        | <p>Over rolling, sandy terrain.</p>   |
| 40.05  | <p>The cor. of secs. 7, 12, 13 and 18, monumented with an iron post, 3 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. T26N R17E R18E S12 S7 S13 S18.</p> |
|        | <p>Add the marks 2004 to the brass cap.</p> <hr/>   |
|        | <p>N. 0°01' E., bet. secs. 7 and 12, on the W. bdy. of the Tp.</p>  |
|        | <p>Over rolling, sandy terrain.</p>   |
| 40.04  | <p>Point for the 1/4 sec. cor. of secs. 7 and 12, at proportionate dist., there is no remaining evidence of the orig. cor.</p>  |
|        | <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>   |
|        | <p style="text-align: center;">T 26 N<br/>1/4<br/>R 17 E   R 18 E<br/>S 12   S 7<br/><br/>2004</p>  |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>  |
|        | <p>Cor. located near shallow wash, in rolling hills.</p>  |
| 80.08  | <p>The cor. of secs. 1, 6, 7 and 12, monumented with an iron post, 3 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. T26N R17E R18E S1 S6 S12 S7.</p>     |
|        | <p>Add the marks 2004 to the brass cap.</p> <hr/>   |

**Dependent Resurvey of the West Boundary,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

|        |  |
|--------|--|
| CHAINS | <p>N. 0°04' E., bet. secs. 1 and 6, on the W. bdy. of the Tp.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.06  | <p>The 1/4 sec. cor. of secs. 1 and 6, monumented with a malpais stone, 15 x 10 x 8 ins., firmly set, projecting 4 ins. above ground, mkd. 1/4 on the W. face. (Record: 1 in. diam. iron post, projecting 10 ins. above ground, mkd. 1/4 S1 S6.)</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 26 N<br/>1/4<br/>R 17 E   R 18 E<br/>S 1   S 6</p> </div> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/>  |
| 40.87  | <p>N. 0°01' E., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> <p>The cor. of Tps. 26 and 27 N., Rs. 17 and 18 E., monumented with an iron post, 3 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. T27N R17E R18E S36 S6 S1 S31 R17E R18E 2000 2002.</p> <p>Remove the marks S6 and S31 and add the marks S31 S6 T26N.</p> <hr style="width: 80%; margin: 10px auto;"/> <div style="text-align: center; margin: 10px auto;"> <p><b>Dependent Resurvey of the Subdivisional Lines,<br/>T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona</b></p> </div> <hr style="width: 80%; margin: 10px auto;"/> <div style="text-align: center; margin: 10px auto;"> <p>Restoring the survey executed by<br/>Sidney E. Blout, in 1908</p> </div> <hr style="width: 20%; margin: 10px auto;"/> <p>From the cor. of secs. 35 and 36 only, on the S. bdy of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. T26N R18E S35 S36 T25N R18E S1 2003.</p> <p>Raise a mound of stone, 4 ft. base, 2 ft. high, W. of cor.</p> |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
|        | <p>Cor. located on E. slope of small hill, on bench 30 ft. above valley floor.</p> <p>North, bet. secs. 35 and 36.</p> <p>Over slightly rolling, sandy terrain, east of Finger Point Rock.</p> <p>40.00 The 1/4 sec. cor. of secs. 35 and 36, monumented with a malpais stone, 12 x 8 x 7 ins., buried 8 ins. below ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with collar of stone, 2 ft. diam., 6 ins. high, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 35   S 36</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>North, beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> |
| 40.04  | <p>The cor. of secs. 25, 26, 35 and 36, monumented with a malpais stone, 16 x 10 x 8 ins., firmly set, projecting 5 ins. above ground, mkd. with 1 notch on E. side and 1 notch on S. side.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 26   S 25<br/>S 35   S 36</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone N. of the stainless steel post</p> <hr style="width: 20%; margin: 10px auto;"/>   |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
|        | <p>From the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., hereinbefore described.</p> <p>S. 89°50' W., bet. secs. 25 and 36.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.02  | <p>The 1/4 sec. cor. of secs. 25 and 36, monumented with a malpais stone, 15 x 12 x 5 ins., firmly set, projecting 7 ins. above ground, mkd. 1/4 on the N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 26 N R 18 E</p> <p>S 25</p> <p>1/4 ———</p> <p>S 36</p> <p>2004</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone N. of the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 89°49' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> |
| 39.87  | <p>The cor. of secs. 25, 26, 35 and 36.</p> <hr style="width: 80%; margin: 10px auto;"/> <p>N. 0°02' E., bet. secs. 25 and 26.</p> <p>Over rolling, sandy terrain.</p>  |
| 23.73  | <p>Intersect the Boundary, Management District No. 6, Hopi Indian Reservation.</p> <p>Point not monumented.</p>   |
| 40.01  | <p>The 1/4 sec. cor. of secs. 25 and 26, monumented with a malpais stone, 10 x 10 x 7 ins., firmly set, projecting 4 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>   |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
|        | <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 26   S 25</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/> <p>N. 0°01' E., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.02  | <p>The cor. of secs. 23, 24, 25 and 26, monumented with a malpais stone, 20 x 9 x 7 ins., firmly set, projecting 5 ins. above ground, mkd. with 2 grooves on S. face and 1 notch on E. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 23   S 24<br/>S 26   S 25</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp., hereinbefore described.</p> <p>S. 89°59' W., bet. secs. 24 and 25.</p> <p>Over rolling, sandy terrain.</p> |
| 37.11  | <p>Intersect the Boundary, Management District No. 6, Hopi Indian Reservation.</p> <p>Point not monumented.</p>   |
| 39.95  | <p>Point for the 1/4 sec. cor. of secs. 24 and 25, at proportionate dist., there is no remaining evidence of the orig. cor.</p>   |

**Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

| CHAINS |  |
|--------|--|
|        | <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>  |
|        | <p style="text-align: center;">T 26 N R 18 E<br/>S 24<br/>1/4 ———<br/>S 25</p>   |
|        | <p style="text-align: center;">2004</p>  |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>   |
| 79.90  | <p>The cor. of secs. 23, 24, 25 and 26.</p> <hr/>  |
|        | <p>N. 0°01' E., bet. secs. 23 and 24.</p>  |
|        | <p>Over rolling, sandy terrain.</p>  |
| 40.01  | <p>The 1/4 sec. cor. of secs. 23 and 24, monumented with a malpais stone, 11 x 8 x 6 ins., firmly set, projecting 5 ins. above ground, mkd. 1/4 on the W. face.</p>                                |
|        | <p>At the corner point</p>   |
|        | <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>  |
|        | <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 23   S 24</p>   |
|        | <p style="text-align: center;">2004</p>  |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>   |
|        | <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/>   |
|        | <p>North, beginning new measurement.</p>   |
|        | <p>Over rolling, sandy terrain.</p>  |
| 40.01  | <p>The cor. of secs. 13, 14, 23 and 24, monumented with a malpais stone, 16 x 14 x 7 ins., firmly set, projecting 6 ins. above ground, mkd. with 3 grooves on S. face and 1 groove on E. face.</p> |
|        | <p>At the corner point</p>   |
|        | <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>  |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
|        | <p style="text-align: center;">T 26 N R 18 E<br/>S 14   S 13<br/>S 23   S 24</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/>                         |
|        | <p>From the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp., hereinbefore described.</p> <p>West, bet. secs. 13 and 24.</p> <p>Over rolling, sandy terrain.</p>   |
| 39.96  | <p>The 1/4 sec. cor. of secs. 13 and 24, monumented with a malpais stone, firmly set, 12 x 9 x 8 ins., projecting 2 ins. above ground, mkd. 1/4 on the N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> |
|        | <p style="text-align: center;">T 26 N R 18 E<br/>S 13<br/>1/4 ———<br/>S 24</p> <p style="text-align: center;">2004</p>   |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone N. of the stainless steel post.</p> <hr/> <p>S. 89°58' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>  |
| 39.94  | <p>The cor. of secs. 13, 14, 23 and 24.</p> <hr/> <p>N. 0°02' W., bet. secs. 13 and 14.</p> <p>Over rolling, sandy terrain.</p>  |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

|               |   |
|---------------|---|
| <p>CHAINS</p> | <p>40.01 The 1/4 sec. cor. of secs. 13 and 14, monumented with a malpais stone, 16 x 9 x 5 ins., firmly set, projecting 6 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 14   S 13</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°02' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> <p>40.01 The cor. of secs. 11, 12, 13 and 14, monumented with a malpais stone, 13 x 10 x 7 ins., firmly set, projecting 4 ins. above ground, mkd. with 4 grooves on S. face and 1 groove on E. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 11   S 12<br/>S 14   S 13</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>From the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of the Tp., hereinbefore described.</p> <p>S. 89°58' W., bet. secs. 12 and 13.</p> <p>Over rolling, sandy terrain.</p> |
|---------------|---|

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
| 39.96  | <p>The 1/4 sec. cor. of secs. 12 and 13, monumented with a malpais stone, 17 x 7 x 5 ins., firmly set, projecting 2 ins. above ground, mkd. 1/4 on the N. face.</p>   |
|        | <p>At the corner point</p>  |
|        | <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>   |
|        | <p style="text-align: center;">T 26 N R 18 E<br/>S 12<br/>1/4 ———<br/>S 13</p>  |
|        | <p style="text-align: center;">2004</p>   |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>  |
|        | <p>Bury the mkd. stone N. of the stainless steel post.</p> <hr style="width: 30%; margin: 10px auto;"/>   |
|        | <p>S. 89°59' W., beginning new measurement.</p>   |
|        | <p>Over rolling, sandy terrain.</p>   |
| 40.00  | <p>The cor. of secs. 11, 12, 13 and 14.</p> <hr style="width: 80%; margin: 10px auto;"/>  |
|        | <p>North, bet. secs. 11 and 12.</p>   |
|        | <p>Over rolling, sandy terrain.</p>   |
| 40.02  | <p>The 1/4 sec. cor. of secs. 11 and 12, monumented with an iron post, 1 in. diam., firmly set, projecting 1 in. above ground, with brass cap mkd. S11 1/4 S12 1908 (Record: malpais stone, 12 x 10 x 7 ins., projecting 4 ins. above ground, mkd. 1/4 on the W. face).</p>                         |
|        | <p>Add the marks T26N R18E 2004 to brass cap.</p> <hr style="width: 30%; margin: 10px auto;"/>  |
|        | <p>North, beginning new measurement.</p>  |
|        | <p>Over rolling, sandy terrain.</p>   |
| 40.00  | <p>The cor. of secs. 1, 2, 11 and 12, monumented with an iron post, 2 ins. diam., firmly set flush with ground, with brass cap mkd. T26N R18E S2 S1 S11 S12 1908. (Record: malpais stone, 14 x 9 x 6 ins., projecting 4 ins. above ground, mkd. with 5 notches on S. face, 1 notch on E. face.)</p> |

**Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

| CHAINS |  |
|--------|--|
|        | <p>Add the marks 2004 to the brass cap.</p> <hr/> <p>From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., hereinbefore described.</p> <p>S. 89°56' W., bet. secs. 1 and 12</p> <p>Over rolling, sandy terrain.</p>  |
| 39.98  | <p>The 1/4 sec. cor. of secs. 1 and 12, monumented with an iron post, 1 in. diam., firmly set, projecting 2 in. above ground, with brass cap mkd. S1 1/4 S12 1908 (Record: malpais stone, 12 x 10 x 4 ins., projecting 4 ins. above ground, mkd. 1/4 on the N. face).</p> <p>Add the marks T26N R18E 2004 to the brass cap.</p> <hr/> <p>S. 89°57' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>  |
| 39.96  | <p>The cor. of secs. 1, 2, 11 and 12.</p> <hr/> <p>N. 0°10' W., bet. secs. 1 and 2.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.00  | <p>The 1/4 sec. cor. of secs. 1 and 2, monumented with an iron post, 1 in. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. S2 1/4 S1 1908. (Record: malpais stone, 14 x 10 x 5 ins., projecting 4 ins. above ground, mkd. 1/4 on the N. face.)</p> <p>Add the marks T26N R18E 2004 to the brass cap.</p> <hr/> <p>N. 0°14' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.37  | <p>The cor. of secs. 1, 2, 35 and 36, on the N. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. S35 S36 T27N R18E S2 S1 T26N 2002.</p> <hr/> <p>From the cor. of secs. 34 and 35 only, on the S. bdy of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above ground, with brass cap mkd. T26N R18E S34 S35 T25N R18E S2 2003.</p> |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
|        | <p>N. 0°05' E., bet. secs. 34 and 35.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.02  | <p>Point for the 1/4 sec. cor. of secs. 34 and 35, at proportionate dist., there is no remaining evidence of the orig. cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 34   S 35</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. located W., 1.89 chs. dist., from 5 strand barbed wire fence, bears N. and S.</p>                      |
| 60.93  | <p>Intersect the Boundary of Management District No. 6, Hopi Indian Reservation.</p> <p>Point not monumented.</p>  |
| 80.04  | <p>Point for the cor. of secs. 26, 27, 34 and 35, at proportionate dist., there is no remaining evidence of the orig. cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 27   S 26<br/>S 34   S 35</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. located S., 3.53 chs. dist., from 5 strand barbed wire fence, bears N. 86° W. and S. 86° E.</p> |
|        | <hr/> <p>From the cor. of secs. 25, 26, 35 and 36.</p> <p>West, bet. secs. 26 and 35.</p> <p>Over rolling, sandy terrain.</p>  |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
| 20.44  | <p>Intersect the Boundary, Management District No. 6, Hopi Indian Reservation.</p> <p>Point not monumented.</p>   |
| 39.95  | <p>Point for the 1/4 sec. cor. of secs. 26 and 35, at proportionate dist., there is no remaining evidence of the orig. cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 26<br/>1/4 ———<br/>S 35</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>   |
| 79.90  | <p>The cor. of secs. 26, 27, 34 and 35.</p> <hr/> <p>N. 0°02' E., bet. secs. 26 and 27.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.02  | <p>The 1/4 sec. cor. of secs. 26 and 27, monumented with a malpais stone, 12 x 10 x 5 ins., firmly set, projecting 4 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 27   S 26</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone N. of the stainless steel post.</p> <hr/> <p>N. 0°01' E., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |        |        |      |      |      |      |  |      |
|--------|---|--------|--------|------|------|------|------|--|------|
| 40.02  | <p>The cor. of secs. 22, 23, 26 and 27, monumented with a malpais stone, 14 x 10 x 7 ins., firmly set, projecting 5 ins. above ground, mkd. with 2 grooves on S. face and 2 grooves on E. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <table border="1" data-bbox="812 630 1039 735"> <tr> <td>T 26 N</td> <td>R 18 E</td> </tr> <tr> <td>S 22</td> <td>S 23</td> </tr> <tr> <td>S 27</td> <td>S 26</td> </tr> </table> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/>  | T 26 N | R 18 E | S 22 | S 23 | S 27 | S 26 |  |      |
| T 26 N | R 18 E  |        |        |      |      |      |      |  |      |
| S 22   | S 23  |        |        |      |      |      |      |  |      |
| S 27   | S 26  |        |        |      |      |      |      |  |      |
| 39.93  | <p>From the cor. of secs. 23, 24, 25 and 26.</p> <p>S. 89°59' W., bet. secs. 23 and 26.</p> <p>Over rolling, sandy terrain.</p> <p>The 1/4 sec. cor. of secs. 23 and 26, monumented with a malpais stone, 13 x 6 x 5 ins., firmly set, projecting 4 ins. above ground, mkd. 1/4 on the N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <table border="1" data-bbox="812 1438 1039 1564"> <tr> <td>T 26 N</td> <td>R 18 E</td> </tr> <tr> <td></td> <td>S 23</td> </tr> <tr> <td>1/4</td> <td>—</td> </tr> <tr> <td></td> <td>S 26</td> </tr> </table> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone N. of the stainless steel post.</p> <hr/> <p>N. 89°58' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> | T 26 N | R 18 E |      | S 23 | 1/4  | —    |  | S 26 |
| T 26 N | R 18 E  |        |        |      |      |      |      |  |      |
|        | S 23  |        |        |      |      |      |      |  |      |
| 1/4    | —   |        |        |      |      |      |      |  |      |
|        | S 26  |        |        |      |      |      |      |  |      |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
| 39.95  | <p>The cor. of secs. 22, 23, 26 and 27.</p> <hr/> <p>N. 0°03' W., bet. secs. 22 and 23.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.03  | <p>The 1/4 sec. cor. of secs. 22 and 23, monumented with a malpais stone, 18 x 12 x 7 ins., firmly set, projecting 5 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 22   S 23</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/>   |
| 40.02  | <p>N. 0°04' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> <p>The cor. of secs. 14, 15, 22 and 23, monumented with a malpais stone, 14 x 10 x 7 ins., firmly set, projecting 5 ins. above ground, mkd. with 3 grooves on S. face and 2 grooves on E. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 15   S 14<br/>S 22   S 23</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
|        | <p>Cor. located in shallow basin area.</p> <hr/> <p>From the cor. of secs. 13, 14, 23 and 24.</p> <p>N. 89°56' W., bet. secs. 14 and 23.</p> <p>Over rolling, sandy terrain.</p> <p>39.99 The 1/4 sec. cor. of secs. 14 and 23, monumented with a malpais stone, 11 x 8 x 7 ins., firmly set, flush with ground, mkd. 1/4 on the N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 14<br/>1/4 ———<br/>S 23</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone N. of the stainless steel post.</p> <hr/> <p>West, beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> |
| 39.97  | <p>The cor. of secs. 14, 15, 22 and 23.</p> <hr/> <p>N. 0°01' W., bet. secs. 14 and 15.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.01  | <p>The 1/4 sec. cor. of secs. 14 and 15, monumented with a malpais stone, 16 x 10 x 5 ins., firmly set, projecting 4 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>   |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS       |  |
|--------------|--|
|              | <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 15   S 14</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>North, beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   |
| <p>40.04</p> | <p>The cor. of secs. 10, 11, 14 and 15, monumented with a malpais stone, 13 x 7 x 6 ins., firmly set, projecting 9 ins. above ground, mkd. with 4 grooves on S. face and 2 grooves on E. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 10   S 11<br/>S 15   S 14</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post</p> <p>Raise a mound of stone, 2 ft. base, 2 ft. high, W. of cor.</p> <hr style="width: 20%; margin: 10px auto;"/> |
| <p>39.98</p> | <p>From the cor. of secs. 11, 12, 13 and 14.</p> <p>West, bet. secs. 11 and 14.</p> <p>Over rolling, sandy terrain.</p> <p>The 1/4 sec. cor. of secs. 11 and 14, monumented with a malpais stone, 14 x 12 x 6 ins., firmly set, projecting 4 ins. above ground, mkd. 1/4 on the N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>  |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
|        | <p style="text-align: center;">T 26 N R 18 E<br/>S 11<br/>1/4 ———<br/>S 14<br/><br/>2004</p>  |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/> <p>N. 89°53' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   |
| 39.93  | <p>The cor. of secs. 10, 11, 14 and 15.</p> <hr/> <p>N. 0°01' E., bet. secs. 10 and 11.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.01  | <p>The 1/4 sec. cor. of secs. 10 and 11, monumented with an iron post, 1 in. diam., buried 4 ins. below ground, with brass cap mkd. S10 1/4 S11 1908. (Record: malpais stone, 14 x 9 x 5 ins., projecting 5 ins. above ground, mkd. 1/4 on the W. face.)</p> <p>Add the marks T26N R18E 2004 to the brass cap.</p> <hr/> <p>North, beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.04  | <p>The cor. of secs. 2, 3, 10 and 11, monumented with an iron post, 2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. T26N R18E S3 S2 S10 S11 1908. (Record: malpais stone, 12 x 10 x 7 ins., set 8 ins. in ground, mkd. 2 notches on E. face and 5 notches on S. face.)</p> <p>Add the marks 2004 to the brass cap.</p> <hr/> <p>From the cor. of secs. 1, 2, 11 and 12.</p> <p>N. 89°56' W., bet. secs. 2 and 11.</p> <p>Over rolling, sandy terrain.</p> |

**Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

| CHAINS |  |
|--------|--|
| 39.95  | <p>The 1/4 sec. cor. of secs. 2 and 11, monumented with an iron post, 1 in. diam., flush with ground, with brass cap mkd. S2 1/4 S11 1908. (Record: malpais stone, 13 x 7 x 5 ins., projecting 4 ins. above ground, mkd. 1/4 on the N. face.)</p> <p>Add the marks T26N R18E 2004 to the brass cap.</p> <hr/> <p>N. 89°55' W., beginning new measurement</p> <p>Over rolling, sandy terrain.</p>   |
| 39.94  | <p>The cor. of secs. 2, 3, 10 and 11.</p> <hr/> <p>N. 0°18' W., bet. secs. 2 and 3.</p> <p>Over rolling, sandy terrain.</p>  |
| 4.74   | <p>Graded dirt road, 15 ft. wide, bears N. 31° E. and S. 31° W.</p>  |
| 40.01  | <p>The 1/4 sec. cor. of secs. 2 and 3, monumented with an iron post, 1 in. diam., projecting 3 ins. above ground, with brass cap mkd. S3 1/4 S2 1908. (Record: malpais stone, 14 x 6 x 5 ins., projecting 4 ins. above ground, mkd. 1/4 on the W. face.)</p> <p>Add the marks T26N R18E 2004 to the brass cap.</p> <hr/> <p>N. 0°20' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.39  | <p>The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. S34 S35 T27N R18E S3 S2 T26N 2002.</p> <hr/> <p>From the cor. of secs. 33 and 34 only, on the S. bdy of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above ground, with brass cap mkd. T26N R18E S33 S34 T25N R18E S3 2003.</p> <p>North, bet. secs. 33 and 34.</p> <p>Over rolling, sandy terrain.</p> |
| 37.09  | <p>Intersect the Boundary, Management District No. 6, Hopi Indian Reservation.</p> <p>Point not monumented.</p>  |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
| 40.03  | <p>Point for the 1/4 sec. cor. of secs. 33 and 34, at proportionate dist., there is no remaining evidence of the orig. cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 33   S 34</p> <p style="text-align: center;">2004</p>  |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. located N., 80 lks. dist., from right bank of Jeddito Wash.</p>  |
| 80.06  | <p>The cor. of secs. 27, 28, 33 and 34 monumented with a malpais stone, 16 x 13 x 7 ins., firmly set, projecting 5 ins. above ground, mkd. with 1 groove on S. face and 3 grooves on E. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 28   S 27<br/>S 33   S 34</p> <p style="text-align: center;">2004</p> |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p>   |
|        | <hr/> <p>From the cor. of secs. 26, 27, 34 and 35.</p> <p>N. 89°58' W., bet. secs. 27 and 34.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.08  | <p>The 1/4 sec. cor. of secs. 27 and 34, monumented with a malpais stone, 14 x 9 x 6 ins., buried 18 ins. below ground, mkd. 1/4 on the N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>   |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
|        | <p style="text-align: center;">T 26 N R 18 E<br/>S 27<br/>1/4 ———<br/>S 34</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone N. of the stainless steel post.</p> <p>Cor. located S., 3.9 chs. dist., from 5 strand barbed wire fence, bears E. and W.</p> <hr/> <p>N. 89°58' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.08  | <p>The cor. of secs. 27, 28, 33 and 34.</p> <hr/> <p>N. 0°02' W., bet. secs. 27 and 28.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.02  | <p>The 1/4 sec. cor. of secs. 27 and 28, monumented with a malpais stone, 18 x 10 x 7 ins., projecting 8 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 28   S 27</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/> <p>N. 0°06' E., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |        |        |      |      |      |       |  |      |
|--------|--|--------|--------|------|------|------|-------|--|------|
| 40.02  | <p>The cor. of secs. 21, 22, 27 and 28 monumented with a malpais stone, 12 x 8 x 7 ins., firmly set, projecting 4 ins. above ground, mkd. with 2 grooves on S. face and 3 grooves on E. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <table border="1" data-bbox="816 636 1044 735"> <tr> <td>T 26 N</td> <td>R 18 E</td> </tr> <tr> <td>S 21</td> <td>S 22</td> </tr> <tr> <td>S 28</td> <td>S 27</td> </tr> </table> <p>2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p>   | T 26 N | R 18 E | S 21 | S 22 | S 28 | S 27  |  |      |
| T 26 N | R 18 E   |        |        |      |      |      |       |  |      |
| S 21   | S 22   |        |        |      |      |      |       |  |      |
| S 28   | S 27   |        |        |      |      |      |       |  |      |
|        | <hr/> <p>From the cor. of secs. 22, 23, 26 and 27.</p> <p>N. 89°45' W., bet. secs. 22 and 27.</p> <p>Over rolling, sandy terrain.</p>  |        |        |      |      |      |       |  |      |
| 40.07  | <p>The 1/4 sec. cor. of secs. 22 and 27, monumented with a malpais stone, 16 x 9 x 8 ins., projecting 8 ins. above ground, mkd. 1/4 on the N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <table border="1" data-bbox="816 1455 1044 1564"> <tr> <td>T 26 N</td> <td>R 18 E</td> </tr> <tr> <td></td> <td>S 22</td> </tr> <tr> <td>1/4</td> <td>_____</td> </tr> <tr> <td></td> <td>S 27</td> </tr> </table> <p>2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone N. of the stainless steel post.</p> <p>Cor. located in shallow catch basin in rolling hills.</p> <hr/> <p>S. 89°49' W., beginning new measurement.</p> | T 26 N | R 18 E |      | S 22 | 1/4  | _____ |  | S 27 |
| T 26 N | R 18 E   |        |        |      |      |      |       |  |      |
|        | S 22   |        |        |      |      |      |       |  |      |
| 1/4    | _____  |        |        |      |      |      |       |  |      |
|        | S 27   |        |        |      |      |      |       |  |      |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

|        |   |
|--------|---|
| CHAINS | <p>Over rolling, sandy terrain.</p>   |
| 40.09  | <p>The cor. of secs. 21, 22, 27 and 28.</p> <hr/> <p>N. 0°07' W., bet. secs. 21 and 22.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.03  | <p>The 1/4 sec. cor. of secs. 21 and 22, monumented with a malpais stone, 14 x 8 x 7 ins., buried 3 ins. below ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 26 N R 18 E<br/>1/4<br/>S 21   S 22</p> <p>2004</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <p>Cor. located on gentle, E. facing slope of rolling hills.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°07' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> |
| 40.04  | <p>The cor. of secs. 15, 16, 21 and 22, monumented with a malpais stone, 15 x 9 x 7 ins., firmly set, projecting 5 ins. above ground, mkd. T26N on NE face, R18E on SE face, 3 grooves on S. face and 3 grooves on E. face, with a mound of stone, 2 ft. base, 2 ft. high, W. of cor.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 26 N R 18 E<br/>S 16   S 15<br/>S 21   S 22</p> <p>2004</p> </div>  |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

|        |  |
|--------|--|
| CHAINS | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 14, 15, 22 and 23.</p> <p>N. 89°53' W., bet. secs. 15 and 22.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.11  | <p>The 1/4 sec. cor. of secs. 15 and 22, monumented with a malpais stone, 13 x 11 x 6 ins., projecting 4 ins. above ground, mkd. 1/4 on the N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 26 N R 18 E</p> <p>S 15</p> <p>1/4 ———</p> <p>S 22</p> <p>2004</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone N. of the stainless steel post.</p> <hr/> <p>S. 89°58' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> |
| 40.11  | <p>The cor of secs. 15, 16, 21 and 22.</p> <hr/> <p>N. 0°03' E., bet. secs. 15 and 16.</p> <p>Over rolling, sandy terrain.</p>   |
| 2.45   | <p>5 strand barbed wire fence, bears N. 50° E. and S. 50° W.</p>   |
| 40.02  | <p>The 1/4 sec. cor. of secs. 15 and 16, monumented with a malpais stone, 18 x 7 x 6 ins., firmly set, projecting 3 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p>   |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
|        | <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 16   S 15</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>N. 0°02' E., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>             |
| 40.02  | <p>The cor. of secs. 9, 10, 15 and 16, monumented with an iron post, 2 ins. diam., firmly set flush with ground, with brass cap mkd. T26N R18E S9 S10 S16 S15 1908. (Record: malpais stone, 14 x 7 x 4 ins., projecting 4 ins. above ground, mkd. with 4 notches on S. face, 3 notches on E. face.)</p> <p>Add the marks 2004 to the brass cap.</p> <hr style="width: 60%; margin: 10px auto;"/> <p>From the cor. of secs. 10, 11, 14 and 15.</p> <p>N. 89°58' W., bet. secs. 10 and 15.</p> <p>Over rolling, sandy terrain.</p> |
| 40.20  | <p>The 1/4 sec. cor. of secs. 10 and 15, monumented with a malpais stone, 12 x 6 x 6 ins., firmly set, flush with ground, mkd. 1/4 on the N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 10<br/>1/4 ———<br/>S 15</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>                |

**Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

| CHAINS |   |
|--------|---|
|        | <p>Bury the mkd. stone N. of the stainless steel post.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 89°58' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>  |
| 39.95  | <p>The cor. of secs. 9, 10, 15 and 16.</p> <hr style="width: 80%; margin: auto;"/> <p>N. 0°02' W., bet. secs. 9 and 10.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.02  | <p>The 1/4 sec. cor. of secs. 9 and 10, monumented with an iron post, 1 in. diam., firmly set, flush with ground, with brass cap mkd. S9 1/4 S10 1908.</p> <p>Add the marks T26N R18E 2004 to brass cap.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 0°03' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.03  | <p>The cor. of secs. 3, 4, 9 and 10, monumented with an iron post, 2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. T26N R18E S4 S3 S9 S10 1908.</p> <p>Add the marks 2004 to the brass cap.</p> <hr style="width: 80%; margin: auto;"/> <p>From the cor. of secs. 2, 3, 10 and 11.</p> <p>N. 89°58' W., bet. secs. 3 and 10.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.11  | <p>The 1/4 sec. cor. of secs. 3 and 10, monumented with an iron post, 1 in. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. S3 1/4 S10 1908. (Record: malpais stone, 12 x 10 x 7 ins., projecting 4 ins. above ground, mkd. 1/4 on the N. face.)</p> <p>Add the marks T26N R18E 2004 to the brass cap.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 89°59' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> |
| 40.09  | <p>The cor. of secs. 3, 4, 9 and 10.</p> <hr style="width: 80%; margin: auto;"/>  |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
|        | <p>N. 0°13' E, bet. secs. 3 and 4.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.01  | <p>The 1/4 sec. cor. of secs. 3 and 4, monumented with an iron post, 1 in. diam., firmly set, projecting 1 in. above ground, with brass cap mkd. S4 1/4 S3 1908.</p> <p>Add the marks T26N R18E 2004 to brass cap.</p> <hr/>  |
| 40.52  | <p>N. 0°36' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> <p>The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. S33 S34 T27N R18E S4 S3 T26N 2002.</p> <hr/>  |
| 39.94  | <p>From the cor. of secs. 32 and 33 only, on the S. bdy of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., flush with ground, with brass cap mkd. T26N R18E S32 S33 T25N R18E S4 2003.</p> <p>North, bet. secs. 32 and 33.</p> <p>Over the east flank of unnamed butte, across ground covered with malpais stones.</p>   |
|        | <p>The 1/4 sec. cor. of secs. 32 and 33, monumented with a malpais stone, 16 x 10 x 8 ins., firmly set, flush with ground, mkd. 1/4 on the W. face, with a scattered mound of stone to the W.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, in a collar of stone, 3 ft. diam., with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 32   S 33<br/>2004</p> |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p>   |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |        |        |      |      |      |      |      |  |
|--------|--|--------|--------|------|------|------|------|------|--|
|        | <p>Cor. located on northeast facing slope of small hill.</p> <hr/> <p>N. 0°06' E., beginning new measurement.</p> <p>Continue down the northeast slope of unnamed butte.</p>   |        |        |      |      |      |      |      |  |
| 39.99  | <p>The cor. of secs. 28, 29, 32 and 33 monumented with a malpais stone, 13 x 9 x 5 ins., firmly set, projecting 2 ins. above ground, mkd. with 1 groove on S. face, 4 grooves on E. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, in a collar of stone, 3 ft. diam., with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td>T 26 N</td> <td>R 18 E</td> </tr> <tr> <td>S 29</td> <td>S 28</td> </tr> <tr> <td>S 32</td> <td>S 33</td> </tr> </table> <p>2004</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post</p> <hr/> | T 26 N | R 18 E | S 29 | S 28 | S 32 | S 33 |      |  |
| T 26 N | R 18 E   |        |        |      |      |      |      |      |  |
| S 29   | S 28   |        |        |      |      |      |      |      |  |
| S 32   | S 33   |        |        |      |      |      |      |      |  |
|        | <p>From the cor. of secs. 27, 28, 33 and 34.</p> <p>S. 89°57' W, bet. secs. 28 and 33.</p> <p>Over rolling, sandy terrain.</p>   |        |        |      |      |      |      |      |  |
| 40.00  | <p>Point for the 1/4 sec. cor. of secs. 28 and 33, at proportionate dist., there is no remaining evidence of the orig. cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td>T 26 N</td> <td>R 18 E</td> </tr> <tr> <td>S 28</td> <td></td> </tr> <tr> <td>1/4</td> <td>—</td> </tr> <tr> <td>S 33</td> <td></td> </tr> </table> <p>2004</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>  | T 26 N | R 18 E | S 28 |      | 1/4  | —    | S 33 |  |
| T 26 N | R 18 E   |        |        |      |      |      |      |      |  |
| S 28   |  |        |        |      |      |      |      |      |  |
| 1/4    | —  |        |        |      |      |      |      |      |  |
| S 33   |  |        |        |      |      |      |      |      |  |
| 80.00  | <p>The cor. of secs. 28, 29, 32 and 33.</p> <hr/>  |        |        |      |      |      |      |      |  |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

|   |   |
|---|---|
| <p>CHAINS</p> <p>40.03</p> <p>40.03</p> | <p>N. 0°03' W, bet. secs. 28 and 29.</p> <p>Over rolling, sandy terrain.</p> <p>The 1/4 sec. cor. of secs. 28 and 29, monumented with a malpais stone, 14 x 9 x 5 ins., firmly set, projecting 3 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 29   S 28</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/> <p>N. 0°01' E., beginning new measurement</p> <p>Over rolling, sandy terrain.</p> <p>The cor. of secs. 20, 21, 28 and 29, monumented with a malpais stone, 14 x 10 x 7 ins., firmly set, projecting 6 ins. above ground, mkd. with 2 grooves on S. face and 4 grooves on E. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 20   S 21<br/>S 29   S 28</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 21, 22, 27 and 28.</p> <p>S. 89°57' W, bet. secs. 21 and 28.</p> |
|---|---|

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
| 40.00  | <p>Over rolling, sandy terrain.</p> <p>The 1/4 sec. cor. of secs. 21 and 28, monumented with a malpais stone, 14 x 11 x 5 ins., firmly set, projecting 7 ins. above ground, with illegible chisel marks on the N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 21<br/>1/4 ———<br/>S 28</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone N. of the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89°58' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> |
| 40.03  | <p>The cor. of secs. 20, 21, 28 and 29.</p> <hr style="width: 80%; margin: 10px auto;"/> <p>N. 0°01' W., bet. secs. 20 and 21.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.05  | <p>The 1/4 sec. cor. of secs. 20 and 21, monumented with a malpais stone, 14 x 9 x 6 ins., firmly set, projecting 3 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 20   S 21</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>   |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |        |        |      |      |      |      |
|--------|--|--------|--------|------|------|------|------|
|        | <p>Bury the mkd. stone W. of the stainless steel post</p> <hr/> <p>North, beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> <p>40.03 The cor. of secs. 16, 17, 20 and 21, monumented with a malpais stone, 16 x 8 x 7 ins., firmly set, projecting 4 ins. above ground, mkd. with 3 grooves on S. face and 4 grooves on E. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <table border="1" data-bbox="812 798 1039 903"> <tr> <td>T 26 N</td> <td>R 18 E</td> </tr> <tr> <td>S 17</td> <td>S 16</td> </tr> <tr> <td>S 20</td> <td>S 21</td> </tr> </table> <p>2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/> | T 26 N | R 18 E | S 17 | S 16 | S 20 | S 21 |
| T 26 N | R 18 E   |        |        |      |      |      |      |
| S 17   | S 16   |        |        |      |      |      |      |
| S 20   | S 21   |        |        |      |      |      |      |
|        | <p>From the cor. of secs. 15, 16, 21 and 22.</p> <p>S. 89°53' W., bet. secs. 16 and 21.</p> <p>Over rolling, sandy terrain.</p>  |        |        |      |      |      |      |
| 2.76   | 5 strand barbed wire fence, bears N. 50° E. and S. 50° W.  |        |        |      |      |      |      |
| 39.83  | <p>The 1/4 sec. cor. of secs. 16 and 21, monumented with an iron post, 1 in. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. S16 1/4 S21 1908.</p> <p>Add the marks T26N R18E 2004 to brass cap.</p> <hr/>  |        |        |      |      |      |      |
|        | <p>N. 89°56' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>  |        |        |      |      |      |      |
| 40.05  | <p>The cor. of secs. 16, 17, 20 and 21.</p> <hr/> <p>North, bet. secs. 16 and 17.</p> <p>Over rolling, sandy terrain.</p>  |        |        |      |      |      |      |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |        |        |     |     |      |      |
|--------|---|--------|--------|-----|-----|------|------|
| 40.02  | <p>The 1/4 sec. cor. of secs. 16 and 17, monumented with an iron post, 1 in. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. S17 1/4 S16 1908.</p>   |        |        |     |     |      |      |
|        | <p>Add the marks T26N R18E 2004 to brass cap.</p>   |        |        |     |     |      |      |
|        | <hr/> <p>N. 0°01' E., beginning new measurement.</p>  |        |        |     |     |      |      |
|        | <p>Over rolling, sandy terrain.</p>   |        |        |     |     |      |      |
| 40.01  | <p>The cor. of secs. 8, 9, 16 and 17, monumented with a malpais stone, 12 x 9 x 9 ins., buried 6 ins. below ground, with no discernible marks. (Record: iron post, 2 ins. diam., 3 ft. long, 24 ins. in the ground, with brass cap mkd. T26N S8 S9 R18E S17 S16.)</p>   |        |        |     |     |      |      |
|        | <p>At the corner point</p>  |        |        |     |     |      |      |
|        | <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>   |        |        |     |     |      |      |
|        | <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="padding: 2px;">T 26 N</td> <td style="padding: 2px;">R 18 E</td> </tr> <tr> <td style="padding: 2px; border-right: 1px solid black;">S 8</td> <td style="padding: 2px;">S 9</td> </tr> <tr> <td style="padding: 2px; border-right: 1px solid black;">S 17</td> <td style="padding: 2px;">S 16</td> </tr> </table> | T 26 N | R 18 E | S 8 | S 9 | S 17 | S 16 |
| T 26 N | R 18 E  |        |        |     |     |      |      |
| S 8    | S 9   |        |        |     |     |      |      |
| S 17   | S 16  |        |        |     |     |      |      |
|        | <p>2004</p>   |        |        |     |     |      |      |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>  |        |        |     |     |      |      |
|        | <p>Bury the mkd. stone W. of the stainless steel post.</p>  |        |        |     |     |      |      |
|        | <hr/> <p>From the cor. of secs. 9, 10, 15 and 16.</p>   |        |        |     |     |      |      |
|        | <p>S. 89°56' W., bet. secs. 9 and 16.</p>   |        |        |     |     |      |      |
|        | <p>Over rolling, sandy terrain.</p>   |        |        |     |     |      |      |
| 39.94  | <p>The 1/4 sec. cor. of secs. 9 and 16, monumented with an iron post, 1 in. diam., firmly set, projecting 2 ins. above ground, with brass cap mkd. S9 1/4 S16 1908.</p>   |        |        |     |     |      |      |
|        | <p>Add the marks T26N R18E 2004 to brass cap.</p>   |        |        |     |     |      |      |
|        | <hr/> <p>West, beginning new measurement.</p>   |        |        |     |     |      |      |
|        | <p>Over rolling, sandy terrain.</p>   |        |        |     |     |      |      |
| 39.96  | <p>The cor. of secs. 8, 9, 16 and 17.</p>   |        |        |     |     |      |      |

**Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

| CHAINS |   |
|--------|---|
|        | <p>N. 0°04' W., bet. secs. 8 and 9.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.03  | <p>The 1/4 sec. cor. of secs. 8 and 9, monumented with an iron post, 1 in. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. S8 1/4 S9 1908.</p> <p>Add the marks T26N R18E 2004 to brass cap.</p> <hr/> |
|        | <p>N. 0°03' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.03  | <p>The cor. of secs. 4, 5, 8 and 9, monumented with an iron post, 2 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T26N R18E S5 S4 S8 S9 1908.</p> <p>Add marks 2004 to brass cap.</p> <hr/>     |
|        | <p>From the cor. of secs. 3, 4, 9 and 10.</p> <p>S. 89°59' W., bet. secs. 4 and 9.</p> <p>Over rolling, sandy terrain.</p>  |
| 39.96  | <p>The 1/4 sec. cor. of secs. 4 and 9, monumented with an iron post, 1 in. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. S4 1/4 S9 1908.</p> <p>Add the marks T26N R18E 2004 to brass cap.</p> <hr/> |
|        | <p>West, beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   |
| 39.95  | <p>The cor. of secs. 4, 5, 8 and 9.</p> <hr/>   |
|        | <p>N. 0°18' W., bet. secs. 4 and 5.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.04  | <p>The 1/4 sec. cor. of secs. 4 and 5, monumented with an iron post, 1 in. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. S5 1/4 S4 1908.</p> <p>Add the marks T26N R18E 2004 to brass cap.</p> <hr/> |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
|        | <p>N. 0°17' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.72  | <p>The cor. of secs. 4, 5, 32 and 33, on the N. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. S32 S33 T27N R18E S5 S4 T26N 2002.</p> <hr/> <p>From the cor. of secs. 31 and 32 only, on the S. bdy of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. T26N R18E S31 S32 T25N R18E S5 2003.</p> |
|        | <p>N. 0°02' W., bet. secs. 31 and 32.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.02  | <p>The 1/4 sec. cor. of secs. 31 and 32, monumented with a malpais stone, 11 x 9 x 5 ins., firmly set, projecting 2 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>   |
|        | <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 31   S 32<br/>2004</p>  |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/>  |
| 40.03  | <p>N. 0°03' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p> <p>Point for the cor. of secs. 29, 30, 31 and 32, at proportionate dist., falls in graded dirt road, 15 ft. wide, bears E. and W., there is no remaining evidence of the orig. cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 3 ins. below the ground, with brass cap mkd.</p>   |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

|         |   |      |      |      |      |      |         |      |
|---------|---|------|------|------|------|------|---------|------|
| CHAINS  | <div style="text-align: center;"> <p>T 26 N R 18 E</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">S 30</td> <td style="padding: 2px 10px;">S 29</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 2px 10px;">S 31</td> <td style="padding: 2px 10px;">S 32</td> </tr> </table> <p>2004</p> </div> <p>from which reference monuments</p> <p style="margin-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., firmly set, 25 ins. in the ground, bears S. 32°58' E., 42.9 ft. dist., with brass cap mkd. RM T26N R18E 42.9 FT TO COR S32 2004, with an arrow pointing towards the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p style="margin-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., firmly set, 25 ins. in the ground, bears S. 56°34' W., 58.6 ft. dist., with brass cap mkd. RM T26N R18E 58.6 FT TO COR S31 2004, with an arrow pointing towards the cor. Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr style="width: 60%; margin-left: 0;"/> <p>From the cor. of secs. 28, 29, 32 and 33.</p> <p>N. 89°52' W., bet. secs. 29 and 32.</p> <p>Over rolling, sandy terrain.</p> <p>40.06 The 1/4 sec. cor. of secs. 29 and 32, monumented with a malpais stone, 12 x 9 x 6 ins., firmly set, projecting 4 ins. above ground, mkd. 1/4 on N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin-top: 20px;"> <p>T 26 N R 18 E</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 2px 10px;">S 29</td> </tr> <tr> <td style="padding: 2px 10px;">1/4 ———</td> </tr> <tr> <td style="padding: 2px 10px;">S 32</td> </tr> </table> <p>2004</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> | S 30 | S 29 | S 31 | S 32 | S 29 | 1/4 ——— | S 32 |
| S 30    | S 29  |      |      |      |      |      |         |      |
| S 31    | S 32  |      |      |      |      |      |         |      |
| S 29    |   |      |      |      |      |      |         |      |
| 1/4 ——— |   |      |      |      |      |      |         |      |
| S 32    |   |      |      |      |      |      |         |      |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
|        | <p>Bury the mkd. stone N. of the stainless steel post.</p> <hr/> <p>N. 89°53' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.06  | <p>The cor. of secs. 29, 30, 31 and 32.</p> <hr/> <p>N. 89°53' W., bet. secs. 30 and 31.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.05  | <p>Point for the 1/4 sec. cor. of secs. 30 and 31, at proportionate dist., there is no remaining evidence of the orig. cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 26 N R 18 E</p> <p>S 30</p> <p>1/4 ———</p> <p>S 31</p> <p>2004</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. located in the north shoulder of graded dirt road.</p> |
| 79.50  | <p>The cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp., hereinbefore described.</p> <hr/> <p>From the cor. of secs. 29, 30, 31 and 32.</p> <p>N. 0°01' W., bet. secs. 29 and 30.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.03  | <p>The 1/4 sec. cor. of secs. 29 and 30, monumented with a malpais stone, 16 x 9 x 5 ins., firmly set, projecting 5 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2½ ins. diam., 26 ins. in the ground, with brass cap mkd.</p>  |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS       |   |
|--------------|---|
|              | <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 30   S 29</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/> <p>N. 0°02' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   |
| <p>40.04</p> | <p>The cor. of secs. 19, 20, 29 and 30, monumented with a malpais stone, 12 x 12 x 6 ins., firmly set, projecting 3 ins. above ground, mkd. with 2 grooves on S. face and 5 grooves on E. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 19   S 20<br/>S 30   S 29</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 20, 21, 28 and 29.</p> <p>N. 89°50' W., bet. secs. 20 and 29.</p> <p>Along the southeastern flank of Snake Butte, a small volcanic butte.</p> |
| <p>40.06</p> | <p>The 1/4 sec. cor. of secs. 20 and 29, monumented with a malpais stone, 14 x 8 x 8 ins., buried 3 ins. below ground, with no markings. (Record: 12 x 10 x 5 ins. mkd. 1/4 on N. face.) No other malpais stones nearby.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>   |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
|        | <p style="text-align: center;">T 26 N R 18 E<br/>S 20<br/>1/4 ———<br/>S 29</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the set stone N. of the stainless steel post.</p> <hr style="width: 30%; margin: auto;"/> <p>N. 89°54' W., beginning new measurement.</p> <p>Along the southern slope of Snake Butte.</p> |
| 40.06  | <p>The cor. of secs. 19, 20, 29 and 30.</p> <hr style="width: 80%; margin: auto;"/>   |
|        | <p>N. 89°54' W., bet. secs. 19 and 30.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.01  | <p>The 1/4 sec. cor. of secs. 19 and 30, monumented with a malpais stone, 13 x 8 x 6 ins., firmly set, projecting 4 ins. above ground, with illegible chisel marks on the N. face. (Record: 12 x 10 x 7 ins., mkd. 1/4 on N. face.) No other malpais stones in area.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>   |
|        | <p style="text-align: center;">T 26 N R 18 E<br/>S 19<br/>1/4 ———<br/>S 30</p> <p style="text-align: center;">2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone N. of the stainless steel post.</p> <hr style="width: 30%; margin: auto;"/> <p>N. 89°53' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>            |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
| 39.32  | <p>The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., hereinbefore described.</p> <hr/> <p>From the cor. of secs. 19, 20, 29 and 30.</p> <p>N. 0°03' W., bet. secs. 19 and 20.</p> <p>Along the western slope of Snake Butte.</p>   |
| 40.01  | <p>The 1/4 sec. cor. of secs. 19 and 20, monumented with a malpais stone, 14 x 9 x 5 ins., firmly set, projecting 5 ins. above ground, mkd. 1/4 on the W. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 19   S 20<br/>2004</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <p>Raise a mound of stone 2 ft. base, 2 ft. high, W. of cor.</p> <hr/> <p>N. 0°04' E., beginning new measurement.</p> <p>Dropping away from Snake Butte, over rolling, sandy hills.</p> |
| 40.03  | <p>The cor. of secs. 17, 18, 19 and 20, monumented with a malpais stone, 14 x 11 x 8 ins., firmly set, projecting 4 ins. above ground, mkd. with 3 grooves on S. face and 5 grooves on E. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 18   S 17<br/>S 19   S 20<br/>2004</p>   |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 16, 17, 20 and 21.</p> <p>N. 89°54' W., bet. secs. 17 and 20.</p> <p>Over rolling, sandy terrain.</p>  |
| 40.21  | <p>The 1/4 sec. cor. of secs. 17 and 20, monumented with a malpais stone, 12 x 11 x 6 ins., firmly set, projecting 4 ins. above ground, mkd. 1/4 on the N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 26 N R 18 E<br/>S 17<br/>1/4 ———<br/>S 20</p> <p style="text-align: center;">2004</p> |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone north of the stainless steel post.</p> <hr/> <p>N. 89°53' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   |
| 39.89  | <p>The cor. of secs. 17, 18, 19 and 20.</p> <hr/> <p>S. 89°58' W., bet. secs. 18 and 19.</p> <p>Over rolling, sandy terrain.</p>   |
| 40.14  | <p>The 1/4 sec. cor. of secs. 18 and 19, monumented with a malpais stone, 16 x 10 x 7 ins., firmly set, projecting 4 ins. above ground, mkd. 1/4 on the N. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>  |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
|        | T 26 N R 18 E<br>S 18<br>1/4 ———<br>S 19<br><br>2004   |
|        | Deposit a magnet, in a white plastic case, at the base of the stainless steel post.  |
|        | Bury the mkd. stone N. of the stainless steel post.  |
|        | —————  |
|        | N. 89°38' W., beginning new measurement.   |
|        | Over rolling, sandy terrain.   |
| 39.16  | The cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., hereinbefore described.  |
|        | —————  |
|        | From the cor. of secs. 17, 18, 19 and 20.  |
|        | N. 0°05' W., bet. secs. 17 and 18.   |
|        | Over rolling, sandy terrain.   |
| 40.02  | The 1/4 sec. cor. of secs. 17 and 18, monumented with an iron post, 1 in. diam., buried 3 ins. below ground, with brass cap mkd. S18 1/4 S17 1908.   |
|        | Add the marks T26N R18E 2004 to brass cap.   |
|        | —————  |
|        | N. 0°12' E., beginning new measurement.  |
|        | Over rolling, sandy terrain.   |
| 40.07  | The cor. of secs. 7, 8, 17 and 18, monumented with a malpais stone, 10 x 9 x 7 ins., firmly set, projecting 2 ins. above ground, with no legible marks. (Record: 12 x 10 x 6 ins., mkd. with 4 notches on S. edge and 5 notches on E. edge.) |
|        | At the corner point  |
|        | Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.   |



Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
| 40.00  | <p>The 1/4 sec. cor. of secs. 7 and 18, monumented with an iron post, 1 in. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. S7 1/4 S18 1908.</p>                        |
|        | <p>Add the marks T26N R18E 2004 to brass cap.</p>  |
|        | <hr/> <p>N. 89°32' W., beginning new measurement.</p>  |
|        | <p>Over rolling, sandy terrain.</p>  |
| 39.30  | <p>The cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., hereinbefore described.</p>  |
|        | <hr/> <p>From the cor. of secs. 7, 8, 17 and 18.</p>   |
|        | <p>N. 0°04' W., bet. secs. 7 and 8.</p>  |
|        | <p>Over rolling, sandy terrain.</p>  |
| 39.96  | <p>The 1/4 sec. cor. of secs. 7 and 8, monumented with a malpais stone, 12 x 10 x 9 ins., firmly set, projecting 2 ins. above ground, mkd. 1/4 on the W. face.</p>                             |
|        | <p>At the corner point</p>   |
|        | <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>  |
|        | <p style="text-align: center;">T 26 N R 18 E<br/>1/4<br/>S 7   S 8<br/>2004</p>  |
|        | <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>   |
|        | <p>Bury the mkd. stone W. of the stainless steel post.</p>   |
|        | <hr/> <p>N. 0°05' W., beginning new measurement.</p>   |
|        | <p>Dropping through eroded badlands country.</p>   |
| 40.05  | <p>The cor. of secs. 5, 6, 7 and 8, monumented with a malpais stone, 16 x 9 x 9 ins., firmly set, projecting 7 ins. above ground, mkd. with 5 notches on S. edge and 5 notches on E. edge.</p> |
|        | <p>At the corner point</p>   |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |        |        |     |     |     |     |
|--------|---|--------|--------|-----|-----|-----|-----|
|        | <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td>T 26 N</td> <td>R 18 E</td> </tr> <tr> <td>S 6</td> <td>S 5</td> </tr> <tr> <td>S 7</td> <td>S 8</td> </tr> </table> <p>2004</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the mkd. stone W. of the stainless steel post.</p> <hr/> <p>From the cor. of secs. 4, 5, 8 and 9.</p> <p>N. 89°53' W., bet. secs. 5 and 8.</p> <p>Dropping through badlands country.</p> | T 26 N | R 18 E | S 6 | S 5 | S 7 | S 8 |
| T 26 N | R 18 E  |        |        |     |     |     |     |
| S 6    | S 5   |        |        |     |     |     |     |
| S 7    | S 8   |        |        |     |     |     |     |
| 40.12  | <p>The 1/4 sec. cor. of secs. 5 and 8, monumented with an iron post, 1 in. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. S5 1/4 S8 1908.</p> <p>Add the marks T26N R18E 2004 to brass cap.</p> <hr/> <p>N. 89°54' W., beginning new measurement.</p> <p>Over rolling, sandy terrain.</p>   |        |        |     |     |     |     |
| 39.90  | <p>The cor. of secs. 5, 6, 7 and 8.</p> <hr/> <p>S. 89°59' W., bet. secs. 6 and 7.</p> <p>Dropping through sandy hills.</p>   |        |        |     |     |     |     |
| 40.42  | <p>The 1/4 sec. cor. of secs. 6 and 7, monumented with a malpais stone, 12 x 8 x 7 ins., buried 3 ins. below ground, mkd. 1/4 on the N. face. (Record: iron pipe, 1 in. diam., 3 ft. long, 26 ins. in the ground, with brass cap mkd. S6 1/4 S7.)</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>  |        |        |     |     |     |     |

Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
|        | T 26 N R 18 E<br>S 6<br>1/4 ———<br>S 7<br><br>2004  |
|        | Deposit a magnet, in a white plastic case, at the base of the stainless steel post.<br><br>Bury the mkd. stone N. of the stainless steel post.<br><br><hr style="width: 20%; margin: auto;"/> N. 89°31' W., beginning new measurement.<br><br>Dropping through badlands country.  |
| 38.74  | The cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., hereinbefore described.<br><br><hr style="width: 80%; margin: auto;"/> From the cor. of secs. 5, 6, 7 and 8.<br><br>N. 0°03' E., bet. secs. 5 and 6.<br><br>Through eroded badlands country.   |
| 40.02  | The 1/4 sec. cor. of secs. 5 and 6, monumented with an iron post, 1 in. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. S6 1/4 S5 1908.<br><br>Add the marks T26N R18E 2004 to brass cap.<br><br><hr style="width: 20%; margin: auto;"/> N. 0°54' W., beginning new measurement.<br><br>Over rolling sand and loose rock.  |
| 40.86  | The cor. of secs. 5, 6, 31 and 32, on the N. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 22 ins. above ground, with brass cap mkd. S31 S32 T27N R18E S6 S5 T26N 2002. Cap oriented N. 20° E.<br><br>from which <ul style="list-style-type: none"> <li>A fence post bears S 61°17' E., 1.88 chains dist. (angle point of meandering fence line)</li> <li>A fence post bears S 27°47' W., 1.13 chains dist. (angle point of meandering fence line)</li> <li>A fence post bears S 81°07' W., 0.32 chains dist. (angle point of meandering fence line)</li> </ul> |

**Dependent Resurvey of the Subdivisional lines,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

|        |  |
|--------|--|
| CHAINS | <p>A fence post bears N 16°53' W., 1.17 chains dist. (angle point of meandering fence line)</p> <p>A fence post bears N 5°08' W., 1.24 chains dist. (angle point of meandering fence line)</p> <p>Cor. located in bad lands, jumbled sandstone and rolling hills.</p> <hr/> <p style="text-align: center;"><b>Dependent Resurvey of a portion of the Boundary,<br/>Management District No. 6. Hopi Indian Reservation,<br/>T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona</b></p> <hr/> <p style="text-align: center;">Restoring the survey executed by<br/>Leonard Murphy and Wallace R. Ott, in 1963-64</p> <hr/> <p>From the point for the 87th mile cor., determined at record bearing and distance from a found reference monument. Cor. falls in Jeddito Wash, not monumented.</p> <p>From this point, the reference monument bears S. 40° E., 99 ft. dist., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd. RM 99 FT MP 87 1964, with an arrow pointing toward cor. (Record: 87 M HOPI RM 99 FT). Add the marks 2004 to the brass cap. Reference monument is located on a flat bench, on the south side of Jeddito Wash.</p> <p>S. 49°58' W., on the 88th mile of the bdy., Management District No. 6, Hopi Indian Reservation.</p> <p>0.50 Point for AP 284.</p> <p>Cor. not monumented.</p> <hr/> <p>N. 89°41' W., beginning new measurement.</p> <p>4.50 Point for AP 285.</p> <p>Cor. not monumented.</p> <hr/> <p>N. 33°59' W., beginning new measurement.</p> <p>7.10 Point for AP 286.</p> <p>Cor. not monumented.</p> <hr/> <p>S. 47°48' W., beginning new measurement.</p> |
|--------|--|

**Dependent Resurvey of a portion of the Boundary,  
Management District No. 6. Hopi Indian Reservation,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

| CHAINS |   |
|--------|---|
| 9.20   | Point for AP 287.<br><br>Cor. not monumented.<br><br><hr style="width: 20%; margin: 0 auto;"/> S. 85°55' W., beginning new measurement.   |
| 3.40   | Point for AP 288.<br><br>Cor. not monumented.<br><br><hr style="width: 20%; margin: 0 auto;"/> S. 38°36' W., beginning new measurement.   |
| 9.10   | Point for AP 289.<br><br>Cor. not monumented.<br><br><hr style="width: 20%; margin: 0 auto;"/> S. 33°30' W., beginning new measurement.   |
| 0.52   | Intersect the E. bdy. of Tps. 26 N., Rs. 18 and 19 E., bet. secs. 19 and 24.<br><br>Point not monumented.<br><br>From this point, the 1/4 sec. cor. of secs. 19 and 24, on the E. bdy. of the Tp., bears N. 0°01' E., 0.50 ch. dist., hereinbefore described. |
| 6.20   | Point for AP 290 (87 1/2 mile corner).<br><br>Cor. not monumented.<br><br><hr style="width: 20%; margin: 0 auto;"/> S. 42°54' W., beginning new measurement.  |
| 6.10   | Point for AP 291.<br><br>Cor. not monumented.<br><br><hr style="width: 20%; margin: 0 auto;"/> S. 28°57' W., beginning new measurement.   |
| 8.80   | Point for AP 292.<br><br>Cor. not monumented.<br><br><hr style="width: 20%; margin: 0 auto;"/> S. 55°09' W., beginning new measurement.   |
| 4.40   | Point for AP 293.   |

**Dependent Resurvey of a portion of the Boundary,  
Management District No. 6. Hopi Indian Reservation,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

| CHAINS |  |
|--------|--|
|        | <p>Cor. not monumented.</p> <hr/>  |
|        | <p>S. 46°37' W., beginning new measurement.</p>  |
| 8.10   | <p>Point for AP 294.</p>   |
|        | <p>Cor. not monumented.</p> <hr/>  |
|        | <p>S. 39°34' W., beginning new measurement.</p>  |
| 6.20   | <p>Point for AP 295.</p>   |
|        | <p>Cor. not monumented.</p> <hr/>  |
|        | <p>S. 43°04' W., beginning new measurement.</p>  |
| 6.40   | <p>Point for the 88th mile corner, determined at record bearing and distance from a found reference monument. Cor. falls in Jeddito Wash, not monumented.</p> <p>From this point, the reference monument bears N. 47° W., 116 ft. dist., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. RM 116 FT MP 88 1964, with an arrow pointing toward cor. (Record: 88 M HOPI RM 116 FT)</p> <p>Add the marks 2004 to the brass cap.</p> <p>Reference monument is located on the northwest bank above Jeddito Wash.</p> <hr/> |
|        | <p>S. 43°00' W., on the 89th mile of the bdy., Management District No. 6, Hopi Indian Reservation.</p>   |
| 0.70   | <p>Point for AP 296.</p>   |
|        | <p>Cor. not monumented.</p> <hr/>  |
|        | <p>S. 62°41' W., beginning new measurement.</p>  |
| 7.30   | <p>Point for AP 297.</p>   |
|        | <p>Cor. not monumented.</p> <hr/>  |
|        | <p>S. 33°24' W., beginning new measurement.</p>  |
| 1.45   | <p>Intersect the line bet. secs. 24 and 25.</p>  |

Dependent Resurvey of a portion of the Boundary,  
 Management District No. 6. Hopi Indian Reservation,  
 T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
|        | Point not monumented.  |
|        | From this point, the 1/4 sec. cor. of secs. 24 and 25, bears S. 89°59' W., 2.84 ch. dist., hereinbefore described. |
| 5.50   | Point for AP 298.  |
|        | Cor. not monumented.   |
|        | _____  |
|        | S. 61°03' W., beginning new measurement.   |
| 3.80   | Point for AP 299.  |
|        | Cor. not monumented.   |
|        | _____  |
|        | S. 25°50' W., beginning new measurement.   |
| 3.20   | Point for AP 300.  |
|        | Cor. not monumented.   |
|        | _____  |
|        | S. 43°37' W., beginning new measurement.   |
| 9.20   | Point for AP 301.  |
|        | Cor. not monumented.   |
|        | _____  |
|        | N. 85°35' W., beginning new measurement.   |
| 3.60   | Point for AP 302.  |
|        | Cor. not monumented.   |
|        | _____  |
|        | S. 27°40' W., beginning new measurement.   |
| 4.00   | Point for AP 303.  |
|        | Cor. not monumented.   |
|        | _____  |
|        | S. 39°39' W., beginning new measurement.   |
| 2.70   | Point for AP 304.  |
|        | Cor. not monumented.   |
|        | _____  |
|        | S. 40°44' W., beginning new measurement.   |

Dependent Resurvey of a portion of the Boundary,  
 Management District No. 6. Hopi Indian Reservation,  
 T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
| 10.20  | Point for AP 305.<br>Cor. not monumented.<br><hr/> S. 33°39' W., beginning new measurement.  |
| 6.40   | Point for AP 306.<br>Cor. not monumented.<br><hr/> S. 9°00' E., beginning new measurement.   |
| 3.80   | Point for AP 307.<br>Cor. not monumented.<br><hr/> S. 48°20' W., beginning new measurement.  |
| 5.50   | Point for AP 308.<br>Cor. not monumented.<br><hr/> S. 3°07' W., beginning new measurement.   |
| 3.90   | Point for AP 309.<br>Cor. not monumented.<br><hr/> S. 24°10' E., beginning new measurement.  |
| 4.80   | Point for AP 310.<br>Cor. not monumented.<br><hr/> N. 82°07' W., beginning new measurement.  |
| 5.40   | Point for the 89th mile corner, no remaining evidence.<br>Cor. not monumented.<br><hr/> N. 82°07' W., on the 90th mile of the bdy., Management District<br>No. 6, Hopi Indian Reservation. |
| 0.30   | Point for AP 311.  |

Dependent Resurvey of a portion of the Boundary,  
 Management District No. 6. Hopi Indian Reservation,  
 T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |   |
|--------|---|
|        | Cor. not monumented.<br><hr/>   |
|        | S. 29°21' W., beginning new measurement.  |
| 9.10   | Point for AP 312.   |
|        | Cor. not monumented.<br><hr/>   |
|        | S. 39°59' W., beginning new measurement.  |
| 0.43   | Intersect the line bet. secs. 25 and 26.  |
|        | Point not monumented.   |
|        | From this point, the 1/4 sec. cor. of secs. 25 and 26, bears N. 0°02' E., 16.28 chs. dist., hereinbefore described. |
| 9.10   | Point for AP 313.   |
|        | Cor. not monumented.<br><hr/>   |
|        | S. 27°42' W., beginning new measurement.  |
| 6.80   | Point for AP 314.   |
|        | Cor. not monumented.<br><hr/>   |
|        | S. 16°37' W., beginning new measurement.  |
| 4.50   | Point for AP 315.   |
|        | Cor. not monumented.<br><hr/>   |
|        | S. 84°24' W., beginning new measurement.  |
| 5.70   | Point for AP 316.   |
|        | Cor. not monumented.<br><hr/>   |
|        | S. 64°44' W., beginning new measurement.  |
| 1.60   | Point for AP 317.   |
|        | Cor. not monumented.<br><hr/>   |
|        | S. 31°01' W., beginning new measurement.  |

Dependent Resurvey of a portion of the Boundary,  
 Management District No. 6. Hopi Indian Reservation,  
 T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
| 2.90   | Point for 89 1/2 mile corner.<br>Cor. not monumented.  |
| 6.45   | Intersect the line bet. secs. 26 and 35.<br>Point not monumented.<br>From this point, the 1/4 sec. cor. of secs. 26 and 35, bears W., 19.51 ch. dist., hereinbefore described. |
| 7.60   | Point for AP 318.<br>Cor. not monumented.<br><hr/> S. 50°33' W., beginning new measurement.  |
| 6.50   | Point for AP 319.<br>Cor. not monumented.<br><hr/> S. 66°31' W., beginning new measurement.  |
| 5.40   | Point for AP 320.<br>Cor. not monumented.<br><hr/> S. 15°17' W., beginning new measurement.  |
| 2.00   | Point for AP 321.<br>Cor. not monumented.<br><hr/> S. 62°39' W., beginning new measurement.  |
| 6.20   | Point for AP 322.<br>Cor. not monumented.<br><hr/> S. 72°22' W., beginning new measurement.  |
| 3.90   | Point for AP 323.<br>Cor. not monumented.<br><hr/> S. 69°29' W., beginning new measurement.  |

**Dependent Resurvey of a portion of the Boundary,  
Management District No. 6. Hopi Indian Reservation,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

| CHAINS |  |
|--------|--|
| 3.18   | <p>Point for the witness point on a wooden bridge, no remaining monumentation (no remnants of a bridge remaining); point determined using distance-to-distance intersection from two remaining reference monuments. Cor. not monumented.</p> <p>From this point, a reference monument, monumented with an iron post, 2 1/2 ins. diam., firmly set in a concrete cylinder, 6 ins. diam., projecting 7 ins. above concrete, with brass cap mkd. WP HOPI RM 66 FT 27 1964 and an arrow pointing toward cor., bears N. 24°54' E., 66 ft. dist. (Record: N. 24°30' E.) Add the marks 2004 to the brass cap. Reference monument is located on the north side of Jeddito Wash.</p> <p>From this same point, a reference monument, monumented with an iron post, 2 1/2 ins. diam., firmly set in a concrete cylinder, 6 ins. diam., projecting 6 ins. above concrete, with brass cap mkd. WP RM 66 FT 1964, with arrow pointing toward corner, bears S. 65°56' E., 66 ft. dist. (Record: S. 65°30' E.) Add the marks 2004 to the brass cap. Reference monument is located in fence line, bears N. 71° E. and S. 80° W.</p> |
|        | <hr/> <p>S. 69°20' W., beginning new measurement.</p>  |
| 1.32   | <p>Point for AP 324.</p> <p>Cor. not monumented.</p>   |
|        | <hr/> <p>S. 82°19' W., beginning new measurement.</p>  |
| 5.90   | <p>Point for AP 325.</p> <p>Cor. not monumented.</p>   |
|        | <hr/> <p>S. 55°20' W., beginning new measurement.</p>  |
| 0.90   | <p>Point for the 90th mile corner, no remaining monumentation, cor. not remonumented, determined at record bearing and distance from a found reference monument.</p> <p>From this point, the reference monument bears S. 34°30' E., 40 ft. dist., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd. RM 40 FT MP 90 1964, with an arrow pointing toward cor. (Record: 90 M HOPI RM 40 FT). Add the marks 2004 to the brass cap. Reference monument is located at the cor. of fences, extending S. 56° W. and S. 74° E.</p>   |
|        | <hr/> <p>S. 55°31' W., along the 91st mile, beginning new measurement.</p>   |

**Dependent Resurvey of a portion of the Boundary,  
Management District No. 6. Hopi Indian Reservation,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

| CHAINS |   |
|--------|---|
| 3.90   | Point for AP 326.<br>Cor. not monumented.<br><hr style="width: 30%; margin-left: auto; margin-right: auto;"/>   |
|        | S. 81°30' W., beginning new measurement.  |
| 3.20   | Point for AP 327.<br>Cor. not monumented.<br><hr style="width: 30%; margin-left: auto; margin-right: auto;"/>   |
|        | N. 56°58' W., beginning new measurement.  |
| 1.50   | Point for AP 328.<br>Cor. not monumented.<br><hr style="width: 30%; margin-left: auto; margin-right: auto;"/>   |
|        | N. 73°34' W., beginning new measurement.  |
| 3.20   | Point for AP 329.<br>Cor. not monumented.<br><hr style="width: 30%; margin-left: auto; margin-right: auto;"/>   |
|        | S. 87°36' W., beginning new measurement.  |
| 7.50   | Point for AP 330.<br>Cor. not monumented.<br><hr style="width: 30%; margin-left: auto; margin-right: auto;"/>   |
|        | S. 81°27' W., beginning new measurement.  |
| 4.40   | Point for AP 331.<br>Cor. not monumented.<br><hr style="width: 30%; margin-left: auto; margin-right: auto;"/>   |
|        | S. 79°32' W., beginning new measurement.  |
| 5.95   | Intersect the line bet. secs. 34 & 35.<br>Point not monumented.<br>From this point, the cor. of secs. 26, 27, 34 and 35, bears<br>N. 0°05' E., 19.11 ch. dist., hereinbefore described. |
| 15.62  | Point for AP 332.<br>Cor. not monumented.<br><hr style="width: 30%; margin-left: auto; margin-right: auto;"/>   |

**Dependent Resurvey of a portion of the Boundary,  
Management District No. 6. Hopi Indian Reservation,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

| CHAINS |  |
|--------|--|
|        | <p>N. 24°04' W., beginning new measurement.</p>  |
| 0.68   | <p>Point for the 90 1/2 mile corner, no remaining monumentation, cor. not remonumented, determined at record bearing and distance from a found reference monument.</p>   |
|        | <p>From this point, the reference monument bears S. 66° W., 34 ft. dist., monumented with an iron post, 2 1/2 ins. diam., firmly set, buried 18 ins. below ground, with brass cap mkd. RM 33 FT MP 90 1/2 1964, with an arrow pointing toward cor. (Record: 90 1/2 M HOPI RM 34 FT). Add the marks 2004 to the brass cap. Reference monument is located on the south bank of Jeddito Wash.</p> <hr/> |
|        | <p>N. 24°12' W., beginning new measurement.</p>  |
| 7.10   | <p>Point for AP 333.<br/>Cor. not monumented.</p> <hr/>  |
|        | <p>N. 58°24' W., beginning new measurement.</p>  |
| 11.89  | <p>Point for AP 334.<br/>Cor. not monumented.</p> <hr/>  |
|        | <p>S. 70°37' W., beginning new measurement.</p>  |
| 5.40   | <p>Point for AP 335.<br/>Cor. not monumented.</p> <hr/>  |
|        | <p>N. 82°50' W., beginning new measurement.</p>  |
| 12.99  | <p>Point for AP 336.<br/>Cor. not monumented.</p> <hr/>  |
|        | <p>S. 66°31' W., beginning new measurement.</p>  |
| 2.60   | <p>Point for the 91st mile corner, there is no remaining evidence of the orig. cor.<br/>Cor. not monumented.</p> <hr/>   |
|        | <p>S. 66°31' W., on the 92nd mile of the bdy., Management District No. 6, Hopi Indian Reservation.</p>   |

Dependent Resurvey of a portion of the Boundary,  
 Management District No. 6. Hopi Indian Reservation,  
 T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
| 3.10   | Point for AP 337.<br>Cor. not monumented.<br><hr/>   |
|        | S. 30°35' W., beginning new measurement.   |
| 7.40   | Point for AP 338.<br>Cor. not monumented.<br><hr/>   |
|        | S. 88°25' W., beginning new measurement.   |
| 3.00   | Center of concrete dam and footbridge (footbridge washed away,<br>unable to access dam).<br>Cor. not monumented.   |
| 5.30   | Point for AP 339.<br>Cor. not monumented.<br><hr/>   |
|        | S. 54°47' W., beginning new measurement.   |
| 10.09  | Point for AP 340.<br>Cor. not monumented.<br><hr/>   |
|        | S. 39°10' W., beginning new measurement.   |
| 14.09  | Point for 91 1/2 mile corner.<br>Cor. not monumented.  |
| 26.60  | Intersect the line bet. secs. 33 and 34.<br>Point not monumented.<br>From this point, the 1/4 sec. cor. of secs. 33 and 34, bears N.,<br>2.94 ch. dist., hereinbefore described. |
| 29.48  | Point for AP 341.<br>Cor. not monumented.<br><hr/>   |
|        | S. 12°27' W., beginning new measurement.   |
| 7.70   | Point for AP 342.  |

Dependent Resurvey of a portion of the Boundary,  
 Management District No. 6. Hopi Indian Reservation,  
 T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona

| CHAINS |  |
|--------|--|
|        | Cor. not monumented.   |
|        | S. 13°45' W., beginning new measurement.   |
| 12.19  | Point for AP 343.  |
|        | Cor. not monumented.   |
|        | S. 27°25' W., beginning new measurement.   |
| 4.70   | Point for the 92nd mile corner, there is no remaining evidence of the orig. cor. |
|        | Cor. not monumented.   |
| 2.90   | Point for AP 344.  |
|        | Cor. not monumented.   |
| 4.70   | Point for AP 345.  |
|        | Cor. not monumented.   |
| 5.40   | Point for AP 346.  |
|        | Cor. not monumented.   |
| 0.04   | Intersect the line bet. secs. 4 and 33, on the S. bdy. of the Tp.                |
|        | Point not monumented.  |
| 9.50   | Point for AP 347.  |

**Dependent Resurvey of a portion of the Boundary,  
Management District No. 6. Hopi Indian Reservation,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

| CHAINS |  |
|--------|--|
|        | Cor. not monumented.<br><hr/>  |
|        | S. 50°48' W., beginning new measurement.   |
| 7.80   | Point for AP 348.  |
|        | Cor. not monumented.<br><hr/>  |
|        | S. 41°23' W., beginning new measurement.   |
| 9.69   | Point for the 92 1/2 mile cor., there is no remaining evidence of the orig. cor. |
|        | Cor. not monumented.   |
| 12.09  | Point for AP 349.  |
|        | Cor. not monumented.<br><hr/>  |
|        | S. 23°53' W., beginning new measurement.   |
| 5.00   | Point for AP 350.  |
|        | Cor. not monumented.<br><hr/>  |
|        | S. 37°16' W., beginning new measurement.   |
| 6.90   | Point for AP 351.  |
|        | Cor. not monumented.<br><hr/>  |
|        | S. 50°17' W., beginning new measurement.   |
| 3.10   | Point for AP 352.  |
|        | Cor. not monumented.<br><hr/>  |
|        | S. 62°58' W., beginning new measurement.   |
| 9.30   | Point for AP 353.  |
|        | Cor. not monumented.<br><hr/>  |
|        | S. 83°05' W., beginning new measurement.   |
| 5.90   | Point for AP 354.  |

**Dependent Resurvey of a portion of the Boundary,  
Management District No. 6. Hopi Indian Reservation,  
T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona**

|        |   |
|--------|---|
| CHAINS | <p>Cor. not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 27°19' W., beginning new measurement.</p> <p>7.40 Point for the 93rd mile corner, no remaining monumentation, cor. not remonumented, determined at record bearing and distance from a found reference monument.</p> <p>From this point, the reference monument bears N. 62°30' W., 70 ft. dist., monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above ground, with brass cap mkd. HOPI RM 70 FT MP 93 1964, with an arrow pointing toward cor. (Record: 93 M HOPI RM 70 FT). Add the marks 2004 to the brass cap. Reference monument is located on a SE facing slope, above Jeddito Wash.</p> <hr style="width: 80%; margin: 10px auto;"/> <p style="text-align: center;">GENERAL DESCRIPTION</p> <hr style="width: 80%; margin: 10px auto;"/> <p>This survey is located on the Hopi Indian Reservation, approximately sixty miles northeast of Winslow, Arizona. The terrain consists of sandy, rolling hills, with little vegetation and no trees. Sage brush and bunch grass are present in several areas. The Jeddito Wash runs NE to SW in the SE corner of the township. There are several graded dirt roads, and many secondary ranch roads throughout the township, allowing vehicle access to most of the corners. The open terrain is well-suited for using RTK GPS systems. The elevation averages 5600 feet, with several volcanic buttes which rise several hundred feet (Snake Butte and several unnamed buttes).</p> <p>The mean magnetic declination of 12° E. was derived from the National Geodetic Survey (NGS) web site.</p> <hr style="width: 80%; margin: 10px auto;"/> |
|--------|---|



## CERTIFICATE OF SURVEY

I, Scott A. Burkhardt, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of special instructions bearing date of the 20th day of January, 2004, I have dependently resurveyed the east and west boundaries, the subdivisional lines, and a portion of the Boundary, Management District No. 6, Hopi Indian Reservation, T. 26 N., R. 18 E., of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction. Said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

5/31/05

(Date)

Scott A. Burkhardt

(Cadastral Surveyor)

## CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of the east and west boundaries, the subdivisional lines, and a portion of the Boundary, Management District No. 6, Hopi Indian Reservation, T. 26 N., R. 18 E., Gila and Salt River Meridian, in the State of Arizona, executed by Scott A. Burkhardt, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

3/14/06

(Date)

Stephen K. Hansen

(Acting Chief Cadastral Surveyor of Arizona)

## CERTIFICATE OF TRANSCRIPT

~~I CERTIFY That the foregoing transcript of the field notes of the above described surveys in T. 26 N., R. 18 E., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~(Date)~~

~~(Acting Chief Cadastral Surveyor of Arizona)~~