

ORIGINAL

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FIELD NOTES
OF THE SURVEY OF
A PORTION OF THE THIRD GUIDE MERIDIAN EAST(WEST BOUNDARY) ,
TOWNSHIP 36 NORTH, RANGE 13 EAST,
THE SURVEY OF
THE THIRD GUIDE MERIDIAN EAST(WEST BOUNDARY) ,
TOWNSHIP 37 NORTH, RANGE 13 EAST,
THE SURVEY OF
THE NINTH STANDARD PARALLEL NORTH(SOUTH BOUNDARY) ,
THE NORTH BOUNDARY, THE SUBDIVISIONAL LINES
AND THE SUBDIVISION OF CERTAIN SECTIONS,
TOWNSHIP 37 NORTH, RANGE 12 1/2 EAST,
OF THE GILA AND SALT RIVER MERIDIAN,
IN THE STATE OF ARIZONA.

EXECUTED BY

Joe R. Salazar, Cadastral Surveyor

Under Special Instructions dated January 17, 2008, approved January 17, 2008, which provided for the surveys included under Group No. 1033, and assignment instructions dated January 17, 2008.

Survey commenced February 12, 2008

Survey completed April 9, 2008

INDEX DIAGRAM

TOWNSHIP 37 NORTH RANGE 12 1/2 EAST
GILA AND SALT RIVER MERIDIAN, ARIZONA

				T38N	
				T37N	
21	20	19	18	14	6
4	46 3	36 2	29 1		
45	45	36	28	12	7
9	44 10	35 11	28 12		
44	43	35	27	11	18
16	42 15	34 14	26 13		
42	41	33	25	9	19
21	41 22	32 23	24 24		
40	40	32	24	7	30
28	39 27	31 26	23 25		
39	38	30	22	6	31
33	37 34	29 35	21 36	T37N	
18	17	16	15	T36N	
				4	6

Subdivision of Section 12.....Pages 46-47
Subdivision of Section 13.....Pages 47-48
Subdivision of Section 14.....Page 48
Subdivision of Section 15.....Page 49

T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes describe the survey of a portion of the Third Guide Meridian East (west boundary), Township 36 North, Range 13 East, the survey of the Third Guide Meridian East (west boundary), Township 37 North, Range 13 East, the survey of the Ninth Standard Parallel North (south boundary), the north boundary, the subdivisional lines and the subdivision of certain sections, Township 37 North, Range 12 1/2 East, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows:

Jones Curtiss surveyed the 9th Standard Parallel North (south boundary), Township 37 North, Range 16 East, in 1996-97. Sereyna C. Cagle surveyed the 9th Standard Parallel North (south boundary), Township 37 North, Range 14 East in 2005. W. William Foster surveyed the 3rd Guide Meridian East (west boundary), Township 33 North, Range 13 East in 2002.

Geoffrey A. Graham surveyed the east boundary of Township 37 North, Range 12 East, under Gp. No. 1028 concurrently with this survey.

The survey was executed in accordance with the specifications as set forth in the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and the Special Instructions dated January 17, 2008, for Group No. 1033, Arizona.

The true meridian direction and length of all lines were determined by real time kinematic global positioning system observations using Trimble Navigation 5700 model receivers.

Geodetic control was derived from Global Positioning System (GPS) static observations post processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) Fredonia, Flagstaff 5 and Spiderrockaz2005. The NAD 83 (CORS96) (EPOCH:2002.0000) (EPOCH:2008.1199), geographic position of the corner of Townships 36 and 37 North, Range 12 1/2 East, only, on the Third Guide Meridian East (east boundary) is as follows:

Latitude: 36°33'19.63" N. Longitude: 110°59'26.62" W.

The mean magnetic declination is 11 1/2 ° E.


**Survey of a portion of the Third Guide Meridian East (West Boundary),
T. 36 N., R. 13 E., Gila and Salt River Meridian, Arizona**

CHAINS	<p>Beginning at the point for the stan. cor. of Tps. 36 and 37 N., Rg. 13 E. only, determined at 18 miles (1440 chs.) North of the cor. of Tps. 33 and 34 N., R. 13 E. only, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above the ground, with brass cap mkd. T34N R12 1/2E R13E S31 S6 T33N 2002. Add the marks 2008 to the brass cap.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td></td><td>SC</td><td></td></tr> <tr><td></td><td>T 37 N</td><td></td></tr> <tr><td>R 12 1/2 E</td><td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">R 13 E</td><td></td></tr> <tr><td>S 36</td><td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">S 31</td><td></td></tr> <tr><td></td><td style="border-left: 1px solid black; border-right: 1px solid black; border-top: 1px solid black; padding: 0 5px;">S 6</td><td></td></tr> <tr><td></td><td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">T 36 N</td><td></td></tr> </table> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>From this cor. point the stan. cor. of Tps. 36 and 37 N., Rs. 13 and 14 E., bears East, 6 mi. (480 chs.) dist., monumented with a stainless steel post, 3 1/2 ins. diam., firmly set, projecting 8 ins. above the ground, with brass cap mkd. SC T37N R13E R14E S36 S31 2005, add the marks 2008 to the brass cap.</p> <p>South, on the W. bdy. of sec. 6.</p> <p>Over broken terrain, through scattered juniper and piñon pine trees.</p> <p>4.80 True Point for the 1/4 sec. cor. of sec. 36, T. 37 N., R. 12 1/2 E. only, located on a steep cliff face where it is impracticable to set a permanent monument.</p> <p>From this cor. point, the point selected for a witness cor. to the 1/4 sec. cor., of sec. 36, T. 37. N., R. 12 1/2 E. only, bears N. 72°14' W., 1.28 chs. dist.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td></td><td>WC</td><td></td></tr> <tr><td></td><td>T 37 N</td><td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">T 36 N</td></tr> <tr><td>R 12 1/2 E</td><td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">1/4</td><td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">R 13 E</td></tr> <tr><td></td><td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">S 36</td><td style="border-left: 1px solid black; border-right: 1px solid black; padding: 0 5px;">S 6</td></tr> </table> <p style="margin-top: 5px;">2008 </p> </div>		SC			T 37 N		R 12 1/2 E	R 13 E		S 36	S 31			S 6			T 36 N			WC			T 37 N	T 36 N	R 12 1/2 E	1/4	R 13 E		S 36	S 6
	SC																														
	T 37 N																														
R 12 1/2 E	R 13 E																														
S 36	S 31																														
	S 6																														
	T 36 N																														
	WC																														
	T 37 N	T 36 N																													
R 12 1/2 E	1/4	R 13 E																													
	S 36	S 6																													

**Survey of a portion of the Third Guide Meridian East (West Boundary),
T. 36 N., R. 13 E., Gila and Salt River Meridian, Arizona**

CHAINS									
40.00	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Point for the 1/4 sec. cor. of sec. 6, T. 36 N., R. 13 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 17 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr> <td>T 37 N</td> <td>T36N</td> </tr> <tr> <td>R 12 1/2 E</td> <td>R 13 E</td> </tr> <tr> <td>S 36</td> <td>1/4</td> </tr> <tr> <td></td> <td>S 6</td> </tr> </table> <p>2008</p> </div>	T 37 N	T36N	R 12 1/2 E	R 13 E	S 36	1/4		S 6
T 37 N	T36N								
R 12 1/2 E	R 13 E								
S 36	1/4								
	S 6								
44.80	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Point for the stan. cor. of Tps. 36 and 37 N., R. 12 1/2 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr> <td>SC</td> <td></td> </tr> <tr> <td>T 37 N</td> <td></td> </tr> <tr> <td>T 12 1/2 E</td> <td></td> </tr> <tr> <td>S 36</td> <td></td> </tr> </table> <p>2008</p> </div>	SC		T 37 N		T 12 1/2 E		S 36	
SC									
T 37 N									
T 12 1/2 E									
S 36									
80.00	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Point for the cor. of secs. 6 and 7, T. 36 N., R. 13 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr> <td>T 36 N</td> <td></td> </tr> <tr> <td>R 12 1/2 E</td> <td>R 13 E</td> </tr> <tr> <td>S 1</td> <td>S 6</td> </tr> <tr> <td></td> <td>S 7</td> </tr> </table> <p>2008</p> </div>	T 36 N		R 12 1/2 E	R 13 E	S 1	S 6		S 7
T 36 N									
R 12 1/2 E	R 13 E								
S 1	S 6								
	S 7								
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>								

**Survey of a portion of the Third Guide Meridian East (West Boundary),
T. 36 N., R. 13 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, broken. Soil, sand loam. Timber, scattered juniper and juniper and piñon pine. Undergrowth, sage and native grasses.</p>
	<p align="center">Survey of the Third Guide Meridian East (West Boundary), T. 37 N., R. 13 E., Gila and Salt River Meridian, Arizona</p>
	<p>From the cor. of Tps. 36 and 37 N., R. 13 E. only, hereinbefore described.</p> <p>North, on the W. bdy. of sec. 31.</p> <p>Over broken terrain, through scattered juniper and piñon pine trees.</p>
35.20	<p>True point for the cor. of secs. 25 and 36, T. 37 N., R. 12 1/2 E. only, located in a deep wash where it is impracticable to set a permanent monument.</p> <p>From this cor. point, the point selected for a witness cor. to the cor. of secs. 25 and 36, T. 37 N., R. 12 1/2 E. only, bears S. 45°00' W., 1.00 ch. dist.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;">  </div> <p>2008</p>
40.00	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Witness cor. is located on a spur, bears S. 60° E. and W.</p> <p>Point for the 1/4 sec. cor. of sec. 31, T. 37 N., R. 13 E. only.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, on a lime stone outcrop, with top mkd.</p>

Survey of the Third Guide Meridian East (West Boundary),
T. 37 N., R. 13 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T 37 N R 12 1/2 E R 13 E S 25 1/4 S 31</p> <p style="text-align: center;">2008</p> <p>Deposit a cylindrical magnet, 3/4 X 1 in., in the drill hole, beneath the brass tablet.</p> <p>Cor. is located on the easterly edge of a mesa.</p> <p>Thence along top of mesa.</p>
75.20	<p>Point for the 1/4 sec. cor. of sec. 25, T. 37 N., R. 12 1/2 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E 1/4 R 13 E S 25 S 31</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 30 and 31, T. 37 N R. 13 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E R 13 E S 25 S 30 S 31</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, broken. Soil, sand loam. Timber, scattered juniper and juniper and piñon pine. Undergrowth, sage and native grasses.</p>
	<hr/> <p>North, on the W. bdy. of sec. 30.</p>

**Survey of the Third Guide Meridian East (West Boundary),
T. 37 N., R. 13 E., Gila and Salt River Meridian, Arizona**

CHAINS							
	Over rolling terrain, along top of mesa, through sage brush, scattered juniper and piñon pine trees.						
35.20	Point for the cor. of secs. 24 and 25, T 37. N, R. 12 1/2 E. only.						
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.						
	<div style="text-align: center;"> <p>T 37 N</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 10px;">R 12 1/2 E</td> <td style="border-left: 1px solid black; padding: 0 5px;">R 13 E</td> </tr> <tr> <td style="padding: 0 10px;">S 24</td> <td style="border-left: 1px solid black; padding: 0 5px;"></td> </tr> <tr> <td style="border-top: 1px solid black; padding: 0 10px;">S 25</td> <td style="border-left: 1px solid black; border-top: 1px solid black; padding: 0 5px;">S 30</td> </tr> </table> </div>	R 12 1/2 E	R 13 E	S 24		S 25	S 30
R 12 1/2 E	R 13 E						
S 24							
S 25	S 30						
	2008						
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.						
40.00	Point for the 1/4 sec. cor. of sec. 30, T. 37 N., R. 13 E. only.						
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.						
	<div style="text-align: center;"> <p>T 37 N</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 10px;">R 12 1/2 E</td> <td style="border-left: 1px solid black; padding: 0 5px;">R 13 E</td> </tr> <tr> <td style="padding: 0 10px;">S 24</td> <td style="border-left: 1px solid black; padding: 0 5px;">1/4</td> </tr> <tr> <td style="padding: 0 10px;"></td> <td style="border-left: 1px solid black; padding: 0 5px;">S 30</td> </tr> </table> </div>	R 12 1/2 E	R 13 E	S 24	1/4		S 30
R 12 1/2 E	R 13 E						
S 24	1/4						
	S 30						
	2008						
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.						
68.60	The point selected for a witness cor. to the 1/4 sec. cor. of sec. 24, T. 37 N., R. 12 1/2 E. only.						
	Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, on a lime stone outcrop, with top mkd.						
	<div style="text-align: center;"> <p>WC</p> <p>T 37 N</p> <table style="margin: auto; border-collapse: collapse;"> <tr> <td style="padding: 0 10px;">R 12 1/2 E</td> <td style="border-left: 1px solid black; padding: 0 5px;">1/4</td> <td style="padding: 0 10px;">R 13 E</td> </tr> <tr> <td style="padding: 0 10px;">S 24</td> <td style="border-left: 1px solid black; padding: 0 5px;">↑</td> <td style="padding: 0 10px;">S 30</td> </tr> </table> </div>	R 12 1/2 E	1/4	R 13 E	S 24	↑	S 30
R 12 1/2 E	1/4	R 13 E					
S 24	↑	S 30					
	2008						
	Deposit a cylindrical magnet, 3/4 X 1 in., in the drill hole, beneath the brass tablet.						

**Survey of the Third Guide Meridian East (West Boundary),
T. 37 N., R. 13 E., Gila and Salt River Meridian, Arizona**

CHAINS	
75.20	True point for the 1/4 sec. cor. of sec. 24, T. 37 N., R. 12 1/2 E. only, located in a deep wash where it is impracticable to set a permanent monument.
80.00	<p>True point for the cor. of secs. 19 and 30, T. 37 N., R. 13 E. only, located on the northerly sheer rock face of mesa where it is impracticable to set a permanent monument.</p> <p>Land, broken. Soil, sand loam. Timber, scattered juniper and juniper and piñon pine. Undergrowth, sage and native grasses.</p> <hr/> <p>North, on the W. bdy. of sec. 19.</p> <p>Over broken terrain, through scattered juniper and piñon pine trees.</p>
6.41	<p>The point selected for a witness cor. to the cor. of secs. 19 and 30, T. 37 N., R. 13 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div data-bbox="755 1060 1071 1333" style="text-align: center;"> <pre> WC T 37 N R 12 1/2 E R 13 E S 19 S 30 v 2008 </pre> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
35.20	<p>Point for the cor. of secs. 13 and 24, T 37. N, R. 12 1/2 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div data-bbox="730 1627 1047 1848" style="text-align: center;"> <pre> T 37 N R 12 1/2 E R 13 E S 13 S 24 S 19 2008 </pre> </div>

**Survey of the Third Guide Meridian East (West Boundary),
T. 37 N., R. 13 E., Gila and Salt River Meridian, Arizona**

CHAINS																
40.00	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Point for the 1/4 sec. cor. of sec. 19, T. 37 N., R. 13 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td></td><td>T 37 N</td><td></td></tr> <tr><td>R 12 1/2 E</td><td> </td><td>R 13 E</td></tr> <tr><td>S 13</td><td> </td><td>1/4</td></tr> <tr><td></td><td></td><td>S 19</td></tr> </table> <p>2008</p> </div>		T 37 N		R 12 1/2 E		R 13 E	S 13		1/4			S 19			
	T 37 N															
R 12 1/2 E		R 13 E														
S 13		1/4														
		S 19														
75.20	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>True point for the 1/4 sec. cor. of sec. 13, T. 37 N., R. 12 1/2 E. only, located in deep wash where it is impracticable to set a permanent monument.</p> <p>From this cor. point, the point selected for a witness cor. to the 1/4 sec. cor. of sec. 13, T. 37 N., R. 12 1/2 E. only, bears. S. 55°00' W., 0.50 chs. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, on lime stone outcrop, with top mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td></td><td>WC</td><td></td></tr> <tr><td></td><td>T 37 N</td><td>↗</td></tr> <tr><td>R 12 1/2 E</td><td> </td><td>R 13 E</td></tr> <tr><td></td><td>1/4</td><td></td></tr> <tr><td>S 13</td><td> </td><td>S 19</td></tr> </table> <p>2008</p> </div>		WC			T 37 N	↗	R 12 1/2 E		R 13 E		1/4		S 13		S 19
	WC															
	T 37 N	↗														
R 12 1/2 E		R 13 E														
	1/4															
S 13		S 19														
80.00	<p>Deposit a cylindrical magnet, 3/4 in. X 1 in., in the drill hole beneath the brass tablet.</p> <p>True point for the cor. of secs. 18 and 19, T. 37 N., R. 13 E. only, located in deep rock canyon where it is impracticable to set a permanent monument.</p> <p>From this cor. point, the point selected for a witness cor. to the cor. of secs. 18 and 19, T. 37 N., R. 13 E. only, bears. S. 15°00' E., 1.50 chs. dist.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>															

Survey of the Third Guide Meridian East (West Boundary),
T. 37 N., R. 13 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> </div> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage and native grasses.</p> <hr/> <p>North, on the W. bdy. of sec. 18.</p> <p>Over rolling terrain, through native grasses and Mormon Tea.</p>
<p>35.20</p>	<p>Point for the cor. of secs. 12 and 13, T. 37 N., R. 12 1/2 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> </div> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
<p>40.00</p>	<p>Point for the 1/4 sec. cor. of sec. 18, T. 37 N., R. 13 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> </div> <p style="text-align: center;">2008</p>

**Survey of the Third Guide Meridian East (West Boundary),
T. 37 N., R. 13 E., Gila and Salt River Meridian, Arizona**

CHAINS	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>												
43.28	<p>Southerly right-of-way fence of State Highway 98, bears N. 81° E. and S. 81° W.</p>												
44.80	<p>Center of right-of-way fences falls in the pavement of State Highway 98, bears N. 81° E. and S. 81° W.</p>												
46.35	<p>Northerly right-of-way fence of State Highway 98, bears N. 81° E. and S. 81° W.</p>												
75.20	<p>Point for the 1/4 sec. cor. of sec. 12, T. 37 N., R. 12 1/2 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td></td><td style="text-align: center;">T 37 N</td><td></td></tr> <tr><td style="text-align: center;">R 12 1/2 E</td><td style="border-left: 1px solid black; border-right: 1px solid black; text-align: center;"> </td><td></td></tr> <tr><td></td><td style="text-align: center;">1/4</td><td style="text-align: center;">R 13 E</td></tr> <tr><td></td><td style="text-align: center;">S 12</td><td style="text-align: center;">S 18</td></tr> </table> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>		T 37 N		R 12 1/2 E				1/4	R 13 E		S 12	S 18
	T 37 N												
R 12 1/2 E													
	1/4	R 13 E											
	S 12	S 18											
80.00	<p>Point for the cor. of secs. 7 and 18, T. 37 N., R. 13 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr><td></td><td style="text-align: center;">T 37 N</td><td></td></tr> <tr><td style="text-align: center;">R 12 1/2 E</td><td style="border-left: 1px solid black; border-right: 1px solid black; text-align: center;"> </td><td style="text-align: center;">R 13 E</td></tr> <tr><td></td><td style="text-align: center;">S 12</td><td style="text-align: center;">S 7</td></tr> <tr><td></td><td style="border-left: 1px solid black; border-right: 1px solid black; text-align: center;"> </td><td style="text-align: center;">S 18</td></tr> </table> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr style="width: 60%; margin: 10px auto;"/> <p>North, on the W. bdy. of sec. 7.</p> <p>Over rolling terrain, through native grasses and Mormon Tea.</p>		T 37 N		R 12 1/2 E		R 13 E		S 12	S 7			S 18
	T 37 N												
R 12 1/2 E		R 13 E											
	S 12	S 7											
		S 18											

**Survey of the Third Guide Meridian East (West Boundary),
T. 37 N., R. 13 E., Gila and Salt River Meridian, Arizona**

CHAINS	
8.70	Navajo Route 6330, a graded dirt road, 27 ft. wide, bears N. 15° E. and S. 15° W.
35.20	Point for the cor. of secs. 1 and 12, T. 37 N, R. 12 1/2 E. only.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	<pre> T 37 N R 12 1/2 E R 13 E S 1 ----- S 12 S 7 2008 </pre>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
40.00	Point for the 1/4 sec. cor. of sec. 7, T. 37 N., R. 13 E. only.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	<pre> T 37 N R 12 1/2 E R 13 E S 1 1/4 ----- S 12 S 7 2008 </pre>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
46.90	Track road, bears S. 80° E. and N. 80° W.
75.20	Point for the 1/4 sec. cor. of sec. 1, T. 37 N., R. 12 1/2 E. only.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	<pre> T 37 N R 12 1/2 E 1/4 R 13 E S 1 S 7 2008 </pre>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

Survey of the Third Guide Meridian East (West Boundary),
T. 37 N., R. 13 E., Gila and Salt River Meridian, Arizona

<p>CHAINS</p> <p>80.00</p>	<p>Point for the cor. of secs. 6 and 7, T. 37 N., R. 13 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr> <td></td> <td>T 37 N</td> <td></td> </tr> <tr> <td>R 12 1/2 E</td> <td> </td> <td>R 13 E</td> </tr> <tr> <td>S 1</td> <td> </td> <td>S 6</td> </tr> <tr> <td></td> <td> </td> <td>S 7</td> </tr> </table> </div> <p>2008</p> <p>Deposit a magnet, in a white plastic case, at the base of and a metal toy car, 3 ins. X 1 in., alongside of the stainless steel post.</p> <p>Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>North, on the W. bdy. of sec. 6.</p> <p>Over rolling terrain, through native grasses and Mormon Tea.</p>		T 37 N		R 12 1/2 E		R 13 E	S 1		S 6			S 7			
	T 37 N															
R 12 1/2 E		R 13 E														
S 1		S 6														
		S 7														
<p>35.20</p>	<p>Point for the cor. of Tps. 37 and 38 N., R. 12 1/2 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr> <td></td> <td>T 38 N</td> <td>T 37 N</td> </tr> <tr> <td>R 12 1/2 E</td> <td> </td> <td>R 13 E</td> </tr> <tr> <td>S 36</td> <td> </td> <td></td> </tr> <tr> <td>S 1</td> <td> </td> <td>S 6</td> </tr> <tr> <td>T 37 N</td> <td> </td> <td></td> </tr> </table> </div> <p>2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>		T 38 N	T 37 N	R 12 1/2 E		R 13 E	S 36			S 1		S 6	T 37 N		
	T 38 N	T 37 N														
R 12 1/2 E		R 13 E														
S 36																
S 1		S 6														
T 37 N																
<p>40.00</p>	<p>Point for the 1/4 sec. cor. of sec. 6, T. 37 N., R. 13 E. only.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>															

**Survey of the Third Guide Meridian East (West Boundary),
T. 37 N., R. 13 E., Gila and Salt River Meridian, Arizona**

CHAINS																
	<table border="0"> <tr> <td>T 38 N</td> <td>T 37 N</td> </tr> <tr> <td>R 12 1/2 E</td> <td>R 13 E</td> </tr> <tr> <td>S 36</td> <td>1/4</td> </tr> <tr> <td></td> <td>S 6</td> </tr> </table>	T 38 N	T 37 N	R 12 1/2 E	R 13 E	S 36	1/4		S 6							
T 38 N	T 37 N															
R 12 1/2 E	R 13 E															
S 36	1/4															
	S 6															
	2008															
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.															
72.00	High Voltage Power Line, bears S. 60° E. and N. 60° W.															
80.00	Point for the cor. of Tps. 37 and 38 N., R. 13 E. only.															
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.															
	<table border="0"> <tr> <td></td> <td>T 38 N</td> <td></td> </tr> <tr> <td>R 12 1/2 E</td> <td> </td> <td>R 13 E</td> </tr> <tr> <td>S 36</td> <td> </td> <td>S 31</td> </tr> <tr> <td></td> <td> </td> <td>S 6</td> </tr> <tr> <td></td> <td> </td> <td>T 37 N</td> </tr> </table>		T 38 N		R 12 1/2 E		R 13 E	S 36		S 31			S 6			T 37 N
	T 38 N															
R 12 1/2 E		R 13 E														
S 36		S 31														
		S 6														
		T 37 N														
	2008															
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.															
	Land, rolling.															
	Soil, sand loam.															
	Undergrowth, native grasses and Mormon Tea.															
	<hr/> <p>Survey of the Ninth Standard Parallel North (South Boundary), T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona</p> <hr/>															
	From the stan. cor. of Tps. 36 and 37 N., R. 12 1/2 E. only, hereinbefore described.															
	West, on the S. bdy. of sec. 36.															
	Over broken terrain, through scattered juniper and piñon pine trees.															
40.00	Point for the stan. 1/4 sec. cor. of sec. 36.															
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.															

**Survey of the Ninth Standard Parallel North (South Boundary),
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
80.00	<p style="text-align: center;">SC T 37 N R 12 1/2 E <u>1/4 S 36</u></p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located on the southerly bank of Kaibito Wash.</p> <p>Point for the stan. cor. of secs. 35 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
36.10	<p style="text-align: center;">SC T 37 N R 12 1/2 E <u>S 35 S 36</u></p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage and native grasses.</p> <hr/> <p>West, on the S. bdy. of sec. 35.</p> <p>Over broken terrain, through scattered juniper and piñon pine trees.</p> <p>Top of mesa.</p>
40.00	<p>Point for the stan. 1/4 sec. cor. of sec. 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">SC T 37 N R 12 1/2 E <u>1/4 S 35</u></p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>

**Survey of the Ninth Standard Parallel North (South Boundary),
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
80.00	<p>Point for the stan. cor. of secs. 34 and 35.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, on lime stone outcrop, with top mkd.</p> <p align="center">SC T 37 N R 12 1/2 E S 34 S 35</p> <p align="center">2008</p> <p>Deposit a cylindrical magnet, 3/4 in. X 1 in., in the drill hole, beneath the brass tablet.</p> <p>Raise a mound of stone, 3 ft. base, 2 ft. high, N. of cor.</p> <p>Cor. is located on westerly edge of mesa.</p> <p>Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage and native grasses.</p> <hr/> <p>West, on the S. bdy. of sec. 34.</p> <p>Over broken terrain, through scattered juniper and piñon pine trees.</p>
40.00	<p>True point for the stan. 1/4 sec. cor. of sec. 34, falls on steep slope of mesa where it is impracticable to set a permanent monument.</p>
47.20	<p>The point selected for a witness cor. to the stan. 1/4 sec. cor. of sec. 34.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, on a lime stone outcrop, with top mkd.</p> <p align="center">WC SC T 37 N R 12 1/2 E 1/4 S 34 →</p> <p align="center">2008</p> <p>Deposit a cylindrical magnet, 3/4 in. X 1 in., in the drill hole, beneath the brass tablet.</p> <p>Cor. is located on a ridge, projecting S. 30° E., from mesa.</p>
80.00	<p>Point for the stan. cor. of secs. 33 and 34.</p>

**Survey of the Ninth Standard Parallel North (South Boundary),
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">SC T 37 N R 12 1/2 E <u>S 33 S 34</u></p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage and native grasses.</p> <hr/> <p>West, on the S. bdy. of sec. 33.</p>
12.56	<p>True point for the stan. cor. of Tps. 37 N., Rs. 12 and 12 1/2 E., determined at record bearing and distance from a witness cor., bears N. 11°42' W., 1.30 chs. dist., monumented with an aluminum rod, 3/4 ins. diam., firmly set, projecting 2 ins. above the ground, with aluminum cap mkd., WC SC T37N R12E R12 1/2E S36 S33 2008 and an arrow pointing to the cor.</p> <p>Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage and native grasses.</p> <hr/> <p style="text-align: center;">Survey of the North Boundary, T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona</p> <hr/> <p>From the cor. of Tps. 37 and 38 N., R. 12 1/2 E. only, hereinbefore described.</p> <p>West, bet. secs. 1 and 36.</p> <p>Over gently rolling terrain, through native grasses and Mormon Tea.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 1 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the North Boundary,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 38 N R 12 1/2 E S 36 1/4 ——— S 1 T 37 N 2008 Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs. 1, 2, 35 and 36. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 38 N R 12 1/2 E S 35 S 36 ——— ——— S 2 S 1 T 37 N 2008 Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Land, gently rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.
	<hr/> West, bet. secs. 2 and 35. Over gently rolling terrain, through native grasses and Mormon Tea.
40.00	Point for the 1/4 sec. cor. of secs. 2 and 35. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 38 N R 12 1/2 E S 35 1/4 ——— S 2 T 37 N 2008 Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs. 2, 3, 34 and 35.

**Survey of the North Boundary,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 38 N R 12 1/2 E S 34 S 35 S 3 S 2 T 37 N</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, and broken glass at the base of the stainless steel post.</p> <p>Land, gently rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>West, bet. secs. 3 and 34.</p> <p>Over gently rolling terrain, through native grasses and Mormon Tea.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 3 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 38 N R 12 1/2 E S 34 1/4 ——— S 3 T 37 N</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, and broken glass at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 3, 4, 33 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 38 N R 12 1/2 E S 33 S 34 S 4 S 3 T 37 N</p> <p style="text-align: center;">2008</p>

**Survey of the North Boundary,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit a magnet, in a white plastic case, and a metal sprocket, 3 ins. diam., at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>West, bet. secs. 4 and 33.</p> <p>Over gently rolling terrain, through native grasses and Mormon Tea.</p>
12.27	<p>The cor. of Tps. 37 and 38 N., Rgs. 12 and 12 1/2 E., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above the ground, with brass cap mkd. T38N R12E R12 1/2E S36 S33 S1 S4 2007.</p> <p>Add the marks 2008 to the brass cap.</p> <p>Land, gently rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p style="text-align: center;">Survey of the Subdivisional Lines, T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona</p> <hr/> <p>From the stan. cor. of secs. 35 and 36, on the S. bdy. of Tp., hereinbefore described.</p> <p>N. 0°01' W., bet. secs. 35 and 36.</p> <p>Over broken terrain, through scattered juniper and piñon pine trees.</p>
40.00	<p>True point for the 1/4 sec. cor. of secs. 35 and 36, located in a deep rock canyon where it is impracticable to set a permanent monument.</p> <p>From this cor. point, the point selected for a witness cor. to the 1/4 sec. cor. of secs. 35 and 36, bears. S. 78°00' E., 0.79 chs. dist.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
80.00	<p style="text-align: center;">WC T 37 N R 12 1/2 E</p> <p style="text-align: center;">← 1/4 S 35 S 36</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>True point for the cor. of secs. 25, 26, 35 and 36, located in a deep rock canyon where it is impracticable to set a permanent monument.</p> <p>From this cor. point, the point selected for a witness cor. to the cor. of secs. 25, 26, 35 and 36, bears S. 7°37' W., 2.20 chs. dist.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p>
40.00	<p style="text-align: center;">WC T 37 N R 12 1/2 E</p> <p style="text-align: center;">S 26 ↗ S 25 S 35 S 36</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage brush and native grasses.</p> <hr/> <p>From the cor. of secs. 25 and 36 only, on the E. bdy. of Tp., hereinbefore described.</p> <p>West, bet. secs. 25 and 36.</p> <p>Over broken terrain, through scattered juniper and piñon pine trees.</p> <p>Point for the 1/4 sec. cor. of secs. 25 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 37 N R 12 1/2 E S 25 1/4 ——— S 36 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Cor. is located on a ridge, bears N. 20° E. and S. 20° W.
80.00	The true point for the cor. of secs. 25, 26, 35 and 36. Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage brush and native grasses.
	N. 0°01' W., bet. secs. 25 and 26. Along top of mesa, through sage brush, juniper and piñon pine.
19.80	Southerly edge of mesa.
40.00	Point for the 1/4 sec. cor. of secs. 25 and 26. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 37 N R 12 1/2 E 1/4 S 26 S 25 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
76.80	Northerly edge of mesa.
80.00	Point for the cor. of secs. 23, 24, 25 and 26. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 37 N R 12 1/2 E S 23 S 24 S 26 S 25 2008

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located on westerly slope of a sandy ridge, bears SE and NW.</p> <p>Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage brush and native grasses.</p> <hr/> <p>From the cor. of secs. 24 and 25 only, on the E. bdy. of Tp., hereinbefore described.</p> <p>West, bet. secs. 24 and 25.</p> <p>Along top of mesa, through sage brush, juniper and piñon pine.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 24 and 25.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E S 24 1/4 ——— S 25</p> <p style="text-align: center;">2008</p>
80.00	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>The cor. of secs. 23, 24, 25 and 26.</p> <p>Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage brush and native grasses.</p> <hr/>
40.00	<p>N. 0°01' W., bet. secs. 23 and 24.</p> <p>Over broken terrain, through scattered juniper and piñon pine trees.</p> <p>Point for the 1/4 sec. cor. of secs. 23 and 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
80.00	<p style="text-align: center;">T 37 N R 12 1/2 E 1/4 S 23 S 24</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Thence over gently rolling terrain, through native grasses and Mormon Tea.</p> <p>Point for the cor. of secs. 13, 14, 23 and 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
40.00	<p style="text-align: center;">T 37 N R 12 1/2 E S 14 S 13 S 23 S 24</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, broken to gently rolling. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage brush, native grasses and Mormon Tea.</p> <hr/> <p>From the cor. of secs. 13 and 24 only, on the E. bdy. of Tp., hereinbefore described.</p> <p>West, bet. secs. 13 and 24.</p> <p>Over gently rolling terrain, through native grasses and Mormon Tea.</p> <p>Point for the 1/4 sec. cor. of secs. 13 and 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T 37 N R 12 1/2 E S 13 1/4 ——— S 24</p> <p style="text-align: center;">2008</p>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 13, 14, 23 and 24. Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.
	N. 0°01' W., bet. secs. 13 and 14.
	Over gently rolling terrain, through native grasses and Mormon Tea.
36.38	Intersect the southerly side of a block house, 60 X 40 ft., the SW cor. bears N. 75°19' W., 35.5 ft. dist., the long side bears N. 14°41' E.
40.00	Point for the 1/4 sec. cor. of secs. 13 and 14. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 6 ins. below the surface of the ground, with brass cap mkd.
	T 37 N R 12 1/2 E 1/4 S 14 S 13 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Cor. is located on the E. edge of graded roads, bears N., S. and NNW.
75.10	Southerly right-of-way fence of State Highway 98, bears N. 81° E. and S. 81° W.
76.63	State Highway 98, asphalt pavement, 36 ft. wide, bears N. 81° E. and S. 81° W.
78.17	Northerly right-of-way fence of State Highway 98, bears N. 81° E. and S. 81° W.
80.00	Point for the cor. of secs. 11, 12, 13 and 14. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	T 37 N R 12 1/2 E S 11 S 12 S 14 S 13 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.
	<hr/> From the cor. of secs. 12 and 13, only, on the E. bdy. of Tp., hereinbefore described. West, bet. secs. 12 and 13. Over gently rolling terrain, through native grasses and Mormon Tea.
40.00	Point for the 1/4 sec. cor. of secs. 12 and 13. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 37 N R 12 1/2 E S 12 1/4 ——— S 13 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
49.79	Southerly right-of-way fence of State Highway 98, bears N. 81° E. and S. 81° W.
59.19	Center of right-of-way fences falls in the asphalt pavement of State Highway 98, bears N. 81° E. and S. 81° W.
68.69	Northerly right-of-way fence of State Highway 98, bears N. 81° E. and S. 81° W.
80.00	The cor. of secs. 11, 12, 13 and 14. Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.
	<hr/>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 0°01' W., bet. secs. 11 and 12.
	Over gently rolling terrain, through native grasses and Mormon Tea.
40.00	Point for the 1/4 sec. cor. of secs. 11 and 12.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 37 N R 12 1/2 E 1/4 S 11 S 12 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
41.50	Wash, 10 ft. wide, drains S. 80° W.
80.00	Point for the cor. of secs. 1, 2, 11 and 12.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 37 N R 12 1/2 E S 2 S 1 --- --- S 11 S 12 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Land, rolling.
	Soil, sand loam.
	Undergrowth, native grasses and Mormon Tea.
	<hr/>
	From the cor. of secs. 1 and 12, only, on the E. bdy. of Tp., hereinbefore described.
	West, bet. secs. 1 and 12.
40.00	Point for the 1/4 sec. cor. of secs. 1 and 12.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 37 N R 12 1/2 E S 1 1/4 ——— S 12 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 1, 2, 11 and 12. Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.
	—————
	N. 0°01' W., bet. secs. 1 and 2.
	Over gently rolling terrain, through native grasses and Mormon Tea.
40.00	Point for the 1/4 sec. cor. of secs. 1 and 2. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 37 N R 12 1/2 E 1/4 S 2 S 1 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 1, 2, 35 and 36 on the N. bdy. of Tp., hereinbefore described. Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.
	—————
	From the stan. cor. of secs. 34 and 35, on the S. bdy. of Tp., hereinbefore described.
	North, bet. secs. 34 and 35.
	Along top of mesa, through sage brush, juniper and piñon pine.
35.20	Edge of mesa, thence along broken terrain.

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS					
40.00	<p>True point for the 1/4 sec. cor. of secs. 34 and 35, located on the southerly sheer rock face of a mesa where it is impracticable to set a permanent monument.</p> <p>From this cor. point, the point selected for a witness cor. to the 1/4 sec. cor. of secs. 34 and 35, bears N. 30°00' E., 1.15 chs. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, on a lime stone outcrop, with top mkd.</p> <div style="text-align: center;"> <p>WC</p> <p>T 37 N R 12 1/2 E</p> <p>1/4</p> <table style="margin: auto;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 34</td> <td style="padding: 0 5px;">S 35</td> </tr> </table> <p>↙ 2008</p> </div> <p>Deposit a cylindrical magnet, 3/4 in. X 1 in., in the drill hole beneath the brass tablet.</p>	S 34	S 35		
S 34	S 35				
42.10	Edge of mesa.				
80.00	<p>Point for the cor. of secs. 26, 27, 34 and 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 37 N R 12 1/2 E</p> <table style="margin: auto;"> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 27</td> <td style="padding: 0 5px;">S 26</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 34</td> <td style="padding: 0 5px;">S 35</td> </tr> </table> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>From the cor. of secs. 25, 26, 35 and 36.</p> <p>West, bet. secs. 26 and 35.</p> <p>Along top of mesa, through sage brush, juniper and piñon pine.</p>	S 27	S 26	S 34	S 35
S 27	S 26				
S 34	S 35				
40.00	<p>Point for the 1/4 sec. cor. of secs. 26 and 35.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>				

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 37 N R 12 1/2 E S 26 1/4 ——— S 35 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 26, 27, 34 and 35. Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.
	N. 0°01' W., bet. secs. 26 and 27.
	Along top of mesa, through sage brush, juniper and piñon pine.
25.40	Northerly edge of mesa, thence along broken terrain.
40.00	True point for the 1/4 sec. cor. of sec. 26 and 27, located on the northerly sheer rock face of mesa where it is impracticable to set a permanent monument.
46.70	Point selected for a witness cor. to the 1/4 sec. cor. of secs. 26 and 27. Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, on lime stone outcrop, with top mkd.
	WC T 37 N R 12 1/2 E 1/4 S 27 ↓ S 26 2008
	Deposit a cylindrical magnet, 3/4 in. X 1 in., in the drill hole, beneath the brass tablet.
73.80	Northwesterly edge of Whisky Bottle Rock.
80.00	Point for the cor. of secs. 22, 23, 26 and 27. Set a brass tablet, 3 1/4 ins. diam., 3 1/2 ins. stem, cemented in a drill hole, on a lime stone outcrop, with top mkd.

Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona

CHAINS	
	T 37 N R 12 1/2 E S 22 S 23 S 27 S 26 2008
	Deposit a cylindrical magnet, 3/4 X 1 in., in the drill hole, beneath the brass tablet. Raise a mound of stone 2 1/2 base, 2 ft. high, W. of cor. Land, rolling to broken. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.
	<hr/> From the cor. of secs. 23, 24, 25 and 26. West, bet. secs. 23 and 26. Over broken terrain, through scattered juniper and piñon pine trees.
40.00	Point for the 1/4 sec. cor. of secs. 23 and 26. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 37 N R 12 1/2 E S 23 1/4 ——— S 26 2008
80.00	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. The cor. of secs. 22, 23, 26 and 27. Land, broken. Soil, sand loam. Timber. juniper and piñon pine. Undergrowth, native grasses and Mormon Tea.
	<hr/> N. 0°01' W., bet. secs. 22 and 23. Over broken terrain, through native grasses, Mormon Tea and scattered juniper.
40.00	Point for the 1/4 sec. cor. of secs. 22 and 23.

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E 1/4 S 22 S 23</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 14, 15, 22 and 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E S 15 S 14 S 22 S 23</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Raise a mound of stone, 2 1/2 ft. base, 2 ft. high, W. of cor.</p> <p>Land, rolling. Soil, sand loam. Timber, juniper Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>From the cor. of secs. 13, 14, 23 and 24.</p> <p>West, bet. secs. 14 and 23.</p> <p>Over rolling terrain, through native grasses and Mormon Tea.</p>
40.00	<p>Point for the 1/4 sec. cor of secs. 14 and 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E S 14 1/4 ——— S 23</p> <p style="text-align: center;">2008</p>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 14, 15, 22 and 23. Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.
	N. 0°01' W., bet. secs. 14 and 15.
	Over gently rolling terrain, through native grasses and Mormon Tea.
40.00	Point for the 1/4 sec. cor. of secs. 14 and 15. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 37 N R 12 1/2 E 1/4 S 15 S 14 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
71.92	Southerly right-of-way fence of State Highway 98, bears S. 88° E. and N. 88° W.
73.44	Center of right-of-way fences falls in the pavement of State Highway 98, bears S. 88° E. and N. 88° W.
74.96	Northerly right-of-way fence of State Highway 98, bears S. 88° E. and N. 88° W.
80.00	Point for the cor. of secs. 10, 11, 14 and 15. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 37 N R 12 1/2 E S 10 S 11 S 15 S 14 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, gently rolling. Soil. sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>From the cor. of secs. 11, 12, 13 and 14.</p> <p>West, bet. secs. 11 and 14.</p> <p>Over gently rolling terrain, through native grasses and Mormon Tea.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 11 and 14.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E S 11 1/4 ——— S 14</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 10, 11, 14 and 15.</p> <p>Land, gently rolling. Soil. sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>N. 0°01' W., bet. secs. 10 and 11.</p> <p>Over gently rolling terrain, through native grasses and Mormon Tea.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 10 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E 1/4 S 10 S 11</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS									
80.00	<p>Point for the cor. of secs. 2, 3, 10 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr> <td colspan="2">T 37 N R 12 1/2 E</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 3</td> <td style="padding: 0 5px;">S 2</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 10</td> <td style="padding: 0 5px;">S 11</td> </tr> </table> </div> <p style="text-align: center; margin: 5px 0;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, gently rolling. Soil. sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr style="border: 0.5px solid black; margin: 10px 0;"/> <p>From the cor. of secs. 1, 2, 11 and 12.</p> <p>West, bet. secs. 2 and 11.</p> <p>Over gently rolling terrain, through native grasses and Mormon Tea.</p>	T 37 N R 12 1/2 E		S 3	S 2	S 10	S 11		
T 37 N R 12 1/2 E									
S 3	S 2								
S 10	S 11								
40.00	<p>Point for the 1/4 sec. cor. of secs. 2 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto; border-collapse: collapse;"> <tr> <td colspan="2">T 37 N R 12 1/2 E</td> </tr> <tr> <td colspan="2" style="text-align: center;">S 2</td> </tr> <tr> <td colspan="2" style="text-align: center;">1/4 ———</td> </tr> <tr> <td colspan="2" style="text-align: center;">S 11</td> </tr> </table> </div> <p style="text-align: center; margin: 5px 0;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>	T 37 N R 12 1/2 E		S 2		1/4 ———		S 11	
T 37 N R 12 1/2 E									
S 2									
1/4 ———									
S 11									
80.00	<p>The cor. of secs. 2, 3, 10 and 11.</p> <p>Land, gently rolling. Soil. sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr style="border: 0.5px solid black; margin: 10px 0;"/> <p>N. 0°01' W., bet. secs. 2 and 3.</p> <p>Over gently rolling terrain, through native grasses and Mormon Tea.</p>								

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
40.00	<p>Point for the 1/4 sec. cor. of secs. 2 and 3.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E 1/4 S 3 S 2</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 2, 3, 34 and 35, on the N. bdy. of Tp., hereinbefore described.</p> <p>Land, gently rolling. Soil. sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>From the stan. cor. of secs. 3, 4, 33 and 34, on the S. bdy. of Tp., hereinbefore described.</p> <p>N. 0°02' W., bet. secs. 33 and 34.</p> <p>Over broken terrain, through scattered juniper and piñon pine trees.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 33 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E 1/4 S 33 S 34</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 27, 28, 33 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 37 N R 12 1/2 E S 28 S 27 S 33 S 34 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage brush and native grasses.
	<hr/> From the cor. of secs. 26, 27, 34 and 35. West, bet. secs. 27 and 34. Along top of mesa, through sage brush, juniper and piñon pine.
34.00	The point selected for a witness cor. for the 1/4 sec. cor. to secs. 27 and 34. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	WC T 37 N R 12 1/2 E S 27 1/4 ——— S 34 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Cor. is located on westerly edge of mesa. Thence along slope of mesa.
40.00	True point for the 1/4 sec. cor. of secs. 27 and 34, located on the westerly steep rocky slope of a mesa where it is impracticable to set a permanent monument.
80.00	The cor. of secs. 27, 28, 33 and 34. Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage brush and native grasses.
	<hr/>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>West, bet. secs. 28 and 33.</p> <p>Over rolling terrain, through native grasses and Mormon Tea.</p>
12.51	<p>The cor. of secs. 25, 28, 33 and 36, on the W. bdy. of Tp., monumented with a stainless steel post, 2 1/2 ins. diam, firmly set, projecting 6 ins. above the ground, in a collar of stone, 3 ft. base, to top, with brass cap mkd., T37N R12E R12 1/2E S25 S28 S36 S33 2007.</p> <p>Add the marks 2008 to the brass cap.</p> <p>Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage brush and native grasses.</p> <hr/> <p>From the cor. of secs. 27, 28, 33 and 34.</p> <p>N. 0°02' W., bet. secs. 27 and 28.</p> <p>Over broken terrain, through scattered juniper and piñon pine trees.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 27 and 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E 1/4 S 28 S 27</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 21, 22, 27 and 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E S 21 S 22 S 28 S 27</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage brush and native grasses.</p> <hr/> <p>From the cor. of secs. 22, 23, 26 and 27.</p> <p>West, bet. secs. 22 and 27.</p> <p>Over broken terrain, through scattered juniper and piñon pine trees.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 22 and 27.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 37 N R 12 1/2 E S 22 1/4 ——— S 27</p> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 21, 22, 27 and 28.</p> <p>Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage brush and native grasses.</p> <hr/> <p>West, bet. secs. 21 and 28.</p> <p>Over broken terrain, through scattered juniper and piñon pine trees.</p>
12.46	<p>The cor. of secs. 21, 24, 25 and 28, on the W. bdy. of Tp., monumented with a stainless steel post, 2 1/2 ins. diam, firmly set, projecting 4 ins. above the ground, in a collar of stone, 3 ft. base, to top, with brass cap mkd., T37N R12E R12 1/2E S24 S21 S25 S28 2007.</p> <p>Add the marks 2008 to the brass cap.</p>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage brush and native grasses.</p> <hr/> <p>From the cor. of secs. 21, 22, 27 and 28. N. 0°02 W., bet. secs. 21 and 22. Over rolling terrain, through native grasses and Mormon Tea.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 21 and 22. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E 1/4 S 21 S 22 2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 15, 16, 21 and 22. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E S 16 S 15 S 21 S 22 2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>From the cor. of secs. 14, 15, 22 and 23. West, bet. secs. 15 and 22.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 15 and 22. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 37 N R 12 1/2 E S 15 1/4 ——— S 22 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 15, 16, 21 and 22. Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.
	—————
	West, bet. secs. 16 and 21. Over rolling terrain, through native grasses and Mormon Tea.
12.41	The cor. of secs. 13, 16, 21 and 24, on the W. bdy. of Tp., monumented with a stainless steel post, 2 1/2 ins. diam, firmly set flush with the ground, with brass cap mkd., T37N R12E R12 1/2E S13 S16 S24 S21 2008.
	Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.
	—————
	From the cor. of secs. 15, 16, 21 and 22. N. 0°02' W., bet. secs. 15 and 16. Over rolling terrain, through native grasses and Mormon Tea.
36.00	Graded Road, 8 ft. wide, bears S. 65° E. and N. 65° W.
40.00	Point for the 1/4 sec. cor. of secs. 15 and 16. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 37 N R 12 1/2 E 1/4 S 16 S 15 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS									
74.54	Southerly right-of-way fence of State Highway 98, bears S. 88° E. and N. 88° W.								
76.05	Center of right-of-way fences, falls in the pavement of State Highway 98, bears S. 88° E. and N. 88° W.								
77.56	Northerly right-of-way fence of State Highway 98, bears S. 88° E. and N. 88° W.								
80.00	Point for the cor. of secs. 9, 10, 15 and 16. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> <table style="margin: auto;"> <tr><td>T 37 N</td><td>R 12 1/2 E</td></tr> <tr><td>S 9</td><td>S 10</td></tr> <tr><td>S 16</td><td>S 15</td></tr> </table> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, and broken glass at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>From the cor. of secs. 10, 11, 14 and 15.</p> <p>West, bet. secs. 10 and 15.</p>	T 37 N	R 12 1/2 E	S 9	S 10	S 16	S 15		
T 37 N	R 12 1/2 E								
S 9	S 10								
S 16	S 15								
25.72	From this point, a windmill, 40 ft. high, with water storage tank alongside, bears North, 10.78 chs. dist.								
40.00	Point for the 1/4 sec. cor. of secs. 10 and 15. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. <div style="text-align: center;"> <table style="margin: auto;"> <tr><td>T 37 N</td><td>R 12 1/2 E</td></tr> <tr><td>S 10</td><td></td></tr> <tr><td>1/4</td><td>—</td></tr> <tr><td>S 15</td><td></td></tr> </table> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>	T 37 N	R 12 1/2 E	S 10		1/4	—	S 15	
T 37 N	R 12 1/2 E								
S 10									
1/4	—								
S 15									
80.00	The cor. of secs. 9, 10, 15 and 16.								

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>West, bet. secs. 9 and 16.</p> <p>Over rolling terrain, through native grasses and Mormon Tea.</p>
12.36	<p>The cor. of secs. 9, 12, 13 and 16, on the W. bdy. of Tp., monumented with a stainless steel post, 2 1/2 ins. diam, firmly set, projecting 2 ins. above the ground, with brass cap mkd., T37N R12E R12 1/2E S12 S9 S13 S16 2007.</p> <p>Add the marks 2008 to the brass cap.</p> <p>Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>From the cor. of secs. 9, 10, 15 and 16.</p> <p>N. 0°02' W., bet. secs. 9 and 10.</p> <p>Over rolling terrain, through native grasses and Mormon Tea.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 9 and 10.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E 1/4 S 9 S 10 2008</p> <p>Deposit a magnet, in a white plastic case, and broken glass at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 3, 4, 9 and 10.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E S 4 S 3 S 9 S 10 2008</p>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>From the cor. of secs. 2, 3, 10 and 11.</p> <p>West, bet. secs. 3 and 10.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 3 and 10.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E S 3 1/4 ——— S 10</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 3, 4, 9 and 10.</p> <p>Land, rolling. Soil, sand loam. Undergrowth, native grasses and Mormon Tea.</p> <hr/> <p>West, bet. secs. 4 and 9.</p> <p>Over rolling terrain, through native grasses and Mormon Tea.</p>
12.31	<p>The cor. of secs. 1, 4, 9 and 12, on the W. bdy. of Tp., monumented with a stainless steel post, 2 1/2 ins. diam, firmly set, projecting 3 ins. above the ground, with brass cap mkd., T37N R12E R12 1/2E S1 S4 S12 S9 2007.</p> <p>Add the marks 2008 to the brass cap.</p> <p>Land, broken. Soil, sand loam. Timber, scattered juniper and piñon pine. Undergrowth, sage brush and native grasses.</p> <hr/> <p>From the cor. of secs. 3, 4, 9 and 10.</p>

**Survey of the Subdivisional Lines,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 0°02' W., bet. secs. 3 and 4. Over rolling terrain, through native grasses and Mormon Tea.
40.00	Point for the 1/4 sec. cor. of secs. 3 and 4. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. <div style="text-align: center;">T 37 N R 12 1/2 E 1/4 S 4 S 3 2008</div>
80.00	Deposit a magnet, in a white plastic case, at the base of the stainless steel post. The cor. of secs. 3, 4, 33 and 34, on the N. bdy. of Tp., hereinbefore described.
<hr/> Subdivision of Section 12, T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona <hr/>	
	From the 1/4 sec. cor. of secs. 12 and 13. North, on the N. and S. center line of sec. 12. Over rolling terrain, through native grasses and Mormon Tea.
1.59	Southerly right-of-way fence of State Highway 98, bears N. 80° E. and S. 80° W.
3.10	Center of right-of-way fences, falls in the pavement of State Highway 98, bears N. 80° E. and S. 80° W.
4.65	Northerly right-of-way fence of State Highway 98, bears N. 80° E. and S. 80° W.
40.00	Point for the center 1/4 sec. cor. of sec. 12, at intersection with the E. and W. center line. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. <div style="text-align: center;">T 37 N R 12 1/2 E C 1/4 S 12 2008</div>

**Subdivision of Section 12,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The 1/4 sec. cor. of secs. 1 and 12.
	From the 1/4 sec. cor. of sec. 12 only, on the E. bdy. of Tp. West, on the E. and W. center line of sec. 12.
	Over rolling terrain, through native grasses and Mormon Tea.
40.00	The center 1/4 sec. cor. of sec. 12.
80.00	The 1/4 sec. cor. of secs. 11 and 12.
	Subdivision of Section 13, T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona
	From the 1/4 sec. cor. of secs. 13 and 24.
	North, on the N. and S. center line of sec. 13.
	Over rolling terrain, through native grasses and Mormon Tea.
40.00	Point for the center 1/4 sec. cor. of sec. 13, at intersection with the E. and W. center line.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 37 N R 12 1/2 E C 1/4 S 13
	2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The 1/4 sec. cor. of secs. 12 and 13.
	From the 1/4 sec. cor. of sec. 13 only, on the E. bdy. of Tp. West, on the E. and W. center line of sec. 13.
	Over rolling terrain, through native grasses and Mormon Tea.
40.00	The center 1/4 sec. cor. of sec. 13.

**Subdivision of Section 13,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
80.00	The 1/4 sec. cor. of secs. 13 and 14.
<hr/> <p>Subdivision of Section 14, T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona</p> <hr/>	
	From the 1/4 sec. cor. of secs. 14 and 23.
	N. 0°01' W., on the N. and S. center line of sec. 13.
	Over rolling terrain, through native grasses and Mormon Tea.
40.00	Point for the center 1/4 sec. cor. of sec. 14, at intersection with the E. and W. center line.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 37 N R 12 1/2 E C 1/4 S 14 2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
70.61	Southerly right-of-way fence of State Highway 98, bears S. 88° E. and N. 88° W.
72.12	Center of right-of-way fences falls in the pavement of State Highway 98, bears S. 88° E. and N. 88° W.
73.65	Northerly right-of-way fence of State Highway 98, bears S. 88° E. and N. 88° W.
80.00	The 1/4 sec. cor. of secs. 11 and 14.
	From the 1/4 sec. cor. of secs. 13 and 14.
	West, on the E. and W. center line of sec. 14.
	Over rolling terrain, through native grasses and Mormon Tea.
40.00	The center 1/4 sec. cor. of sec. 14.
80.00	The 1/4 sec. cor. of secs. 14 and 15.

**Subdivision of Section 15,
T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>From the 1/4 sec. cor. of secs. 15 and 22.</p> <p>N. 0°02' W., on the N. and S. center line of sec. 15.</p> <p>Over rolling terrain, through native grasses and Mormon Tea.</p>
40.00	<p>Point for the center 1/4 sec. cor. of sec. 15, at intersection with the E. and W. center line.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 37 N R 12 1/2 E C 1/4 S 15</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
73.23	<p>Southerly right-of-way fence of State Highway 98, bears S. 88° E. and N. 88° W.</p>
74.75	<p>Center of right-of-way fences falls in the pavement of State Highway 98, bears S. 88° E. and N. 88° W.</p>
76.26	<p>Northerly right-of-way fence of State Highway 98, bears S. 88° E. and N. 88° W.</p>
80.00	<p>The 1/4 sec. cor. of secs. 10 and 15.</p> <hr/> <p>From the 1/4 sec. cor. of sec. 14 and. 15.</p> <p>West, on the E. and W. center line of sec. 15.</p> <p>Over rolling terrain, through native grasses and Mormon Tea.</p>
40.00	<p>The center 1/4 sec. cor. of sec. 15.</p>
80.00	<p>The 1/4 sec. cor. of secs. 15 and 16.</p> <hr/>

T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona

CHAINS

GENERAL DESCRIPTION

The survey is located on the Navajo Indian Reservation, east of the community of Kaibeto, approximately 40 miles southeast of the city of Page, Arizona. Primary access is along State Highway 98, with some dirt and track roads for access.

The township consists of nearly level to gently rolling terrain, with vegetation comprised of native grasses and Mormon tea, in the northern portion of the Tp. White Mesa encompasses the southern portion of the Tp., and consists of juniper and piñon pine trees. The land is primarily used for grazing of sheep, horses and cattle; with very little occupancy in the area.

Elevation ranges from about 6000 ft. in the northern portion of Tp. to 6900 ft. above sea level on top of the Mesa.

The mean magnetic declination of $11\ 1/2^\circ$ E. was derived from the United States Geological Survey computer program GEOMAG, utilizing the World Magnetic Model for Epoch 2005 for the dates of survey.

CERTIFICATE OF SURVEY

I, Joe R. Salazar, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of special instructions bearing date of the 17th day of January, 2008, I have surveyed a portion of the Third Guide meridian East (west boundary), T. 36 N., R. 13 E., surveyed the third Guide Meridian East (west boundary), T. 37 N., R. 13 E., surveyed the Ninth Stan. Parallel North (south boundary), the north boundary, the subdivisional lines and subdivided certain sections, T. 37 N., R. 12 1/2 E., of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction. Said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and in specific manner described in the foregoing field notes.

12/9/2008
(Date)

Joe R. Salazar
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Phoenix, Arizona

The foregoing field notes of the survey of a portion of the Third Guide Meridian East (west boundary), T. 36 N., R. 13 E., the survey of the Third Guide Meridian East (west boundary), T. 37 N., R. 13 E., the survey of the Ninth Stan. Parallel North (south boundary), the north boundary, the subdivisional lines and the subdivision of certain sections, T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, in the State of Arizona, executed by Joe R. Salazar, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

01/29/2009
(Date)

Stephen K. Hansen
(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above described surveys in T. 36 N., R. 13 E. and T. 37 N., R. 13 E. and T. 37 N., R. 12 1/2 E., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~(Date)~~

~~(Chief Cadastral Surveyor of Arizona)~~