

ORIGINAL

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

FIELD NOTES  
OF THE SURVEY  
OF A PORTION OF THE TENTH STANDARD PARALLEL NORTH  
(SOUTH BOUNDARY) ,

**TOWNSHIP 41 NORTH, RANGE 19 EAST,**

THE FIFTH GUIDE MERIDIAN EAST (EAST BOUNDARY) ,  
THE WEST BOUNDARY, THE SUBDIVISIONAL LINES,  
THE SUBDIVISION OF SECTION 6  
AND A METES-AND-BOUNDS SURVEY OF A PORTION OF  
THE MONUMENT VALLEY TRIBAL PARK (MVTP) BOUNDARY,

**TOWNSHIP 40 NORTH, RANGE 20 EAST,**

OF THE GILA AND SALT RIVER MERIDIAN,  
IN THE STATE OF ARIZONA

**EXECUTED BY**

**Jones Curtiss, Cadastral Surveyor**

Under Special Instructions dated and approved March 3, 2008, which provided for the surveys included under Group No. 1043 and assignment instructions dated March 3, 2008.

**Survey commenced March 9, 2008**

**Survey completed May 22, 2008**

**INDEX DIAGRAM**

TOWNSHIPS 41 NORTH, RANGE 19 EAST  
 AND  
 TOWNSHIP 40 NORTH, RANGE 20 EAST  
 GILA AND SALT RIVER MERIDIAN, ARIZONA

**TENTH STANDARD PARALLEL NORTH**

36 4	31	32	33	34	35	36
66	66	53	44	35	26	
16 6	64 5	52 4	42 3	33 2	25 1	10
64	63	51	42	33	24	
15 7	62 8	50 9	41 10	32 11	23 12	9
61	61	50	40	31	22	
14 18	60 17	49 16	39 15	30 14	22 13	8
59	59	48	39	30	21	
13 19	58 20	47 21	38 22	29 23	20 24	7
57	57	47	37	29	20	
12 30	56 29	46 28	37 27	28 26	19 25	6
55	54	45	36	27	18	
11 31	54 32	44 33	35 34	26 35	17 36	5

Subdivision of Section 6.....67-68  
 Metes-and-Bounds Survey.....68-75

**Tps. 40 and 41 N., Rs. 19 and 20 E., Gila and Salt River Meridian, Arizona**

CHAINS

The following field notes describe the survey of a portion of the Tenth Standard Parallel North (south boundary), Township 41 North, Range 19 East, the Fifth Guide Meridian East (east boundary), the west boundary, the subdivisional lines, the subdivision of section 6 and a metes-and-bounds survey of a portion of the Monument Valley Tribal Park (MVTP) Boundary, Township 40 North, Range 20 East, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows:

The Fifth Guide Meridian East (east boundary) and the north boundary, Township 39 North, Range 20 East, was surveyed by Leonard R. Sandoval in 1998. The Tenth Standard Parallel North (south boundary) and a metes-and-bounds survey of a portion of the Monument Valley Tribal Park (MVTP) Boundary, Township 41 North, Range 20 East, was surveyed by Joe R. Salazar in 2006.

The survey was executed in accordance with the specifications as set forth in the Manual of Instructions for the Survey of the Public Lands of the United States, 1973 and the Special Instructions dated March 3, 2008, for Group Number 1043, Arizona.

The true meridian direction and length of all lines were determined by real time kinematic global positioning system observations using Trimble Navigation 5700 model receivers.

Geodetic control was derived from Global Positioning System (GPS) static observations post processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) FREDONIA, SPIDERROCK AZ2005 and AZTEC. The NAD 83 (COR96) (EPOCH:2002) geographic position of the southeast corner of the township is as follows:

Latitude: 36°49'28.35" N.                      Longitude: 110°07'41.00" W.

The mean magnetic declination is 11 1/4° E.

---

**Survey of a Portion of the Tenth Standard Parallel North  
(South Boundary),  
T. 41 N., R. 19 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Beginning at the stan. cor. of Tps. 41 N., Rs. 19 and 20 E., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, flush with the surface of the ground, with brass cap mkd. SC T41N R19E R20E S36 S31 2006.
	Add the marks 2008 to the brass cap.
	West, on the S. bdy. of sec. 36.
	Over rolling land.
3.20	E. right-of-way fence of U. S. Highway 163, 5 strand barbed wire, parallels highway.
4.48	U. S. Highway 163, asphalt surface, 26 ft. wide, bears N. 25° E. and S. 25° W.
5.71	W. right-of-way fence of U. S. Highway 163, 5 strand barbed wire, parallels highway.
6.80	Power line, 2 lines, bears N. 25° E. and S. 25° W.
29.90	Trail road, bears N. 10° E. and S. 10° W.
40.00	Point for the stan. 1/4 sec. cor. of sec. 36.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground to bedrock, in a mound of stone, 4 ft. base, to top, with brass cap mkd.  <div style="text-align: center;">           SC            T 41 N R 19 E            1/4 S 36  <hr style="width: 10%; margin: 0 auto;"/>           2008         </div>
80.00	Point for the stan. cor. of secs. 35 and 36.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           SC            T 41 N R 19 E            S 35   S 36  <hr style="width: 10%; margin: 0 auto;"/>           2008         </div>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

**Survey of a Portion of the Tenth Standard Parallel North  
(South Boundary),  
T. 41 N., R. 19 E., Gila and Salt River Meridian, Arizona**

CHAINS									
	<p>Land, rolling. Soil, sand and sandy clay. Timber, scattered juniper; undergrowth, rabbit brush, Mormon Tea, yucca and native grasses.</p> <hr/> <p align="center"><b>Survey of the Fifth Guide Meridian East (East Boundary), T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona</b></p> <hr/> <p>From the cor. of Tps. 39 and 40 N., Rs. 20 and 21 E., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, flush in a mound of stone, 3 ft. base, to top, with brass cap mkd. T40N R20E R21E S36 S31 S1 S6 T39N 1998.</p> <p>from which the 1998 accessory</p> <p style="padding-left: 40px;">The marks X B0, chiseled on sandstone bedrock, bear S. 12 3/4° W., 38 1/2 lks. dist.</p> <p>Add the marks 2008 to the brass cap.</p> <p>Cor. is located on the E. edge of a wash, 10 ft. wide, 2 ft. deep, drains S. 25° W.</p> <p>North, bet. secs. 31 and 36.</p> <p>Over broken, rocky land.</p>								
40.00	<p>Point for the 1/4 sec. cor. of secs. 31 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center; margin: 20px 0;"> <table border="0"> <tr><td colspan="2">T 40 N</td></tr> <tr><td colspan="2">1/4</td></tr> <tr><td>R 20 E</td><td>  R 21 E</td></tr> <tr><td>S 36</td><td>  S 31</td></tr> </table> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>	T 40 N		1/4		R 20 E	R 21 E	S 36	S 31
T 40 N									
1/4									
R 20 E	R 21 E								
S 36	S 31								
80.00	<p>Point for the cor. of secs. 25, 30, 31 and 36.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p>								


Survey of the Fifth Guide Meridian East (East Boundary),  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T 40 N R 20 E   R 21 E S 25   S 30 ----- S 36   S 31</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Land, broken. Soil, sandy clay and rocky. Timber, scattered piñon and juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.</p> <hr/> <p>North, bet. secs. 25 and 30.</p> <p>Over broken, rocky land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 25 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N 1/4 R 20 E   R 21 E S 25   S 30</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 19, 24, 25 and 30.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <p style="text-align: center;">T 40 N R 20 E   R 21 E S 24   S 19 ----- S 25   S 30</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p>

**Survey of the Fifth Guide Meridian East (East Boundary),  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, broken. Soil, sandy clay and rocky. Timber, scattered piñon and juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.</p> <hr/>
	<p>North, bet. secs. 19 and 24.</p>
	<p>Over broken and rugged, rocky land.</p>
27.30	<p>Base of sandstone butte, 100 ft. high, bears N. 55° E. and S. 55° W.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 19 and 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p align="center">T 40 N 1/4 R 20 E   R 21 E S 24   S 19</p> <p align="center">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 13, 18, 19 and 24.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p>
	<p align="center">T 40 N R 20 E   R 21 E S 13   S 18 <hr/>S 24   S 19</p> <p align="center">2008</p>
	<p>from which</p> <p align="center">The marks X B0, chiseled on exposed sandstone bedrock, bear S. 16 1/2° W., 21 lks. dist.</p> <p>Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.</p>

**Survey of the Fifth Guide Meridian East (East Boundary),  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, broken and rugged. Soil, sandy clay and rocky. Timber, scattered piñon and juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.</p> <hr/> <p>North, bet. secs. 13 and 18.</p> <p>Over broken and rugged, rocky land.</p> <p>40.00 True point for the 1/4 sec. cor. of secs. 13 and 18, falls on a steep sandstone slope, where it is impracticable to establish a permanent monument.</p> <p>From this true point, the point selected for a witness cor. to the 1/4 sec. cor. of secs. 13 and 18, bears S. 12°00' W., 1.00 ch. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <div style="text-align: center;"> <p>WC T 40 N 1/4 R 20 E   R 21 E S 13   S 18</p>  <p>2008</p> </div> <p>Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.</p> <p>Witness cor. is located on a sandstone ledge, 1 1/2 ft. high, bears S. 55° E. and N. 55° W. and 9 lks. S. of the N. rim of a mesa, 250 ft. high, bears S. 85° E. and N. 85° W.</p>
80.00	<p>True point for the cor. of secs. 7, 12, 13 and 18, falls on a sandstone slope, where it is impracticable to establish a permanent monument.</p> <p>From this true point, the point selected for a witness cor. to the cor. of secs. 7, 12, 13 and 18, bears S. 24°00' W., 1.00 ch. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p>

**Survey of the Fifth Guide Meridian East (East Boundary),  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p align="center">WC T 40 N R 20 E   R 21 E S 12   S 7 ----- S 13   S 18 ↙ 2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Land, broken and rugged. Soil, sandy clay and rocky. Timber, scattered piñon and juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.</p> <hr/> <p>North, bet. secs. 7 and 12.</p> <p>Over broken and rugged, rocky land.</p>
40.00	<p>True point for the 1/4 sec. cor. of secs. 7 and 12, falls on a boulder strewn slope, where it is impracticable to establish a permanent monument.</p> <p>From this true point, the point selected for a witness cor. to the 1/4 sec. cor. of secs. 7 and 12, bears S. 70°00' W., 50 lks. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p>
80.00	<p align="center">WC T 40 N 1/4 ↗ R 20 E   R 21 E S 12   S 7  2008</p> <p>Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.</p> <p>Witness cor. is located 12 lks. W. of the E. rim of a mesa, 40 ft. high, bears S. 35° E. and N. 35° W.</p> <p>Point for the cor. of secs. 1, 6, 7 and 12.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p>

Survey of the Fifth Guide Meridian East (East Boundary),  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T 40 N R 20 E   R 21 E S 1   S 6 ----- S 12   S 7</p> <p style="text-align: center;">2008</p>
	<p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Cor. is located E. of a ledge, 3 ft. high and 11 lks. W. of the E. rim of a mesa, 30 ft. high, bears S. 10° E. and N. 10° W.</p> <p>Land, broken and rugged. Soil, sandy clay and rocky. Timber, scattered piñon and juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.</p>
	<p>North, bet. secs. 1 and 6.</p>
	<p>Over broken land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 1 and 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p style="text-align: center;">T 40 N 1/4 R 20 E   R 21 E S 1   S 6</p> <p style="text-align: center;">2008</p>
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located on a ledge, 62 lks. S. of the top of a mesa, bears N. 40° E. and S. 60° W.</p>
80.00	<p>Point for the closing cor. of Tps. 40 N., Rs. 20 and 21 E., at intersection with the Tenth Standard Parallel North, on the N. bdy. of the Tp.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, in an embedded mound of stone, 3 ft. base, to top, with brass cap mkd.</p>

**Survey of the Fifth Guide Meridian East (East Boundary),  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	<p align="center"> T 41 N R 20 E  S 36  -----  S 1   S 6  R 20 E   R 21 E  T 40 N  CC    2008 </p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>From this cor. point, the stan. cor. of Tps. 41 N., Rs. 20 and 21 E., bears East, 17.40 chs. dist., monumented with a brass tablet, firmly set, atop a sandstone boulder, 6 x 7 x 1/2 ft. high, with top mkd. SC T41N R20E R21E S36 S31 2006.</p> <p>Add the marks 2008 to the brass tablet.</p> <p>Cor. is located on the steep E. slope of Wetherill Mesa, bears East and West.</p> <p>From this same cor. point, the true point for the stan. 1/4 sec. cor. of sec. 36, T. 41 N., R. 20 E., bears West, 22.60 chs. dist., determined at record bearing and distance from the witness cor. to the 1/4 sec. cor. of sec. 36, monumented with stainless steel post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. WC SC T41N R20E 1/4 S36 2006 and an arrow point to the true point.</p> <p>Add the marks 2008 to the brass cap.</p> <p>Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, cacti, yucca and native grasses.</p> <hr/> <p align="center"><b>Survey of the West Boundary, T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona</b></p> <hr/> <p>From the cor. of Tps. 39 and 40 N., Rs. 19 and 20 E., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. T40N R19E R20E S36 S31 S1 S6 T39N 1998.</p> <p>Add the marks 2008 to the brass cap.</p> <p>North, bet. secs. 31 and 36.</p> <p>Over rolling land.</p> <p>40.00 Point for the 1/4 sec. cor. of secs. 31 and 36.</p>
--------	--

**Survey of the West Boundary,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T 40 N 1/4 R 19 E   R 20 E S 36   S 31</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
55.40	Trail road, bears N. 35° E. and S. 35° W.
80.00	Point for the cor. of secs. 25, 30, 31 and 36.
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 19 E   R 20 E S 25   S 30 <hr style="width: 100%; border: 0.5px solid black;"/>S 36   S 31</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sand and sandy clay. No timber; sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr style="width: 80%; margin-left: 0;"/> <p>North, bet. secs. 25 and 30.</p> <p>Over rolling land.</p>
8.90	Graded road, 15 ft. wide, bears N. 15° E. and S. 15° W.
21.30	Trail road, bears S. 65° E. and N. 65° W.
40.00	Point for the 1/4 sec. cor. of secs. 25 and 30.
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the West Boundary,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 40 N 1/4 R 19 E   R 20 E S 25   S 30  2008
80.00	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Point for the cor. of secs. 19, 24, 25 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, encircled with a collar of stone, with brass cap mkd.</p>
	T 40 N R 19 E   R 20 E S 24   S 19 S 25   S 30  2008
40.00	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sand and sandy clay. No timber; sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>North, bet. secs. 19 and 24.</p> <p>Over broken and rugged land.</p> <p>True point for the 1/4 sec. cor. of secs. 19 and 24, falls on the W. face of a boulder, 20 x 20 x 10 ft. high, where it is impracticable to establish a permanent monument.</p> <p>From this true point, the point selected for a witness cor. to the 1/4 sec. cor. of secs. 19 and 24, bears N. 3°00' E., 50 lks. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p>

Survey of the West Boundary,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS									
	WC T 40 N 1/4 R 19 E   R 20 E S 24   S 19 ↙ 2008								
80.00	<p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Point for the cor. of secs. 13, 18, 19 and 24.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 12 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T 40 N</td></tr> <tr><td style="text-align: center;">R 19 E</td><td style="text-align: center;">R 20 E</td></tr> <tr><td style="text-align: center;">S 13</td><td style="text-align: center;">S 18</td></tr> <tr><td style="text-align: center;">S 24</td><td style="text-align: center;">S 19</td></tr> </table> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located 1.94 chs. N. of the S. rim of a mesa, bears S. 85° E. and N. 85° W.</p> <p>Land, broken and rugged. Soil, sandy clay and rocky. No timber; sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>North, bet. secs. 13 and 18.</p> <p>Over broken and rugged land.</p>	T 40 N		R 19 E	R 20 E	S 13	S 18	S 24	S 19
T 40 N									
R 19 E	R 20 E								
S 13	S 18								
S 24	S 19								
40.00	<p>Point for the 1/4 sec. cor. of secs. 13 and 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">T 40 N</td></tr> <tr><td colspan="2" style="text-align: center;">1/4</td></tr> <tr><td style="text-align: center;">R 19 E</td><td style="text-align: center;">R 20 E</td></tr> <tr><td style="text-align: center;">S 13</td><td style="text-align: center;">S 18</td></tr> </table> <p style="text-align: center;">2008</p>	T 40 N		1/4		R 19 E	R 20 E	S 13	S 18
T 40 N									
1/4									
R 19 E	R 20 E								
S 13	S 18								

**Survey of the West Boundary,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
44.50	Trail road, bears N. 85° E. and S. 85° W.
76.50	Top of ridge, bears S. 60° E. and N. 60° W.
77.30	N. rim of a ridge, bears East and West.
80.00	True point for the cor. of secs. 7, 12, 13 and 18, falls on a sandstone slope, where it is impracticable to establish a permanent monument.
	From this true point, the point selected for a witness cor. to the cor. of secs. 7, 12, 13 and 18, bears N. 52°00' E., 1.00 ch. dist.
	Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.
	<pre> WC T 40 N R 19 E   R 20 E S 12    S 7 ----- ----- S 13    S 18       ↙       2008 </pre>
	Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.
	Land, rolling and broken. Soil, sandy clay and rocky. Timber, scattered juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.
	North, bet. secs. 7 and 12.
	Over rolling to broken land.
40.00	Point for the 1/4 sec. cor. of secs. 7 and 12.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	<pre> T 40 N   1/4 R 19 E   R 20 E S 12    S 7       ↙       2008 </pre>

**Survey of the West Boundary,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS											
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.										
62.50	Trail road, bears S. 60° E. and N. 60° W.										
80.00	Point for the cor. of secs. 1, 6, 7 and 12.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.										
	<table style="margin: auto;"> <tr><td colspan="2">T 40 N</td></tr> <tr><td>R 19 E</td><td>R 20 E</td></tr> <tr><td>S 1</td><td>S 6</td></tr> <tr><td colspan="2"><hr/></td></tr> <tr><td>S 12</td><td>S 7</td></tr> </table>	T 40 N		R 19 E	R 20 E	S 1	S 6	<hr/>		S 12	S 7
T 40 N											
R 19 E	R 20 E										
S 1	S 6										
<hr/>											
S 12	S 7										
	2008										
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.										
	Land, rolling and broken. Soil, sandy clay and rocky. Timber, scattered juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.										
	<hr/>										
	North, bet. secs. 1 and 6.										
	Over rolling land.										
40.00	Point for the 1/4 sec. cor. of secs. 1 and 6.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.										
	<table style="margin: auto;"> <tr><td colspan="2">T 40 N</td></tr> <tr><td colspan="2">1/4</td></tr> <tr><td>R 19 E</td><td>R 20 E</td></tr> <tr><td>S 1</td><td>S 6</td></tr> </table>	T 40 N		1/4		R 19 E	R 20 E	S 1	S 6		
T 40 N											
1/4											
R 19 E	R 20 E										
S 1	S 6										
	2008										
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.										
56.52	E. right-of-way fence of U. S. Highway 163, 5 strand barbed wire, parallels highway.										
59.02	U.S. Highway 163, asphalt surface, 26 ft. wide, bears N. 25° E. and S. 25° W.										
61.38	W. right-of-way fence of U. S. Highway 163, 5 strand barbed wire, parallels highway.										

**Survey of the West Boundary,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS

63.70 Power line, 4 lines, bears N. 25° E. and S. 25° W.

80.00 Point for the closing cor. of Tps. 40 N., Rs. 19 and 20 E., at intersection with the Tenth Standard Parallel North, on the N. bdy. of the Tp.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T 41 N R 19 E	
S 36	
S 1	S 6
R 19 E	R 20 E
T 40 N	
CC	

2008

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

From this cor. point, the stan. cor. of Tps. 41 N., Rs. 19 and 20 E., bears East, 15.20 chs. dist., hereinbefore described.

From this same cor. point, the stan. 1/4 sec. cor. of sec. 36, T. 41 N., R. 19 E., bears West, 24.80 chs. dist., hereinbefore described.

Land, rolling.

Soil, sandy and sand clay.

Timber, scattered juniper; undergrowth, rabbit brush, cacti, Mormon Tea, yucca and native grasses.

---

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

---

From the cor. of secs. 1, 2, 35 and 36, on the S. bdy. of the Tp., monumented with a brass tablet, firmly set, in a sandstone outcrop, with top mkd. T40N R20E S35 S36 S2 S1 T39N 1998.

from which the 1998 accessory

The marks X B0, chiseled on sandstone bedrock, bear S. 3° W., 21 lks. dist.

Add the marks 2008 to the brass tablet.

N. 0°01' W., bet. secs. 35 and 36.

Over rolling land.

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
40.00	<p>Point for the 1/4 sec. cor. of secs. 35 and 36.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <p style="text-align: center;">T 40 N R 20 E 1/4 S 35   S 36</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Cor. is located on a sandstone ledge, on the E. slope of a sandstone mesa, 23 lks. E. of the base, 20 ft. high, bears N. 40° E. and S. 40° W. and 1.55 chs. W. of a trail road, bears N. 35° E. and S. 35° W.</p>
80.00	<p>Point for the cor. of secs. 25, 26, 35 and 36.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 26   S 25 ----- S 35   S 36</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>Cor. is located 1.30 chs. S. of a trail road, bears S. 80° E. and N. 80° W.</p> <p>Land, broken. Soil, sandy clay and rocky. Timber, scattered piñon and juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., hereinbefore described.</p> <p>West, bet. secs. 25 and 36.</p> <p>Over broken land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 25 and 36.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 25 1/4 ——— S 36</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 25, 26, 35 and 36.</p> <p>Land, broken. Soil, sand and sandy clay. Timber, scattered piñon and juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 25 and 26.</p> <p>Over rolling land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 25 and 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E 1/4 S 26   S 25</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
55.00	<p>Trail road, bears S. 45° E. and N. 45° W.</p>
80.00	<p>Point for the cor. of secs. 23, 24, 25 and 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with the surface of the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 23   S 24 S 26   S 25</p> <p style="text-align: center;">2008</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located in the center of a dim trail road, bears N. 30° E. and S. 30° W. and 1.35 chs. S. of a wash, 4 ft. wide, 2 ft. deep, drains S. 75° W.</p> <p>Land, rolling. Soil, sand and sandy clay. Timber, scattered piñon and juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 19, 24, 25 and 30, on the E. bdy. of the Tp., hereinbefore described.</p> <p>West, bet. secs. 24 and 25.</p> <p>Over rolling land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 24 and 25.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, encircled with an embedded collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 40 N R 20 E S 24 1/4 ——— S 25</p> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 23, 24, 25 and 26.</p> <p>Land, rolling. Soil, sandy and sandy clay. Timber, scattered piñon and juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 23 and 24.</p> <p>Over broken, rocky land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 23 and 24.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
80.00	<p style="text-align: center;">T 40 N R 20 E 1/4 S 23   S 24</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Cor. is located 52 lks. N. of the top of a mesa, 150 ft. high, bears N. 65° E. and S. 65° W.</p> <p>Point for the cor. of secs. 13, 14, 24 and 25.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 14   S 13 S 23   S 24</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, broken and rugged. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 13, 18, 19 and 24, on the E. bdy. of the Tp., hereinbefore described.</p> <p>West, bet. secs. 13 and 24.</p> <p>Over broken and rugged, rocky land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 13 and 24.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 13 1/4 ——— S 24</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.</p>

Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	Cor. is located 2.00 chs. S. of the NW rim of a mesa, bears N. 45° E. and S. 45° W.
80.00	The cor. of secs. 13, 14, 23 and 24.  Land, broken and rugged. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, cacti, sagebrush, yucca and native grasses.
	N. 0°01' W., bet. secs. 13 and 14.  Over broken and rugged land.
40.00	Point for the 1/4 sec. cor. of secs. 13 and 14.  Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.  <div style="text-align: center;">           T 40 N R 20 E                  1/4            S 14   S 13             2008         </div> Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.
50.70	Trail road, bears East and West.
80.00	Point for the cor. of secs. 11, 12, 13 and 14.  Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.  <div style="text-align: center;">           T 40 N R 20 E            S 11   S 12            S 14   S 13             2008         </div> Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.  Land, rolling and rugged. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.
	From the true point for the cor. of secs. 7, 12, 13 and 18, on the E. bdy. of the Tp., hereinbefore described.

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	West, bet. secs. 12 and 13.  Over broken land.
32.10	Trail road, bears N. 40° E. and S. 40° W.
40.00	Point for the 1/4 sec. cor. of secs. 12 and 13.  Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.
	T 40 N R 20 E S 12 1/4 ——— S 13  2008
	Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.
80.00	The cor. of secs. 11, 12, 13 and 14.  Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.
	—————  N. 0°01' W., bet. secs. 11 and 12.  Over rolling and broken land.
40.00	Point for the 1/4 sec. cor. of secs. 11 and 12.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, in a mound of stone, 3 ft. base, to top, with brass cap mkd.
	T 40 N R 20 E 1/4 S 11   S 12  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Cor. is located below a ledge, 5 ft. high, bears N. 75° E. and S. 75° W.
80.00	Point for the cor. of secs. 1, 2, 11 and 12.

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 2   S 1 ----- S 11   S 12</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, rolling and broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 1, 6, 7 and 12, on the E. bdy. of the Tp., hereinbefore described.</p> <p>West, bet. secs. 1 and 12.</p> <p>Over rolling land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 1 and 12.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., flush with the surface of the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 1 1/4 ----- S 12</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>Cor. is located in the E. track of a trail road, bears North and South.</p>
80.00	<p>The cor. of secs. 1, 2, 11 and 12.</p>

Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Land, rolling. Soil, sand and sandy clay. Timber, scattered piñon and juniper; undergrowth, cacti, Mormon Tea, rabbit brush, yucca and native grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 1 and 2.</p> <p>Over rolling and broken land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 1 and 2.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E 1/4 S 2   S 1  2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
52.90	<p>N. rim of a mesa, bears S. 45° E. and N. 45° W., thence descend steep N. slope.</p>
80.00	<p>Point for the closing cor. of secs. 1 and 2, at intersection with the Tenth Standard Parallel North, on the N. bdy. of the Tp.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 35 ----- S 2   S 1 T 40 N R 20 E CC  2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>From this cor. point, the stan. cor. of secs. 35 and 36, T. 41 N., R. 20 E., bears East, 17.40 chs. dist., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. SC T41N R20E S35 S36 2006.</p> <p>Add the marks 2008 to the brass cap.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>From this same cor. point, the stan. 1/4 sec. cor. of sec. 35, T. 41 N., R. 20 E., bears West, 22.60 chs. dist., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. SC T41N R20E 1/4 S35 2006.</p> <p>Add the marks 2008 to the brass cap.</p> <p>Land, rolling and broken. Soil, sand and sandy clay. Timber, piñon and juniper; undergrowth, rabbit brush, cacti, Mormon Tea, yucca and native grasses.</p> <hr/> <p>Point for the 1/4 sec. cor. of sec. 1 only, T. 40 N., R. 20 E., at midpoint on the N. bdy. of sec. 1.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E ----- 1/4 S 1 T 40 N R 20 E</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>From this cor. point, the true point for the stan. 1/4 sec. cor. of sec. 36, T. 41 N., R. 20 E., bears East, 17.40 chs. dist., hereinbefore described.</p> <p>From this same cor. point, the stan. cor. of secs. 35 and 36, T. 41 N., R. 20 E., bears West, 22.60 chs. dist.</p> <hr/> <p>From the cor. of secs. 2, 3, 34 and 35, on the S. bdy. of the Tp., monumented with a brass tablet, firmly set, in a sandstone outcrop, with top mkd. T40N R20E S34 S35 S3 S2 T39N 1998.</p> <p>from which the 1998 accessory</p> <p style="padding-left: 40px;">The marks X B0, chiseled on sandstone bedrock, bear S. 38 1/4° W., 29 lks. dist.</p> <p>Added the marks 2008 to the brass tablet.</p> <p>N. 0°01' W., bet. secs. 34 and 35.</p> <p>Over broken land.</p>
40.00	Point for the 1/4 sec. cor. of secs. 34 and 35.

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
80.00	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E 1/4 S 34   S 35</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Point for the cor. of secs. 26, 27, 34 and 35.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 27   S 26 S 34   S 35</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, Mormon Tea, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 25, 26, 35 and 36.</p> <p>West, bet. secs. 26 and 35.</p> <p>Over broken land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 26 and 35.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 26 1/4 ——— S 35</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
80.00	<p>The cor. of secs. 26, 27, 34 and 35.</p> <p>Land, broken. Soil, sandy clay and rocky. Timber, scattered piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 26 and 27.</p> <p>Over broken land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 26 and 27.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 40 N R 20 E 1/4 S 27   S 26</p> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located 2.00 chs. S. of a trail road, bears N. 55° E. and S. 55° W.</p>
80.00	<p>Point for the cor. of secs. 22, 23, 26 and 27.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 40 N R 20 E S 22   S 23 S 27   S 26</p> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>Cor. is located 2.60 chs. N. of a trail road, bears S. 10° E. and N. 10° W.</p> <p>From this cor. point, the most SE cor. of a 9 sided hogan, 24 ft. diam., 8.5 ft. sides, bears N. 3°38' W., 2.36 chs. dist.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, rolling. Soil, sand and sandy clay. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, Mormon Tea, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 23, 24, 25 and 26.</p> <p>West, bet. secs. 23 and 26.</p> <p>Over rolling land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 23 and 26.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 23 1/4 ——— S 26</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>The cor. of secs. 22, 23, 26 and 27.</p> <p>Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, Mormon Tea, cacti, yucca and native grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 22 and 23.</p> <p>Over broken land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 22 and 23.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <p style="text-align: center;">T 40 N R 20 E 1/4 S 22   S 23</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS									
80.00	<p>Point for the cor. of secs. 14, 15, 22 and 23.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr> <td>T 40 N</td> <td>R 20 E</td> </tr> <tr> <td>S 15</td> <td>S 14</td> </tr> <tr> <td>S 22</td> <td>S 23</td> </tr> </table> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 13, 14, 23 and 24.</p> <p>West, bet. secs. 14 and 23.</p> <p>Over broken and rugged land.</p>	T 40 N	R 20 E	S 15	S 14	S 22	S 23		
T 40 N	R 20 E								
S 15	S 14								
S 22	S 23								
40.00	<p>Point for the 1/4 sec. cor. of secs. 14 and 23.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr> <td>T 40 N</td> <td>R 20 E</td> </tr> <tr> <td></td> <td>S 14</td> </tr> <tr> <td>1/4</td> <td>_____</td> </tr> <tr> <td></td> <td>S 23</td> </tr> </table> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>	T 40 N	R 20 E		S 14	1/4	_____		S 23
T 40 N	R 20 E								
	S 14								
1/4	_____								
	S 23								
80.00	<p>Point for the cor. of secs. 14, 15, 22 and 23.</p> <p>Land, broken and rugged. Soil, sandy clay and rocky. Timber, scattered piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 14 and 15.</p> <p>Over broken and rugged land.</p>								

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
6.70	N. rim of a mesa, bears N. 80° E. and S. 80° W.
40.00	<p>Point for the 1/4 sec. cor. of secs. 14 and 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 16 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E 1/4 S 15   S 14</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>True point for the cor. of secs. 10, 11, 14 and 15, falls on a sandstone slope, where it is impracticable to establish a permanent monument.</p> <p>From this true point, the point selected for a witness cor. to the cor. of secs. 10, 11, 14 and 15, bears S. 60°00' W., 1.00 ch. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <p style="text-align: center;">WC T 40 N R 20 E S 10   S 11 S 15   S 14 ↗</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Land, broken and rugged. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 11, 12, 13 and 14.</p> <p>West, bet. secs. 11 and 14.</p> <p>Over broken and rugged land.</p>
40.00	<p>True point for the 1/4 sec. cor. of secs. 11 and 14, falls on a sandstone slope, where it is impracticable to establish a permanent monument.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>From this true point, the point selected for a witness cor. to the 1/4 sec. cor. of secs. 11 and 14, bears N. 40°00' W., 3.29 chs. dist.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <div style="text-align: center;"> <p>WC</p> <p>T 40 N R 20 E</p> <p>S 11</p> <p>1/4 ———</p> <p>    ↓ S 14</p> <p>    2008</p> </div> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p>
80.00	<p>True point for the cor. of secs. 10, 11, 14 and 15.</p> <p>Land, broken and rugged. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 10 and 11.</p> <p>Over broken and rugged land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 10 and 11.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <div style="text-align: center;"> <p>T 40 N R 20 E</p> <p>1/4</p> <p>S 10   S 11</p> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p>
80.00	<p>True point for the cor. of secs. 2, 3, 10 and 11, falls on a steep sandstone slope, where it is impracticable to establish a permanent monument.</p> <p>From this true point, the point selected for a witness cor. to the cor. of secs. 2, 3, 10 and 11, bears S. 60°00' E., 2.60 chs. dist.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS									
	<p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <div style="text-align: center;"> <p>WC</p> <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">T 40 N</td> <td style="text-align: center;">R 20 E</td> </tr> <tr> <td style="text-align: center;">S 3</td> <td style="text-align: center;">S 2</td> </tr> <tr> <td style="text-align: center;">S 10</td> <td style="text-align: center;">S 11</td> </tr> </table> <p>2008</p> </div> <p>Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.</p> <p>Witness cor. is located 30 lks. E. of the W. rim of a sandstone mesa, bears N. 35° E. and S. 35° W., 30 ft. drop to another ledge, thence descend steep slope.</p> <p>Land, broken and rugged. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 1, 2, 11 and 12.</p> <p>West, bet. secs. 2 and 11.</p> <p>Over rolling and broken land.</p>	T 40 N	R 20 E	S 3	S 2	S 10	S 11		
T 40 N	R 20 E								
S 3	S 2								
S 10	S 11								
40.00	<p>Point for the 1/4 sec. cor. of secs. 2 and 11.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">T 40 N</td> <td style="text-align: center;">R 20 E</td> </tr> <tr> <td style="text-align: center;">S 2</td> <td></td> </tr> <tr> <td style="text-align: center;">1/4</td> <td style="text-align: center;">—</td> </tr> <tr> <td style="text-align: center;">S 11</td> <td></td> </tr> </table> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>	T 40 N	R 20 E	S 2		1/4	—	S 11	
T 40 N	R 20 E								
S 2									
1/4	—								
S 11									
80.00	<p>True point for the cor. of secs. 2, 3, 10 and 11.</p> <p>Land, rolling and broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.</p> <hr/> <p>N. 0°01' W., bet. secs. 2 and 3.</p>								

Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	Over broken land.
40.00	Point for the 1/4 sec. cor. of secs. 2 and 3.  Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.  <div style="text-align: center;">           T 40 N R 20 E                1/4            S 3   S 2             2008         </div>
80.00	Point for the closing cor. of secs. 2 and 3, at intersection with the Tenth Standard Parallel North, on the N. bdy. of the Tp.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 41 N R 20 E                S 34            -----            S 3   S 2            T 40 N R 20 E                CC             2008         </div>
	Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Set a steel fence post nearby.
	From this cor. point, the stan. cor. of secs. 34 and 35, T. 41 N., R. 20 E., bears East, 17.40 chs. dist., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. SC T41N R20E S34 S35 2006.
	Add the marks 2008 to the brass cap.
	From this same cor. point, the stan. 1/4 sec. cor. of sec. 34, T. 41 N., R. 20 E., bears West, 22.60 chs. dist., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd. SC T41N R20E 1/4 S34 2006.
	Add the marks 2008 to the brass cap.

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, rolling and broken. Soil, sand and sandy clay. Timber, piñon and juniper; undergrowth, rabbit brush, cacti, Mormon Tea, yucca and native grasses.</p> <hr/>
40.00	<p>Point for the 1/4 sec. cor. of sec. 2 only, T. 40 N., R. 20 E., at midpoint on the N. bdy. of sec. 2.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, over a steel fence post, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E <hr style="width: 10%; margin: auto;"/>1/4 S 2 T 40 N R 20 E</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>From this cor. point, the stan. 1/4 sec. cor. of sec. 35, T. 41 N., R. 20 E., bears East, 17.40 chs. dist.</p> <p>From this same cor. point, the stan. cor. of secs. 34 and 35, T. 41 N., R. 20 E., bears West, 22.60 chs. dist.</p> <hr/> <p>From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above ground, with brass cap mkd. T40N R20E S33 S34 S4 S3 T39N 1998.</p> <p>Add the marks 2008 to the brass cap.</p> <p>N. 0°02' W., bet. secs. 33 and 34.</p> <p>Over broken land.</p>
15.20	Trail road, bears S. 60° E. and N. 60° W.
40.00	<p>Point for the 1/4 sec. cor. of secs. 33 and 34.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	T 40 N R 20 E 1/4 S 33   S 34  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.  Set a steel fence post nearby.
80.00	Point for the cor. of secs. 27, 28, 33 and 34.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 40 N R 20 E S 28   S 27 S 33   S 34  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.  Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.
	<hr/> From the cor. of secs. 26, 27, 34 and 35.  West, bet. secs. 27 and 34.  Over broken land.
40.00	Point for the 1/4 sec. cor. of secs. 27 and 34.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 40 N R 20 E S 27 1/4 ——— S 34  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	The cor. of secs. 27, 28, 33 and 34.

Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>N. 0°02' W., bet. secs. 27 and 28.</p> <p>Over broken land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 27 and 28.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <p style="text-align: center;">T 40 N R 20 E           1/4 S 28   S 27</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Cor. is located 1.10 chs. N. of a trail road, bears N. 55° E. and S. 55° W.</p>
80.00	<p>Point for the cor. of secs. 21, 22, 27 and 28.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 21   S 22 ----- S 28   S 27</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 22, 23, 26 and 27.</p> <p>West, bet. secs. 22 and 27.</p> <p>Over broken land.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
40.00	<p>Point for the 1/4 sec. cor. of secs. 22 and 27.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 22 1/4 ——— S 27</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p>
80.00	<p>The cor. of secs. 21, 22, 27 and 28.</p> <p>Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>N. 0°02' W., bet. secs. 21 and 22.</p> <p>Over rolling land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 21 and 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E 1/4 S 21   S 22</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 15, 16, 21 and 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 16   S 15 S 21   S 22</p> <p style="text-align: center;">2008</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 14, 15, 22 and 23.</p> <p>West, bet. secs. 15 and 22.</p> <p>Over broken and rugged land.</p>
40.00	<p>True point for the 1/4 sec. cor. of secs. 15 and 22, falls on the W. face of a sandstone cliff, where it is impracticable to establish a permanent monument.</p> <p>From this true point, the point selected for a witness cor. to the 1/4 sec. cor. of secs. 15 and 22, bears N. 20°00' E., 38 lks. dist.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>WC T 40 N R 20 E S 15 1/4 ——— S 22 ↓ 2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Witness cor. is located 37 lks. N. of the W. rim of a mesa, bears N. 30° E. and S. 30° W.</p>
74.60	<p>E. rim of a mesa, bears S. 15° E. and N. 15° W.</p>
80.00	<p>The cor. of secs. 15, 16, 21 and 22.</p> <p>Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>N. 0°02' W., bet. secs. 15 and 16.</p> <p>Over broken land.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS													
5.80	N. rim of a mesa, bears N. 65° E. and S. 65° W., thence descend steep slope.												
40.00	<p>Point for the 1/4 sec. cor. of secs. 15 and 16.</p> <p>Set a magnet, in a white plastic case, 24 ins. below the surface of the ground.</p> <p>from which</p> <p style="padding-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, for a reference monument, bears N. 40°00' E., 50.0 ft. dist. with brass cap mkd. RM T40N R20E 1/4 S15 50.0 FT TO COR 2008 and an arrow pointing to the corner. Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a steel fence post nearby.</p> <p style="padding-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, for a reference monument, bears S. 40°00' W., 100.0 ft. dist. with brass cap mkd. RM T40N R20E 1/4 S16 100.0 FT. TO COR 2008 and an arrow pointing to the corner. Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a steel fence post nearby.</p> <p>Cor. is located on the N. edge of a wash, 50 lks. N. of the center of the wash, 50 ft. wide, 4 ft. deep, drains N. 50° W., used also as a trail road.</p>												
80.00	<p>Point for the cor. of secs. 9, 10, 15 and 16.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr> <td colspan="2">T 40 N</td> <td colspan="2">R 20 E</td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 9</td> <td style="padding: 0 5px;"></td> <td style="border-right: 1px solid black; padding: 0 5px;">S 10</td> <td style="padding: 0 5px;"></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 0 5px;">S 16</td> <td style="padding: 0 5px;"></td> <td style="border-right: 1px solid black; padding: 0 5px;">S 15</td> <td style="padding: 0 5px;"></td> </tr> </table> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr style="width: 50%; margin-left: 0;"/> <p>From the true point for the cor. of secs. 10, 11, 14 and 15.</p> <p>West, bet. secs. 10 and 15.</p>	T 40 N		R 20 E		S 9		S 10		S 16		S 15	
T 40 N		R 20 E											
S 9		S 10											
S 16		S 15											

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Over broken and rugged land.
40.00	Point for the 1/4 sec. cor. of secs. 10 and 15.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 40 N R 20 E                      S 10                  1/4 ———                      S 15             2008         </div>
80.00	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.  The cor. of secs. 9, 10, 15 and 16.  Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.
	<hr/> N. 0°02' W., bet. secs. 9 and 10.  Over rolling land.
28.20	Trail road, bears N. 40° E. and S. 40° W.
40.00	Point for the 1/4 sec. cor. of secs. 9 and 10.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 40 N R 20 E                      1/4                  S 9   S 10             2008         </div>
80.00	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.  Point for the cor. of secs. 3, 4, 9 and 10.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 40 N R 20 E S 4   S 3 S 9   S 10  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.  Cor. is located in an area of shifting sand.  Land, rolling. Soil, sandy clay and rocky. Timber, scattered juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.
	<hr/> From the true point for the cor. of secs. 2, 3, 10 and 11.  West, bet. secs. 3 and 10.  Over broken land.
40.00	Point for the 1/4 sec. cor. of secs. 3 and 10.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 40 N R 20 E S 3 1/4 ——— S 10  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
61.70	Trail road, bears N. 35° E. and S. 35° W.
80.00	The cor. of secs. 3, 4, 9 and 10.  Land, rolling. Soil, sandy clay and rocky. Timber, scattered juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.
	<hr/> N. 0°02' W., bet. secs. 3 and 4.  Over rolling land.
40.00	Point for the 1/4 secs. cor. of sec. 3 and 4.

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E 1/4 S 4   S 3  2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located in an area of shifting sand.</p>
80.00	<p>Point for the closing cor. of secs. 3 and 4, at intersection with the Tenth Standard Parallel North, on the N. bdy. of the Tp.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E S 33 ----- S 4   S 3 T 40 N R 20 E CC  2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>From this cor. point, the stan. cor. of secs. 33 and 34, T. 41 N., R. 20 E., bears East, 17.40 chs. dist., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. SC T41N R20E S33 S34 2006.</p> <p>Add the marks 2008 to the brass cap.</p> <p>From this same cor. point, the stan. 1/4 sec. cor. of sec. 33, T. 41 N., R. 20 E., bears West, 22.60 chs. dist., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, 20 ins. below the surface of the ground, with brass cap mkd. SC T41N R20E 1/4 S33 2006.</p> <p>Add the marks 2008 to the brass cap.</p> <p>Cor. is located in an area of shifting sand.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	<p>Land, rolling. Soil, sand and sandy clay. No timber; rabbit brush, cacti, Mormon Tea, yucca and native grasses.</p> <hr/>
40.00	<p>Point for the 1/4 sec. cor. of sec. 3 only, T. 40 N., R. 20 E., at midpoint on the N. bdy. of sec. 3.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E ----- 1/4 S 3 T 40 N R 20 E</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>From this cor. point, the stan. 1/4 sec. cor. of sec. 34, T. 41 N., R. 20 E., bears East, 17.40 chs. dist.</p> <p>From this same cor. point, witness point 1 on the MVTP Bdy., at intersection with the Tenth Standard Parallel North, on the S. bdy. of sec. 34, T. 41 N., R. 20 E., bears West, 6.34 chs. dist., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. WP1 T41N R20E S34 MVTP 2006.</p> <p>Add the marks 2008 to the brass cap.</p> <hr/> <p>From the cor. of secs. 4, 5, 32 and 33, on the S. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above ground, with brass cap mkd. T40N R20E S32 S33 S5 S4 T39N 1998.</p> <p>Add the marks 2008 to the brass cap.</p> <p>N. 0°03' W., bet. secs. 32 and 33.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 32 and 33.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 40 N R 20 E 1/4 S 32   S 33  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.  Cor. is located on a rocky W. slope, 50 ft. from the base.
66.90	Trail road, bears N. 55° E. and S. 55° W.
80.00	Point for the cor. of secs. 28, 29, 32 and 33.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  T 40 N R 20 E S 29   S 28 S 32   S 33  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.  Cor. is located 23 lks. S. of a trail road, bears S. 75° E. and N. 75° W.  Land, rolling. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.
	From the cor. of secs. 27, 28, 33 and 34.  West, bet. secs. 28 and 33.  Over broken land.
40.00	Point for the 1/4 sec. cor. of secs. 28 and 33.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  T 40 N R 20 E S 28 1/4 ——— S 33  2008

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS							
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.						
56.60	Trail road, bears N. 65° E. and S. 65° W.						
72.60	Power line, 2 lines, bears S. 50° E. and N. 50° W.						
80.00	The cor. of secs. 28, 29, 32 and 33.						
	Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.						
	N. 0°03' W., bet. secs. 28 and 29.						
	Over rolling land.						
6.00	Power line, 2 lines, bears S. 50° E. and N. 50° W.						
40.00	Point for the 1/4 sec. cor. of secs. 28 and 29.						
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.						
	<table style="margin: auto; border-collapse: collapse;"> <tr><td style="padding: 0 10px;">T 40 N</td><td style="padding: 0 10px;">R 20 E</td></tr> <tr><td style="padding: 0 10px;"></td><td style="padding: 0 10px; text-align: center;">1/4</td></tr> <tr><td style="padding: 0 10px;">S 29</td><td style="padding: 0 10px; border-left: 1px solid black;">S 28</td></tr> </table> <p style="text-align: center;">2008</p>	T 40 N	R 20 E		1/4	S 29	S 28
T 40 N	R 20 E						
	1/4						
S 29	S 28						
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.						
80.00	Point for the cor. of secs. 20, 21, 28 and 29.						
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.						
	<table style="margin: auto; border-collapse: collapse;"> <tr><td style="padding: 0 10px;">T 40 N</td><td style="padding: 0 10px;">R 20 E</td></tr> <tr><td style="padding: 0 10px;">S 20</td><td style="padding: 0 10px; border-left: 1px solid black;">S 21</td></tr> <tr><td style="padding: 0 10px;">S 29</td><td style="padding: 0 10px; border-left: 1px solid black;">S 28</td></tr> </table> <p style="text-align: center;">2008</p>	T 40 N	R 20 E	S 20	S 21	S 29	S 28
T 40 N	R 20 E						
S 20	S 21						
S 29	S 28						
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.						

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, rolling. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 21, 22, 27 and 28.</p> <p>West, bet. secs. 21 and 28.</p> <p>Over broken and rugged land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 21 and 28.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <div style="text-align: center;"> <p>T 40 N R 20 E S 21 1/4 ——— S 28</p> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Cor. is located 12 lks. S. of a sandstone ledge, 6 ft. high, bears N. 75° E. and S. 75° W.</p>
46.20	<p>W. rim of a mesa, 40 ft. high, bears N. 10° E. and S. 10° W.</p>
69.00	<p>Top of a mesa, 40 ft. high, bears N. 15° E. and S. 15° W.</p>
80.00	<p>The cor. of secs. 20, 21, 28 and 29.</p> <p>Land, broken and rugged. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>N. 0°03' W., bet. secs. 20 and 21.</p> <p>Over rolling and broken land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 20 and 21.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.</p>

Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	T 40 N R 20 E 1/4 S 20   S 21  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs. 16, 17, 20 and 21.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 40 N R 20 E S 17   S 16 S 20   S 21  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Cor. is located 1.10 chs. N. of a wash, 10 ft. wide, 2 ft. deep, drains N. 40° E.
	Land, rolling and broken. Soil, sandy clay and rocky. Timber, scattered juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.
	<hr/> From the cor. of secs. 15, 16, 21 and 22.  West, bet. secs. 16 and 21.  Over broken and rugged land.
40.00	Point for the 1/4 sec. cor. of secs. 16 and 21.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 40 N R 20 E S 16 1/4 ——— S 21  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
43.30	W. rim of a mesa, bears S. 5° E. and N. 5° W.
80.00	The cor. of secs. 16, 17, 20 and 21.  Land, broken and rugged. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.
	N. 0°03' W., bet. secs. 16 and 17.  Over rolling and broken land.
33.50	Top of a mesa, bears S. 55° E. and N. 55° W., thence continue over rolling land.
40.00	Point for the 1/4 sec. cor. of secs. 16 and 17.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 40 N R 20 E 1/4 S 17   S 16  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Raise a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, W. of cor.
80.00	Point for the cor. of secs. 8, 9, 16 and 17.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.
	T 40 N R 20 E S 8   S 9 S 17   S 16  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, rolling and broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 9, 10, 15 and 16.</p> <p>West, bet. secs. 9 and 16.</p> <p>Over broken land.</p>
18.40	Tseyá Neechee Wash, 130 ft. wide, 3 ft. deep, drains N. 5° E.
40.00	<p>Point for the 1/4 sec. cor. of secs. 9 and 16.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 9 1/4 ——— S 16</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.</p> <p>Cor. is located 27 lks. W. of the W. rim of a mesa, bears S. 30° E. and N. 50° W.</p>
80.00	<p>The cor. of secs. 8, 9, 16 and 17.</p> <p>Land, broken. Soil, sandy clay and rocky. Timber, piñon and juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.</p> <hr/> <p>N. 0°03' W., bet. secs. 8 and 9.</p> <p>Over broken land.</p>
40.00	<p>True point for the 1/4 sec. cor. of secs. 8 and 9, falls on the E. slope of a sandstone cliff, where it is impracticable to establish a permanent monument.</p> <p>From this true point, the point selected for a witness cor. to the 1/4 sec. cor. of secs. 8 and 9, bears N. 12°00' W., 50 lks. dist.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <p style="text-align: center;">           WC            T 40 N R 20 E                1/4            S 8   S 9     ↘         </p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.</p> <p>Witness cor. is located on the E. slope of a sandstone cliff.</p>
80.00	<p>Point for the cor. of secs. 4, 5, 8 and 9.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">           T 40 N R 20 E            S 5   S 4            S 8   S 9         </p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>Cor. is located 48 lks. N. of a trail road, bears N. 40° E. and S. 40° W.</p> <p>Land, rolling, broken and sandstone cliffs. Soil, sandy clay and rocky. Timber, scattered juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 3, 4, 9 and 10.</p> <p>West, bet. secs. 4 and 9.</p> <p>Over rolling land.</p>
32.60	<p>Tseyá Neechee Wash, 170 ft. wide, 3 ft. deep, drains N. 25° W.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 4 and 9.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 40 N R 20 E S 4 1/4 ——— S 9  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.  Set a steel fence post nearby.
80.00	The cor. of secs. 4, 5, 8 and 9.  Land, rolling. Soil, sand and sandy clay. Timber, scattered juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.
	N. 0°03' W., bet. secs. 4 and 5.  Over rolling land.
28.60	Trail road, bears S. 35° E. and N. 35° W.
40.00	Point for the 1/4 sec. cor. of secs. 4 and 5.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 40 N R 20 E 1/4 S 5   S 4  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
55.90	Tseya Neechee Wash, 100 ft. wide, 3 ft. deep, drains S. 80° W.
60.50	Tseya Neechee Wash, 100 ft. wide, 3 ft. deep, drains N. 85° E.
69.40	Tseya Neechee Wash, 60 ft. wide, 3 ft. deep, drains S. 40° W.
80.00	Point for the closing cor. of secs. 4 and 5, at intersection with the Tenth Standard Parallel North, on the N. bdy. of the Tp.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	T 41 N R 20 E S 32 <hr style="width: 10%; margin: auto;"/> S 5   S 4 T 40 N R 20 E CC  2008
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>From this cor. point, the stan. cor. of secs. 32 and 33, T. 41 N., R. 20 E., bears East, 17.40 chs. dist., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above ground, with brass cap mkd. SC T41N R20E S32 S33 2006.</p> <p>Add the marks 2008 to the brass cap.</p> <p>From this same cor. point, the stan. 1/4 sec. cor. of sec. 32, T. 41 N., R. 20 E., bears West, 22.60 chs. dist., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. SC T41N R20E 1/4 S32 2006.</p> <p>Add the marks 2008 to the brass cap.</p> <p>Land, rolling. Soil, sand and sandy clay. No timber; rabbit brush, cacti, Mormon Tea, yucca and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of sec. 4 only, T. 40 N., R. 20 E., at midpoint on the N. bdy. of sec. 4.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">           T 41 N R 20 E  <hr style="width: 10%; margin: auto;"/>           1/4 S 4            T 40 N R 20 E             2008         </p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>From this cor. point, the stan. 1/4 sec. cor. of sec. 33, T. 41 N., R. 20 E., bears East, 17.40 chs. dist.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>From this same cor. point, the stan. cor. of secs. 32 and 33, T. 41 N., R. 20 E., bears West, 22.60 chs. dist.</p> <hr/> <p>From the cor. of secs. 5, 6, 31 and 32, on the S. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 2 ins. above ground, with brass cap mkd. T40N R20E S31 S32 S6 S5 T39N 1998.</p> <p>Add the marks 2008 to the brass cap.</p> <p>N. 0°03' W., bet. secs. 31 and 32.</p> <p>Over rolling land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 31 and 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 40 N R 20 E 1/4 S 31   S 32</p> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
80.00	<p>Point for the cor. of secs. 29, 30, 31 and 32.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 40 N R 20 E S 30   S 29 S 31   S 32</p> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located 1.40 chs. N. of a trail road, bears S. 25° E. and N. 25° W.</p> <p>Land, rolling. Soil, sand and sandy clay. No timber; sagebrush, rabbit brush, cacti and native grasses.</p> <hr/> <p>From the cor. of secs. 28, 29, 32 and 33.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	West, bet. secs. 29 and 32. Over rolling land.
40.00	Point for the 1/4 sec. cor. of secs. 29 and 32. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 40 N R 20 E                      S 29                  1/4 ———                      S 32             2008         </div> Deposit a magnet, in a white plastic case, at the base of the stainless steel post.  Set a steel fence post nearby.  Cor. is located 5 lks. W. of a power line, 2 lines, bears N. 30° E. and S. 30° W.
57.00	Graded road, 15 ft. wide, bears N. 35° E. and S. 35° W.
80.00	The cor. of secs. 29, 30, 31 and 32.  Land, rolling. Soil, sand and sandy clay. Timber, scattered juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.
	West, bet. secs. 30 and 31. Over rolling land.
11.40	Trail road, bears N. 70° E. and S. 70° W.
40.00	Point for the 1/4 sec. cor. of secs. 30 and 31. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 40 N R 20 E                      S 30                  1/4 ———                      S 31             2008         </div>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
43.90	Trail road, bears N. 15° E. and S. 15° W.
78.25	The cor. of secs. 25, 30, 31 and 36, on the W. bdy. of the Tp., hereinbefore described.
	Land, rolling. Soil, sand and sandy clay. Timber, scattered juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.
	From the cor. of secs. 29, 30, 31 and 32. N. 0°03' W., bet. secs. 29 and 30. Over rolling land.
40.00	Point for the 1/4 sec. cor. of secs. 29 and 30. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 40 N R 20 E 1/4 S 30   S 29  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
70.30	Power line, 2 lines, bears S. 50° E. and N. 50° W.
80.00	Point for the cor. of secs. 19, 20, 29 and 30. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 40 N R 20 E S 19   S 20 S 30   S 29  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Land, rolling. Soil, sand and sandy clay. No timber; sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 20, 21, 28 and 29.</p> <p>West, secs. 20 and 29.</p> <p>Over rolling land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 20 and 29.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 20 1/4 _____ S 29</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
41.60	Power line, 2 lines, bears N. 35° E. and S. 35° W.
44.50	Graded road, 15 ft. wide, bears S. 25° E. and N. 25° W.
80.00	<p>The cor. of secs. 19, 20, 29 and 30.</p> <p>Land, rolling. Soil, sand and sandy clay. No timber; rabbit brush, Mormon Tea, cacti, yucca and native grasses.</p> <hr/> <p>West, bet. secs. 19 and 30.</p> <p>Over rolling land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 19 and 30.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 40 N R 20 E S 19 1/4 ——— S 30  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
44.60	Graded road, 15 ft. wide, bears N. 10° E. and S. 10° W.
78.16	The cor. of secs. 19, 24, 25 and 30, on the W. bdy. of the Tp., hereinbefore described.
	Land, rolling. Soil, sand and sandy clay. No timber; sagebrush, rabbit brush, cacti, yucca and native grasses.
	From the cor. of secs. 19, 20, 29 and 30. N. 0°03' W., bet. secs. 19 and 20. Over rolling land.
17.40	Graded road, 15 ft. wide, bears S. 65° E. and N. 65° W.
40.00	Point for the 1/4 sec. cor. of secs. 19 and 20.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T 40 N R 20 E 1/4 S 19   S 20  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
80.00	Point for the cor. of secs. 17, 18, 19 and 20.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 40 N R 20 E S 18   S 17 S 19   S 20  2008

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Land, rolling. Soil, sand and sandy clay. No timber; rabbit brush, Mormon Tea, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 16, 17, 20 and 21.</p> <p>West, bet. secs. 17 and 20.</p> <p>Over rolling and broken land.</p>
27.20	Top of a mesa, 50 ft. high, bears N. 60° E. and S. 60° W.
40.00	Point for the 1/4 sec. cor. of secs. 17 and 20.
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 17 1/4 ——— S 20</p> <p style="text-align: center;">2008</p>
80.00	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>The cor. of secs. 17, 18, 19 and 20.</p> <p>Land, rolling. Soil, sand and sandy clay. Timber, piñon and juniper; undergrowth, sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>West, bet. secs. 18 and 19.</p> <p>Over rolling land.</p>
12.50	Trail road, bears S. 25° E. and N. 25° W.
17.00	Trail road, bears N. 50° E. and S. 50° W.
19.40	Trail road, bears N. 15° E. and S. 15° W.
40.00	Point for the 1/4 sec. cor. of secs. 18 and 19.

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 18 1/4 ——— S 19</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
78.08	<p>The cor. of secs. 13, 18, 19 and 24, on the W. bdy. of the Tp., hereinbefore described.</p> <p>Land, rolling. Soil, sand and sandy clay. No timber; sagebrush, rabbit brush, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 17, 18, 19 and 20. N. 0°03' W., bet. secs. 17 and 18. Over rolling and broken land.</p>
6.90	Trail road, bears S. 85° E. and N. 85° W.
40.00	<p>Point for the 1/4 sec. cor. of secs. 17 and 18.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 40 N R 20 E 1/4 S 18   S 17</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
62.50	N. rim of a mesa, 40 ft. high, N. 70° E. and S. 70° W.
80.00	<p>Point for the cor. of secs. 7, 8, 17 and 18.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 40 N R 20 E S 7   S 8 S 18   S 17  2008
	Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.  Cor. is located on the rocky W. slope of a sandstone mesa.  Land, rolling and broken. Soil, sandy clay and rocky. No timber; sagebrush, rabbit brush, cacti, yucca and native grasses.
	<hr/> From the cor. of secs. 8, 9, 16 and 17.  West, bet. secs. 8 and 17.  Over rolling and broken land.
23.00	Top of a mesa, 60 ft. high, bears North and South.
40.00	Point for the 1/4 sec. cor. of secs. 8 and 17.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, in a mound of stone, 4 ft. base, to top, with brass cap mkd.
	T 40 N R 20 E S 8 1/4 ——— S 17  2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
64.30	W. rim of a mesa, 20 ft. high, bears S. 15° E. and N. 15° W., thence descend steep sandstone slope.
80.00	The cor. of secs. 7, 8, 17 and 18.  Land, rolling and broken. Soil, sandy clay and rocky. No timber; sagebrush, rabbit brush, cacti, yucca and native grasses.
	<hr/> West, bet. secs. 7 and 18.

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	Over rolling and broken land.
40.00	Point for the 1/4 sec. cor. of secs. 7 and 18.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd.  <div style="text-align: center;">           T 40 N R 20 E                      S 7                  1/4 ———                      S 18             2008         </div>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Cor. is located 17 lks. W. of the E. rim of a mesa, 100 ft. high, bears S. 20° E. and N. 20° W.
59.50	W. rim of a mesa, 150 ft. high, bears S. 30° E. and N. 30° W., thence descend steep slope.
77.99	True point for the cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., hereinbefore described.  Land, rolling and broken. Soil, sandy clay and rocky. No timber; sagebrush, rabbit brush, cacti, yucca and native grasses.
	From the cor. of secs. 7, 8, 17 and 18.  N. 0°03' W., bet. secs. 7 and 8.  Over broken land.
40.00	Point for the 1/4 sec. cor. of secs. 7 and 8.  Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.  <div style="text-align: center;">           T 40 N R 20 E                      1/4                  S 7   S 8             2008         </div>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS									
80.00	<p>Point for the cor. of secs. 5, 6, 7 and 8.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr><td>T 40 N</td><td>R 20 E</td></tr> <tr><td>S 6</td><td>S 5</td></tr> <tr><td>S 7</td><td>S 8</td></tr> </table> <p>2008</p> </div> <p>Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.</p> <p>Cor. is located on a SE sandstone slope.</p> <p>Land, rolling and broken. Soil, sandy clay and rocky. Timber, scattered juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 4, 5, 8 and 9.</p> <p>West, bet. secs. 5 and 8.</p> <p>Over broken land.</p>	T 40 N	R 20 E	S 6	S 5	S 7	S 8		
T 40 N	R 20 E								
S 6	S 5								
S 7	S 8								
40.00	<p>Point for the 1/4 sec. cor. of secs. 5 and 8.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 15 ins. below the surface of the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr><td>T 40 N</td><td>R 20 E</td></tr> <tr><td>S 5</td><td></td></tr> <tr><td>1/4</td><td>———</td></tr> <tr><td>S 8</td><td></td></tr> </table> <p>2008</p> </div> <p>from which</p> <p style="padding-left: 40px;">A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, for a reference monument, bears N. 50°00' E., 150.0 ft. dist. with brass cap mkd. RM T40N R20E 1/4 S5 150.0 FT TO COR 2008 and an arrow pointing to the corner. Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a steel fence post nearby.</p>	T 40 N	R 20 E	S 5		1/4	———	S 8	
T 40 N	R 20 E								
S 5									
1/4	———								
S 8									

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>A stainless steel post, 28 ins. long, 2 1/2 ins. diam., set 24 ins. in the ground, for a reference monument, bears S. 50°00' W., 150.0 ft. dist. with brass cap mkd. RM T40N R20E 1/4 S8 150.0 FT. TO COR 2008 and an arrow pointing to the corner. Deposit a magnet, in a white plastic case, at the base of the stainless steel post. Set a steel fence post nearby.</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located in a cultivated field.</p>
44.70	Woven wire fence, bears S. 5° E. and N. 5° W.
80.00	The cor. of secs. 5, 6, 7 and 8.
	<p>Land, broken and sandstone ridges. Soil, sandy clay and rocky. No timber; rabbit brush, Mormon Tea, cacti, yucca and native grasses.</p> <hr/> <p>West, bet. secs. 6 and 7.</p> <p>Over rolling and broken land.</p>
40.00	<p>Point for the 1/4 sec. cor. of secs. 6 and 7.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <p style="text-align: center;">T 40 N R 20 E S 6 1/4 ——— S 7</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p>
77.90	<p>The cor. of secs. 1, 6, 7 and 12, on the W. bdy. of the Tp., hereinbefore described.</p> <p>Land, rolling and broken. Soil, sandy clay and rocky. No timber; rabbit brush, Mormon Tea, cacti, yucca and native grasses.</p> <hr/> <p>From the cor. of secs. 5, 6, 7 and 8.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 0°03' W., bet. secs. 5 and 6.
	Over broken land.
40.00	Point for the 1/4 sec. cor. of secs. 5 and 6.
	Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.
	T 40 N R 20 E 1/4 S 6   S 5
	2008
	Deposit a magnet, 1 in. long, 7/8 in. diam., in the drill hole, beneath the brass tablet.
	Cor. is located on a SE sandstone slope of a mesa.
80.00	Point for the closing cor. of secs. 5 and 6, at intersection with the Tenth Standard Parallel North, on the N. bdy. of the Tp.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T 41 N R 20 E S 31 ----- S 6   S 5 T 40 N R 20 E CC
	2008
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
	Set a steel fence post nearby.
	Cor. is located in an area of shifting sand.
	From this cor. point, the stan. cor. of secs. 31 and 32, T. 41 N., R. 20 E., bears East, 17.40 chs. dist., monumented with a brass tablet, 3 1/4 ins. diam., firmly set, in sandstone bedrock, with top mkd. SC T41N R20E S31 S32 2006 and with a mound of stone, 2 1/2 ft. base, 2 ft. high, N. of cor.
	Add the marks 2008 to the brass tablet.

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>From this same cor. point, the stan. 1/4 sec. cor. of sec. 31, T. 41 N., R. 20 E., bears West, 22.60 chs. dist., monumented with a brass tablet, 3 1/4 ins. diam., firmly set, in sandstone bedrock, with top mkd. SC T41N R20E 1/4 S31 2006.</p> <p>Add the marks 2008 to the brass tablet.</p> <p>Cor. is located 5 lks. E. of the base of a sandstone cliff, bears N. 75° E. and S. 75° W.</p> <p>Land, broken and sandstone ridges. Soil, sandy clay and rocky. Timber, scattered juniper; undergrowth, rabbit brush, Mormon Tea, cacti, yucca and native grasses.</p>
40.00	<p>Point for the 1/4 sec. cor. of sec. 5 only, T. 40 N., R. 20 E., at midpoint on the N. bdy. of sec. 5.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 41 N R 20 E ----- 1/4 S 5 T 40 N R 20 E</p> <p style="text-align: center;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>Cor. is located 1.05 chs. N. of a dim trail road, bears S. 65° E. and N. 65° W.</p> <p>From this cor. point, the stan. 1/4 sec. cor. of sec. 32, T. 41 N., R. 20 E., bears East, 17.40 chs. dist.</p> <p>From this same cor. point, the stan. cor. of secs. 31 and 32, T. 41 N., R. 20 E., bears West, 22.60 chs. dist.</p> <hr/> <p>Point for the 1/4 sec. cor. of sec. 6 only, T. 40 N., R. 20 E., is established at 40.00 chs. in westing from the closing cor. of secs. 5 and 6.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

**Survey of the Subdivisional Lines,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>T 41 N R 20 E</p> <hr style="width: 10%; margin: auto;"/> <p>1/4 S 6</p> <p>T 40 N R 20 E</p> <p>2008</p>
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>From this cor. point, the stan. 1/4 sec. cor. of sec. 31, T. 41 N., R. 20 E., bears East, 17.40 chs. dist.</p> <p>From this same cor. point, the stan. cor. of Tps. 41 N., Rs. 19 and 20 E., bears West, 22.60 chs. dist., hereinbefore described.</p>
	<hr/> <p><b>Subdivision of Section 6, T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona</b></p> <hr/>
	<p>From the 1/4 sec. cor. of secs. 6 and 7.</p> <p>N. 0°03' W., on the N. and S. center line of sec. 6.</p> <p>Over rolling land.</p>
40.00	<p>Point for the center 1/4 sec. cor. of sec. 6, at intersection with the E. and W. center line.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p>T 40 N R 20 E</p> <p>C 1/4 S 6</p> <p>2008</p>
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>Cor. is located in an area of shifting sand, 3.00 chs. S. of a wash, 30 ft. wide, 2 ft. deep, drains N. 45° W.</p>
80.00	<p>The 1/4 sec. cor. of sec. 6 only, on the N. bdy. of sec. 6.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 5 and 6.</p> <p>West, on the E. and W. center line of sec. 6.</p>

**Subdivision of Section 6,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	Over rolling land.
40.00	The center 1/4 sec. cor. of sec. 6.
77.85	The 1/4 sec. cor. of secs. 1 and 6, on the W. bdy. of the Tp.
<hr/> <p><b>Survey of a Portion of the Monument Valley Tribal Park (MVTP) Boundary, T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona</b></p> <hr/>	
<p>NOTE: The description of the Monument Valley Tribal Park Boundary is made part of the Resolution of the Advisory Committee of the Navajo Tribal Council, establishing the Park, approved July 11, 1958.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>From the point for witness point 1 on the MVTP Bdy., at intersection with the line between secs. 3 and 34, on the S. bdy. of the Tp.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> </div> <p style="text-align: center; margin: 10px 0;">2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 3 and 34, on the S. bdy. of the Tp., bears East, 35.25 chs. dist., monumented with a stainless steel post, firmly set, projecting 4 ins. above ground, with brass cap mkd. T40N R20E 1/4 S34 S3 T39N 1998.</p> <p>Add the marks 2008 to the brass cap.</p> <p>Cor. is located 1.80 chs. E. of a wash, 20 ft. wide, 4 ft. deep, drains S. 60° E.</p>	

**Survey of a Portion of the Monument Valley Tribal Park (MVTP) Boundary,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>From this same cor. point, the point for Angle Point 1 on the MVTP Bdy., bears S. 15°01' E., 235.40 chs. dist., established at 36°47' N. latitude and 110°10' W. longitude, NAD 27, occupied by a rebar, 5/8 in. diam., firmly set, 3 ins. below the surface of the ground.. Point not monumented.</p> <p>From this same cor. point, the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., bears West, 4.75 chs. dist., hereinbefore described.</p> <p>N. 15°01' W., on line 1-2 of the MVTP Bdy., in sec. 34.</p> <p>Over nearly level land.</p>
18.38	<p>Intersect the line bet. secs. 33 and 34. Point not monumented.</p> <p>From this point, the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., bears S. 0°02' E., 17.75 chs. dist., hereinbefore described.</p> <p>From this same point, the 1/4 sec. cor. of secs. 33 and 34, bears N. 0°02' W., 22.25 chs. dist., hereinbefore described.</p> <p>Thence in sec. 33.</p>
30.10	<p>Point for witness point 2 on the MVTP Bdy.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <div style="text-align: center;"> <p>WP 2</p> <p>T 40 N    R 20 E</p> <p>      /      \  S 33        MVTP</p> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Set a steel fence post nearby.</p> <p>Cor. is located 30 lks. S. of the S. rim of a mesa, bears S. 40° E. and N. 40° W. and 98 lks. E. of a trail road, bears North and South.</p>
50.24	<p>Point for Angle Point 2 on the MVTP Bdy., established at 36°50' N. latitude and 110°11' W. longitude, NAD 27, occupied by a rebar, 20 ins. long, 5/8 in. diam., firmly set, flush with the surface of the ground.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>



**Survey of a Portion of the Monument Valley Tribal Park (MVTP) Boundary,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p align="center">WP 4 T 40 N    R 20 E S 28   MVTP 2008</p>
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>Cor. is located 24 lks. N. of the top of a mesa, 30 ft. high, bears N. 40° E. and S. 70° W.</p>
66.80	Trail road, bears N. 60° E. and S. 60° W.
85.00	<p>Point for witness point 5 on the MVTP Bdy.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p>
	<p align="center">WP 5 T 40 N    R 20 E S 28   MVTP 2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Set a steel fence post nearby.</p>
111.48	<p>Intersect the line bet. secs. 21 and 28. Point not monumented.</p> <p>From this point, the cor. of secs. 21, 22, 27 and 28, bears East, 8.17 chs. dist., hereinbefore described.</p> <p>From this same point, the 1/4 sec. cor. of secs. 21 and 28, bears West, 31.83 chs. dist., hereinbefore described.</p> <p>Thence in sec. 21.</p>
130.00	<p>Point for witness point 6 on the MVTP Bdy.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p>

**Survey of a Portion of the Monument Valley Tribal Park (MVTP) Boundary,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p align="center">WP 6 T 40 N    R 20 E S 21         MVTP 2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p> <p>Set a steel fence post nearby.</p>
170.00	<p>Point for witness point 7 on the MVTP Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p align="center">WP 7 T 40 N    R 20 E S 21         MVTP 2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p>
191.48	<p>Intersect the line bet. secs. 16 and 21. Point not monumented.</p> <p>From this point, the cor. of secs. 15, 16, 21 and 22, bears East, 8.12 chs. dist., hereinbefore described.</p> <p>From this same point, the 1/4 sec. cor. of secs. 16 and 21, bears West, 31.88 chs. dist., hereinbefore described.</p> <p>Thence in sec. 16.</p>
196.20	<p>Point for witness point 8 on the MVTP Bdy.</p> <p>Set a brass tablet, 3 1/4 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in sandstone bedrock, with top mkd.</p> <p align="center">WP 8 T 40 N    R 20 E S 16         MVTP 2008</p> <p>Deposit a magnet, in a white plastic case, in the drill hole, beneath the brass tablet.</p>

**Survey of a Portion of the Monument Valley Tribal Park (MVTP) Boundary,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Set a steel fence post nearby.</p> <p>Cor. is located 30 lks. S. of the N. rim of a mesa, 4 ft. high, bears East and West, at the top of a mesa.</p>
236.20	<p>Point for witness point 9 on the MVTP Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>WP 9</p> <p>T 40 N    R 20 E</p> <p>S 16         MVTP</p> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>Cor. is located 2.90 chs. S. of a wash, 56 ft. wide, 2 ft. deep, drains N. 15° W.</p>
271.48	<p>Intersect the line bet. secs. 9 and 16. Point not monumented.</p> <p>From this point, the cor. of secs. 9, 10, 15 and 16, bears East, 8.08 chs. dist., hereinbefore described.</p> <p>From this same point, the 1/4 sec. cor. of secs. 9 and 16, bears West, 31.92 chs. dist., hereinbefore described.</p> <p>Thence in sec. 9.</p>
275.90	<p>Point for the Angle Point 3 on the MVTP Bdy., established at 36°53' N. latitude and 110°11' W. longitude, NAD 27, occupied by a rebar, 20 ins. long, 5/8 in. diam., firmly set, flush with the surface of the ground.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 40 N    R 20 E</p> <p>S 9    /    AP3</p> <p>           MVTP</p> <p>2008</p> </div> <p>Deposit the rebar inside, and the magnet, in a white plastic case, at the base of the stainless steel post.</p>

Survey of a Portion of the Monument Valley Tribal Park (MVTP) Boundary,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a steel fence post nearby.</p> <hr style="width: 30%; margin: 0 auto;"/> <p>N. 14°59' E., on line 3-4 of the MVTP Bdy.</p> <p>Over rolling land.</p>
31.16	<p>Intersect the line bet. secs. 9 and 10. Point not monumented.</p> <p>From this point, the cor. of secs. 9, 10, 15 and 16, bears S. 0°02' E., 5.48 chs. dist., hereinbefore described.</p> <p>From this same point, the 1/4 sec. cor. of secs. 9 and 10, bears N. 0°02' W., 34.52 chs. dist., hereinbefore described.</p> <p>Thence in sec. 10.</p>
43.00	<p>Point for witness point 10 on the MVTP Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;">       WP 10        T 40 N    R 20 E        S 10 / MVTP        2008     </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p>
78.24	<p>Intersect the line bet. secs. 3 and 10. Point not monumented.</p> <p>From this point, the 1/4 sec. cor. of secs. 3 and 10, bears East, 27.80 chs. dist., hereinbefore described.</p> <p>From this same point, the cor. of secs. 3, 4, 9 and 10, bears West, 12.20 chs. dist., hereinbefore described.</p> <p>Thence in sec. 3.</p>
88.00	<p>Point for witness point 11 on the MVTP Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Survey of a Portion of the Monument Valley Tribal Park (MVTP) Boundary,  
T. 40 N., R. 20 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">WP 11 T 40 N    R 20 E S 3 / MVTP 2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p>
117.00	<p>Point for witness point 12 on the MVTP Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">WP 12 T 40 N    R 20 E S 3 / MVTP 2008</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>Cor. is located 55 lks. N. of a trail road, bears S. 65° E. and N. 65° W. and 1.40 chs. S. of a wash, 30 ft. wide, 2 ft. deep, drains W.</p>
161.06	<p>Witness point 1 on the MVTP Bdy., at intersection with the Tenth Standard Parallel North, on the S. bdy. of sec. 34, T. 41 N., R. 20 E. hereinbefore described.</p> <p>From this cor. point, witness point 2 on the MVTP Bdy., T. 41 N., R. 20 E., bears N. 14°59' E., 8.01 chs. dist., monumented with a stainless steel post, firmly set, projecting 6 ins. above ground, with brass cap mkd. WP2 T41N R20E S34 MVTP 2006.</p> <p>Add the marks 2008 to the brass cap.</p> <p>From this same cor. point, the 1/4 sec. cor. of sec. 3 only, T. 40 N., R. 20 E., bears East, 6.34 chs. dist., hereinbefore described.</p> <p>From this same cor. point, the stan. cor. of secs. 33 and 34, T. 41 N., R. 20 E., bears West, 16.26 chs. dist., hereinbefore described.</p> <hr/>

## T. 40 and 41 N., Rs. 19 and 20 E., Gila and Salt River Meridian, Arizona

CHAINS

## GENERAL DESCRIPTION

The area surveyed is within the Navajo Indian Reservation and approximately 6 miles NNE of Kayenta, Az. A portion of the township lies within the Monument Valley Tribal Park of which the boundary runs north and south through the center of the township. The land is rolling, broken and rugged. The central portion of the township has sandstone buttes, ridges and steep canyons. Wetherill Mesa encompass portion of sections 1, 2, 11 and 12. The principal drainage of the township is southwesterly and drains into Cane Valley.

The elevation varies from 5200 ft. to 6500 feet. The soil is sand and sandy clay to rocky. There is a moderate stand of juniper and piñon on Wetherill Mesa. Undergrowth principally consists of sagebrush, rabbit brush, Mormon Tea, cacti, greasewood, yucca and native grasses.

The principal access to the township is provided by Arizona State Highway 163, which crosses the NW cor. of the township in section 6. There are a few major graded roads and numerous trail roads throughout the township. There are numerous permanent residential homes throughout the township. Much of this area is used for grazing livestock. There is no mining activity in this township.

The mean magnetic declination of  $11\ 1/4^\circ$  E. was derived from the United States Geological Survey computer program GEOMAG, utilizing the World Magnetic Model for Epoch 2005 for the dates of survey.



CERTIFICATE OF SURVEY

I, Jones Curtiss, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of special instructions bearing date of the 3rd day of March, 2008, I have surveyed a portion of the Tenth Standard Parallel North (south boundary), T. 41 N., R. 19 E., the Fifth Guide Meridian East (east boundary), the west boundary, the subdivisional lines, the subdivision of section 6 and a metes-and-bounds survey of a portion of the Monument Valley Tribal Park (MVTP) Boundary, T. 40 N., R. 20 E., of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction. Said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, 1973 and in specific manner described in the foregoing field notes.

January 8, 2009  
(Date)

Jones Curtiss  
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
Phoenix, Arizona

The foregoing field notes of the survey of a portion of the Tenth Standard Parallel North (south boundary), T. 41 N., R. 19 E., the Fifth Guide Meridian East (east boundary), the west boundary, the subdivisional lines, the subdivision of section 6 and a metes-and-bounds survey of a portion of the Monument Valley Tribal Park (MVTP) Boundary, T. 40 N., R. 20 E., Gila and Salt River Meridian, in the State of Arizona, executed by Jones Curtiss, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

01/29/2009  
(Date)

Stephen K. Hansen  
(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above described surveys in Tps. 40 and 41 N., Rs. 19 and 20 E., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~\_\_\_\_\_~~  
~~(Date)~~

~~\_\_\_\_\_~~  
~~(Chief Cadastral Surveyor of Arizona)~~