

ORIGINAL

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FIELD NOTES
OF THE
DEPENDENT RESURVEY
OF
A PORTION OF THE WEST BOUNDARY,
A PORTION OF THE SUBDIVISIONAL LINES,
AND
THE SUBDIVISION OF SECTIONS 30 AND 32,
TOWNSHIP 19 NORTH, RANGE 5 WEST,
OF THE GILA AND SALT RIVER MERIDIAN,
IN THE STATE OF ARIZONA.

EXECUTED BY

Craig S. Dukart, Cadastral Surveyor

Under Special Instructions dated July 24, 2008, approved July 24, 2008, which provided for the surveys included under Group No. 1030, and assignment instructions dated July 24, 2008.

Survey commenced August 25, 2008

Survey completed September 9, 2008

INDEX DIAGRAM

TOWNSHIP 19 NORTH RANGE 5 WEST
 GILA AND SALT RIVER MERIDIAN, ARIZONA

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
11 4 30 10	29	28	27	26	25
9 31 7	8 32 6	33	34	35	36

Subdivision of Section 30 Pages 12-14
 Subdivision of Section 32 Page 14

T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes describe the dependent resurvey of a portion of the west boundary and a portion of the subdivisional lines, and the subdivision of sections 30 and 32, Township 19 North, Range 5 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows:

The north, south, east and west boundaries of Township 18 North, Range 5 West, Gila and Salt River Meridian, were surveyed by Omar H. Case, U.S. Deputy Surveyor, in 1872.

The resurvey of the west boundary of Township 19 North, Range 4 West, and north boundary of Township 18 North, Range 5 West, and the survey of the west boundary, a portion of the north boundary and subdivisional lines of Township 19 North, Range 5 West, Gila and Salt River Meridian, were surveyed by Thomas W. Bates and David W. Eaton, U.S. Transitmen, in 1918.

The dependent resurvey of a portion of the north boundary, a portion of the subdivisional lines, and the survey of the subdivision of section 6 of Township 18 North, Range 5 West, Gila and Salt River Meridian, were surveyed by Paul L. Reeves, Cadastral Surveyor, in 1984-93.

The dependent resurvey of a portion of the south and east boundaries and a portion of the subdivisional lines; and the subdivision of section 36 of Township 19 North, Range 6 West, Gila and Salt River Meridian, were surveyed by Joe R. Salazar, Cadastral Surveyor, in 2008.

The dependent resurvey of a portion of the north boundary, a portion of the subdivisional lines, and the survey of the subdivision of sections 5 and 6 of Township 18 North, Range 5 West, Gila and Salt River Meridian, were surveyed by Craig S. Dukart, Cadastral Surveyor, in 2008.

The survey was executed in accordance with the specifications as set forth in the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and the Special Instructions dated July 24, 2008, for Group No. 1030, Arizona.

The true meridian direction and length of all lines were determined by real time kinematic global positioning system observations using Trimble Navigation 5800 model receivers.

Preliminary to the resurvey, the lines of the prior surveys were retraced and search was made for all corners and other calls of record. Identified corners were remonumented in their original positions. Lost corners were reestablished and remonumented at proportionate positions based on the official record. The retracement data were thoroughly verified and only the true line field notes are given herein.

T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>Geodetic control was derived from Global Positioning System (GPS) static observations post processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) Kingman, Ferno Mesa and Flagstaff 5. The NAD 83 (1996) (Epoch 2002.0000), geographic position of the corner of sections 32 and 33 only, is as follows:</p> <p>Latitude: 34°58'58.84" N. Longitude: 112°48'19.97" W.</p> <p>The mean magnetic declination is 11 3/4° E.</p> <hr/> <p style="text-align: center;">Dependent Resurvey of a Portion of the West Boundary, T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona</p> <hr/> <p style="text-align: center;">Restoring the survey executed by Thomas W. Bates and David W. Eaton, in 1918 and the resurvey by Joe R. Salazar, in 2008</p> <hr/> <p>Beginning at the cor. of secs. 30 and 31 only, monumented with an iron post, 3 ins. diam., firmly set, projecting 14 ins. above the ground, with brass cap mkd. T19N R5W S30 S31 R6W 2008 1918, from which there is no evidence of the orig. bearing trees, witnessed with a mound of stone, 3 ft. base, 2 ft. high, E. of cor.</p> <p>N. 1°14' W., on the W. bdy. of the Tp.</p> <p>Over rolling land, through juniper and pine.</p> <p>2.37 The cor. of secs. 25 and 36 only, T. 19 N., R. 6 W., monumented with an iron post, 3 ins. diam., firmly set, projecting 17 ins. above ground, with brass cap mkd. T19N R6W S25 S36 R5W 2008 1918, from which there is no remaining evidence of the orig. bearing trees.</p> <p>There are numerous stumps in the area and two fit close to the record bearing trees, but there is no way to definitively say that they are the bearing trees.</p> <hr/> <p>N. 0°01' E., on the W. bdy. of the Tp.</p> <p>Over rolling land, through juniper and pine.</p> <p>31.15 Trail road, 8 ft. wide, bears N. 70° E. and S. 70° W.</p>
--------	---

**Dependent Resurvey of a Portion of the West Boundary,
T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona**

CHAINS	
37.515	<p>The 1/4 sec. cor. of sec. 30 only, monumented with an iron post, 1 in. diam., firmly set, projecting 11 ins. above ground, with brass cap mkd. 1/4 S30 1918, from which there is no remaining evidence of the orig. bearing trees.</p> <p>Add the marks R6W T19N R5W 2008 to the brass cap.</p> <hr/> <p>N. 0°09' W., on the W. bdy. of the Tp.</p> <p>Over rolling land, through juniper and pine.</p>
2.365	<p>The 1/4 sec. cor. of sec. 25 only, T. 19 N., R. 6 W., monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above ground, with brass cap mkd. 1/4 S25 1918, from which the remains of the orig. bearing tree</p> <p style="padding-left: 40px;">A dead standing pine, 18 ins. diam., bears S. 36° W., 1.35 chs. dist., with partial scribe marks 1/4 and other scribe marks visible, but not legible, on a partially open blaze. (1918 Record: S. 37 1/4° W.)</p> <p>Add the marks T19N R6W R5W 2008 to the brass cap.</p> <hr/> <p>N. 0°17' W., on the W. bdy. of the Tp.</p>
27.10	<p>Trail road, 8 ft. wide, bears N. 55° E. and S. 55° W.</p>
37.43	<p>The cor. of secs. 19 and 30 only, monumented with an iron post, 3 ins. diam., firmly set, projecting 10 ins. above ground, with brass cap mkd. T19N R5W S19 S30 1918, from which the remaining 1918 bearing tree</p> <p style="padding-left: 40px;">The S. fork of a forked juniper, 34 ins. diam., bears S. 37 1/4° E., 47 lks. dist., with scribe marks N R5W BT visible on a partially open blaze.</p> <p>and a new bearing tree</p> <p style="padding-left: 40px;">A juniper, 8 ins. diam., bears N. 54° E., 68.5 lks. dist., mkd X at breast height and BT at base.</p> <p>A scattered mound of stone is located E. of the cor.</p> <p>Add the marks R6W S25 2008 to the brass cap.</p> <p>Add stones to mound, 2 1/2 ft. base, 2 ft. high.</p> <p>The cor. is located 5 lks. S. of a cor. of a barbed wire fence, 4 strand, bears S. 45° E. and N. 70° W.</p>

**Dependent Resurvey of a Portion of the West Boundary,
T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona**

CHAINS

From this cor. point, the cor. of secs. 24 and 25 only, T. 19 N., R. 6 W., established in 1918, bears N. 0°04' W., 2.39 chs. dist., monumented with an iron post, 3 ins. diam., firmly set, projecting 16 ins. above the ground, with brass cap mkd. T19N R6W S24 S25 1918, from which there is no remaining evidence of the orig. bearing trees.

Add the marks R5W S19 2008 to the brass cap.

**Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona**

Restoring the survey executed by
Thomas W. Bates and David W. Eaton, in 1918

From the cor. of secs. 32 and 33 only, on the S. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 11 ins. above the ground, with brass cap mkd. T19N R5W S32 S33 S4 T18N R5W 2008 1918, from which the remains of a 1918 bearing tree

A dead pine, 14 ins. diam., with scribe marks T19N R5W visible on partially open blaze, was found laying on the ground in a logged off area. No way to determine it's orig. position.

A steel fence post is set near the iron post, with a faded sign attached.

The cor. is located in a barbed wire fence, 4 strand, bears E. and W.

N. 0°13' W., bet. secs. 32 and 33.

Over rolling land, through juniper and pine.

10.25 Trail road, 8 ft. wide, bears N. 70° E. and S. 70° W.

11.50 Wash, 15 ft. wide, 10 ft. deep, drains N. 70° E.

36.70 Wash, 15 ft. wide, 4 ft. deep, drains N. 75° E.

37.28 The 1/4 sec. cor. of secs. 32 and 33, monumented with an iron post, 1 in. diam., firmly set, projecting 10 ins. above the ground, with brass cap mkd. 1/4 S32 S33 1918, from which the remains of the orig. bearing trees

A rotted stump, bears N. 61 3/4° E., 29.5 lks. dist., with no remaining evidence of a blaze. (Record: N. 59 1/4° E., 28 lks. dist.)

**Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>A stump, 9 ins. diam., 8 ins. high, bears S. 78 1/4° W., 80 lks. dist., with no remaining evidence of a blaze.</p> <p>and new bearing trees</p> <p>A juniper, 11 ins. diam., bears N. 15 1/2° E., 24 lks. dist., mkd. S33 1/4 BT.</p> <p>A pine, 7 ins. diam., bears S. 23 1/4° E., 78 lks. dist., mkd. 1/4 S33 BT.</p> <p>Add the marks T19N R5W 2008 to the brass cap.</p> <hr/> <p>From the cor. of secs. 31 and 32 only, on the S. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 18 ins. above ground, in a mound of stone, 3 ft. base, to brass cap mkd. T19N R5W S31 S32 S5 T18N R5W 1918 1984 2008, from which the 1918 bearing trees</p> <p>A juniper, 11 ins. diam., bears N. 49° E., 46.5 lks. dist., with scribe marks T19N R5W S32 BT visible on a partially open blaze.</p> <p>A dead standing pine, 13 ins. diam., bears N. 25 3/4° W., 47.5 lks. dist., with scribe marks T19N R5W S31 BT visible on partially open blaze.</p> <p>The cor. is located 1 lk. N. of a barbed wire fence, 4 strand, bears E. and W.</p> <p>N. 0°17' W., bet. secs. 31 and 32.</p> <p>Over rolling rocky land, through juniper and pine.</p>
37.945	<p>The 1/4 sec. cor. of secs. 31 and 32, monumented with an iron post, 1 in. diam., firmly set, projecting 16 ins. above the ground, with brass cap mkd. 1/4 S31 S32 1918, from which the orig. accessories</p> <p>A juniper, 9 ins. diam., bears East, 8.5 lks. dist., with scribe marks 1/4 S32 BT faintly visible on a partially open blaze. (Record: 7 lks. dist.)</p> <p>A juniper, 22 ins. diam., bears N. 78° W., 10.5 lks. dist., with scribe marks 1/4 S31 BT faintly visible on a partially open blaze. (Record: N. 83 1/2° W., 9 lks. dist.)</p>

**Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>A sandstone boulder, 2 x 3 ft., 1 1/2 ft. above ground, marked with a Cross (X) on top, bears S. 35° E., 22 lks. dist.</p> <p>Add the marks T19N R5W 2008 to the brass cap.</p> <hr/> <p>N. 0°13' W., beginning new measurement.</p>
26.10	Creek, 4 ft. wide, course N. 50° E.
26.75	Abandoned trail road, 8 ft. wide, bears N. 50° E. and S. 50° W.
33.45	Trail road, 10 ft. wide, bears N. 45° E. and S. 45° W.
40.075	<p>The cor. of secs. 29, 30, 31 and 32, monumented with an iron post, 2 ins. diam., firmly set, projecting 17 ins. above the ground, with brass cap mkd. T19N R7W S30 S29 S31 S32 1918, from which the remaining orig. bearing trees</p> <p>A juniper, 19 ins. diam., bears S. 33 1/4° E., 30.5 lks. dist., with scribe marks T19N R5W visible on a partially open blaze. (Record: S. 31° E., 30 lks. dist.)</p> <p>A juniper, 11 ins. diam., bears S. 25 1/2° W., 18 lks. dist., with scribe mark fragments of N R5W S3 BT visible on a partially open blaze.</p> <p>A juniper, 17 ins. diam., bears N. 62 3/4° W., 81.5 lks. dist., with scribe mark fragments of N R5W O BT visible on a partially open blaze. (Record: N. 78 1/2° W., 79 lks. dist.)</p> <p>No mound of stone was found.</p> <p>Raise a mound of stone, 2 1/2 ft. base, 2 1/2 ft. high, W. of cor.</p> <p>Add the marks 2008 to the brass cap and change R7W to R5W.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 29 and 32, monumented with an iron post, 1 in. diam., firmly set, projecting 14 ins. above the ground, in a mound of stone, 2 ft. base, 1/2 ft. high, with brass cap mkd. 1/4 S29 S32 1918, from which there is no remaining evidence of the orig. bearing trees.</p> <p>from which new bearing trees</p> <p>A juniper, 6 ins. diam., bears S. 66° E., 1.46 chs. dist., mkd. 1/4 S32 BT.</p>

**Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p align="center">A pine, 7 ins. diam., bears N. 20 1/2° W., 92.5 lks. dist., mkd. 1/4 S29 BT.</p>
	<p>Rebuild mound of stone, 3 1/2 ft. base, to cap.</p>
	<p>Add the marks T19N R5W 2008 to the brass cap.</p>
	<p>There were numerous stumps in the area of this cor. Some of these stumps fit close to the orig. bearing trees, but it would be impossible to know for certain whether they are or are not the remains of the orig. bearing trees.</p>
	<p>N. 89°54' W., bet. secs. 29 and 32.</p>
	<p>Over rolling land, through juniper and pine.</p>
23.10	<p>Creek, 5 ft. wide, course N. 25° E.</p>
30.80	<p>Trail road, 10 ft. wide, bears N. 50° E. and S. 50° W.</p>
40.03	<p>The cor. of secs. 29, 30, 31 and 32, hereinbefore described.</p> <hr/>
	<p>S. 89°55' W., bet. secs. 30 and 31.</p>
	<p>Over rolling land, through juniper and pine.</p>
40.205	<p>The 1/4 sec. cor. of secs. 30 and 31, monumented with an iron post, 1 in. diam., firmly set, projecting 22 ins. above the ground, in remnants of a mound of stone, 3 ft. base, 1/2 ft. high, with brass cap mkd. T19N R5W 1/4 S30 S31 1984, from which the remains of the 1918 bearing trees were found laying on the ground, with no clear evidence of their orig. positions.</p> <p>from which new bearing trees</p> <p align="center">A pine, 10 ins. diam., bears N. 8° E., 55 lks. dist., mkd. 1/4 S30 BT.</p> <p align="center">A juniper, 4 ins. diam., bears S. 86 1/2° E., 62.5 lks. dist., mkd. X at breast height and BT at base.</p>
	<p>Rebuild mound of stone, 4 ft. base, to cap.</p>
	<p>Add the marks 2008 to the brass cap.</p> <hr/>
	<p>S. 89°58' W., beginning new measurement.</p>
41.71	<p>The cor. of secs. 30 and 31 only, on the W. bdy. of the Tp., hereinbefore described.</p> <hr/>

**Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona**

CHAINS	
40.015	<p>From the cor. of secs. 29, 30, 31 and 32, hereinbefore described.</p> <p>N. 0°15' W., bet. secs. 29 and 30.</p> <p>Over rolling land, through juniper and pine.</p> <p>The 1/4 sec. cor. of secs. 29 and 30, monumented with an iron post, 1 in. diam., firmly set, projecting 19 ins. above the ground, with brass cap mkd. 1/4 S30 S29 1918, from which the orig. bearing trees</p> <p style="padding-left: 40px;">A juniper, 10 ins. diam., bears N. 76 3/4° E., 86 lks. dist., with scribe mark S faintly visible on a partially open blaze. (Record: N. 76° E., 87 lks. dist.)</p> <p style="padding-left: 40px;">A forked juniper, 14 ins. diam., bears S. 82° W., 39 lks. dist., with marks S30 BT visible on a partially open blaze. (Record: S. 81° W., 37 lks. dist.)</p> <p>Add the marks T19N R5W 2008 to the brass cap.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°01' W., beginning new measurement.</p>
20.01	<p>Point for the N. 1/16 sec. cor. of secs. 29 and 30.</p> <p>Set an alum. post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with alum. cap mkd.</p> <p style="text-align: center;">T 19 N R 5 W</p> <p style="text-align: center;">N 1/16 S 30 S 29</p> <p style="text-align: center;">2008</p> <p>from which</p> <p style="padding-left: 40px;">A rock ledge, 6 x 10 ft., bears N. 57 3/4° W., 24 lks. dist., mkd. X BO.</p> <p>Deposit a magnet, in a white plastic case, at the base of the alum. post.</p> <p>Set a standard Forest Service post, with attached "Land Survey Monument" sign, near cor.</p>
40.02	<p>The cor. of secs. 19, 20, 29 and 30, determined using the position of the record supporting mound of stone and verified by the accessory mound of stone, from which the remains of the orig. bearing trees</p>

**Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona**

CHAINS	<p>A dead standing pine, 14 ins. diam., bears N. 11° E., 17 lks. dist., with scribe marks visible but not legible on a partially open blaze.</p> <p>A pine snag, 10 ins. diam., 3 ft. high, bears S. 88 3/4° W., 23 lks. dist., with scribe marks visible but not legible on the remaining lower portion of the blaze. (Record: West, 19 lks. dist.)</p> <p>The orig. iron post was found laying loose, approximately 40 ft. away from the cor. position.</p> <p>At the corner point</p> <p>Reset the orig. iron post, 2 ins. diam., 36 ins. long, 16 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to brass cap mkd.</p> <table style="margin-left: auto; margin-right: auto; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">T 19 N R 5 W</td> </tr> <tr> <td style="text-align: center; border-right: 1px solid black; padding: 2px;">S 19</td> <td style="text-align: center; padding: 2px;">S 20</td> </tr> <tr> <td style="text-align: center; border-right: 1px solid black; padding: 2px;">S 30</td> <td style="text-align: center; padding: 2px;">S 29</td> </tr> </table> <p style="text-align: center; margin-left: 100px;">1918 2008</p> <p>from which</p> <p style="margin-left: 40px;">A horizontal rock, 2 1/2 x 5 ft., bears S. 51 1/2° E., 50 lks. dist., mkd. BXO.</p> <p style="margin-left: 40px;">A rock ledge, 3 ft. high, bears N. 10 1/4° W., 56 lks. dist., mkd. X BO.</p> <p>Deposit five(5) 60D nails at the base of the iron post.</p> <hr style="width: 60%; margin-left: 0;"/> <p>S. 89°53' W., bet. secs. 19 and 30.</p> <p>Over rolling land, through juniper and pine.</p> <p>40.055 The 1/4 sec. cor. of secs. 19 and 30, monumented with an iron post, 1 in. diam., firmly set, projecting 16 ins. above the ground, with brass cap mkd. 1/4 S19 S30 1918, from which the remaining orig. bearing tree</p> <p style="margin-left: 40px;">A juniper, 20 ins. diam., bears S. 4° W., 43 lks. dist., with fragmentary scribe marks S30 B visible on a partially open blaze. (Record: 13 lks. dist.)</p> <p>Add the marks T19N R5W 2008 to the brass cap.</p> <hr style="width: 30%; margin-left: 10%;"/> <p>S. 89°31' W., beginning new measurement.</p>	T 19 N R 5 W		S 19	S 20	S 30	S 29
T 19 N R 5 W							
S 19	S 20						
S 30	S 29						

**Dependent Resurvey of a Portion of the Subdivisional Lines,
T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona**

CHAINS	
24.00	Trail road, 8 ft. wide, bears S. 20° E. and N. 15° W.
41.89	The cor. of secs. 19 and 30 only, on the W. bdy. of the Tp., hereinbefore described.
<hr/> <p>Subdivision of Section 30, T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona</p> <hr/>	
39.97	<p>From the 1/4 sec. cor. of secs. 30 and 31. N. 0°02' W., on the N. and S. center line of sec. 30. Over rolling land, through juniper and pine.</p> <p>Point for the center 1/4 sec. cor. of sec. 30, at intersection with the E. and W. center line of sec. 30.</p> <p>Set an alum. post, 28 ins. long, 2 1/2 ins. diam., 17 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to alum. cap mkd.</p> <p style="text-align: center;">T 19 N R 5 W C 1/4 S 30 2008</p> <p>from which</p> <p style="padding-left: 40px;">A juniper, 6 ins. diam., bears S. 64 3/4° E., 18 lks. dist., mkd. X at breast height and BT at base.</p> <p style="padding-left: 40px;">A pine, 10 ins. diam., bears S. 62 1/4° W., 52 lks. dist., mkd. C 1/4 S30 BT.</p> <p>Deposit a magnet, in a white plastic case, at the base of the iron post.</p> <p>Set a standard Forest Service post, with attached "Land Survey Monument" sign, near cor.</p>
59.99	<p>Point for the center N. 1/16 sec. cor. of sec. 30.</p> <p>Set an alum. post, 28 ins. long, 2 1/2 ins. diam., 15 ins. in the ground, in a mound of stone, 4 ft. base, to alum. cap mkd.</p>

**Subdivision of Section 30,
T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	T 19 N R 5 W C N 1/16 S 30 C 2008
	from which A juniper, 11 ins. diam., bears S. 78° E., 61 lks. dist., mkd. CN 1/16 S30 BT. A pine, 7 ins. diam., bears S. 38° W., 29 lks. dist., mkd. CN 1/16 S30 BT. Deposit a magnet, in a white plastic case, at the base of the alum. post. Set a standard Forest Service post, with attached "Land Survey Monument" sign, near cor.
80.01	The 1/4 sec. cor. of secs. 19 and 30. <hr/> From the 1/4 sec. cor. of secs. 29 and 30. S. 89°51' W., on the E. and W. center line of sec. 30. Over rolling land, through juniper and pine.
40.045	The center 1/4 sec. cor. of sec. 30.
81.77	The 1/4 sec. cor. of sec. 30 only, on the W. bdy. of the Tp. <hr/> <p style="text-align: center;">NE 1/4, Sec. 30</p> <hr/> From the N. 1/16 sec. cor. of secs. 29 and 30. S. 89°52' W., on the E. and W. center line of the NE 1/4 of sec. 30. Over rolling land, through juniper and pine.

**Subdivision of Section 30,
T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona**

CHAINS 40.05	<p>The center N. 1/16 sec. cor. of sec. 30.</p> <hr/> <p style="text-align: center;">Subdivision of Section 32, T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona</p> <hr/> <p>From the 1/4 sec. cor. of sec. 32 only, on the S. bdy. of the Tp., monumented with an iron post, 1 in. diam., firmly set, projecting 28 ins. above ground, in a mound of stone, 3 ft. base, to brass cap mkd. T19N R5W 1/4 S32 S5 T18N R5W 2008 1918, from which the 1918 bearing trees</p> <p style="padding-left: 40px;">A juniper, 10 ins. diam., bears N. 69 3/4° E., 15 lks. dist., with scribe marks visible but not legible on a partially open blaze.</p> <p style="padding-left: 40px;">A juniper, 12 ins. diam., bears N. 20 3/4° W., 74 lks. dist., with scribe marks visible but not legible on a partially open blaze.</p> <p>The cor. is located 2 lks. N. of a barbed wire fence, 4 strand, bears E. and W.</p> <p>N. 0°18' W., on the N. and S. center line of sec. 32.</p> <p>Over rolling land, through juniper and pine.</p>
77.01	<p>The 1/4 sec. cor. of secs. 29 and 32.</p> <hr/> <p style="text-align: center;">GENERAL DESCRIPTION</p> <hr/> <p>The area resurveyed is approximately 30 miles NW of the city of Prescott, AZ. The terrain is rolling with pine and juniper timber.</p> <p>Access to the survey is by way of Williamson Valley Road out of Prescott, and various Forest Service roads.</p> <p>The mean elevation is approximately 5500 ft.</p> <p>The mean magnetic declination of 11 3/4° E. was derived from the United States Geological Survey computer program GEOMAG, utilizing the World Magnetic Model for Epoch 2005 for the dates of survey.</p> <hr/>

CERTIFICATE OF SURVEY

I, Craig S. Dukart, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of special instructions bearing date of the 24th day of July, 2008, I have dependently resurveyed a portion of the west boundary and a portion of the subdivisional lines, and surveyed the subdivision of sections 30 and 32, T. 19 N., R. 5 W., of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction. Said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and in specific manner described in the foregoing field notes.

APR 11 02 2009
(Date)

Craig S. Dukart
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the west boundary and a portion of the subdivisional lines, and the subdivision of sections 30 and 32, T. 19 N., R. 5 W., Gila and Salt River Meridian, in the State of Arizona, executed by Craig S. Dukart, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

4/17/2009
(Date)

Stephan K. Hansen
(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above described surveys in T. 19 N., R. 5 W., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~_____
(Date)~~

~~_____
(Chief Cadastral Surveyor of Arizona)~~