

ORIGINAL

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

FIELD NOTES  
OF THE  
DEPENDENT RESURVEY OF A PORTION  
OF THE NORTH BOUNDARY  
AND A  
METES-AND-BOUNDS SURVEY  
IN SECTION 5  
**TOWNSHIP 5 NORTH, RANGE 2 EAST,**  
OF THE GILA AND SALT RIVER MERIDIAN,  
IN THE STATE OF ARIZONA.

**EXECUTED BY**

**Joe R. Salazar, Cadastral Surveyor**

Under Special Instructions dated October 3, 2008, approved October 3, 2008, which provided for the surveys included under Group No. 1054, and assignment instructions dated October 3, 2008.

**Survey commenced October 8, 2008**

**Survey completed October 16, 2008**

**INDEX DIAGRAM**

TOWNSHIP 5 NORTH                      RANGE 2 EAST  
 GILA AND SALT RIVER MERIDIAN, ARIZONA

	4				
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

**Metes-and-Bounds Survey in Section 5:**

Parcel A ..... Pages 5-13  
 Parcel B ..... Pages 13-14  
 Parcel C ..... Pages 14-15

**T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS

The following field notes describe the dependent resurvey of a portion of the north boundary and a metes-and-bounds survey in section 5, Township 5 North, Range 2 East, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows:

James H. Martineau surveyed the north boundary and the subdivisional lines in 1894. Benjamin J. Kinsey resurveyed the north boundary in 1933.

The survey was executed in accordance with the specifications as set forth in the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and the Special Instructions dated October 3, 2008, for Group No. 1054, Arizona.

The true meridian direction and length of all lines were determined by real time kinematic global positioning system observations using Trimble Navigation 5700 model receivers.

Preliminary to the resurvey, the lines of the prior surveys were retraced and search was made for all corners and other calls of record. Identified corners were remonumented in their original positions. Lost corners were reestablished and remonumented at proportionate positions based on the official record. The retracement data were thoroughly verified and only the true line field notes are given herein.

Geodetic control was derived from Global Positioning System (GPS) static observations post processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) Peoria Az Big O, Ashler Hills and Scottsdale. The NAD 83 (CORS96) (EPOCH: 2002.0000), geographic position of the corner of sections 4 and 5, on the north boundary of the township, is as follows:

Latitude: 33°48'44.44" N.                      Longitude: 112°10'07.64" W.

The mean magnetic declination is 11 1/4 ° E.

---

**Dependent Resurvey of a Portion of the North Boundary,  
T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p style="text-align: center;">Restoring the resurvey executed by B. J. Kinsey, in 1933</p> <hr style="width: 20%; margin: auto;"/>
	<p>Beginning at the cor. of secs. 4 and 5, on the N. Bdy. of the Tp., monumented with an iron post, 2 ins. diam., firmly set, projecting 17 ins. above the ground in a scattered mound of stone, 3 ft. base, 10 ins. high, with brass cap mkd. T6N R2E S33 S5 S4 T5N R2E 1933.</p>
	<p>Add the marks 2008 to the brass cap.</p>
	<p>Rebuild mound of stone, 3 ft. base to top.</p>
	<p>Cor. is located in a 4 strand barbed wire fence, extending E. and W.</p>
	<p>S. 89°55' W., on the N. Bdy. of sec. 5, along a fence line.</p>
	<p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>
3.25	<p>Cor. of fences, extending N. and E., leave fence line.</p>
3.50	<p>Center of track road, bears N. and S.</p>
4.065	<p>The cor. of secs. 32 and 33 only, T. 6 N., R. 2 E., monumented with an iron post, 2 ins. diam., firmly set, projecting 17 ins. above the ground in a mound of stone, 3 ft. base, 6 ins. high, with brass cap mkd. T6N R2E S32 S33 S5 T5N R2E 1933.</p>
	<p>Add the marks 2008 to the brass cap.</p>
	<p>Rebuild mound of stone, 3 ft. base to top.</p>
7.96	<p>Point for AP 1, Parcel A, of a metes-and-bounds survey in sec. 5, hereinafter described.</p>
8.51	<p>Point for AP 2, Parcel A, of a metes-and-bounds survey in sec. 5, hereinafter described.</p>
40.205	<p>The 1/4 sec. cor. of sec. 5, monumented with an iron post, 1 in. diam., firmly set, projecting 17 ins. above the ground, in a scattered mound of stone, 3 ft. base, 8 ins. high, with brass cap mkd. 1/4 S5 1933.</p>
	<p>Add the marks T6N R2E T5N 2008 to the brass cap.</p>
	<p>Rebuild mound of stone, 3 ft. base to top.</p> <hr style="width: 20%; margin: auto;"/>




**Metes-and-Bounds Survey in Section 5,  
T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS	Parcel A
	<p style="text-align: center;">From the point for AP 1, Parcel A, determined to be S. 89°55' W., on the N. Bdy. of sec. 5, 257.0 ft. dist., from the cor. of secs. 32 and 33 only, T. 6 N., R. 2 E., hereinbefore described.</p> <p>Set an aluminum post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 6 N R 2 E S 32</p> <hr style="width: 20%; margin: 0 auto;"/> <p>AP 1 / S 5 PARCEL A /</p> <p>T 5 N R 2 E</p> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>S. 89°55' W., along line 1-2, identical to the N. bdy. of sec. 5.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>
0.55	<p>Point for AP 2, Parcel A, determined to be S. 89°55' W., on the N. Bdy. of sec. 5, 293.2 ft. dist., from the cor. of secs. 32 and 33 only, T. 6 N., R. 2 E., hereinbefore described.</p> <p>Set an aluminum post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 6 N R 2 E S 32</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S 5 / AP 2 PARCEL A /</p> <p>T 5 N R 2 E</p> <p>2008</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr style="width: 20%; margin: 0 auto;"/> <p>S. 33°43' W., on line 2-3.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>

**Metes-and-Bounds Survey in Section 5,  
T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
4.578	<p>Point for AP 3, Parcel A.</p> <p>Set an aluminum rod, 30 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 5 N R 2 E</p> <p>S 5 / AP 3</p> <p>PARCEL A</p> <p>2008</p> <hr style="width: 30%; margin: 0 auto;"/> </div> <p>S. 10°39' W., on line 3-4.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>
5.699	<p>Point for AP 4, Parcel A.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 5 N R 2 E</p> <p>S 5 / PARCEL A</p> <p>AP 4</p> <p>2008</p> <hr style="width: 30%; margin: 0 auto;"/> </div> <p>S. 30°30' W., on line 4-5.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>
5.715	<p>Point for AP 5, Parcel A.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 34 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 5 N R 2 E</p> <p>S 5 / PARCEL A</p> <p>AP 5</p> <p>2008</p> <hr style="width: 30%; margin: 0 auto;"/> </div> <p>S. 86°08' W., on line 5-6.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>

**Metes-and-Bounds Survey in Section 5,  
T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
3.830	<p>Point for AP 6, Parcel A.</p> <p>Set an aluminum rod, 34 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E</p>  <p>2008</p> </div> <p>S. 37°09' W., on line 6-7.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>
22.879	<p>Point for AP 7, Parcel A.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E</p>  <p>2008</p> </div> <p>S. 19°56' W., on line 7-8.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>
10.429	<p>Point for AP 8, Parcel A.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E</p>  <p>2008</p> </div> <p>S. 47°31' W., on line 8-9.</p>



**Metes-and-Bounds Survey in Section 5,  
T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
10.789	<p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>Point for AP 9, Parcel A.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E</p> <p>S 5 / PARCEL A</p> <p>AP 9</p> <hr style="width: 20%; margin: 10px auto;"/> <p>2008</p> </div> <p>S. 25°32' W., on line 9-10.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>
22.614	<p>Point for AP 10, Parcel A, identical with AP 1, Parcel C.</p> <p>Set an aluminum rod, 32 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E</p> <p>S 5 /</p> <p>AP 10 / PARCEL A</p> <p>AP 1 / PARCEL C</p> <hr style="width: 20%; margin: 10px auto;"/> <p>2008</p> </div> <p>S. 10°51' W., on line 10-11, identical with line 1-2, Parcel C.</p>
6.638	<p>Point for AP 11, Parcel A, identical with AP 2, Parcel C.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 36 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E</p> <p>PARCEL C / PARCEL A</p> <p>AP 2 / AP 11</p> <hr style="width: 10%; margin: 10px auto;"/> <p>S 5  </p> <p>2008</p> </div> <p>Cor. is located on S. edge of trail road, bears E. and W.</p> <hr style="width: 20%; margin: 10px auto;"/>

**Metes-and-Bounds Survey in Section 5,  
T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS									
1.345	<p>South, on line 11-12.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>Point for AP 12, Parcel A, at intersection with the N. right-of-way of State Highway 74, determined to be 100.0 ft. N. of the line bet. secs. 5 and 8.</p> <p>Set a aluminum post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr> <td style="padding: 0 10px;">T 5 N</td> <td style="border-left: 1px solid black; padding: 0 10px;">R 2 E</td> </tr> <tr> <td style="padding: 0 10px;">S 5</td> <td style="border-left: 1px solid black; padding: 0 10px;">PARCEL A</td> </tr> <tr> <td style="padding: 0 10px;"></td> <td style="border-left: 1px solid black; padding: 0 10px;">AP 12</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black; text-align: center;">2008</td> </tr> </table> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Cor. is located in the N. right-of-way fence, bears E. and W.</p> <p>From this cor. point, the cor. of secs. 5, 6, 7 and 8, perpetuated by John J. Rose, Arizona Registered Land Surveyor, No. 26411, as shown on the Arizona Monument Reference Record, on file with the Maricopa County Department of Transportation (MCDOT) and remonumented by MCDOT, with an aluminum cap, 2 ins. diam., firmly set 8 ins. below the surface of the ground, mkd. MARICOPA COUNTY T5N R2E S6 S5 S7 S8 2001, bears S. 84°29' W., 25.288 chs. dist.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>N. 87°56' E., on line 12-13, identical to the N. right-of-way of State Highway 74.</p> <p>Over nearly level desert terrain, along fence line.</p>	T 5 N	R 2 E	S 5	PARCEL A		AP 12	2008	
T 5 N	R 2 E								
S 5	PARCEL A								
	AP 12								
2008									
0.443	<p>Point for AP 13, Parcel A, at intersection with the N. right-of-way of State Highway 74, determined to be 100.0 ft. N. of the line bet. secs. 5 and 8.</p> <p>Set a aluminum post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr> <td style="padding: 0 10px;">T 5 N</td> <td style="border-left: 1px solid black; padding: 0 10px;">R 2 E</td> </tr> <tr> <td style="padding: 0 10px;">PARCEL A</td> <td style="border-left: 1px solid black; padding: 0 10px;">S 5</td> </tr> <tr> <td style="padding: 0 10px;">AP 13</td> <td style="border-left: 1px solid black; padding: 0 10px;"></td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black; text-align: center;">2008</td> </tr> </table> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>	T 5 N	R 2 E	PARCEL A	S 5	AP 13		2008	
T 5 N	R 2 E								
PARCEL A	S 5								
AP 13									
2008									




**Metes-and-Bounds Survey in Section 5,  
T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Cor. is located in the N. right-of-way fence, bears E. and W.</p> <p>From this cor. point, the 1/4 sec. cor. of secs. 5 and 8, perpetuated by John J. Rose, Arizona Registered Land Surveyor, No. 26411, as shown on the Arizona Monument Reference Record, on file with the Maricopa County Department of Transportation and remonumented by MCDOT, with an aluminum cap, 2 ins. diam., firmly set 6 ins. below the surface of the ground, mkd. MARICOPA COUNTY T5N R2E S5 S8 2001, bears S. 85°17' E., 12.819 chs. dist.</p> <hr/> <p>North, on line 13-14.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>1.300 Point for AP 14, Parcel A, identical with AP 2, Parcel B.</p> <p>Set an aluminum rod, 20 ins. long, 3/4 in. diam., 20 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E</p>  <p>2008</p> </div> <p>Cor. is located on S. edge of trail road, bears E. and W.</p> <hr/> <p>N. 10°59' E., on line 14-15, identical with line 2-1, Parcel B.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>
<p>6.494</p>	<p>Point for AP 15, Parcel A, identical with AP 1, Parcel B.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E</p>  <p>2008</p> </div> <hr/> <p>N. 25°32' E., on line 15-16.</p>

**Metes-and-Bounds Survey in Section 5,  
T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
22.464	<p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>Point for AP 16, Parcel A.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E PARCEL A AP 16 S 5</p>  <p>2008</p> <hr style="width: 30%; margin: auto;"/> </div> <p>N. 47°31' E., on line 16-17.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>
10.812	<p>Point for AP 17, Parcel A.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E PARCEL A AP 17 S 5</p>  <p>2008</p> <hr style="width: 30%; margin: auto;"/> </div> <p>N. 19°56' E., on line 17-18.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>
10.471	<p>Point for AP 18, Parcel A.</p> <p>Set an aluminum rod, 24 ins. long, 3/4 in. diam., 20 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E PARCEL A AP 18 S 5</p>  <p>2008</p> <hr style="width: 30%; margin: auto;"/> </div>


**Metes-and-Bounds Survey in Section 5,  
T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
22.603	<p>N. 37°09' E., on line 18-19.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>Point for AP 19, Parcel A.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E PARCEL A AP 19</p>  <p>2008</p> </div>
3.864	<p>N. 86°08' E., on line 19-20.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>Point for AP 20, Parcel A.</p> <p>Set an aluminum rod, 32 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E PARCEL A AP 20</p>  <p>2008</p> </div>
6.035	<p>N. 30°30' E., on line 20-21.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>Point for AP 21, Parcel A.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E PARCEL A AP 21</p>  <p>2008</p> </div>

**Metes-and-Bounds Survey in Section 5,  
T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
5.718	<p>N. 10°39' E., on line 21-22.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>Point for AP 22, Parcel A.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E</p> <p>AP 22 / S 5</p> <p>PARCEL A /</p> <p>2008</p> <hr style="width: 30%; margin: 0 auto;"/> </div>
4.793	<p>N. 33°43' E., on line 22-1.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>AP 1, Parcel A.</p> <hr style="width: 80%; margin: 10px auto;"/> <p style="text-align: center;"><b>Parcel B</b></p> <hr style="width: 80%; margin: 10px auto;"/> <p>From AP 1, Parcel B, identical with AP 15, Parcel A, hereinbefore described.</p> <p>S. 10°59' W., on line 1-2, identical with line 15-14, Parcel A.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>
6.494	<p>AP 2, Parcel B, identical with AP 14, Parcel A, hereinbefore described.</p> <hr style="width: 80%; margin: 10px auto;"/>
6.513	<p>N. 25°55' E., on line 2-3.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>Point for AP 3, Parcel B.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p>

**Metes-and-Bounds Survey in Section 5,  
T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<div style="text-align: center;"> <p>T 5 N R 2 E</p>  <p>2008</p> </div> <hr/> <p>N. 72°12' W., on line 3-1.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>1.691 AP 1, Parcel B, identical with AP 15, Parcel A.</p>
	<div style="text-align: center;"> <p><b>Parcel C</b></p> </div> <hr/> <p>From AP 1, Parcel C, identical with AP 10, Parcel A, hereinbefore described.</p> <p>S. 10°51' W., on line 1-2, identical with line 10-11, Parcel A.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>6.638 AP 2, Parcel C, identical with AP 11, Parcel A, hereinbefore described.</p>
	<hr/> <p>S. 89°01' W., on line 2-3.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>2.734 Point for AP 3, Parcel C.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 36 ins. in the ground, with aluminum cap mkd.</p>
	<div style="text-align: center;"> <p>T 5 N R 2 E</p>  <p>2008</p> </div> <p>Cor. is located on the N. edge of track road, bears E. and W.</p> <hr/> <p>N. 1°45' W., on line 3-4.</p>

**Metes-and-Bounds Survey in Section 5,  
T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS	
1.255	<p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p> <p>Point for AP 4, Parcel C.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E</p> <p>S 5 { AP 4</p> <p>PARCEL C</p> <p>2008</p> <hr/> </div> <p>N. 17°48' E., on line 4-5.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>
6.286	<p>Point for AP 5, Parcel C.</p> <p>Set an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 5 N R 2 E</p> <p>S 5 { AP 5</p> <p>PARCEL C</p> <p>2008</p> <hr/> </div> <p>S. 72°12' E., on line 5-1.</p> <p>Over nearly level desert terrain, through scattered creosote brush and saguaro cactus.</p>
2.205	<p>AP 1, Parcel C, identical with AP 10, Parcel A.</p> <hr/> <p style="text-align: center;">GENERAL DESCRIPTION</p> <hr/> <p>The land encompassed in this survey is located about 12 miles from the city of Phoenix, Arizona. The elevation is approximately 1600 ft. above sea level. Access is by way of Arizona State Highway 74.</p>

**T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona**

CHAINS

The terrain is nearly level desert. Vegetation consists mainly of scattered creosote brush and saguaro cactus.

The mean magnetic declination of  $11\ 1/4^{\circ}$  E. was derived from the United States Geological Survey computer program GEOMAG, utilizing the World Magnetic Model for Epoch 2005 for the dates of survey.

---



CERTIFICATE OF SURVEY

I, Joe R. Salazar, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of special instructions bearing date of the 3rd day of October, 2008, I have dependently resurveyed a portion of the north boundary and a metes-and-bounds survey in section 5, T. 5 N., R. 2 E., of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction. Said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and in specific manner described in the foregoing field notes.

1/6/2009  
(Date)

Joe R. Salazar  
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the north boundary and a metes-and-bounds survey in section 5, T. 5 N., R. 2 E., Gila and Salt River Meridian, in the State of Arizona, executed by Joe R. Salazar, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

5/27/2009  
(Date)

Stephen K. Hansen  
(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above described surveys in T. 5 N., R. 2 E., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~\_\_\_\_\_~~  
~~(Date)~~

~~\_\_\_\_\_~~  
~~(Chief Cadastral Surveyor of Arizona)~~