

ORIGINAL

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FIELD NOTES
OF THE
DEPENDENT RESURVEY
OF PORTIONS OF
MINERAL SURVEY No. 1785
IN SECTIONS 32 AND 33

TOWNSHIP 12 1/2 NORTH, RANGE 1 WEST,
OF THE GILA AND SALT RIVER MERIDIAN,
IN THE STATE OF ARIZONA.

EXECUTED BY

Craig S. Dukart, Cadastral Surveyor

Under Special Instructions dated September 28, 2010, approved September 28, 2010, which provided for the surveys included under Group No. 1071, and assignment instructions dated September 28, 2010.

Survey commenced September 30, 2010

Survey completed December 1, 2010

INDEX DIAGRAM

TOWNSHIP 12 1/2 NORTH RANGE 1 WEST
GILA AND SALT RIVER MERIDIAN, ARIZONA

19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Dependent Resurvey of Portions of MS 1785Pages 4-15

T. 12 1/2 N., R. 1 W., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes describe the dependent resurvey of portions of Mineral Survey Number 1785, in sections 32 and 33, Township 12 1/2 North, Range 1 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows:

A.B. Mader, United States Deputy Mineral Surveyor, surveyed Mineral Survey Number 1785 in 1904.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions for the Survey of the Public Lands of the United States, 2009, and the Special Instructions dated September 28, 2010, for Group Number 1071, Arizona.

The true meridian direction and length of all lines were determined by real time kinematic global positioning system observations using Trimble Navigation 5700 and 5800 model receivers, and the Sokkia SET2BII Electronic Total Station.

Preliminary to the resurvey, the lines of the prior surveys were retraced and search was made for all corners and other calls of record. Identified corners were remonumented in their original positions. Lost corners were reestablished and remonumented at proportionate positions based on the official record.

The retracement data were thoroughly verified and only true line field notes are given herein.

Geodetic control was derived from Global Positioning System (GPS) static observations post processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) DL1898 AZPS PRESCOTT CORS ARP, DL6308 AZWA MORRISTOWN CORS ARP, DH3751 AZAH ASHLER HILLS CORS ARP, DL6010 AZSV STAR VALLEY CORS ARP, DG6513 AZSC CNTR FOR ARTS CORS ARP, DL3063 AZTP TEMPE CORS ARP, DG8519 AZBK MCDOT BUCKEYE CORS ARP, and DL9798 KGMN MOHAVE FLOOD HQ CORS ARP.

The NAD 83 (CORS96) (EPOCH: 2002), geographic position of corner Number 3, Sunset, is as follows:

Latitude: 34°25'19.77" N. Longitude: 112°22'17.30" W.

The NAD 83 (CORS96) (EPOCH: 2002), geographic position of corner Number 3, Copper Reef 1, is as follows:

Latitude: 34°25'17.09" N. Longitude: 112°22'29.33" W.

The mean magnetic declination is 11 1/4° E.

**Dependent Resurvey
of a Portion of Mineral Survey No. 1785,
T. 12 1/2 N., R. 1 W., Gila and Salt River Meridian, Arizona**

CHAINS

Restoring the survey executed by
A.B. Mader, in 1904

SUNSET LODGE

Beginning at cor. No. 3, Sunset, monumented with a malapai stone, 6 x 12 ins., firmly set, projecting 12 ins. above the ground, with marks 3 1 legible, and a recently made X on the top, with a guard post with a monument sign, 54-9 and a USFS bdy. sign, nearby. Cor. is located in a barbed wire fence, 3 strand, bears N. 40° E. and S. 40° W., and is S. 40° W., 3.5 lks. from a fence cor., bears N. 66° E., S. 40° W. and N. 35° W.

from which the remains of the orig. bearing trees

A dead and downed pine, 23 ins. diam., at an indeterminate bearing and dist., with no blaze, found near the position of the orig. bearing tee.

A pine stump, 14 ins. diam., bears N. 49°00' W., 69.5 ft. dist.


and bearing objects taken by persons unknown

A granite stone in place, 2 1/2 x 4 ft., 2 ft. high, bears S. 23°15' E., 19.2 ft. dist., with marks B+R 3ST 1785 visible.

A granite stone in place, 2 1/2 x 3 ft., 1 ft. high, bears S. 47° W., 16.3 ft. dist., with marks B+R 3ST 1785 visible.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.



Deposit a magnet, in a white plastic case, at the base of the stainless steel post.



**Dependent Resurvey
of a Portion of Mineral Survey No. 1785,
T. 12 1/2 N., R. 1 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Deposit the orig. stone alongside the stainless steel post.</p> <p>From this cor., a local cor., bears N. 37°03' E., 2.205 chs. dist., monumented with a rebar, 1/2 in. diam., firmly set, projecting 6 ins. above the ground, in a collar of stone and with a brass tag, 3/4 in. diam., mkd. LS 22287, added to existing rebar. This cor. was set by persons unknown and has since been erroneously accepted by local surveyors as cor. No. 2, Copper King.</p> <p>N. 30°35' W., on a portion of line 3-4, Sunset.</p>
1.209	<p>A rebar, 1/2 in. diam., firmly set, projecting 1 in. above the ground, with a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby. This rebar was set by persons unknown and has since been erroneously accepted by local surveyors as the point of intersection of line 2-3, Copper King and line 3-4, Sunset. Remove post and signs.</p>
2.790	<p>Point of intersection of line 1-2, Copper King.</p> <p>At the intersection point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 12 1/2 N R 1 W</p> <div style="text-align: center;"> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby.</p> <p>From this cor., cor. No. 4, Sunset, identical with Cor. No. 3, Sunrise, bears N. 30°35' W., 19.914 chs. dist., determined at record bearing and distance from the orig. bearing object</p> <p style="padding-left: 40px;">A diorite rock outcrop, 8 x 12 ft., 6 ft. high, bears S. 67°20' E., 14.3 ft. dist., mkd. + BR 1785. Marks are located 1 ft. above the ground on rock face bearing N. 65° E. and S. 65° W.</p> <p>From this same cor., cor. No. 2, Copper King, bears S. 13°34' E., 0.670 chs. dist., hereinafter described.</p>


**Dependent Resurvey
of a Portion of Mineral Survey No. 1785,
T. 12 1/2 N., R. 1 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>From this same cor., the point for cor. No. 1, Copper King, bears N. 13°34' W., 21.361 chs. dist., determined from distance-distance intersection from the remains of the orig. bearing trees</p> <p style="padding-left: 40px;">A pine stump, 21 ins. diam., 60 ins. high, bears S. 60°15' E., 33.5 ft. dist., with a portion of a healed blaze. (Record: S. 64°20' E.)</p> <p style="padding-left: 40px;">A pine stump, 20 ins. diam., 35 ins. high, bears S. 34°45' E., 30.0 ft. dist., with a portion of a healed blaze, and with the tree laying downhill, with a portion of a healed blaze. Dissected a section of the blaze from the downed tree to expose scribe marks BT. (Record: S. 39°08' E.)</p> <p>The orig. syenite stone for cor. No. 1, Copper King, 9 x 11 ins., 14 ins. long, mkd. 1CK 1785 on one face, and a X on top, was found, laying loose, approximately 7 ft. downhill from the determined point for the cor. position.</p> <p>From the point for cor. No. 1, Copper King, a local cor. bears S. 57°20' W., 27 lks. dist., monumented with a rebar, 1/2 in. diam., firmly set, projecting 1 in. above the ground, with a brass tag, 3/4 in. diam., mkd. LS 22287, added to existing rebar. This cor. was set by persons unknown and has since been erroneously accepted by local surveyors as cor. No. 1, Copper King.</p> <hr style="width: 50%; margin: 20px auto;"/> <p style="text-align: center;">COPPER KING LODGE</p> <hr style="width: 50%; margin: 20px auto;"/> <p>From the point of intersection of line 1-2, Copper King and line 3-4, Sunset, hereinbefore described.</p> <p>S. 13°34' E., on a portion of line 1-2, Copper King.</p>
0.670	<p>Cor. No. 2, Copper King, monumented with a malapai stone, 6 x 10 ins., firmly set, projecting 5 ins. above the ground, faintly marked 2 CK 1785 on south face, with a X on top.</p> <p>from which the remains of the remaining orig. bearing tree</p> <p style="padding-left: 40px;">A decaying pine stump, 14 ins. diam., 4 ins. high, bears N. 67°30' E., 17.1 ft. dist. (Record: N. 83°20' E., 16.8 ft.)</p> <p>Cor. is located N. 52° W., 3 lks. dist. from a fence cor., with barbed wire fences extending S. 35° E. and S. 70° W.</p> <p>At the corner point</p>


**Dependent Resurvey
of a Portion of Mineral Survey No. 1785,
T. 12 1/2 N., R. 1 W., Gila and Salt River Meridian, Arizona**

CHAINS	
4.579	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 12 1/2 N R 1 W</p> <p>MS 1785</p> <p>CK</p> <p>C2</p>  <p>S33</p> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Deposit the orig. stone, 17 ins. long, alongside the stainless steel post.</p> <p>Set a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 69°49' W., on line 2-3, Copper King.</p> <p>The S. end center, Copper King, monumented with a scattered mound of stone, 3 1/2 ft. base, 1 ft. high, located in a barbed wire fence, bears N. 70° E. and S. 70° W.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 12 1/2 N R 1 W</p> <p>MS 1785</p> <p>CK SCE</p>  <p>S33</p> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby.</p>

**Dependent Resurvey
of a Portion of Mineral Survey No. 1785,
T. 12 1/2 N., R. 1 W., Gila and Salt River Meridian, Arizona**

CHAINS	<p>From this cor., a local cor., bears N. 89°55' E., 2.618 chs. dist., monumented with a rebar, 1/2 in. diam., firmly set, projecting 1 in. above the ground, in a collar of stone and with a brass tag, 3/4 in. diam., mkd. LS 22287, added to existing rebar, with a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby. This cor. was set by persons unknown and has since been erroneously accepted by local surveyors as S. end center, Copper King. Remove guard post and signs.</p>
9.035	<p>Cor. No. 3, Copper King, determined from distance-distance intersection from the remains of the orig. bearing trees</p> <p style="padding-left: 40px;">A pine stump, 15 ins. diam., 40 ins. high, bears S. 5°30' E., 10.4 ft. dist., with scribe marks BT3 CK 1785 visible on a dissected healed blaze. (Record: S. 8°15' E.)</p> <p style="padding-left: 40px;">A decaying pine stump, 18 ins. diam., 10 ins. high, bears S. 78°00' W., 17.6 ft. dist., with the tree laying downhill, with scribe marks BT 3CK 1785 visible on a partially healed blaze. (Record: S. 77°15' W.)</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 12 1/2 N R 1 W</p>  </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby.</p> <p>From this cor., a local cor. established as cor. 3, Copper King, by Robert L. Weaver, Arizona R.L.S. No. 22287, as per plat recorded page 58, Book 29 of Land Surveys, in the Yavapai County Recorder's office, bears S. 89°08' E., 2.540 chs. dist., monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above the ground, in a collar of stone, with aluminum cap mkd. MS1785 3CK T12 1/2N R1W S33 LS22287 1996, with a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby, from which a bearing object taken by persons unknown</p>

**Dependent Resurvey
of a Portion of Mineral Survey No. 1785,
T. 12 1/2 N., R. 1 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>A granite stone in place, 30 x 42 ins., 9 ins. high, bears N. 54°30' W., 14.0 ft. dist., with marks CK3 B+R 1785 visible.</p> <p>From this same cor., a local cor., bears N. 77°46' E., 2.393 chs. dist., monumented with a masonry nail in a stone in place, 13 x 14 ins., 7 ins. high, with a brass tag, 3/4 in. diam., mkd. LS 22287, added to existing masonry nail, with a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby. This cor. was set by persons unknown and has since been erroneously accepted by local surveyors as the intersection of line 3-4, Copper King and line 3-4, Copper Reef 1.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 13°55' W., on line 3-4, Copper King.</p>
0.602	<p>Point of intersection of line 3-4, Copper Reef 1.</p> <p>At the intersection point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 12 1/2 N R 1 W MS1785 CK CR1 MS1785</p>  <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby.</p> <p>From this cor., cor. No. 4, Copper Reef 1, bears N. 58°22' E., 2.894 chs. dist., monumented with a granite stone in place, 19 x 21 ins., 11 ins. high, with no visible marks. Measured to the center of the stone</p> <p>from which the remains of the orig. bearing tree</p> <p style="padding-left: 40px;">A severely leaning oak, 6 ins. diam., bears S. 16°45' W., 22.8 ft. dist., with scribe marks B faintly visible on weathered blaze. (Record: S. 21°54' W.)</p> <p>From this same cor., cor. No. 3, Copper Reef 1, bears S. 58°22' W., 6.328 chs. dist., hereinafter described.</p>

**Dependent Resurvey
of a Portion of Mineral Survey No. 1785,
T. 12 1/2 N., R. 1 W., Gila and Salt River Meridian, Arizona**

CHAINS

From this same cor., the point of intersection of line 3-4, Copper King with line 4-1, Copper Reef 1, identical with an angle point of Lot 18, bears N. 13°55' W., 15.130 chs. dist., hereinafter described.

From this same cor., the point of intersection of line 3-4, Copper King with line 2-3, Nome, identical with an angle point of Lot 18, bears N. 13°55' W., 20.836 chs. dist., hereinafter described.

From this same cor., the point for cor. No. 4, Copper King, bears N. 13°55' W., 21.399 chs. dist., determined using record bearing and dist. from the remains of the remaining orig. bearing tree

A walnut stump, 15 ins. diam., 15 ins. high, bears N. 26°05' E., 46.8 ft. dist., with scribe marks BT4CK visible on a piece of wood, 4 ins. wide, 18 ins. long, found in hollow of stump.

From cor. No. 4, Copper King, the point for cor. No. 1, Copper King, bears N. 69°44' E., 9.176 chs. dist., hereinbefore described.

COPPER REEF 1

From cor. No. 2, Copper Reef 1, identical with cor. No. 3, Copper Reef 2, monumented with a granite stone, 8 x 8 ins., firmly set, projecting 11 ins. above the ground, mkd. 2CR1 1785 on northeasterly face and 3CR2 1785 on the northwesterly face, with an X on top, set by persons unknown, with a guard post with monument sign, 54-9, and USFS bdy. sign, nearby. The markings look relatively new, and in 1986, Roger S. Cunliffe-Owen, Arizona R.L.S. No. 15850, according to plat recorded at the Yavapai County Recorder's Office, Book 6 of Land Surveys, Page 26, did not find a stone at this position. This position is harmoniously related to existing orig. cors., has long been recognized as the cor. by adjacent land owners, and is accepted as the best available evidence of the orig. corner position.

From this cor., Angle Point No. 2, Small Tracts Act Case Number 0055, established by Gary L. Berg, Arizona R.L.S. No. 15666, as per plat recorded page 62, Book 112 of Land Surveys, in the Yavapai County Recorder's office, bears S. 14°58' E., 3.10 chs. dist., monumented with rebar, 5/8 in. diam., projecting 1 in. above the ground, in a mound of stone, to the downhill, 2 1/2 ft. base, 1 1/2 ft. high, with a USFS aluminum cap, mkd. T12.5N R1W S33 AP2 STA 0055 LS15666 2004, with a guard post, with a USFS monument sign, 54-9, and bdy. sign, nearby.

**Dependent Resurvey
of a Portion of Mineral Survey No. 1785,
T. 12 1/2 N., R. 1 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>From this same cor., the point for cor. No. 1, Copper Reef 1, identical with cor. No. 2, Copper Reef 2, bears N. 58°17' E., 9.232 chs. dist., at parallel line solution, using the mean bearing of line 3-4, Copper Reef 1 and line 4-1, Copper Reef 2, and distance determined by bearing-bearing intersections using the mean bearing of the end line and the bearings of the known side lines, then meaning the two distances; not monumented.</p> <p>From the point for cor. No. 1 Copper Reef 1, identical with cor. No. 2, Copper Reef 2; cor. No. 1, Copper Reef 2, bears N. 52°11' W., 22.792 chs. dist., determined at N. 10° E., 0.5 lks. dist., from the disturbed orig. porphyry stone, 10 x 18 ins., firmly set, projecting 11 ins. above the ground, mkd. with an X. This stone was thrust out of position by a ponderosa pine, 15 ins. diam., growing on the northerly side of it. No other marks were found on the stone.</p> <p>From which the orig. bearing trees</p> <p style="padding-left: 40px;">An oak, 9 ins. diam., bears S. 26°15' E., 10.0 ft. dist., with no evidence of a healed blaze. USDA form FS-1700-52, obtained from Supervisor's Office, Prescott National Forest, Prescott, AZ., makes no reference to this tree. (Record: S. 26°08' E.)</p> <p style="padding-left: 40px;">An rotting oak snag, 9 ins. diam., 10 ft. tall, bears N. 15°45' W., 24.8 ft. dist., with an oak fragment, 3 x 8 ins., 6 ft. long, laying nearby, with a bearing tree tag dated 1965 attached. (Record: N. 18°06' W., 25.8 ft.)</p> <p>From cor. No. 1 Copper Reef 2, a local cor., bears N. 38°21' E., 10.2 lks. dist., monumented with a rebar, 1/2 in. diam., firmly set, projecting 2 ins. above the ground, with brass tag, 3/4 in. diam. attached, mkd. TIM 13011, with a PVC pipe, 5 ft. long, 1 in. diam. alongside as a corner locator.</p> <p>Cor. No. 2, Copper Reef 1, identical with cor. No. 3, Copper Reef 2, is located N. 60° E., 1 1/2 lks. dist., from a fence cor., with barbed wire fences extending N. 50° E., S. 8° E., and N. 44° W.</p> <p>S. 24°53' E., on line 2-3, Copper Reef 1.</p>
21.552	<p>Cor. No. 3, Copper Reef 1, re-established by Gary L. Berg, Arizona R.L.S. 15666, as per plat recorded Page 62, Book 112 of Land Surveys, in the Yavapai County Recorder's Office, monumented with a rebar, 1/2 in. diam., firmly set, projecting 1 in. above the ground, with a yellow plastic cap mkd. LS 15666, from which the remains of the orig. bearing trees</p> <p style="padding-left: 40px;">An oak stump, 20 ins. diam., 5 ins. high, bears N. 41° E., 9.5 ft. dist. (Record: N. 35°47' E.)</p>

**Dependent Resurvey
of a Portion of Mineral Survey No. 1785,
T. 12 1/2 N., R. 1 W., Gila and Salt River Meridian, Arizona**

CHAINS

A ponderosa pine stump, 13 ins. diam., bears N. 69°30' W., 19.7 ft. dist., with the tree laying next to it, with scribe marks BT 3CRN 1 1785 visible on open blaze. (Record: N. 68°38' W.)


Cor. is located N. 55° E., 1 1/2 lks. dist. from a fence cor., with barbed wire fences extending N. 65° E. and S. 80° W.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T 12 1/2 N R 1 W

MS 1785
CR1 3



S33
2010

Deposit a magnet, in a white plastic case, and the rebar, 18 ins. long, 1/2 in. diam., with yellow plastic cap at the base of the stainless steel post.

Set a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby.

From this cor., a local cor. established as cor. 3, Copper Reef 1, by Robert L. Weaver, Arizona R.L.S. No. 22287, as per plat recorded page 38, Book 36 of Land Surveys, in the Yavapai County Recorder's office, bears N. 88°15' E., 2.736 chs. dist., monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above the ground, encircled by a collar of stone, with an alum. cap mkd. T12 1/2N R1W 3 CR NO.1 MS1785 S33 RLS22287 1996, with a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby. Remove guard post and signs.

N. 58°22' E., on line 3-4, Copper Reef 1.

6.328

The point of intersection of line 3-4, Copper King, hereinbefore described.

COPPER REEF 2

From cor. No. 3, Copper Reef 2, identical with cor. No. 2, Copper Reef 1, hereinbefore described.

N. 52°12' W., on line 3-4, Copper Reef 2.

**Dependent Resurvey
of a Portion of Mineral Survey No. 1785,
T. 12 1/2 N., R. 1 W., Gila and Salt River Meridian, Arizona**

CHAINS

22.782

Cor. No. 4, Copper Reef 2 lode, determined at record bearing and distance from the 1965 bearing tree, as per USDA form FS-1700-52, obtained from Supervisor's Office, Prescott National Forest, Prescott, AZ., from which the 1965 bearing tree

An oak, 6 ins. diam., bears N. 50° W., 9 ft. dist., with a bearing tree sign, 54-3, attached.

From this point, a local cor., bears N. 10°33' E., 19.4 lks. dist., monumented with a rebar, 1/2 in. diam., firmly set, projecting 2 ins. above the ground, with red plastic cap mkd. TIM RLS 13011.

The cor. position is located S. 21° W., 9 lks. from a fence cor., with fences, barbed wire, 4 strand, extending N. 50° E. and S. 50° E.


The orig. porphyry stone, 4 x 12 x 30 ins., mkd. 4 CR2 1785 was found laying loose, downhill, 1 lk. dist. from the local cor.

LOT 18

From the point of intersection of line 3-4, Copper King, with line 2-3, Nome, identical with an angle point of lot 18.

At the intersection point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.




Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

Set a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby.


From this angle point, cor. No. 2, Nome, bears N. 52°50' E., 4.930 chs. dist., monumented with a syenite stone, 7 x 3 ins., firmly set, projecting 8 ins. above the ground, mkd. N 17 5, with a mound of stone, 1 1/2 ft. base, 1 ft. high, S. of cor.

**Dependent Resurvey
of a Portion of Mineral Survey No. 1785,
T. 12 1/2 N., R. 1 W., Gila and Salt River Meridian, Arizona**

CHAINS	
1.109	<p>From this same angle point, cor. No. 4, Copper King, bears N. 13°55' W., 0.536 chs. dist., hereinbefore described.</p> <p>S. 52°50' W., on a portion of line 2-3, Nome.</p> <p>Point of intersection of line 1-4, Copper Reef 1, identical with an angle point of Lot 18.</p> <p>At the intersection point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 12 1/2 N R 1 W MS1785</p>  <p>CR1 MS1785 2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby.</p> <p>From this angle point, cor. No. 3, Nome, bears S. 52°50' W., 3.053 chs. dist., monumented with a syenite stone, 6 x 8 ins., loosely set projecting 12 ins. above the ground, marked 3N 1785 on the northeasterly face, with no evidence of the orig. bearing tree. This cor. is leaning up against an oak tree, on a steep NW facing slope.</p> <p>From this same angle point, cor. No. 1, Copper Reef 1, identical with cor. No. 2, Copper Reef 2, bears N. 24°52' W., 1.685 chs. dist., hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 24°52' E., on a portion of line 1-4, Copper Reef 1.</p>
5.366	<p>Point of intersection of line 3-4, Copper King, identical with an angle point of Lot 18.</p> <p>At the intersection point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>

**Dependent Resurvey
of a Portion of Mineral Survey No. 1785,
T. 12 1/2 N., R. 1 W., Gila and Salt River Meridian, Arizona**

CHAINS



Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

Set a guard post with a monument sign, 54-9, and a USFS bdy. sign, nearby.

From this angle point, cor. No. 4, Copper Reef 1, bears S. 24°52' E., 14.514 chs. dist., hereinbefore described.

From this same angle point, the point of intersection of line 3-4, Copper Reef 1 with line 3-4 Copper King, bears S. 13°55' E., 15.130 chs. dist., hereinbefore described.

N. 13°55' W., on a portion of line 3-4, Copper King.

5.706 Point of intersection of line 3-4, Copper King with line 2-3, Nome, hereinbefore described.

GENERAL DESCRIPTION

This dependent resurvey is located approximately 8 1/2 miles westerly along Poland Junction road, a dirt road, from Highway No. 69, at the community of Breezy Pines, in the Bradshaw mountains. The terrain is mountainous with rock outcrops, and supporting oak and pine timber.

The elevation varies from 6,400 to 7,000 ft. above sea level.

The mean magnetic declination of 11 1/4° E. was derived from the National Geophysical Data Center's magnetic declination calculator, GEOMAG v6.0, utilizing the International Geomagnetic Reference Field Model for years 2005 through 2010, for the dates of the survey.
