

ORIGINAL

**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT**

FIELD NOTES  
OF THE  
DEPENDENT RESURVEY OF PORTIONS OF THE  
EAST AND WEST BOUNDARIES, AND A PORTION OF THE  
SUBDIVISIONAL LINES,  
THE SUBDIVISION OF SECTIONS 25 AND 33,  
AND THE METES-AND-BOUNDS SURVEY OF A PORTION  
OF THE WABAYUMA PEAK WILDERNESS AREA BOUNDARY,  
**TOWNSHIP 19 NORTH, RANGE 16 WEST,**  
OF THE GILA AND SALT RIVER MERIDIAN,  
IN THE STATE OF ARIZONA.

**EXECUTED BY**

**Craig S. Dukart, Cadastral Surveyor**

Under Special Instructions dated October 22, 2009, approved October 22, 2009, which provided for the surveys included under Group No. 983, and Assignment instructions dated October 22, 2009.

**Survey commenced November 5, 2009**

**Survey completed February 9, 2010**

**INDEX DIAGRAM**

**TOWNSHIP 19 NORTH                      RANGE 16 WEST  
GILA AND SALT RIVER MERIDIAN, ARIZONA**

<b>6</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>1</b>
<b>7</b> 26	<b>8</b> 24 22	<b>9</b> 21	<b>10</b>	<b>11</b>	<b>12</b>
<b>18</b>	<b>17</b> 20 23	<b>16</b> 13 19	<b>15</b>	<b>14</b>	<b>13</b>
<b>19</b>	<b>20</b> 17	<b>21</b> 16	<b>22</b> 13 10	<b>23</b> 9	<b>24</b> 9
<b>30</b>	<b>29</b>	<b>28</b> 16	<b>27</b> 12	<b>26</b> 8	<b>25</b> 7 5
<b>31</b>	<b>32</b> 15	<b>33</b> 11	<b>34</b>	<b>35</b>	<b>36</b> 4

Subdivision of Section 25 .....Pages 26-28  
 Subdivision of Section 33 .....Pages 28-29

Metes-and-Bounds Survey of the  
 Wabayuma Peak Wilderness Area .....Pages 29-94

Description of the  
 Wabayuma Peak Wilderness Area Bdy. ....Pages 95-110

## T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

## CHAINS

The following field notes describe the dependent resurvey of portions of the east and west boundaries, a portion of the subdivisional lines, the subdivision of sections 25 and 33, and the metes-and-bounds survey of a portion of the Wabayuma Peak Wilderness Area Boundary, Township 19 North, Range 16 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows:

The east, south, west and north boundaries, Township 19 North, Range 16 West, Gila and Salt River Meridian, were surveyed by Fred N. Wardwell and Albert Smith, Jr., U.S. Surveyors and by Philip L. Inch, Howard G. Mason, Mans H. Coffin, Jr. and William N. Nash, U.S. Transitmen, in 1915 and 1916.

The subdivisional lines of Township 19 North, Range 16 West, Gila and Salt River Meridian, Arizona, were surveyed by Mans H. Coffin, Jr. and Howard G. Mason, U.S. Transitmen, in 1916.

The survey was executed in accordance with the specifications as set forth in the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and the Special Instructions dated October 22, 2009, for Group Number 983, Arizona.

Instruction Memorandum Number 91-200, dated February 26, 1991, with subject heading Revisions to Handbook 8560-1 "Management of Designated Wilderness Areas" Relating to Boundary Setbacks, was used to establish the boundary along the dirt roads.

The true meridian direction and length of all lines were determined by real time kinematic global positioning system observations using Trimble Navigation 5700 and 5800 model receivers.

Geodetic control was derived from Global Positioning System (GPS) static observations post processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) DL1709 AZBH BULLHEAD CITY CORS ARP, DL3182 AZFM FORT MOJAVE TRIBE CORS ARP, and AM7015 KING KINGMAN CORS ARP. The NAD 83 (CORS96) (EPOCH: 2002), geographic position of the southeast township corner, is as follows:

Latitude: 34°58'42.79" N.                      Longitude: 113°54'55.68" W.

The mean magnetic declination is 12° E.

---

Dependent Resurvey of a Portion of the East Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS

Restoring the survey executed by  
Fred N. Wardwell, Albert Smith, Jr., Philip L. Inch, Howard G.  
Mason, Mans H. Coffin, Jr. and William N. Nash, in 1915 and 1916

---

Beginning at the cor. of Tps. 18 and 19 N. and Rs. 15 and 16 W.,  
monumented with an iron post, 3 ins. diam., firmly set,  
projecting 1 in. above the ground, leaning over, with brass cap  
mkd. T19N R16 R15 S36 S31 S1 S6 T18N 1915.

Dig out road fill and straighten the iron post so that it is now  
projecting 6 ins. above the ground.

Add the marks W W and 2009 to the brass cap.

Cor. is located E., 20 lks. from the center line of an abandoned  
bladed dirt road, 8 ft. wide, bears S. 30° E. and N. 30° W.

Cor. is also located N., 25 lks. from the center line of the  
same abandoned bladed dirt road, bears S. 30° E. and N. 30° W.

N. 0°01' E., bet. secs. 31 and 36, along the Wabayuma Peak  
Wilderness Area Bdy.

Over mountainous terrain.

40.095 The 1/4 sec. cor. of secs. 31 and 36, monumented with an iron  
post, 1 in. diam., projecting 9 ins. above the ground, with  
brass cap mkd. 1/4 S36 S31 1916.

Add the marks T19N R16W R15W 2009 to the brass cap.

---

N. 0°01' W., beginning new measurement.

39.955 The cor. of secs. 25, 30, 31 and 36, monumented with a granite  
stone, 10 x 6 ins., firmly set, flush with the ground, with  
5 notches on the N. and 1 notch on the S. face.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,  
23 ins. in the ground, in a collar of stone, with brass cap mkd.

T 19 N	
R 16 W	R 15 W
S 25	S 30
S 36	S 31

2009

Bury the granite stone alongside and deposit 2 60-D nails, at  
the base of the stainless steel post.

Dependent Resurvey of a Portion of the East Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS											
	<p>Cor. is located E., 33 lks. of a barbed wire fence, bears N. and S.</p> <hr/> <p>N. 0°01' E., bet. secs. 25 and 30, along the Wabayuma Peak Wilderness Area Bdy.</p> <p>Over mountainous terrain.</p>										
12.875	<p>Point for AP 1, sec. 25, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr><td colspan="2">T 19 N</td></tr> <tr><td>R 16 W</td><td>R 15 W</td></tr> <tr><td>S 25</td><td></td></tr> <tr><td>AP1</td><td>S 30</td></tr> <tr><td>WPWA</td><td></td></tr> </table> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Angle point is located E., 14 lks. of a barbed wire fence, bears N. and S.</p> <p>Leave the Wabayuma Peak Wilderness Area Bdy.</p>	T 19 N		R 16 W	R 15 W	S 25		AP1	S 30	WPWA	
T 19 N											
R 16 W	R 15 W										
S 25											
AP1	S 30										
WPWA											
13.35	Trail road, bears S. 75° E. and N. 75° W.										
40.135	<p>The 1/4 sec. cor. of secs. 25 and 30, monumented with an iron post, 1 in. diam., projecting 15 ins. above the ground, with brass cap mkd. 1/4 S25 S30 1916.</p> <p>Add the marks T19N R16W R15W 2009 to the brass cap.</p> <p>Cor. is located W., 23 lks. of a barbed wire fence, bears N. and S.</p> <hr/>										

Dependent Resurvey of a Portion of the West Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS											
	<p style="text-align: center;">Restoring the survey executed by Fred N. Wardwell, Albert Smith, Jr., Philip L. Inch, Howard G. Mason, Mans H. Coffin, Jr. and William N. Nash, in 1915 and 1916</p> <hr style="width: 20%; margin: auto;"/> <p>From the 1/4 sec. cor. of secs. 13 and 18, monumented with an iron post, 1 in. diam., firmly set, projecting 24 ins. above the ground, in a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd. 1/4 S13 S18 1916, with a mound of stone, 2 ft. base, 1/2 ft. high, W. of cor.</p> <p>Add the marks T19N R17W R16W 2009 to the brass cap.</p> <p>Incorporate the accessory mound of stone in a supporting mound of stone, 4 1/2 base, to brass cap.</p> <p>N. 0°12' E., bet. secs. 13 and 18.</p> <p>6.50 Left bank of braided Walnut Creek, bears N. 70° E. and S. 70° W.</p> <p>14.10 Right bank of braided Walnut Creek, bears N. 50° E. and S. 50° W.</p> <p>15.96 Point for AP 16, sec. 18, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, in a collar of stone, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="border-collapse: collapse; margin: auto;"> <tr> <td colspan="2" style="padding: 0 10px;">T 19 N</td> </tr> <tr> <td style="padding: 0 10px;">R 17 W</td> <td style="border-left: 1px solid black; padding: 0 10px;">R 16 W</td> </tr> <tr> <td></td> <td style="border-left: 1px solid black; padding: 0 10px;">S 18</td> </tr> <tr> <td style="padding: 0 10px;">S13</td> <td style="border-left: 1px solid black; padding: 0 10px;">AP16</td> </tr> <tr> <td></td> <td style="border-left: 1px solid black; padding: 0 10px;">WPWA</td> </tr> </table> </div> <p style="text-align: center; margin: 10px 0;">2009</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>17.50 Graded road, 10 ft. wide, bears S. 85° E. and S. 85° W.</p> <p>40.195 The cor. of secs. 7, 12, 13 and 18, monumented with an iron post, 3 ins. diam., firmly set projecting 30 ins. above ground, in a mound of stone, 3 ft. base, 2 ft. high, with brass cap mkd. T19N R17W R16W S12 S7 S13 S18 1916, with a mound of stone, 2 ft. base, 1 ft. high, to the W.</p> <p>Add the marks 2009 to the brass cap.</p>	T 19 N		R 17 W	R 16 W		S 18	S13	AP16		WPWA
T 19 N											
R 17 W	R 16 W										
	S 18										
S13	AP16										
	WPWA										

Dependent Resurvey of a Portion of the West Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS

Incorporate the accessory mound of stone into a new supporting mound of stone, 5 1/2 ft. base, to brass cap.

---

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

---

Restoring the survey executed by  
Mans H. Coffin, Jr. and Howard G. Mason, in 1916

---

From the cor. of secs. 25, 30, 31 and 36, on the E. bdy. of the Tp., hereinbefore described.

N. 89°26' W., bet. secs. 25 and 36.

Over mountainous terrain.

19.86 Point for the E. 1/16 sec. cor. of secs. 25 and 36.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.

T 19 N R 16 W

S 25  
E 1/16 ———  
S 36

2009

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

Cor. is located N., 1 ch. from top of ridge, bears E. and W.

Thence along the Wabayuma Peak Wilderness Area Bdy.

39.72 The 1/4 sec. cor. of secs. 25 and 36, monumented with an iron post, 1 in. diam., firmly set, projecting 1 in. above the ground, in a collar of stone, with brass cap mkd. 1/4 S25 S36 1916.

Add the marks T19N R16W 2009 to the brass cap.  
Cor. is located in a drainage, 8 ft. wide, 2 ft. deep, drains N. 30° E.

---

N. 89°42' W., beginning new measurement.

Over mountainous terrain.


Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
18.00	Trail road, bears N. and S. 45° E.
39.85	<p>The cor. of secs. 25, 26, 35 and 36, monumented with an iron post, 2 ins. diam., firmly set, projecting 28 in. above the ground, in a mound of stone, 2 1/2 ft. base, 1 ft. high, with brass cap mkd. T19N R16W S26 S25 S35 S36 1916.</p> <p>At the corner point</p> <p>Reset the iron post, 36 ins. long, 2 ins. diam., 23 ins. in the ground, in a mound of stone, 4 ft. base to brass cap.</p> <p>Add the marks 2009 to the brass cap.</p> <hr/>
39.865	<p>N. 0°04' W., bet. secs. 25 and 26, along the Wabayuma Peak Wilderness Area Bdy.</p> <p>Over mountainous terrain.</p> <p>The 1/4 sec. cor. of secs. 25 and 26, monumented with an iron post, 1 in. diam., firmly set, projecting 16 ins. above the ground, in a mound of stone, 2 1/2 ft. base, 1 ft. high, with brass cap mkd. 1/4 S26 S25 1916, with a mound of stone, 2 ft. base, 1 ft. high, to the NW.</p> <p>Add the marks T19N R16W 2009 to the brass cap.</p> <p>Rebuild the supporting mound of stone, incorporating the accessory mound of stone, 3 1/2 ft. base, to brass cap.</p> <p>Cor. is located W., 7 lks. dist. of wash, 1 1/2 ft. wide, 1/2 ft. deep, drains N.</p> <hr/>
40.185	<p>N. 0°07' W., beginning new measurement.</p> <p>Over mountainous terrain.</p> <p>The cor. of secs. 23, 24, 25 and 26, monumented with an iron post, 2 ins. diam., firmly set, projecting 25 ins. above the ground, in a mound of stone, 2 1/2 ft. base, 1 ft. high, with brass cap mkd. T19N R16W S23 S24 S26 S25 1916, with a mound of stone, 2 ft. base, 1 1/2 ft. high, to the N.</p> <p>At the corner point</p> <p>Reset the iron post, 36 ins. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, 5 ft. base, to brass cap.</p> <p>Add the marks 2009 to the brass cap.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Incorporate the accessory mound of stone into the supporting mound of stone.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 24 and 25, monumented with an iron post, 1 in. diam., firmly set, projecting 17 ins. above the ground, in a mound of stone, 2 1/2 ft. base, 1 ft. high, with brass cap mkd. 1/4 S24 S25 1916, with a mound of stone, 3 ft. base, 2 ft. high, to the N.</p> <p>Add the marks T19N R16W 2009 to the brass cap.</p> <p>Rebuild the supporting mound of stone, incorporating the accessory mound of stone, 4 ft. base, to brass cap.</p> <p>N. 89°47' W., bet. secs. 24 and 25.</p> <p>Over mountainous terrain.</p>
39.92	<p>The cor. of secs. 23, 24, 25 and 26.</p> <hr/> <p>N. 89°35' W., bet. secs. 23 and 26, along the Wabayuma Peak Wilderness Area Bdy.</p> <p>Over mountainous terrain.</p>
22.50	<p>Trail road, bears N. 10° E. and S. 15° W.</p>
39.54	<p>The 1/4 cor. of secs. 23 and 26, monumented with an iron post, 1 in. diam., firmly set, projecting 27 ins. above ground, in a mound of stone, 2 1/2 ft. base, with brass cap mkd. 1/4 S23 S26 1916.</p> <p>Add the marks T19N R16W 2009 to the brass cap.</p> <p>Rebuild the supporting mound of stone, 4 ft. base, to brass cap.</p> <hr/> <p>N. 89°13' W., beginning new measurement.</p> <p>Over mountainous terrain.</p>
11.80	<p>Trail road, bears N. 30° E. and S. 35° W.</p>
40.02	<p>The cor. of secs. 22, 23, 26 and 27, monumented with an iron post, 2 ins. diam., firmly set, projecting 17 ins. above the ground, in a mound of stone, 2 1/2 ft. base, 1 ft. high, with brass cap mkd. T19N R16W S22 S23 S27 S26 1916, with a mound of stone, 2 ft. base, 1 1/2 ft. high, to the W.</p> <p>Add the marks 2009 to the brass cap.</p>


Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Rebuild the supporting mound of stone, incorporating the accessory mound of stone, 5 ft. base, to brass cap.</p> <hr/> <p>N. 0°11' W., bet. secs. 22 and 23, along the Wabayuma Peak Wilderness Area Bdy.</p> <p>Over mountainous terrain.</p> <p>24.455 Point for AP 1, sec. 22, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 19 N R 16 W</p>  <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Leave the Wabayuma Peak Wilderness Area Bdy.</p>
25.15	Trail road, bears N. 35° E. and S. 35° W.
40.095	<p>The 1/4 sec. cor. of secs. 22 and 23, monumented with an iron post, 1 in. diam., loosely set, projecting 35 ins. above the ground, in a mound of stone, 3 ft. base, 1/2 ft. high, with brass cap mkd. 1/4 S22 S23 1916.</p> <p>At the corner point</p> <p>Reset the iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, in a mound of stone, 3 ft. base, to brass cap.</p> <p>Add the marks T19N R16W 2009 to the brass cap.</p> <hr/> <p>From the cor. of secs. 3, 4, 33 and 34, on the S. bdy. of the Tp., monumented with an iron post, 3 ins. diam., loosely set, projecting 24 ins. above the ground, in a mound of stone, 3 ft. base, 1 ft. high, with brass cap mkd. T19N R16W S33 S34 S4 S3 T18N 1916, with a mound of stone, 2 ft. base, 1 ft. high, to the W.</p> <p>At the corner point</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS															
	<p>Reset the iron post, 36 ins. long, 3 ins. diam., 24 ins. in the ground, in a mound of stone, 3 1/2 ft. base, to brass cap.</p> <p>Add the marks 2009 to the brass cap.</p> <p>Incorporate the accessory mound of stone into the supporting mound of stone.</p> <p>N. 0°10' E., bet. secs. 33 and 34.</p> <p>Over mountainous terrain.</p>														
16.825	<p>Point for AP 1, sec. 33, identical with AP 48, sec. 34, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="0"> <tr> <td>T 19 N</td> <td>R 16 W</td> </tr> <tr> <td>S 33</td> <td>S 34</td> </tr> <tr> <td colspan="2">-----</td> </tr> <tr> <td>AP1</td> <td>AP48</td> </tr> <tr> <td colspan="2"> </td> </tr> <tr> <td colspan="2">WPWA</td> </tr> <tr> <td colspan="2">2010</td> </tr> </table> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>	T 19 N	R 16 W	S 33	S 34	-----		AP1	AP48			WPWA		2010	
T 19 N	R 16 W														
S 33	S 34														
-----															
AP1	AP48														
WPWA															
2010															
17.30	Trail road, bears E. and N. 85° W.														
39.895	<p>The 1/4 sec. cor. of secs. 33 and 34, monumented with rust flakes in center of collapsed mound of stone, with the iron post, 36 ins. long, 1 in. diam., with brass cap mkd. 1/4 S33 S34 1916, found laying nearby.</p> <p>At the corner point</p> <p>Set the orig. iron post, 36 ins. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, 4 ft. base, to brass cap.</p> <p>Add the marks T19N R16W 2009 to the brass cap.</p> <hr/> <p>From the cor. of secs. 26, 27, 34 and 35, monumented with an iron post, 2 ins. diam., loosely set, projecting 30 ins. above the ground, in a mound of stone, with brass cap mkd. T19N R16W S27 S26 S34 S35 1916, with a mound of stone, 2 ft. base, 1 ft. high, to the W.</p> <p>At the corner point</p>														



Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Reset the iron post, 36 ins. long, 2 ins. diam., 22 ins. in the ground, in a mound of stone, 4 ft. base, to brass cap.</p> <p>Add the marks 2009 to the brass cap.</p> <p>Incorporate the accessory mound of stone into the supporting mound of stone.</p> <p>S. 89°50' W., bet. secs. 27 and 34.</p> <p>Over mountainous terrain.</p>
25.275	<p>Point for AP 52, sec. 27, identical with AP 1, sec. 34, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
25.70	Trail road, bears N. and S. 20° W.
40.53	<p>The 1/4 sec. cor. of secs. 27 and 34, monumented with an iron post, 1 in. diam., firmly set, projecting 16 ins. above the ground, in a mound of stone 2 1/2 ft. base, 1 ft. high, with brass cap mkd. 1/4 S27 S34 1916.</p> <p>from which a new bearing tree</p> <p style="padding-left: 40px;">A forked pine, 10 ins. diam., bears N. 61 1/4° E., 48 lks. dist., mkd. 1/4 S27 BT.</p> <p>Add the marks T19N R16W 2009 to the brass cap.</p> <p>Rebuild the supporting mound of stone, 3 1/2 ft. base, to brass cap.</p> <hr/> <p>From the cor. of secs. 22, 23, 26 and 27.</p> <p>N. 89°40' W., bet. secs. 22 and 27.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	Over mountainous terrain.
19.94	<p>Point for AP 15, sec. 22, identical with AP 1, sec. 27, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<div style="text-align: center;"> <p>T 19 N    R 16 W</p> <p>    /    </p> <p>   S 22 / AP15</p> <p>   ----- WPWA</p> <p>   S 27 / AP1</p> <p>    /    </p> <p>2010</p> </div>
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.
20.50	Trail road, bears N. 35° E. and S. 35° W.
40.36	<p>The 1/4 sec. cor. of secs. 22 and 27, monumented with an iron post, 1 in. diam., loosely set, projecting 30 ins. above the ground, in a mound of stone, 2 1/2 ft. base, 1 1/2 ft. high, with brass cap mkd. 1/4 S22 S27 1916, with a mound of stone, 1 1/2 ft. base, 2 ft. high, to the NE.</p> <p>Reset the iron post, 36 ins. long, 1 in. diam., 24 ins. in the ground, in a mound of stone, 4 ft. base, to brass cap.</p> <p>Add the marks T19N R16W 2009 to the brass cap.</p>
	<hr/> <p>From the cor. of secs. 15, 16, 21 and 22, monumented with an iron post, 2 ins. diam., loosely set, projecting 30 ins. above the ground, in a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd. T19N R16W S16 S15 S21 S22 1916, with a mound of stone, 2 ft. base, 1 ft. high, to the W.</p> <p>Reset the iron post, 36 ins. long, 2 ins. diam., 24 ins. in the ground, in a mound of stone, 2 1/2 ft. base, to brass cap.</p> <p>Add the marks 2009 to the brass cap.</p>
	N. 0°01' W., bet. secs. 15 and 16. Over mountainous terrain.
38.35	Trail road, bears N. 55° E. and S. 55° W.
39.015	Point for AP 1, sec. 15, identical with AP 76, sec. 16, on the Wabayuma Peak Wilderness Area Bdy.


Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 19 N    R 16 W</p> <p>WPWA</p>  </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
40.015	<p>The 1/4 sec. cor. of secs. 15 and 16, monumented with an iron post, 36 ins. long, 1 in. diam., laying over with it's base in the center of a mound of stone, 2 ft. base, 1/2 ft. high, with brass cap mkd. 1/4 S16 S15 1916, with a mound of stone, 2 ft. base, 1 ft. high, to the W.</p> <p>At the corner point</p> <p>Set the orig. iron post, 36 ins. long, 1 in. diam., 21 ins. in the ground, in a mound of stone, 3 ft. base, to brass cap.</p> <p>Add the marks T19N R16W 2009 to the brass cap.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 0°05' W., beginning new measurement.</p> <p>Over mountainous terrain.</p>
28.56	<p>Point for AP 20, sec. 15, identical with AP 77, sec. 16, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
29.20	<p>Trail road, bears S. 45° E. and N. 45° W.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
39.845	<p>The cor. of secs. 9, 10, 15 and 16, monumented with an iron post, 2 ins. diam., firmly set, projecting 22 ins. above the ground, in a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd. T19N R16W S9 S10 S16 S15 1916, with a mound of stone, 1 1/2 ft. base, 1 ft. high, to the E.</p> <p>Add the marks 2009 to the brass cap.</p> <p>Rebuild the supporting mound of stone, incorporating the accessory mound of stone, 5 1/2 ft. base, to brass cap.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 32 and 33, monumented with an iron post, 1 in. diam., firmly set, projecting 25 ins. above the ground, in a mound of stone, 2 ft. base, 1 ft. high, with brass cap mkd. 1/4 S32 S33 1916, with a mound of stone, 1 1/2 ft. base, 1 1/2 ft. high, to the W., on top of a granite outcrop, 10 x 8 ft., 4 ft. high.</p> <p>Add the marks T19N R16W 2009 to the brass cap.</p> <p>Rebuild the supporting mound of stone, 5 1/2 ft. base, to brass cap.</p> <p>N. 0°01' W., bet. secs. 32 and 33, along the Wabayuma Peak Wilderness Area Bdy.</p> <p>Over mountainous terrain.</p>
40.00	<p>The cor. of secs. 28, 29, 32 and 33, monumented with an iron post, 2 ins. diam., firmly set, projecting 28 ins. above the ground, in a mound of stone, 3 ft. base, 2 ft. high, with a brass cap mkd. T19N R16W S29 S28 S32 S33 1916, with a mound of stone, 3 ft. base, 2 ft. high, to the W.</p> <p>Add the marks 2009 to the brass cap.</p> <p>Rebuild the supporting mound of stone, 4 ft. base, to brass cap.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 28 and 33, monumented with an iron post, 1 in. diam., firmly set, projecting 32 ins. above the ground., in a mound of stone, 2 1/2 ft. base, 2 ft. high, with a brass cap mkd. S28 1/4 S33 1916, with a mound of stone 2 1/2 ft. base, 2 ft. high, to the N.</p> <p>At the corner point</p> <p>Reset the iron post, 36 ins. long, 1 in. diam., 10 ins. in the ground, in a mound of stone, 6 ft. base, to brass cap.</p> <p>Add the marks T19N R16W 2009 to the brass cap.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona


CHAINS	<p>Incorporate the accessory mound of stone into the supporting mound of stone.</p> <p>N. 89°36' W., bet. secs. 28 and 33.</p> <p>Over mountainous terrain.</p>
10.90	<p>Trail road, bears N. 70° E. and S. 70° W.</p>
12.255	<p>Point for AP 1, sec. 28, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, in a collar of stone, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <p>T 19 N    R 16 W</p>  </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Thence along the Wabayuma Peak Wilderness Area Bdy.</p>
40.045	<p>The cor. of secs. 28, 29, 32 and 33.</p> <hr style="width: 60%; margin: 10px auto;"/> <p>From the 1/4 sec. cor. of secs. 21 and 28, monumented with an iron post, 1 in. diam., loosely set, projecting 30 ins. above the ground, in a mound of stone, 2 1/2 ft. base, 1 ft. high, with a brass cap mkd. 1/4 S21 S28 1916, with a mound of stone 2 ft. base, 2 ft. high, to the N.</p> <p>At the corner point</p> <p>Reset the iron post, 36 ins. long, 1 in. diam., 23 ins. in the ground, in a mound of stone, 4 ft. base, to brass cap.</p> <p>Add the marks T19N R16W 2010 to the brass cap.</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Incorporate the accessory mound of stone into the supporting mound of stone.</p> <p>S. 88°49' W., bet. secs. 21 and 28.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>Over mountainous terrain.</p> <p>35.05 Trail road, bears S. 15° W. and N. 40° W.</p> <p>35.515 Point for AP 1, sec. 21, identical with AP 59, sec. 28, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 19 N R 16 W</p> <p>AP1 S 21</p> <p>WPWA</p> <p>AP59 S 28</p> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>40.08 The cor. of secs. 20, 21, 28 and 29, monumented with an iron post, 2 ins. diam., laying loosely in a mound of stone, 2 ft. base, 1/2 ft. high, with brass cap mkd. T19N R16W S20 S21 S29 S28 1916, with a mound of stone, 2 ft. base, 1 ft. high, to the W.</p> <p>At the corner point</p> <p>Reset the iron post, 36 ins. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, 3 ft. base, to brass cap.</p> <p>Add the marks 2009 to the brass cap.</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <hr/> <p>N. 0°06' E., bet. secs. 20 and 21.</p> <p>Over mountainous terrain.</p> <p>5.485 Point for AP 1, sec. 20, identical with AP 5, sec. 21, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p>
--------	---

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona


CHAINS



Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

- 5.95      Trail road, bears S. 55° E. and N. 55° W.
- 38.65    Trail road, bears N. 60° E. and S. 60° W.
- 39.125   Point for AP 30, sec. 20, identical with AP 6, sec. 21, on the Wabayuma Peak Wilderness Area Bdy.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.



Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

- 39.92    The 1/4 sec. cor. of secs. 20 and 21, monumented with an iron post, 1 in. diam., loosely set in a mound of stone, 3 ft. base, 1 ft. high, with brass cap mkd. 1/4 S20 S21 1916, with a mound of stone, 2 ft. base, 1 1/2 ft. high, to the W.

At the corner point

Reset the iron post, 36 ins. long, 1 in. diam., 18 ins. in the ground, in a mound of stone, 3 ft. base, to brass cap.

Add the marks T19N R16W 2009 to the brass cap.

Deposit a magnet, in a white plastic case, at the base of the stainless steel post.

---

N. 0°06' E., beginning new measurement.

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>39.78 The cor. of secs. 16, 17, 20 and 21, monumented with an iron post, 2 ins. diam., firmly set, projecting 35 ins. in the ground, in a mound of stone, 3 ft. base, 2 1/2 ft. high, with brass cap mkd. T19N R16W S17 S16 S20 S21 1916, with a mound of stone, 3 ft. base, 2 ft. high, to the W.</p> <p>At the corner point</p> <p>Reset the iron post, 36 ins. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, 3 ft. base, to brass cap.</p> <p>Add the marks 2009 to the brass cap.</p> <hr/> <p>From the cor. of secs. 15, 16, 21 and 22.</p> <p>S. 89°58' W., bet. secs. 16 and 21.</p> <p>Over mountainous terrain.</p> <p>40.025 The 1/4 sec. cor. of secs. 16 and 21, monumented with an iron post, 1 in. diam., firmly set, projecting 9 ins. above the ground, in a collar of stone, with a brass cap mkd. 1/4 S16 S21 1916.</p> <p>Add the marks T19N R16W 2010 to the brass cap.</p> <p>Cor. is located on the uphill side of a granite boulder, 12 x 7 ft., 6 ft. high.</p> <hr/> <p>S. 89°01' W., beginning new measurement.</p> <p>Over mountainous terrain.</p> <p>39.00 Trail road, bears S. 10° E. and N. 40° W.</p> <p>39.47 Point for AP 1, sec. 16, identical with AP 36, sec. 21, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin-top: 20px;"> <p>T 19 N    R 16 W</p> <p>2010</p> </div>
--------	--




Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
34.88	<p>The witness cor. for the 1/4 sec. cor. of secs. 16 and 17, monumented with an iron post, 1 in. diam., loosely set, projecting 36 ins. above the ground, in a mound of stone, 1 ft. base, 1/2 ft. high, with brass cap mkd. 1/4 S17 S16 1916.</p> <p>At the corner point</p> <p>Chisel an X on bedrock and set orig. iron post, 36 ins. long, 1 in. diam., on bedrock, in a mound of stone, 3 ft. base, 1 1/2 ft. high.</p> <p>from which a new bearing object</p> <p style="padding-left: 40px;">A rock face, bears S. 44 1/4° E., 42 lks. dist., mkd. X BO.</p> <p>Add the marks T19N R16W WC 2009 to the brass cap.</p> <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	<p>N. 0°41' W., beginning new measurement.</p>
0.40	<p>Top of cliff, bears N. 50° E. and S. 20° W.</p>
5.07	<p>True point for the 1/4 sec. cor. of secs. 16 and 17, not monumented.</p>
45.615	<p>The cor. of secs. 8, 9, 16 and 17, monumented with an iron post, 2 ins. diam., firmly set, projecting 28 ins. above the ground, in a mound of stone, 3 ft. base, 2 ft. high, with brass cap mkd. T19N R16W S8 S9 S17 S16 1916, with a mound of stone, 2 ft. base, 1 1/2 ft. high, to the W.</p> <p>At the corner point</p> <p>Reset the iron post, 36 ins. long, 2 ins. diam., 18 ins. in the ground, in a mound of stone, 4 ft. base, to brass cap.</p> <p>from which a new bearing object</p> <p style="padding-left: 40px;">A granite stone, 16 x 5 ft., 4 ft. high, bears S. 5° W., 19 lks. dist., mkd. X BO.</p> <p>Add the marks 2009.</p> <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	<p>From the cor. of secs. 9, 10, 15 and 16.</p>
	<p>S. 89°59' W., bet. secs. 9 and 16.</p>
	<p>Over mountainous terrain.</p>
8.00	<p>Trail road, bears S. 25° E. and N. 25° W.</p>


Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
8.535	<p>Point for AP 85, sec. 16, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 18 ins. in the ground, in a mound of stone, 2 ft. base, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 19 N    R 16 W</p> <p>      S 9</p> <hr style="width: 10%; margin: auto;"/> <p>AP85    \    S 16</p> <p>WPWA    /</p> </div> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Thence along the Wabayuma Peak Wilderness Area Bdy.</p>
40.045	<p>The 1/4 sec. cor. of secs. 9 and 16, determined at the center of a mound of stone, 3 ft. base, 1/2 ft. high. Found the iron post, 36 ins. long, 1 in. diam., laying loose on the mound of stone, with brass cap mkd. 1/4 S9 S16 1916, with a mound of stone, 1 1/2 ft. base, 1 ft. high, to the N.</p> <p>At the corner point</p> <p>Set the orig. iron post, 36 ins. long, 1 in. diam., 21 ins. in the ground, in a mound of stone, 4 ft. base, to brass cap.</p> <p>from which a new bearing object</p> <div style="text-align: center;"> <p>A granite stone, 10 x 9 ft., 6 ft. high, bears N. 53°3/4 W., 26 lks. dist., mkd. X BO.</p> </div> <p>Add the marks T19N R16W 1009 to the brass cap.</p> <p>Incorporate the accessory mound of stone into the supporting mound of stone.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 89°55' W., beginning new measurement.</p> <p>Over mountainous terrain.</p>
39.945	<p>The cor. of secs. 8, 9, 16 and 17.</p> <hr style="width: 20%; margin: auto;"/> <p>N. 0°02' E., bet. secs. 8 and 9, along the Wabayuma Peak Wilderness Area Bdy.</p> <p>Over mountainous terrain.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
17.375	<p>Point for AP 1, sec. 8, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p> <div style="text-align: center;">  <p>S 8                      S 9</p> <p>AP1</p> <p>WPWA</p> </div> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Leave the Wabayuma Peak Wilderness Area Bdy.</p>
17.80	Trail road, bears N. 80° E. and S. 80° W.
39.865	<p>The 1/4 sec. cor. of secs. 8 and 9, monumented with an iron post, 1 in. diam., loosely set, projecting 28 ins. above the ground, in a mound of stone, 2 1/2 ft. base, 1 1/2 high, with brass cap mkd. 1/4 S8 S9 1916, with a mound of stone, 2 ft. base, 2 ft. high, to the W.</p> <p>Add the marks T19N R16W 2009 to the brass cap.</p> <p>Rebuild the supporting mound of stone, 4 ft. base, to brass cap.</p> <p>Cor. is located W., 15 lks., from an abandoned trail road, bears S. 20° E. and N. 20° W.</p> <hr/> <p>From the cor. of secs. 16, 17, 20 and 21.</p> <p>N. 89°27' W., bet. secs. 17 and 20.</p> <p>Over mountainous terrain.</p>
40.345	<p>The 1/4 sec. cor. of secs. 17 and 20, determined at the center of a mound of stone, 2 ft. base, 1 ft. high. Found the iron post, 36 ins. long, 1 in. diam., laying loose on the mound of stone, with brass cap mkd. 1/4 S17 S20 1916.</p> <p>At the corner point</p> <p>Reset the orig. iron post, 24 ins. in the ground, in a mound of stone, 3 ft. base, to brass cap.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Add the marks T19N R16W 2009 to the brass cap.</p> <hr/> <p>From the cor. of secs. 7, 8, 17 and 18, monumented with an iron post, 2 ins. diam., firmly set, projecting 29 ins. above the ground, in a mound of stone, 3 1/2 base, 2 ft. high, with brass cap mkd. T19N R16W S7 S8 S18 S17 1916.</p> <p>Add the marks 2009 to the brass cap.</p> <p>Rebuild the supporting mound of stone, 4 ft. base, to brass cap.</p> <p>N. 0°03' W., bet. secs. 7 and 8, along the Wabayuma Peak Wilderness Area Bdy.</p> <p>Over mountainous terrain.</p>
18.605	<p>Point for AP 37, sec. 8, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, in a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p> <div style="text-align: center;">  </div> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Leave the Wabayuma Peak Wilderness Area Bdy.</p>
19.10	<p>Trail road, bears N. 65° E. and S. 65° W.</p>
40.135	<p>The 1/4 sec. cor. of secs. 7 and 8, monumented with an iron post, 1 in. diam., firmly set, projecting 27 ins. above the ground, in a mound of stone, 2 ft. base, 1 1/2 ft. high, with brass cap mkd. 1/4 S7 S8 1916, with a mound of stone, 2 ft. base, 1 ft. high, to the W.</p> <p>Add the marks T19N R16W 2009.</p> <p>Incorporate the accessory mound of stone in a supporting mound of stone, 5 1/2 ft. base, to brass cap.</p> <hr/>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From the cor. of secs. 7, 8, 17 and 18, hereinbefore described.</p> <p>N. 89°44' W., bet. secs. 7 and 18, along the Wabayuma Peak Wilderness Area Bdy.</p> <p>Over rolling terrain.</p>
19.25	Fence, metal rail, bears N. 57° E. and S. 57° W.
20.65	Fence, metal rail, bears S. 71° E. and N. 71° W.
27.95	Fence, sheep wire, bears N. 57° E. and S. 57° W.
28.90	Fence, barbed wire, 5 strand, bears S. 46° E. and N. 46° W.
29.10	Wash, 15 ft. wide, 2 ft. deep, drains S. 45° W.
32.05	Corral fence N. 53° E. and S. 53° W.,
32.495	Point for AP 1, sec. 18, on the Wabayuma Peak Wilderness Area Bdy.
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 33 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 19 N    R 16 W</p> <p>      S 7</p> <hr style="width: 100px; margin: 0 auto;"/> <p>S 18 / AP1</p> <p>      WPWA</p> <p>2010</p> </div> <p>from which</p> <p>    An aluminum rod, 36 ins. long, 3/4 in. diam., set 32 ins. in the ground, for a reference monument, bears S. 70°29' E., 22.9 ft. dist. with brass cap mkd. RM T19N R16W S18 22.9 FT. TO COR. 2010 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, alongside the aluminum rod. Reference monument is set 1 lk. outside of corral fence.</p> <p>    An aluminum rod, 36 ins. long, 3/4 in. diam., set 32 ins. in the ground, for a reference monument, bears S. 20°05' W., 35.0 ft. dist. with brass cap mkd. RM T19N R16W S18 35.0 FT. TO COR. 2010 and an arrow pointing to the cor. Deposit a magnet, in a white plastic case, alongside the aluminum rod. Reference monument is set 1 lk. outside of corral fence.</p> <p>    Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>

Dependent Resurvey of a Portion of the Subdivisional Lines,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Cor. is located inside a corral.</p>
	<p>Leave the Wabayuma Peak Wilderness Area Bdy.</p>
34.10	<p>Corral fence N. 53° E. and S. 53° W.,</p>
34.35	<p>Graded road, 10 ft. wide, bears N. 25° E. and S. 25° W.</p>
39.605	<p>The 1/4 sec. cor. of secs. 7 and 18, monumented with an iron post, 1 in. diam., firmly set, projecting 19 ins. above the ground, with no evidence of the supporting mound of stone, or the accessory mound of stone, with brass cap mkd. 1/4 S7 S18 1916.</p> <p>The iron post was rusted through at ground level.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 19 N R 16 W</p> <p>S 7</p> <p>1/4 ———</p> <p>S 18</p> <p>2009</p> </div> <p>Deposit the upper half of the iron post, 19 ins. long, inside, the lower half of the iron post, 17 ins. long, alongside of, and a magnet, in a white plastic case, at the base of, the stainless steel post.</p>
	<p>Raise a mound of stone, 3 1/2 ft. base, 2 ft. high, N. of the cor.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 89°58' W., beginning new measurement.</p> <p>Over rolling terrain.</p>
39.945	<p>The cor. of secs. 7, 12, 13 and 18, on the W. bdy. of the Tp., hereinbefore described.</p> <hr style="width: 80%; margin: 10px auto;"/> <div style="text-align: center;"> <p><b>Subdivision of Section 25,</b></p> <p><b>T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona</b></p> </div> <hr style="width: 80%; margin: 10px auto;"/> <p>From the 1/4 sec. cor. of secs. 25 and 36, hereinbefore described.</p> <p>N. 0°02' W., on the N. and S. center line of sec. 25.</p>


Subdivision of Section 25,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	<p>Over mountainous terrain.</p>
39.91	<p>Point for the center 1/4 sec. cor. of sec. 25, at the intersection with the E. and W. center line of sec. 25; not monumented.</p>
80.11	<p>The 1/4 sec. cor. of secs. 24 and 25.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 25 and 30, on the E. bdy. of the Tp.</p> <p>N. 89°46' W., on the E. and W. center line of sec. 25.</p>
19.88	<p>Point for the center E. 1/16 sec. cor. of sec. 25.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 19 N R 16 W</p> <p style="text-align: center;">E 1/16 C———C S 25</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>
39.76	<p>The center 1/4 sec. cor. of sec. 25.</p>
79.62	<p>The 1/4 sec. cor. of secs. 25 and 26.</p> <hr/> <p>From the E. 1/16 sec. cor. of secs. 25 and 36.</p> <p>North, on the N. and S. center line of the SE 1/4 of sec. 25, along the Wabayuma Peak Wilderness Area Bdy.</p>
19.72	<p>Point for AP 14, sec. 25, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>



**Subdivision of Section 25,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	<div style="text-align: center; margin-bottom: 20px;"> <p>T 19 N    R 16 W</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Leave Wabayuma Peak Wilderness Area Bdy.</p> <p>40.025    The center E. 1/16 sec. cor. of sec. 25.</p> <hr/> <p align="center"><b>Subdivision of Section 33, T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona</b></p> <hr/> <p>From the 1/4 sec. cor. of secs. 33 and 34.</p> <p>N. 89°42' W., on the E. and W. center line of sec. 33.</p> <p>32.76    Intersect Wabayuma Peak Wilderness Area Bdy. bet. AP 20 and AP 21; not monumented.</p> <p>33.63    Intersect Wabayuma Peak Wilderness Area Bdy. bet. AP 21 and AP 22; not monumented.</p> <p>41.745    Point for AP 26, sec. 33, on the Wabayuma Peak Wilderness Area Bdy.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin-top: 20px;"> <p>T 19 N    R 16 W</p> <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Thence along the Wabayuma Peak Wilderness Area Bdy.</p> <p>80.075    The 1/4 sec. cor. of secs. 32 and 33.</p>
--------	---



Subdivision of Section 33,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>The point for the center 1/4 sec. cor. of sec. 33 was not determined.</p> <hr/> <p style="text-align: center;"><b>Metes-and-Bounds Survey of the Wabayuma Peak Wilderness Area Boundary, T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona</b></p> <hr/> <p style="text-align: center;">In Sec. 8</p> <hr/> <p>AP 1 through AP 37, sec. 8, are located S. of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road.</p> <p>From AP 1, Sec. 8, on the line bet. secs. 8 and 9, hereinbefore described.</p> <p>S. 79°24' W., on line 1-2.</p>
2.82	<p>Point for AP 2, sec. 8; not monumented.</p> <hr/>
1.62	<p>N. 69°03' W., on line 2-3.</p> <p>Point for AP 3, sec. 8.</p> <p>Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 61 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  </div> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr/>
1.89	<p>N. 81°36' W., on line 3-4.</p> <p>Point for AP 4, sec. 8; not monumented.</p> <hr/>
2.20	<p>N. 55°52' W., on line 4-5.</p> <p>Point for AP 5, sec. 8; not monumented.</p> <hr/>



**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
1.575	<p>S. 72°21' W., on line 5-6.</p> <p>Point for AP 6, sec. 8.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">S 8</p>  <p style="text-align: center;">AP 6 WPWA</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 20%; margin: 10px auto;"/>
1.73	<p>S. 83°09' W., on line 6-7.</p> <p>Point for AP 7, sec. 8; not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/>
4.97	<p>N. 64°35' W., on line 7-8.</p> <p>Point for AP 8, sec. 8.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 29 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p>  <p style="text-align: center;">S 8</p> <p style="text-align: center;">AP 8 WPWA</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 20%; margin: 10px auto;"/>
6.285	<p>N. 46°02' W., on line 8-9.</p> <p>Point for AP 9, sec. 8.</p> <p>Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 65 ins. in the ground, with aluminum cap mkd.</p>

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>T 19 N    R 16 W</p>  <p>2010</p>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod.
	_____
	N. 64°04' W., on line 9-10.
3.79	Point for AP 10, sec. 8; not monumented.
	_____
	N. 55°22' W., on line 10-11.
2.255	Point for AP 11, sec. 8.
	Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.
	<p>T 19 N    R 16 W</p>  <p>2010</p>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod.
	_____
	N. 87°40' W., on line 11-12.
1.78	Point for AP 12, sec. 8; not monumented.
	_____
	N. 59°06' W., on line 12-13.
1.46	Point for AP 13, sec. 8; not monumented.
	_____
	N. 79°51' W., on line 13-14.
0.94	Point for AP 14, sec. 8.
	Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.


Metes-and-Bounds Survey of the  
 Wabayuma Peak Wilderness Area Boundary,  
 T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">S 8</p>  <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr/> <p>S. 60°07' W., on line 14-15.</p> <p>2.43    Point for AP 15, sec. 8; not monumented.</p> <hr/> <p>S. 81°54' W., on line 15-16.</p> <p>3.075    Point for AP 16, sec. 8.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p>  <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr/> <p>N. 66°52' W., on line 16-17.</p> <p>4.18    Point for AP 17, sec. 8; not monumented.</p> <hr/> <p>S. 84°02' W., on line 17-18.</p> <p>1.975    Point for AP 18, sec. 8.</p> <p>Drive an aluminum rod, 30 ins. long, 3/4 in. diam., 23 ins. in the ground, with aluminum cap mkd.</p>



**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p style="text-align: center;">T 19 N R 16 W S 8 AP18 WPWA 2010</p>
	<p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	<p>S. 63°15' W., on line 18-19.</p>
2.08	<p>Point for AP 19, sec. 8; not monumented.</p> <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	<p>S. 51°01' W., on line 19-20.</p>
2.81	<p>Point for AP 20, sec. 8; not monumented.</p> <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	<p>S. 77°00' W., on line 20-21.</p>
1.08	<p>Point for AP 21, sec. 8.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T 19 N R 16 W S 8 AP21 WPWA 2010</p>
	<p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	<p>N. 86°31' W., on line 21-22.</p>
3.43	<p>Point for AP 22, sec. 8; not monumented.</p> <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	<p>N. 68°54' W., on line 22-23.</p>
3.545	<p>Point for AP 23, sec. 8.</p> <p>Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 62 ins. in the ground, with aluminum cap mkd.</p>


Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	T 19 N    R 16 W
	
	S 8
	AP23 WPWA
	2010
	Deposit a magnet, in a white plastic case, alongside the aluminum rod.
	_____
	N. 88°22' W., on line 23-24.
3.08	Point for AP 24, sec. 8; not monumented.
	_____
	S. 82°06' W., on line 24-25.
2.195	Point for AP 25, sec. 8.
	Drive an aluminum rod, 60 ins. long, 3/4 in. diam., 50 ins. in the ground, with aluminum cap mkd.
	T 19 N    R 16 W
	
	S 8
	AP25 WPWA
	2010
	Deposit a magnet, in a white plastic case, alongside the aluminum rod.
	_____
	S. 88°50' W., on line 25-26.
1.69	Point for AP 26, sec. 8; not monumented.
	_____
	N. 75°33' W., on line 26-27.
1.14	Point for AP 27, sec. 8; not monumented.
	_____
	S. 67°03' W., on line 27-28.
4.16	Point for AP 28, sec. 8.


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p> <div style="text-align: center;">  </div> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/> <p>S. 77°32' W., on line 28-29.</p>
2.94	<p>Point for AP 29, sec. 8; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/> <p>S. 71°36' W., on line 29-30.</p>
3.67	<p>Point for AP 30, sec. 8.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p> <div style="text-align: center;">  </div> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/> <p>S. 49°07' W., on line 30-31.</p>
2.10	<p>Point for AP 31, sec. 8; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/> <p>S. 61°44' W., on line 31-32.</p>
1.77	<p>Point for AP 32, sec. 8; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/> <p>S. 89°28' W., on line 32-33.</p>


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
1.15	<p>Point for AP 33, sec. 8.</p> <p>Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 67 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">  </p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/> <p>N. 78°20' W., on line 33-34.</p>
1.16	<p>Point for AP 34, sec. 8; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/> <p>S. 73°02' W., on line 34-35.</p>
1.05	<p>Point for AP 35, sec. 8; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/> <p>S. 37°29' W., on line 35-36.</p>
2.74	<p>Point for AP 36, sec. 8; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/> <p>S. 66°14' W., on line 36-37.</p>
1.41	<p>AP 37, sec. 8; on the line bet. secs. 7 and 8, hereinbefore described.</p> <hr style="width: 80%; margin-left: auto; margin-right: auto;"/> <p style="text-align: center;">In Sec. 15</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/> <p>AP 1 through AP 20, sec. 15, are located W. of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road.</p> <p>From AP 1, Sec. 15, identical with AP 76, sec. 16, on the line bet. secs. 15 and 16, hereinbefore described.</p> <p>N. 53°53' E., on line 1-2.</p>
0.76	<p>Point for AP 2, sec. 15; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/>

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 79°51' E., on line 2-3.
1.51	Point for AP 3, sec. 15; not monumented. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	N. 64°21' E., on line 3-4.
2.34	Point for AP 4, sec. 15; not monumented. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	N. 21°09' E., on line 4-5.
2.61	Point for AP 5, sec. 15; not monumented. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	N. 43°41' E., on line 5-6.
2.70	Point for AP 6, sec. 15; not monumented. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	N. 59°51' E., on line 6-7.
1.84	Point for AP 7, sec. 15; not monumented. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	N. 46°00' E., on line 7-8.
1.63	Point for AP 8, sec. 15; not monumented. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	N. 19°03' E., on line 8-9.
1.12	Point for AP 9, sec. 15; not monumented. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	N. 1°29' W., on line 9-10.
3.51	Point for AP 10, sec. 15.  Drive an aluminum rod, 22 ins. long, 3/4 in. diam., 18 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center; margin: 10px 0;">  <p style="margin: 0;">T 19 N R 16 W</p> <p style="margin: 0;">AP10 WPWA S 15</p> <p style="margin: 0;">2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 31°40' W., on line 10-11.
1.92	Point for AP 11, sec. 15; not monumented. <hr/>
	N. 37°23' W., on line 11-12.
2.00	Point for AP 12, sec. 15; not monumented. <hr/>
	N. 23°53' W., on line 12-13.
1.69	Point for AP 13, sec. 15; not monumented. <hr/>
	N. 10°58' W., on line 13-14.
2.85	Point for AP 14, sec. 15; not monumented. <hr/>
	N. 40°44' W., on line 14-15.
4.71	Point for AP 15, sec. 15; not monumented. <hr/>
	N. 16°28' W., on line 15-16.
1.205	Point for AP 16, sec. 15.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>AP16    S 15 WPWA 2010</p> </div>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
	N. 49°16' W., on line 16-17.
1.45	Point for AP 17, sec. 15; not monumented. <hr/>
	N. 39°19' W., on line 17-18.
1.36	Point for AP 18, sec. 15; not monumented. <hr/>

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 17°56' W., on line 18-19.
1.93	Point for AP 19, sec. 15; not monumented. <hr/>
	N. 44°20' W., on line 19-20.
0.97	AP 20, sec. 15, identical with AP 77, sec. 16; on the line bet. secs. 15 and 16, hereinbefore described. <hr/>
	In Sec. 16 <hr/>
	AP 1 through AP 2, sec. 16, are located southwesterly of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road.
	From AP 1, Sec. 16, identical with AP 36, sec. 21, on the line bet. secs. 16 and 21, hereinbefore described.
	N. 40°44' W., on line 1-2.
0.185	AP 2, sec. 16, identical with AP 1, sec. 17, on the line bet. secs. 16 and 17, hereinbefore described. <hr/>
	AP 3 through AP 76, sec. 16, are located northerly of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road.
	From AP 3, Sec. 16, identical with AP 13, sec. 17, on the line bet. secs. 16 and 17, hereinbefore described.
	N. 53°41' E., on line 3-4.
2.03	Point for AP 4, sec. 16; not monumented. <hr/>
	N. 9°56' W., on line 4-5.
1.04	Point for AP 5, sec. 16; not monumented. <hr/>
	N. 13°37' E., on line 5-6.
1.13	Point for AP 6, sec. 16; not monumented. <hr/>
	N. 29°08' E., on line 6-7.

Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
1.89	Point for AP 7, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 48°10' E., on line 7-8.
2.25	Point for AP 8, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 53°07' E., on line 8-9.
3.18	Point for AP 9, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 71°21' E., on line 9-10.
1.41	Point for AP 10, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 87°52' E., on line 10-11.
1.74	Point for AP 11, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 80°35' E., on line 11-12.
4.91	Point for AP 12, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 70°34' E., on line 12-13.
1.275	Point for AP 13, sec. 16.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.  T 19 N    R 16 W  WPWA AP13 /      \ S 16  2010  Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 78°25' E., on line 13-14.
2.15	Point for AP 14, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 76°02' E., on line 14-15.
3.23	Point for AP 15, sec. 16; not monumented. _____
	N. 56°32' E., on line 15-16.
1.92	Point for AP 16, sec. 16; not monumented. _____
	N. 42°39' E., on line 16-17.
1.23	Point for AP 17, sec. 16; not monumented. _____
	S. 75°02' E., on line 17-18.
1.49	Point for AP 18, sec. 16; not monumented. _____
	N. 69°58' E., on line 18-19.
0.85	Point for AP 19, sec. 16; not monumented. _____
	N. 0°24' E., on line 19-20.
2.08	Point for AP 20, sec. 16; not monumented. _____
	N. 9°21' W., on line 20-21.
2.01	Point for AP 21, sec. 16; not monumented. _____
	N. 15°41' E., on line 21-22.
2.37	Point for AP 22, sec. 16; not monumented. _____
	N. 1°55' E., on line 22-23.
4.84	Point for AP 23, sec. 16.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>T 19 N    R 16 W</p>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod.
	_____
	N. 54°33' E., on line 23-24.
0.70	Point for AP 24, sec. 16; not monumented.
	_____
	S. 78°26' E., on line 24-25.
0.72	Point for AP 25, sec. 16; not monumented.
	_____
	S. 21°08' E., on line 25-26.
1.44	Point for AP 26, sec. 16; not monumented.
	_____
	S. 9°46' W., on line 26-27.
0.85	Point for AP 27, sec. 16; not monumented.
	_____
	S. 34°26' E., on line 27-28.
2.40	Point for AP 28, sec. 16; not monumented.
	_____
	N. 18°38' E., on line 28-29.
2.59	Point for AP 29, sec. 16; not monumented.
	_____
	N. 3°11' E., on line 29-30.
2.21	Point for AP 30, sec. 16; not monumented.
	_____
	N. 33°38' E., on line 30-31.
1.89	Point for AP 31, sec. 16; not monumented.
	_____

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 20°11' E., on line 31-32.
1.31	Point for AP 32, sec. 16; not monumented. <hr/>
	N. 45°57' E., on line 32-33.
0.61	Point for AP 33, sec. 16; not monumented. <hr/>
	S. 81°38' E., on line 33-34.
0.71	Point for AP 34, sec. 16; not monumented. <hr/>
	S. 32°51' E., on line 34-35.
3.76	Point for AP 35, sec. 16; not monumented. <hr/>
	S. 17°08' E., on line 35-36.
1.195	Point for AP 36, sec. 16.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 23 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>S 16    AP36           WPWA</p> <p>2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
	S. 33°16' E., on line 36-37.
2.12	Point for AP 37, sec. 16; not monumented. <hr/>
	S. 23°20' E., on line 37-38.
1.14	Point for AP 38, sec. 16; not monumented. <hr/>
	S. 47°15' E., on line 38-39.


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
0.94	Point for AP 39, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 34°41' E., on line 39-40.
3.39	Point for AP 40, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 40°55' E., on line 40-41.
2.02	Point for AP 41, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 75°25' E., on line 41-42.
0.64	Point for AP 42, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 45°49' E., on line 42-43.
1.09	Point for AP 43, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 85°54' E., on line 43-44.
1.57	Point for AP 44, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 57°44' E., on line 44-45.
0.72	Point for AP 45, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 9°20' E., on line 45-46.
1.05	Point for AP 46, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 40°46' E., on line 46-47.
2.75	Point for AP 47, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 27°40' E., on line 47-48.
1.93	Point for AP 48, sec. 16; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 78°11' E., on line 48-49.
1.395	Point for AP 49, sec. 16.

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">WPWA AP49</p>  <p style="text-align: center;">S 16</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/>
1.44	<p>S. 64°05' E., on line 49-50.</p> <p>Point for AP 50, sec. 16; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/>
1.82	<p>S. 89°07' E., on line 50-51.</p> <p>Point for AP 51, sec. 16; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/>
1.75	<p>S. 71°12' E., on line 51-52.</p> <p>Point for AP 52, sec. 16; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/>
1.28	<p>N. 77°54' E., on line 52-53.</p> <p>Point for AP 53, sec. 16; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/>
1.21	<p>S. 86°35' E., on line 53-54.</p> <p>Point for AP 54, sec. 16; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/>
0.82	<p>S. 67°42' E., on line 54-55.</p> <p>Point for AP 55, sec. 16; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/>
1.12	<p>N. 86°49' E., on line 55-56.</p> <p>Point for AP 56, sec. 16; not monumented.</p> <hr style="width: 30%; margin-left: auto; margin-right: auto;"/>
	<p>S. 37°44' E., on line 56-57.</p>


Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
0.94	Point for AP 57, sec. 16; not monumented. <hr/> S. 20°05' E., on line 57-58.
1.95	Point for AP 58, sec. 16; not monumented. <hr/> S. 9°49' E., on line 58-59.
1.36	Point for AP 59, sec. 16; not monumented. <hr/> N. 48°02' E., on line 59-60.
1.95	Point for AP 60, sec. 16; not monumented. <hr/> S. 49°07' E., on line 60-61.
0.96	Point for AP 61, sec. 16; not monumented. <hr/> S. 6°52' E., on line 61-62.
0.94	Point for AP 62, sec. 16; not monumented. <hr/> N. 18°26' E., on line 62-63.
1.28	Point for AP 63, sec. 16; not monumented. <hr/> N. 37°49' E., on line 63-64.
1.39	Point for AP 64, sec. 16.  Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 65 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>AP64    S 16 WPWA</p> <p>2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>



**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 55°24' E., on line 64-65.
1.62	Point for AP 65, sec. 16; not monumented. _____
	N. 43°22' E., on line 65-66.
1.54	Point for AP 66, sec. 16; not monumented. _____
	N. 62°51' E., on line 66-67.
1.61	Point for AP 67, sec. 16; not monumented. _____
	N. 44°22' E., on line 67-68.
1.53	Point for AP 68, sec. 16; not monumented. _____
	N. 7°47' E., on line 68-69.
0.87	Point for AP 69, sec. 16; not monumented. _____
	N. 27°22' E., on line 69-70.
1.06	Point for AP 70, sec. 16; not monumented. _____
	N. 40°04' E., on line 70-71.
3.62	Point for AP 71, sec. 16; not monumented. _____
	N. 24°44' E., on line 71-72.
1.65	Point for AP 72, sec. 16; not monumented. _____
	N. 34°59' E., on line 72-73.
2.71	Point for AP 73, sec. 16; not monumented. _____
	N. 19°53' E., on line 73-74.
5.87	Point for AP 74, sec. 16.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>T 19 N    R 16 W</p> 
	<p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr/>
	<p>N. 36°09' E., on line 74-75.</p>
5.71	<p>Point for AP 75, sec. 16; not monumented.</p> <hr/>
	<p>N. 53°59' E., on line 75-76.</p>
1.57	<p>AP 76, sec. 16, identical with AP 1, sec. 15, on the line bet. secs. 15 and 16, hereinbefore described.</p> <hr/>
	<p>AP 77 through AP 85, sec. 16, are located southwesterly of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road.</p>
	<p>From AP 77, sec. 16, identical with AP 20, sec. 15, on the line bet. secs. 15 and 16, hereinbefore described.</p>
	<p>N. 44°30' W., on line 77-78.</p>
0.42	<p>Point for AP 78, sec. 16; not monumented.</p> <hr/>
	<p>S. 79°55' W., on line 78-79.</p>
1.46	<p>Point for AP 79, sec. 16; not monumented.</p> <hr/>
	<p>N. 67°37' W., on line 79-80.</p>
0.85	<p>Point for AP 80, sec. 16; not monumented.</p> <hr/>
	<p>N. 43°26' W., on line 80-81.</p>
1.72	<p>Point for AP 81, sec. 16.</p>
	<p>Drive an aluminum rod, 53 ins. long, 3/4 in. diam., 44 ins. in the ground, with aluminum cap mkd.</p>


Metes-and-Bounds Survey of the  
 Wabayuma Peak Wilderness Area Boundary,  
 T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<div style="text-align: center;"> <p>T 19 N    R 16 W</p>  </div> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr/> <p>N. 34°16' W., on line 81-82.</p>
2.57	<p>Point for AP 82, sec. 16; not monumented.</p> <hr/> <p>N. 17°55' W., on line 82-83.</p>
3.80	<p>Point for AP 83, sec. 16.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 21 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  </div> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr/> <p>N. 42°49' W., on line 83-84.</p>
1.21	<p>Point for AP 84, sec. 16; not monumented.</p> <hr/> <p>N. 24°56' W., on line 84-85.</p>
3.35	<p>AP 85, sec. 16, on the line bet. secs. 9 and 16, hereinbefore described.</p> <hr/> <p style="text-align: center;">In Sec. 17</p> <hr/>

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>AP 1 through AP 6 and AP 9 through 13, sec. 17, are located westerly of a trail road. AP 7 and AP 8 are located westerly of an earthen dam; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road, and westerly of the earthen dam..</p> <p>From AP 1, sec. 17, identical with AP 2, sec. 16, on the line bet. secs. 16 and 17, hereinbefore described.</p> <p>N. 73°37' W., on line 1-2.</p>
1.18	<p>Point for AP 2, sec. 17; not monumented.</p> <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 85°09' W., on line 2-3.
1.70	<p>Point for AP 3, sec. 17; not monumented.</p> <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 68°35' W., on line 3-4.
2.06	<p>Point for AP 4, sec. 17; not monumented.</p> <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 31°57' W., on line 4-5.
2.62	<p>Point for AP 5, sec. 17; not monumented.</p> <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 3°58' W., on line 5-6.
1.645	<p>Point for AP 6, sec. 17.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  </div> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 42°31' W., on line 6-7.
3.70	<p>Point for AP 7, sec. 17; not monumented.</p> <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>



**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 29°57' E., on line 7-8.
2.36	Point for AP 8, sec. 17; not monumented. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	S. 62°45' E., on line 8-9.
3.00	Point for AP 9, sec. 17.  Drive an aluminum rod, 66 ins. long, 3/4 in. diam., 59 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	N. 71°08' E., on line 9-10.
0.83	Point for AP 10, sec. 17; not monumented. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	N. 52°33' E., on line 10-11.
1.84	Point for AP 11, sec. 17; not monumented. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	N. 41°46' E., on line 11-12.
2.24	Point for AP 12, sec. 17; not monumented. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	N. 53°40' E., on line 12-13.
1.48	AP 13, sec. 17, identical with AP 3, sec. 16; on the line bet. secs. 16 and 17, hereinbefore described. <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	In Sec. 18 <hr style="width: 50%; margin-left: auto; margin-right: auto;"/>
	AP 1 through AP 16, sec. 18, are located S. of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 100 ft. offset from, the center line of this trail road.




**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	From AP 1, Sec. 18, on the line bet. secs. 7 and 18, hereinbefore described.
	S. 23°07' W., on line 1-2.
3.045	Point for AP 2, sec. 18.
	Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 56 ins. in the ground, with aluminum cap mkd.
	<p style="text-align: center;">T 19 N R 16 W</p> <p style="text-align: center;">S 18 AP2 WPWA</p> <p style="text-align: center;">2010</p>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod.
	_____
	S. 43°31' W., on line 2-3.
0.50	Right bank of Walnut Creek, 7 ft. high, bears N. 65° E. and S. 50° W.
2.15	Fence, barbed wire, 4 strand, bears N. and S.
4.54	Point for AP 3, sec. 18.
	Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.
	<p style="text-align: center;">T 19 N R 16 W</p> <p style="text-align: center;">S 18 AP3 WPWA</p> <p style="text-align: center;">2010</p>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod.
	_____
	S. 51°53' W., on line 3-4.
3.00	Walnut Creek, 15 ft. wide, 3 ft. deep, drains S. 70° W.
3.84	Point for AP 4, sec. 18.



**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p>  <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 42°38' W., on line 4-5.</p>
3.44	<p>Point for AP 5, sec. 18.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p>  <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <p>Cor. is located in the center of braided Walnut Creek flood plain 130 ft. wide, 8 ft. deep, drains S. 45° W., near the base of the left bank of the main channel of Walnut Creek, 15 ft. wide, 3 ft. deep, drains S. 40° W.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 62°26' W., on line 5-6.</p>
0.20	<p>Walnut Creek, 15 ft. wide, 3 ft. deep, drains S. 40° W.</p>
1.43	<p>Point for AP 6, sec. 18.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p>



Metes-and-Bounds Survey of the  
 Wabayuma Peak Wilderness Area Boundary,  
 T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T 19 N    R 16 W</p>  <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 30%; margin: auto;"/> <p>S. 51°20' W., on line 6-7.</p>
3.54	<p>Point for AP 7, sec. 18.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T 19 N    R 16 W</p>  <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 30%; margin: auto;"/> <p>S. 76°46' W., on line 7-8.</p>
5.90	<p>Walnut Creek, 15 ft. wide, 5 ft. deep, drains S. 75° W.</p>
7.035	<p>Point for AP 8, sec. 18.</p> <p>Drive an aluminum rod, 23 ins. long, 3/4 in. diam., 13 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T 19 N    R 16 W</p>  <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 30%; margin: auto;"/> <p>S. 59°20' W., on line 8-9.</p>



**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
4.41	<p>Point for AP 9, sec. 18.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <p>Cor. is located within the braided Walnut Creek flood plain, near the top of the left bank of the main channel of Walnut Creek.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 68°19' W., on line 9-10.</p>
2.50	Walnut Creek, 30 ft. wide, 7 ft. deep, drains S. 55° W.
3.20	<p>Point for AP 10, sec. 18.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, in a with aluminum cap mkd.</p> <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>2010</p> </div> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <p>Cor. is located near the base of the right bank of the main channel of Walnut Creek, 25 ft. wide, drains S. 55° W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 84°56' W., on line 10-11.</p>
3.69	<p>Point for AP 11, sec. 18.</p> <p>Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 64 ins. in the ground, with aluminum cap mkd.</p>

Metes-and-Bounds Survey of the  
 Wabayuma Peak Wilderness Area Boundary,  
 T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">S 18</p>  <p style="text-align: center;">AP11 WPWA</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 30%; margin: auto;"/>
5.20	<p>S. 68°03' W., on line 11-12.</p> <p>Point for AP 12, sec. 18.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p>
3.80	<p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">S 18</p>  <p style="text-align: center;">AP12 WPWA</p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 30%; margin: auto;"/> <p>S. 61°11' W., on line 12-13.</p> <p>Walnut Creek, 15 ft. wide, 2 ft. deep, drains westerly.</p>
6.40	<p>Walnut Creek, 15 ft. wide, 2 ft. deep, drains S. 30° W.</p>
7.56	<p>Point for AP 13, sec. 18.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, in a with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">S 18</p>  <p style="text-align: center;">AP13 WPWA</p> <p style="text-align: center;">2010</p>

Metes-and-Bounds Survey of the  
 Wabayuma Peak Wilderness Area Boundary,  
 T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
1.59	<p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr/> <p>S. 72°30' W., on line 13-14.</p> <p>Point for AP 14, sec. 18.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p> <div style="text-align: center;">  </div> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr/>
2.26	<p>N. 79°47' W., on line 14-15.</p> <p>Point for AP 15, sec. 18.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 31 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p> <div style="text-align: center;">  </div>
0.96	<p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr/> <p>N. 85°47' W., on line 15-16.</p> <p>AP 16, sec. 18, on the line bet. secs. 13 and 18, on the W. bdy. of the Tp., hereinbefore described.</p> <hr/> <p style="text-align: center;">In Sec. 20</p> <hr/>


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	AP 1 through AP 30, sec. 20, are located W. and N. of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road.
	From AP 1, sec. 20, identical with AP 5, sec. 21, on the line bet. secs. 20 and 21, hereinbefore described.
	N. 56°12' W., on line 1-2.
1.38	Point for AP 2, sec. 20; not monumented. _____
	N. 31°31' W., on line 2-3.
1.23	Point for AP 3, sec. 20; not monumented. _____
	N. 15°16' E., on line 3-4.
1.08	Point for AP 4, sec. 20; not monumented. _____
	N. 18°05' W., on line 4-5.
3.78	Point for AP 5, sec. 20; not monumented. _____
	N. 64°05' W., on line 5-6.
1.90	Point for AP 6, sec. 20; not monumented. _____
	N. 29°12' W., on line 6-7.
0.94	Point for AP 7, sec. 20; not monumented. _____
	N. 66°15' W., on line 7-8.
0.55	Point for AP 8, sec. 20; not monumented. _____
	N. 31°55' W., on line 8-9.
3.28	Point for AP 9, sec. 20; not monumented. _____
	N. 24°03' W., on line 9-10.
1.49	Point for AP 10, sec. 20; not monumented. _____

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 24°32' E., on line 10-11.
0.94	Point for AP 11, sec. 20; not monumented. <hr/>
	N. 45°28' E., on line 11-12.
0.73	Point for AP 12, sec. 20; not monumented. <hr/>
	N. 1°08' W., on line 12-13.
3.17	Point for AP 13, sec. 20.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p> <p>AP13 WPWA</p> <p>2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
	N. 31°37' W., on line 13-14.
1.41	Point for AP 14, sec. 20; not monumented. <hr/>
	N. 4°16' W., on line 14-15.
2.17	Point for AP 15, sec. 20; not monumented. <hr/>
	N. 20°58' W., on line 15-16.
1.46	Point for AP 16, sec. 20; not monumented. <hr/>
	N. 41°02' W., on line 16-17.
2.71	Point for AP 17, sec. 20; not monumented. <hr/>
	N. 33°34' W., on line 17-18.

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
2.12	Point for AP 18, sec. 20; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 89°09' W., on line 18-19.
4.28	Point for AP 19, sec. 20; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 62°11' W., on line 19-20.
1.71	Point for AP 20, sec. 20; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 45°14' W., on line 20-21.
1.50	Point for AP 21, sec. 20; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 54°26' E., on line 21-22.
2.71	Point for AP 22, sec. 20.  Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 66 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 61°13' E., on line 22-23.
1.96	Point for AP 23, sec. 20; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 75°06' E., on line 23-24.
3.63	Point for AP 24, sec. 20; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 69°13' E., on line 24-25.
2.02	Point for AP 25, sec. 20; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	S. 76°53' E., on line 25-26.
1.47	Point for AP 26, sec. 20; not monumented. <hr/>
	N. 69°29' E., on line 26-27.
1.18	Point for AP 27, sec. 20; not monumented. <hr/>
	N. 85°19' E., on line 27-28.
2.45	Point for AP 28, sec. 20; not monumented. <hr/>
	N. 71°56' E., on line 28-29.
1.78	Point for AP 29, sec. 20; not monumented. <hr/>
	N. 61°12' E., on line 29-30.
2.44	AP 30, sec. 20, identical with AP 6, sec. 21, on the line bet. secs. 20 and 21, hereinbefore described. <hr/>
	In Sec. 21 <hr/>
	AP 1 through AP 5, sec. 21, are located southwesterly of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road.
	From AP 1, sec. 21, identical with AP 59, sec. 28, on the line bet. secs. 21 and 28, hereinbefore described.
	N. 40°51' W., on line 1-2.
2.29	Point for AP 2, sec. 21; not monumented. <hr/>
	N. 3°46' W., on line 2-3.
0.93	Point for AP 3, sec. 21; not monumented. <hr/>
	N. 44°40' W., on line 3-4.
3.00	Point for AP 4, sec. 21; not monumented. <hr/>
	N. 56°11' W., on line 4-5.

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
1.07	<p>AP 5, sec. 21, identical with AP 1, sec. 20, on the line bet. secs. 20 and 21, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>AP 6 through AP 36, sec. 21, are located W. of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road.</p> <p>From AP 6, sec. 21, identical with AP 30, sec. 20, on the line bet. secs. 20 and 21, hereinbefore described.</p> <p>N. 61°10' E., on line 6-7.</p>
0.71	<p>Point for AP 7, sec. 21; not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 47°35' E., on line 7-8.</p>
1.45	<p>Point for AP 8, sec. 21; not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 59°38' E., on line 8-9.</p>
2.04	<p>Point for AP 9, sec. 21; not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 28°07' E., on line 9-10.</p>
4.73	<p>Point for AP 10, sec. 21; not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 14°06' E., on line 10-11.</p>
0.75	<p>Point for AP 11, sec. 21; not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 2°34' W., on line 11-12.</p>
1.54	<p>Point for AP 12, sec. 21; not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 50°23' E., on line 12-13.</p>
1.68	<p>Point for AP 13, sec. 21; not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 29°57' E., on line 13-14.</p>
0.69	<p>Point for AP 14, sec. 21; not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 9°55' E., on line 14-15.</p>

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
1.62	Point for AP 15, sec. 21; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 20°13' W., on line 15-16.
0.78	Point for AP 16, sec. 21; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 42°58' W., on line 16-17.
0.85	Point for AP 17, sec. 21; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 23°46' W., on line 17-18.
0.86	Point for AP 18, sec. 21; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 7°23' E., on line 18-19.
3.05	Point for AP 19, sec. 21; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 10°03' W., on line 19-20.
2.25	Point for AP 20, sec. 21; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 3°26' W., on line 20-21.
2.48	Point for AP 21, sec. 21; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 8°56' W., on line 21-22.
1.49	Point for AP 22, sec. 21.  Drive an aluminum rod, 26 ins. long, 3/4 in. diam., 17 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>AP22    S 21 WPWA</p> <p>2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>



**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 25°16' W., on line 22-23.
4.29	Point for AP 23, sec. 21; not monumented. _____
	N. 30°40' E., on line 23-24.
2.29	Point for AP 24, sec. 21; not monumented. _____
	N. 1°21' W., on line 24-25.
0.88	Point for AP 25, sec. 21; not monumented. _____
	N. 25°46' E., on line 25-26.
0.67	Point for AP 26, sec. 21; not monumented. _____
	N. 1°30' W., on line 26-27.
0.93	Point for AP 27, sec. 21; not monumented. _____
	N. 37°55' W., on line 27-28.
5.44	Point for AP 28, sec. 21; not monumented. _____
	N. 21°45' W., on line 28-29.
1.06	Point for AP 29, sec. 21; not monumented. _____
	N. 4°37' E., on line 29-30.
0.77	Point for AP 30, sec. 21; not monumented. _____
	N. 7°05' W., on line 30-31.
1.60	Point for AP 31, sec. 21; not monumented. _____
	N. 31°16' W., on line 31-32.
0.75	Point for AP 32, sec. 21; not monumented. _____
	N. 56°50' W., on line 32-33.


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
1.48	Point for AP 33, sec. 21; not monumented. <hr/>
	N. 5°26' W., on line 33-34.
1.11	Point for AP 34, sec. 21; not monumented. <hr/>
	N. 16°37' E., on line 34-35.
1.00	Point for AP 35, sec. 21; not monumented. <hr/>
	N. 10°30' W., on line 35-36.
1.145	AP 36, sec. 21, identical with AP 1, sec. 16, on the line bet. secs. 16 and 21, hereinbefore described. <hr/>
	In Sec. 22 <hr/>
	AP 1 through AP 15, sec. 22, are located southeasterly of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road.
	From AP 1, sec. 22, on the line bet. secs. 22 and 23, hereinbefore described.
	S. 34°04' W., on line 1-2.
2.73	Point for AP 2, sec. 22; not monumented. <hr/>
	S. 19°54' W., on line 2-3.
3.32	Point for AP 3, sec. 22; not monumented. <hr/>
	S. 41°52' W., on line 3-4.
2.72	Point for AP 4, sec. 22; not monumented. <hr/>
	S. 62°12' W., on line 4-5.
1.41	Point for AP 5, sec. 22.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.


Metes-and-Bounds Survey of the  
 Wabayuma Peak Wilderness Area Boundary,  
 T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">S 22</p>  <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr/> <p>S. 72°53' W., on line 5-6.</p> <p>2.41 Point for AP 6, sec. 22; not monumented.</p> <hr/> <p>S. 52°10' W., on line 6-7.</p> <p>4.23 Point for AP 7, sec. 22; not monumented.</p> <hr/> <p>S. 0°08' W., on line 7-8.</p> <p>2.64 Point for AP 8, sec. 22.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.</p>
	<p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">S 22</p>  <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr/> <p>S. 33°37' W., on line 8-9.</p> <p>0.87 Point for AP 9, sec. 22; not monumented.</p> <hr/> <p>S. 56°24' W., on line 9-10.</p> <p>2.40 Point for AP 10, sec. 22; not monumented.</p> <hr/>

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	S. 76°05' W., on line 10-11.
1.40	Point for AP 11, sec. 22; not monumented. <hr/>
	S. 29°22' W., on line 11-12.
4.05	Point for AP 12, sec. 22.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 28 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>2010</p> </div>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
	S. 38°08' W., on line 12-13.
1.20	Point for AP 13, sec. 22; not monumented. <hr/>
	S. 19°40' W., on line 13-14.
1.57	Point for AP 14, sec. 22; not monumented. <hr/>
	S. 34°58' W., on line 14-15.
2.425	AP 15, sec. 22, identical with AP 1, sec. 27, on the line bet. secs. 22 and 27, hereinbefore described. <hr/>
	In Sec. 25 <hr/>
	AP 1 through AP 14, sec. 25, are located S. of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road.  From AP 1, sec. 25, on the line bet. secs. 25 and 30, on the E. bdy. of the Tp., hereinbefore described.  N. 74°43' W., on line 1-2.

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
1.05	Point for AP 2, sec. 25; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 40°08' W., on line 2-3.
5.02	Point for AP 3, sec. 25; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 78°44' W., on line 3-4.
1.66	Point for AP 4, sec. 25; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 52°23' W., on line 4-5.
0.64	Point for AP 5, sec. 25; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 28°15' W., on line 5-6.
2.66	Point for AP 6, sec. 25; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 25°19' W., on line 6-7.
2.09	Point for AP 7, sec. 25.  Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 61 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 67°39' W., on line 7-8.
1.97	Point for AP 8, sec. 25; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> N. 79°37' W., on line 8-9.
1.35	Point for AP 9, sec. 25; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>



**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 71°10' W., on line 9-10.
4.20	Point for AP 10, sec. 25; not monumented. <hr/>
	S. 84°42' W., on line 10-11.
1.77	Point for AP 11, sec. 25; not monumented. <hr/>
	S. 52°37' W., on line 11-12.
1.40	Point for AP 12, sec. 25; not monumented. <hr/>
	S. 14°15' W., on line 12-13.
2.70	Point for AP 13, sec. 25; not monumented. <hr/>
	S. 41°59' W., on line 13-14.
0.995	AP 14, sec. 25, on the N. and S. center line of the SE 1/4 of sec. 25, hereinbefore described. <hr/>
	In Sec. 27 <hr/>
	AP 1 through AP 52, sec. 27, are located E. of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road.
	From AP 1, sec. 27, identical with AP 15, sec. 22, on the line bet. secs. 22 and 27, hereinbefore described.
	S. 36°58' W., on line 1-2.
4.23	Point for AP 2, sec. 27; not monumented. <hr/>
	S. 22°32' W., on line 2-3.
1.86	Point for AP 3, sec. 27; not monumented. <hr/>
	S. 11°02' W., on line 3-4.
2.71	Point for AP 4, sec. 27; not monumented. <hr/>
	S. 24°36' E., on line 4-5.


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
1.27	<p>Point for AP 5, sec. 27.</p> <p>Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 68 ins. in the ground, with aluminum cap mkd.</p> <div style="text-align: center;"> <p style="margin-left: 100px;">T 19 N    R 16 W</p> <p style="margin-left: 100px;">S 27      AP 5                  WPWA</p> <p style="margin-left: 100px;">2010</p> </div> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 30%; margin: 10px auto;"/> <p style="margin-left: 40px;">S. 07°25' W., on line 5-6.</p>
1.80	<p>Point for AP 6, sec. 27; not monumented.</p> <hr style="width: 30%; margin: 10px auto;"/> <p style="margin-left: 40px;">S. 21°49' W., on line 6-7.</p>
1.54	<p>Point for AP 7, sec. 27; not monumented.</p> <hr style="width: 30%; margin: 10px auto;"/> <p style="margin-left: 40px;">S. 82°14' W., on line 7-8.</p>
0.78	<p>Point for AP 8, sec. 27; not monumented.</p> <hr style="width: 30%; margin: 10px auto;"/> <p style="margin-left: 40px;">N. 36°46' W., on line 8-9.</p>
1.65	<p>Point for AP 9, sec. 27; not monumented.</p> <hr style="width: 30%; margin: 10px auto;"/> <p style="margin-left: 40px;">S. 62°06' W., on line 9-10.</p>
3.49	<p>Point for AP 10, sec. 27; not monumented.</p> <hr style="width: 30%; margin: 10px auto;"/> <p style="margin-left: 40px;">S. 53°49' W., on line 10-11.</p>
1.15	<p>Point for AP 11, sec. 27.</p> <p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 26 ins. in the ground, with aluminum cap mkd.</p>

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	 <p style="text-align: center;">T 19 N    R 16 W S 27    AP11          WPWA 2010</p>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod.
	_____
	S. 33°23' W., on line 11-12.
1.22	Point for AP 12, sec. 27; not monumented.
	_____
	S. 47°33' W., on line 12-13.
1.56	Point for AP 13, sec. 27; not monumented.
	_____
	S. 33°38' W., on line 13-14.
4.31	Point for AP 14, sec. 27; not monumented.
	_____
	S. 13°53' W., on line 14-15.
2.37	Point for AP 15, sec. 27.
	Drive an aluminum rod, 24 ins. long, 3/4 in. diam., 19 ins. in the ground, with aluminum cap mkd.
	 <p style="text-align: center;">T 19 N    R 16 W S 27    AP15          WPWA 2010</p>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod.
	_____
	S. 2°27' W., on line 15-16.
3.73	Point for AP 16, sec. 27; not monumented.
	_____


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	S. 18°06' W., on line 16-17.
1.16	Point for AP 17, sec. 27; not monumented. <hr/>
	S. 8°09' E., on line 17-18.
1.08	Point for AP 18, sec. 27; not monumented. <hr/>
	S. 25°23' E., on line 18-19.
1.71	Point for AP 19, sec. 27; not monumented. <hr/>
	S. 24°26' W., on line 19-20.
2.33	Point for AP 20, sec. 27; not monumented. <hr/>
	S. 68°55' E., on line 20-21.
1.54	Point for AP 21, sec. 27.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 32 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
	S. 53°09' E., on line 21-22.
1.39	Point for AP 22, sec. 27; not monumented. <hr/>
	S. 41°03' E., on line 22-23.
1.74	Point for AP 23, sec. 27; not monumented. <hr/>
	S. 12°52' E., on line 23-24.

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
0.93	Point for AP 24, sec. 27; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 26°38' W., on line 24-25.
1.93	Point for AP 25, sec. 27; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 12°45' W., on line 25-26.
1.48	Point for AP 26, sec. 27; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 9°50' E., on line 26-27.
0.95	Point for AP 27, sec. 27; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 18°56' W., on line 27-28.
1.28	Point for AP 28, sec. 27.  Drive an aluminum rod, 64 ins. long, 3/4 in. diam., 58 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p> <p>2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 13°18' E., on line 28-29.
2.73	Point for AP 29, sec. 27; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 4°15' E., on line 29-30.
1.69	Point for AP 30, sec. 27; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 21°16' W., on line 30-31.
1.34	Point for AP 31, sec. 27; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>

Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona


CHAINS	
	S. 5°51' W., on line 31-32.
2.41	Point for AP 32, sec. 27; not monumented. <hr/>
	S. 8°14' E., on line 32-33.
0.71	Point for AP 33, sec. 27; not monumented. <hr/>
	S. 43°56' E., on line 33-34.
1.165	Point for AP 34, sec. 27.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;">  <p>T 19 N R 16 W S 27 AP34 WPWA 2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
	S. 28°59' E., on line 34-35.
2.39	Point for AP 35, sec. 27; not monumented. <hr/>
	S. 4°27' E., on line 35-36.
1.36	Point for AP 36, sec. 27; not monumented. <hr/>
	S. 37°48' E., on line 36-37.
1.82	Point for AP 37, sec. 27; not monumented. <hr/>
	S. 57°26' E., on line 37-38.
4.08	Point for AP 38, sec. 27; not monumented. <hr/>
	S. 26°23' E., on line 38-39.
1.89	Point for AP 39, sec. 27.




**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
4.49	S. 13°45' W., on line 44-45. Point for AP 45, sec. 27; not monumented. <hr/>
1.36	S. 28°45' W., on line 45-46. Point for AP 46, sec. 27; not monumented. <hr/>
1.18	S. 43°40' W., on line 46-47. Point for AP 47, sec. 27; not monumented. <hr/>
1.05	S. 12°47' W., on line 47-48. Point for AP 48, sec. 27; not monumented. <hr/>
2.11	S. 14°26' E., on line 48-49. Point for AP 49, sec. 27; not monumented. <hr/>
1.13	S. 6°25' W., on line 49-50. Point for AP 50, sec. 27; not monumented. <hr/>
2.31	S. 28°57' W., on line 50-51. Point for AP 51, sec. 27; not monumented. <hr/>
1.165	S. 0°30' E., on line 51-52. AP 52, sec. 27, identical with AP 1, sec. 34, on the line bet. secs. 27 and 34, hereinbefore described. <hr/>
	In Sec. 28 <hr/>
	AP 1 through AP 59, sec. 28, are located W. of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road.


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	From AP 1, sec. 28, on the line bet. secs. 28 and 33, hereinbefore described.
	N. 70°40' E., on line 1-2.
1.20	Point for AP 2, sec. 28; not monumented. <hr/>
	N. 44°19' E., on line 2-3.
1.60	Point for AP 3, sec. 28; not monumented. <hr/>
	N. 16°31' E., on line 3-4.
1.32	Point for AP 4, sec. 28; not monumented. <hr/>
	N. 43°13' E., on line 4-5.
4.68	Point for AP 5, sec. 28; not monumented. <hr/>
	N. 23°29' E., on line 5-6.
1.745	Point for AP 6, sec. 28.  Drive an aluminum rod, 53 ins. long, 3/4 in. diam., 44 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>2010</p> </div>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
	N. 53°01' E., on line 6-7.
1.73	Point for AP 7, sec. 28; not monumented. <hr/>
	S. 85°30' E., on line 7-8.
1.96	Point for AP 8, sec. 28; not monumented. <hr/>


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 49°04' E., on line 8-9.
2.38	Point for AP 9, sec. 28; not monumented. <hr/>
	N. 65°43' E., on line 9-10.
1.28	Point for AP 10, sec. 28; not monumented. <hr/>
	N. 46°44' E., on line 10-11.
1.695	Point for AP 11, sec. 28.  Drive an aluminum rod, 27 ins. long, 3/4 in. diam., 15 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p> <p>WPWA</p> <p>AP11                      S 28</p>  <p>2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
	N. 54°29' E., on line 11-12.
4.81	Point for AP 12, sec. 28; not monumented. <hr/>
	N. 72°58' E., on line 12-13.
2.61	Point for AP 13, sec. 28; not monumented. <hr/>
	N. 44°02' E., on line 13-14.
2.33	Point for AP 14, sec. 28; not monumented. <hr/>
	N. 0°49' W., on line 14-15.
1.17	Point for AP 15, sec. 28; not monumented. <hr/>
	N. 36°59' E., on line 15-16.
2.995	Point for AP 16, sec. 28.


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 63 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">WPWA AP16</p>  <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr/>
1.30	<p>N. 78°55' E., on line 16-17.</p> <p>Point for AP 17, sec. 28; not monumented.</p> <hr/>
1.57	<p>N. 59°16' E., on line 17-18.</p> <p>Point for AP 18, sec. 28; not monumented.</p> <hr/>
2.41	<p>N. 23°25' E., on line 18-19.</p> <p>Point for AP 19, sec. 28; not monumented.</p> <hr/>
3.23	<p>N. 43°50' E., on line 19-20.</p> <p>Point for AP 20, sec. 28; not monumented.</p> <hr/>
1.82	<p>N. 64°08' E., on line 20-21.</p> <p>Point for AP 21, sec. 28; not monumented.</p> <hr/>
1.31	<p>N. 26°25' E., on line 21-22.</p> <p>Point for AP 22, sec. 28; not monumented.</p> <hr/>
1.69	<p>N. 44°39' E., on line 22-23.</p> <p>Point for AP 23, sec. 28; not monumented.</p> <hr/>
	<p>N. 59°20' E., on line 23-24.</p> <hr/>


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
1.76	Point for AP 24, sec. 28; not monumented. <hr/>
	N. 10°13' E., on line 24-25.
0.86	Point for AP 25, sec. 28; not monumented. <hr/>
	N. 22°40' W., on line 25-26.
1.34	Point for AP 26, sec. 28; not monumented. <hr/>
	N. 39°08' W., on line 26-27.
3.465	Point for AP 27, sec. 28.  Drive an aluminum rod, 57 ins. long, 3/4 in. diam., 51 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>2010</p> </div>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
	N. 76°09' W., on line 27-28.
7.48	Point for AP 28, sec. 28; not monumented. <hr/>
	S. 56°43' W., on line 28-29.
2.13	Point for AP 29, sec. 28; not monumented. <hr/>
	N. 79°49' W., on line 29-30.
0.72	Point for AP 30, sec. 28; not monumented. <hr/>
	N. 49°54' W., on line 30-31.
2.26	Point for AP 31, sec. 28; not monumented. <hr/>


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 18°58' W., on line 31-32.
4.68	Point for AP 32, sec. 28; not monumented. <hr/>
	N. 79°26' W., on line 32-33.
3.01	Point for AP 33, sec. 28.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>AP33 WPWA</p> <p>2010</p> </div>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
	N. 65°50' W., on line 33-34.
2.01	Point for AP 34, sec. 28; not monumented. <hr/>
	N. 43°11' W., on line 34-35.
2.18	Point for AP 35, sec. 28; not monumented. <hr/>
	N. 60°52' W., on line 35-36.
2.84	Point for AP 36, sec. 28; not monumented. <hr/>
	N. 13°12' W., on line 36-37.
1.02	Point for AP 37, sec. 28; not monumented. <hr/>
	N. 47°33' W., on line 37-38.
5.20	Point for AP 38, sec. 28; not monumented. <hr/>
	N. 25°30' W., on line 38-39.

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
2.70	Point for AP 39, sec. 28; not monumented. <hr/> N. 75°52' W., on line 39-40.
3.90	Point for AP 40, sec. 28. Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd. <div style="text-align: center; margin: 10px 0;">             T 19 N    R 16 W   </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/> N. 47°11' W., on line 40-41.
2.83	Point for AP 41, sec. 28; not monumented. <hr/> S. 75°43' W., on line 41-42.
1.34	Point for AP 42, sec. 28; not monumented. <hr/> N. 72°19' W., on line 42-43.
2.41	Point for AP 43, sec. 28; not monumented. <hr/> N. 55°28' W., on line 43-44.
2.97	Point for AP 44, sec. 28; not monumented. <hr/> N. 15°23' W., on line 44-45.
2.26	Point for AP 45, sec. 28; not monumented. <hr/> N. 8°23' E., on line 45-46.
3.24	Point for AP 46, sec. 28; not monumented. <hr/>

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 87°08' W., on line 46-47.
2.17	Point for AP 47, sec. 28; not monumented. <hr/>
	N. 61°22' W., on line 47-48.
1.44	Point for AP 48, sec. 28; not monumented. <hr/>
	N. 46°50' W., on line 48-49.
1.87	Point for AP 49, sec. 28.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 25 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p>2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
	N. 14°23' W., on line 49-50.
3.04	Point for AP 50, sec. 28; not monumented. <hr/>
	N. 27°18' W., on line 50-51.
2.50	Point for AP 51, sec. 28; not monumented. <hr/>
	N. 12°19' W., on line 51-52.
1.45	Point for AP 52, sec. 28; not monumented. <hr/>
	N. 32°24' W., on line 52-53.
3.60	Point for AP 53, sec. 28; not monumented. <hr/>
	N. 73°25' W., on line 53-54.
3.93	Point for AP 54, sec. 28; not monumented. <hr/>



**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 22°45' W., on line 54-55.
0.86	Point for AP 55, sec. 28; not monumented. <hr/>
	N. 54°05' W., on line 55-56.
1.62	Point for AP 56, sec. 28; not monumented. <hr/>
	N. 71°53' W., on line 56-57.
1.26	Point for AP 57, sec. 28; not monumented. <hr/>
	N. 44°09' W., on line 57-58.
1.27	Point for AP 58, sec. 28; not monumented. <hr/>
	N. 14°38' E., on line 58-59.
0.35	AP 59, sec. 28, identical with AP 1, sec. 21, on the line bet. secs. 21 and 28, hereinbefore described. <hr/>
	In Sec. 33 <hr/>
	Note:--AP 1 through AP 26, sec. 33, are located S. of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road. <hr/>
	From AP 1, sec. 33, identical with AP 48, sec. 34, on the line bet. secs. 33 and 34, hereinbefore described.
	N. 86°33' W., on line 1-2.
4.43	Point for AP 2, sec. 33; not monumented. <hr/>
	N. 59°33' W., on line 2-3.
1.15	Point for AP 3, sec. 33; not monumented. <hr/>
	N. 45°29' W., on line 3-4.
2.02	Point for AP 4, sec. 33; not monumented. <hr/>


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	N. 84°03' W., on line 4-5.
1.07	Point for AP 5, sec. 33; not monumented. <hr/>
	S. 83°01' W., on line 5-6.
1.305	Point for AP 6, sec. 33.  Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 60 ins. in the ground, with aluminum cap mkd.
	T 19 N    R 16 W  S 33 AP6 WPWA  2010
	Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
	N. 76°55' W., on line 6-7.
1.16	Point for AP 7, sec. 33; not monumented. <hr/>
	N. 56°00' W., on line 7-8.
2.04	Point for AP 8, sec. 33; not monumented. <hr/>
	N. 23°40' W., on line 8-9.
2.84	Point for AP 9, sec. 33; not monumented. <hr/>
	N. 40°37' W., on line 9-10.
3.26	Point for AP 10, sec. 33.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 30 ins. in the ground, with aluminum cap mkd.

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	 <p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">AP10    S 33 WPVA</p> <p style="text-align: center;">2010</p>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod.
	_____
	N. 60°52' W., on line 10-11.
3.22	Point for AP 11, sec. 33; not monumented.
	_____
	N. 36°20' W., on line 11-12.
1.12	Point for AP 12, sec. 33; not monumented.
	_____
	N. 19°45' W., on line 12-13.
2.01	Point for AP 13, sec. 33; not monumented.
	_____
	N. 68°04' W., on line 13-14.
5.38	Point for AP 14, sec. 33.
	Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 24 ins. in the ground, with aluminum cap mkd.
	 <p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">AP14    S 33 WPVA</p> <p style="text-align: center;">2010</p>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod.
	_____
	N. 33°04' W., on line 14-15.
0.59	Point for AP 15, sec. 33; not monumented.
	_____
	N. 13°54' E., on line 15-16.

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
1.25	Point for AP 16, sec. 33; not monumented. <hr/>
	N. 71°35' W., on line 16-17.
2.19	Point for AP 17, sec. 33; not monumented. <hr/>
	N. 39°28' W., on line 17-18.
2.56	Point for AP 18, sec. 33; not monumented. <hr/>
	N. 50°01' W., on line 18-19.
1.58	Point for AP 19, sec. 33; not monumented. <hr/>
	N. 31°46' W., on line 19-20.
2.355	Point for AP 20, sec. 33.  Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 27 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p>  <p style="margin-left: 100px;">S 33</p> <p style="margin-left: 80px;">AP20 WPWA</p> <p style="margin-left: 120px;">2010</p> </div>
	Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr/>
	N. 69°20' W., on line 20-21.
2.215	Intersect the E. and W. center line of sec. 33; not monumented.
2.65	Point for AP 21, sec. 33; not monumented. <hr/>
	S. 72°12' W., on line 21-22.
0.485	Intersect the E. and W. center line of sec. 33; not monumented.
1.75	Point for AP 22, sec. 33; not monumented. <hr/>
	N. 86°23' W., on line 22-23.

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
2.40	Point for AP 23, sec. 33; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 66°52' W., on line 23-24.
1.33	Point for AP 24, sec. 33; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 87°24' W., on line 24-25.
0.78	Point for AP 25, sec. 33; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	N. 73°05' W., on line 25-26.
2.63	AP 26, sec. 33, on the E. and W. center line of sec. 33, hereinbefore described. <hr style="width: 80%; margin-left: auto; margin-right: auto;"/>
	In Sec. 34 <hr style="width: 30%; margin-left: auto; margin-right: auto;"/>
	Note:--AP 1 through AP 48, sec. 34, are located S. of a trail road; the Wabayuma Peak Wilderness Area Bdy. is approximately parallel to, with a 30 ft. offset from, the center line of this trail road. <hr style="width: 80%; margin-left: auto; margin-right: auto;"/>
	From AP 1, sec. 34, identical with AP 52, sec. 27, on the line bet. secs. 27 and 34, hereinbefore described.
	S. 20°04' W., on line 1-2.
1.72	Point for AP 2, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 14°11' W., on line 2-3.
3.46	Point for AP 3, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 21°26' W., on line 3-4.
3.72	Point for AP 4, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 57°35' W., on line 4-5.
1.19	Point for AP 5, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/>
	S. 32°53' W., on line 5-6.


**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
3.67	Point for AP 6, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 26°12' W., on line 6-7.
2.65	Point for AP 7, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 2°51' E., on line 7-8.
0.60	Point for AP 8, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 30°29' E., on line 8-9.
1.33	Point for AP 9, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 10°52' E., on line 9-10.
1.10	Point for AP 10, sec. 34.  Drive an aluminum rod, 52 ins. long, 3/4 in. diam., 45 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;"> <p>T 19 N    R 16 W</p> <p>S 34    AP10           WPWA</p> <p>2010</p> </div> Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 02°11' W., on line 10-11.
2.17	Point for AP 11, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 12°26' E., on line 11-12.
6.17	Point for AP 12, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 28°34' E., on line 12-13.
1.10	Point for AP 13, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 42°20' E., on line 13-14.

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
1.67	Point for AP 14, sec. 34; not monumented. <hr style="width: 50%; margin: 5px auto;"/> S. 14°31' E., on line 14-15.
1.19	Point for AP 15, sec. 34; not monumented. <hr style="width: 50%; margin: 5px auto;"/> S. 40°27' E., on line 15-16.
1.33	Point for AP 16, sec. 34; not monumented. <hr style="width: 50%; margin: 5px auto;"/> S. 52°36' E., on line 16-17.
1.28	Point for AP 17, sec. 34; not monumented. <hr style="width: 50%; margin: 5px auto;"/> S. 23°50' E., on line 17-18.
1.10	Point for AP 18, sec. 34; not monumented. <hr style="width: 50%; margin: 5px auto;"/> S. 7°11' W., on line 18-19.
2.45	Point for AP 19, sec. 34; not monumented. <hr style="width: 50%; margin: 5px auto;"/> S. 36°08' W., on line 19-20.
2.04	Point for AP 20, sec. 34.  Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 59 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center; margin: 10px 0;"> <p style="margin: 0;">T 19 N      R 16 W</p> <p style="margin: 0;">S 34      AP20             WPWA</p> <p style="margin: 0;">2010</p> </div>
3.19	Deposit a magnet, in a white plastic case, alongside the aluminum rod. <hr style="width: 50%; margin: 5px auto;"/> S. 41°25' W., on line 20-21.  Point for AP 21, sec. 34; not monumented. <hr style="width: 50%; margin: 5px auto;"/> S. 56°17' W., on line 21-22.



**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
1.62	Point for AP 22, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 49°10' W., on line 22-23.
1.00	Point for AP 23, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 15°56' W., on line 23-24.
1.01	Point for AP 24, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 23°49' E., on line 24-25.
0.71	Point for AP 25, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 40°48' E., on line 25-26.
1.44	Point for AP 26, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 0°03' W., on line 26-27.
0.58	Point for AP 27, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 44°39' W., on line 27-28.
0.91	Point for AP 28, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 55°38' W., on line 28-29.
2.97	Point for AP 29, sec. 34; not monumented. <hr style="width: 20%; margin-left: auto; margin-right: auto;"/> S. 60°01' W., on line 29-30.
3.775	Point for AP 30, sec. 34.  Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 64 ins. in the ground, with aluminum cap mkd.  <div style="text-align: center;">                         T 19 N    R 16 W    </div>
	2010

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	Deposit a magnet, in a white plastic case, alongside the aluminum rod.
	_____
	S. 62°11' W., on line 30-31.
5.83	Point for AP 31, sec. 34; not monumented.
	_____
	S. 81°49' W., on line 31-32.
0.90	Point for AP 32, sec. 34; not monumented.
	_____
	S. 65°42' W., on line 32-33.
0.81	Point for AP 33, sec. 34; not monumented.
	_____
	S. 42°22' W., on line 33-34.
1.56	Point for AP 34, sec. 34; not monumented.
	_____
	S. 69°34' W., on line 34-35.
1.58	Point for AP 35, sec. 34; not monumented.
	_____
	S. 55°36' W., on line 35-36.
2.08	Point for AP 36, sec. 34; not monumented.
	_____
	S. 66°18' W., on line 36-37.
4.40	Point for AP 37, sec. 34; not monumented.
	_____
	S. 81°08' W., on line 37-38.
6.13	Point for AP 38, sec. 34; not monumented.
	_____
	S. 56°35' W., on line 38-39.
1.29	Point for AP 39, sec. 34; not monumented.
	_____
	S. 82°45' W., on line 39-40.
1.865	Point for AP 40, sec. 34.

Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>Drive an aluminum rod, 36 ins. long, 3/4 in. diam., 33 ins. in the ground, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">  </p> <p style="text-align: center;">2010</p> <p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr/> <p>S. 63°42' W., on line 40-41.</p>
2.85	<p>Point for AP 41, sec. 34; not monumented.</p> <hr/> <p>N. 82°31' W., on line 41-42.</p>
1.57	<p>Point for AP 42, sec. 34; not monumented.</p> <hr/> <p>S. 76°37' W., on line 42-43.</p>
2.70	<p>Point for AP 43, sec. 34; not monumented.</p> <hr/> <p>S. 68°02' W., on line 43-44.</p>
4.30	<p>Point for AP 44, sec. 34; not monumented.</p> <hr/> <p>S. 51°22' W., on line 44-45.</p>
1.29	<p>Point for AP 45, sec. 34.</p> <p>Drive an aluminum rod, 72 ins. long, 3/4 in. diam., 61 ins. in the ground, in a collar of stone, with aluminum cap mkd.</p> <p style="text-align: center;">T 19 N    R 16 W</p> <p style="text-align: center;">  </p> <p style="text-align: center;">2010</p>

**Metes-and-Bounds Survey of the  
Wabayuma Peak Wilderness Area Boundary,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	<p>Deposit a magnet, in a white plastic case, alongside the aluminum rod.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>S. 66°04' W., on line 45-46.</p> <p>5.18 Point for AP 46, sec. 34; not monumented.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>S. 82°09' W., on line 46-47.</p> <p>1.03 Point for AP 47, sec. 34; not monumented.</p> <hr style="width: 30%; margin: 10px auto;"/> <p>S. 89°28' W., on line 47-48.</p> <p>1.245 AP 48, sec. 34, identical with AP 1, sec. 33, on the line bet. secs. 33 and 34, hereinbefore described.</p> <hr style="width: 30%; margin: 10px auto;"/> <p style="text-align: center;">GENERAL DESCRIPTION</p> <hr style="width: 30%; margin: 10px auto;"/> <p>The purpose of this survey was to define the boundary of the Wabayuma Peak Wilderness Area. The road in sec. 18 is considered comparable to "high standard logging roads", as mentioned in I.M. No. 91-200, and has a setback of 100 ft. from center line. All other roads in this survey were under the category of "Jeep roads, low standard logging roads, dirt roads used for right-of-way maintenance, etc." and have a setback of 30 ft. from center line.</p> <p>The area encompassed by this survey is mountainous, with numerous washes, and is grazed by cattle from a neighboring ranch. The ranch house is located in section 7.</p> <p>Elevation varies from 3,250 ft. to 5,820 ft. The ground is rocky and supports cholla, prickly pear, ocotillo and other cacti, and juniper and piñon pine, along with other mountain vegetation.</p> <p>Access to this survey was by way of County Highways 15 and 253, then over a graded road.</p> <p>The mean magnetic declination of 12° E. was derived from the National Geophysical Data Center's magnetic declination calculator, GEOMAG v6.0, utilizing the International Geomagnetic Reference Field Model for years 2005 through 2010, for the dates of the survey.</p> <hr style="width: 30%; margin: 10px auto;"/>
--------	---

**Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

## CHAINS

The following description is for informational purposes only.

Beginning at the cor. of Tps. 18 and 19 N., Rs. 15 and 16 W.

thence N. 0°01' E., 40.095 chs. dist., on the line bet. secs. 31 and 36, on the E. bdy. of the Tp., to the 1/4 sec. cor. of secs. 31 and 36;

thence N. 0°01' W., 39.955 chs. dist., on the line bet. secs. 31 and 36, on the E. bdy. of the Tp., to the cor. of secs. 25, 30, 31 and 36;

thence N. 0°01' E., 12.875 chs. dist., on the line bet. secs. 25 and 30, on the E. bdy. of the Tp., to Angle Point 1, sec. 25;

thence N. 74°43' W., 1.05 chs. dist., to Angle Point 2, sec. 25;

thence N. 40°08' W., 5.02 chs. dist., to Angle Point 3, sec. 25;

thence N. 78°44' W., 1.66 chs. dist., to Angle Point 4, sec. 25;

thence N. 52°23' W., 0.64 chs. dist., to Angle Point 5, sec. 25;

thence N. 28°15' W., 2.66 chs. dist., to Angle Point 6, sec. 25;

thence N. 25°19' W., 2.09 chs. dist., to Angle Point 7, sec. 25;

thence N. 67°39' W., 1.97 chs. dist., to Angle Point 8, sec. 25;

thence N. 79°37' W., 1.35 chs. dist., to Angle Point 9, sec. 25;

thence N. 71°10' W., 4.20 chs. dist., to Angle Point 10, sec. 25;

thence S. 84°42' W., 1.77 chs. dist., to Angle Point 11, sec. 25;

thence S. 52°37' W., 1.40 chs. dist., to Angle Point 12, sec. 25;

thence S. 14°15' W., 2.70 chs. dist., to Angle Point 13, sec. 25;

thence S. 41°59' W., 0.995 chs. dist., to Angle Point 14, sec. 25, on the N. and S. center line of the SE 1/4 of sec. 25;

thence South, 19.72 chs. dist., on the N. and S. center line of the SE 1/4 of sec. 25, to the E. 1/16 sec. cor. of secs. 25 and 36;

thence N. 89°26' W., 19.86 chs. dist., on the line bet. secs. 25 and 36, to the 1/4 sec. cor. of secs. 25 and 36;

thence N. 89°42' W., 39.85 chs. dist., on the line bet. secs. 25 and 36, to the cor. of secs. 25, 26, 35 and 36;

thence N. 0°04' W., 39.865 chs. dist., on the line bet. secs. 25 and 26, to the 1/4 sec. cor. of secs. 25 and 26;

thence N. 0°07' W., 40.185 chs. dist., on the line bet. secs. 25 and 26, to the cor. of secs. 23, 24, 25 and 26;

thence N. 89°35' W., 39.54 chs. dist., on the line bet. secs. 23 and 26, to the 1/4 sec. cor. of secs. 23 and 26;

thence N. 89°13' W., 40.02 chs. dist., on the line bet. secs. 23 and 26, to the cor. of secs. 22, 23, 26 and 27;

thence N. 0°11' W., 24.455 chs. dist., on the line bet. secs. 22 and 23, to Angle Point 1, sec. 22;

thence S. 34°04' W., 2.73 chs. dist., to Angle Point 2, sec. 22;

thence S. 19°54' W., 3.32 chs. dist., to Angle Point 3, sec. 22;

thence S. 41°52' W., 2.72 chs. dist., to Angle Point 4, sec. 22;

thence S. 62°12' W., 1.41 chs. dist., to Angle Point 5, sec. 22;

thence S. 72°53' W., 2.41 chs. dist., to Angle Point 6, sec. 22;

**Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	thence S. 52°10' W., 4.23 chs. dist., to Angle Point 7, sec. 22;
	thence S. 0°08' W., 2.64 chs. dist., to Angle Point 8, sec. 22;
	thence S. 33°37' W., 0.87 chs. dist., to Angle Point 9, sec. 22;
	thence S. 56°24' W., 2.40 chs. dist., to Angle Point 10, sec. 22;
	thence S. 76°05' W., 1.40 chs. dist., to Angle Point 11, sec. 22;
	thence S. 29°22' W., 4.05 chs. dist., to Angle Point 12, sec. 22;
	thence S. 38°08' W., 1.20 chs. dist., to Angle Point 13, sec. 22;
	thence S. 19°40' W., 1.57 chs. dist., to Angle Point 14, sec. 22;
	thence S. 34°58' W., 2.425 chs. dist., to Angle Point 15, sec. 22, identical with Angle Point 1, sec. 27, on the line bet. secs 22 and 27;
	thence S. 36°58' W., 4.23 chs. dist., to Angle Point 2, sec. 27;
	thence S. 22°32' W., 1.86 chs. dist., to Angle Point 3, sec. 27;
	thence S. 11°02' W., 2.71 chs. dist., to Angle Point 4, sec. 27;
	thence S. 24°36' E., 1.27 chs. dist., to Angle Point 5, sec. 27;
	thence S. 07°25' W., 1.80 chs. dist., to Angle Point 6, sec. 27;
	thence S. 21°49' W., 1.54 chs. dist., to Angle Point 7, sec. 27;
	thence S. 82°14' W., 0.78 chs. dist., to Angle Point 8, sec. 27;
	thence S. 36°46' W., 1.65 chs. dist., to Angle Point 9, sec. 27;
	thence S. 62°06' W., 3.49 chs. dist., to Angle Point 10, sec. 27;
	thence S. 53°49' W., 1.15 chs. dist., to Angle Point 11, sec. 27;
	thence S. 33°23' W., 1.22 chs. dist., to Angle Point 12, sec. 27;
	thence S. 47°33' W., 1.56 chs. dist., to Angle Point 13, sec. 27;
	thence S. 33°38' W., 4.31 chs. dist., to Angle Point 14, sec. 27;
	thence S. 13°53' W., 2.37 chs. dist., to Angle Point 15, sec. 27;
	thence S. 2°27' W., 3.73 chs. dist., to Angle Point 16, sec. 27;
	thence S. 18°06' W., 1.16 chs. dist., to Angle Point 17, sec. 27;
	thence S. 8°09' E., 1.08 chs. dist., to Angle Point 18, sec. 27;
	thence S. 25°23' E., 1.71 chs. dist., to Angle Point 19, sec. 27;
	thence S. 24°26' W., 2.33 chs. dist., to Angle Point 20, sec. 27;
	thence S. 68°55' E., 1.54 chs. dist., to Angle Point 21, sec. 27;
	thence S. 53°09' E., 1.39 chs. dist., to Angle Point 22, sec. 27;
	thence S. 41°03' E., 1.74 chs. dist., to Angle Point 23, sec. 27;

**Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	thence S. 12°52' E., 0.93 chs. dist., to Angle Point 24, sec. 27;
	thence S. 26°38' W., 1.93 chs. dist., to Angle Point 25, sec. 27;
	thence S. 12°45' W., 1.48 chs. dist., to Angle Point 26, sec. 27;
	thence S. 9°50' E., 0.95 chs. dist., to Angle Point 27, sec. 27;
	thence S. 18°56' W., 1.28 chs. dist., to Angle Point 28, sec. 27;
	thence S. 13°18' E., 2.73 chs. dist., to Angle Point 29, sec. 27;
	thence S. 4°15' E., 1.69 chs. dist., to Angle Point 30, sec. 27;
	thence S. 21°16' W., 1.34 chs. dist., to Angle Point 31, sec. 27;
	thence S. 5°51' W., 2.41 chs. dist., to Angle Point 32, sec. 27;
	thence S. 8°14' E., 0.71 chs. dist., to Angle Point 33, sec. 27;
	thence S. 43°56' E., 1.165 chs. dist., to Angle Point 34, sec. 27;
	thence S. 28°59' E., 2.39 chs. dist., to Angle Point 35, sec. 27;
	thence S. 4°27' E., 1.36 chs. dist., to Angle Point 36, sec. 27;
	thence S. 37°48' E., 1.82 chs. dist., to Angle Point 37, sec. 27;
	thence S. 57°26' E., 4.08 chs. dist., to Angle Point 38, sec. 27;
	thence S. 26°23' E., 1.89 chs. dist., to Angle Point 39, sec. 27;
	thence S. 63°33' E., 1.83 chs. dist., to Angle Point 40, sec. 27;
	thence S. 48°19' E., 1.37 chs. dist., to Angle Point 41, sec. 27;
	thence S. 34°47' E., 1.09 chs. dist., to Angle Point 42, sec. 27;
	thence S. 3°55' E., 3.94 chs. dist., to Angle Point 43, sec. 27;
	thence S. 4°24' W., 2.28 chs. dist., to Angle Point 44, sec. 27;
	thence S. 13°45' W., 4.49 chs. dist., to Angle Point 45, sec. 27;
	thence S. 28°45' W., 1.36 chs. dist., to Angle Point 46, sec. 27;
	thence S. 43°40' W., 1.18 chs. dist., to Angle Point 47, sec. 27;
	thence S. 12°47' W., 1.05 chs. dist., to Angle Point 48, sec. 27;
	thence S. 14°26' E., 2.11 chs. dist., to Angle Point 49, sec. 27;

**Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	thence S. 6°25' W., 1.13 chs. dist., to Angle Point 50, sec. 27;
	thence S. 28°57' W., 2.31 chs. dist., to Angle Point 51, sec. 27;
	thence S. 0°30' E., 1.165 chs. dist., to Angle Point 52, sec. 27 identical with Angle Point 1, sec. 34, on the line bet. secs 27 and 34;
	thence S. 20°04' W., 1.72 chs. dist., to Angle Point 2, sec. 34;
	thence S. 14°11' W., 3.46 chs. dist., to Angle Point 3, sec. 34;
	thence S. 21°26' W., 3.72 chs. dist., to Angle Point 4, sec. 34;
	thence S. 57°35' W., 1.19 chs. dist., to Angle Point 5, sec. 34;
	thence S. 32°53' W., 3.67 chs. dist., to Angle Point 6, sec. 34;
	thence S. 26°12' W., 2.65 chs. dist., to Angle Point 7, sec. 34;
	thence S. 2°51' E., 0.60 chs. dist., to Angle Point 8, sec. 34;
	thence S. 30°29' E., 1.33 chs. dist., to Angle Point 9, sec. 34;
	thence S. 10°52' E., 1.10 chs. dist., to Angle Point 10, sec. 34;
	thence S. 2°11' W., 2.17 chs. dist., to Angle Point 11, sec. 34;
	thence S. 12°26' E., 6.17 chs. dist., to Angle Point 12, sec. 34;
	thence S. 28°34' E., 1.10 chs. dist., to Angle Point 13, sec. 34;
	thence S. 42°20' E., 1.67 chs. dist., to Angle Point 14, sec. 34;
	thence S. 14°31' E., 1.19 chs. dist., to Angle Point 15, sec. 34;
	thence S. 40°27' E., 1.33 chs. dist., to Angle Point 16, sec. 34;
	thence S. 52°36' E., 1.28 chs. dist., to Angle Point 17, sec. 34;
	thence S. 23°50' E., 1.10 chs. dist., to Angle Point 18, sec. 34;
	thence S. 7°11' W., 2.45 chs. dist., to Angle Point 19, sec. 34;
	thence S. 36°08' W., 2.04 chs. dist., to Angle Point 20, sec. 34;
	thence S. 41°25' W., 3.19 chs. dist., to Angle Point 21, sec. 34;
	thence S. 56°17' W., 1.62 chs. dist., to Angle Point 22, sec. 34;
	thence S. 49°10' W., 1.00 chs. dist., to Angle Point 23, sec. 34;
	thence S. 15°56' W., 1.01 chs. dist., to Angle Point 24, sec. 34;
	thence S. 23°49' E., 0.71 chs. dist., to Angle Point 25, sec. 34;
	thence S. 40°48' E., 1.44 chs. dist., to Angle Point 26, sec. 34;
	thence S. 0°03' W., 0.58 chs. dist., to Angle Point 27, sec. 34;
	thence S. 44°39' W., 0.91 chs. dist., to Angle Point 28, sec. 34;

Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	thence S. 55°38' W., 2.97 chs. dist., to Angle Point 29, sec. 34;
	thence S. 60°01' W., 3.775 chs. dist., to Angle Point 30, sec. 34;
	thence S. 62°11' W., 5.83 chs. dist., to Angle Point 31, sec. 34;
	thence S. 81°49' W., 0.90 chs. dist., to Angle Point 32, sec. 34;
	thence S. 65°42' W., 0.81 chs. dist., to Angle Point 33, sec. 34;
	thence S. 42°22' W., 1.56 chs. dist., to Angle Point 34, sec. 34;
	thence S. 69°34' W., 1.58 chs. dist., to Angle Point 35, sec. 34;
	thence S. 55°36' W., 2.08 chs. dist., to Angle Point 36, sec. 34;
	thence S. 66°18' W., 4.40 chs. dist., to Angle Point 37, sec. 34;
	thence S. 81°08' W., 6.13 chs. dist., to Angle Point 38, sec. 34;
	thence S. 56°35' W., 1.29 chs. dist., to Angle Point 39, sec. 34;
	thence S. 82°45' W., 1.865 chs. dist., to Angle Point 40, sec. 34;
	thence S. 63°42' W., 2.85 chs. dist., to Angle Point 41, sec. 34;
	thence N. 82°31' W., 1.57 chs. dist., to Angle Point 42, sec. 34;
	thence S. 76°37' W., 2.70 chs. dist., to Angle Point 43, sec. 34;
	thence S. 68°02' W., 4.30 chs. dist., to Angle Point 44, sec. 34;
	thence S. 51°22' W., 1.29 chs. dist., to Angle Point 45, sec. 34;
	thence S. 66°04' W., 5.18 chs. dist., to Angle Point 46, sec. 34;
	thence S. 82°09' W., 1.03 chs. dist., to Angle Point 47, sec. 34;
	thence S. 89°28' W., 1.245 chs. dist., to Angle Point 48, sec. 34, identical with Angle Point 1, sec. 33, on the line bet. secs. 33 and 34;
	thence N. 86°33' W., 4.43 chs. dist., to Angle Point 2, sec. 33;
	thence N. 59°33' W., 1.15 chs. dist., to Angle Point 3, sec. 33;
	thence N. 45°29' W., 2.02 chs. dist., to Angle Point 4, sec. 33;
	thence N. 84°03' W., 1.07 chs. dist., to Angle Point 5, sec. 33;
	thence S. 83°01' W., 1.305 chs. dist., to Angle Point 6, sec. 33;
	thence N. 76°55' W., 1.16 chs. dist., to Angle Point 7, sec. 33;
	thence N. 56°00' W., 2.04 chs. dist., to Angle Point 8, sec. 33;

Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	thence N. 23°40' W., 2.84 chs. dist., to Angle Point 9, sec. 33;
	thence N. 40°37' W., 3.26 chs. dist., to Angle Point 10, sec. 33;
	thence N. 60°52' W., 3.22 chs. dist., to Angle Point 11, sec. 33;
	thence N. 36°20' W., 1.12 chs. dist., to Angle Point 12, sec. 33;
	thence N. 19°45' W., 2.01 chs. dist., to Angle Point 13, sec. 33;
	thence N. 68°04' W., 5.38 chs. dist., to Angle Point 14, sec. 33;
	thence N. 33°04' W., 0.59 chs. dist., to Angle Point 15, sec. 33;
	thence N. 13°54' E., 1.25 chs. dist., to Angle Point 16, sec. 33;
	thence N. 71°35' W., 2.19 chs. dist., to Angle Point 17, sec. 33;
	thence N. 39°28' W., 2.56 chs. dist., to Angle Point 18, sec. 33;
	thence N. 50°01' W., 1.58 chs. dist., to Angle Point 19, sec. 33;
	thence N. 31°46' W., 2.355 chs. dist., to Angle Point 20, sec. 33;
	thence N. 69°20' W., 2.65 chs. dist., to Angle Point 21, sec. 33;
	thence S. 72°12' W., 1.75 chs. dist., to Angle Point 22, sec. 33;
	thence N. 86°23' W., 2.40 chs. dist., to Angle Point 23, sec. 33;
	thence S. 66°52' W., 1.33 chs. dist., to Angle Point 24, sec. 33;
	thence N. 87°24' W., 0.78 chs. dist., to Angle Point 25, sec. 33;
	thence N. 73°05' W., 2.63 chs. dist., to Angle Point 26, sec. 33, on the E. and W. center line of sec. 33;
	thence N. 89°42' W., 38.33 chs. dist., on the E. and W. center line of sec. 33, to the 1/4 sec. cor. of secs. 32 and 33;
	thence N. 0°01' W., 40.00 chs. dist., on the line bet. secs. 32 and 33, to the cor. of secs. 28, 29, 32 and 33;
	thence S. 89°36' E., 27.79 chs. dist., on the line bet. secs. 28 and 33, to Angle Point 1, sec. 28;
	thence N. 70°40' E., 1.20 chs. dist., to Angle Point 2, sec. 28;
	thence N. 44°19' E., 1.60 chs. dist., to Angle Point 3, sec. 28;
	thence N. 16°31' E., 1.32 chs. dist., to Angle Point 4, sec. 28;
	thence N. 43°13' E., 4.68 chs. dist., to Angle Point 5, sec. 28;
	thence N. 23°29' E., 1.745 chs. dist., to Angle Point 6, sec. 28;
	thence N. 53°01' E., 1.73 chs. dist., to Angle Point 7, sec. 28;
	thence S. 85°30' E., 1.96 chs. dist., to Angle Point 8, sec. 28;
	thence N. 49°04' E., 2.38 chs. dist., to Angle Point 9, sec. 28;
	thence N. 65°43' E., 1.28 chs. dist., to Angle Point 10, sec. 28;

**Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	thence N. 46°44' E., 1.695 chs. dist., to Angle Point 11, sec. 28;
	thence N. 54°29' E., 4.81 chs. dist., to Angle Point 12, sec. 28;
	thence N. 72°58' E., 2.61 chs. dist., to Angle Point 13, sec. 28;
	thence N. 44°02' E., 2.33 chs. dist., to Angle Point 14, sec. 28;
	thence N. 0°49' W., 1.17 chs. dist., to Angle Point 15, sec. 28;
	thence N. 36°59' E., 2.995 chs. dist., to Angle Point 16, sec. 28;
	thence N. 78°55' E., 1.30 chs. dist., to Angle Point 17, sec. 28;
	thence N. 59°16' E., 1.57 chs. dist., to Angle Point 18, sec. 28;
	thence N. 23°25' E., 2.41 chs. dist., to Angle Point 19, sec. 28;
	thence N. 43°50' E., 3.23 chs. dist., to Angle Point 20, sec. 28;
	thence N. 64°08' E., 1.82 chs. dist., to Angle Point 21, sec. 28;
	thence N. 26°25' E., 1.31 chs. dist., to Angle Point 22, sec. 28;
	thence N. 44°39' E., 1.69 chs. dist., to Angle Point 23, sec. 28;
	thence N. 59°20' E., 1.76 chs. dist., to Angle Point 24, sec. 28;
	thence N. 10°13' E., 0.86 chs. dist., to Angle Point 25, sec. 28;
	thence N. 22°40' W., 1.34 chs. dist., to Angle Point 26, sec. 28;
	thence N. 39°08' W., 3.465 chs. dist., to Angle Point 27, sec. 28;
	thence N. 76°09' W., 7.48 chs. dist., to Angle Point 28, sec. 28;
	thence S. 56°43' W., 2.13 chs. dist., to Angle Point 29, sec. 28;
	thence N. 79°49' W., 0.72 chs. dist., to Angle Point 30, sec. 28;
	thence N. 49°54' W., 2.26 chs. dist., to Angle Point 31, sec. 28;
	thence N. 18°58' W., 4.68 chs. dist., to Angle Point 32, sec. 28;
	thence N. 79°26' W., 3.01 chs. dist., to Angle Point 33, sec. 28;
	thence N. 65°50' W., 2.01 chs. dist., to Angle Point 34, sec. 28;
	thence N. 43°11' W., 2.18 chs. dist., to Angle Point 35, sec. 28;
	thence N. 60°52' W., 2.84 chs. dist., to Angle Point 36, sec. 28;

**Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	thence N. 13°12' W., 1.02 chs. dist., to Angle Point 37, sec. 28;
	thence N. 47°33' W., 5.20 chs. dist., to Angle Point 38, sec. 28;
	thence N. 25°30' W., 2.70 chs. dist., to Angle Point 39, sec. 28;
	thence N. 75°52' W., 3.90 chs. dist., to Angle Point 40, sec. 28;
	thence N. 47°11' W., 2.83 chs. dist., to Angle Point 41, sec. 28;
	thence S. 75°43' W., 1.34 chs. dist., to Angle Point 42, sec. 28;
	thence N. 72°19' W., 2.41 chs. dist., to Angle Point 43, sec. 28;
	thence N. 55°28' W., 2.97 chs. dist., to Angle Point 44, sec. 28;
	thence N. 15°23' W., 2.26 chs. dist., to Angle Point 45, sec. 28;
	thence N. 08°23' E., 3.24 chs. dist., to Angle Point 46, sec. 28;
	thence N. 87°08' W., 2.17 chs. dist., to Angle Point 47, sec. 28;
	thence N. 61°22' W., 1.44 chs. dist., to Angle Point 48, sec. 28;
	thence N. 46°50' W., 1.87 chs. dist., to Angle Point 49, sec. 28;
	thence N. 14°23' W., 3.04 chs. dist., to Angle Point 50, sec. 28;
	thence N. 27°18' W., 2.50 chs. dist., to Angle Point 51, sec. 28;
	thence N. 12°19' W., 1.45 chs. dist., to Angle Point 52, sec. 28;
	thence N. 32°24' W., 3.60 chs. dist., to Angle Point 53, sec. 28;
	thence N. 73°25' W., 3.93 chs. dist., to Angle Point 54, sec. 28;
	thence N. 22°45' W., 0.86 chs. dist., to Angle Point 55, sec. 28;
	thence N. 54°05' W., 1.62 chs. dist., to Angle Point 56, sec. 28;
	thence N. 71°53' W., 1.26 chs. dist., to Angle Point 57, sec. 28;
	thence N. 44°09' W., 1.27 chs. dist., to Angle Point 58, sec. 28;
	thence N. 14°38' E., 0.35 chs. dist., to Angle Point 59, sec. 28, identical with Angle Point 1, sec. 21, on the line bet. secs. 21 and 28;
	thence N. 40°51' W., 2.29 chs. dist., to Angle Point 2, sec. 21;
	thence N. 3°46' W., 0.93 chs. dist., to Angle Point 3, sec. 21;
	thence N. 44°40' W., 3.00 chs. dist., to Angle Point 4, sec. 21;
	thence N. 56°11' W., 1.07 chs. dist., to Angle Point 5, sec. 21, identical with Angle Point 1, sec. 20, on the line bet. secs. 20 and 21;

**Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	thence N. 56°12' W., 1.38 chs. dist., to Angle Point 2, sec. 20;
	thence N. 31°31' W., 1.23 chs. dist., to Angle Point 3, sec. 20;
	thence N. 15°16' E., 1.08 chs. dist., to Angle Point 4, sec. 20;
	thence N. 18°05' W., 3.78 chs. dist., to Angle Point 5, sec. 20;
	thence N. 64°05' W., 1.90 chs. dist., to Angle Point 6, sec. 20;
	thence N. 29°12' W., 0.94 chs. dist., to Angle Point 7, sec. 20;
	thence N. 66°15' W., 0.55 chs. dist., to Angle Point 8, sec. 20;
	thence N. 31°55' W., 3.28 chs. dist., to Angle Point 9, sec. 20;
	thence N. 24°03' W., 1.49 chs. dist., to Angle Point 10, sec. 20;
	thence N. 24°32' E., 0.94 chs. dist., to Angle Point 11, sec. 20;
	thence N. 45°28' E., 0.73 chs. dist., to Angle Point 12, sec. 20;
	thence N. 1°08' W., 3.17 chs. dist., to Angle Point 13, sec. 20;
	thence N. 31°37' W., 1.41 chs. dist., to Angle Point 14, sec. 20;
	thence N. 4°16' W., 2.17 chs. dist., to Angle Point 15, sec. 20;
	thence N. 20°58' W., 1.46 chs. dist., to Angle Point 16, sec. 20;
	thence N. 41°02' W., 2.71 chs. dist., to Angle Point 17, sec. 20;
	thence N. 33°34' W., 2.12 chs. dist., to Angle Point 18, sec. 20;
	thence N. 89°09' W., 4.28 chs. dist., to Angle Point 19, sec. 20;
	thence N. 62°11' W., 1.71 chs. dist., to Angle Point 20, sec. 20;
	thence N. 45°14' W., 1.50 chs. dist., to Angle Point 21, sec. 20;
	thence N. 54°26' E., 2.71 chs. dist., to Angle Point 22, sec. 20;
	thence N. 61°13' E., 1.96 chs. dist., to Angle Point 23, sec. 20;
	thence N. 75°06' E., 3.63 chs. dist., to Angle Point 24, sec. 20;
	thence N. 69°13' E., 2.02 chs. dist., to Angle Point 25, sec. 20;
	thence S. 76°53' E., 1.47 chs. dist., to Angle Point 26, sec. 20;
	thence N. 69°29' E., 1.18 chs. dist., to Angle Point 27, sec. 20;
	thence N. 85°19' E., 2.45 chs. dist., to Angle Point 28, sec. 20;
	thence N. 71°56' E., 1.78 chs. dist., to Angle Point 29, sec. 20;
	thence N. 61°12' E., 2.44 chs. dist., to Angle Point 30, sec. 20, identical with Angle Point 6, sec. 21, on the line bet. secs. 20 and 21;
	thence N. 61°10' E., 0.71 chs. dist., to Angle Point 7, sec. 21;
	thence N. 47°35' E., 1.45 chs. dist., to Angle Point 8, sec. 21;

Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona

CHAINS	
	thence N. 59°38' E., 2.04 chs. dist., to Angle Point 9, sec. 21;
	thence N. 28°07' E., 4.73 chs. dist., to Angle Point 10, sec. 21;
	thence N. 14°06' E., 0.75 chs. dist., to Angle Point 11, sec. 21;
	thence N. 2°34' W., 1.54 chs. dist., to Angle Point 12, sec. 21;
	thence S. 50°23' E., 1.68 chs. dist., to Angle Point 13, sec. 21;
	thence S. 29°57' E., 0.69 chs. dist., to Angle Point 14, sec. 21;
	thence N. 9°55' E., 1.62 chs. dist., to Angle Point 15, sec. 21;
	thence N. 20°13' W., 0.78 chs. dist., to Angle Point 16, sec. 21;
	thence N. 42°58' W., 0.85 chs. dist., to Angle Point 17, sec. 21;
	thence N. 23°46' W., 0.86 chs. dist., to Angle Point 18, sec. 21;
	thence N. 7°23' E., 3.05 chs. dist., to Angle Point 19, sec. 21;
	thence N. 10°03' W., 2.25 chs. dist., to Angle Point 20, sec. 21;
	thence N. 3°26' W., 2.48 chs. dist., to Angle Point 21, sec. 21;
	thence N. 8°56' W., 1.49 chs. dist., to Angle Point 22, sec. 21;
	thence N. 25°16' W., 4.29 chs. dist., to Angle Point 23, sec. 21;
	thence N. 30°40' E., 2.29 chs. dist., to Angle Point 24, sec. 21;
	thence N. 1°21' W., 0.88 chs. dist., to Angle Point 25, sec. 21;
	thence N. 25°46' E., 0.67 chs. dist., to Angle Point 26, sec. 21;
	thence N. 1°30' W., 0.93 chs. dist., to Angle Point 27, sec. 21;
	thence N. 37°55' W., 5.44 chs. dist., to Angle Point 28, sec. 21;
	thence N. 21°45' W., 1.06 chs. dist., to Angle Point 29, sec. 21;
	thence N. 4°37' E., 0.77 chs. dist., to Angle Point 30, sec. 21;
	thence N. 7°05' W., 1.60 chs. dist., to Angle Point 31, sec. 21;
	thence N. 31°16' W., 0.75 chs. dist., to Angle Point 32, sec. 21;
	thence N. 56°50' W., 1.48 chs. dist., to Angle Point 33, sec. 21;
	thence N. 5°26' W., 1.11 chs. dist., to Angle Point 34, sec. 21;
	thence N. 16°37' E., 1.00 chs. dist., to Angle Point 35, sec. 21;

**Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	thence N. 10°30' W., 1.145 chs. dist., to Angle Point 36, sec. 21, identical with Angle Point 1, sec. 16, on the line bet. secs. 16 and 21;
	thence N. 40°44' W., 0.185 ch. dist., to Angle Point 2, sec. 16, identical with Angle Point 1, sec. 17, on the line bet. secs. 16 and 17;
	thence N. 73°37' W., 1.18 chs. dist., to Angle Point 2, sec. 17;
	thence N. 85°09' W., 1.70 chs. dist., to Angle Point 3, sec. 17;
	thence N. 68°35' W., 2.06 chs. dist., to Angle Point 4, sec. 17;
	thence N. 31°57' W., 2.62 chs. dist., to Angle Point 5, sec. 17;
	thence N. 3°58' W., 1.645 chs. dist., to Angle Point 6, sec. 17;
	thence N. 42°31' W., 3.70 chs. dist., to Angle Point 7, sec. 17;
	thence N. 29°57' E., 2.36 chs. dist., to Angle Point 8, sec. 17;
	thence S. 62°45' E., 3.00 chs. dist., to Angle Point 9, sec. 17;
	thence N. 71°08' E., 0.83 chs. dist., to Angle Point 10, sec. 17;
	thence N. 52°33' E., 1.84 chs. dist., to Angle Point 11, sec. 17;
	thence N. 41°46' E., 2.24 chs. dist., to Angle Point 12, sec. 17;
	thence N. 53°40' E., 1.48 chs. dist., to Angle Point 13, sec. 17, identical with Angle Point 3, sec. 16, on the line bet. secs. 16 and 17;
	thence N. 53°41' E., 2.03 chs. dist., to Angle Point 4, sec. 16;
	thence N. 9°56' W., 1.04 chs. dist., to Angle Point 5, sec. 16;
	thence N. 13°37' E., 1.13 chs. dist., to Angle Point 6, sec. 16;
	thence N. 29°08' E., 1.89 chs. dist., to Angle Point 7, sec. 16;
	thence N. 48°10' E., 2.25 chs. dist., to Angle Point 8, sec. 16;
	thence N. 53°07' E., 3.18 chs. dist., to Angle Point 9, sec. 16;
	thence N. 71°21' E., 1.41 chs. dist., to Angle Point 10, sec. 16;
	thence S. 87°52' E., 1.74 chs. dist., to Angle Point 11, sec. 16;
	thence S. 80°35' E., 4.91 chs. dist., to Angle Point 12, sec. 16;
	thence N. 70°34' E., 1.275 chs. dist., to Angle Point 13, sec. 16;
	thence S. 78°25' E., 2.15 chs. dist., to Angle Point 14, sec. 16;
	thence N. 76°02' E., 3.23 chs. dist., to Angle Point 15, sec. 16;
	thence N. 56°32' E., 1.92 chs. dist., to Angle Point 16, sec. 16;
	thence N. 42°39' E., 1.23 chs. dist., to Angle Point 17, sec. 16;
	thence S. 75°02' E., 1.49 chs. dist., to Angle Point 18, sec. 16;
	thence N. 69°58' E., 0.85 chs. dist., to Angle Point 19, sec. 16;
	thence N. 0°24' E., 2.08 chs. dist., to Angle Point 20, sec. 16;

**Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	thence N. 09°21' W., 2.01 chs. dist., to Angle Point 21, sec. 16;
	thence N. 15°41' E., 2.37 chs. dist., to Angle Point 22, sec. 16;
	thence N. 1°55' E., 4.84 chs. dist., to Angle Point 23, sec. 16;
	thence N. 54°33' E., 0.70 chs. dist., to Angle Point 24, sec. 16;
	thence S. 78°26' E., 0.72 chs. dist., to Angle Point 25, sec. 16;
	thence S. 21°08' E., 1.44 chs. dist., to Angle Point 26, sec. 16;
	thence S. 9°46' W., 0.85 chs. dist., to Angle Point 27, sec. 16;
	thence S. 34°26' E., 2.40 chs. dist., to Angle Point 28, sec. 16;
	thence N. 18°38' E., 2.59 chs. dist., to Angle Point 29, sec. 16;
	thence N. 3°11' E., 2.21 chs. dist., to Angle Point 30, sec. 16;
	thence N. 33°38' E., 1.89 chs. dist., to Angle Point 31, sec. 16;
	thence N. 20°11' E., 1.31 chs. dist., to Angle Point 32, sec. 16;
	thence N. 45°57' E., 0.61 chs. dist., to Angle Point 33, sec. 16;
	thence S. 81°38' E., 0.71 chs. dist., to Angle Point 34, sec. 16;
	thence S. 32°51' E., 3.76 chs. dist., to Angle Point 35, sec. 16;
	thence S. 17°08' E., 1.195 chs. dist., to Angle Point 36, sec. 16;
	thence S. 33°16' E., 2.12 chs. dist., to Angle Point 37, sec. 16;
	thence S. 23°20' E., 1.14 chs. dist., to Angle Point 38, sec. 16;
	thence S. 47°15' E., 0.94 chs. dist., to Angle Point 39, sec. 16;
	thence S. 34°41' E., 3.39 chs. dist., to Angle Point 40, sec. 16;
	thence S. 40°55' E., 2.02 chs. dist., to Angle Point 41, sec. 16;
	thence S. 75°25' E., 0.64 chs. dist., to Angle Point 42, sec. 16;
	thence S. 45°49' E., 1.09 chs. dist., to Angle Point 43, sec. 16;
	thence S. 85°54' E., 1.57 chs. dist., to Angle Point 44, sec. 16;
	thence S. 57°44' E., 0.72 chs. dist., to Angle Point 45, sec. 16;
	thence S. 9°20' E., 1.05 chs. dist., to Angle Point 46, sec. 16;

**Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	thence S. 40°46' E., 2.75 chs. dist., to Angle Point 47, sec. 16;
	thence S. 27°40' E., 1.93 chs. dist., to Angle Point 48, sec. 16;
	thence S. 78°11' E., 1.395 chs. dist., to Angle Point 49, sec. 16;
	thence S. 64°05' E., 1.44 chs. dist., to Angle Point 50, sec. 16;
	thence S. 89°07' E., 1.82 chs. dist., to Angle Point 51, sec. 16;
	thence S. 71°12' E., 1.75 chs. dist., to Angle Point 52, sec. 16;
	thence N. 77°54' E., 1.28 chs. dist., to Angle Point 53, sec. 16;
	thence S. 86°35' E., 1.21 chs. dist., to Angle Point 54, sec. 16;
	thence S. 67°42' E., 0.82 chs. dist., to Angle Point 55, sec. 16;
	thence N. 86°49' E., 1.12 chs. dist., to Angle Point 56, sec. 16;
	thence S. 37°44' E., 0.94 chs. dist., to Angle Point 57, sec. 16;
	thence S. 20°05' E., 1.95 chs. dist., to Angle Point 58, sec. 16;
	thence S. 9°49' E., 1.36 chs. dist., to Angle Point 59, sec. 16;
	thence N. 48°02' E., 1.95 chs. dist., to Angle Point 60, sec. 16;
	thence S. 49°07' E., 0.96 chs. dist., to Angle Point 61, sec. 16;
	thence S. 6°52' E., 0.94 chs. dist., to Angle Point 62, sec. 16;
	thence N. 18°26' E., 1.28 chs. dist., to Angle Point 63, sec. 16;
	thence N. 37°49' E., 1.39 chs. dist., to Angle Point 64, sec. 16;
	thence N. 55°24' E., 1.62 chs. dist., to Angle Point 65, sec. 16;
	thence N. 43°22' E., 1.54 chs. dist., to Angle Point 66, sec. 16;
	thence N. 62°51' E., 1.61 chs. dist., to Angle Point 67, sec. 16;
	thence N. 44°22' E., 1.53 chs. dist., to Angle Point 68, sec. 16;
	thence N. 7°47' E., 0.87 chs. dist., to Angle Point 69, sec. 16;
	thence N. 27°22' E., 1.06 chs. dist., to Angle Point 70, sec. 16;
	thence N. 40°04' E., 3.62 chs. dist., to Angle Point 71, sec. 16;
	thence N. 24°44' E., 1.65 chs. dist., to Angle Point 72, sec. 16;

**Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	thence N. 34°59' E., 2.71 chs. dist., to Angle Point 73, sec. 16;
	thence N. 19°53' E., 5.87 chs. dist., to Angle Point 74, sec. 16;
	thence N. 36°09' E., 5.71 chs. dist., to Angle Point 75, sec. 16;
	thence N. 53°59' E., 1.57 chs. dist., to Angle Point 76, sec. 16, identical with Angle Point 1, sec. 15, on the line bet. secs. 15 and 16;
	thence N. 53°53' E., 0.76 ch. dist., to Angle Point 2, sec. 15;
	thence N. 79°51' E., 1.51 chs. dist., to Angle Point 3, sec. 15;
	thence N. 64°21' E., 2.34 chs. dist., to Angle Point 4, sec. 15;
	thence N. 21°09' E., 2.61 chs. dist., to Angle Point 5, sec. 15;
	thence N. 43°41' E., 2.70 chs. dist., to Angle Point 6, sec. 15;
	thence N. 59°51' E., 1.84 chs. dist., to Angle Point 7, sec. 15;
	thence N. 46°00' E., 1.63 chs. dist., to Angle Point 8, sec. 15;
	thence N. 19°03' E., 1.12 chs. dist., to Angle Point 9, sec. 15;
	thence N. 1°29' W., 3.51 chs. dist., to Angle Point 10, sec. 15;
	thence N. 31°40' W., 1.92 chs. dist., to Angle Point 11, sec. 15;
	thence N. 37°23' W., 2.00 chs. dist., to Angle Point 12, sec. 15;
	thence N. 23°53' W., 1.69 chs. dist., to Angle Point 13, sec. 15;
	thence N. 10°58' W., 2.85 chs. dist., to Angle Point 14, sec. 15;
	thence N. 40°44' W., 4.71 chs. dist., to Angle Point 15, sec. 15;
	thence N. 16°28' W., 1.205 chs. dist., to Angle Point 16, sec. 15;
	thence N. 49°16' W., 1.45 chs. dist., to Angle Point 17, sec. 15;
	thence N. 39°19' W., 1.36 chs. dist., to Angle Point 18, sec. 15;
	thence N. 17°56' W., 1.93 chs. dist., to Angle Point 19, sec. 15;
	thence N. 44°20' W., 0.97 chs. dist., to Angle Point 20, sec. 15, identical with Angle Point 77, sec. 16, on the line bet. secs. 15 and 16;
	thence N. 44°30' W., 0.42 chs. dist., to Angle Point 78, sec. 16;
	thence S. 79°55' W., 1.46 chs. dist., to Angle Point 79, sec. 16;
	thence N. 67°37' W., 0.85 chs. dist., to Angle Point 80, sec. 16;
	thence N. 43°26' W., 1.725 chs. dist., to Angle Point 81, sec. 16;
	thence N. 34°16' W., 2.57 chs. dist., to Angle Point 82, sec. 16;
	thence N. 17°55' W., 3.795 chs. dist., to Angle Point 83, sec. 16;

**Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	thence N. 42°49' W., 1.21 chs. dist., to Angle Point 84, sec. 16;
	thence N. 24°56' W., 3.35 chs. dist., to Angle Point 85, sec. 16, on the line bet. secs. 9 and 16;
	thence S. 89°59' W., 31.51 chs. dist., on the line bet. secs. 9 and 16, to the 1/4 sec. cor. of secs. 9 and 16;
	thence S. 89°55' W., 39.945 chs. dist., on the line bet. secs. 9 and 16, to the cor. of secs. 8, 9, 16 1st 17;
	thence N. 0°02' E., 17.375 chs. dist., on the line bet. secs. 8 and 9, to Angle Point 1, sec. 8;
	thence S. 79°24' W., 2.82 chs. dist., to Angle Point 2, sec. 8;
	thence N. 69°03' W., 1.62 chs. dist., to Angle Point 3, sec. 8;
	thence N. 81°36' W., 1.89 chs. dist., to Angle Point 4, sec. 8;
	thence N. 55°52' W., 2.20 chs. dist., to Angle Point 5, sec. 8;
	thence S. 72°21' W., 1.575 chs. dist., to Angle Point 6, sec. 8;
	thence S. 83°09' W., 1.73 chs. dist., to Angle Point 7, sec. 8;
	thence N. 64°35' W., 4.97 chs. dist., to Angle Point 8, sec. 8;
	thence N. 46°02' W., 6.285 chs. dist., to Angle Point 9, sec. 8;
	thence N. 64°04' W., 3.79 chs. dist., to Angle Point 10, sec. 8;
	thence N. 55°22' W., 2.255 chs. dist., to Angle Point 11, sec. 8;
	thence N. 87°40' W., 1.78 chs. dist., to Angle Point 12, sec. 8;
	thence N. 59°06' W., 1.46 chs. dist., to Angle Point 13, sec. 8;
	thence N. 79°51' W., 0.94 chs. dist., to Angle Point 14, sec. 8;
	thence S. 60°07' W., 2.43 chs. dist., to Angle Point 15, sec. 8;
	thence S. 81°54' W., 3.075 chs. dist., to Angle Point 16, sec. 8;
	thence N. 66°52' W., 4.18 chs. dist., to Angle Point 17, sec. 8;
	thence S. 84°02' W., 1.975 chs. dist., to Angle Point 18, sec. 8;
	thence S. 63°15' W., 2.08 chs. dist., to Angle Point 19, sec. 8;
	thence S. 51°01' W., 2.81 chs. dist., to Angle Point 20, sec. 8;
	thence S. 77°00' W., 1.08 chs. dist., to Angle Point 21, sec. 8;
	thence N. 86°31' W., 3.43 chs. dist., to Angle Point 22, sec. 8;
	thence N. 68°54' W., 3.545 chs. dist., to Angle Point 23, sec. 8;
	thence N. 88°22' W., 3.08 chs. dist., to Angle Point 24, sec. 8;
	thence S. 82°06' W., 2.195 chs. dist., to Angle Point 25, sec. 8;
	thence S. 88°50' W., 1.69 chs. dist., to Angle Point 26, sec. 8;
	thence N. 75°33' W., 1.14 chs. dist., to Angle Point 27, sec. 8;
	thence S. 67°03' W., 4.16 chs. dist., to Angle Point 28, sec. 8;
	thence S. 77°32' W., 2.94 chs. dist., to Angle Point 29, sec. 8;
	thence S. 71°36' W., 3.67 chs. dist., to Angle Point 30, sec. 8;
	thence S. 49°07' W., 2.10 chs. dist., to Angle Point 31, sec. 8;
	thence S. 61°44' W., 1.77 chs. dist., to Angle Point 32, sec. 8;
	thence S. 89°28' W., 1.15 chs. dist., to Angle Point 33, sec. 8;
	thence N. 78°20' W., 1.16 chs. dist., to Angle Point 34, sec. 8;
	thence S. 73°02' W., 1.05 chs. dist., to Angle Point 35, sec. 8;
	thence S. 37°29' W., 2.74 chs. dist., to Angle Point 36, sec. 8;
	thence S. 66°14' W., 1.41 chs. dist., to Angle Point 37, sec. 8, on the line bet. secs. 7 and 8;

**Description of the Wabayuma Peak Wilderness Area Bdy,  
T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>thence S. 0°03' E., 18.605 chs. dist., on the line bet. secs. 7 and 8, to cor. of secs. 7, 8, 17 and 18;</p> <p>thence N. 89°44' W., 32.495 chs. dist., on the line bet. secs. 7 and 18, to Angle Point 1, sec. 18;</p> <p>thence S. 23°07' W., 3.045 chs. dist., to Angle Point 2, sec. 18;</p> <p>thence S. 43°31' W., 4.54 chs. dist., to Angle Point 3, sec. 18;</p> <p>thence S. 51°53' W., 3.84 chs. dist., to Angle Point 4, sec. 18;</p> <p>thence S. 42°38' W., 3.44 chs. dist., to Angle Point 5, sec. 18;</p> <p>thence S. 62°26' W., 1.43 chs. dist., to Angle Point 6, sec. 18;</p> <p>thence S. 51°20' W., 3.54 chs. dist., to Angle Point 7, sec. 18;</p> <p>thence S. 76°46' W., 7.035 chs. dist., to Angle Point 8, sec. 18;</p> <p>thence S. 59°20' W., 4.41 chs. dist., to Angle Point 9, sec. 18;</p> <p>thence S. 68°19' W., 3.20 chs. dist., to Angle Point 10, sec. 18;</p> <p>thence N. 84°56' W., 3.69 chs. dist., to Angle Point 11, sec. 18;</p> <p>thence S. 68°03' W., 5.20 chs. dist., to Angle Point 12, sec. 18;</p> <p>thence S. 61°11' W., 7.56 chs. dist., to Angle Point 13, sec. 18;</p> <p>thence S. 72°30' W., 1.59 chs. dist., to Angle Point 14, sec. 18;</p> <p>thence N. 79°47' W., 2.26 chs. dist., to Angle Point 15, sec. 18;</p> <p>thence N. 85°47' W., 0.96 chs. dist., to Angle Point 16, sec. 18, on the line bet. secs. 13 and 18, on the W. bdy. of the Tp.</p> <hr/>



CERTIFICATE OF SURVEY

I, Craig S. Dukart, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of special instructions bearing date of the 22nd day of October, 2009, I have dependently resurveyed portions of the east and west boundaries, and a portion of the subdivisional lines, subdivided secs. 25 and 33, and performed the metes-and-bounds survey of a portion of the Wabayuma Peak Wilderness Area boundary, T. 19 N., R. 16 W., of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction. Said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, 1973, and in specific manner described in the foregoing field notes.

APRIL 23, 2012  
(Date)

Craig S. Dukart  
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT  
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of portions of the east and west boundaries and a portion of the subdivisional lines, the subdivision of secs. 25 and 33, and the metes-and-bounds survey of a portion of the Wabayuma Peak Wilderness Area boundary, T. 19 N., R. 16 W., Gila and Salt River Meridian, in the State of Arizona, executed by Craig S. Dukart, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

4/26/2012  
(Date)

Stephen H. Hansen  
(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above described surveys in T. 19 N., R. 16 W., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~\_\_\_\_\_~~  
~~(Date)~~

~~\_\_\_\_\_~~  
~~(Chief Cadastral Surveyor of Arizona)~~