

ORIGINAL

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FIELD NOTES

OF THE

DEPENDENT RESURVEY OF A PORTION OF THE NORTH BOUNDARY
AND PORTIONS OF THE SUBDIVISIONAL LINES,
THE SUBDIVISION OF CERTAIN SECTIONS,
AND METES-AND-BOUNDS SURVEYS OF PORTIONS OF THE
ADMINISTRATIVE BOUNDARY OF THE DAVIS-MONTHAN AIR FORCE BASE,
TOWNSHIP 15 SOUTH, RANGE 15 EAST,
OF THE GILA AND SALT RIVER MERIDIAN,
IN THE STATE OF ARIZONA.

EXECUTED BY

Blas J. Urena, Cadastral Surveyor

Under Special Instructions dated January 4, 2013, approved January 4, 2013, which provided for the surveys included under Group No. 1111, and assignment instructions dated February 25, 2013.

Survey commenced January 16, 2013

Survey completed April 23, 2013

INDEX DIAGRAM

**TOWNSHIP 15 SOUTH RANGE 15 EAST
GILA AND SALT RIVER MERIDIAN, ARIZONA**

6 6 17 17 17	5 5 15 16	5 4 14	4 3 11 10 13	2 10	1
7 16 16	8 16 16	9 15	10 9 9 13	11	12
18	17 14 14	16 12	15 7 12	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Subdivision of Sec. 15Pages 17-21
Subdivision of Sec. 17Pages 21-22

Metes-and-Bounds Survey of Portions of
the Administrative Boundary of the
Davis-Monthan Air Force BasePages 22-40

T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET

The following field notes describe the dependent resurvey of a portion of the north boundary and portions of the subdivisional lines, the subdivision of certain sections, and metes-and-bounds surveys of portions of the administrative boundary of the Davis-Monthan Air Force Base, Township 15 South, Range 15 East, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this survey is as follows:

Philip Contzen resurveyed the West and portion of the North boundaries and Subdivision Lines of Township 15 South, Range 15 East in 1895. Philip Contzen resurveyed the West and South boundaries and Subdivision Lines of Township 14 South, Range 15 East in 1897.

The survey was executed in accordance with the specifications as set forth in the Manual of Surveying Instructions for the Survey of the Public Lands of the United States, 2009, and the Special Instructions dated January 4, 2013, for Group Number 1111, Arizona.

The true meridian direction and length of all lines were determined by static and real time kinematic global positioning system observations using Trimble Navigation 5700, 5800 and R8 model receivers.

Preliminary to the resurvey, the lines of the prior surveys were retraced and search was made for all corners and other calls of record. Identified corners were remonumented in their original positions. Lost corners were reestablished and remonumented at proportionate positions based on the official record. The retracement data were thoroughly verified and only the true line field notes are given herein.

Geodetic control was derived from global Position System (GPS) static observations post processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) DF7063 COT2 CITY OF TUCSON 2, DN9197 AZBR KBC LIBRARY, DM2672 PIMA COMM COLLEGE, DM7129 AZVA SYCOMORE ELEM SCH, DL7716 P014 SAHUARITA_AZ2007, DM7127 AZAM SOPORI ELEM SCH, DN6063 AZST SAN TAN PARK and DF5763 AZGB GILA COUNTY. The NAD 83 (CORS2011) (EPOCH 2010.0000), geographic position of the corner of sections 14, 15, 22 and 23, Township 15 South, Range 15 East, is as follows:

Latitude: 32°07'08.683" N. Longitude: 110°47'23.189" W.

The NAD 83 (CORS2011) (EPOCH 2010.0000), geographic position of the corner of Townships 14 and 15 South, Ranges 14 and 15 East, is as follows:

Latitude: 32°09'46.289" N. Longitude: 110°51'28.424" W.

T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET

The mean magnetic declination is 10° E.

**Dependent Resurvey of a portion of the North Boundary,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

Restoring the survey executed by
Philip Contzen, in 1897

Beginning at the cor. of secs. 2, 3, 34 and 35, Tps. 14 and 15 S., R. 14 E., on the N. bdy. of the Tp., monumented with a rebar, 5/8 in. diam., 8 ins. below ground, with an aluminum cap, 1 1/2 ins. diam., badly scarred. This is accepted as the best available evidence of the orig. cor.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, directly over the rebar and aluminum cap, in a collar of stone, 3 ft. base, to top, with brass cap mkd.

T 14 S	R 15 E
S 34	S 35
S 3	S 2
T15S	
2013	

N. 89°51' W., bet. secs. 3 and 34, on the N. bdy. of the Tp.

2639.8

The 1/4 sec. cor. of secs. 3 and 34, monumented with a rebar, 1/2 in. diam., 10 ins. below ground, with aluminum cap, 1 1/2 ins. diam., mkd. CITY OF TUCSON 1/4 203 3. This is accepted as the best available evidence of the orig. cor.

At the corner point

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, directly over the rebar and aluminum cap, in a collar of stone, with brass cap mkd.

T 14 S	R 15 E
S 34	
1/4	—
S 3	
T15S	
2013	

N. 89°53' W., beginning new measurement, continuing on the N. bdy. of the Tp.

Dependent Resurvey of a portion of the North Boundary,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET											
2641.3	<p>The cor. of secs. 3, 4, 33 and 34, monumented with a rebar, 1/2 in. diam., in concrete, bent to the east, with a 60D nail. This is accepted as the best available evidence of the orig. cor.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td>T 14 S</td> <td>R 15 E</td> </tr> <tr> <td>S 33</td> <td>S 34</td> </tr> <tr> <td>S 4</td> <td>S 3</td> </tr> <tr> <td colspan="2">T15S</td> </tr> <tr> <td colspan="2">2013</td> </tr> </table> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the nail and bent rebar alongside of the stainless steel post.</p> <hr/>	T 14 S	R 15 E	S 33	S 34	S 4	S 3	T15S		2013	
T 14 S	R 15 E										
S 33	S 34										
S 4	S 3										
T15S											
2013											
2639.2	<p>N. 89°52' W., bet. secs. 4 and 33, continuing on the N. bdy. of the Tp.</p> <p>The 1/4 sec. cor. of secs. 4 and 33, monumented with a brass cap, 2 ins. diam., in concrete, mkd. CITY OF TUCSON 1/4 T14S R15E SEC 33 2003 RLS 23956. This is accepted as the best available evidence of the orig. cor.</p> <hr/>										
2639.4	<p>N. 89°53' W., beginning new measurement, continuing on the N. bdy. of the Tp.</p> <p>The cor. of secs. 4, 5, 32 and 33, monumented with a brass cap, 2 ins. diam., in concrete, mkd. with a dimple. This is accepted as the best available evidence of the orig. cor.</p> <p>The cor. is loc. 9.6 ft. S. of the edge of pavement.</p> <hr/>										
2629.9	<p>N. 89°54' W., bet. secs. 5 and 32, continuing on the N. bdy. of the Tp.</p> <p>The 1/4 sec. cor. of secs. 5 and 32, monumented with a rebar, 1/2 in. diam., with a tag, mkd. PCDOT. This is accepted as the best available evidence of the orig. cor.</p> <p>At the corner point</p>										

Dependent Resurvey of a portion of the North Boundary,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, directly over the rebar and tag, in a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T 14 S R 15 E S 32 1/4 ——— S 5 T15S 2013</p> <hr/> <p>N. 89°56' W., beginning new measurement, continuing on the N. bdy. of the Tp.</p>
2629.8	<p>The cor. of secs. 5, 6, 31 and 32, monumented with an aluminum cap, 3 ins. diam., in casting, 6 ins. below surface, mkd. ADOT HIGHWAY DIV. 19. This is accepted as the best available evidence of the orig. cor.</p> <hr/> <p>N. 89°54' W., bet. secs. 6 and 31, on the N. bdy. of the Tp, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
75.0	<p>Point for AP 1, sec. 31, T. 14 S., R. 15 E., of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p> <p>At the corner point</p> <p>Set a mag nail, 2 ins. long, in pavement, flush, with a brass washer, 1 1/2 ins. diam., mkd. BLM 2013.</p> <p>Thence continuing on the N. bdy. of the Tp.</p>
2635.5	<p>Point for the 1/4 sec. cor. of secs. 6 and 31, at proportionate dist., there is no remaining evidence of the orig. cor., not monumented.</p>
5270.9	<p>The cor. of Tps. 14 and 15 S., Rs. 14 and 15 E., monumented with a stainless steel post, 2 /12 ins. diam., firmly set, flush with pavement, with brass cap mkd. T14S R14E R15E S36 S31 S1 S6 T15S 2013,</p> <p>from which</p> <p style="padding-left: 40px;">a spike, 12 ins. long, flush with ground, with a brass washer, 1 1/2 diam., mkd BLM 2013, bears N. 48°31' E., 146.6 ft. dist.</p> <p style="padding-left: 40px;">an open iron pipe, 1 1/2 ins. diam., 6 ins. above ground, bears S. 53°16' E., 50.0 ft. dist.</p>

**Dependent Resurvey of a portion of the North Boundary,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
	<p>a spike, 12 ins. long, flush with ground, with a brass washer, 1 1/2 diam., mkd BLM 2013, bears S. 45°46' E., 93.4 ft. dist.</p> <p>a spike, 12 ins. long, flush with ground, with a brass washer, 1 1/2 diam., mkd BLM 2013, bears N. 35°47' E., 115.0 ft. dist.</p>
	<hr/> <p>Dependent Resurvey of a portion of the Subdivisional Lines, T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona</p> <hr/>
	<p>Restoring the survey executed by Philip Contzen, in 1897</p> <hr/>
	<p>From the cor. of secs. 14, 15, 22 and 23, monumented with a brass cap, 2 ins. diam., 8 ins. below surface, in casting, mkd. with a dimple. This is accepted as the best available evidence of the orig. cor.</p> <p>N. 0°01' W., bet. secs. 14 and 15.</p>
718.6	<p>A rebar, 1/2 in. diam., firmly set, projecting 4 ins. above ground, with a brass tag, mkd. RLS 29873.</p>
1319.5	<p>The S. 1/16 sec. cor. of secs. 14 and 15, monumented with an aluminum post 2 1/2 ins. diam., projecting 6 ins. above ground, with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U. S. ARMY DM 83-20 1984 LOS ANGELES DISTRICT. This is accepted as a careful and faithful determination of the cor. position.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, in a mound of stone, 2 1/2 ft. base, to top, with brass cap mkd.</p> <p align="center"> T 15 S R 15 E S 1/16 S 15 S 14 2013 </p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Buried the aluminum post with aluminum cap, alongside the stainless steel post.</p>

Dependent Resurvey of a portion of the Subdivisional Lines,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
	<p>The cor. falls, S. 53°23' E., 2.2 ft., from the cor. of the Davis-Monthan Air Force Base fence, 8 ft. high, chain link, with fences extending N. and W.</p> <p>Thence continuing on the line bet. secs. 14 and 15, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
2574.1	<p>An aluminum post 2 1/2 ins. diam., flush with ground, with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U. S. ARMY DM 83-19 1984 LOS ANGELES DISTRICT. Aluminum post falls East, 0.8 ft. dist., from the Davis-Monthan Air Force Base fence, 8 ft. high, chain link, bears N. and S.</p>
2639.0	<p>Point for the 1/4 sec. cor. of secs. 14 and 15, at proportionate dist., there is no remaining evidence of the orig. cor., a rebar, 5/8 in. diam., with an aluminum cap, 1 1/2 ins. diam., mkd. LS 4785, found lying loose nearby.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 15 S R 15 E 1/4 S 15 S 14</p> <p style="text-align: center;">2013</p>
5278.0	<p>Deposit a magnet, in a white plastic case and the rebar with aluminum cap, at the base of the stainless steel post.</p> <p>The cor. falls, 1.0 ft. E. from the Davis-Monthan Air Force Base fence, 8 ft. high, chain link, bears N. and S.</p> <p>The cor. of secs. 10, 11, 14 and 15, monumented with a malpais stone, 13 x 12 x 10 ins., firmly set, projecting 8 ins. above ground, mkd. with 2 groves on the E. face and 4 groves in the S. face.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 15 S R 15 E S 10 S 11 S 15 S 14</p> <p style="text-align: center;">2013</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>

Dependent Resurvey of a portion of the Subdivisional Lines,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
	<p>Bury the stone alongside the stainless steel post.</p> <p>The cor. falls 1.0 ft. E. from the Davis-Monthan Air Force Base fence, 8 ft. high, chain link, bears N. and S.</p> <hr/> <p>N. 0°01' W., bet. secs. 10 and 11, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
1525.6	<p>An aluminum post, 2 1/2 ins. diam., with top cut off. Post falls 1.1 ft. E. from the Davis-Monthan Air Force Base fence, 8 ft. high, chain link, bears N. and S.</p>
2617.0	<p>The 1/4 sec. cor. of secs. 10 and 11, monumented with a rebar, 5/8 in. diam., bent to the NW, with a 60d nail where bent meets ground. This is accepted as the best available evidence of the orig. cor.</p> <p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 15 S R 15 E 1/4 S 10 S 11</p> <p style="text-align: center;">2013</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the rebar alongside the stainless steel post.</p> <p>The cor. falls 1.0 ft. E. from the Davis-Monthan Air Force Base fence, 8 ft. high, chain link, bears N. and S.</p> <hr/> <p>N. 0°01' W., beginning new measurement, continuing on the line bet. secs. 10 and 11, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
2616.9	<p>The cor. of secs. 2, 3, 10 and 11, at proportionate dist., 3 point dist. intersection, using Record of Surveys, Book 21, Page 86, Book 22, Page 5-1 and Book 23, Page 18, on file at Pima County Recorder's Office, there is no remaining evidence of the orig. cor.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p>

Dependent Resurvey of a portion of the Subdivisional Lines,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET							
	<table border="0"> <tr> <td>T 15 S</td> <td>R 15 E</td> </tr> <tr> <td>S 3</td> <td>S 2</td> </tr> <tr> <td>S 10</td> <td>S 11</td> </tr> </table>	T 15 S	R 15 E	S 3	S 2	S 10	S 11
T 15 S	R 15 E						
S 3	S 2						
S 10	S 11						
	2013						
	Deposit a magnet, in a white plastic case, at the base of the stainless steel post.						
	Cor. falls, in a depression/hole bet. 2 broken Carsonite posts, 0.7 ft. E. from the Davis-Monthan Air Force Base fence, 8 ft. high, chain link, bears N. and S.						
	<hr/> From the cor. of secs. 1, 2, 11 and 12, monumented with a brass cap, 2 ins. diam., 8 ins. below surface, in casting, mkd. T15SR15E S2 S1 S11 S12 COT 1994 PLS 20373. This is accepted as the best available evidence of the orig. cor.						
	S. 89°44' W., bet secs. 2 and 11.						
2656.2	The 1/4 sec. cor. of secs. 2 and 11, monumented with a rebar, 5/8 in. diam., with an aluminum cap, mkd. LS 4785. This is accepted as the best available evidence of the orig. cor.						
5312.4	The cor. of secs. 2, 3, 10 and 11, hereinbefore described,						
	<hr/> N. 0°06' E., bet. secs. 2 and 3, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.						
1216.1	An aluminum post, 2 1/2 ins. diam., projecting 4 ins. above ground, with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U. S. ARMY DM 83-15 1984 LOS ANGELES DISTRICT.						
2668.8	The 1/4 sec. cor. of secs. 2 and 3, monumented with a rebar, 5/8 in. diam., bent to the N., an aluminum cap, 1 1/2 ins. diam., mkd. LS 4785, was found lying loose nearby. This is accepted as the best available evidence of the orig. cor.						
	At the corner point						
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.						
	<table border="0"> <tr> <td>T 15 S</td> <td>R 15 E</td> </tr> <tr> <td></td> <td>1/4</td> </tr> <tr> <td>S 3</td> <td>S 2</td> </tr> </table>	T 15 S	R 15 E		1/4	S 3	S 2
T 15 S	R 15 E						
	1/4						
S 3	S 2						
	2013						

Dependent Resurvey of a portion of the Subdivisional Lines,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
	<p>Deposit a magnet, in a white plastic case and the rebar and aluminum cap, at the base of the stainless steel post.</p> <p>The cor. falls 0.9 ft. E. from the Davis-Monthan Air Force Base fence, 8 ft. high, chain link, bears N. and S.</p> <hr/> <p>N. 0°06' E., beginning new measurement, continuing on the line bet. secs. 2 and 3, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
303.6	<p>An aluminum post, 2 1/2 ins. diam., projecting 4 ins. above ground, with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U. S. ARMY DM 83-13 1984 LOS ANGELES DISTRICT. Falls 1.0 ft. E. from the Davis-Monthan Air Force Base fence, 8 ft. high, chain link, bears N. and S.</p>
1711.4	<p>An aluminum post, 2 1/2 ins. diam., projecting 7 ins. above ground, with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U. S. ARMY DM 83-12 LOS ANGELES DISTRICT. Falls, 1.1 ft. E. from the Davis-Monthan Air Force Base fence, 8 ft. high, chain link, bears N. and S.</p>
2509.1	<p>Point for AP 1, sec. 3, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, hereinafter described.</p> <p>Thence continuing on the line bet. secs. 2 and 3.</p>
2709.1	<p>The cor. of secs. 2, 3, 34 and 35, hereinbefore described.</p> <hr/> <p>From the cor. of secs. 14, 15, 22 and 23, hereinbefore described.</p> <p>N. 89°40' W., bet. secs. 15 and 22.</p>
1323.1	<p>Point for the E. 1/16 sec. cor. of secs. 15 and 22.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 37 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 15 S R 15 E</p> <p>S 15</p> <p>E 1/16 ———</p> <p>S 22</p> <p>2013</p> </div> <p>Deposit a magnet, in a white plastic case and a 60d nail, at the base of the stainless steel post.</p> <p>from which</p>

Dependent Resurvey of a portion of the Subdivisional Lines,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
	<p>a chisel X on a rim of a sanitary manhole, bears N. 78°58' E., 11.2 ft. dist.</p>
	<p>the fence cor. of the Davis-Monthan Air Force Base, 8 ft. high, chain link, bears N. 0°54' W., 75.8 ft. dist.</p>
2299.8	<p>A brass cap, 2 ins. diam., in concrete, flush, at the intersection of Valencia Road and Nexus Drive, mkd. COT 2006 RLS 23956.</p>
2646.2	<p>Point for the 1/4 sec. cor. of secs. 15 and 22, at proportionate dist., there is no remaining evidence of the orig. cor.</p> <p>Set a brass tablet, 3 1/2 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in pavement, flush, mkd.</p> <div style="text-align: center;"> <p>T 15 S R 15 E</p> <p>S 15</p> <p>1/4 ———</p> <p>S 22</p> <p>2013</p> </div>
	<p>Deposit a magnet, without the white plastic case, at the base of the brass tablet.</p> <p>The cor. falls, 3.5 ft. S. of the edge of pavement of Valencia Road.</p>
3669.3	<p>Point for the W. 1/16 sec. cor. of secs. 15 and 22, not monumented.</p>
5292.4	<p>The cor. of secs. 15, 16, 21 and 22, monumented with a brass cap, 2 ins. diam., 8 ins. below surface, in casting, mkd. with one dimple. This is accepted as the best available evidence of the orig. cor.</p>
	<hr/> <p>N. 0°02' W., bet. secs. 15 and 16.</p>
1323.9	<p>The S. 1/16 sec. cor. of secs. 15 and 16, monumented with a rebar, 1/2 in. diam., projecting 4 ins. above the ground, without a tag, accepted as a careful and faithful determination of the cor. point.</p>
2489.8	<p>Point for AP 5, sec. 16, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, hereinafter described.</p> <p>Thence continuing on the line bet. secs. 15 and 16, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>

Dependent Resurvey of a portion of the Subdivisional Lines,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
2490.7	An angle point on the fence of the Davis-Monthan Air Force Base, 8 ft. high, chain link, with fences extending S. 88° E. and N. 54° W.
2647.6	<p>The 1/4 cor. of secs. 15 and 16, at proportionate dist., there is no remaining evidence of the orig. cor.</p> <p>Set a brass tablet, 3 1/2 ins. diam., 2 1/2 ins. stem, cemented in a drill hole, in pavement, flush, mkd.</p> <p style="text-align: center;">T 15 S R 15 E 1/4 S 16 S 15</p> <p style="text-align: center;">2013</p> <p>Deposit a magnet, without the white plastic case, at the base of the brass tablet.</p> <p>The cor. falls, in the center line of Yuma Street, along a curve concave to the N. Yuma Street is 26 ft. wide.</p> <p>Thence continuing on the line bet. secs. 15 and 16.</p>
5295.1	<p>The cor. of secs. 9, 10, 15 and 16, point accepted for the cor. of secs. 9, 10, 15 and 16, occupied with a steel pipe, 2 ins. diam., projecting 4 ins. above the ground, with a steel cap, 2 1/2 ins. diam., mkd. USCE S9 S10 S16 S15 1951. This is accepted as the best available evidence of the orig. cor.</p> <hr/> <p>From the cor. of secs. 10, 11, 14 and 15, hereinbefore described.</p> <p>N. 89°29' W., bet. secs. 10 and 15.</p>
2646.85	<p>The 1/4 cor. of secs. 10 and 15, at proportionate dist., there is no remaining evidence of the orig. cor., not monumented.</p>
5293.7	<p>The cor. of secs. 9, 10, 15 and 16, hereinbefore described.</p> <hr/> <p>From the cor. of secs. 2, 3, 10 and 11, hereinbefore described.</p> <p>N. 88°49' W., bet. secs. 3 and 10.</p>
2643.0	<p>The 1/4 cor. of secs. 3 and 10, at proportionate dist., there is no remaining evidence of the orig. cor., not monumented.</p>
5286.0	<p>The cor. of secs. 3, 4, 9 and 10, monumented with a sand stone, 13 x 6 x 5 ins., firmly set, projecting 5 ins. above ground, mkd. with 3 notches on the E. face and 5 notches in the S. face.</p>

Dependent Resurvey of a portion of the Subdivisional Lines,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET							
	<p>At the corner point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <table border="1"> <tr> <td>T 15 S</td> <td>R 15 E</td> </tr> <tr> <td>S 4</td> <td>S 3</td> </tr> <tr> <td>S 9</td> <td>S 10</td> </tr> </table> <p>2013</p> </div> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the stone alongside the stainless steel post.</p> <hr/>	T 15 S	R 15 E	S 4	S 3	S 9	S 10
T 15 S	R 15 E						
S 4	S 3						
S 9	S 10						
	<p>N. 0°08' E., bet. secs. 3 and 4.</p>						
2626.6	<p>The 1/4 cor. of secs. 3 and 4, at proportionate dist., there is no remaining evidence of the orig. cor., not monumented.</p>						
5081.0	<p>Point for AP 3, sec. 3, identical with AP 1, sec. 4, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, hereinafter described.</p>						
5280.9	<p>The cor. of secs. 3, 4, 33 and 34, hereinbefore described.</p> <hr/>						
	<p>From the cor. of secs. 16, 17, 20 and 21, monumented with a rebar, 1/2 in. diam., without a tag. This is accepted as the best available evidence of the org. cor.</p>						
	<p>N. 0°06' E., bet. secs. 16 and 17.</p>						
2389.5	<p>Intersect the center line alignment of Valencia Road, monumented with a brass cap, 2 ins. diam., 8 ins. below surface, in casting, mkd. with 1 dimple.</p>						
2644.1	<p>The 1/4 sec. cor. of secs. 16 and 17, monumented with a rebar, 1/2 in. diam., without a tag. This is accepted as the best available evidence of the org. cor.</p> <hr/>						
	<p>N. 0°06' E., beginning new measurement.</p>						
2307.8	<p>Point for AP 1, sec. 16, identical with AP 6, sec. 17, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, hereinafter described.</p>						

Dependent Resurvey of a portion of the Subdivisional Lines,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
2644.0	<p>The cor. of secs. 8, 9, 16 and 17, monumented with a steel pipe, 2 ins. diam., projecting 5 ins. above the ground, with a steel cap, 2 1/2 ins. diam., mkd. USCE S8 S9 S16 S17 1951. This is accepted as the best available evidence of the orig. cor.</p> <hr/> <p>From the cor. of secs. 9, 10, 15 and 16, hereinbefore described.</p> <p>S. 89°57' W., bet. secs. 9 and 16.</p>
2642.3	<p>The 1/4 cor. of secs. 9 and 16, at proportionate dist., there is no remaining evidence of the orig. cor., not monumented.</p>
5222.9	<p>A rebar, 5/8 in. diam., projecting 3 ins. above ground, with an aluminum cap, 1 1/2 ins. diam., mkd. PE 2368.</p> <p>From this point, an angle point on the old fence of the Davis-Monthan Air Force Base, barbed wire, 6 ft. high, bears N. 34°27' E., 1.2 ft. dist., with fences extending E. and N. 54° W.</p> <p>From the same point, an angle point on the new fence of the Davis-Monthan Air Force Base, chain link, 8 ft. high, bears N. 20°10' E., 10.9 ft. dist., with fences extending E. and N. 54° W.</p>
5284.6	<p>The cor. of secs. 8, 9, 16 and 17, hereinbefore described.</p> <hr/> <p>From the cor. of secs. 3, 4, 9 and 10, hereinbefore described.</p> <p>S. 89°49' W., bet. secs. 4 and 9.</p>
2642.9	<p>The 1/4 cor. of secs. 4 and 9, at proportionate dist., there is no remaining evidence of the orig. cor., not monumented.</p>
5285.8	<p>The cor. of secs. 4, 5, 8 and 9, at proportionate dist., there is no remaining evidence of the orig. cor., not monumented.</p> <hr/> <p>N. 0°12' E., bet. secs. 4 and 5.</p>
2641.4	<p>The 1/4 cor. of secs. 4 and 5, at proportionate dist., there is no remaining evidence of the orig. cor., not monumented.</p>
5108.4	<p>Point for AP 3, sec. 4, identical with AP 1, sec. 5, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, hereinafter described.</p>
5308.4	<p>The cor. of secs. 4, 5, 32 and 33, hereinbefore described.</p> <hr/>

Dependent Resurvey of a portion of the Subdivisional Lines,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
	<p>From the cor. of secs. 8, 9, 16 and 17, hereinbefore described.</p> <p>N. 89°53' W., bet. secs. 8 and 17.</p>
2643.3	<p>The 1/4 cor. of secs. 8 and 17, monumented with a steel pipe, 2 ins. diam., projecting 5 ins. above the ground, with a steel cap, 2 1/2 ins. diam., mkd. USCE S8 1/4 S17 1951. This is accepted as the best available evidence of the orig. cor.</p> <hr/> <p>N. 89°52' W., beginning new measurement.</p>
2654.1	<p>The cor. of secs. 7, 8, 17 and 18, monumented with an aluminum cap, 3 ins. diam., in casting, 9 ins. below surface, mkd. ADOT HIGHWAY DIV. 19. This is accepted as the best available evidence of the orig. cor.</p> <hr/> <p>N. 0°17' E., bet. secs. 7 and 8.</p>
2638.9	<p>The 1/4 cor. of secs. 7 and 18, monumented with an aluminum cap, 3 ins. diam., in concrete, flush, mkd. ADOT HIGHWAY DIV. 19. This is accepted as the best available evidence of the orig. cor.</p> <hr/> <p>N. 0°05' E., beginning new measurement.</p>
1211.0	<p>From this point, a rebar, 1/2 in. diam., flush with the ground, with a tag, mkd. LS 4399, bears S. 89°55' E., 0.2 ft. dist.</p>
1212.0	<p>Point for AP 2, sec. 7, identical with AP 1, sec. 8, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, hereinafter described.</p>
1212.1	<p>From this point, an aluminum cap, 3 ins. diam., in concrete, mkd. ADOT HIGHWAY DIV. 1984, bears S. 89°55' E., 0.2 ft. dist., with an angle iron 1.6 ft. north of the aluminum cap, mkd. P.O.T. 178+52.16.</p>
2639.8	<p>The cor. of secs. 5, 6, 7 and 8, monumented with a rebar, 1/2 in. diam., 9 ins. below the ground, with an aluminum cap, 1 1/2 ins. diam., mkd. DOOLEY LS 16845 S. This is accepted as the best available evidence of the orig. cor.</p> <hr/> <p>From the cor. of secs. 4, 5, 8 and 9, hereinbefore described.</p> <p>N. 89°55' W., bet. secs. 5 and 8.</p>
2641.9	<p>The 1/4 cor. of secs. 5 and 8, at proportionate dist., there is no remaining evidence of the orig. cor., not monumented.</p>

Dependent Resurvey of a portion of the Subdivisional Lines,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
5283.8	The cor. of secs. 5, 6, 7 and 8, hereinbefore described. <hr/>
	N. 89°02' W., bet. secs. 6 and 7.
2025.8	Point for AP 8, sec. 6, identical with AP 1, sec. 7, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, hereinafter described.
2642.4	The 1/4 cor. of secs. 6 and 7, monumented with a concrete base, 6 ins. diam., 2 ins. below the ground. This is accepted as the best available evidence of the orig. cor. Deposit a magnet, in a white plastic case, next to the concrete base. <hr/>
	N. 89°01' W., beginning new measurement.
2604.7	The cor. of secs. 1, 6, 7 and 12, monumented with a brass cap, 2 ins. diam., in pavement, 2 ins. below surface, mkd. T15S R14E 1 6 7 12 PCHD. This is accepted as the best available evidence of the orig. cor. <hr/>
	From the cor. of secs. 5, 6, 7 and 8.
	N. 0°27' E., bet. secs. 5 and 6.
2639.3	The 1/4 cor. of secs. 5 and 6, at proportionate dist., there is no remaining evidence of the orig. cor., not monumented.
5108.9	Point for AP 3, sec. 5, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, hereinafter described. Thence continuing on the line bet. secs. 5 and 6, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.
5309.0	The cor. of secs. 5, 6, 31 and 32, hereinbefore described. <hr/>
	Subdivision of Section 15, T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona <hr/>
	From the 1/4 sec. cor. of secs. 15 and 22.
	N. 0°02' W., on the N. and S. center line of sec. 15.

Subdivision of Section 15,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
75.0	<p>Point for AP 1, sec. 15, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, hereinafter described.</p> <p>Thence continuing on the N. and S. center line of sec. 15, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
1321.7	<p>Point for the center S. 1/16 sec. cor. of sec. 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 15 S R 15 E</p> <p>C</p> <p>S 1/16 S 15</p> <p>C</p> <p>2013</p> </div> <p>Deposit a magnet, in a white plastic case at the base of the stainless steel post.</p> <p>From this point, an angle point on fence of the Davis-Monthan Air Force Base, chain link, 8 ft. high, bears N. 75°13' E., 1.1 ft. dist., fence bears S. and W.</p> <p>Thence continuing on the N. and S. center line of sec. 15.</p>
1322.0	<p>Intersect the fence of the Davis-Monthan Air Force Base, chain link, 8 ft. high, bears E. and W.</p>
2643.3	<p>Point for the center 1/4 sec. cor. of sec. 15, at intersection with the E. and W. center line. Not monumented.</p>
5286.5	<p>The 1/4 sec. cor. of secs. 10 and 15.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 14 and 15.</p> <p>N. 89°35' W., on the E. and W. center line of sec. 15.</p>
1323.3	<p>The center E. 1/16 sec. cor. of sec. 15. Not monumented.</p>
2646.5	<p>Point for the center 1/4 sec. cor. of sec. 15.</p>
3969.8	<p>Point for the center W. 1/16 sec. cor. of sec. 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 34 ins. in the ground, with brass cap mkd.</p>

Subdivision of Section 15,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	<p style="text-align: center;">T 15 S R 15 E W 1/16 C ——— C S 15 2013</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>from which</p> <p style="padding-left: 40px;">a chisel X on a concrete culvert, north of Yuma road, bears N. 89°15' E., 62.7 ft. dist.</p> <p>The cor. falls, 5.6 ft. N. of the edge of pavement of Yuma Road.</p> <p>Thence continuing on the E. and W. center line of sec. 15, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
5293.0	<p>The 1/4 sec. cor. of secs. 15 and 16.</p> <hr style="border: 0.5px solid black;"/> <p>From the E. 1/16 sec. cor. of secs. 15 and 22.</p> <p>N. 0°01' W., on the N. and S. center line of the SE 1/4 of sec. 15.</p>
75.0	<p>Point for AP 2, sec. 15, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, hereinafter described.</p> <p>Thence continuing on the N. and S. center line of the SE 1/4 of sec. 15, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
1320.6	<p>Point for the SE 1/16 sec. cor. of sec. 15.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 15 S R 15 E SE 1/16 S15 2013</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p>

Subdivision of Section 15,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
	<p>From this point, an angle point on fence of the Davis-Monthan Air Force Base, chain link, 8 ft. high, bears N. 77°06' E., 0.9 ft. dist., fence bears E. and S.</p> <p>Thence continuing on the N. and S. center line of the SE 1/4 of sec. 15.</p>
1320.8	Intersect the fence of the Davis-Monthan Air Force Base, chain link, 8 ft. high, bears E. and W.
2641.1	The center E. 1/16 sec. cor. of sec. 15.
	<hr/> <p>From the S. 1/16 sec. cor. of secs. 14 and 15.</p> <p>N. 89°37' W., on the E. and W. center line of the SE 1/4 of sec. 15. identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
1323.2	The SE 1/16 sec. cor. of sec. 15.
	Thence continuing on the E. and W. center line of the SE 1/4 of sec. 15.
1324.1	Intersect the fence of the Davis-Monthan Air Force Base, chain link, 8 ft. high, bears N. and S.
2645.4	Intersect the fence of the Davis-Monthan Air Force Base, chain link, 8 ft. high, bears N. and S.
2646.4	The center S. 1/16 sec. cor. of sec. 15.
	<hr/> <p>From the W. 1/16 sec. cor. of secs. 15 and 22.</p> <p>N. 0°02' W., on the N. and S. center line of the SW 1/4 of sec. 15.</p>
1322.9	<p>The SW 1/16 sec. cor. of sec. 15, monumented with a brass cap, 1 1/2 ins. diam., in concrete, flush, mkd. USCE LA DIST DM 83-25, accepted as a careful and faithful determination of the cor. point.</p> <p>From this point, an angle point on fence of the Davis-Monthan Air Force Base, chain link, 8 ft. high, bears N. 34°43' E., 1.7 ft. dist., fence bears N. and E.</p> <p>Thence continuing on the N. and S. center line of the SW 1/4 of sec. 15, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>

**Subdivision of Section 15,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
2487.7	From this point, an aluminum post, 2 1/2 ins. diam., projecting 8 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U.S. ARMY DM 83-26 LOS ANGELES DISTRICT, bears S. 89°58' W., 0.2 ft. dist., from which an angle point on fence of the Davis-Monthan Air Force Base, chain link, 8 ft. high, bears NE., 0.5 ft. dist., fence bears S. and W.
2488.0	Intersect the fence of the Davis-Monthan Air Force Base, chain link, 8 ft. high, bears E. and W.
2645.4	The center W. 1/16 sec. cor. of sec. 15. <hr/>
	From the center S. 1/16 sec. cor. of sec. 15. N. 89°37' W., on the E. and W. center line of the SW 1/4 of sec. 15, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.
1323.1	The SW 1/16 sec. cor. of sec. 15. Thence continuing on the on the E. and W. center line of the SW 1/4 of sec. 15.
2646.4	The S. 1/16 sec. cor. of secs. 15 and 16. <hr/>
	Subdivision of Section 17, T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona
	From the center 1/4 sec. cor. of sec. 17, monumented with an open pipe, 1 1/2 ins. diam., with a tag, mkd. RLS 12122. The open pipe was established by Mellon, in 1984, Bruce F. Small, Arizona R.L.S. No. 12122, added the tag, in 2006, according to Record of Surveys Book 49 Page 7 and Book 53 Page 72, on file at Pima County Recorder's Office. This is accepted as a careful and faithful determination of the cor. position. N. 0°04' E., on the N. and S. center line of sec. 17.
898.4	AP 4, sec. 17, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, hereinafter described. Thence continuing on the N. and S. center line of sec. 17, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.
1322.8	Point for the center N. 1/16 sec. cor. of sec. 17, not monumented.

Subdivision of Section 17,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
1328.9	<p>Point for AP 3, sec. 17, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, hereinafter described.</p> <p>Thence continuing on the N. and S. center line of sec. 17.</p>
1559.2	<p>Point for AP 1, sec. 17, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, hereinafter described.</p> <p>Thence continuing on the N. and S. center line of sec. 17, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
1578.5	<p>From this point, a rebar, 1/2 in. diam., with a tag, mkd. PLS 22245, set by Michael K. Amerson, Arizona R.L.S. No. 22245, bears N. 89°56' W., 0.2 ft. dist.</p>
2309.3	<p>From this point, an aluminum post, 2 1/2 ins. diam., projecting 3 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U.S. ARMY DM 83-36 1984 LOS ANGELES DISTRICT, bears N. 89°56' W., 0.9 ft. dist.</p>
2645.2	<p>The 1/4 sec. cor. of secs. 8 and 17.</p> <hr/> <p>From the 1/4 sec. cor. of secs. 16 and 17.</p> <p>N. 89°55' W., on the E. and W. center line of sec. 17.</p>
2642.2	<p>The center 1/4 sec. cor. of sec. 17.</p> <hr/> <p style="text-align: center;">Metes-and-Bounds Survey of Portions of the Administrative Boundary of the Davis-Monthan Air Force Base, T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona</p> <hr/> <p style="text-align: center;">In the N1/2 of sec. 3</p> <hr/> <p>From AP 1, sec. 3, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 2 and 3, monumented with an aluminum post, 2 1/2 ins. diam., 30 ins. long, with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U. S. ARMY DM 83-11A 1984 LOS ANGELES DISTRICT. This is accepted as a careful and faithful determination of the cor. position.</p> <p>At the cor. point</p>

**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
	<p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 15 S R 15 E S 3 S 2 ----- AP 1 DMAFB 2013</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the aluminum post alongside the stainless steel post.</p> <p>The cor. falls, N., 2.3 ft. dist., of the cor. of the Davis-Monthan Air Force Base fence, chain link, 8 ft. high, fence bears S. and W.</p> <p>N. 89°51' W., on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
2639.7	<p>Point for AP 2, sec. 3, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the N. and S. center line of sec. 3.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, in a collar of stone, with brass cap mkd.</p> <p style="text-align: center;">T 15 S R 15 E S 3 ----- AP 2 D M A F B 2013</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>The cor. falls, N., 1.8 ft. dist., of the Davis-Monthan Air Force Base fence, chain link, 8 ft. high, fence bears E. and W.</p> <p>From this point, the 1/4 sec. cor. of secs. 3 and 34, bears N. 0°08' E., 200.0 ft. dist.</p> <p>From this same point, the point for the 1/4 sec. cor. of secs. 3 and 10, hereinbefore described, bears S. 0°08' W., 5130.2 ft. dist.</p> <p style="text-align: center;">-----</p>

**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET													
2641.5	<p>N. 89°53' W., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p> <p>AP 3, sec. 3, identical with AP 1, sec. 4, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 3 and 4, monumented with a rebar, 1/2 in. diam., firmly set, 7 ins. below the ground, with a brass tag, mkd. PE 10890. This is accepted as a careful and faithful determination of the cor. position.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <table style="margin: auto;"> <tr><td>T 15 S</td><td>R 15 E</td></tr> <tr><td>S 4</td><td>S 3</td></tr> <tr><td colspan="2">-----</td></tr> <tr><td>AP 1</td><td>AP 3</td></tr> <tr><td>D M</td><td>A F B</td></tr> <tr><td colspan="2">2013</td></tr> </table> </div> <p>Deposit a magnet, in a white plastic case and the rebar with tag, at the base of the stainless steel post.</p> <p>Set a "T" post, 8 ft. long, nearby.</p> <p>The cor. falls, N., 0.5 ft. dist., of the Davis-Monthan Air Force Base fence, chain link, 8 ft. high, fence bears E. and W.</p> <hr style="width: 50%; margin: 20px auto;"/> <p style="text-align: center;">In the N1/2 of sec. 4</p> <hr style="width: 50%; margin: 20px auto;"/> <p>From AP 3, sec. 3, identical with AP 1, sec. 4, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 3 and 4, hereinbefore described.</p> <p>N. 89°53' W., on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>	T 15 S	R 15 E	S 4	S 3	-----		AP 1	AP 3	D M	A F B	2013	
T 15 S	R 15 E												
S 4	S 3												

AP 1	AP 3												
D M	A F B												
2013													
2639.5	<p>Point for AP 2, sec. 4, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the N. and S. center line of sec. 4.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>												

Metes-and-Bounds Survey of Portions of the
 Administrative Boundary of the Davis-Monthan Air Force Base,
 T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	<p style="text-align: center;">T 15 S R 15 E S 4</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP 2 D M A F B 2013</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>The cor. falls, N., 1.9 ft. dist., of the Davis-Monthan Air Force Base fence, chain link, 8 ft. high, fence bears E. and W.</p> <p>From this point, the 1/4 sec. cor. of secs. 4 and 33, hereinbefore described, bears N. 0°10' E., 200.0 ft. dist.</p> <p>From this same point, the point for the 1/4 sec. cor. of secs. 4 and 9, hereinbefore described, bears S. 0°10' W., 5095.0 ft. dist.</p> <hr style="width: 30%; margin: auto;"/> <p>N. 89°53' W., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
2639.5	<p>Point for AP 3, sec. 4, identical with AP 1, sec. 5, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 4 and 5.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, in a collar of red brick, with brass cap mkd.</p> <p style="text-align: center;">T 15 S R 15 E S 5 S 4</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP 1 AP 3 D M A F B 2013</p> <p>Deposit a magnet, in a white plastic case and the rebar with tag, at the base of the stainless steel post.</p> <p>The cor. falls, N., 2.3 ft. dist., of the Davis-Monthan Air Force Base fence, chain link, 8 ft. high, fence bears E. and W.</p> <hr style="width: 30%; margin: auto;"/>



Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
	<p>In the N1/2 of sec. 5</p> <hr style="width: 20%; margin: auto;"/>
2630.3	<p>From AP 3, sec. 4, identical with AP 1, sec. 5, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 4 and 5, hereinbefore described.</p> <p>N. 89°54' W., on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p> <p>Point for AP 2, sec. 5, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the N. and S. center line of sec. 5.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, in a collar of concrete pieces and stone, with brass cap mkd.</p> <p style="text-align: center;">T 15 S R 15 E S 5</p> <hr style="width: 10%; margin: auto;"/> <p style="text-align: center;">AP 2 D M A F B 2013</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>The cor. falls, N., 1.8 ft. dist., of the Davis-Monthan Air Force Base fence, chain link, 8 ft. high, fence bears E. and W.</p> <p>From this point, the 1/4 sec. cor. of secs. 5 and 32, hereinbefore described, bears N. 0°20' E., 200.0 ft. dist.</p> <p>From this same point, the point for the 1/4 sec. cor. of secs. 5 and 8, hereinbefore described, bears S. 0°20' W., 5109.3 ft. dist.</p> <hr style="width: 20%; margin: auto;"/>
2555.3	<p>N. 89°56' W., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p> <p>From this point, an aluminum cap, 3 ins. diam., in concrete, mkd. ADOT HIGHWAY DIV. 19, with an angle iron, mkd. P.O.T. 243+93.45, bears S. 0°04' W., 0.6 ft. dist.</p>


**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
2630.2	<p>AP 3, sec. 5, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 5 and 6, monumented with an aluminum cap, 3 ins. diam., 6 ins. below surface, in casting, mkd. ADOT HIGHWAY DIV. 1984. This is accepted as a careful and faithful determination of the cor. point.</p> <p>The cor. falls, in the left turn lane of north bound of Kolb Road.</p> <hr/> <p style="text-align: center;">In the S 1/2 of sec. 6</p> <hr/> <p>From AP 4, sec. 6, identical with AP 3, sec. 1, T. 15 S., R. 14 E., of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 1 and 6, Tps. 15 S., Rs. 14 and 15 E. Monumented with a brass tablet, 3 1/2 ins. diam., cemented in pavement, flush, mkd. T15S R14E R15E D M A F B AP3 AP4 S1 S6 2013.</p> <p>The cor. falls, S., 0.8 ft. dist., from a gate of the Davis-Monthan Air Force Base, 8 ft. high, chain link, bears E. and W.</p> <p>S. 88°57' E., on a portion of the administrative boundary of Davis-Monthan Air Force Base.</p>
75.3	<p>A rebar, 1/2 in. diam., projecting 3 ins. above the ground, with a tag, mkd. PE 2663, set by Paul W. Cella, Arizona P.E. No. 2663, in 1965, according to Record of Survey Book 18, Page 59, on file at Pima County Recorder's Office.</p>
609.8	<p>AP 5, sec. 6, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, monumented with a copper rod, 1/2 in. diam., 18 ins. long, with a copper cap, 1 1/2 ins. diam., mkd. USCE LA DIST 83-42, and a rebar next to it, 1/2 in. diam., 15 ins. long., 6 ins. below the ground. This is accepted as a careful and faithful determination of the cor. position.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
	<div style="text-align: center;"> <p>T 15 S R 15 E DMAFB AP 5</p>  <p>S 6</p> <p>2013</p> </div> <p>Deposit a magnet, in a white plastic case and the copper rod with cap and the rebar, at the base of the stainless steel post.</p> <p>From this point, an angle point on the fence of the Davis-Monthan Air Force Base, 8 ft. high, chain link, bears N. 43°21' W., 2.1 ft. dist., the fence bears N. and W.</p>
	<p>N. 0°13' E., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
63.8	<p>From this point, a rebar, 1/2 in. diam., 2 ins. below the ground, with a tag, mkd. RLS 13178, set by William E. Johnson, Arizona R.L.S. No. 13178, bears S. 89°47' E., 0.3 ft. dist.</p>
780.7	<p>AP 6, sec. 6, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, monumented with a rebar, 1/2 in. diam., 18 ins. long, 6 ins. below the surface of the ground, with a tag, mkd. PE 2663, established by Paul W. Cella, Arizona P.E. No. 2663, in 1965, according to Record of Survey Book 18, Page 59, on file at Pima County Recorder's Office. This is accepted as a careful and faithful determination of the cor. position.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 15 S R 15 E D M A F B AP 6</p>  <p>S 6</p> <p>2013</p> </div> <p>Deposit a magnet, in a white plastic case and the rebar with tag, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p>

**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
	<p>From this point, an angle point on the fence of the Davis-Monthan Air Force Base, 8 ft. high, chain link, bears N. 47°30' W., 1.5 ft. dist., the fence bears E. and S.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 89°19' E., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
757.5	<p>AP 7, sec. 6, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, monumented with a rebar, 1/2 in. diam., 15 ins. long, 4 ins. below the surface of the ground. This is accepted the best available evidence of the cor. point.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 15 S R 15 E D M A F B AP 7</p>  <p>2013</p> </div> <p>Deposit a magnet, in a white plastic case and the rebar, at the base of the stainless steel post.</p> <p>Set a steel fence post nearby.</p> <p>From this point, an angle point on the fence of the Davis-Monthan Air Force Base, 8 ft. high, chain link, bears N. 60°12' W., 1.3 ft. dist., the fence bears S. 54°E. and W.</p> <hr style="width: 20%; margin: auto;"/> <p>S. 54°09' E., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
673.7	<p>A rebar, 1/2 in. diam., bent to south, with a tag, mkd. RLS 13178.</p>
1525.1	<p>From this point, a rebar, 1/2 in diam., a with tag, mkd. PE 63, bears N. 35°51' E., 0.3 ft. dist.</p>

**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
2281.1	<p>Point for AP 8, sec. 6, identical with AP 1, sec. 7, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 6 and 7, not monumented.</p> <hr/> <p style="text-align: center;">In the NE 1/4 of sec. 7</p> <hr/> <p>From the point for AP 1, sec. 7, identical with AP 8, sec. 6, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 6 and 7, hereinbefore described.</p> <p>S. 54°09' E., on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
0.5	A rebar, 1/2 in. diam., leaning to the north, projecting 2 ins. above the ground, with a tag, mkd. LS 4680.
70.4	From this point, a rebar, 5/8 in. diam., projecting 1 in. above the ground, with a tag, mkd. PE 2663, bears S. 35°51' W., 0.7 ft. dist.
871.1	From this point, a rebar, 1/2 in. diam., 2 ins. below the ground, without a tag, bears S. 35°51' W., 0.9 ft. dist.
1278.3	From this point, a rebar, 5/8 in. diam., with a tag, mkd. RLS 29273, bears S. 35°51' W., 0.8 ft. dist.
1685.0	From this point, a rebar, 1/2 in. diam., with a tag, mkd. LS 16845, bears S. 35°51' W., 0.9 ft. dist.
2496.6	<p>Point for AP 2, sec. 7, identical with AP 1, sec. 8, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 7 and 8, not monumented.</p> <p>From this point, an angle point on the fence of the Davis-Monthan Air Force Base, 8 ft. high, chain link, bears N. 32°37' W., 3.1 ft. dist., the fence bears N. and N. 54° W.</p> <hr/> <p style="text-align: center;">In the W 1/2 of sec. 8</p> <hr/> <p>From the for AP 1, sec. 8, identical with AP 2, sec. 7, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 7 and 8, hereinbefore described.</p>

**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
	S. 54°09' E., on a portion of the administrative boundary of the Davis-Monthan Air Force Base.
246.5	From this point, an aluminum cap, 3 ins. diam., in concrete, mkd. ADOT HIGHWAY DIV. 1984, with an angle iron, mkd. H. W. R. OF W. P.O.T. 177+28.90, bears N. 35°51' E., 0.2 ft. dist., from which, an angle point on the fence of the Davis-Monthan Air Force Base, 8 ft. high, chain link, bears N. 31°30' W., 1.6 ft. dist., the fence bears N. and S. 54° E.
493.2	A rebar, 1/2 in. diam., 1 in. below the ground, with a tag, mkd. RLS 14172.
1628.7	A rebar, 1/2 in. diam., projecting 1 in. above the ground, with a tag, mkd. RLS 14172.
2076.5	A rebar, 1/2 in. diam., projecting 4 in. above the ground, with a tag, mkd. PLS 22245.
2410.8	AP 2, sec. 8, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, monumented with a rebar, 1/2 in. diam., 15 ins. long, projecting 7 ins. above the ground, with a tag, mkd. LS 6715, established by James A. Turner, Arizona R.L.S. No. 6715. This is accepted as a careful and faithful determination of the cor. point.
	At the cor. point
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	<p style="text-align: center;">T 15 S R 15 E D M A F B S 8 AP 2 2013</p>
	Deposit a magnet, in a white plastic case and the rebar with tag, at the base of the stainless steel post.
	The cor. falls, S. 36° W., 0.4 ft. of the Davis-Monthan Air Force Base old fence, barbed wire, 6 ft. high, fence bears S. 54° E. and N. 54° W., and S. 36° W., 9.3 ft. of the Davis-Monthan Air Force Base new fence, 8 ft. high, chain link, the fence bears S. 54° E. and N. 54° W.
	From this point, an aluminum post, 2 1/2 ins. diam., with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U. S. ARMY DM 83-38 1984 LOS ANGELES DISTRICT, bears S. 54°10' E., 32.8 ft. dist.

**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
	<p>S. 10°21' E., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
147.4	<p>Point for AP 3, sec. 8, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, monumented with a rebar, 1/2 in. diam., 15 ins. long, with a tag, mkd. LS 6715, established by James A. Turner, Arizona R.L.S. No. 6715. This is accepted as a careful and faithful determination of the cor. point.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 15 S R 15 E</p> </div> <p>2013</p> <p>Deposit a magnet, in a white plastic case and the rebar with tag, at the base of the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/>
	<p>S. 0°05' W., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
563.0	<p>From this point, a rebar, 1/2 in. diam., with a tag, mkd. PLS 22245, bears N. 89°55' W., 0.2 ft. dist.</p>
979.7	<p>AP 4, sec. 8, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, monumented with a rebar, 1/2 in. diam., with a tag, mkd. LS 6715, established by James A. Turner, Arizona R.L.S. No. 6715. This is accepted as a careful and faithful determination of the cor. point.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p>

**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
	<p>T 15 S R 15 E</p> <div style="border: 1px solid black; display: inline-block; padding: 2px;"> <p>DMAFB AP 4</p> </div> <p>S 8</p> <p>2013</p> <p>Deposit a magnet, in a white plastic case and the rebar with tag, at the base of the stainless steel post.</p> <p>From this point, a rebar, 1/2 in. diam., bears N. 38°36' W., 1.3 ft. dist.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89°54' E., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
330.5	<p>AP 5, sec. 8, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, monumented with an aluminum post, 2 1/2 ins. diam., projecting 3 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U.S. ARMY DM 83-37 1984 LOS ANGELES DISTRICT. This is accepted as a careful and faithful determination of the cor. position.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 0°04' W., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
659.0	<p>AP 6, sec. 8, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, monumented with an aluminum post, 2 1/2 ins. diam., projecting 6 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U.S. ARMY DM 83-35 1984 LOS ANGELES DISTRICT. This is accepted as a careful and faithful determination of the cor. position.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89°45' E., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
331.2	<p>AP 7, sec. 8, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the N. and S. center line of sec. 8, monumented with a rebar, 1/2 in. diam., 16 ins. long, with a tag, mkd. RLS 18219, established by Phillip G. Lux, Arizona R.L.S. No. 18219. This is accepted as a careful and faithful determination of the cor. point.</p>

**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
	<p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 15 S R 15 E D M A F B AP 7</p> </div> <p>2013</p> <p>Deposit a magnet, in a white plastic case and the rebar with tag, at the base of the stainless steel post.</p> <hr/> <p>S. 0°04' W., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
659.0	<p>The 1/4 sec. cor. of secs. 8 and 17.</p> <hr/> <p style="text-align: center;">In the SW 1/4 of the SE 1/4 of sec. 15</p> <hr/> <p>From AP 1, sec. 15, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the N. and S. center line of sec. 15.</p> <p>Set a masonry nail, 1 1/4 ins. long, cemented in a drill hole, in the concrete footing of an angle post of the fence of the Davis-Monthan Air Force Base, with a brass washer, 1 1/2 ins. diam., mkd. BLM 2013.</p> <p>S. 89°40' E., on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
1323.1	<p>AP 2, sec. 15, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the N. and S. center line of the SE 1/4 of sec. 15.</p> <p>Set a masonry nail, 1 1/2 ins. long, cemented in a drill hole, in the concrete footing of an angle post of the fence of the Davis-Monthan Air Force Base, with a brass washer, 1 1/2 ins. diam., mkd. BLM 2013.</p> <hr/>

**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET											
	In sec. 16										

	From AP 1, sec. 16, identical with AP 6, sec. 17, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 16 and 17, monumented with a rebar, 1/2 in. diam., 14 ins. long, flush with the ground. This is accepted the best available evidence of the cor. point.										
	At the cor. point										
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 35 ins. in the ground, with brass cap mkd.										
	<table style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="2" style="text-align: center;">T 15 S R 15 E</td> </tr> <tr> <td style="text-align: center;">D M</td> <td style="text-align: center;">A F B</td> </tr> <tr> <td style="text-align: center;">AP 6</td> <td style="text-align: center;">AP 1</td> </tr> <tr> <td colspan="2" style="text-align: center;">_____</td> </tr> <tr> <td style="text-align: center;">S 17</td> <td style="text-align: center;">S 16</td> </tr> </table>	T 15 S R 15 E		D M	A F B	AP 6	AP 1	_____		S 17	S 16
T 15 S R 15 E											
D M	A F B										
AP 6	AP 1										


S 17	S 16										
	2013										
	Deposit a magnet, in a white plastic case and the rebar, at the base of the stainless steel post.										
	Set a steel fence post nearby.										
	The cor. falls, on the E. edge of a trail road, bears N. and S.										
	From this point, a rebar, 1/2 in. diam., with an aluminum cap, 1 1/2 ins. diam., mkd. PE 5178, bears N. 89°54' W., 75.0 ft. dist.										
	S. 89°59' E., on a portion of the administrative boundary of the Davis-Monthan Air Force Base.										
528.6	AP 2, sec. 16, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, monumented with an aluminum cap, 1 1/2 ins. diam., in concrete footing of a fence cor., mkd. PE 2 68. This is accepted as a careful and faithful determination of the cor. point.										
	From this point, an angle point on the fence of the Davis-Monthan Air Force Base, 8 ft. high, chain link, bears N. 50°50' E., 0.5 ft. dist., the fence bears S. 54° E. and N. 20° W.										

	S. 53°49' E., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.										

**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
106.6	<p>AP 3, sec. 16, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, monumented with an aluminum post, 2 1/2 ins. diam., in concrete, projecting 6 ins. above the concrete footing of a fence cor., with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U.S. ARMY LOS ANGELES DISTRICT. This is accepted as a careful and faithful determination of the cor. point.</p> <p>From this point, an angle point on the fence of the Davis-Monthan Air Force Base, 8 ft. high, chain link, bears S. 87°21' E., 0.2 ft. dist., the fence bears E. and N. 54° W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 89°58' E., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
1347.6	<p>AP 4, sec. 16, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, monumented with an aluminum post, 2 1/2 ins. diam., projecting 4 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U.S. ARMY DM 83-31A 1984 LOS ANGELES DISTRICT. This is accepted as a careful and faithful determination of the cor. point.</p> <p>From this point, an angle point on the fence of the Davis-Monthan Air Force Base, 8 ft. high, chain link, bears N. 82°42' E., 0.7 ft. dist., the fence bears S. 54° E. and W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 54°09' E., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
2051.0	<p>Point selected for a witness point on the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. AP 4, sec.16, and AP 5, sec. 16.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin-top: 20px;"> <p style="margin: 0;">WP</p> <p style="margin: 0;">T 15 S R 15 E</p> <p style="margin: 0;">D</p> <p style="margin: 0;">M</p> <p style="margin: 0;">A</p> <p style="margin: 0;">S 16</p> <p style="margin: 0;">F</p> <p style="margin: 0;">B</p> </div> <p style="text-align: center; margin-top: 10px;">2013</p>



**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
4102.0	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Witness point falls in the fence of the Davis-Monthan Air Force Base, 8 ft. high, chain link, the fence bears S. 54° E. and N. 20° W.</p> <p>AP 5, sec. 16, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 15 and 16, monumented with an aluminum post, 2 1/2 ins. diam., with the top cut off, filled with concrete, the top part of the post, with an aluminum cap, 3 1/4 ins. diam., mkd. CORPS OF ENGINEERS U.S. ARMY DM 83-27 1984 LOS ANGELES DISTRICT., was found lying loose, 80 ft. S., This is accepted as a careful and faithful determination of the cor. point.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 15 S R 15 E D M A F B</p>  <p style="text-align: center;">AP 5 S 16 2013</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Bury the aluminum post and aluminum cap, alongside the stainless steel post.</p> <hr/> <p style="text-align: center;">In N 1/2 of sec. 17</p> <hr/> <p>From AP 1, sec. 17, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the N. and S. center line of sec. 17.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.</p>


**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
	<p style="text-align: center;">T 15 S R 15 E S 17 } D M A F B } AP 1 / 2013</p>
	<p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>S. 17°40' W., on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
45.2	<p>From this point, a rebar, 1/2 in. diam., with a tag, mkd. RLS 18219, bears N. 72°20' W., 3.2 ft. dist.</p>
46.1	<p>From this point, a rebar, 1/2 in. diam., bent to the W., with a 60D nail next to it, with a tag, mkd. PLS 22245, bears N. 72°20' W., 0.2 ft. dist.</p>
123.6	<p>Intersect center line alignment of Valencia Road, not monumented.</p> <p>From this point, a point in the center line of Valencia Road, monumented with a brass cap, 2 ins. diam., 8 ins. below surface, in casting, mkd. with 1 dimple, bears S. 57°35' E., 3171.7 ft. dist.</p> <p>From this same point, a point in the center line alignment of Valencia Road, monumented with a brass cap, 2 ins. diam., in concrete, flush, mkd. with 1 dimple, bears N. 57°35' W., 23.0 ft. dist.</p>
201.3	<p>AP 2, sec. 17, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, at the intersection with the southerly right-of-way of Valencia Road, monumented with a rebar, 1/2 in. diam., bent to S., 18 ins. long, This is accepted as a careful and faithful determination of the cor. point.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p>

Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET	
	<p style="text-align: center;">T 15 S R 15 E</p>  <p style="text-align: center;">2013</p> <p>Deposit a magnet, in a white plastic case and the rebar, at the base of the stainless steel post.</p>
72.0	<p style="text-align: center;">T 15 S R 15 E</p>  <p style="text-align: center;">2013</p> <p>S. 57°37' E., beginning new measurement, along the southerly right-of-way of Valencia Road, identical with a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p> <p>Point for AP 3, sec. 17, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the N. and S. center line of sec. 17.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>From AP 4, sec. 17, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the N. and S. center line of sec. 17, monumented with a rebar, 1/2 in. diam., with a tag, mkd. PE 5968, established by Charles E. Martin, Arizona PE No. 5968. This is accepted as a careful and faithful determination of the cor. point.</p> <p>N. 17°46' E., on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>

**Metes-and-Bounds Survey of Portions of the
Administrative Boundary of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

FEET	
1479.6	<p>AP 5, sec. 17, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, monumented with a rebar, 5/8 in. diam., 19 ins. long, 6 ins. above the ground, with an aluminum cap, mkd. PE 5178, with a Carsonite post set NE of the rebar, established by Sanford B. Evans, Arizona PE No. 5178, in 1966, according to Book 18, Page 71, the plat of Eastside Cycle Park, on file at Pima County Recorder's Office. This is accepted as a careful and faithful determination of the cor. position.</p> <p>At the cor. point</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, in a collar of stone, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 15 S R 15 E D M A F B AP 5</p>  <p>2013</p> </div> <p>Deposit a magnet, in a white plastic case and the rebar with the aluminum cap, at the base of the stainless steel post.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 89°54' E., beginning new measurement, continuing on a portion of the administrative boundary of the Davis-Monthan Air Force Base.</p>
2118.3	<p>A rebar, 1/2 in. diam., with an aluminum cap, mkd. PE 5178, established by Sanford B. Evans, Arizona PE No. 5178, in 1966, according to Book 18, Page 71, the plat of Eastside Cycle Park, on file at Pima County Recorder's Office.</p>
2193.3	<p>AP 6, sec. 17, identical with AP 1, sec. 16, of the metes-and-bounds survey of a portion of the administrative boundary of the Davis-Monthan Air Force Base, on the line bet. secs. 16 and 17, hereinbefore described.</p> <hr style="width: 60%; margin: 10px auto;"/>

T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET

GENERAL DESCRIPTION

Part of the Davis-Monthan Air Force Base is located in the northeast and northwest quadrant of the township, Davis-Monthan Air Force Base is located within the city limits, and approximately 5 miles southeast of downtown, Tucson, Arizona.

The area surveyed and resurveyed within T. 15 S., R. 15 E., consists of nearly level to rolling terrain. Wilmot Road traverses part of the west boundary of the township in a north and south directions, Irvington Road traverses part of the north boundary of the township in an east and west directions, Yuma Road traverses the part of the township in a southeasterly and northwesterly directions.

The mean magnetic declination of 10° E. was derived from the United States Geological Survey computer program GEOMAG, utilizing the World Magnetic Model for Epoch 2010 for the dates of survey.

**Composite Description of the Administrative Boundary
of the Davis-Monthan Air Force Base,
T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona**

The following is for informational purposes only.

Beginning at Angle Point 4, sec. 6, identical with Angle Point 3, sec. 1, T. 15 S., R. 14 E., on the W. bdy. of the Tp.

thence S. 88°57' E., 609.8 ft. dist., to Angle Point 5, sec. 6;
thence N. 0°13' E., 780.7 ft. dist., to Angle Point 6, sec. 6;
thence S. 89°19' E., 757.5 ft. dist., to Angle Point 7, sec. 6;
thence S. 54°09' E., 2281.1 ft. dist., to Angle Point 8, sec. 6,
identical with Angle Point 1, sec. 7, on the line bet. secs.
6 and 7;
thence S. 54°09' E., 2496.6 ft. dist., to Angle Point 2, sec. 7;
identical with Angle Point 1, sec. 8, on the line bet. secs.
7 and 8;
thence S. 54°09' E., 2410.8 ft. dist., to Angle Point 2, sec. 8;
thence S. 10°21' E., 147.4 ft. dist., to Angle Point 3, sec. 8;
thence S. 0°05' W., 979.7 ft. dist., to Angle Point 4, sec. 8;
thence S. 89°54' E., 330.5 ft. dist., to Angle Point 5, sec. 8;
thence S. 0°04' W., 659.0 ft. dist., to Angle Point 6, sec. 8;
thence S. 89°45' E., 331.2 ft. dist., to Angle Point 7, sec. 8;
thence S. 0°04' W., 659.0 ft. dist., to the 1/4 sec. cor. of
secs. 8 and 17;
thence S. 0°04' W., 1086.0 ft. dist., on the N. and S. center
line of sec. 17, to Angle Point 1, sec. 17;
thence S. 17°40' W., 201.3 ft. dist., to Angle Point 2, sec. 17;

T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET

thence S. 57°37' E., 72.0 ft. dist., to Angle Point 3, sec. 17;
 thence S. 0°04' W., 430.5 ft. dist., to Angle Point 4, sec. 17;
 thence N. 17°46' E., 1479.6 ft. dist., to Angle Point 5,
 sec. 17;
 thence S. 89°54' E., 2193.3 ft. dist., to Angle Point 6,
 sec. 17, identical with Angle Point 1, sec. 16, on the line
 bet. secs. 16 and 17;
 thence S. 89°59' E., 528.6 ft. dist., to Angle Point 2, sec. 16;
 thence S. 53°49' E., 106.6 ft. dist., to Angle Point 3, sec. 16;
 thence N. 89°58' E., 1347.6 ft. dist., to Angle Point 4,
 sec. 16;
 thence S. 54°09' E., 2051.0 ft. dist., to a witness point on
 line bet. Angle Point 4, sec. 16 and Angle Point 5, sec. 16;
 thence continuing S. 54°09' E., 2051.0 ft. dist., to
 Angle Point 5, sec. 16 on the line bet. secs. 15 and 16;
 thence N. 0°02' W., 157.8 ft. dist., on the line bet. secs. 15
 and 16, to the 1/4 sec. cor. of secs. 15 and 16;
 thence S. 89°35' E., 1323.3 ft. dist., on the E. and W. center
 line of sec. 15, to the center W. 1/16 sec. cor. of sec. 15;
 thence S. 0°02' E., 1322.5 ft. dist., on the N. and S. center
 line of the SW 1/4 of sec. 15, to the SW 1/16 sec. cor. of
 sec. 15.
 thence S. 89°37' E., 1323.1 ft. dist., on the E. and W. center
 line of the SW 1/4 of sec. 15, to the center S. 1/16 sec.
 cor. of sec. 15;
 thence S. 0°02' E., 1246.7 ft. dist., on the N. and S. center
 line of sec. 15, to Angle Point 1, sec. 15;
 thence S. 89°40' E., 1323.1 ft. dist., to Angle Point 2,
 sec. 15, on the N. and S. center line of the SE 1/4 of
 sec. 15;
 thence N. 0°01' W., 1245.6 ft. dist., on the N. and S. center
 line of the SE 1/4 of sec. 15, to the SE 1/16 sec. cor. of
 sec. 15;
 thence S. 89°37' E., 1323.2 ft. dist., on the E. and W. center
 line of the SE 1/4 of sec. 15, to the S. 1/16 sec. cor. of
 secs. 14 and 15;
 thence N. 0°01' W., 1319.5 ft. dist., on the line bet. secs. 14
 and 15, to the 1/4 sec. cor. of secs. 14 and 15;
 thence N. 0°01' W., 2639.0 ft. dist., continuing on the line
 bet. secs. 14 and 15, to the cor. of secs. 10, 11, 14 and 15;
 thence N. 0°01' W., 2617.0 ft. dist., on the line bet. secs. 10
 and 11, to the 1/4 sec. cor. of secs. 10 and 11;
 thence N. 0°01' W., 2616.9 ft. dist., continuing on the line
 bet. secs. 10 and 11, to the cor. of secs. 2, 3, 10 and 11;
 thence N. 0°06' E., 2668.9 ft. dist., on the line bet. secs. 2
 and 3, to the 1/4 sec. cor. of secs. 2 and 3;
 thence N. 0°06' E., 2509.1 ft. dist., continuing on the line
 bet. secs. 2 and 3, to Angle Point 1, sec. 3;
 thence N. 89°51' W., 2639.7 ft. dist., to Angle Point 2, sec. 3;
 thence N. 89°53' W., 2641.5 ft. dist., to Angle Point 3, sec. 3,
 identical with Angle Point 1, sec. 4, on the line bet. secs.
 3 and 4;
 thence N. 89°53' W., 2639.5 ft. dist., to Angle Point 2, sec. 4;

T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona

FEET

thence N. $89^{\circ}53'$ W., 2639.5 ft. dist., to Angle Point 3, sec. 4,
identical with Angle Point 1, sec. 5, on the line bet. secs.
4 and 5;

thence N. $89^{\circ}54'$ W., 2630.3 ft. dist., to Angle Point 2, sec. 5;
thence N. $89^{\circ}56'$ W., 2630.2 ft. dist., to Angle Point 3, sec. 5,
on the line bet. secs. 5 and 6;

thence N. $0^{\circ}27'$ E., 200.1 ft. dist., on the line bet. secs. 5
and 6, to the cor. of secs. 5, 6, 31 and 32, on the N. bdy.
of the Tp.

CERTIFICATE OF SURVEY

I, Blas J. Urena, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of special instructions bearing date of the 4th day of January, 2013, I have dependently resurveyed a portion of the north boundary and portions of the subdivisional lines, subdivided certain sections, and performed metes-and-bounds surveys of portions of the administrative boundary of the Davis-Monthan Air Force Base, T. 15 S., R. 15 E., of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction. Said survey has been made in strict conformity with said special instructions, the Manual of Surveying Instructions for the Survey of the Public Lands of the United States, 2009, and in specific manner described in the foregoing field notes.

8/01/2013

(Date)

Blas J. Urena

(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Phoenix, Arizona

The foregoing field notes of a dependent resurvey of a portion of the north boundary and portions of the subdivisional lines, the subdivision of certain sections, and metes-and-bounds surveys of portions of the administrative boundary of the Davis-Monthan Air Force Base, T. 15 S., R. 15 E., Gila and Salt River Meridian, in the State of Arizona, executed by Blas J. Urena, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

8/07/2013

(Date)

Stephen H. Hansen

(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above described surveys in T. 15 S., R. 15 E., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~(Date)~~

~~(Chief Cadastral Surveyor of Arizona)~~