

ORIGINAL

**UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**

FIELD NOTES

OF THE

DEPENDENT RESURVEY OF A PORTION OF THE SUBDIVISIONAL LINES

AND METES-AND-BOUNDS SURVEYS IN PARTIALLY SURVEYED

TOWNSHIP 11 NORTH, RANGE 11 EAST,

OF THE GILA AND SALT RIVER MERIDIAN,

IN THE STATE OF ARIZONA.

EXECUTED BY

Blas J. Urena, Cadastral Surveyor

Under Special Instructions dated February 18, 2014, approved February 18, 2014, which provided for the surveys included under Group No. 1130, and assignment instructions dated February 18, 2014.

Survey commenced March 04, 2014

Survey completed March 05, 2014

INDEX DIAGRAM

TOWNSHIP 11 NORTH RANGE 11 EAST
GILA & SALT RIVER MERIDIAN, ARIZONA

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29 5	28	27	26	25
31	32	33	34	35	36

Metes-and Bounds Survey of Tract 38 Pages 6-12
Metes-and Bounds Survey of Tract 39 Pages 12-15

**Partially Surveyed,
T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona**

CHAINS	<p>The following field notes describe the dependent resurvey of a portion of the subdivisional lines and metes-and-bounds surveys in partially surveyed Township 11 North, Range 11 East, Gila and Salt River Meridian, Arizona.</p> <p>The history of surveys pertaining to this survey is as follows:</p> <p>Paul L. Reeves surveyed portion of the Subdivisional Lines in the partially surveyed Township 11 North, Range 11 East in 1987. The Amended Protraction Diagram of partially surveyed Township 11 North, Range 11 East, approved on February 17, 2006, supersedes that portion of Arizona Protraction Diagram No. 56 for this area, except where existing rights or administrative actions based upon Arizona Protraction Diagram No. 56 are not adequately protected. Star Valley Landfill Maintenance Yard, as defined by record of survey filed by Hugh H. Haennelt, Arizona Registered Land Surveyor No. 13561, on March 22, 1995, in Gila County No. 95-663277 Map No. 982, hereinafter known as Tract 38.</p> <p>Protraction Blocks (PB) 58 and 59, referred to in the forgoing field notes, are derived from the plat titled "Partially Surveyed Township 11 North, Range 11 East, of the Gila and Salt River Meridian, Arizona Amended Protraction Diagram (APD)", approved December 11, 2014. This plat was approved concurrently with this survey to include Tracts 38 and 39.</p> <p>The survey was executed in accordance with the specifications as set forth in the <u>Manual of Surveying Instructions for the Survey of the Public Lands of the United States, 2009</u>, and the <u>Special Instructions dated February 18 2014, for Group Number 1130, Arizona</u>.</p> <p>The true meridian direction and length of all lines were determined by real time kinematic global positioning system observations using Trimble Navigation 5700 and R8 model receivers.</p> <p>Preliminary to the resurvey, the lines of the prior surveys were retraced and search was made for all corners and other calls of record. Identified corners were remonumented in their original positions. Lost corners were reestablished and remonumented at proportionate positions based on the official record. The retracement data were thoroughly verified and only the true line field notes are given herein.</p> <p>Geodetic control was derived from Global Positioning System (GPS) static observations post processed by National Geodetic Survey, Online Positioning User Service (OPUS), utilizing Continuously Operating Reference Stations (CORS) DL3063 AZTP TEMPE CORS ARP, DL1882 AZFL NAU FLAGSTAFF CORS ARP and DN4496 AZUP USERY MOUNTAIN PK CORS ARP.</p>
--------	---

**Partially Surveyed,
T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona**

CHAINS

The NAD 83 (2011) (EPOCH 2010.0000), geographic position of the section corner of sections 28, 29, 32 and 33 of Township 11 North, Range 11 East, is as follows:

Latitude: 34°15'38.826" N. Longitude: 111°14'19.910" W.

The NAD 83 (2011) (EPOCH 2010.0000), geographic position of AP2, Tract 39 of Township 11 North, Range 11 East, is as follows:

Latitude: 34°16'04.254" N. Longitude: 111°14'36.250" W.

The mean magnetic declination is 10 1/2° E.

**Dependent Resurvey of a portion of the Subdivisional Lines,
Partially Surveyed T. 11 N., R. 11 E.,
Gila and Salt River Meridian, Arizona**

Restoring the survey executed by
Paul L. Reeves, in 1987

Beginning at the NE cor. of sec. 32, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 13 ins. above the ground, in a mound of stone, 3 1/2 ft. base, to top of brass cap, mkd T11N R11E S29 S28 S32 S33 1987. With an aluminum fence post, with a Forest Service sign 54-9, nearby, from which bearing trees from the survey rejected by Paul L. Reeves, in 1987.

A piñon, 13 ins. diam. at the base, bears N. 51 1/2° E., 1.005 chs. dist., with scribe marks T11N 11 28 BT visible on partially open blaze.

A dead alligator juniper, 24 ins. diam. at the base, bears S. 48 1/4° E., 95.5 lks. dist., with scribe marks R 33 B visible.

A piñon, 18 ins. diam. at the base, bears S. 6 1/2° W., 1.02 chs. dist., with scribe marks visible but not legible on a mostly healed blaze.

from which the 1987 bearing trees

A piñon, 10 ins. diam. at the base, bears S. 3 3/4° E., 1.145 chs. dist., with scribe marks T11NR11E S33 BT.

A piñon, 10 ins. diam. at the base, bears N. 65 1/4° W., 64 lks. dist., with scribe marks T11NR11E S29 BT.

Add the marks 2014 to the brass cap.

Dependent Resurvey of a portion of the Subdivisional Lines,
Partially Surveyed
T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>N. 89°52' W., on the N. line of sec. 32.</p>
	<p>Over rolling terrain.</p>
39.92	<p>The N. 1/4 sec. cor. of sec. 32, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 6 ins. above the ground, with brass cap, mkd T11N R11E 1/4 S29 S32 1987. With steel fence post, with a Forest Service sign 54-9, nearby, from which the 1987 bearing trees;</p> <p style="padding-left: 40px;">A ponderosa pine, 10 ins. diam. at the base, bears N. 46 1/2° E., 50.4 lks. dist., with a healed blaze and 2 BTs Tags. (Record: 48.5 lks. dist.)</p> <p style="padding-left: 40px;">A ponderosa pine, 18 ins. diam. at the base, bears S. 64 1/2° W., 50 lks. dist., with a healed blaze and 2 BTs Tags.</p> <p>Add the marks 2014 to the brass cap.</p> <hr style="width: 20%; margin: 10px auto;"/>
	<p>N. 89°52' W., beginning new measurement, continuing on the N. line of sec. 32.</p>
7.93	<p>Southerly edge of pavement of Arizona State Highway No. 260, asphalt surfaced, bears N. 65° E. and S. 65° W.</p>
9.21	<p>Northerly edge of pavement of Arizona State Highway No. 260, asphalt surfaced, 26 ft. wide, bears N. 65° E. and S. 65° W.</p>
10.08	<p>A Witness Point on the N. line of sec. 32, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above the ground, with brass cap, mkd WP T11N R11E S29 S32 1987. With steel fence post, with a Forest Service sign 54-9, nearby, from which the 1987 bearing tree;</p> <p style="padding-left: 40px;">A stump hole, 6 ins. diam., with a down rocky mountain juniper, 4 ins. diam., at the base, bears N. 31 1/4° E., 20.5 lks. dist., with a healed blaze and 2 BT Tags.</p> <p>Add the marks 2014 to the brass cap.</p> <p>The cor. is located 55 lks. N. of the center line of Arizona State Highway 260, bears N. 65° E. and S. 65° W.</p> <hr style="width: 20%; margin: 10px auto;"/>
	<p>N. 89°52' W., beginning new measurement, continuing on the N. line of sec. 32.</p>

Dependent Resurvey of a portion of the Subdivisional Lines,
Partially Surveyed
T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona

CHAINS

29.84

The N. sec. cor. of secs. 31 and 32, monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 10 ins. above the ground, with brass cap, mkd T11N R11E S30 S29 S31 S32 1987. With steel fence post, with Forest Service sign 54-9, and sign 54-2, nearby, from which the 1987 bearing trees;

A rocky mountain juniper, 10 ins. diam. at the base, bears N. 48 1/4° E., 1.275 chs. dist., with scribe marks T11N R11E S29 BT.

A rocky mountain juniper, 12 ins. diam. at the base, bears S. 87 3/4° W., 1.185 chs. dist., with scribe marks at the base visible but not legible on a mostly healed blaze.

A rocky mountain juniper, 6 ins. diam. at the base, bears N. 5° W., 1.57 chs. dist., with an X scribed at breast height and BT scribed at the base.

Add the marks 2014 to the brass cap.

The cor. is located in a corner of fences, chain link, 6 ft. high, with fences extending E. S. and W.

**Metes-and-Bounds Survey of the Star Valley Landfill
Maintenance Yard, hereinafter known as Tract 38,
T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona**

Restoring the survey executed by
Hugh H. Haennelt, in 1995

Beginning at AP 1, Tract 38, identical with AP 5, Tract 39, on the N. boundary of the Star Valley Landfill Maintenance Yard, monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. U. S. DEPT. OF AGRICULTURE FOREST SERVICE CADASTRAL SURVEY.

RLS 13561

1

1994

From this cor. point, the NE cor. of sec. 32 bears S. 16°45' E., 24.26 chs. dist., hereinbefore described.

From this same cor. point, the N. 1/4 sec. cor. of sec. 32 bears S. 54°54' W., 40.25 chs. dist., hereinbefore described.



Metes-and-Bounds Survey of the Star Valley Landfill
Maintenance Yard, hereinafter known as Tract 38, Partially Surveyed
T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>The cor. is located in a chain link fence, 6 ft. high, with 2 ft. of barbed wire on top, bears N. 76° E. and N. 79° W.</p> <p>N. 78°59' E., on line 1-2, on the N. boundary of the Star Valley Landfill Maintenance Yard.</p>
6.607	<p>Point for AP 6, Tract 39, the closing cor. of Tract 39 at the intersection with the N. boundary of Tract 38, hereinafter described.</p>
7.115	<p>AP 2, Tract 38, monumented with an aluminum post 2 1/2 ins. diam., firmly set, projecting 6 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. U. S. DEPT. OF AGRICULTURE FOREST SERVICE CADASTRAL SURVEY.</p> <p style="text-align: center;">RLS 13561</p> <div style="text-align: center;"> </div> <p>The cor. is located in a chain link fence, 6 ft. high with 2 ft. of barbed wire on top, bears S. and S. 79° W.</p> <p style="text-align: center;">—————</p> <p>S. 0°01' E., on line 2-3, on the E. boundary of the Star Valley Landfill Maintenance Yard.</p>
5.336	<p>A reference point to AP 3, Tract 38, on the northerly right-of-way of Arizona State Highway 260, monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 13 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. U. S. DEPT. OF AGRICULTURE FOREST SERVICE CADASTRAL SURVEY.</p> <p style="text-align: center;">RLS 13561</p> <div style="text-align: center;"> </div> <p>The reference point is located 5 lks. S. of a barbed wire fence, 4 strand, bears N. 80° E. and N. 45° W.</p>
6.879	<p>True point for AP 3, Tract 38, on the center line of Arizona State Highway 260, not monumented.</p> <p style="text-align: center;">—————</p>


Metes-and-Bounds Survey of the Star Valley Landfill
 Maintenance Yard, hereinafter known as Tract 38, Partially Surveyed
 T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona

CHAINS	
3.403	<p>S. 78°59' W., on line 3-4, on the S. boundary of the Star Valley Landfill Maintenance Yard, identical with the center line of Arizona State Highway 260.</p> <p>Point for AP 4, Tract 38, identical with the Point of Curvature, not monumented.</p> <p>from which</p> <p style="padding-left: 40px;">An aluminum post, 2 1/2 ins. diam., firmly set, projecting 4 ins. above the ground, for a reference monument, bears N. 10°59' W., 100.00 ft. dist., with an aluminum cap, 3 1/4 ins. diam., mkd. U. S. DEPT. OF AGRICULTURE FOREST SERVICE CADASTRAL SURVEY.</p> <div style="text-align: center; margin: 10px 0;"> <p>RLS 13561</p> <hr style="width: 10%; margin: 0 auto;"/> <p>4</p> </div> <p style="text-align: center; margin: 10px 0;">PT</p> <p style="text-align: center; margin: 10px 0;">1994</p> <p>The reference monument is located 1.5 lks. N. of the Northerly R. O. W. fence of Arizona State Highway No. 260, a barbed wire fence, 4 strand, bears N. 75° E. and S. 75° W.</p>
18.220	<p>Thence, on line 4-5, along a circular curve to left, having a central angle of 9°43'00", a radius of 107.4433 chs. (7091.26 ft.), continuing on the South boundary of the Star Valley Landfill Maintenance Yard, identical with the center line of Arizona State Highway 260, the chord of said arc bears S. 74°09' W., 18.1987 chs. (1201.11 ft.).</p> <p>Point for AP 5, Tract 38, identical with the Point of Tangency, not monumented.</p> <p>from which</p> <p style="padding-left: 40px;">An aluminum post, 2 1/2 ins. diam., firmly set, projecting 11 ins. above the ground, for a reference point, bears N. 20°42' W., 100.00 ft. dist., with an aluminum cap, 3 1/4 ins. diam., mkd. U. S. DEPT. OF AGRICULTURE FOREST SERVICE CADASTRAL SURVEY.</p> <div style="text-align: center; margin: 10px 0;"> <p>RLS 13561</p> <hr style="width: 10%; margin: 0 auto;"/> <p>5</p> </div> <p style="text-align: center; margin: 10px 0;">PC</p> <p style="text-align: center; margin: 10px 0;">1994</p>



**Metes-and-Bounds Survey of the Star Valley Landfill
Maintenance Yard, hereinafter known as Tract 38, Partially Surveyed
T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona**

CHAINS	
	<p>The reference point is located in the northerly right-of-way fence of Arizona State Highway No. 260, a barbed wire fence, 4 strand, bears N. 65° E. and S. 65° W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 69°15' W., on line 5-6, continuing on the S. boundary of the Star Valley Landfill Maintenance Yard, identical with the center line of Arizona State Highway 260.</p>
3.311	<p>Point for AP 6, Tract 38, not monumented.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>N. 20°39' W., on line 6-7, on the W. boundary of the Star Valley Landfill Maintenance Yard.</p>
1.515	<p>A reference point to AP 6, Tract 38, monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 11 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. U. S. DEPT. OF AGRICULTURE FOREST SERVICE CADASTRAL SURVEY.</p> <div style="text-align: center; margin: 10px 0;"> <p>RLS 13561</p>  <p>6</p> <p>1994</p> </div> <p>The reference point is located on the northerly right-of-way of Arizona State Highway No. 260, 5 lks. N. of the northerly right-of-way fence, barbed wire fence, 4 strand, bears N. 70° E. and S. 70° W.</p>
3.808	<p>AP 7, Tract 38, monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 14 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. U. S. DEPT. OF AGRICULTURE FOREST SERVICE CADASTRAL SURVEY.</p> <div style="text-align: center; margin: 10px 0;"> <p>RLS 13561</p>  <p>7</p> <p>1994</p> </div> <p>From this cor. point, the NE cor. of sec. 32 bears S. 60°12' E., 29.15 chs. dist., hereinbefore described.</p> <p>From this same cor. point, the N. 1/4 sec. cor. of sec. 32 bears S. 45°28' W., 20.52 chs. dist., hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/>

Metes-and-Bounds Survey of the Star Valley Landfill
 Maintenance Yard, hereinafter known as Tract 38, Partially Surveyed
 T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona

CHAINS	
4.316	<p>N. 78°59' W., on line 7-8, continuing on the W. boundary of the Star Valley Landfill Maintenance Yard.</p> <p>AP 8, Tract 38, monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 13 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. U. S. DEPT. OF AGRICULTURE FOREST SERVICE CADASTRAL SURVEY.</p> <p style="text-align: center;">RLS 13561</p>  <p style="text-align: center;">1994</p> <p>The cor. is located on side of a slope, bears E. and W.</p>
5.595	<p>N. 32°10' W., on line 8-9, continuing on the W. boundary of the Star Valley Landfill Maintenance Yard.</p> <p>AP 9, Tract 38, monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. U. S. DEPT. OF AGRICULTURE FOREST SERVICE CADASTRAL SURVEY.</p> <p style="text-align: center;">RLS 13561</p>  <p style="text-align: center;">1994</p> <p>The cor. is located 2 lks. SW. of a cor. of fences, barbed wire, 4 strand, with fences extending S. 75° E. and N. 10° W.</p>
0.737	<p>N. 3°57' W., on line 9-10, continuing on the W. boundary of the Star Valley Landfill Maintenance Yard.</p> <p>AP 10, Tract 38, monumented with an aluminum post 2 1/2 ins. diam., firmly set, projecting 4 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. U. S. DEPT. OF AGRICULTURE FOREST SERVICE CADASTRAL SURVEY.</p> <p style="text-align: center;">RLS 13561</p>  <p style="text-align: center;">1994</p>



Metes-and-Bounds Survey of the Star Valley Landfill
 Maintenance Yard, hereinafter known as Tract 38, Partially Surveyed
 T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>The cor. is located at the terminus of a barbed wire fence, 4 strand, bears N. 85° E.</p> <hr/> <p>N. 73°01' E., on line 10-11, on the N. boundary of the Star Valley Landfill Maintenance Yard.</p>
4.277	<p>AP 11, Tract 38, monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 10 ins. above the ground, without a cap, with some bullet holes.</p> <p>The cor. is located 3 lks. N. from the terminus of a barbed wire fence, 4 strand, bears N. 65° E.</p> <hr/> <p>N. 63°05' E., on line 11-12, continuing on the N. boundary of the Star Valley Landfill Maintenance Yard.</p>
6.997	<p>AP 12, Tract 38, monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 14 ins. above the ground, with an aluminum cap, 3 1/4 ins. diam., mkd. U. S. DEPT. OF AGRICULTURE FOREST SERVICE CADASTRAL SURVEY.</p> <p style="text-align: center;">RLS 13561</p>  <p>The cor. is located 6 lks. N. of the terminus of a barbed wire fence, 4 strand, bears S. 80° E.</p> <hr/> <p>S. 84°55' E., on line 12-13, continuing on the N. boundary of the Star Valley Landfill Maintenance Yard.</p>
1.747	<p>AP 3, Tract 39, the closing cor. of Tract 39 at the intersection with the N. boundary of Tract 38, hereinafter described.</p>
9.695	<p>AP 13, Tract 38, identical with AP 4, Tract 39, monumented with an aluminum post, 2 1/2 ins. diam., firmly set, projecting 12 ins. above the ground, in a collar of stone, 1.5 ft. base, 6 ins. high, with an aluminum cap, 3 1/4 ins. diam., mkd. U. S. DEPT. OF AGRICULTURE FOREST SERVICE CADASTRAL SURVEY.</p> <p style="text-align: center;">RLS 13561</p>  <p style="text-align: center;">1994</p>

**Metes-and-Bounds Survey of the Star Valley Landfill
Maintenance Yard, hereinafter known as Tract 38, Partially Surveyed
T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona**

CHAINS	<p>The cor. is located 6 lks. N. a barbed wire fence, 4 strand, bears N. 85° E. and S. 85° W.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 78°47' E., on line 13-1, continuing on the N. boundary of the Star Valley Landfill Maintenance Yard.</p> <p>5.690 AP 1, Tract 38, identical with AP 5, Tract 39, hereinbefore described.</p> <hr style="width: 20%; margin: 10px auto;"/> <p style="text-align: center;">Metes-and-Bounds Survey of Tract 39, Partially Surveyed T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona</p> <hr style="width: 20%; margin: 10px auto;"/> <p>Beginning at AP 1, Tract 39. Determined at a point on the random and true line bet. Protraction Blocks 58 and 59.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 11 N R 11 E</p> <div style="text-align: center; margin: 10px 0;"> <table border="1" style="border-collapse: collapse; margin: auto;"> <tr> <td style="padding: 2px 5px;">AP 1</td> </tr> <tr> <td style="padding: 2px 5px;">TR 39</td> </tr> </table> </div> <p style="text-align: center;">2014</p> <p>from which</p> <p style="padding-left: 40px;">A pine, 12 ins. diam. at the base, bears S. 26°12' W. 70.5 lks. dist., mkd. TR 39 AP1 BT.</p> <p style="padding-left: 40px;">A pine, 15 ins. diam. at the base, bears S. 63°29' W. 79.3 lks. dist., mkd. X at breast height and BT at base.</p> <p>From this cor. point, the NE cor. of sec. 32 bears S. 1°11' E., 38.97 chs. dist., hereinbefore described.</p> <p>From this same cor. point, the published NAD 1983 Geographic Coordinate for the position of the cor. point for Protraction Blocks 47, 48, 58 and 59, bears N. 1°11' W., 40.00 chs. dist.</p> <p>From this same cor. point, the N. 1/4 sec. cor. of sec. 32 bears S. 45°11' W., 55.14 chs. dist., hereinbefore described.</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel "U" sign post, nearby.</p>	AP 1	TR 39
AP 1			
TR 39			

Metes-and-Bounds Survey of Tract 39, Partially Surveyed
T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona

CHAINS	<p>West, on line 1-2, on the N. boundary of Tract 39.</p> <p>18.09 Wash, 24 ft. wide, 10 ft. deep, drains S. 40° W.</p> <p>18.79 Trail road, 10 ft. wide, bears N. 40° E. and S. 40° W.</p> <p>19.980 Point for AP 2, Tract 39.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 28 ins. in the ground, with brass cap mkd.</p> <p style="text-align: center;">T 11 N R 11 E</p> <div style="text-align: center;">  <p>2014</p> </div> <p>from which</p> <p style="padding-left: 40px;">A pine, 9 ins. diam. at the base, bears S. 69° E., 46 lks. dist., mkd. X at breast height and BT at base.</p> <p style="padding-left: 40px;">A pine, 9 ins. diam. at the base, bears S. 5° E., 55 lks. dist., mkd. TR 39 AP2 BT.</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel "U" sign post nearby.</p> <hr style="width: 20%; margin: 10px auto;"/> <p>S. 1°13' E., on line 2-3, on the W. boundary of Tract 39.</p> <p>1.41 Trail road, 10 ft. wide, bears N. 20° E. and S. 20° W.</p> <p>2.38 Wash, 15 ft. wide, 8 ft. deep, drains S. 30° W.</p> <p>13.917 Point for AP 3, Tract 39, the closing cor. of Tract 39 at the intersection with the N. boundary of Tract 38.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center;"> <p>T 11 N R 11 E</p>  <p>2014</p> </div>
--------	---

Metes-and-Bounds Survey of Tract 39, Partially Surveyed
T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona

CHAINS	
	<p>From this cor. point, AP 13, Tract 38, bears S. 84°55' E., 7.948 chs. dist., hereinbefore described.</p> <p>From this same cor. point, AP 12, Tract 38, bears N. 84°55' W., 1.747 chs. dist., hereinbefore described.</p> <p>From this same cor. point, the NE cor. of sec. 32 bears S. 39°17' E., 32.36 chs. dist., hereinbefore described.</p> <p>From this same cor. point, the N. 1/4 sec. cor. of sec. 32, bears S. 37°54' W., 31.63 chs. dist., hereinbefore described.</p> <p>Deposit a magnet, in a white plastic case, at the base of the stainless steel post.</p> <p>Set a steel "U" sign post nearby.</p> <p>The cor. is located 12 lks. N. of a barbed wire fence, 4 strand, bears S. 80° E. and N. 80° W.</p>
7.948	<p>S. 84°55' E., on line 3-4, on the S. boundary of Tract 39 identical with the N. boundary of Tract 38.</p> <p>Point for AP 4, Tract 39, identical with AP 13, Tract 38, hereinbefore described.</p>
5.690	<p>S. 78°47' E., on line 4-5, continuing on the S. boundary of Tract 39, identical with the N. boundary of Tract 38.</p> <p>Point for AP 5, Tract 39, identical with AP 1, Tract 38, hereinbefore described.</p>
6.607	<p>N. 78°59' E., on line 5-6, continuing on the S. boundary of Tract 39, identical the N. boundary of Tract 38.</p> <p>Point for AP 6, Tract 39, the closing cor. of Tract 39 at the intersection with the N. boundary of Tract 38.</p> <p>Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.</p>
	<p>T 11 N R 11 E C C TR 39 AP 6 TR 38 2014</p>

Metes-and-Bounds Survey of Tract 39, Partially Surveyed
T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona

CHAINS

From this cor. point, AP 2, Tract 38, bears N. 78°59' E.,
0.508 chs. dist., hereinbefore described.

From this same cor. point, AP 1, Tract 38, bears S. 78°59' W.,
6.607 chs. dist., hereinbefore described.

Deposit a magnet, in a white plastic case, at the base of the
stainless steel post.

Set a steel "U" sign post nearby.

The cor. is located in a chain link fence, 6 ft. high, with
2 ft. of barbed wire on top, bears N. 79° E. and S. 79° W.

N. 1°11' W., on the E. boundary of Tract 39.

14.465

AP 1, Tract 39, hereinbefore described.

GENERAL DESCRIPTION

The area surveyed and resurveyed within partially surveyed
T. 11 N., R. 11 E., is located within Tonto National Forest near
the community of Star Valley, Arizona. The elevation ranges from
approximately 4600 ft. to 4860 ft. above sea level.

The terrain is rolling, covered with moderate to dense white
oak, rocky mountain juniper and piñon.

The mean magnetic declination of 10 1/2° E. was derived from the
United States Geological Survey computer program GEOMAG,
utilizing the World Magnetic Model for IGRF 11 for the dates of
survey.

CERTIFICATE OF SURVEY

I, Blas J. Urena, Cadastral Surveyor, HEREBY CERTIFY upon honor, that in pursuance of special instructions bearing date of the 18th day of February, 2014, I have dependently resurveyed a portion of the subdivisional lines and performed metes-and-bounds surveys in partially surveyed Township 11 North, Range 11 East, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction. Said survey has been made in strict conformity with said special instructions, the Manual of Surveying Instructions for the Survey of the Public Lands of the United States, 2009, and in specific manner described in the foregoing field notes.

9/29/2014
(Date)


Blas J. Urena
(Cadastral Surveyor)

CERTIFICATE OF APPROVAL

BUREAU OF LAND MANAGEMENT
Phoenix, Arizona

The foregoing field notes of the dependent resurvey of a portion of the subdivisional lines and metes-and-bounds surveys in partially surveyed Township 11 North, Range 11 East, of the Gila and Salt River Meridian, in the State of Arizona, executed by Blas J. Urena, Cadastral Surveyor, having been critically examined and found correct, are hereby approved.

12/11/2014
(Date)


(Chief Cadastral Surveyor of Arizona)

~~CERTIFICATE OF TRANSCRIPT~~

~~I CERTIFY That the foregoing transcript of the field notes of the above described surveys in T. 11 N., R. 11 E., Gila and Salt River Meridian, Arizona, is a true copy of the original field notes.~~

~~_____
(Date)~~

~~_____
(Chief Cadastral Surveyor of Arizona)~~