153 10/7/47

#### U. S. DEPARTMENT OF AGRICULTURE

FOREST SERVICE

## FIELD NOTES

OF

EXCHANGE SURVEY NO. 671

SITUATED IN THE COCONINO NATIONAL FOREST

ADMINISTRATIVE DISTRICT NO.

In Section 21, surveyed, Township 21N. , Range 10E.

of the

Gila & Salt River Base &

Meridian.

XXXXXXXXXXX

State of

ARIZONA

Exchange Applicantsfor xboxxxxxxx Charles L. Keyster and Frankie F. Keyster Residence Application No. , dated , 19 List No. , dated , 19

Applicant for survey

Residence

H. E. No.

, dated

, 19

Land Office

Survey executed by Thomas F. Myers, Associate C. E. Inspector,

Under special instructions dated

June 17,

, 19 41

Survey commenced

June 19.

, 1941

Survey completed

June 21,

, 1941

Under Acts of March 20, 1922 and July 1, 1941.

OATH OF ASSISTANTS We hereby certify that we assisted Thomas F. Myers, Associate C. E. Inspector, Forest Service in surveying all those [Forest Service Title.] **Exchange**parts or portions of **XXXXXXXXXXXXXX** Survey No. 671 , in the State of Arizona which are represented in the following field notes as having been surveyed by him and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established, according to the instructions furnished by the United States Surveyor General for NOTE: It would have been very expensive and inconvenient to appear before an officer to administer oaths to assistants; hence, they were taken by the Associate C. E. Inspector. 24th Subscribed and sworn to before me this day of , 1941. Thomas & Myer July Associate C. E. Inspector, Forest Service. OATH OF SURVEYOR I, Thomas F. Myers, Associate C. E. Inspector, Forest Service [Forest Service Title.] , 19 41 , and the laws of the United States, I have well, faithfully, and truly, in my own proper person, surveyed a tract of land , No. , dated , 19 , for , 19 under the Act of the same to be known as House Erray Survey No. 671 National Forest, in situated within the Coconino surveyed Section 21 , Township 21N. , Range 10E. surveyed Section , Township , Range

of the Gila & Salt River Base & meridian, Arizona, and the related retracements and resurveys and section subdivisions, which are represented in the following field notes as having been surveyed by me; and I further solemnly swear that all the corners of said survey have been established and perpetuated in strict accordance with the stated special instructions, and in the specific manner described in the field notes, and that the following are the original field notes of such survey.

Associate C. E. Inspector, Forest Service.

[Forest Service Title.]

Subscribed and sworn to before me this

14

day of

august

SEAL.

, 194/.

8-2349

Hada Junge Banns

my Com. estypin 1-8-45.

# EXCHANGE HOME STEAD MENTRY SURVEY NO. 671

#### COCONINONATIONAL FOREST

#### STATE OF ARIZONA.

Chains

The tract of land embraced in this survey is in private ownership and was surveyed for acquisition by the United States under the Acts of March 20, 1922, and July 1, 1941.

Applicants for Exchange - Charles L. Keyster and Frankie F. Keyster. Situated in surveyed Section 21, T.21N, R.10E, of the Gila and Salt River Base and Meridian, Coconino National Forest, Arizona.

Surveyed under special instructions from the Public Survey Office for Arizona, dated June 17, 1941, and designated as Exchange Survey No. \* 671.

Survey commenced July 19, 1941, and executed with a Buff and Buff . The to Daniel Vena transit No. 10019.

The adjustments of the transit were tested and necessary corrections made before beginning the survey.

All distances are horizontal and were made directly on the slope with a 100 ft. steel tape. The slope angles were determined with a clinometer.

The courses of this Survey were referred to the meridian established by me on July 21, 1938, in connection with Exchange Survey No. 664, and were carried forward by sustained angulation.

Long to wed total as decagative has

Thetaest.C\*Os.a.

#### RETRACEMENTS

In connection with Exchange Survey No. 664, I retraced the N/2 of line between Sections 21 and 22, and N/2 of line between Sections 20 and 21 as follows:

July 18, 1938

Beginning at the 1/4 corner between Sections 21 and 22, T.21N, R.10E, an iron post 1 in. in diameter, 10 in. above ground with brass cap marked and witnessed as described by Public Survey Office. Thence N. 0°02'W.

Retracing line between Sections 21 and 22, N/2.

Fall 7 lks. W. of corner Sections 15, 16, 21, and 22, an iron post 40.00 2 in. in diameter, 24 in. above ground in mound of stone, with

EXCHANCE HOMESIDEADMENTER SURVEY NO. 671

# COCONINO NATIONAL FOREST

STATE OF ARIZONA.

Chains	brass cap marked and witnessed as described by Public Survey Office
e de la companya de l	Thence S. 0°04°W.
	On true line between Sections 21 and 22, N/2.
2.05	Bottom Canyon Young's Creek course E. asc. 40 ft.
3.30	South rim rock Youngs Canyon bears E. & W.
	Thence over rolling k nd through dense pinon and cedar.
28.31	A.T. & S.F. Ry. fence along right of way north side of track bears
central 6	N. 89° 39'W. and S. 89° 39'E. W. Mark Badder And Andrew Co.
29.63	Center A.T. & S.F. Ry. track bears N. 89° 39'W. and S. 89°39'E. (North main or east bound track).
29.83	Center A.T. & S.F. Ry.track bears N. 89°39'W and S.89°39'E. (South main or west bound track). Set temporary point.
31.35	A.T. & S.F. Ry. fence along right of way bears N. 89° 39'W, and
	S. 89° 39'E.
40,00	1/4 corner between Sections 21 and 22 previously described.
No Low S	From 1/4 corner between Sections 20 and 21, T.21N, R.10E, an iron
	post 1 in. in diameter, 10 in above ground with brass cap marked
	and witnessed as described by Public Surveys Office.
bostrions	Thence N. 0°03 W. berroles were seened and Jo seemed and
hopt filled	Retracing line between Sections 20 and 21, N/2
6906 .00 2906 .00 39.98	Retracing line between Sections 20 and 21, N/2
	Retracing line between Sections 20 and 21, N/2.
	Retracing line between Sections 20 and 21, N/2.  Intersect Corner Sections 16, 17, 20, and 21, a cedar tree 12 in.
	Retracing line between Sections 20 and 21, N/2.  Intersect Corner Sections 16, 17, 20, and 21, a cedar tree 12 in.  in diameter marked and witnessed as described by Public Survey
39.98	Retracing line between Sections 20 and 21, N/2.  Intersect Corner Sections 16, 17, 20, and 21, a cedar tree 12 in. in diameter marked and witnessed as described by Public Survey  Office.
39.98	Retracing line between Sections 20 and 21, N/2.  Intersect Corner Sections 16, 17, 20, and 21, a cedar tree 12 in. in diameter marked and witnessed as described by Public Survey  Office.  Note: Pinon bearing trees N. 38-3/4°E, 27 lks., and N.86°W, 49 lks.
39.98	Retracing line between Sections 20 and 21, N/2.  Intersect Corner Sections 16, 17, 20, and 21, a cedar tree 12 in. in diameter marked and witnessed as described by Public Survey  Office.  Note: Pinon bearing trees N. 38-3/4°E, 27 lks., and N.86°W, 49 lks., have been fire killed by wood cutters burning brush. Trunks of
39.98	Retracing line between Sections 20 and 21, N/2.  Intersect Corner Sections 16, 17, 20, and 21, a cedar tree 12 in. in diameter marked and witnessed as described by Public Survey  Office.  Note: Pinon bearing trees N. 38-3/4°E, 27 lks., and N. 36°W, 49 lks., have been fire killed by wood cutters burning brush. Trunks of  trees have been charred and markings nearly oblitereated.
39.98	Retracing line between Sections 20 and 21, N/2.  Intersect Corner Sections 16, 17, 20, and 21, a cedar tree 12 in. in diameter marked and witnessed as described by Public Survey Office.  Note: Pinon bearing trees N. 38-3/4°E, 27 lks., and N. 36°W, 49 lks., have been fire killed by wood cutters burning brush. Trunks of trees have been charred and markings nearly oblitereated.  Thence S.0°03°E.  On true line over level land through pinon and cedar.  A.T. & S.F. Right of way fence bears N. 89°39°W, and S.89°39°E.
39.98	Retracing line between Sections 20 and 21, N/2.  Intersect Corner Sections 16, 17, 20, and 21, a cedar tree 12 in. in diameter marked and witnessed as described by Public Survey  Office.  Note: Pinon bearing trees N. 38-3/4°E, 27 lks., and N. 36°W, 49 lks., have been fire killed by wood cutters burning brush. Trunks of  trees have been charred and markings nearly oblitereated.  Thence S.0°03°E.  On true line over level land through pinon and cedar.
39.98	Retracing line between Sections 20 and 21, N/2.  Intersect Corner Sections 16, 17, 20, and 21, a cedar tree 12 in. in diameter marked and witnessed as described by Public Survey  Office.  Note: Pinon bearing trees N. 38-3/4°E, 27 lks., and N. 36°W, 49 lks., have been fire killed by wood cutters burning brush. Trunks of trees have been charred and markings nearly oblitereated.  Thence S.0°03°E.  On true line over level land through pinon and cedar.  A.T. & S.F. Right of way fence bears N. 89°39°W, and S.89°39°E.  Center A.T. & S.F. Ry. track bears N. 89°39°W, and S.89°39°E.
27.85 29.16	Retracing line between Sections 20 and 21, N/2.  Intersect Corner Sections 16, 17, 20, and 21, a cedar tree 12 in. in diameter marked and witnessed as described by Public Survey  Office.  Note: Pinon bearing trees N. 38-3/4°E, 27 lks., and N.36°W, 49 lks., have been fire killed by wood cutters burning brush. Trunks of trees have been charred and markings nearly oblitereated.  Thence S.0°03'E.  On true line over level land through pinon and cedar.  A.T. & S.F. Right of way fence bears N. 89°39'W, and S.39°39'E.  (North main line or east bound track).  Center A.T. & S.F. Ry. track bears N. 89°39'W, and S.39°39'E. (South main track or west hound track).
27.85 29.16 29.36	Retracing line between Sections 20 and 21, N/2.  Intersect Corner Sections 16, 17, 20, and 21, a cedar tree 12 in. in diameter marked and witnessed as described by Public Survey  Office.  Note: Pinon bearing trees N. 38-3/4°E, 27 lks., and N. 36°W, 49 lks., have been fire killed by wood cutters burning brush. Trunks of trees have been charred and markings nearly oblitereated.  Thence S.0°03°E.  On true line over level land through pinon and cedar.  A.T. & S.F. Right of way fence bears N. 89°39°W, and S.89°39°E.  (North main line or east bound track).  Center A.T. & S.F. Ry. track bears N. 89°39°W, and S.89°39°E.  (South main track or west hound track).

#### EXCHANGE HOMESHEADMENTRM SURVEY NO. 671

COCONINO NATIONAL FOREST

STATE OF ARIZONA. 40 THATE

Chains 39.98

The 1/4 corner between Sections 20 and 21 previously described. July 18, 1938.

chains stand extent ans., some proud, without and a caned

Retracement center line A.T. & S.F. Ry. Right of Way through Section 21, T.21N., R.10E.

In connection with Exchange Survey No. 664, on July 19, 1938. I retraced center line of A.T. & S.F. Ry. Right of Way through Section 21 as follows:

Beginning at a point in center of south main line track (west bound track), on line between Sections 21 and 22 previously determined. Thence N. 89°39 W.

Along center south main track.

79.97 Intersect point on line between Sections 20 and 21 previously determined.

21 3ton . January 32 n 1/02/1 , 35 . 36 1 July 19, 1938.

July 19, 1941

Lone. His officerous. From the 1/4 corner between Sections 21 and 22, T.21N., R.10E., previously described. Thence N. 9°04'E.

On line between Sections 21 and 22.

- 8.65 Corner No. 3, and closing comer of Exchange Survey No. 664, a limestone 6x8x10 ins., above ground marked and witnessed as described in field note of Exchange Survey No. 664.
- 10.17 Center south main track and center line A.T. & S.F. Ry. Right of Way. From this center point in right of way center line of track bears N. 89°39'W.
- 11.68 Set temporary point for corner No. 2, and closing corner of this survey hereinafter described.

From the 1/4 corner between Sections 20 and 21, T.21N., R.10E., previously described.

in., disimbles bud.

0°00'8. 11.68 chs. dist.

Thence N.O°03 W.

On line between Sections 20 and 21.

9.10 Corner No. 2 and closing corner of Exchange Survey No. 664, a lime-

### EXCHANCE HOMESIERADXENTRM SURVEY NO. 671

### COCONINO NATIONAL FOREST

STATE OF ARIZONA.

Chains	stone 4x6x10 ins., above ground, marked and witnessed as described
*ba	in field notes of Exchange Survey No. 664.
10.62	Center south main track and center line A.T. & S.F. Ry., Right of
	Way, from this center point in right of way center line of track
	bears S.89° 39'E.
12.13	Set temporary point for corner No. 3 and closing corner of this
	survey, hereinafter described.  July 19, 1941.
	Sento add on the note out
ponod a	Boundaries of Survey
inoni	July 21, 1941.
FAC.	Beginning at corner No. 1. Identical with corner of Sections 15, 16,
	21, and 22, T.21N., R.10E., previously described. I adopt same
-roteb y	for corner No. 1 of this survey and alongside to SW of Section Corner
	set iron post 1 in., in diameter, 30 in., long, with brass cap,
.864	marked 1941 on S. rim, 1ES671 in SW quadrant. Post is set in mound
	of stone surrounding section corner.
-0.0, 5 **	Lat. 35°11'54"N. Long. 111°19'24"W., from Forest Service base map.
	Thence S.0°04'W.
	On line between Sections 21 and 22. Desc. over rocky S. Slope.
2.05	Bottom Canyon Youngs Creek (dry), course E., asc. N. slope.
3.30	South rim rock Youngs Canyon, bears E. & W.
bodi	Thence over rolling land through pinon and juniper.
	A.T. & S.F. Ry., Right of Way fence, bears N. 89°39'W., and S.89°39'E.
28.32	To corner No. 2 and closing corner on line between Sections 21 and
ypsu	22. Set an iron post 1 in. in diameter, 30 in. long, 20 in. in
	ground, with brass cap marked 1941 on S. rim; 2ES671 in NW quadrant,
atus	and CC in SW quadrant; raise mound of stone 3 ft., base, 1-1/2 ft.,
	high on closing line, N.89°39'W., of corner, whence:
-5"17 6.	Pinon 12 in., diameter bears N. 30°15'W., 179 lks. dist.,
	blazed and scribed CC2ES671XBT.
	Juniper 6 in., diameter brs. N.69°45'W., 77 lks. dist.,
	blazed and scribed CC2ES671XBT.

1/4 corner between Sections 21 and 22 previously described bears

S. 0°04'W., 11.68 chs. dist.

#### COCONINO NATIONAL FOREST

STATE OF ARIZONA

Chains

Corner Sections 15, 16, 21 and 22 previously described bears and N. 0° 04' E., 28.32 chs. dist.

Cor. No. 3 ES 664 previously described bears S. 0° 04' W. 3.03 chs.

Thence N. 89° 39' W.

Along A.T.& S.F. Ry. right of way, over gently rolling land. Fence North 1 link dist., brs.easterly and westerly.

.60

Fence on line, continue along fence,
To Corner No. 3 and closing corner on line between Sections 20 and
21. Set an iron post 1 in. in diameter, 30 ins. long, 18 ins. in
ground with brass cap marked 1941 on South rim, 3ES671 in NE
quadrant, and CC in SE quadrant. Raise mound of stone 3 ft. base,
2 ft. high on closing line S. 89° 39' E. of corner, whence:

juniper 6 in. diameter bears N. 88° 30' E., 101 lks. dist., blazed and scribed CC3ES671 X BT.

pinon 10 in. diameter bears N. 28° 40° E., 118 lks. dist., blazed and scribed CC3ES671 X BT.

1/4 corner between Sections 20 and 21 previously described bears S. 0° 03' E., 12.13 chs. dist.

Corner Sections 16, 17, 20 and 21 previously described bear N. 0° 03' W., 27.85 chs. dist.

Cor. No. 2 ES 664 previously described bears S. 0° 03' E., 3.03 chs. dist.

Thence N. 0° 03' W.

Along line between Sections 20 and 21 over level land through pinon and juniper.

27.85

To Corner No. 4. Identical with corner of Sections 16, 17, 20 and 21, previously described.

I adopt same for Corner No. 4 of this survey and alongside to SE set iron post 1 in. in diameter, 30 ins. long, 20 ins. in ground, with brass cap marked 1941 on South rim, 4ES671 in SE quadrant.

(I accept record survey of line between Sections 16 and 21)
Thence S. 89° 59' E.

On line between Sections 16 and 21; over gently rolling land through dense timber.

## HOMESTEADXENTRY SURVEY NO. 671

#### COCONINO NATIONAL FOREST

#### STATE OF ARIZONA

		man and the state of the state
	Chains	Chains "Corsor Teorigue 15, 16, 2 and 22 cort - Louiser December
	40.00	1/4 corner between Sections 16 and 21, a 1 in iron past with brass
	70.	cap, marked and witnessed as described by Public Survey Office.
	48.90	Wagon road bears NW and SE.
,	60.50	Old road bears NW and SE.
	70.50	Youngs Canyon, 50 lks. wide course SE.
	80.00	To Corner No. 1, the place of beginning
	11.02 75	AREA
	ni en	TOTAL AREA 224.64 Acres

## CONFLICTS AND ADJOINING CLAIMS

There are no conflicts. The survey is adjoined on South by right of way of A.T.& S.F. Ry.

Survey completed July 21, 1941

Thomas F. Myers

Anne bere

Associate C.E. Inspector, Forest Service.

out and an all . . . .

Form 85. Sheet No. 3.—Revised Feb., 1915.

Directions.—1. Carry out calculate to two decimals only.

2. In balancing Latit and Departures do not obliterate or change the original figures.

Put the corrected figure or figures above in red ink. Do not change the footing of the original figures, but put below them the corrected footing in red ink.

The corrections for balancing fallings should be proportional to the lengths of the lines.

3. In calculations of fallings take result to nearest link. In calculations of N. and S. areas drop all after second decimal. Surveyors are required to use the Standard Field Tables issued by the G. L. O.

4. Only three copies of this tabulation are necessary, for the District Office, the Surveyor General, and the Commissioner.

EXCHANGE

8—2349	CABLING AND CALCU	LATIONS OF M	EXC LOMESTE	ANCE	CORK S	SURVE	Y NO	673	·,	STAT	E OF	ARIZ	AMC					
CORNERS.	BEARING.	DISTANCE.	LATITUDES.			DEPARTURES.			DOUBLE M. D.		N. AREAS.		s. AREAS.					
			North		Sout	ъ.	EAS	т.	WES	т.								
1-2	s. o 04: W.	28.32			28	32				03	159	99			4530	91	Leider Committee	
2-3	N. 89°391 W.	79.97		49					79	06	80	00 ′	39	20'				
3-4	N. 0° 03' W.	27.85	27	85			t".			02		02		56				
4-1	s. 89°591 E.	80,00			<b>.</b>	02'	80	00		4	80	01			1	60		
		216.14	28	34	28	34	THE REPORT OF THE PARTY OF THE	00	80	02			39	76	4532	51		
									80	-00						76		
	Error in lat.	and dep.								02					20)4492			
															224		acres	
	Closing e	rror 1/10807																
					1													
																		\
									The same of the same									61
							1									-		
											8/1 - 3		Carlotte Control	-				
			No.															
		-    -						-			-	-		-		-	-	

	COTOC							
			lor					
			10					B
	252	18	S.	K	1			4130
	Lo	H	1	THE STATE OF				t
		b						
						0/		
				19			/20 / 10	
							700	
			,					
					10	Lo	8	18
		9.0						
					08		8	A
		10	8	8		K	H	
			Or.				25	
			CI.	Co			-	
				8	10			
				0	0.00			
				1/2	10			in
				58 3				300
				10				io N
				B		23	2	
				05		75		
						V)		
		12 4						
			4.					
O My				1	00,08	25.1.2	12.25	X2.65
TORREST TOTAL GREEKS	1	· Carlo Crista		570.17	08	12	2	25
1								
<i>D</i>		c.4.						
		. Sat ut north				0 0 E	T. 60, 301 E.	100
6		al .			80,000	8	100	5
		N. T.			700	o°	18	
					in			o °

To

•

TATE

APPROVAL
UNITED STATES
Department of the Interior
General Land Office
PUBLIC SURVEY OFFICE
Phoenix, Arizona, May 20

. 1942

The foregoing field notes of MANAGENEENE NAME OF THE PROPERTY OF THE PROPERTY

EXCHANGE SURVEY NO. 671

executed by Thomas F.Myers, Associate C.E. Inspector, Forest Service [Forest Service Title.] under his special instructions, dated June 17, 1941, xxl, having been critically examined, and the necessary corrections and explanations made, the said field notes, and the surveys they describe, are hereby approved.

Shumma Tiske Office Cadastral Engineer

I certify that the foregoing transcript of the field notes of the above-described survey in the State of Arizona has been correctly copied from the original notes on file in this office.

Sherman C. Fiske
Office Cadastral Engineer

-2349