

M  
S  
-  
G  
N  
0  
0  
1  
1  
1  
5

LOT NO. 3 of 4B

## Field Notes

of the survey of the

Homestake

Mining and Mill-Site Claims.

Situate in Hassayampa mining district,

County of Yavapai and in Sec. \_\_\_\_\_, Tp. 12 N,

Range 2 W, of the Gila and Salt River Meridian,

**ARIZONA.**

Claimed by Nathaniel Ross.

Survey executed by Henry S. Horne. D. S.,

Under instructions dated July 27. 1878.

Survey commenced August 12. 1878

Survey completed August 12. 1878.

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS  
AND MILL-SITES.

WE, Augustus Ross. and Samuel Shull.  
do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Aug Ross.  
Sam Shull.

SWORN AND SUBSCRIBED before me this 17<sup>th</sup>

day of August 1878

C G Hale  
Justice of the Peace

I, Julien Bausman  
do solemnly swear that I will well and truly perform the duties of Flagman  
and Ayeman according to instructions given me, and to the best  
of my skill and ability.

Julien Bausman

SWORN AND SUBSCRIBED before me this 17<sup>th</sup>

day of August 1878

C G Hale  
Justice of the Peace

# Field Notes of the Survey of the.

"Homestake Mining Claim" situated in  
Assayampa Mining District, Yavapai County,  
Arizona Territory, <sup>Surveyed</sup> by Henry G. Howe U.S. Deputy  
Mineral Surveyor, August 12<sup>th</sup> 1878.—

I find upon examination of the Tunnel and  
croppings that the general course of the ledge  
or claim is south  $31^{\circ}$  West.

I run <sup>therefore</sup> a line through the centre of the claim  
For Solar Compass  $12^{\circ} 35'$  E.

S  $31^{\circ}$  W. 47 ft. to face of Tunnel. 17 ft 4x6 ft.

580 ft. to top of Hill. Shaft 50 ft deep 4x8 feet bears S  $72^{\circ}$  W  
184 ft. distant.

1280 ft. Shaft 25 feet deep 4x5 ft bears S  $59^{\circ}$  E 30 feet distant  
1500 ft. To end of claim. set an Oak Post 4x4" - 4 ft long  
in ground 18 inches. surround by mound of stone 18 inches  
high and 2 ft at base.

## Homestake Mining Claim.

I begin at the discovery stake. on oak stake in mound  
of stone. situated at mouth of Tunnel on the northern  
slope of ridge. from which I run.

For  $12^{\circ} 35'$  E.

N  $59^{\circ}$  W 50 ft. to West Assayampa Creek 10 ft wide runs NW.

300 ft. Set Pine Stake. 4 ft long 4x4" inches. in ground 18  
inches. surrounded by mound of stone 18 inches high 2 $\frac{1}{2}$   
feet at base. Marked. No 1 A.S. M.C. for N.W. corner.

Hence. For  $12^{\circ} 35'$  E

S  $31^{\circ}$  W. 25 ft. Base of Hill. bears E  $2^{\circ}$  W. & West H. Creek flows West

160 ft. Fence. bears. N.W.  $2^{\circ}$  S.E.

170 ft. Rail. bears. N.W.  $2^{\circ}$  S.E.

1450 ft. Ravine. drains North.

1500 ft. Set Oak Post 4 ft long 4x4" inches. in ground 18 inches  
surround by mound of stone 18 inches high 2 $\frac{1}{2}$  ft at base  
Marked. No 2 A.S. M.C. for S.W. corner

Hence. For  $12^{\circ} 35'$  E

S  $59^{\circ}$  E 40 ft. Ravine drains North.

300 ft. Post centre of claim.

600 ft. Set Oak Post 4 ft long 4x4" inches. in ground 18 inches.  
surround by mound of stone 18 inches high 2 $\frac{1}{2}$  ft at base  
Marked No 3 A.S. M.C. for S.E. corner.

General Description of the Homestake Mining Claim,

Kassayampa Mining District, Yavapai County, Arizona Territory

This claim is located about 1 mile N.E. of the Covered Bridge across the Kassayampa Creek on the Atkinson Road, and  $\frac{1}{2}$  mile N.E. East of the Senator Quartz Mill, and on the top of the first high ridge east of the wagon road leading to the Jeff Davis Ranch. And runs as described in the accompanying field notes. From the Discovery Post along the ledge or vein is a cut 47 ft. long 15 ft. wide and average depth of 12 feet. The Tunnel of 17 ft. 4 x 6 ft. shows a vein or quartz ledge of 3 feet 6 inches wide and stands very nearly perpendicular. The post and hanging walls are of slate. The ore from this tunnel assays an average of Twenty five (\$25<sup>00</sup>) Dollars per ton in Gold. This tunnel has not been worked for the last 2 years. -

Shaft No. 1, is sunk on the vein or ledge and to the depth of 50 feet 4 x 8 ft. substantially timbered and is a working shaft. From the bottom of this shaft a cross cut has been run 16 feet east, not in ore but in search of a ledge or vein east of shaft. Another drift along the vein of 6 ft. starts from the bottom of shaft. The average width of pay streak throughout the depth of shaft is from 8 to 12 inches. And average assay Twenty five (\$25<sup>00</sup>) Dollars per ton in Gold.

Shaft No. 2, 25 ft deep, 4 x 5 ft. The average width of pay streak is from 8 to 12 inches and of the same character of ore as in tunnel and Shaft No. 1.

This Mining Claim, is well covered with pine timber over the whole claim and on the South west portion are a few large Fir Balsams.

**FINAL OATHS FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.**

A list of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of Homestake Mining -  
Blairs.

located in Hossoyampa. mining district  
Gavapai County, Arizona, showing the respective capacities in which they acted.

Augustus Ross. Chainman.

Samuel Shull, Chainman.

Julen Bausman, Axeman.

Julen Bausman, Flagman.

We hereby certify that we assisted Henry G. Howe -  
U. S. Deputy surveyor, in surveying The Homestake Mining  
Claim.

claimed by Nathaniel Ross.

located in Hossoyampa mining  
district, Gavapai County, and in Township No. \_\_\_\_\_ Range No. \_\_\_\_\_  
of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge  
and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

A. M. Ross Chainman.

Sam S. Shull Chainman.

Julen Bausman Axeman.

Julen Bausman Flagman

SWORN to and subscribed before me this 17<sup>th</sup> day

of August 1878

C. D. Cole  
Justice of the Peace

I, Henry G. Howe. U. S. Deputy Surveyor do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 27<sup>th</sup> day of July 1878

I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the Homestake -

Mining Claim

claimed by Nathaniel Ross. of Prescott, Ariz.

located in Hossoyampa mining  
district, Gavapai County, and in Township No. \_\_\_\_\_ Range No. \_\_\_\_\_

of the Gila and Salt River base and meridian, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field-notes of such surveys.

Henry G. Howe.  
Deputy Surveyor.

SWORN to and subscribed before me this 17<sup>th</sup> day

of August 1878

C. D. Cole  
Justice of the Peace

AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

WE, Henry G Howe and Frank Kuhne,  
 of lawful age, being first duly sworn according to law, depose and say that we are acquainted with  
 the ground and location of the Horne stake  
 mining claim, situate in Hooveraumpa -  
Mining District, Yavapai County, Arizona  
 Territory, for which Mr Nathaniel Ross -  
 has made application for survey prior to application for patent under the provisions of the Act of  
 Congress approved May 10, 1872, and that the labor done and improvements made thereon by the  
 applicant and grantor exceed Five Hundred Dollars in value, and further that we are not  
 personally interested in said mine.

Henry G Howe.  
Frank Kuhne.

TERRITORY OF ARIZONA,  
 County of Canyon. } ss.

SWORN AND SUBSCRIBED before me this 17<sup>th</sup>

day of August 1878

E. G. Clark  
 Justice of the Peace

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS  
AND MILL-SITES.

WE, Augustus Ross, and Samuel Shull,  
do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

A. M. Ross  
Sam'l Shull

SWORN AND SUBSCRIBED before me this 17<sup>th</sup>

day of August 1878

C. P. Hale  
Justice of the Peace

I, Julien Bansman,  
do solemnly swear that I will well and truly perform the duties of Flagman  
and Aceman according to instructions given me, and to the best  
of my skill and ability.

Julien Bansman

SWORN AND SUBSCRIBED before me this 17

day of August 1878

C. P. Hale  
Justice of the Peace

Field Notes of the Survey of the Homestake Millsite Claim.

Situated in the Hassayampa Mining District Gavapai County, Arizona Territory, Surveyed  
by Henry G. Howe, U.S. Deputy Mineral Surveyor. August 12<sup>th</sup>, 1878.

South.

I begin at the ~~North~~ West corner of said Millsite Claim where I set an Oak Post 4 ft long 4x4 inches in ground 12 inches, surrounded by mound of stone at base 2 $\frac{1}{2}$  ft and 18 inches high.

Marked No 1 A.S. M.S. From which corner I run with Solar Compas - Var 12°35' E.

N 67° E 1200 feet along south slope of hills. Set Oak Post 4 ft long 4x4 inches in ground 12 inches surrounded by mound of stone 2 $\frac{1}{2}$  ft at base and 18 inches high.

Marked No 2. A.S. M.S. for north west corner claim. Thence. Var 12°35' E.

S 23° E 45 ft. West Hassayampa Creek. 10 ft wide runs S. W.

60 ft. Fence. bears N and South.

80 ft. Road. bears. S and W.

165 ft. Fence. bears E and W.

175 ft. Set Oak Post 4 ft long 4x4 inches in ground 12 inches surrounded by mound of stone 2 $\frac{1}{2}$  feet at base and 18 inches high.

Marked No 3 A.S. M.S. for north east corner of claim.

Thence Var 12°35' E

S 67° W. 1200 ft. Set Oak Post 4 ft long 4x4 inches in ground 12 inches. surrounded by mound of stone 2 $\frac{1}{2}$  ft at base and 18 inches high.

Marked No 4. A.S. M.S. for south east corner claim.

Thence Var 12°35' E.

N 23° W 25 ft. ditch. runs west.

90 ft. Road. bears S and W.

135 ft. Hassayampa creek 10 ft wide runs West.

175 ft. To post No 1. the place of beginning.

From Post No 3. Post No 1 of Homestake Mining Claim bears N 47° 45' E 191 feet distant.

Area 4. $\frac{82}{100}$  acres.

## General description of the Homestake Hill site Claim.

This claim is situated N. West. of the Homestake Mining claim at the foot of the hill and runs South West. The Hassayampa Creek runs through the entire length of this claim. This claim is nearly covered with brush and trees, trees mostly cottonwood, along the creek are bunches of willow. The hills rise to the east and west of this claim. There are no indications of any mineral veins or ledges in this claim. The value of labor and improvements on the Homestake mining claims by the claimant or his grantors, exceeds five hundred dollars in aggregate.

Final Oaths for Survey of Mining Claims and Mill Sites.

A list of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of Homestake Mill site.

11

located in Gossogampa — mining district  
Gavapai — County, Arizona, showing the respective capacities in which they acted.

Augustus Ross, Chainman.

Samuel Hull, Chainman.

Julius Bausman, Axeman.

Julius Bausman, Flagman.

We hereby certify that we assisted Henry G. Howe,  
U. S. Deputy surveyor, in surveying The Homestake - Mill site

claimed by Nathaniel Ross. —

located in Gossogampa — mining

district, Gavapai, — County, and in Township No. — Range No. —  
of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge  
and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Augustus Ross, Chainman.

Samuel Hull, Chainman.

Julius Bausman, Axeman.

Julius Bausman, Flagman

SWORN to and subscribed before me this 17<sup>th</sup> day

of August 1878

Asst. Justice of the Peace

Henry G. Howe U. S. Deputy Surveyor do solemnly swear that, in pursuance of instruc-

tions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 27<sup>th</sup> day of July 1878  
I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-

General and the laws of the United States, surveyed all those portions of the Homestake

Mill site.

claimed by Nathaniel Ross, of Prescott, A. T.

located in the Gossogampa — mining

district, Gavapai — County, and in Township No. — Range No. —  
of the Gila and Salt River base and meridian, Arizona, as are represented in the foregoing field-notes as having been surveyed under  
my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict  
accordance with the instructions furnished me, and that the foregoing are the true and original field-notes of such surveys.

Henry G. Howe.

Deputy Surveyor.

SWORN to and subscribed before me this 17<sup>th</sup> day

of August 1878

Asst. Justice of the Peace

Territory of Arizona.

County of Yavapai }<sup>ss.</sup>

Samuel S. Hull and George E. Brown of said  
County and Territory, being first duly sworn  
each for himself deposes and says. That he is  
well acquainted with the Homestake Mill-  
site Claim, situated in Hassayampa Mining  
District, County of Yavapai, <sup>as Territory of</sup> Arizona  
claimed by Nathaniel Ross, applicant for United  
States patent therefor, that he is well acquainted  
with the character of said described land  
having frequently passed over the same. That  
his knowledge of said land is such as to en-  
able him to testify understandingly with  
regard thereto, that there is not to his  
knowledge, within the limits thereof, any vein  
or lode of quartz or other rock in place, bearing  
Gold, Silver, cinnabar, lead, tin or copper, or any  
deposit of coal. that there is not within the  
limits of said land in his knowledge, any  
placer, cement gravel, or other valuable mineral  
deposits; that no portion of said land is worked for  
minerals during any part of the year by any  
person or persons; that said land is essen-  
tially non mineral land, and that he has  
no interest in said Mill site.

Subscribed and sworn to before me this  
30th day of September A.D. 1878. and I hereby  
certify that the foregoing affidavit was read

to the said Samuel S. Shull and George E. Brown, each, previous to their names being subscribed thereto, and that deponents are respectable persons, to whose affidavit full faith and credit should be given.

H. G. Howe. Witness, Sam'l S. Shull  
Frank Murray Geo. E. Brown

Oath sworn and subscribed to before me this 30<sup>th</sup> day  
of September A.D. 1878. —  
H. O. Hayes Jr.

Notice of Location 14

of the Home Stake Ledge or claim,  
containing Gold & Silver, and Locates  
as a Gold & Silver min.

The undersigned claim for mining  
purposes fifteen hundred (1500) feet  
of this quartz ledge, in length along  
the ledge or vein, and three hundred  
(300) feet on each side of the middle  
of the vein at the surface, together  
with all the dips, spurs and angles,  
and all valuable mineral deposits  
contained therein, and all timber  
growing within the limits of said  
claim, and all water and water  
privileges thereon or appurten-  
ant thereto, under and according to  
the provisions of an Act of Congress,  
approved May 10, <sup>the</sup> 1872, entitled "an  
Act to Promote the Development of  
the Mining Resources of the United  
States."

This claim commences at this  
notice, which is posted in a con-  
spicuous place at the mouth of  
a tunnel in what is known as  
Jeff Davis field. From oak stake in  
center of monument. Thence S 71° E.

15

300 feet to monument. Thence S.  $19^{\circ}$  West  
1500 fifteen hundred feet to monument  
at the foot of large Pine Tree. Thence  
North  $71^{\circ}$  West 300 ft to a large Fir Tree  
on center of ledge, and on line; thence  
N.  $71^{\circ}$  West 300 ft to monument and near  
the bed of dry stream; thence N.  $19^{\circ}$  East  
1500 ft fifteen hundred feet to monument  
on <sup>N.</sup> ~~and~~ bank of creek; thence S.  $71^{\circ}$  East  
300 feet to the place of beginning, and  
shall be known as the Home Stake  
Ledge or Claim.

Dated on the ground this Third day  
of July, 1878.

Hassayampa Mining District,  
County of Yavapai, Arizona Territory  
P. J. Reed

Filed for record at the request of Ed. W.  
Wells, July 5<sup>th</sup>, 1878, at 2 o'clock P.M.,  
and duly recorded in Book 3, 6 of  
Mines, Records of Yavapai County  
Arizona, at pages 536 & 537

William Witterson  
County Recorder  
J. W. Foster,  
Deputy.

Territory of Arizona }  
County of Yavapai }  
S.S.

I, William Wilkinson, Rec-  
order of Yavapai County, in the Ter-  
ritory of Arizona, hereby certify  
the foregoing to be a true transcript  
of the Records of said County in Book  
36 of Warrants at folios 536 & 537,  
relative to the Homestake bridge or claim.

Witness my hand and official  
seal this 8<sup>th</sup> day of July, ad 1878.

William Wilkinson  
County Recorder,  
by J. W. Taylor  
Deputy.

U. S. Surveyor General's Office,  
Tucson, Arizona, October 5, 1878.

The foregoing field-notes of the survey of the Homestake Mining and Mill-Site Claims, situated in the Hassayampa Mining district, Yavapai County, Arizona, claimed by Nathaniel Ross, Survey executed by Henry G. Howe, D.S., under instructions from this office, having been critically examined and the necessary corrections and alterations made, the said field notes and the surveys they describe are hereby appended.

John W. Basson.  
Surveyor General.