

**M  
S  
-**

**0  
1  
4  
3  
0**

## MINERAL SURVEY NO. 1430

Claims	M & B Des. Page No.	Imps. Page No.	Loc. Notice Page No.
Baltimore	9	14	5
Buster	3	13	1
Mary Jane	5	13	2
Mountain View	11	14	6
Pictou (Picton)	7	14	3 - 4

Rec'd April 30.

Plotted Jan 29th 1900

(4-683.)

## Mineral Survey No. 1430

Lot No. \_\_\_\_\_

Buster - Mary Jane Group of mines  
 Prescott, Ariz., Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIMS OF

John A. Forbes and John Mc Kinzie  
 per Andrews and Stocker Atty's

KNOWN AS THE

"Buster" "Mary Jane," "Picton" "Baltimore" "Mountain  
 View" Pine Grove Mining District,

Gavapai County, Arizona

Section unsurveyed, Township 11 N., Range 2 W. Approximately

Surveyed under instructions dated January 16, 1900

by R. C. Powers

U. S. Deputy Mineral Surveyor

Claim located various dates as per Soc notices  
 hereunto attached

Survey commenced January 22, 1900

Survey completed January 29, 1900

O-6-100

Address:

Andrews and Stocker  
 Atty's for claimants  
 Prescott,  
 Arizona.

PRELIMINARY OATHS OF ASSISTANTS IN  
SURVEY OF MINING CLAIM.

We, Joseph Sweet and John F. Burris, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claims of John A. Forbes and John McKinzie, Frederick Andrews and Stockton Attya, known as the Buster-Mary Jane group, situate in Pine Grove mining district, Montgomery County, in Section 11, Township No. 11, Range No. 2 W approximately.

Joseph Sweet, Chainman.

John F. Burris, Chainman.

Subscribed and sworn to by the above-named persons before me this 22nd day of January, 1890

R. C. Powers, Notary Public  
*My commission expires Jan 26 1904*

I, John F. Burris, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claims of John A. Forbes and John McKinzie, Frederick Andrews and Stockton Attya, known as the Buster-Mary Jane group, more fully described in the preceding affidavit.

John F. Burris, Axeman.

Subscribed and sworn to by the said John F. Burris before me this 22nd day of January, 1900

R. C. Powers, Notary Public  
*My commission expires Jan 26 1904*

I, Joseph Sweet, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claims of John A. Forbes and John McKinzie, Frederick Andrews and Stockton Attya, known as the Buster-Mary Jane group, more fully described in the preceding affidavit.

Joseph Sweet, Flagman.

Subscribed and sworn to by the said Joseph Sweet before me this 22nd day of January, 1890

R. C. Powers, Notary Public  
*My commission expires Jan 26 1904*

Survey No 1430

— Buster Lode —

Beginning at Cor. No 1

Identical with Cor. No 4 of the Mary Jane  
lode of this survey

On line 2-3 of Pocahontas lode of this survey.

An igneous rock  $24 \times 12 \times 10$  ins. set 12 ins. in  
the ground and chiseled  $\frac{1}{14}30$  B with a  
mound of stone alongside

The N.E. cor. of location Dirs N-22 ft. dist.

A pine tree, 18 ins. dia. Dirs N-45° E, 100 ft. dist.  
and scribed  $\frac{1}{14}30$  B.B.T.

U.S. Loc. Mon. No 1430 Dirs. N-18 $\frac{1}{2}$ ° E 15 ft. dist

No other bearings available.

Thence S-6°30'-E

~~S.W. cor.~~ ~~To S.E. of Pocahontas lode of this survey.~~

750 A loc. mon. of stone at center of E. side line.

1500 To Cor. No 2

Identical with S.E. Cor. of location and Cor.

No 1 of Picton lode of this survey.

A granite boulder in place  $3\frac{1}{2} \times 3\frac{1}{2}$  ft., 2 ft  
above ground chiseled (x) at corner point  
and  $\frac{1}{14}30$  B, with a mound of stone alongside

A Juniper tree 16 ins. dia. scribed  $\frac{1}{14}30$  B.B.T.

Drs. S-55° W, 25 ft. dist.

A Pine tree, 20 ins. dia. Described  $\frac{1}{14}30$  B.B.T. Dirs  
N-1° W, 37 ft. dist.

Thence S-83°30'-W

300 A loc. mon. of stone at center of S. end line  
and center of N. end line of Picton lode of this survey

600 To Cor. No 3

Identical with S.W. Cor. of location and Cor.  
No 2 of Picton lode of this survey.

A granite stone  $24 \times 12 \times 10$  ins. set 12 ins. in the  
ground and chiseled  $\frac{1}{14}30$  B with a  
mound of stone alongside

A Juniper tree 8 ins. dia. and scribed

$\frac{1}{14}30$  B.B.T., Dirs N-89° E, 45 ft. dist.

No other bearings available.

Thence N-6°30'-W

750 A loc. mon. of stone, at center of W. side line  
and identical with Cor. No 4 of Baltimore  
lode of this survey.

- 1172 Cross road, Dirs. N.  $60^{\circ}$  E and S.  $60^{\circ}$  W.  
 1500 To Cor. No 4  
 Identical with N-W Cor of location and  
 Cor. No 3 of Mary Jane lot of this survey.  
 An igneous rock,  $24 \times 12 \times 8$  ins. ext. 12 ins  
 in the ground and chiseled 4/14/30 B  
 with a mound of stone alongside.  
 An oak tree 9 ins. dia. and scribed 4/14/30 B.B.T.  
 Dirs S.  $63^{\circ} 30'$  W, 19 ft. dist.  
 A Juniper tree 14 ins. dia. and scribed  
 4/14/30 B.B.T. Dirs N.  $15^{\circ}$  W, 48 ft. dist.  
 Thence N.  $83^{\circ} 30'$  E  
 200 Cross ravine, 2 ft. wide and flows N.  $10^{\circ}$  W  
 300 A loc. moun of stone at center of N. End line  
 and center of S. End line of Mary Jane lot  
 of this survey.  
 480 Cross road, Dirs. N.  $30^{\circ}$  W and S.  $30^{\circ}$  E  
 600 To Cor. No / the place of beginning.

The variation at all corners of the  
 Buster lot is  $14^{\circ} 05'$  E

Total Area of the Buster lot 20.66 Acres

5-

Survey No 1430

Mary Jane Lode

Beginning at Cor. № 1

Identical with N.E. Cor. of location

A granite rock 24x8x8 ins. set 12 ins  
in the ground and chiseled  
1/1430 M.J. with a mound of stone  
alongside.

A Juniper tree 8 ins. dia. and scribed  
1/1430 M.J. B.T. bears N-W. 57 ft. dist.

U.S. Loc. Mon. № 1430 Drs S-88°40' E, 520 ft dist.

No other bearings available

Thence S-83°30'W

250 Top of ridge bears N-3° E and  
S-3° W

300 A loc. mon. of stone, at center of N. End line

600 To Cor № 2

Identical with N.W. Cor of location

An igneous stone 24x12x8 ins. set 12 ins.  
in the ground and chiseled 3/1430 M.J.  
with a mound of stone alongside.

Thence S-6°30'E

750 A loc. mon. of stone at center of W. side line  
and identical with Cor. № 1 of Baltimore  
lode of this survey.

1190 Cross Tower creek, 5 ft wide, flows S-75°W

1500 To Cor. № 3

Identical with S.W. Cor of location and  
Cor № 4 of Buster lode of this survey.

An igneous rock, 24x12x8 ins. set 12 ins. in  
the ground and chiseled 3/1430 M.J.  
with a mound of stone alongside

An oak tree 9 ins. dia. and scribed 3/1430  
M.J. B.T. Drs. S-63°30'W, 14 ft dist.

A Juniper tree, 14 ins. dia. and scribed  
3/1430 M.J. B.T. Drs. N-15°W, 43 ft. dist.

Thence N-83°30'E

200 Cross ravine, 2 ft. wide and flows N-10°W

300 A loc. mon. of stone at center of S. End line  
and center of N. End line of Buster lode  
of this survey.

480 Gross road, Drs. N-30°W and S-30°E.

600 To Cor. № 4

Identical with Cor. No. 1 of Bustre Book  
of this survey

On line 2-3 of Pacahoutis's book of the survey  
An igneous rock  $24 \frac{1}{2} \times 10$  ins set 12 ins.  
in the ground and chiseled 4/14/30 W.J.  
with a maul and stone along side.

The S.E. cor of location Obs. N-22 ft. dist.  
a pine tree, 18 ins. dia and scribed 4/14/30  
M.J.B.T. Obs. N-25° E. 100 ft. dist.

No other bearings available.

Thence N. 6° 30' W

- 130 Across hollow creek 3 ft wide, flows N 68° E  
160 A loc. Mon of stones at center of  
W side line of Pocahontas back of this survey  
480 Gross gulch, 2 ft wide, flows S 30° W  
910 Cor. No 2 of Pocahontas back of this survey  
1500 Dr Cor No 1 the place of beginning.

The variation at all corners of the  
Mary Jane Lodge is  $14^{\circ}05' E.$

Total area of the Mary Jane lock  
is 20.66 acres.

Table of areas Buster and Mary Jane claim

Bearing	Distance	Latitude	Longitude	True Long.	Double Area
		N + S -	E + W -		N + S -
1.83° 36'E	600 ft	67.92	596.16	596.16	40491.18
8.6° 30'E	1500 ft	1490.11	169.8	1362.12	2030103.648
83° 30'W	600 ft	67.92	596.16	935.76	63554.81
1.6° 30'W	1500 ft	1490.11	169.8	169.8	253069.92 <sup>2</sup> 093658.45
					.293561.10
					<u>293561.1</u>
				2) 1800097.36	
				900048.67	
				= 2066 acres	

Survey Feb 14 1930

7

Pictou Lode

Beginning at Cor. 9201

Identical with N.E. Cor. of location and  
Cor. No. 2 of Buston side of this survey.

A granite boulder in place  $3\frac{1}{2} \times 3\frac{1}{2}$  ft  
2 ft. above ground chiseled (x) at corner  
point and 1/1430 P. with a mound of  
stone along sides.

A Juniper tree 10 in. dia. scribed.

11732 ft. P.B.T. brs. S-55°W, 25 ft. dist

A pine tree 20 in. dia. scribed 1/1430 P.B.T.  
brs. N-12°W, 34 ft. dist.

U.S. Geo. Surv. No 1430, Sec. N 3° 33' E, 2969 ft. elev.

Hence S-83° 30' W

300 A loc. m.r. of stone at center of N-end line  
and south of S-end line of Buston side  
of this survey.

47 Cor. 922

Identical with N.E. Cor. of location and  
Cor. No. 3 of Buston side of this survey.

A granite stone,  $24 \times 12 \times 10$  in. set 12 in.  
in the ground and chiseled 1/1430 P.

with a mound of stone along side

A Juniper tree, 8 in. dia. and scribed

21730 P.B.T. brs. N-89° E, 45 ft. dist.

No bearings available

Hence S-0° 30' E.

750 A loc. m.r. of stone at center of W-side line

92 Cor. 923

Identical with S.W. Cor. of location.

An igneous rock  $24 \times 12 \times 8$  in. set 12 in.  
in the ground and chiseled 1/1430 P

with a mound of stone along side.

No bearings available

Hence N-83° 30' E

300 A loc. m.r. of stone, at center of S-end line

10 Cor. 924

Identical with S.E. Cor. of location

An igneous rock  $24 \times 12 \times 10$  in. set 12 in.  
in the ground and chiseled 1/1430 P

with a mound of stone along side

No bearings available.

True N - 0° 30' W

- 7500 Run more distance at center of E. side  
line
- 1500 Go over the place of beginning.

The orientation at all corners of the  
Picture Lake is 142° 05' E.

Total area of Picture Lake is 20.06 acres.

Bearings	Distance	Latitude	Longitude	Double Log Dist.	Area
		N. + S. -	E + W -	N + S -	
N 83° 30' E	600	67.92	596.16	596.16 40491.18	
S 0° 30' W	1500		113 1305	1179.32	17689.80
S 83° 30' W	600	67.92	596.16	570.16	38723.26
N. 0° 30' E	1500	1500	13.	195.00 1807705.26	
				59991.18 59991.18	
				2) 174771408	
				873857.04	
				= 20.06	
					20.06

9

Survey No 1430

Baltimore side.

Beginning at Cor. No 1

Identical with N.E. Cor. of location

On line 2-3 of Mary Jane side of this survey.

An ~~Siunite~~ rock 24x8x8 ins. est 12 ins.  
in the ground and chiseled 1/1430 B with  
a mound of stone alongside

A pile of stone Drs. N-12° W, 47 ft dist chiseled  
+ m<sup>r</sup> 1/1430 BR  
U.S. Loc. Mon. No. 1430 Drs. N-52° 15'-E, 1300 ft. dist.

No other bearings available.

Thence S-83° 30'-W.

476 To Cor. No 2

Identical with N.W. Cor. of location.

A Porphyry stone 24x14x9 ins. est 12 ins in  
the ground and chiseled 2/1430 B with a  
mound of stone alongside

A mass of rock 3x2x2 ft, chiseled 2/1430 BBR.  
Drs. E. 52 ft. dist.

No other bearings available

Thence S-6° 30'-E

530 Cross Tower Creek soft side, flows S-65° W

750 A loc. more of stone at center of W. side bank

1500 To Cor. No 3

Identical with S.W. cor. of location

An igneous rock 24x12x8 ins. est 12 ins.  
in the ground and chiseled 3/1430 B.  
with a mound of stone alongside.

No bearings available

Thence N-83° 30'-E

35 Cross road, Drs 5-80° W and N-80° E.

410 Top of ridge, Drs N-5° W and S-5° E

476 To Cor. No 4

Identical with S.E. Cor. of location

On line 3-4 of Buster side of this survey.

A Porphyry stone 24x8x6 ins. est 12 ins.  
in the ground and chiseled 4/1430 B.  
with a mound of stone alongside.

An oak tree, 12" dia. scribed 4/1430 B.B.T.

Dr. S-E., 24 ft. dist.

No other bearings available

Thence N-6° 30'-W

422 Cross road, Drs. N-60° E & S-60° W

10

## Baltimore Lode Sunr. 1130

750 Loc. now of stone at center of E side line  
and identical with cor no 4 Buster lode and  
cor no 3 of Mary Jane lode of this survey  
1060 Cross Tower Creek 5 ft wide flora S  
 $75^{\circ} W$

1500 To cor. no 1 the place of beginning.

The variation at all corners of this lode  
is  $14^{\circ} 05' E$

Area.

Total area Baltimore Lode 16.39 acres

~~Dr 120 & Table - Area Baltimore Lode~~

Bearing, Distance	Latitude N + S -	Longitude E + W -	Dbl Long	Dobl Area A + S -
N $83^{\circ} 30' E$	476 53.88	473.15	473.15	26493.32
S $6^{\circ} 30' E$	1500 1490.4	169.8	1116.1	1663435.44
S $83^{\circ} 30' W$	476 53.88	473.15	812.75	43790.97
N $6^{\circ} 30' W$	1500 1490.4	169.8	169.8	25306.92
				1707226.41
			278563.24	278563.24
			2) 1428663.17	714331.58
				= 16.39 AV

## Survey No 1430

## Mountain View lot

Beginning at Cor. No 1

Identical with S.E. cor. of location and  
Cor. No 1 of Mary Jane lot of this survey.  
A granite stone 24x10x8 ins set 12 ins in  
the ground and chiseled 1/14 30 M.V.  
with a mound of stone alongside

C.S. Loc. Mon. No 1430 Grs S-88°40' E, 520  
ft. dist

No other bearings available  
Thence N-20°39' E

1350 To Cor. No 2

Identical with N.E. cor. of feature.

On S-End line of Hudson R. J. Roach claims  
A granite rock embedded in the ground  
4x3 ft, 10 ins above ground chiseled 2/14 30  
M.V. with mound of stone alongside whence  
An oak tree 10 ins. dia. scribed 2/14 30 M.V.B.T.  
Grs. S-83°10' 13 ft dist.

An oak tree 8 ins. dia. scribed 2/14 30 M.V.B.T.  
Grs. S-8° E, 5 ft dist.

Thence S-83°30' W.

239 A few rods S of tree at center of S-End  
line of Hudson lot (unsurveyed).

350 A few rods S of tree at center of S-E End line

539 A few rods S of tree at S-W. cor. of Hudson lot.

600 To Cor. No 3

Identical with N-W. cor. of feature.

A granite rock 24x8x6 ins set 12 ins in  
the ground and chiseled 3/14 30 M.V. with  
a mound of stone alongside - whence  
An oak tree 10 ins. dia. scribed 3/14 30 M.V.B.T.  
Grs. N-21° E., 34 ft. dist.

No other bearings available.

Thence S-20°39' W.

1350 To Cor. No 4

Identical with S-W. cor. of location and  
Cor. No 2 of Mary Jane lot of this survey.

A granite stone 24x8x6 ins set 12 ins in  
the ground and chiseled 4/14 30 M.V.

# Mountain View Lodge

with a mound of stone alongside.  
No bearings available

True N-83°30'-E

- 3-0 A loc. mow. of stone at center of S. End line  
and center P. End line of Mary Jane  
Lodge, from survey.
- 0-0 To Cor. No. 1 the place of beginning.

Total Area of Mountain View 16.55 Acres

Star Bearing	Dist	Latitude	Departure	Double Long	Double Areas
		N + S -	E + W -		S -
4 N-83°30'-E	600	67.9	596	596	40472.4
1 N-20°30'-W	1350	1264	472	1664	2103296.
2 S-83°30'-W	600	67.9	596	1540	104566.
3 S-20°30'-W	1350	1264	472	472	5966.08
				2143772.4	707174.
				21442598.4	
				721299.	= 16.55 Acres ✓

Adjoining and near claims

Adjoining the Buster and Mary Jane claims  
on the East is the Rockhouse Farber and  
Mc Kinzie owners (unsurveyed)

East of the Buster and Pictou is the  
Hawthor and Hawthr No 2 James  
Younger claimants (unsurveyed)

Adjoining the Mountain View on the  
North East is the Mountain View is  
the Henderson T. and J. Rock claimants  
(unsurveyed)

There are no other claims adjoining

claims

13

Expenditure of Five Hundred Dollars,  
Survey 1430

I certify that the value of the labor and improvements upon these claims, placed thereon by the claimants and their grantees is not less than five hundred dollars for each claim, and that said improvements consist of:

Buster Claim.

No. 1. Discovery shaft - 4 x 6 x 40 ft which  
from Cor. N. 1 Dirs. S. 15° 30' W. 800 ft dist.

		Value	\$400.00
No 2	Tunnel — 4 x 7 x 292 feet. The mouth from Cor. No. 1 hrs. S. 60° W. 325 ft. and thence extends S. 80° 20' E 292 ft — At a point 141 feet in front the mouth of this tunnel is a cross cut 4 x 7 x 24 feet to the westward. Total value to the "Picolow" and "Ballimore" claims of this Survey can be advantageously developed through this Tunnel 500 or of its value is credited to each of these claims.	\$3000.00	
No 3	Tunnel — 4 x 6 x 243 feet the mouth of which hrs from Center N. End line man S. 2° 30' E 690 ft dist. Course S 6° 30' E Value \$2200.00		
No 4	A shaft 4 x 8 x 30 well timbered which from Cen N. End line man hrs. S 6° 30' E 478 ft dist. Value \$350.00		
No. 5	Tunnel — The mouth of which from Cen S. End line man hrs N. 6° 30' W 439 ft dimensions 4 x 6 ft — and extends S. 6° 30' E. 107 ft. value \$800.00		

Mary Jane.

No 1	Discovery shaft - 4 x 6 x 10 ft - which from S. End Center man. of Location hrs N 6° 30' W 750 feet	Value	\$100.00
No 2	shaft 4 x 6 x 50 feet, well timbered, from Cen S. End line man. hrs N. 7° 30' E 312 ft dist.		
	At a depth of 37 feet from the collar of this shaft a drift is run N. 29 feet and N.E. 14 ft — Total value shaft and drift \$900.00		

As the Mountain View can be advantageously developed through  
this shaft \$400.00 of its value is credited to that claim.

Expenditure of \$700. Surv 1480

Picton

- No 1 Discovery shaft 4 + 6 + 12 ft which from N. end  
center mow. of location hrs. S.  $0^{\circ} 30' E$  110 ft dist  
Value      \$100<sup>00</sup>
- No 2 Tunnel Approach 4 + 10 + 16 ft long - the face  
of which from the center of End Line mow  
of location. hrs N  $0^{\circ} 30' E$  850 ft course N  $30^{\circ}$   
Value      \$100<sup>00</sup>
- Of the value of (No 2) Buster Tunnel  
there is credited to the Picton claim      \$300<sup>00</sup>
- 

"Baltimore."

- No 1 Discovery shaft 4 + 6 + 12 ft hrs from  
center E side line mow of loc. S.  $83^{\circ} 30' W$ .  
176 ft dist.      Value      \$100<sup>00</sup>
- Of the value (No 2) Buster Tunnel  
there is credited to this claim —      \$200<sup>00</sup>
- 

Mountain View

- No 1 Discovery shaft 4 + 6 + 12 ft which  
from End Center mow. of loc. hrs N  $20^{\circ} 34' E$  50 ft dist. —      Value      \$100<sup>00</sup>
- Of the value of (No 2) working  
shaft of Mary Jane claim there is  
credited to "The Mountain View"      \$400<sup>00</sup>

## Other Improvements.

- No 1 A 4 battery triple discharge eight-stamp mill with counterbalance total dimensions 64 x 66 feet - a 40 H.P. boiler and engine, pumps and tanks complete - from the S. end center mow. of Mary Jane - which is also the N. end Center Mow. of location of the Buster Claim (a (+) cross mark on E. side center of mill.) brs. N 34° 30' W. 307 feet dist., value \$12,000<sup>00</sup>  
As this mill has been built for the benefit of all the claims of this group, five hundred dollars of its value is credited to each and every claim thereof.
- No 2 From Loc. mow. of loc. at center of N. end of Buster Claim the center of Blacksmith shop 14 x 26 feet - brs. S. 10° 45' E. 109 ft. to (x) cross mark at center of side facing N.E.
- No 3 From 3-4 car Buster and Mary Jane claims the center of S. side of Boarding House 15 x 52 ft - dimensions brs. brs. N. 6° 33' E. 202 ft - dist.
- No 4 From S. end center mow of loc. Mary Jane claim which is same as N. end center of Buster claim, the N. side center of Assay office 14 x 35 ft - brs. N 83° 33'E. 65 ft - dist.
- No 5 S. side center of Lodging house No. 144 + 24 ft brs N 42° 02' E 114 ft - dist.
- " 6 S. side center of Lodging house No. 2 144 + 24 ft brs. N 32° 42' E. 164 ft - dist.
- " 7 S. side center of office 14 + 24 brs N 12° 26' E. 154 ft - dist.
- " 8 S. side center of Watchman House 144 ft 12 ft brs N 12° 38' 2 206 ft - dist.

Ledges. Surv 1430

"Buster" ledge

From loc shaft-ledge hrs N  $6^{\circ} 30' W$  750 ft  
and S.  $6^{\circ} 30' E$  750 - shown by crossings

"Mary Jane"

From loc shaft-ledge hrs N  $6^{\circ} 30' W$  750 ft  
and S.  $6^{\circ} 30' E$  750 ft - shown by crossings

"Picton"

From loc now at center of stand line  
near hrs S  $0^{\circ} 30' E$ . 800 ft - shown by crossings.

"Baltimore"

From loc shaft-ledge hrs. S.  $6^{\circ} 30' E$   
400 ft and N  $6^{\circ} 30' W$  200 ft shown  
by crossings.

Mountain View.

From loc shaft-ledge hrs. N  $20^{\circ} 30' E$   
500 ft shown by crossings

Instrument.

This survey was made with a Survey  
light Mountain Transit with solar attachment -  
verified by observation upon Polaris

The courses were deflected from the true  
meridian as determined by direct solar  
observation.

The distances were measured with  
a 50 foot steel chain.

Location

These plains are located upon unsurveyed  
land, approximately in the 1<sup>st</sup> N Range  
2 W. Gila and Salt River base and meridian  
in Pine Grove mining district Garfield  
County Arizona

R. C. Powers

address U. S. Dept'y Mineral Surveyor  
Prescott, Arizona.

Recd March 17 1900

17

## U. S. Location Monument No 1430

There being no corner of the Public Land Survey and no U.S. Loc. Mon. within two miles of this Survey, I proceed to Establish U.S. Loc. Mon. No 1430 as follows:

Upon the top of a prominent mountain having a commanding view of the surrounding country, I select a rock in place (3 x 2 x 1 feet long) round which I chisel with a (x) at each point of location, and U.S.L.M. 1430, - Along side of this rock on the E. I build a conical mound of stone six feet base five feet high in the center of which I place a sawed pine post 4 x 6 ins 6 feet long scribed U.S.L.M. No. 1430.

From (x) on Stone a pine 14 ins. diam. hrs. N 50° E 68 ft dist scribed U.S.L.M. 1430 BT.

A Juniper 12 ins diam hrs. N 40° W 60 ft dist. scribed U.S.L.M. 1430 BT

The S.W. cor. of Boarding House in Carls mining Camp hrs N 40° E about 1 mile dist.


The top of Tower Mountain hrs S. 50° E about 2½ miles dist.

The top of Tuscarria mt. hrs N 44° E, 1½ mile dist.

The N.W. cor of Standard mining claim hrs. N 62° 30' E 640 ft dist.  
no other available bearings

Established }  
Jan. 23 d. 1900 }

R. C. Powers,  
U.S. Deputy Surveyor



Plat 26, S. Loc. No. N. 1430.

Established Jan. 23d, 1900

By R. C. Powers.

U. S. Assay Mineral Surv.

Pine Grove, Mining District,

Yavapai Co., Arizona.

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by

*R. C. Powers*

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners and boundaries described in the foregoing field notes of the survey of the mining claim of *John A. Farles and John McKenzie*, known as the *Bushie-Standard group*, and showing the respective capacities in which they acted.

*Joseph Sneed*, Chainman.  
*John F. Burris*, Chainman.  
*Joseph Bechtel*, Axman.  
*Joseph Sneed*, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, *Joseph Sneed* and *John F. Burris*, do solemnly swear that we assisted *R. C. Powers*, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of *John A. Farles and John McKenzie*, known as the *Mary Jane et al group*, represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for *Arizona*.

*Joseph Sneed*, Chainman.  
*John F. Burris*, Chainman.  
*John E. Burris*, Axman.  
*Joseph Sneed*, Flagman.

Subscribed and sworn to by the above-named persons before me

this *29<sup>th</sup>* day of *January*, 1890

*R. C. Powers*

my commission expires Notary Public  
 Jan, 26, 1904

(4-686.)

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, R. L. Powers, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Jan. 16<sup>th</sup>, 1900, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claims of John A. Forbess and John McKenzie, known as the Buster Mary Jane group of mines, situate in Pile Grove Mining District, Gila County, Arizona, in Section upon unsurveyed land, Range No. 2, Township No. 11, approximatly and designated as Survey No. 1430, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

R. L. Powers

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said

R. L. Powers  
U. S. Deputy Mineral Surveyor, before me a Notary Public in  
for Gila County, Ariz., Tex. this 13<sup>th</sup>  
day of March 1900,

Ziba O. Brown  
Notary Public

o s-164



# Affidavit of Five Hundred Dollars Improvements.

We, Joseph L. Scott and John F. Burris, of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Buster-Mary Jane et al group of mining claims situated in Pine Grove Mining district, Yavapai County, Arizona Territory, for which

have made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant~~s~~ and their grantor~~s~~ exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Joseph L. Scott

John F. Burris

TERRITORY OF ARIZONA,  
County of Yavapai } ss.

SWORN to and subscribed before me, this

29<sup>th</sup> day of January 1894  
R. C. Powers  
Notary Public  
my commission expires  
Jan. 26, 1904

BUSTER.

NOTICE.

We the undersigned locate and claim fifteen hundred feet, on this lead, lode or deposit and 300 feet on each side of vein, claiming all dips, spurs and angles all timber and claim the same according to the mining laws passed in Congress.

Commencing at this monument of stone, being the center of claim, and running 750 feet to south center end monument, thence 300 feet east to South east corner monument, thence 1500... North to Northeast corner monument, thence 300 feet to North center end monument, thence 300 feet to north west corner monument, thence 1500 feet to Southwest corner monument, thence 300 feet to center South end monument, thence 750 North to place of beginning.

This claim is situated in Pine Grove Mining District and about 700 feet from the Hoosier Min... and about 1 1/2 miles from the Pine Creek Saw Mill and shall be known as the Buster Mine.

Located this day January 1st 1893, by

John McKenzie

John A. Forbes.

Recorded at request of John McKenzie Jany 4th A.D.1893, at 1:30 o'clock p.m. in Book 35 of Mines, pages 228, Records of Yavapai County, Arizona.

By F.A.Tritte Jr.,

(L.S.) Alex O.Brodie

County Recorder.

Deputy.

\*\*\*\*\*

TERRITORY OF ARIZONA,      )  
                                      )SS:  
COUNTY OF YAVAPAI.      )

I, W.I.JOHNSON, County Recorder in and for said County in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Buster" Mining Claim, as the same appears of record in Book 35 of Mines, page 228, records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official Seal, this 12th day of Dec., 1893.

*W.I.Johnson*  
County Recorder.



MARY JANE.

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS: That we the undersigned have this day located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this monument and notice placed upon the ledge, and runs Fifteen Hundred (1500) feet in a Northerly direction along the ledge.

The Exterior boundaries are as follows, viz:

Commencing at this monument and notice, and running Three Hundred (300) feet in an Easterly direction to monument at S.E.corner of claim; thence in a Northerly direction parallel with the ledge Fifteen Hundred (1500) feet to monument at N.E.corner of claim; thence in a Westerly direction at right angles across the ledge Six Hundred (600) feet to monument at N.W.corner of claim; thence parallel with the lode in a Southerly direction Fifteen Hundred (1500) feet to monument at S.W.corner of claim; thence at right angles across the ledge in an Easterly direction Three Hundred (300)feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated...Bradshaw Mountains and on the North extension of the Buster Mine, in Pine Grove Mining District, Yavapai County, Arizona Territory, and shall be known as the Mary Jane Mining Claim.

Dated on the ground, this 24th day of August, 1893.

John A. Forbes  
James Hanger  
John McKenzie.

Recorded at request of James Hanger, Aug 30th A.D.1893, at 10:00 o'clock a.m. in Book 37 of Mines, pages 21, Records of Yavapai County, Arizona.

(L.S.) Alex O.Brodie,  
County Recorder.

\*\*\*\*\*

TERRITORY OF ARIZONA,      )  
                                    )  
                                    SS:  
COUNTY OF YAVAPAI.      )

I, W.J. JOHNSON, County Recorder in and for said County, in said Territory and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Mary Jane" Mining Claim, as the same appears of record in Book 37 of Mines, page 21, Records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 12th day of Dec. 1899.

*W.J. Johnson*  
County Recorder.



"P I C T O U".

CERTIFICATE OF AMENDED MINING LOCATION.

\*\*\*\*\*

THIS CERTIFIES, that the "PICTOU" lode mining claim was amended, located and claimed by right of discovery and amended location, by the undersigned, JOHN A. FORBES and JOHN MC KENZIE on the ~~22nd~~ day of December, 1899; that the said mining claim is 1500 feet long along the course of the vein thereof, being in a South-westerly direction from the Monument in which this certificate of amended mining location is placed; together with surface ground 300 feet in width on each side of the center of said vein; that said mining claim is situated and located in the Pine Grove Mining District, in the County of Yavapai and Territory of Arizona, and about one half (1/2) mile from the "HOOSIER" Mining Claim and about TWO (2) miles in a South-easterly direction from the Saw-mill situated upon Pine Creek in said Mining District.

That the undersigned, the amended locators thereof, did on the said 22nd. day of December, 1899, amend the same by placing on the discovery shaft sunk thereon, in compliance with the laws of the Territory of Arizona, a plain sign, a notice of which the following and the preceeding is a copy:

"PICTOU" MINING CLAIM.

KNOW ALL MEN BY THESE PRESENTS, that the undersigned, JOHN A. FORBES and JOHN MC KENZIE, in compliance with the mining acts of Congress, approved May 10th, 1872, and all subsequent acts, and with the laws of the Territory of Arizona, particularly Act No.14 of the Legislative Assembly of the Territory of Arizona, approved March 20, 1899, with regard to the location of mining claims and the amending thereof, have this 22nd. day of December, 1899, amended, located and

claimed, and by these presents do amend, locate and claim by right of discovery and amended location, 1500 linear feet and horizontal measurement on this the "PICTOU" lead, lode, ledge, vein or deposit along the course thereof, being 1500 feet in a South-westerly direction lengthwise of said claim from the center end monument on the North end of where this notice is posted, together with 300 feet in width of surface ground on either side of the center of said lead, lode, ledge, vein or deposit on the surface, together with the dips, spurs, angles and variations, and all leads, lodes, ledges, veins or deposits within the exterior limits of said claim as allowed by law, the exterior boundaries being more particularly described as follows, to-wit:-

Commencing at this monument of stone in which is placed this certificate of amended location and running thence in an Easterly direction 300 feet to a monument of stone, the same being the North-east Corner of said claim; thence in a South-westerly direction 1500 feet to a monument of stone at the South-east Corner thereof; thence in a Westerly direction 300 feet to a monument of stone at the South-west center end thereof; thence 300 feet in a Westerly direction to a monument of stone at the South-westerly corner thereof; thence 1500 feet in a North-easterly direction to a monument of stone at the North-west Corner thereof; thence 300 feet in an Easterly direction to the place of beginning.

THIS FURTHER ADDITIONAL CERTIFICATE OF AMENDED LOCATION BEING made without waiver of any previously acquired rights of said original locator, but for the purpose of correcting errors in the original location, description and record thereof. The ~~error~~ being in recording transcribing the name of this Mining Claim as the "PICTON", instead of the "PICTOU" its true name, and for the further purpose of giving the undersigned all the benefits secured under and by virtue

# **POOR QUALITY**

**The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.**

3

of said Act of Congress and of the said Act of the Legislative Assembly of the Territory of Arizona.

*John R. Forbes.....*

*John Mc Kinzie.....*

Recorded at request of R.C.Powers, Dec. 26<sup>th</sup> A.D. 1899, at 12:30 o'clock p.m. in Book 51 of Mines, pages 543, records of Yavapai County, Arizona.

By E.C.Averyt,  
Deputy. (Seal) W.I.Johnson,  
County Recorder.

\*\*\*\*\*

TERRITORY OF ARIZONA, )  
COUNTY OF YAVAPAI. ) SS:

I, W.I.JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Amended Notice of Location of the "Pictou" Mining Claim, as the same appears of record in Book 51, of Mines, pages 543, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal this 26th day of Dec., 1899.

*W.I. Johnson*  
County Recorder.



9

*state County + Boundary*

27

PICTON.

NOTICE.

We the undersigned locate and claim fifteen.....feet of this lode or deposit and 300 feet on each side of vein also all dips, spurs and angles also timber.

Commencing at this monument of stone and running 300 feet easterly to the N.E.corner monument, thence 1500 feet south to the South W.corner monument, thence 300 feet to center South end monument, thence 300 feet to the South east corner, thence 1500 feet North to the North east corner monument, thence 300 feet West to place of beginning.

This claim is situated in Pine Grove Mining District, and about a half mile from from the Hosier Mine and about 2 miles S.E. from the Pine Creek Saw Mill.

This claim shall be known as the Picton Mine.  
Located this day Oct. 28, 1892,

Witness:  
James Heath.

by John McKinzie

John A. Forbes

James Hanger

Recorded at request of F.McKinzie Nov. 25 A.D.1892, at 2:40 o'clock p.m. in Book 35 of Mines, pages 93 & 94, Records of Yavapai County, Arizona.

(Seal)

Charles H.Akers,  
County Recorder.

\*\*\*\*\*

TERRITORY OF ARIZONA,      )  
                                )ss:  
COUNTY OF YAVAPAI.        )

I, W.I.JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Picton" Mining Claim, as the same appears of record in Book 35 of Mines, pages 93 and 94, records of Yavapai County, Arizona.

In witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 12th day of Dec. 1899.

*W.I. Johnson*  
County Recorder.



## NOTICE OF MINING LOCATION.

BALTIMORE.

KNOW ALL MEN BY THESE PRESENTS: That I, Charles H. Unverzagt the undersigned, have this day located and claimed for the purpose of exploration and purchase this mining claim, the name of which is the Baltimore Mining Claim, situated on lands belonging to the United States of America and in which there are valuable mineral deposits. The length of this claim is fifteen hundred feet and I claim 750 feet in a Northerly direction and 750 feet in a Southerly direction from the center of the discovery shaft at which this notice is posted and three hundred feet in width of surface ground on each side of the center of said claim.

This claim is situated and located in the Pine Grove Mining District, Yavapai County, Arizona, West of and adjoining the Buster and Mary Jane Mining Claims and within 800 feet in a Westerly direction from the Buster Stamp Mill.

The surface boundaries are marked upon the ground as follows: Beginning at a monument of stone at a point in a Northerly direction 750 feet from the discovery shaft (where this notice is posted) at the center of the North end line; thence Easterly 300 feet to a monument of stone at the N.E. cor.; thence Southerly 750 feet to a monument of stone at the center of the East side line; thence Southerly 750 feet to a monument of stone at the S.E. cor.; thence Westerly 300 feet to a monument of stone at the center of the South end line; thence Westerly 300 feet to a mon. of stone at the S.W. cor.; thence Northerly 750 feet to a mon. of stone at the center of the West side line; thence Northerly 750 feet to a monument of stone at the N.W. cor.; Thence Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII, # # # Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, and amended March 2, 1899.

Dated and posted on the ground this 19th Dec., 1899.

Charles H. Unverzagt,  
Locator.

Witness

T.A. Dunshee

Recorded at request of Sam Pattee, Jan. 5<sup>th</sup>, A.D. 1900, at 4:10 o'clock P.M. in Book 51 of Mines, Pages \_\_\_\_\_, Records of Yavapai County, Arizona.

W.I. Johnson,  
County Recorder.

(Seal)  
By E.C. Averyt, Deputy.

\*\*\*\*\*

Territory of Arizona, §  
ss:

County of Yavapai, §  
I, W.I.JOHNSON, County Recorder in and for the County of Yavapai in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing and the same is a full, true and correct copy of the location of the "Baltimore" Mining Claim, as the same appears in my office in Book 51 of Mines on pages \_\_\_\_\_, Reprinted January 8<sup>th</sup>, 1900, in the County of Yavapai, Arizona.

Whereof I have hereunto set my hand and affixed this the 8th day of January, A.D. 1900.

W.I. Johnson  
County Recorder



**"MOUNTAIN VIEW"****NOTICE OF LOCATION.**

Know all Men by these presents: That I, the undersigned have this day located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred 300 feet on each side of the of vein with all minerals deposits contained thereon and all timber growing within the limits of said claim, and all water and water priviledges thereon are appurtenant thereto, under and according to the provisions of the Mining Laws of the United States under which it is located.

This Claim commences at this Monument and Notice placed upon the ledge, and runs fifteen hundred (1500) feet in a Northerly direction along the ledge from discovery shaft.

The exterior boundaries are as follows, viz: Commencing at this Monument and Notice and running three hundred (300) feet in an Easterly direction to monument at S.E.corner of claim; thence in a Northerly direction parallel with the ledge fifteen hundred (1500) feet to monument at N.E.corner of claim; thence in a Westerly direction at right angles across the ledge Six Hundred (600) feet to Monument at N.W.corner of claim; thence parallel with the lode in a Southerly direction fifteen hundred (1500) feet to monument at S.W.corner of claim; thence at right angles across the ledge in an Easterly direction three (300) hundred feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated in the Bradshaw Mountains, Pine Grove Mining District, about fifteen hundred feet Northerly from the Buster Mine and Mining Camp and laying between the Mary Jane Mine on the North and the Hudson Mine on the South, Yavapai County, Arizona Territory, and shall be known as the Mountain View Mining Claim.

Dated on the ground this Fifteenth day of May, 1899.

Locators, JAMES MARSHALL

W.ZENT.

Witness: Walter Steinbrook.

Recorded at request of T.C.Williams, July 3<sup>rd</sup>, A.D.1899, at 4:52 o'clock P.M. in Book 51 of Mines, Pages 322 - 323, Records of Yavapai County, Arizona.

W.I.Johnson,  
(Seal) County Recorder.

By E.C.Averyt, Deputy.

\*\*\*\*\*

Territory of Arizona,  
ss:

County of Yavapai,

I, W.I.JOHNSON, County Recorder in and for the County of Yavapai in the Territory of Arizona and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the Notice of Location of the "Mountain View" Mining Claim, as the same appears of record in my office in Book 51 of Mines on pages 322 and 323. Records of Yavapai County, Arizona.

Witness Whereof I have hereunto set my hand and affixed this the 12th day of December, A.D.1899.

*W.I.Johnson*

County Recorder.

By *E.C.Averyt*

Deputy Recorder.



\*\*\*\*\*

(4-687.)

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona.

July 23-1900 1900.18

I, U. S. Surveyor General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of John A. Forbes &

John McKenzie,

, known as the

Euster, Mary Jane, Pictou, Baltimore, & Mountain View.

situate in Pine Grove mining district,

Yavapai County, Arizona,

in Section (unsurveyed) Township No. 11 N., Range No. 2 West (approx.)

, designated as Survey No. 1430.

executed by R. C. Powers, U. S. Deputy Mineral

Surveyor, Jan'y 22-29. 1900, 18 , under my instructions dated

Jan'y 16, 1900. DS , have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

George Christ

U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)  
BUREAU OF LAND MANAGEMENT M.S. 1430  
ARIZONA STATE OFFICE

---

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Baltimore and Mountain View lodes, Mineral Survey No. 1430, located in section 5, Township 10 North, Range 1 West, and section 32, Township 11 North, Range 1 West, Gila and Salt River Meridian, Arizona, are hereby canceled.


These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).


This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Baltimore and Mountain View lodes, M.S. 1430, were canceled May 20, 2002, by memo 9605 (956) M.S. 1430, which is now a part of the original field notes."

May 20, 2002  
Date

  
\_\_\_\_\_  
Chief Cadastral Surveyor of Arizona



1545 Lee, ME, MA

USA  
Tolls, GWR

Holiday Inn  
Pittsfield