Platted_ Mov 20-1901, S.F.F.

(4-683.)

Mineral Survey No. 1574

Lot No.

Present Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Clarke, Greenhist & Co by Chauncey D. Clarke Alty Gold Standard, Bucy & Silver Bell Enrika Yanapai County, Argona Territory

Section approx Township 12 N, Range 9 W. (ms)

Surveyed under instructions dated June 11 16.190,1

by R. B. Powers.

U. S. Deputy Mineral Surveyor

Claim located January 7th, 1895
Survey commenced June 26th, 1901
Survey completed June 27th, 1901

Addres of Claringus

Channey D. Clarke Alty Prescutt Arizona

Care of Powers & Merrett

Platted_ Mov 20-1901,

(4-683.)

Mineral Survey No. 1574

Lot No.

Prescutt Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Clarke, Greenhist & Co

by Chainey D. Clarke Alta

KNOWN AS THE

Gold Standard, Bucy & Silver Bell

Enrica Mining District,

Garapai County, Arguna Territory

Section approx Township 12 N; Range 9 N. (ms.)

Surveyed under instructions dated June 1/ 18. 1921

by R. B. Rowers.

U. S. Deputy Mineral Surveyor

Claim located formany 7th, 1895
Survey commenced from 2 6 th, 1901
Survey completed from 27 th, 1901

Address of Claringust

Bhanney D. Clarke Alty

Prescutt Arizona

can of Powers & Morrett

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, D. C. Thom	and 6	rascuo	Arrila
do solemnly swear that we will well a that we will level the chain upon eveither by sticking or dropping the snotable objects, and the true length of our skill and ability, and in according the Mining Claim of Clarke,	and faithfully exc en and uneven g same; that we wi of all lines that w	ecute the duti ground and p ill report the ve assist in m	es of chain carriers; lumb the tally-pins, true distance to all easuring, to the best
C 21 C1		0 01	, known as the
Grld Standard, Lensituate in General Garafai in Section , Township No.	ey tour	er Osw	mining district,
yanapai	County, A	your 2	erritory,
in Section, Township No	Range N	0	
			, Chainman.
Subscribed	d and sworn to by	y the above-n	amed persons before
me th	his & day	of June	, 180/
		- Blu	
I,	Common E	Jane de de la	That I will well and
according to instructions given me ar of the Mining Claim ofknown as the more fully described in the preceding			
			, Axeman.
Subscriba			, victoriation
			day of
		, 18	•
		•	
I,		, do solem	nly swear that I will
well and truly perform the duties of t duties, according to instructions given survey of the Mining Claim of	flagman, in the es n me and to the l	stablishment best of my sk	of corners and other ill and ability, in the
1 on the			
known as the more fully described in the preceding			,
more fully described in the preceding	amaavit.		
			, Flagman.
			day of
		, 18	•

SILVER BELT LODE.

Feet. Reginning at Cor. No. 1

Identical with the N.E.Cor. of the location.

A granite rock in place showing 18X12X24 ins.aboxe the ground, chiseled X-1-S-1574 with a mound of stones alongside. Whence:

U.S.L.M.NO.1224 Ris. N 80°.16'E 2317.1 feet.

A granite rock in place 4X5 feet above the ground chiseled B.R.1.S.1574, S 65°.00'E.34feet.

No other bearings available.

Thence N 48°.00'W

Va.14°.E

176 Cr. of wash 20 ft. wide flows S 83°.00'E

300 Mon. Cr. of the N.end of claim

600 To Cor.No. 2

Identical with the Cor. of the loc.

A granite rock in place showing SX5X1 ft. above the ground.chiseled 2-S-1574.(X) with mound of stones alongside.

NO beatings available.

Thence S39°.00'W

Va.14°.E.

200 Cr. wash 20 ft.wide flows S 74°.00'E.

750 mon.Cr.side line.

825 Cor.NO.1 Lucy lode of this Sur.

1500 To Cor. No.3

Identical with the Cor. of the loc.and with Cor.No.4 Gold Standard lode of this Sur.

Rock in place 3X6 ft.X8 ins above the ground chiseled X-3.S-4.G-1574 with a mound of stones alongside.

Whence.

Rock in place 2X2X3 ft. above the ground chiseled B.R. X-3.S-4.G. 1574 Brs.N 50°.00W 4.5 ft.

Rock in place 2X4X6 ft.above the ground chiseled B.R. X 3.S-4.G-1574 Brs.S 23°.30'E 31.ft.

Feet	Thence S 48°.00'E
	Va., 14°.E!
500	To mon. Cr. end line of claim.
600	To Cor. No. 4
	Identical with the cor. of the loc. and with Cor. No.1
	of Gold Standard lode of this Sur.
	Rock in place showing 3X4X4 ft. above the ground.
	chiseled X. 4.S l.G. 1574 With a mound of stones
	alongside. whence.
	Rock in place 3 ft. above the ground brs.N67°.30'W 36 ft. chiseled B.R.X 48.1574 No other bearings available.
	Thence N 39°,00'E
	Va.14°.E
750	mon.Cr.of the side line.
1500	To Cor. No. 1 the place of beginning.
	GOLD STANDARD LODE.
	Beginning at Cor. No. 1.
	Identical with the N.E.Cor. of the loc, and with Cor. No
	4 of Silver Belt lode of this Sur, herein before
	described. whence.
	U.S.L.M.No.1224 Brs.N 64°.15'E 3584.feet.
	Rock in place 3 ft. above the ground chiseled X B.R.1.0
	1574 brs. N 67°.30'W 36.feet.
	No other bearings available.
	Thence S 42°.00'W
	Va.14°.E
750	Mon.Cr.of the side line.
1500	To Cor. No. 2
	Identical with the Cor. of the loc.
	A Granite stone 8X10X24 ins. set 12 ins. in the ground
	chiseled 2.G.1574 with a mound of stones alongside.
	No bearings available.

105 cr wash 5ft wide flows \$45000W
300 Mon. Cr. end line.

Thence N 48°.00'W

Feet 600

To Cor. No. 3

Identical with the Cor. of the loc.

Rock in place showing 2X3 ft.X6ins. above the ground. chiseled X-3.G-1574.with mound of stones alongside.

whence:.

A X-F.R.3.6.1574 chiseled on rock in place 4ft. from the ground brs. N 39°.30'W 43feet. No other bearings available.

Thence M 42°.00'E

Va.14°.J.

722.4 Intersect line 3-4 Lucy lode of this Sur. at N1°.07'V 63.3 feet from Cor. No.4

750 Mon. Cr. of side line.

150) To Cor. No. 4..

Identical with the Cor. of the loc. and Cor. No.3 Silver Belt lode of this Sur.herein before described.

Thence S 48°.00'E

va. 14°.E

300 Mon. Cr. end line of claim.

600 To Cor. No 1 the place of beginning.

LUCY LODE.

Reginning at Cor. No. 1

Identical with the N.E.Cor. of the loc.

Granite rock in place showing 10X14X16 ins. above the ground chiseled X1 1.1574 with mound of stones alongside.

Whence:

U.S.L.M.NO.1224 brs, N 79°.01'E 3309.7 feet.

A X -B.R.1.L.1574 chiseled on rock in place brs.

S 57°.00'W 26 feet

No other bearings available.

Feet	,		
	Thense N 1°.00'W		
	Va. 14°.E		
300	Mon. Cr. N.end line.		
600	To Cor. No. 2.		
	Identical with the cor.of the loc.		
	A granite rock in place 10X12X18 ins. above the ground		
	chiseled X-2-L-1574 with mound of stones alongside.		
	No bearings available.		
	Thence S 39°.00' W.		
	Va.l4°.R		
750	Mon. Cr.of the side line.		
1 5 00	To Cor. No. 3.		
	Identical with the cor. of the loc.		
	A rock in place 10X12X18 ins. above the ground.chiseled		
	X-3-L-1574, with a mound of stones alongs do. Whence:		
	A X-B.R-3-L-1574 chiseled on rock in place 4 ft.above		
	the ground brs.N15°.28'E 76, feet.		
	No other bearings available.		
	Thence S 1°.00'E		
•	Va, 14°.E		
300	Mon. Cr. of the S.end line.		
536.7	Intersect line.3-4 Gold Standard lode of this Sur.		
	at N 42°.00'E 722.4 ft. from Cor. No.3		
600	To Cor. No. 4.		
	Identical with the Cor. of the loc.		
	A granite rock 6X15X24 ins. set 12 ins in the ground		
	chiseled 4-L-1574. with a mound of stones along side. When X And BR. 441574 Chireled on Rock in flow 3ft from this grand No Dearings available. Box 574.00W 46.f-		
	Thence N 39°.00'E Va. 14°.E		
750	Mon. Cr. of the side line.		
825	Cors.3 Silver Belt and 4 Gold Standard lodes of this Sur.		
1500	To Cor. No 1 the place of the beginning.		

Total and net area Silver Belt lode 20.626 Acres ... " " Gold Standard " 20,661 ... " area Lucy lode ... 13.275 Acres. Less area in conflict with... Gold Standard lode this Sur .385 Net area of lode claim. 54,177 Acres.

LOCATION.

This claim is located on unsurveyed land, approximately in T.12 N.R.9 W.G.& S.R.B.& M. Yavapai County Arizona, in Eureka mining diet, yavapai co,

ADJOINING CLAIMS.

There are no known adjoining claims.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim placed thereon by the claimantsand their grantors, is not less than five hundred dollars for each and every claim, and that said improvements consists of:/

Mo 1 Tunnel the mouth of which brs. from Cor. No. 2 Gold Standard lode N23°.10'E 951 ft.5X7X480ft.

course N 45°.00'E

Value

\$4,800.00

No.2. Tunnel the mouth of which brs. from Cor. No.2 Gold Standard lode N 24°.15'E 996 ft.5X7X500 ft.

course N 46.00 'E

Value

\$500.00 of the work in this tunnel is credited to the Silver Belt lode.

No.3 Shaft brs. from Cor. No. 2 Gold Standard N 28°.05'E

1085 ft. 4X6X65ft.deep Value

N 2000'E

\$650.00

Ho.4 Tunnel the mouth of which brs. from Dor. No 4

Lucy lodeN 47°.00'E 136 ft.5X7X53 ft. long course

Value \$530.00

This tunnel is credited to the Lucy lode.

From Cor. No.4 Lucy lode the N.W.Cor. of the Ore bin brs.S.56°.00'E, 20 X 25 ft. course of the long side S 43° .00'W

Loudyes

The ledge on the Silver Belt lode bears N 39°.E 1500 feet from the mon.Cr. of the South end.line.

The ledge on the Gold Standard lode bears \$ 42°.W

1500 feet from the mon.Cr. of the North end line.

The ledge on Lucy lode bears North 39°.00'E 1500 feet from the mon. Cr. of the South end line.

INSTRUMENT.

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by direct solar observations, checked on Polaras.

The distances were measured with 100-ft. and 300-ft steel tapes:

R.C. Pomers

U.S.Deputy Mineral Surveyor.

Prescott, Arizona.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by R.C. Powers

United States Deputy Mineral Surveyor,	, to assist in running, measuring, and marking the lines
	e foregoing field notes of the survey of the mining claim
of Clarke, Greent	ent, 9 co
known as the Gold Slands	and, lency & Vilner Belt.
and showing the respective capacities in	n which they acted.
	LO. C. Elman de Chairman
	D. C. Erhoson J., Chainman. Chancus Arrola, Chainman.
	"Flagman.
FINAL OA	THS OF ASSISTANTS.
We. 20, C. 2	Thom for
and Mareus Arivles	, do solemnly swear that we assisted R. C.
	tes Deputy Mineral Surveyor, in marking the corners and
	g claim of Clarke, Greenhut & Co
	known as the Gold (Clauders
lough and dil	, known as the Gold Slandwy
	een surveyed by said deputy mineral surveyor and under
	s been in all respects, to the best of our knowledge and
	d, and the corner and boundary monuments established
	s furnished by the United States Surveyor-General for
Aryma	s furnished by the Officed States Surveyor-deneral for
Troger	
	& C Harrison
	Musicus Arola Chainman
	Mureus Aroalo , Chainman.
	, Axman .
	, Axman , Flagman.
	, Axman , Flagman. d and sworn to by the above-named persons before me
	, Axman , Flagman. d and sworn to by the above-named persons before me
	, Axman, Flagman. d and sworn to by the above-named persons before me 27th day of June, 190/ wolf Murritt
	, Axman, Flagman. d and sworn to by the above-named persons before me 27th day of June, 190/ wolf Murritt
	, Axman , Flagman. d and sworn to by the above-named persons before me

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, R. Powers , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Aryona, dated
June 11 th 1901, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Clarke, Greenhut & Co by Channey
Le Clark Hity, known as the
Gold Standard Loney & Silver Bell,
situate in Centeka Mining District,
Claim of Blaske, Greenhut & Co by Channey Ll Clark Hty, known as the Gold Slandard brief & Silver Bell situate in Eureka Mining District, Garafori County, Angona Descripin Section Township No. Range No.
, Township No. , Range No. ,
and designated as Survey No. 1574, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or their grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Rib Piness
U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said R. Pours.
U. S. Deputy Mineral Surveyor, before me WHO Manual
a volony Public this 12 sto
day of July 1901,
g J''
w Ho Merritt
Natary Public
Muy Commission Earling au 11 Ste

Affidavit of Five Hundred Dollars Improvements.

Touc, D. C. Thomas, and Marcus Ariola
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Gold Slamdard, Sency & Silv Belt mining claim, situate
in Eureha Mining District. Yourafai County,
Arizona Territory, for which Clarke, Greenhut & Co by
Channey D. Clarke, Alty
ha > made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and their grantors exceed Five Hundred for each and every back
Dollars in value, and further, that we are not personally interested in said mine.
& C. Thorne gr.
Marcos Ariola
TERRITORY OF ARIZONA,
County of Smal

Sworn to and subscribed before me, this 29th

day of June, 190/.

WHE Merrit

Notary Public

(My Commin Exper any 14th 1901

......

LUCY.

NOTICE OF LOCATION.

Know all men by these presents:

That we, the undersigned, have this day Located Fifteen Hundred(1500)linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1500) feet in a Northerly di-

rection along the ledge. .

The Exterior boundaries are as follows, viz:-

Commencing at this monument and Notice, and running Three Hundred(300)feet in an easterly direction to monument at S.E.corner of claim; thence in a northerly direction parallel with the ledge Fifteen Hundred(1500) feet to monument at N.E. corner of claim; thence in a westerly direction at right angles across the ledge Six Hundred (600) feet to monument at N.W.corner of claim; thence parallel with the lode in a southerly direction Fifteen Hundred (1500) feet to monument at S.W.corner of claim; thence at right angles across the ledge in an easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated about 3/4 of a mile west from Goodenoug...mine and about 2 miles North from Austin, in Eureka Mining District, Yavapai County, Arizona

Territory, and shall be known as the Lucy Mining Claim.

Dated on the ground, this Seventh day of January 1895.

D.C. Thorne

Lou House.

S.W. Thorne.

Recorded at request of D.C.Thorne, March 6" A.D.1895, at 12:15 o'clock P.M., in Book 37 of Mines, Page 346 Records of Yavapai County, Arizona.

F.A. Tritle, (L.S)

By M.O.Archibald, Deputy. County Recorder.

Territory of Arizona,) SS:

County of Yavapai.

I,P.J.FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of location of the "Lucy" mining claim, as the same appears of record in Book 37 of Mines, page 346, records of Yayapai County, Arizona. In Witness Whereof, I have hereunto set my hand and affixed

my Official Seal, this 5th day of June, A.D. 2001



County Recorder GOLD STANDARD.

NOTICE OF LOCATION.

Know all men by these presents:

That we, the undersigned, have this day Located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1500) feet in a Northerly di-

rection along the ledge.

The Exterior boundaries are as follows, viz:

Commencing at this Monument and Notice, and running Three Hundred (300) feet in an easterly direction to monument at S.E. corner of claim; thence in a northerly direction parallel with the ledge Fifteen Hundred(1500)feet to monument at N.E. corner of claim; thence in a westerly direction at right angles across the ledge Six Hundred (600) feet to monument at N.W.corner of claim; thence parallel with the lode in a southerly direction Fifteen Hundred(1500)feet to monument at S.W.corner of claim; thence at right angles across the ledge in an easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated about 3/4 of a mile west of the Goodenough mine and about 2 miles North of Austin and adjoins the Silver Belt mine on the N. End in Eureka Mining District, Yavapai County, Arizona Territory, and shall be

known as the Gold Standard Mining Claim.

Dated on the ground, this Seventh day of January 1895.

D.C. Thorne.

Lou House.

S.W. Thorne.

Recorded at request of D.C. Thorne, March 6" A.D. 1895, at 12:15 o'clock P.M., in Book 37 of Hines, page 347 Records of Yavapai County, Arizona.

经营收款的证券的证券的证券的证券的证券的证券的证券的

(L.S) F.A. Tritle,

County Recorder.

By M.O.Archibald, Deputy.

Territory of Arizona,)

SS:

County of Yavapai.

I, P.J. FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of location of the Gold Standard mining claim, as the same appears of record in Book 37 of Mines, page 347, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set by hand and affixed

my Official Seal, this 5th day of June, A.D. 1901/



County Recorder

SILVER BELT.

NOTICE OF LOCATION.

Know all men by these presents:

That we, the undersigned, have this day located Fifteen Hundred(1500)linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this Monument and Notice placed

upon the ledge, and runs Fifteen Hundred (1500) feet in a Southerly di-

rection along the ledge.

The Exterior boundaries are as follows, viz:

Commencing at this Monument and Notice, and running Three Hundred (300) feet in an Easterly direction to monument of stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred(1500) feet to monument at S.E.corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred(600) feet to monument at S.W.corner of claim; thence parallel with the lode in a Northerly direction Fifteen Hundred (1500) feet to monument at N.W.corner of claim; thence at right angles across the ledge in an Easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated about 3/4 of a mile from the Goodenough mine in a Westerly direction and about 2 miles Mortherly from Austin, in Eureka Mining District, Yavapai County, Arizona Territory, and shall be known as the Silver

Belt Mining Claim.

Dated on the ground this Seventh day of January 1895.

D.C. Thorne.

Lou House.

S.W. Thorne.

Recorded at request of D.C. Thorne, March 6" A.D.1895, at 12:15 o'clock P.M., in Book 38 of Mines, page 324 Records of Yavapai County, Arizona.

(L.S)

F.A. Tritle,

By M.O.Archibald, Deputy. County Recorder.

经长龄特别的的长长长龄长长安长的长龄的

Territory of Arizona,) ss: County of Yavapai.

I, P.J. FARLEY, County pecorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Silver Belt" mining claim, as the same appears of record in Book 38 of Mines, page 324, records of Yavapai County, Arizona

In Witness Whereof, I have hereunto set my hand and affixed

my Official Seal, this 5th day of June, A.D. 1901



County Recorder

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General,

Sucson, arizona.
Sucson, arizona. November 2/st, 190/
I, U. S. Surveyor General for
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of Clarke Greenhut & Co, by
Chauncey D. Clarke, atty.
, known as the
Hold Standard, Lucy & Eilver Belt lodes.
situate in mining district,
Manapai. County, Arigana,
in Section approx., Township No. 12N, Range No. 9 W. (unsumuyed)
, designated as Survey No. 157 4.
executed by P. C. Pawers. , U. S. Deputy Mineral
Surveyor, June 26 - 27", 190/:, under my instructions dated
June //- , 190/., have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
U. S. Surveyor General for Arisona
U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (956) M.S. 1574

NOTICE OF CANCELLATION OF MINERAL SURVEY

The LUCY, GOLD STANDARD and SILVER BELT lodes, Mineral Survey No.1574 located in section 3 and 10, Township 12 North, Range 09 West, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.


The Mineral Survey Plat should be noted as follows:

"LUCY, GOLD STANDARD and SILVER BELT lodes, M.S. No. 1574, were canceled March 10, 2015, by memo 9605 (956) M.S. 1574, which is now a part of the original field notes."

March 27, 2015 Date

Chief Cadastral Surveyor of Arizona

LARGE MAP INSERT



U.S.L.M. N. - 1224 Brs. N. 6.4: 15 E 3,00.8 Corps Š Cold Jed & Survey Nº 1574 Scale 300 Feet lo One 1