

M
S

0
1
6
1
7

Aug. 18, 1892.

Arizona Surveyor General

Platted Jan 29/00 T. 4.

(4-683.)

Mineral Survey No. 1617

Lot No.

Gila

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Troy Copper Company

KNOWN AS THE

Last Chance and 91 Ladies

Riverside

Mining District,

Pinal County, Arizona Territory

Section unsurveyed, Township ³⁸ unsurveyed, Range ¹⁴ unsurveyed

Surveyed under instructions dated Dec. 18, 1901,

by Albert F. Bolton,

U. S. Deputy Mineral Surveyor.

Claim located Aug. 28-1891 & April 20, 1892 +

Survey commenced June 25-, 1902

Survey completed June 26, 1902

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

We, R Hammer and Alex B. Wolven, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of The Tracy Copper Company, known as the Last Chance and 91 Lodes, situate in Princetown mining district, Pinal County, Arizona, in Section —, Township No. —, Range No. unnumbered

R Hammer, Chainman.

, Chainman.

Subscribed and sworn to by the above-named persons before me this 25th day of June, 1890.

Albert T. Colton

My commission expires Feb. 15, 1903 Notary Public in and for Pinal

I, Alex B. Wolven, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of The Tracy Copper Company,

known as the Last Chance and 91 Lodes, more fully described in the preceding affidavit.

Alex B. Wolven, Axeman.

Subscribed and sworn to by the said Alex B. Wolven before me this 25 day of June, 1890.

Albert T. Colton

My commission expires Feb. 15, 1903 Notary Public in and for Pinal

I, Alex B. Wolven, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the, more fully described in the preceding affidavit.

, Flagman.

Subscribed and sworn to by the said before me this day of June, 1890.

Feet

Last Channel Lode.

Beginning at Cor. No. 1.
 northeasterly cor. of claim
 Identical with loc. cor.
 I set a pine post 3 feet long, 4 ins.
 square, 18 ins. in the ground.
 Scribed 1-1617. Whence
 U.S.G.M. No. 1 bears N. $24^{\circ}42' E.$
 1847 feet.
 No other bearings available.

Thence S. $66^{\circ}15' W.$

40 ^{center of} Deep wash 10 feet wide on bottom
 course N. $79^{\circ} E.$
 1500 To Cor. no. 2.
 Identical with cor. of location
 I set a pine post 3 feet long, 4 ins.
 square 18 ins. in the ground.
 Scribed 2-1617.
 No bearings available.

Thence S. $23^{\circ}45' E.$

300 Loc. mon. for westerly end center.
 600 To cor. no. 3.
 Identical with cor. of location
 I set a pine post 3 feet long,
 4 ins. square. 18 ins. in the ground
 Scribed 3-1617.
 No bearings available.

Thence N. $66^{\circ}15' E.$

1500 To cor. no. 4.
 Identical with cor. of location
 I set a pine post 3 feet long
 4 ins. square. 18 ins. in the ground.
 Scribed 4-1617.
 No bearings available.

Foot	Thence N. $23^{\circ} 45' W.$
300	To loc. mon. for Easterly end center.
350	center of wash 10 ft. wide on bottom, course N. $70^{\circ} E.$
590	center of deep wash, 10 ft. wide on bottom. Course N. $79^{\circ} E.$
600	To cor. no. 1. the place of beginning.

91 lode.

Beginning at cor. no. 1.
Identical with cor. of location.
Northeastly corner of claim.
I set a pine post 3 ft. long, 4 ins. square.
18 ins. in the ground. Scribed 1-1617.
Whence. U. S. L. M. no. 1 bears
N. $41^{\circ} 50' E.$ 1512.3 feet.
no bearings available.

Thence S. $66^{\circ} 15' W.$

1500 To cor. no. 2.
Identical with cor. of location.
I set a pine post 3 ft. long, 4 ins.
square. 18 ins. in the ground
Scribed 2-1617.
no bearings available.

Thence S. $23^{\circ} 45' W.$

300 To loc. mon. for westerly end center.
600 To cor. no. 3.
Identical with cor. of location
and cor. no. 2. Last Cramce lode
of this survey.

Thence N. $66^{\circ} 15' E.$

1460 Center of deep wash. 10 ft. wide on
bottom, course N. $79^{\circ} E.$
1500 To cor. no. 4.
Identical with cor. of location
and cor. 1. of last Cramce lode,
of this survey.

Feet-

- Thenel. N. $28^{\circ}45'$ W.
 300 Lee. more for leasately end
 center of Claim.
 600 ~~To corner.~~ the place of beginning.

Variation at all corners, on
 Last-Claims and 91-lodes. N. 14° . E.

Area

Last-claims lode	20.66 acres
91 lode	<u>20.66</u> "
Total	41.32. Acres.

The Survey of the Last-claims
 and 91-lodes are identical
 with respective locations

Location

This claim is located on unsurveyed
 land, approximately what would
 be if surveyed. Sec. 20, T. 3. S. R. 14. E.

Riverside Mining District,
 Pinal County, Arizona Territory.

~~Adjoining claims~~
 This claim is joined on
 the North by the Lowell,
 on the west by the Buckeye,
 and Bullock, and on the
 South by the Tiger and
 Fraction, ^{All unsurveyed} All owned by
 the Tracy Copper Company.

Expenditure of five hundred
 dollars.

I certify that the value of the
 labor and improvements
 upon this claim, placed there-
 on by the claimant or its grantor
 is not less than five hundred
 dollars, ^{for each location} and that said im-
 provements consist of:

- 1- Mine shaft. Last Chance lode.
heads from cor. no. 2. S. 43° 47' E.
320 feet, 11x6x10 feet deep
Value. \$100.00
- 2- G. Tunnel 4x7 ft. course S. 60° W.
length, 375 feet,
Mouth bears. from ~~E~~ end center
of Last Chance. S. 60° W. 10 feet
Value \$3750. 00
3. G Tunnel 4x7 feet course
S. 60° E. length 720 feet,
mouth bears from ~~E~~ end center
of Last Chance. S. 60° W. 300 ft.
at 375 ft. from mouth a wing,
4x6.55 ft deep
Value \$7700. 00
- 4- G. Tunnel 4x7 ft. course S 60° W
length 450 feet.
at 250 ft from mouth a wing.
4x6 ft. 77 ft deep. connects with
no. 2.
Mouth of tunnel bears from
E end center of Last Chance.
S. 60° W. 475 feet
Value \$5270. 00
- 5- G. Tunnel. 4x7 ft. course S. 60° W
length 100 feet, at face. a
wing 4x6.55 ft deep. Can be
raise 4x6.55 ft. to surface.
Mouth of tunnel bears from
E end center of Last Chance.
S. 60° W. 600 feet
Value \$2000. 00
On 91 lode.
- no 1. ^{Aug.} G Tunnel (location work)
4x7 ft. course South.
length. 153 feet
mouth bears from cor. no 1.
S. 39° 45' W. 950 ft.
Value. \$1500. 00

2- A shaft 6x7 ft. 345 feet deep, timbered center of shaft bears from cor. no. 1. S. 43° 15' W. 1225 feet. At 92 ft depth, cross cut 4x6 ft, N. 30 ft. at face of N. cross cut a drift 4x6 ft, west 175 ft, and drift 4x6 ft, East. 250 ft. At depth 198 ft, Cross cut 4x6 S. 105° ft. and N. 80 ft. at face of N. cross cut drift 4x6 East. 85 feet. At 300 ft. depth cross cut 4x6 ft S. 20 ft. at face of cross cut drift w. 107 ft. and E. 25 ft. 4x6 ft. and cross cut 4x6 ft N. 180 ft. at face drift 4x6 E. 125 ft. and west. 175 ft. At 340 ft. depth cross cut 4x6 S. 95° ft.

Value \$23480. 00
Gearing, Paint and building at shaft.

Value \$3200. 00

Ledges.

On Last Course

a ledge traceable from disc. shaft. N. 66° 15' E. 100. and outcrop at E end center.

On 91 Rod

Ledge wide and prominent from west end center N 66° 15' E. 600 feet.

Instruments

This Survey was made with a Young & Sons Light Mountain Transit, the Courses were deflected from a true Meridian determined by observation on Polaris. The distances were measured with a 100 ft Steel tape

Albert T. Callon
U.S. Deputy Mineral Surveyor

U. S. LOCATION MONUMENT NO.1,
RIVERSIDE MINING DISTRICT,
PINAL COUNTY, ARIZONA.

There being no corners of public land surveys nor no location monument within two miles of survey No. 1617, I establish Location Monument No. 1, Riverside Mining District, Pinal County, Arizona.

A syenite rock in place showing 24 X 24 X 20 inches above ground, chiseled U. S. L. M. No. 1.

X on top of rock, a monument of stone 4 feet high and 6 feet base alongside.

LOCATION.

Top of hill at head of Cane Spring Canon, about two miles above Cane Spring (a well known point on the Florence and Globe wagon road), at Troy Mining camp, 660 feet west of the Florence and Globe wagon road, in approximately what would be if surveyed Section 17, T. 3 S. R. 14 E. G & S. R. B & M.

BEARINGS.

Highest point of Troy Mt. bears S. 27 52' W. about 1 mile Dist;


Highest point on Manhattan Mt. bears S. 49 10' E. about 1 1/2 miles Dist.

S. E. corner of Troy Copper Co. office, bears N. 15 50' W. 448 feet.

Established June 23rd, 1902.

Albert S. Calton

U. S. Deputy Min. Surveyor.



91 Lode

10

Location Notice.

Notice is hereby given that the undersigned in compliance with the requirements of the Mining Act of Congress, approved May 10 1872 and all Acts amendatory thereto, have this day located and claim 1500 hundred linear feet along the course of this lead lode or vein of mineral bearing quartz, and 300 feet in width on each side of the middle of said lead lode or vein, situate in the Riverside Mining District Pinal County Arizona, and more particularly described as follows to wit.

Commencing at this monument of stones being the center of the West end of claim, and upon which this notice is posted. thence south 300 feet to a monument of stones, thence East 1500 feet to a monument of stones, thence North 300 feet to a monument of stones, being the center of the East End of claim thence 300 North feet to a monument of stones thence West 1500 feet to a monument of stones

thence South 300 feet to the place
of beginning.

This claim located about 3 three
miles north East of Riverside and
about 1 mile north of Cane Springs
and about $\frac{1}{2}$ mile north of the
road and shall be known as
the 91 Mine. Located Aug the 28th
1891.

J. H. Shormaker
Locators Harry Bowen

Witness

Ben Fox.

Filed and recorded at request
J. H. Shormaker October 7th. A.D. 1891
at 9:30 A.M.

A. G. Williams Recorder.

Territory of Arizona }
County of Pinal }ss.

I, Thos. G. Ryton County
Recorder in and for Pinal County
Territory of Arizona, do hereby certify
that the above and foregoing is
a full true and correct copy of the

91 mining ^{claim} as the same
appears of record in Book No 12
at Page 504 Records of Mines of
Pinal County Arizona Territory

Witness my hand and official
seal this 22nd day of Oct. A. D. 1901

Thos. G. Ryton
County Recorder.

Location Notice.

Notice is hereby given that the undersigned in compliance with the requirements of the Mining Act of Congress approved May 10 1872, and all Acts amendatory thereto, have this day located and claim 1500 linear feet along the course of this lead, lode, or vein of mineral bearing quartz, and 300 feet in width on each side of the middle of said lead lode or vein, situate in the Riverside Mining District County of Pinal Arizona, and more particularly described as follows to wit. Commencing at this monument of stones being the center of the South west end of claim, and upon which this notice is posted, thence Southerly 300 feet to a monument of stones, thence Easterly 1500 feet to a monument of stones, thence Northwesterly 300 feet to a monument of stones being the center of north west end of claim, thence Northwesterly 300 feet to a monument of stones, thence Westerly 1500 feet to a monument

of stones, thence Southwly 300 feet
to place of beginning.

This claim is about 4 miles
east of Riverside and about $\frac{1}{2}$ mile
north of Globe and Riverside Road
and are parallel with the q₁ on
the South side and shall be known
as the Last Chance Mine Located
April 20th 1892.

J. H. Shremaker
Harry Bowen

Witness F. Libby.

Filed and recorded at request
J. H. Shremaker June 20th A.D. 1892
at 8.30 A.M.

A. G. Williams Recorder.

Territory of Arizona }
County of Pinal } S.S.
} Pinal

I, Thos. G. Peyton County Recorder
in and for Pinal County Territory of
Arizona, do hereby certify that the
above and foregoing is a full true
and correct copy of the Last chance
mining, as the same appears of record
in Book No 13 at Page 65 Records of Mines
of Pinal County Arizona Territory.

Witness my hand and official seal this 22 day of Oct
A.D. 1901 — Thos. G. Peyton
County Recorder.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Albert T. Colton, United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines corners and boundaries described in the foregoing field notes of the survey of the mining claim of Troy Copper Company, known as the Last Chance and 91 Lodes, and showing the respective capacities in which they acted.

R. Hammer, Chainman.

....., Chainman.

Alex B. Walen, Axman.

....., Flagman.

FINAL OATHS OF ASSISTANTS.

We, R. Hammer and Alex B. Walen, do solemnly swear that we assisted Albert T. Colton, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Troy copper Company, known as the Last Chance and 91 Lodes, represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona.

R. Hammer, Chainman.

....., Chainman.

Albert T. Colton, Axman.

....., Flagman.

Subscribed and sworn to by the above-named persons before me

this 26 day of June, 1902

Albert T. Colton

Notary Public in and for Final
County, Arizona, U.S.A.

My commission expires Oct. 10, 1902.

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Albert G. Calton, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Dec. 18, 1901, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Gray Leopards Company, known as the Last Chance and 91 Lodes, situate in Pinalside Mining District, Pinal County, Arizona, in Section, Township No., Range No. Unsurveyed, and designated as Survey No. 1617, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or etc. grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Albert G. Calton
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Albert G. Calton,
U. S. Deputy Mineral Surveyor, before me Daniel C. Stevens
this 28 day of June 1902.

Daniel C. Stevens
Clerk, District Court, Second Judicial
District of Arizona, in and for
Pinal County.

Affidavit of Five Hundred Dollars Improvements.

We, R. S. Macay, and S. B. Williams

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Last Chance and 91 mining claim, situate in Riverside Mining District, Pinal County, Arizona Territory, for which The Troy Copper Company

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and its grantors exceed Five Hundred Dollars in value, and further, that we are not personally interested in said mine.

R. S. Macay

S. B. Williams

TERRITORY OF ARIZONA,
County of Pinal } ss:

Sworn to and subscribed before me, this 16

day of August, 1902

I. N. DeGroot
Justice of the Peace.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona.

Feb. 12, 1903, 18.

I, U. S. Surveyor General for *Dist. of Arizona*,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of *The Troy Copper Company*,

, known as the
Cast chance and 91 lodes,

situate in *Riverside* mining district,
Pinal County, *Arizona*,

in Section , Township No. , Range No. ,
designated as Survey No. *1617*

executed by *Albert F. Colton*, U. S. Deputy Mineral
Surveyor, *June 25-26, 1902, 18*, under my instructions dated
Dec. 18, 1901, 18, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.

Hugh H. Price
U. S. Surveyor General for *Arizona*.

SURVEY N^o 1617
GILA LAND DISTRICT
Surveyed June 26 - 1902
By Albert J. Cullen
U.S. Dist. Min. Surveyor

