Wites and former copies 8/19 1- phalled - 6 - 14 1900 7. 17. ly C. 1 (4-683.)Mineral Survey No. 1816 Lot No. Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF KNOWN AS THE on fidence County, Cles W. S. Deputy Mineral Surveyor. Survey commenced Survey completed. Address of Clamacto Sty. S. M. Franklin, Tucson, arigona

## PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, D. M. Penny and W. F. Hill
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions
given us, in the survey of the Mining Claim of
Sleinfeld
known as the Confidence
situate in Silver Old mining district
County, Chilona,
in Section, Township No. 2, Range No. 2
Chainman.
, Chainman.
Subscribed and sworn to by the above-named persons before me this
16 th day of June, 190.3
Homer Dantee
I, Chas . S. Thomas, do solemnly swear that I will well and truly
perform the duties of axman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of
Albert Steinfeld
known as the Confidence
more fully described in the preceding aflidavit.
Chas. E. Thomas, Arman.
Subscribed and sworn to by the said
Chymnas before me this day of
June, 190.3
Hower Daule notary Rubeic
I, Chas M. Cague, do solemnly swear that I will well and truly
perform the duties of flagman, in the establishment of corners and other duties, according to instruc-
perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of
perform the duties of flagman, in the establishment of corners and other duties, according to instruc-
perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of
perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of
perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of
perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of the Mining C
perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of the Mining C
perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of known as the survey of the Mining Claim of the Minin

To Commission Castrer Jan. 17, Nov.

SURVEY No. 1816.

Confidence Lode.

Beginning at Cor. No. 1. Identical with S. W. Cor. of the location.

A pine post 3 1/2 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 1-1816 C.

A cross (X) and B. R. 1-1816 chiseled on face of ledge, bears N. 36 45' E. 22.7 ft., and a cross (X) and B. R. 1-1816 chiseled on a limestone, showing 2 x 3 x 2 ft. above the ground, bears S. 36 15' E. 20.7 ft.

U. S. Mineral Mon. No.1, Silver Bell Mining District, bears S. 73° 40' W. 923.5 ft.

Thence S. 33° 33' E.

Va. 13 15' E.

Ascend.

184

600

106 Top of ridge, bearing North and South; descend.

Wash, course Southerly; ascend.

266 Top of South slope of mountain; descend.

South end center. Identical with the location, which is a post 4 ins. square in mound of stone 3 ft.

base and 2 ft. high.

390 Wash, course Southerly; ascend.

547 Top of ridge, bearing North and South; descend.

To Cor. No. 2. Identical with S. E. Cor. of the location.

A pine post 3 1/2 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 2-1816 C.

A cross (X) and B. R. 2-1816 chiseled on a limestone, showing 2 x 3 x 6 ft. above the ground, bears S. 86° 17' W. 9.5 ft., and a cross (X) and B. R. 2-1816 Feet

chiseled on a limestone, showing 3 x 3 x 3 ft. above the ground, bears N.  $9^{\circ}$  12' W. 29.2 ft.

Thence N. 16° 50' E.

Va. 13° 15' E.

Ascend.

400 Top of ridge, bearing East and West; descend.

788 Trail, bearing Westerly and Easterly.

855 Wash, course Northwesterly.

1120 Wash, course Northwesterly.

1142 To Cor. No. 3. Identical with N. E. Cor. of the location.

A pine post 3 1/2 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 3-1816 C.

A cross (X) and B. R. 3-1816 chiseled on a limestone, showing 2 x 2 x 1 ft. above the ground, bears S. 66°53' E. 5.6 ft., and a cross (X) and B. R. 3-1816 chiseled on a limestone, showing 2 x 2 x 1 ft. above the ground, bears N. 89°28' W. 30.7 ft.

Thence N. 33° 33' W.

Va. 13 ° 15' E.

Descend.

Wash, course Southerly.

North end center. Identical with the location, which is a post 4 ins. square in mound of stone 3 ft. base and z ft. high.

330 Wash, course Southwesterly; ascend.

370 Top of ridge, bearing N. E. and S. W.

To Cor. No. 4. Identical with N. W. Cor. of the location.

A pine post 3 1/2 ft. long, 4 ins. square, set 18 ins. in the ground, with mound of stone, scribed 4-1816 C.

A cross (X) and B. R. 4-1816 chiseled on a lime-

Page 2.

Feet

stone, showing 1 x 2 x 6 ft. above the ground, bears  $N.0^{\circ}20^{\circ}$  W. 20 ft., and a cross (X) and B. R. 4-1816 chiseled on a limestone, showing 2 x 2 x 1 ft. above the ground, bears S. 14° 45' E. 15.5 ft.

Thence S. 16° 50' W.

Va. 13° 15' E.

50

Gulch, course Westerly.

287

Gulch, course Westerly: ascend.

365

Trail, bearing Westerly and Easterly.

402

Trail, bearing Westerly and Easterly.

452

Trail, bearing Westerly and Easterly.

845

Top of West slope of mountain; descend.

1142

To Cor. No. 1, the place of beginning.

#### Location.

This claim is located in Silver Bell Mining District, Pima County, Arizona, approximately in T. 12 S. R. 8 E. (unsurveyed) G. & S. R. B. & M.

Course of Ledge.

The presumed course of the ledge is S. 16 50' W. from North end center, extending 1142 ft. to South end center.

Adjoining Claims.

This claim is joined on the East by Silver Bell Lode (unsurveyed), Imperial Copper Co., owner; on the South by Emerald Lode (unsurveyed), Imperial Copper Co., owner; and on the West by Junction Lode (unsurveyed), Imperial Copper Co., owner.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and his grantors, is not less than five hundred dollars, and that said improvements consist of: From North end center.

Discovery shaft, No. 1, 4 x 6 ft. by 10 ft. deep, bears S. 16 50' W. 10 ft.

Value \$ 100.

From Cor. No. 3.

Cut, No. 2, 8 x 10 ft. by 25 ft. long, bears N. 77°.
W. 352 ft.

Value \$ 200.

Shaft, No. 3, 4 x 6 ft. by 14 ft. deep, bears N. 85° 55' W. 320 ft.

Value \$ 100.

Shaft, No. 4, 4 x 6 ft. by 14 ft. deep, bears S. 80° 35' W. 334 ft.

Value \$ 100.

Cut, No. 5, 4 x 6 ft. by 20 ft. long, bears S. 77° 30' W. 322 ft.

Value \$ 150.

From Cor. No. 1.

Cut, No. 6, 4 x 10 ft. by 18 ft. long, bears
N. 34 15' E. 375 ft.

Value \$ 150.

### Instrument.

This survey was made with a Young & Sons Light

Mountain Transit with Smith's Solar Attachment. The

courses were deflected from the true meridian as

determined by direct solar observations. The distances

were measured with 100-ft. and 300-ft. steel tapes.

U. S. Deputy Mineral Surveyor.

# FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals and by Pill (C)
A list of the names of the individuals employed by hulifo donly
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of Albert Steinfeld
known as the confidence
and showing the respective capacities in which they acted.
J. M. Conny, Chainman.
M. H. Hill , Chainman.
Chas: O. Thomas Axman.
Chas: M. Jaguel, Flagman.
FINAL OATHS OF ASSISTANTS.
We, D. M. Penny, W. H. Fill, Chas. E. Th.
and Chas M. O que, do solemnly swear that we assisted Inlife
( poss to page) United Chater Deputy Mineral Conveyor in marking the company and
Control Winited States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of Albert Meinglely
surveying the boundaries of the mining claim of Albert Steingfeld
surveying the boundaries of the mining claim of Albert Steinfeld, , known as the
surveying the boundaries of the mining claim of Albert Steingfeld
surveying the boundaries of the mining claim of Albert Steinfeld, , known as the
surveying the boundaries of the mining claim of Albert Steingfeld  , known as the , represented
surveying the boundaries of the mining claim of Albert Steingfeld, how as the how as the how as the how are field notes as having been surveyed by said deputy mineral surveyor and under
surveying the boundaries of the mining claim of
surveying the boundaries of the mining claim of
surveying the boundaries of the mining claim of
surveying the boundaries of the mining claim of Albert Steingfeld, which was the presented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Christophia.
surveying the boundaries of the mining claim of
surveying the boundaries of the mining claim of Albert Staingfeld, which will be a surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Chaiffana.  Chainman.  Chainman.
surveying the boundaries of the mining claim of Albert Steingfeld , known as the
surveying the boundaries of the mining claim of
surveying the boundaries of the mining claim of Albert Steingfeld , known as the

My Ocmmission Expires Jan. 17. 186

## FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, Chilifo Contzen, U. S. Deputy Mineral
Surveyor, do solemny swear that, in pursuance of instructions received from the United
States Surveyor General for
une 15 14,903, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Albert Steinfeld
, known as the
Confidence,
situate in Silvey Bell Mining District,
County, Cuizona, in Section
Township No. 12 S; Range No. 8
and designated as Survey No. — 1816, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or francis grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Pl. L. La CO
U.S. Deputy Mineral Surveyor.
( . S. Depung Denot acoustic edgo).
Subscribed and sworn to by the said Chilifs Contigen
,
U.S. Deputy Mineral Surveyor, before me
this from
day of July 1903,
day of I aly 1903. Hower Dautee
notary Public
e 3-164
My Commission Expires Jan. 17, 1807,

# Affidavit of Five Hundred Dollars Improvements.

vac, D. M. Penny, and Chas. M. Poque
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the Confidence mining claim,
situate in Librer Bell Mining district, Prince County,
Arizona Territory, for which Albert Steinfeld
ha ${\mathscr L}$ made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and Lis. grantors exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
D.M. Jenny
Thus of Poque
County of County of Series ss:
Sworn to and subscribed before me, this
SEAL. day of 190.3
Homer Dante Wotary Public
149 University Expires Jan 17, 1847

# County of Pima.

I, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the Confidence Mung Claim, Retuated in Silver Bell Mining Destrict, dated Jany 1" 1893 Records of Weeles. as appears of Record now in my office in Book b. b. 1. Pages 7.3.6.

> IN WITNESS WHEREOF, I have hereunto set my hand and offixed my

County Recorder of Pima County, Arizona.

By m.a. Greece

### LOCATION NOTICE

Location Notice NOTICE IS HEREBY GIVEN
that it e undersigned, in compliance with the requirements of the
Mining Act of Congress approved May 10, 1872, has this day located
and claims 1500 linear feet along the course of this lead, load or
vein of mineral-bearing quartz and 300 % feet in width on each side
of the middle of said lead, load or vein, situate in the Silver Bell
Mining District, County of Pima, Arizona, and more particularly
described as follows, to-wit:

COMMENCING at this monument of stones, being the center of the North westerly end of claim, and upon wakk which this notice is posted; thence North east 300 feet to a monument of stones; thence South east 1500 feet to a monument of stones; thence South west 300 feet to a monument of stones, being the center of the South-easterly end of claim; thence South west 300 feet to a monument of stones; thence North west 1500 feet to a monument of stones; thence North east 300 feet to place of beginning.

This claim is situated 1 3/4 miles South easterly from the Atlas Smelter, and is bounded on the South by the Emeraid mine, on the North east by the Silver Bell mine and was formerly known as the Confidence, and shall still be known as the Confidence mine, located January 1st, 1893.

		-		J. O. F	ord.			
V/	VITNESSES							
W	Vm. M. Moore.							
C	Charles R. Baker.							
F	Fred G. Morris.					,		
1	Filed and recorded at request o	f J.	D.	Burgess,	January	3,	Α.	D
	_				Shibell		er.	

### 4-687.


## SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

### Department of the Interior.

Office of U. S. Surveyor-General,

	Phoenix, Arizona.
	Oct. 24", 190 3
I, U. S. Surveyor-General for	Arizona.
do hereby certify that the foregoing and hereto attack	ned Field Notes and Return of the Survey of the
Mining Claim of Albert Steinfe	ld
Confidence Minir	ng Claim.
situate inSilver Bell	mining district,
Pima County,	Arizona.
in Section Approx, Township No. 12	2 S. , Range No. 8 E.
, designated as Survey No181	L6
executed byPhilip Contre	, U. S. Deputy Mineral
Surveyor, June 25th, 1903.	, 190, under my instructions dated
June_15th,_1903, 190, have	been critically examined and the necessary cor-
rections and explanations made, and the said Field N	otes and Return, and the Survey they describe,
are hereby approved. A true copy of the copy of the	e location certificate filed by the applicant for
survey is included in the field notes.	ih de Lugalle
TI	Surveyor Canaval for Arizona

4115b5m6-02



SURVEY Nº 18/6

GILA LAND DISTRICT

SURVEYED JUNE 25 TH 1903

By Philip Contzen

U.S. Dep. Min. Surveyor.