NOV 21 1904

(4-683.)

## Mineral Survey No. 1970

Lot No.

Gila Land District
Land District

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Martin Costello

KNOWN AS THE

Turquoise Mining District,

Cochise County, Arizona

Section . Township 19 S . , Range 25 E (unsurveyed)

Surveyed under instructions dated July, 5, 1904,

by Some I Fortifellow U. S. Deputy Mineral Surveyor

Claim located June : 5 , 1902

Survey commenced July 9 , 1904

Survey completed July 10 , 1904

Work remeasured, Sept. 24, ---- 1904

Address of Claimant's Attorney James Reilly

Fombslone Ariz.

Je die Cik

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, C. L. Robinson and
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions
given us, in the survey of the Mining Claim of Martin Costello
known as the Hard Up
situate in Junguoise mining district
in Section Township No. 195, Range No. 25 E tuesur
E.L. Robinson, Chainman.
, Chainman,
Subscribed and sworn to by the above-named persons before me this
day of July 190
Wat and Ind
I, do solemnly swear that I will well and truly
perform the duties of axman, in the establishment of corners and other duties, according to instruc- ions given me and to the best of my skill and ability, in the survey of the Mining Claim of
nown as the
more fully described in the preceding affidavit.
, Axman.
Subscribed and sworn to by the said
before me thisday of
, 190
I,, do solemnly swear that I will well and truly
perform the duties of flagman, in the establishment of corners and other duties, according to instruc-
known as the

#### Hard Up Lode

Beginning at cor. No. 1, the north west corner of claim on the south end line of the George Lode, survey No. 1319, a pine post 4 ins. square, 3 ft. above ground in a mound of stone, scribed N W C - H U, to Which I add 1 - 1970

#### Whence va.12°55' E

1)-U.S. Location Monument No. 1319 bears N 10°36' W, 53131t

2)-Corner No. 1 of the George Lode sur. No. 1319 bears S 61° 25' W. 13.2 ft.

Feet

Thence S 32° 47' 8

135.0 Cor. No. 1 Tin Horn Lode, sur. No. 1610

363.0 Center of Wash 30 ft. wide, course N.E.

949.0 To corner No. 2, a pine post 4 ins. square 3 ft. above groud in a mound of stine, scribed S.W.C.-H.U., to which 1 add 2-1970

Thence Va. 12 50' E

- 1)- a cross and B.R. 2-i970, eniseled on limestione bedrock bears N 87 $^{\circ}43$   $^{\circ}$  W, 13.3
- 2)- A cross (X) and B.R. 2-1970, chiseled on limestone bid-rock bears S.48°36' W, 12.1 ft.
- 33-)A Arcsss X Xanana. B. R. 2-1970 chiseled on limestone bed-rock bears S 37 55' E, 3.4 ft.

Thence N 61°25' E

300.4 To corner 3 a pine post 4 ins. square, 3 ft. above ground in a mound of stone, scribed S.C.E.-H.U., to which T add 3-1970.

Whence va. 12°55' E

- 1)- A cross (X) and B.R. 3-1970, chiseled on limestone bedrock bears S 3°28 W 15.8 ft.
- 2)-A cross (X) and B.R., 3-1970, chiseled on limestone bedrock bears 5 64°15' E, 12.9 ft.
- 3)-N.W cor. of Germania Lode, unsurveyed, bears S 49°54' W 114.3 ft.

### Thence N 49° 54' E

183.8 West center end of Germania Lode, unsurveyed.

300.3 To corner No. 4, a pine post 4 ins. square 4 ft. long, set 6 ins. in the ground to hard pan, in a mound of stone, scribedS.E.C.-H.U,4-1970

### Whence va.12045' E

1)-A cross (X) and B.T, (not space for more) scribed on butt of a mesquit of several stems, six inches in diameter bears S.7.52, E 31.1ft.

2)-A cross(X) andB.R., chiseled on a quartzite rock 16 X 10
X3 ins. bears N71054' E 21.0ft.

#### Thence N 32 49' W

20.0 Center of gulch 30 ft. wide, course East.

389.0 To corner No. 5, a pine post 4 ins. square, 4ft. long, set six ins. in ground to bed-rock in a mound of stone, scribed N.E.C.-H.U. 5-1970

#### Whence va. 12° 50, E

- 1)-Dos Cabezas Peak bears N 21° 02'E about 40 miles.
- 2)-a cross 4x) and B.R., 5-1970, chiseled on quartzite bedrock bears S 5 45 E,  $\frac{7.7}{11.0}$  ft.
- 3)- a cross(X) and B.R. 5-1970 chiseled on juartzite bed-so rock bears N 38 37' E 11.0 ft.

#### Thence S 61°25' W

- 14.8 Corner No. 4 of George Lode, survey No. 1319
- 298.4 To north center end, a pine post 4 ins. square, 4 ft. long
- set 2 ins. in ground to bed-rock, in a mound of stone, scribed

  N.C.E.-H. H 1970.
- 312.4 South center end of George Tode, survey No. 1319.
- 598.4 To corner No. 1 the place of beginning.

This survey is identical with location.

Area --- 12, 80# Acres

B

This claim is located in Tp. 19S,R25E, unsurveyed, in in Turquoise Mining District, Cochise Co., Arizona.

The lode lane is N 32°48' W 877ft. and S 32°48' Enfrom Discovery work

The adjoining claims are: on north, George lode survey No. 1319.

On the east the Roosevelt lode, unsurveyed, Shattuck and McKean claimants.

On the south the Germania and Crowned King lodes, unsurveyed, claimants Cowen and Stevenson.

On the west the Tin Horn lode survey No. 1610, and Cyclone lode, unsurveyed, P. B. Warnekros claimant

Expenditure of \$500.00

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and t their grantors, is not less than five hundred dollars, and that said improvements consist of:

- 3)-A cut which beers from corner No.1 40°45 E 19° ft. Cut 15 X 5 ft., 5 ft. face

Value------\$30.00

4)- An incline shaft which bears from corner No. 1, S 40° 45'E, 210 ft., shaft 8 X 5 ft. 28 ft. deep

Value----\$280.00

#### Instrument.

This survey was made with a Young & Sons mountain transit, No. 6855, provided with a Smith Solar Attachment

4.

The courses were deflected from true meridians as determa mined by direct solar observations.

The distances were measured with 100 ft. and 500 ft. steel tapes.

Tombstone, Ariz.
Nor 17 1904

M.S. Sep. Minicolunger

# FINAL OATHS FOR SURVEYS.

7

#### LIST OF NAMES.

A list of the names of the individuals employed by John A Deckfulow
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of Marken Costello
known as the Aard Opposition
and showing the respective capacities in which they acted.
Q. L. V. Jobruson, Chainman.
, Chainman.
, Axman.
, Fiagman.
FINAL OATHS OF ASSISTANTS.
We. EL Posicisaci
and , do solemnly swear that we assisted
Lot of steen , United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of
Marian Constant
I former of the contraction
, known as the , represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
Arzora E. L. Robinson Chainman
, Citatination
, Chainman.
Axman .
, Flagman.
Subscribed and sworn to by the above-named persons before me
this /8 day of Sally 19 8 4
this 18 th day of July 19 4

o 6—167

# FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, John HT Pock feelers, U. S. Deputy Mineral	
Surveyor, do solemnly swear that, in pursuance of instructions received from the United	
States Surveyor General for, dated	
July 5 1904. , I have, in strict conformity to the laws of the	
United States, the official regulations and instructions thereunder, and the instructions	
of said Surveyor General, faithfully and correctly executed the survey of the Mining	
Claim of Martin Costello	
Hand Up, known as the	
situate in Junguare Mining District,	
County, Ang, in Section	
Township No. 19.5 Range No. 2.5	
and designated as Survey No. 1970, as represented	The
in the foregoing field notes, which accurately show the boundaries of said mining claim	_
as distinctly marked by monuments on the ground, and described in the attached copy	
of the location certificate, which was received by me from the Surveyor General with	
said instructions, and that all the corners of said survey have been established and per-	
petuated in strict accordance with the law, official regulations and instructions there-	
under; and I do further solemnly swear that the foregoing are the true and original	18
field notes of said survey and my report therein, and that the labor expended and	
improvements made upon said mining claim by claimant or grantors	
are as therein fully stated, and that the character, extent, location and itemized value	
thereof are specified therein with particularity and full detail, and that no portion of	
said labor or improvements so credited to this claim has been included in the estimate	
of expenditures upon any other claim.	
Lohn Hockfield	ed.
l'. S. Deputy Mineral Surveyor.	
Subscribed and sworn to by the said XIM C Mantiglaw	,
U. S. Deputy Mineral Surveyor, before me Houl Wyordbody a low	zu
Dublic in and of Coline County lengon this 7 in day of November 1905	/
day of November 1905-	
They comment afones upon the the the there is	
office the state of the state o	
3-154 Salley Pulle	

# Affidavit of Five Hundred Dollars Improvements.

Wr. Mm Shaw and El Robinson
of lawful age, being first duly sworn according to law, depose and say: That we
are acquainted with the Hard Up mining claim,
are acquainted with the Dard Up mining claim, situate in Taxaguaise Mining district, County, Arizona Territory, for which Marley Costella
Arizona Territory, for which Marles Costello
has_made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and Live grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Jim Shaw
E. L. Robinson
TERRITORY OF ARIZONA,  County of Cochine Ses:
Sworn to and subscribed before me, this
day of

Notice of Location.

Notice is hereby given, That the Hard Up Lode mining claim has been located by Alex. casey and WM. Holmes on the 5 day of June 190-gaid claim is 1050 feet in length, and 600 feet wide; that is 300 feet wide on each side of the point of Discovery. And the southerly center end monument of the claim is distant in a southerly direction about 50: feet from the point of Discovery, at a monument of stones on which this notice is posted, and the opposite center end monument, a monument of stones is distant 1000 ft. in a northerly direction - feet from said point of Discovery. And the general course of the claim is from southerly to norther y. This claim is situate in the Turquoise Mining District, Cochise County, Territory of Arizona. And the northerly end center of this claim is the same as the southerly end center of the George, a patiened mine, and this is an Amended Location Notice of the Hard Up mine.

Located on the 10' day of Jan, 1899 by the same Locators and recorde in the Book of Mines 14 page 759.

Posted on the ground, this 5 day of June 1902.

Witness Alex casey Locator

Williaming Wm. Holmes Locator.

Filed and recorded at request of Wm. Holmes June 5, 1902, at 4 P.W.

Book 21 page 33, Record of Mines.

Territory of Arizona,)

:S3.

County of Cochise.) claim is 1050 feet in length, and 600 feet wide; that is 300 feet wide on each side of the point of Discovery. And the southerly center end monument of the claim is distant in a southerly direction about 50 ft this notice is posted, and the opposite center end monument, a monument southerly to northerly. This claim is situate in the Turquoise Mining  $\sum$  George, a pattened mine, and this is an Amended Location Notice of the

Located on the 10' day of Jan, 1899 by the same Locators and recorded

County of Cochise.

I, Frank Hare County Recorder in and for said County, hereby certify that I have compared the above copy with the original location notice of the "Hard Up"mining claim, filed and recer= ded in my office on the 5th, day of June 1902, in Book 21 page 33, Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof.

Witness my hand and seal of office, this 24th, day of June 1904.

county Recorder.

Saux yare

Shard Up

# SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

Office of U.S. Surveyor-General,

	Phoenix, Arizona
	Jan 7., 190 d
I, U. S. Surveyor-General for	Dist. of Arizona
do hereby certify that the foregoing and l	hereto attached Field Notes and Return of the Survey of the
Mining Claim of	lartin Costello
	"known as the
Hard U	[p
situate in	Turquoise Mining District,
Cochise	County, Arizona
in SectionApprox, Townsh	ip No. 19 S., Range No. 25 E. (unsurveyed)
, designated as Surv	ey No
executed byJohn A. Ro	ckfellow, U.S. Deputy Mineral
Surveyor, July 9-10th, 19	904 , under my instructions dated
July 5th, 1904	, 190, have been critically examined and the necessary cor-
rections and explanations made, and the	said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the	he copy of the location certificate filed by the applicant for
survey is included in the field notes.	Trank A Myaele

 $7360\mathrm{b}5\mathrm{m}3\text{-}03$ 

