Eng = 2.06 21.5.0

(4-683.)

Mineral Survey No. 2257

Lot No.

Arizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	KNOWN AS THE	
	Hard Time	
	Warren	Mining District,
Cochise	County,	Territory of Arizona
Costion emproy 7		
pection "Theray" 1	ownship 23.S.	, Range24 E.G.& S.R.B &M
Surve <mark>y</mark> ed unde <mark>r i</mark> nstructi		
	ons tated Llay 26	
Surv <mark>ey</mark> ed unde <mark>r</mark> instructi	ons tated Llay 26	J. Stauber U. S. Deputy Mineral Surveyor.
Surveyed under instruction	ons tlated Liay 26	J. Stauber U. S. Deputy Mineral Surveyor.

Tie (
ties /

HARD TIME LODE

Feet

Beginning at Cor. No. 1, the S. E. Cor., idenical with location and situated on line 5-6 Jennie Gibson
lode, Survey No. 2261 at N. 79° 14 ' W., 101.4 ft. from
Cor. No. 6, a pine post 4 ft. long, 4 in. sq.; set 18 in.
in the ground in a mound of stones and scribed 1-2257
H T L, whence a pine post of same dimensions and scribed
B P 1-2257 brs. N. 17° S' E., 50.0 ft. and a second
pine post of same dimensions and scribing brs. N. 79°
14' W., 50.0 ft., no bearing menuments available, and
the N. W. Cor. Sec. 30, Tp. 23 S., R. 25 E., G & S. T.
B. & M., brs. S. 49° 33' E., 5494.0 ft.

Thenco N. 79° 14' ".

- 487.7 to Cor. No. 5, Jernie Gibson lode, Survey To. 2261, and the intersection of line 1-4 East Disbee No. 5 lode, Survey No. 2069, at N. 1° 23' E., 217.0 ft. from Co...
- same bearing, to Cor. No. 2, the S. W. Cor., identical with location, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 2-2257 H T L, whence a pine post of same dimensions and scribed B P 2-2257 brs. S. 79° 14' E., 50.0 ft. and a second pine post of same dimensions and scribing brs. N. 17° 9' E., 50.0 ft. no bearing monuments available.

Thence N. 17° 9' E.

- 150.0 to original location for W.F.C.
- same bearing, to Cor. No. 3, identical with location and situated on line 1-4 East Bisbee No. 3 lode, Survey No. 2069 at N. 1° 23' E., 555.5 ft. from Cor. No. 1 also situated on the south end line of Oversight lode, unsurveyed, at S. 72° 50' E., 13.1 ft. from the S. W. Cor., a pine post 4 ft. long, 4 in. cq., set 18 in. in the ground in a mound of stone; and scribed 5-2257 H T L, whence a pine post of the same dimensions and scribed B P 3-2257 brs. S. 17° 9' W., 50.0 ft. and a second pine post of same dimensions and scribing brs. S. 72° 50' E.,

Teet

50.0 ft. and Cor. Ho. 4, East Bishee No. 3 lode, Survey No. 2069 brs. N. 1° 23' E., 44.5 ft., no bearing monuments available.

Thence S. 72° 50' E.

576.6 along the south end line of Oversight lode, unsurveyed, to Cor. 10. 4, identical with location and with the S. E. Cor. of Oversight lode, unsurveyed and situated on the west side line of Undersight lode, unsurveyed, a pine post 4 ft. long, 4 in. sq., set 16 in. in the ground in a mound of stones and scribed 4-2257 H T L, whence a pine post of same dimensions and scribed B P 4-2257 brs. N. 72° 50' W., 50 ft. and a second pine post of same dimensions and scribing brs. S. 17° 6' W. 50.0 ft., no bearing monuments available.

Thence S. 17° 9' ".

121.4 to original location for E.E.C.

271.4 same bearing, to Cor. To. 1, the place of beginning.

LEDGE

The presumed course of the voin on this claim is from the E.T.C. H. 79° 14' V., 580.2 ft.

AREAS

Total area of Hard Time

Less conflict vs. East Bisbee No. 3, 0.355 A.

Het area of Hard Time, 3.666 A

IMPROVEMENTS

I hereby certify that the value of the labor and improvements on this claim placed thereon by the claimant or his grantors is not less than \$500.00.

Tiscovery shaft, 6 x 10 x 15 ft. deep brs. from W.R.C. S. 79° 14' E., 295.0 ft. Value, 200.00

Shaft, 4 x 6 x 10 ft. deep, brs. from Ger. No. 2, No. 66° 28' No. 350.0 ft. Value, \$100.00

Shaft, 4 x 6 x 10 ft. deep brs. from Cor. No. 2 N. 70° 25' E., 350.0 ft. Value, \$100.00

Shaft 9 10 x 20 ft. deep brs. Cor. No. 2,

N. 21° 30' E., 385.0 ft. Value, \$300.00

Shaft 4 x 0 x 10 ft. deep brs. from Cor. No. 2,

.o. 1

No. 2

No. 3

No. 4

XII. 4930

No. 5

N. 74° 0' E., 358.0 ft.

Value, \$100.00

No. 6

Shaft, 5 x 6 x 10 ft. deep brs. from Cor. No. 2,

74° 45¹ B., 340.0 ft.

Value, 100.00

Total Improvements on Claim,

900.00

ADJOINING CLAIMS

Morth

East

South

Oversight lode, unsurveyed, owned by J. J. Bewen.
Undersight lode, unsurveyed, owned by J. J. Bowen.
Jennie Gibson lode, Survey Wo. 3261, owned by the
applicant herein.

Test

East Bisbee No. 3 lode, Survey No. 2009, owned by M. Hewman, and H. A. Smith.

LOC/TION

This claim is loc ted about three and one-half miles in a Southeasterly direction from the City of Bisbee, in the Warren Mining District, Cochise County, Territory of Arizona, approximately in Tp. 25 S., R. 24 E., C. & S. R. B. & M., unsurveyed.

INSTRUCEUT

This survey was made with a C.L.Dorger & Son No. 1 C Transit, the course; are deflected from the true meridian as determined by a solar observation checked by an observation on Polaris; the courses were measured with 300-ft. steel tape; magnetic variations 12° 30' E. at all corners.

W.C. Deputy Mineral Surveyor

Dated at Bisbee, Arizona, August 6th, 1903.

HARD TIME LODE

situated in the Warren Mining District, Cochise County,
Territory of Arizona, and owned by J. A. Sherwood,

AFFIDAVIT OF \$500.00 IMPROVEMENTS

I hereby certify that the value of the labor and improvements on this claim placed thereon by the claimant or his grantor is not less than 3500.00 and that said improvements were placed on said claim before the 30th day of August, 1906 and prior to the expiration of the period of publication of the notice of application for patent. Said improvements are as follows:

- No. 1 Discovery shaft, 6 x 10 x 30 ft. deep brs. from W.E.C. S. 79° 14' E., 295.0 ft. Value, \$350.00
 - Note: Identical with No. 1 as previously reported, but 15 feet deeper.
- No. 2 Shaft, 4 x 3 x 10 ft. deep, brs. from Cor. No. 2, N. 66° 28' E., 350.0 ft. Value, \$100.00
- No. 3 Shaft, 4 x 6 x 10 ft. deep brs. from Cor. No. 2, No. 70° 25' E., 350.0 ft. Yalue, \$100.00
- No. 4 Shaft, 9 x 10 x 20 ft. deep brs. from Cor. No. 2, No. 71° 30' E., 385.0 ft. Value, 5300.00
- No. 5 Shaft, 4 x 6 x 10 ft. deep brs. from Cor. No. 2, No. 74° C' E., 258.0 ft. Value, \$100.00
- No. 6 Shaft, 5 x 6 x 10 ft. deep brs. from Cor. No. 2,

 N. 74° 45' E., 340.0 ft. Value, \$100.00

 Total Improvements on Claim, \$1050.00

U.S. Peputy Mineral Surveyor

Dated at Bisbee, Arizona,
December 12th, 1906.

Affidavit of Five Hundred Dollars Improvements.

We,	Frank G. Schmidt	and John B. Anderson
	9	
of lawful ag	e, being first duly sworn ac	cording to law, depose and say: That we are acquainted with the
H.	ARD TIME	mining claim, situate in warren
mining distri	ct, Cochise	County, Arizona Territory, for which
		J. A. Sherwood
ha.S. made	application for survey prior t	to application for patent under the provisions of the Act of Congress
approved Ma	y 10, 1872; and that the la	abor done and improvements made thereon by the applicant and
his	grantor exceed five hund	dred dollars in value, and further that we are not personally interested
in said mine.		Jank J. Earnish John villederson
TER	RITORY OF ARIZONA,	ss:
COUNTY OF	Cochise	}
		Sworn to and subscribed before me this / / day
[SEAL.]	of December 1906
117860400-2-04		In and for the County of Cochise. Territory of Arizo My Commission Expires March 12, 1910.

Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM.

I, U.S. Surveyor General for Dis	trict of Arizona,
do hereby certify that Five Hundred L	ollars' worth of labor has been expended or
improvements made by claimant or	his grantors, upon the mining claim of
J. A. Sherwood	
known as the Hard Time	······································
situate in Warr en	mining district,
Cochise Cou	nty,arizona
in Section , Township No.	, Range No;
that said improvements consist of 6.8	hafts, valued at \$1030.00
***************************************	***************************************

	5
and that was	ti
	portion of said labor or improvements has been
	upon any other claim. A copy of the report of
	, U. S. Deputy Mineral Surveyor, dated
<u>December 12, 1906</u> , is	
	Trank & Sugarie
U. S. S	urveyor General for Arizona
Office of U.S. Surveyor General,	
Phoenix, Arizona,	,
December 26, 1906 , 1	le:

2—178

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed	ed by Stauber
United States Deputy Mineral Surveyor, to assist	in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of	the survey of the mining claim of
J.	A. Sherwood
known as the	rđ Time
and showing the respective capacities in which they	acted.
	W. C. Getchell Chainman.
	H. E. Birkner , Chainman.
	, Axman.
FINAL OATHS	S OF ASSISTANTS.
We, W. C. Goto	hell
and. H. E. Birkner	, do solemnly swear that we assisted
	outy Mineral Surveyor, in marking the corners and surveying A. Sherwood
known as the Hard Ti	m.e
represented in the foregoing field notes as having be	een surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all res	pects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary m	nonuments established according to law and the instructions
furnished by the United States Surveyor-General fo	Arizona Arizona Arizona
	7. C. Estchell Chainman. H.E. Birkeur, Chainman.
	, Axman,
	, Flagman.
	by the above-named persons before me this10.
day of Augu;	st, 190.6
- F 15	Mux Settee

in and for the County of Cochise, Territory of Anguar

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, I. J. Stauber	, U. S. Deputy Mineral
	ance of instructions received from the United
	zona , dated
	have, in strict conformity to the laws of the
United States, the official regulations and in	nstructions thereunder, and the instructions
of said Surveyor General, faithfully and co	orrectly executed the survey of the Mining
Claim of J. A. She	rvood
	, known as the
Hard Time	,
situate in War	ren Mining District,
Cochise	ounty, Territory of Arizonan Section
approx., Township No. 23 S., Ran	ige No24 E.G.& S.R.B. &H. unsur.
and designated as Survey No	2257 , as represented
in the foregoing field notes, which accurated	ly show the boundaries of said mining claim
as distinctly marked by monuments on the	ground, and described in the attached copy
of the location certificate, which was recei	ived by me from the Surveyor General with
said instructions, and that all the corners of	f said survey have been established and per-
petuated in strict accordance with the law,	official regulations and instructions there-
	hat the foregoing are the true and original
	therein, and that the labor expended and
	n by claimant or his grantors
	haracter, extent, location and itemized value
	arity and full detail, and that no portion of
	his claim has been included in the estimate
of expenditures upon any other claim.	
of expenditures upon any other ciain.	
	1086
	Mauber
	U. S. Deputy Mineral Surveyor.
Curles with all and a control of the	T. T. Ghavilean
	I. J. Stauber
•	fore me Frank Pettee, notary
public	
day of August, 1906.	,
	Maux Hottes)
-	NO FARM DESCRIPTION
	In and for the County of Cochine Territory of Arigor

NOTARY PUBLIC
In and for the County of Cochise, Territory of Arizona,
My Commission Explos March 12, 1910.

Affidavit of Five Hundred Dollars Improvements.

We,	. E. Birkner	andW.	C.Getchell	
of lawful age, being fir	st duly sworn according	to law, depose and say:	That we are acquainted w	ith the
Hard Tim	e mi	ning claim, situate in	Warren	
mining district,	Cochise Co	unty, Arizona Territory, f	or which	
manufacture and	J. A. She	rwood		
ha_g made application	for survey prior to applic	ation for patent under the	e provisions of the Act of Co	ongress
approved May 10, 1872	; and that the labor don	e and improvements mad	le thereon by the applicant.	and
his grantors	exceed five hundred dolla	ars in value, and further th	nat we are not personally int	erested
in said mine.		76.1	Pirbuer	
		The.	Getcher	·····
TERRITORY	OF ARIZONA, Cochise	58 :		
	Swo	orn to and subscribed before	re me this <u>lO</u>	day
[SEAL]		fund for the	NOTABY PUBLIC County of cochise, Territory of munission Expires March 12, 1910.	

Motice of Mining Location

LODE CLAIM

	ate on lands belonging to the United States	
are valuable mine	ral deposits, was entered upon and located for	the purposes of exploration and
purchase by	5. S. Smylh	Manage Anadom and an anadom and an
(Locator must insert eith	r "a citizen of the United States," or, "who has declared his intenti	on to become a citizen of the United States.")
the undersigned, o	the 25th day of Februar	4.1903
The length o	this claim is 1500	1feet,
	m 300	feet,
in a	c (+-)	ion and 1200
*	Y	direction from
	iscovery shaft, at which this notice is posted, is	
with		
side of the center	of said claim. The general course of the lode	
The claim is.	situated and located in the Mahren	(CONTROL OF STORY OF PROPERTIES AND SECURITIES AND STORY STORY (STORY STORY ST
	LAL County, in the Territory of Arizon	
nam Ga	terly direction from the	
	8	8
The surface b	oundaries of the claim are marked upon the gro	ound as follows: Beginning at
stone	monument	5 A A
Atone t a point i n a	monument Muterly direction	300 feet from
Atone t a point in a the discovery shaft	Muterly direction (at which this notice is posted), being in the continuous	300 feet from enter of the West
t a point in a	monument Multy direction (at which this notice is posted), being in the committee of the	300 feet from enter of the West to a monument
Atone t a point in a the discovery shaft and line of said class The North	monument Multy direction (at which this notice is posted), being in the com; thence 300 feed m; thence 500 feed	300 feet from enter of the Mest t to a monument corner of said claim; thence
Atone t a point in a the discovery shaft and line of said class The North	monument Multy direction (at which this notice is posted), being in the com; thence 300 fee m; thence 500 fee being the Southwest	feet from enter of the Ment t to a MONUMENT corner of said claim; thence Mt to DML being at the
Atone t a point in a the discovery shaft and line of said class f Atone / 50 Aoutheau	monument Muly direction (at which this notice is posted), being in the com; thence 300 feet , being the Southwest Corner of said claim; thence the control of the content of the conte	get from enter of the Meant t to a Manument corner of said claim; thence mt to Dank being at the 300 feet East end of said claim;
Atone t a point in a the discovery shaft and line of said class 1 5 0 Aoutheau amanum	monument Muly direction (at which this notice is posted), being in the com; thence 300 feet , being the Southwest Corner of said claim; thence the feet to a monument feet to a monument	get from enter of the Meant t to a Manument corner of said claim; thence My plant being at the 300 feet conditions and claim; meant of said claim; meant of said claim;
Atone t a point in a the discovery shaft and line of said class f Itone / 50 Southeau amonum ence 30 (monument Multy direction (at which this notice is posted), being in the com; thence 300 feet m; thence 300 feet being the Southwest corner of said claim; thence ent of Lone at the center of the feet to a monument corner of said claim; thence	get from enter of the Yest t to a monument corner of said claim; thence the said claim; thence feet cont end of said claim; ment of heing at the
Atome t a point in a the discovery shaft ad line of said class of Ntone / 50 Noutheau ence 30 (Mortheau et to amonum	Morument Multy direction (at which this notice is posted), being in the com; thence 300 feet to a monument corner of said claim; thence ent of home at the center of the corner of said claim; thence at corner of said claim; thence ent of home at the northwee	get from enter of the West t to a Monument corner of said claim; thence the said claim; thence feet and feet and of said claim; ment of the said claim; ment of the said claim; ment of the said claim; corner of said claim;
t a point in a the discovery shaft and line of said class of the contract of t	Morument Multy direction (at which this notice is posted), being in the committee of the southwest being the Southwest corner of said claim; thence the feet to a monument feet to a monument at the center of the feet to a monument feet to a monument at the center of the feet to a monument feet to a monument feet to the place of begin	get from enter of the Meat t to a Monument corner of said claim; thence the Donl being at the 300 feet and of said claim; ment of the ment of the said claim; ment of the said claim; corner of said claim; ming.
t a point in a de discovery shaft and line of said class of the control of the co	Monument (at which this notice is posted), being in the com; thence 300 feet to a monument corner of said claim; thence feet to a monument corner of said claim; thence ent of the feet to a monument f	get from enter of the Mean to a Manument corner of said claim; thence the Dand being at the 300 feet cond end of said claim; ment of heing at the 1500 corner of said claim; ming. II, of the Revised Statutes on
t a point in a the discovery shaft and line of said class of the said class of the said class of the same and	Monument (at which this notice is posted), being in the com; thence 300 feet to a Monument corner of said claim; thence feet to a Monume feet to the place of begin the provisions of Chapter Six, of Title XXX and of an Act of the General Assembly of	get from enter of the Meat t to a Monument corner of said claim; thence the Manument to a Monument to a Monument to a Monument corner of said claim; ment of the end of said claim; ment of the said claim; ming. If, of the Revised Statutes of Arizona, entitled "An Act to
t a point in a the discovery shaft and line of said class of the said class of the said class of the said class of the same said codify the said class of the said clas	Monument (at which this notice is posted), being in the com; thence 300 feet to a monument corner of said claim; thence feet to a monument corner of said claim; thence ent of the feet to a monument f	get from enter of the Mean to a Monument corner of said claim; thence Mond being at the 300 feet cond end of said claim; Meant of heing at the 1500 corner of said claim; ming. II, of the Revised Statutes of Arizona, entitled "An Act to d March 16, 1901.
t a point in a the discovery shaft and line of said class If Northead To amorum There 30 (The to amorum There 30 (The to amorum There 30 (The total and a states, evise and Codify to	monument (at which this notice is posted), being in the com; thence 300 feet to a monument corner of said claim; thence feet to a monument corner of said claim; thence feet to a monument corner of said claim; thence feet to the place of begin the provisions of Chapter Six, of Title XXX and of an Act of the General Assembly of the Laws of the Territory of Arizopa," approve	get from enter of the Mean to a Monument corner of said claim; thence Mond being at the 300 feet cond end of said claim; Meant of heing at the 1500 corner of said claim; ming. II, of the Revised Statutes of Arizona, entitled "An Act to d March 16, 1901.
t a point in a he discovery shaft ad line of said class for the control of a Monum hence 30 All done under the United States, evise and Codify t	monument (at which this notice is posted), being in the com; thence 300 feet to a monument corner of said claim; thence feet to a monument corner of said claim; thence feet to a monument corner of said claim; thence feet to the place of begin the provisions of Chapter Six, of Title XXX and of an Act of the General Assembly of the Laws of the Territory of Arizopa," approve	get from enter of the Mean to a Monument corner of said claim; thence Mond being at the 300 feet cond end of said claim; Meant of heing at the 1500 corner of said claim; ming. II, of the Revised Statutes of Arizona, entitled "An Act to d March 16, 1901.

Territory of Arizona,)

County of cochise.

I, Frank Hare County Recorder in and for said county, hereby certify that I have compared the annexed copy withthe original location mining claim, filed and recorded notice of the Ward Time mining claim, Filed and record in my office on the 2 day of april 1903 in Book 2/ page 35% Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof. witness my hand and seal of office this 24st day of May 1906. - Trank X are

County Recorder.

TERRITORY OF	hereby certify the	at the within	instrumen	t was filed			'clock,l	M.
of	Rec	cords of			County, A	rizona, at p		
	WITNESS my ha	nd and officia		30	ear first above w		aty Recorder.	••••
Potice of Location	hard Froit		.ted190	Filed and Recorded at request of	A. D. 190	ges	County Recorder. Deputy Recorder.	

Corner Monument Discovery Shaft **a** 500 feet %67-End End Monument 1991 GOOT 300 ft. Corner Monument

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commerce description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Pages_

Book .

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	<u>P</u> h	noenox,	Arizona,		
		*****	Se	eptember 21	, 190 6
I, U. S. Surveyor-Ger	neral for Disti	cict of	Arizona		
do hereby certify that the	foregoing transcri	ipt of the Fi	eld Notes, retu	rn and approval o	of the survey
of the mining claim of					
J. A. Sherwood,					
known as the Ha	rd Time				*******
situate in	Warr	ren			
Mining District,		cocni	Se County,	Arizona	
in Section approx.	, Township No	23 3.	, Range No.	24 E.	, and
designated as Survey No	2257	, has bee	n correctly cop	ied from the origin	nals on file in
this office; that said Field	l Notes furnish st	ich an accura	ate description	of said mining cla	aim as will, is
incorporated into a patent	, serve fully to ide	entify the pre	mises, and that	such reference is	made therein
to natural objects or perm					
And I further certify		17		· ·	d or improve
ments made upon said mir					
consist of 6 shafts,					_
4					
·					
and that no portion of said	d labor or improv	ements has	been included i	n the estimate of	expenditures
upon any other claim.					
I further certify that					
Arizona	is correct a	nd in conform	nity with the f	oregoing Field No	tes.
		Fran	k S. Inga	lls,	
	United States	Surveyor Clas	neral for Ari	zona.	

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

	Phoenix, Arizona,
	September 21 , 1906.
I, U. S. Surveyor-General forlistr	rict of Arizona
do hereby certify that the foregoing and her	reto attached Field Notes and Return of the Survey of the
Mining Claim of J. A. Sherwood	
	, known as the
П	ard Time
situate in	Warren Mining District,
Gochise	County,Arizona
in Sectionapprox, Township	No. 23 S. , Range No. 24 E.
, designated as Survey N	10. 2257
executed by I. J. Stauber	, U. S. Deputy Mineral
Surveyor, July	30 , under my instructions dated
May 26 , 19	0.6, have been critically examined and the necessary cor-
rections and explanations made, and the sai	id Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of the c	copy of the location certificate filed by the applicant for
survey is included in the field notes.	Frank & Ingalle
TOMBO F. A O.	U. S. Surveyor-General for Arizona.

12779b5m4-04

SURVEY NO.

— Z Z 5 7—

SCALE 200'= 117.

