(4-683.)

Mineral	Survey	No. 2263
		**************************************

Lot No.....

 ARIZONA	Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	4
Fred Coln	nan
KNOWN AS THE	<b>;</b>
Bright Mope	)
Warren	Mining District,
Cochise County,	Territory of Arizona
Section approx. Township 23 S	S. , Range 24 E. G. S.R.B. & M.
Surveyed under instructions dated	<u> 26., 1</u> 006.
by	I. J. Stauber
	U. S. Deputy Mineral Surveyor
Claim located see location	notice1
Survey commencedJune_4	1906
Survey completed June 4	1506. 1
0.100	

Post office address of claimant,

Bisbee, Cochise County, Arizona.

fier!

la chient encore

#### SURVEY NO. 2263

#### BRIGHT HOPE LODE

Peet

Beginning at Cor. No. 1, the S. E. Cor., identical with location, and with Cor. No. 4, East Bisbee No. 1 lode, Survey No. 2069, apine post 4 ft. long, 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 1-235 B H L, whence a pine post of same dimensions and scribed B P 1-2265 brs. H. 1° 9' E., 50 ft., and a second pine post of same dimensions and scribing on a line of Impurate lode, innumeral where brs. H. 75° 31' Y., 50 ft., and the H. W. Gor. of Inperial lode, where the dimensions and scribing portal lode, where the H. W. Cor. Sec. 30, Tp. 23 S., R. 25 E., C. & S., R. B. & M:, brs. 5. 41° 25' 30" E., 6986.1 ft.

Thence N. 75° 31' ".

- \$23.2 along line T-4 Falt Bisbee To. 1 lode, Survey No. 2039 to Cr. No. 2, New a astle lode, Survey No. 2077, from which point Cor. No. 1, New a astle lode, Survey No. 2077, br s. N. 73° 54' N., 532.3 ft.
- 1864.4 same bearing, to For. No. 2, the T. W. Sor., identical with location and situated on line 2-3 New chartle lode, Survey No. 2077, at J. 75° 31' E., 161.97 ft. fro Gor. No. 5, a pinepost 4 ft. long, 4 in. 39., set 18 in. in the gound, in a mound of stance and scribed 2-2865 B H L, whence a pine post of same dimensions and scribed B P 2-3265 brs. S. 75° 31' F., 50 ft., and second pine post of same dimensions and scribing brs. M. 1° 5' H. 25 ft., no bearing monument; available.

Thence M. 1° 9' E.

- 2.2 to original location for W. F. G.
- 131.5 same bearing to Cor. Ho. 16, New castle lode, Survey
  To. 2077, from which Cor. H. 1, New Castle lode, Survey
  To. 2077 brs. S. 79° 8' E., 509.0 ft.
- 136.7 same bearing, to Cor. No. 2, Michigan lode, Survey No. 2862, from which point Cor No. 1, Michigan lode, Survey No. 2868 brs. S. 75° 8' E., 301.5 ft.

Feet

278.2 same bearing, to Gor. No. 3, the H. W. Gor., identical with location and situated on line 9-10 New c astle lode, Survey No. 2077, at H. 1° 9' E. 143.3 from Gor. No. 10, a pine post 4 ft. long, 4 in. sq., set 18 in. in the ground in a mound of stones and scribed 3-2263 B H L, whence a pine post of same dimensions and scribed B P 5-2263 bys. S. 1° 9' W. 25 ft., and a second pine post of same dimensions and scribed B P. 5-2265 bys. S. 1° 9' W. 25 ft., and a second pine post of same dimensions and scribing bys. S. 28° 8' E., 50 ft., no bearing monuments available.

Thence S. 89° 8' E.

- 551.7 to Fer. Mo. 2, Roosevelt lode, Survey Fo. 2260, and the intersection of line 1-6, Michigan lode, Survey No. 2262 at M. 0° 50' E., 246.0 ft., from Cor. No. 1
  - 1191.7 same bearing, to for. No. 1, Reconvelt lode, Survey No. 2230, and the intersection of the west side line of Last Chance lode, unsurveyed, at N. 0° 52' E., 464.6 ft. from the G. W. Cor. of Last Chance lode unsurveyed, being identical with the Y. W. Cor. of The porial lode, unsurveyed,
- with location, a pine post 4 ft. long, 4 in. cq., set 18 in. in the ground in a mound of stones and sociled 4-2262 h H L, whence a pine most of some dimensions and scribed h P 4-2263 brs. N. CC° 6' E., CO.7 ft., and a second pine post of same dimensions and sociling brs.

  C. 1° C' W., 50 ft., no bearing monuments available.

  There C. 1° S' W.
  - 273.0 to original location for F.E.C.
  - 557.4 seme bearing, to the intersection of the south and line identical will north and line Impural lode, unsurveyed of Last Chance lode, unsurveyed, at M. 75° 47' T., 27.6 at. from the S. W. Sor Lot Chaure and N. W. Cur. Empirial
- 578.0 same bearing, to Cor. No. 1, the place of beginning:

is from the T. H. C. location, N. 89° 8' W., 1836.4 ft.

Total area of Bright Hope lode

12.035 AV

Loss conflict vs. Michigan
Turvey Mc. 2202 - - - 2.674 AV
Less Conflict vs. New Castla
Turvey Mc. 2077, - - - 1.461 AV
Less conflict vs. Imposint
unsurveyed - - - - - - 0.082 A
Less conflice vs. Last
Chance, unsurveyed, - - - 0.318 A

1.500 A

Tet Area of Bright Mayo Lake,

7.500 AV

#### IMPROVED FURG

I hereby sertify that the walue of the laler and improvements of this skill fledel thereon by the claimant or is gran ore is a fallows:

0. 1

Piscoviny sheft, 4 x 6 m 10 ft. doep, Wrd. from E. J. J. Location, N. 85° 1' "., "Ol. 6 ft. Value, 100.

Mote: Complete affidavit of 500.00 impayments on the claim will be furnished them to the environten of the period of mublication.

#### ADJOINING CHAINS

Torth

Survey To. 2260, owned by the opplicant horein.

Hast

herein. Imporial lode, unsurveyed, erred by the applicant berein. Imporial lode, unsurveyed, owned by J. J. Fordn et al.

South!

Food Bisbec No. 1, Survey No. 2080, erred by ...
Nerman, et al

We ot

Hard estimated to the Survey No. 2077, owned by Twed Colman and John Parloy.

#### LOCATION

This claim is los ted about three-quarters of a mile in an Easterly direction from the shelt of the Assuren-Saginar Development Co. on unsurveyed lands in the Warren Mining District, Cochine County, Frizona, approximately in Tp. 235, L. 24, E., G. & S., . D. & M. www.wy.w.

#### INSTRUMENT

This survey was made with a C. L. Berger & Son To. 1 C Transit, the courses were deflected from the true meridian, a determined by Solar observation checked by an observation on Polaris. The courses were measured with a SOC ft. steel tape.

Magnetic variation, 13° 80 年et all corners

U. E. in nal Turreyor.

Dated at Bisbee, Arizona,
June 23, 1906.

#### BRIGHT HOPE LODE

situated in the Warren Mining District, Cochise County,
Territory of Arizona, and owned by J. A. Sherwood,

AFFIDAVIT OF \$500.00 IMPROVEMENTS

I hereby certify that the value of the labor and improvements on this claim placed thereon by the claimant or his grantoms is not less than 500.00 and that said improvement: were placed on said claim before the (1906) loth day of August, and prior to the expiration of the period of publication of the notice of amplication for patent. Said improvements are as follows:

- No. 1 Discovery shaft, 4 x 6 x 3) ft. deep brs. from E.E.C. location N. 89° 8' W., 601.0 ft. Value, \$300.00
- No. 2 Out, 5 x 10 x 20 ft. brs. from Cor. No. 4, S. 57°
  28' W., 622.0 ft. Value, 200.00
- No. 3 Cut, 6 x 10 x 8ft.brs. From Cor. No. 4, S. 59° 31 W. 608.0 ft. Value, \$\\( \)100.00
- Cut, 5 x 10 x 18 ft. brs. from Gor. Do. 4, S. 60°
  22' W., 600.0 ft. Value, 150.00
- No. 5 Cut, 4 x 10 x 16 ft. brs. from Cor. No. 4, S. 60°
  22° W., 588.0 ft. Value, \$100.00
- No. 6 Cut, 6 x 10 x 20 ft. brs. from Cor. No. 4, S. 62°
  15' W., 575.0 ft. Value, 200.00
- To. 7 Cut, 5 x 10 x 18 ft. brs. from Cor. No. 4, 8. 65° 15' W., 584.0 ft. Value, \$150.00
- Ho. 8 Cut, 5 x 10 x 17 ft. brs. from Cor. No. 4, 8. 67°
  45' W., 583.0 ft. Value, \$\int 150.00
- No. 9 Cut, 5 x 10 x 17 ft. brs. from Cor. No. 4, S. 65°
  48' W., 590.0 ft. Value, 150.00
- No. 10 Cut, 5 x 10 x 20 ft. brs. from Cor. No. 4, S. 70° 46' W., 600.0 ft. Value, 200.00

Total Improvements on Claim,

1700.00

U.S. Deputy Mineral Surveyor,

Stanber

Dated at Bisbee, Arizona,

Eugust 15th, 1906.

## Affidavit of Five Hundred Dollars Improvements.

We H. E. Birkner	and ". C. Getehell
T C,	•
of lawful age, being first duly sworn accor	ding to law, depose and say: That we are acquainted with the
Eright Hope	mining claim, situate in Warron
mining district Cochise	County, Arizona Territory, for which
mining district,	County, Arizona Territory, for which
T A	Co company
J • A •	Sherwood
ha_S_ made application for survey prior to a	application for patent under the provisions of the Act of Congress
approved May 10, 1872; and that the labo	r done and improvements made thereon by the applicant and
	•
his grantor S avosed five hundred	dollars in value, and further that we are not personally interested
grantoi := . exceed nve nundred	donars in value, and latener than we are not personally interested
in said mine.	H.E. Peirbuer.
	1100
	126 442111
	- Medines
TERRITORY OF ARIZONA,	
TERRITORY OF ARIZONA,  County of	88:
COURTY OF	·····)
	7.5+%
	Sworn to and subscribed before me this
12	
[SEAL.]	ofAurust, 1900
	The first
	Maux rettee
171715400-3-05	NOTARY PUBLIC
	Is and for the County of Coolings, Papritory of Arizona.
	My Commission Papers March 12 1910

## Certificate of U. S. Surveyor General

AS TO

EXPENDITURES REPORTED AFTER RETURN OF SURVEY OF MINING CLAIM-

	-	
I, U.S. Sur	veyor General for	rict of Arizona,
do hereby certify	that Five Hundred Dollars	s' worth of labor has been expended or
improvements ma	de by claimant or his	grantors, upon the mining claim of
****	J. A. Sherwood,	
*****		
known as the	Bright Hope,	······································
situate in	Warren	mining district,
Cochise	County,	Arizon,
in Section	, Township No.	, Range No;
	, and that no portio	n of said labor or improvements has been
included in the es	timate of expenditures upon	any other claim. A copy of the report of
I. J. Stauhe	r,	, U.S. Deputy Mineral Surveyor, dated
August 15, 1	906, , , 18 , is heret	o attached.
		Tank Dongalle
	U. S. Surveyo	r General for Arizona.
Office of U.S. Sur	veyor General,	
Phoenix	, Arizona,	
Nove	mber 23, 1906., 4	***

0 2-178

## FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

A list of the names of the individuals employ	yed by I. J. Stauber
United States Deputy Mineral Surveyor, to ass	ist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes	of the survey of the mining claim of
Fr	ed Colman
known as the Bri	ght HOpe
and showing the respective capacities in which the	hey acted.
	W. C. Getchell , Chainman.
	H. E. Birkner , Chainman.
	, Axman.
	Flagman.
FINAL OATH	IS OF ASSISTANTS.
Wa	. C. Getchell
	, do solemnly swear that we assisted
	eputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	
Fre	l Colman
known as the Brigh	nt Hope
represented in the foregoing field notes as having	been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all re	espects, to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary	monuments established according to law and the instructions
furnished by the United States Surveyor-General	for Arizona
,	- W. C. Hetchel Chairman
	HE Burkner, Chainman.
	Chainman.
	, Axman.
	, Flagman.
Subscribed and sworn to	by the above-named persons before me this23
day of	Tune , 190 6
	Munglettee
	NOTARY PUBLIC

In and for the County of Cochise, Territory of Arizona.

My Commission Expires March 12, 1910.

 $17287\,\mathrm{b}5\mathrm{m}3\text{-}05$ 

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I,	I. J. St	auber	, U. S.	Deputy Mineral	
	nnly swear that, in p				
	eneral for				
•	906.				
	official regulations				
	General, faithfully a				
	Fred Colm				
	Br				
	WARRE				
	e				
	vnship No. 23 S.				
	Survey No				
	eld notes, which acc				
as distinctly marke	ed by monuments o	n the ground, and	described in	the attached copy	
of the location ce	rtificate, which was	received by me fro	om the Surve	yor General with	
said instructions, a	nd that all the corn	ers of said survey l	nave been est:	ablished and per-	
petuated in strict a	accordance with the	law, official regul	ations and ir	structions there-	
under; and I do f	urther solemnly sw	ear that the foreg	oing are the	true and original	
field notes of said survey and my report therein, and that the labor expended					
improvements mad	de upon said mining	claim by claimant	or his	grantors	
	ly stated, and that				
	ed therein with par				
	ovements so credited				
	oon any other claim.				
***************************************			1		
		()	Street	Cel	
			U.S. Dep	Let uty Mineral Surveyor.	
Subscribed a	and sworn to by the	said I. J.	Stauber		
	uty Mineral Survey				
	rank Pettee, no				
	June, 190		7		
au J	E.Mark & A. C. V.	ST.	5 1		
		_(///	uxpl	tree	
		In and for th	e County of Cochi	UBLIO se, Territory of Arizona.	

Territory of Arizona,)
:SS.
county of coohise.

I.Frank Hare County Recorder in and for said county, hereby certify that I have compared the annexed copy with the original location notice of the Bright Mohe mining claim, filed and recorded in my office on the 12th day of Sept. 1903 in Book 28 page 35 Record of Mines, and that the same is a full, true and correct copy of such original and of the whole thereof. Witness my hand and seal of office, this 21st day of May 1906.

Mannetare

County Recorder.


# Motice of Mining Location

Quarty LODE CLAIM

To All Wilsom It May Concern:
This Mining Claim, the name of which is the Drught Vone
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by Tred Colman & John Farley
(Locator must insert either "ofcitizen of the United States.")
by the undersigned, on the 3- day of august 1903
The length of this claim is 1500 feet,
and Mc claim 150 feet,
in a Westerly direction and 750
fect in a Easterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
The claim is situated and located in the Marren Mining District, in
bochise, County, in the Territory of Arizona, about 2 /2 miles
in a easterly direction from the City of Biebeer and
adjoins the East Cliber Claim on the north side line.
V
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of Mones
at a point in a Easterly direction 750 feet from
the discovery shaft (at which this notice is posted), being in the center of the
end line of said claim; thence 300, feet to a monument
being the Northeast corner of said claim; thence
1500 feet to a monument, being at the
nonhwest corner of said claim; thence 300 feet
to a monument bung at the center of the Mest end of said claim;
thence 300 feet to a monument, being at the
Nouthwest corner of said claim; thence 1500
feet to a monument at the Douthlast corner of said claim;
thence 300 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes or
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Godity the Laws of the Territory of Arizona," approved March 16, 1901.
Dated and posted on the ground this 3- day of Queguet 1903
Fred landana
707
John Farley
Filed and recorded at request of Fred bolinan Dept.

on this			day of	s of		1	for record at  90, and duly aCounty,  ear first above	ecorded in E Arizona, at j written.	Book No	
Motice of Location	LODE CLAIM	right dite			ted	Filed and Recorded at request of	A. D. 190	ges	County Recorder.	Deputy Recorder.

Dated ....



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center lof Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior, office of u. s. surveyor-general,

=	Phoenix, Arizona,				
	July 20", 1909	6			
	7509, 1908	<u></u> .			
I, U. S. Surveyor-General for					
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the surv					
	An				
	111				
	Bright Hope				
situate in	Varren	20.			
Mining District, Cochise	County, Arizona				
in Section Approx., Township	No. 23 S., Range No. 24 E., an	nd			
designated as Survey No. 2263	, has been correctly copied from the originals on file	in			
this office; that said Field Notes furnis	sh such an accurate description of said mining claim as will,	if			
incorporated into a patent, serve fully t	so identify the premises, and that such reference is made there	in			
	nents as will perpetuate and fix the locus thereof.				
And I further certify that five he	undred dollars' worth of labor has been expended or improv	re-			
ments made upon said mining claim by	claimant or 1118 grantors, and that said improvemen	ıts			
consist of at time of sur	vey, I shaft value \$100.00				
	7)	840			
	)				
•	<del></del>				
	provements has been included in the estimate of expenditur				
upon any other claim.	provided the soul monded in the obtained of expenditure	Ų.			
	of, filed in the U.S. Land Office at Phoenix,				
is corre	ect and in conformity with the foregoing Field Notes.				
	Frank S. Ingalls,				
77 4. 7.	su a a la Antzono				
United 1	States Surneyor-General for ATIZONA.				

## SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,


Office of U. S. Surveyor-General,

	Phoenix, Arizona,
	July 201, 190 G
I, U. S. Surveyor-General for Dia	strict of Arizona
do hereby certify that the foregoing and	hereto attached Field Notes and Return of the Survey of the
Mining Claim of Fred Colman	
	, known as the
Bri	ght Hope
situate in	Warren Mining District,
Cochise	County,Arizona
in Section approx, Township	nip No. 23 S., Range No. 24 F.
, designated as Surve	y No. 2263
executed by I. J. Stauc	er, U. S. Deputy Mineral
Surveyor, June 4,	, 190.6 , under my instructions dated
May 26	, 190
rections and explanations made, and the	e said Field Notes and Return, and the Survey they describe,
are hereby approved. A true copy of t	he copy of the location certificate filed by the applicant for
survey is included in the field notes.	Thanh Dongalle
79770h 5 m 4 04	U. S. Surveyor-General for ATIZOIIa.

12779b5m4-04

# SIRVEY NU CONTRACTOR OF SEES ---

SCALE 300'=1"



TOTAL AREA OF BRIGHT HOPE

LESS CONFLICT VS MICHIGAN SUR. 2262 2.634 ACRES

" " NEWCASTLE " 2077 1.461

" " INPERIAL UNSUR. 0.092

" " LAST CHANCE UNSUR. 0.313

NET AREA BRIGHT HOPE

12.063 ACAES

4.500 7.563