Copied Oct. 7, 1907

206; 61 dds 8EF, 19. 1907 8EF, 23. 1902

(4-683.)

Mineral Survey No. 2459

Lot No.

_____Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Black Butte Mining & Reduction Company

KNOWN AS THE

Homestead, Black Butte, Copper Top, Lorna Doone and
Quien Sabe situated in Castle Creek Mining District,

Yavapai County, Arizona

Section Approx., Township 8 N., Range 2W. Unsur.

Surveyed under instructions dated August 27th 1907

by H. G. Schader U. S. Deputy Mineral Surveyon

Claim located See Location Notices , 1

Survey commenced September 2nd, 1 907

Survey completed September 6th 1907

6-150

Address of claimant, T. Connell, Pres.,

Phoenix,

Arizona.

Detail .

Feet

Mineral Survey No. 2459.

Homestead Lode.

Beginning at cor. No. 1. identical with N.W. cor. of the location, cor. No.2. Black Butte lode and

S.E. cor. of Mayflower lode unsurveyed, a shist stone 6x8x24 ins. set 12 ins. in the ground, chiseled B-2-H-1-2459-X with mound of stone alongside : whence U.S.L.M. No. 1754 bears N 35° 07' W 6011 ft. distant. Flag on Black butte bears S 27° 48'E.

Thence N 78° 46'E

Var. 14º 16' E.

The north end center, identical with N. and center of location, a mound of stone.

638.50 Cor. No. 2. identical with N.E. cor. of location, a shist stone 12 x 6 x 24 ins. set 12 ins. inthe ground chiseled H-2-2459-X with mound of stone alongside. No bearings available.

Thence S 31º 26' E.

1500. Cor. No. 3 identical with S.E. cor. of location on andesite stone 6 x 6 x 24 ins. set 12 ins. in the ground, chiseled H-3-2459-X with mound of stone alongside.

No bearings available.

Thence S78º 46' W.

- 319.25 THE S. end center, identical with S. end center of location, a mound of stone .
- Cor. No. 4, identical with S.W. cor. of location 638.50 and cor.No. 3 of Black Butte lode, a porphry stone 4 x 6 x 24 ins. set 12 ins. in the ground, chiseled B-3-H-4-2459-X with mound of stone alongside. No bearings available.

Thence N 31º 26'W

Cor. No.], place of beginning.

The presumed course of the ledge is from S. end

1500.00

Feet

center N 31° 26'W 1500 ft. to N.end center.

Black Butte Lode.

Beginning at cor. No. 1, identical with N.W. cor. of location and S.W. cor. Mayflower lode claim unsurveyed, a quartz stone 8 x 12 x24 ins. set 12 ins. in the ground, chiseled B-1-2459-X with mound of stone alongside; whence U.S.L.M. No. 1754 bears N 29° 19' 32" W 5782 ft. distant.

No bearings available.

Thence N. 78° 46' E.

The N. end center ,identical with N. end center of location, a mound of stone.

638.50 Cor. No.2, identical with N.E. cor.of location,

S.E. cor. Mayflower lode, unsurveyed and cor. No. 1.

Homestead lode, this survey.

Corner hereinbefore described.

Thence S 31° 26' E.

1500.00 Cor.No. 3 identical with S.E. cor. of location and cor.No. 4, Homestead lode, this survey.

Corner hereinbefore described.

Thence S 78° 46' W,

The S. end center identical with S. end center of location, a mound of stone.

638.50 Cor. No. 4, identical with S.W. cor. of location, a schist stone 8 x 8 x 24 ins. set 12 ins. in the ground, chiseled B-4-2459-X, with mound of stone alongside.

No bearings available.

Thence N 31° 26' W.

OO Cor. No. 1 place of beginning.
Presumed course of ledge is from S. end center

N 31° 26' W 1500. ft. to N. end center.

Copper Top.

1500.00

Beginning at cor. No. 1, identical with N.W. cor. Of location, cor. No. 1 Lorna Doone and S.W. cor. Copper Line lode unsurveyed, a porphry stone 4 x 8 x 24 ins. set 12 ins. in the ground chiseled C-1-L-1-2459-X, with mound of stone alongside; whence U.S.L.M. No. 1754 bears N 23° 39' W 6000 ft. distant.

No bearings available.

Thence N 68° 22' E.

- 304.4 N. end center, identical with N. end center of location, a mound of stone.
- 608.8 Corner No. 2, identical with N.E. cor. of location, in W. side line of Black Butte lode, this survey, S.E. cor. cor. Copper Line, unsurveyed, a schist stone 6 x 12x 24 ins. set 12 ins. in the ground, chiseled C-2-2459-X, with mound of stone alongside;

 Stone on Black butte bears S. 42° 55' E,

Thence S 31° 26' E.

- 1230. Cor. No. 4 Black Butte lode claim.
- porphry stone 6 xl0 x 24 ins., set 12 ins. in the ground, chiseled C-3-2459-X, with mound of stone alongside.

No bearings available.

Thence S 68° 22' W

- 304.4 S. end center, identical with S. end center of location, a mound of stone.
- 608.8 Cor. No. 4, identical with S.W. cor. of location, and cor. No. 4 Lorna Doone, a porphry stone 8 x 12 x 24 ins. set 12 ins. in the ground, chiseled C-4-L-4-2459-X, with mound of stone alongside.

 No bearings available.

Thence N. 31° 26' W.

The presumed course of the ledge is from S. end center

N 31° 26' W 1500 ft. to N. end center.

Feet

Lorna Doone Lode.

Beginning at cor. No. 1, identical with N.E. cor. of location, cor. No.1 Copper Top lode, and S.W. cor. Copper Line lode, unsurveyed; whence U.S.L.M. No. 1754 bears N 23° 39' W 6000 feet distant. Corner and bearings hereinbefore described.

Thence S 68° 22' W.

- N.end center, identical with N. end center of location a mound of stones.
 - 608.8 Cor. No. 2, identical with N.W. cor. of location and cor. No. 1 Quien Sabe lode, a porphry stone 6 x 6 x 30 ins. set 12 ins. in the ground, chiseled L-2-Q-1-2459-X, with mound of stone alongside.

Stone on Black butte bears S. 65° 09' E.

Thence S 31° 26' E

1500.00 Cor. No. 3, identical with S.W. cor. of location and cor.No. 4 Quien Sabe lode, a porphry stone 6 x 12 x 24 ins. set 12 ins. inthe ground, chiseled L-3-Q-4-2459-X with mound of stone alongside.

No bearings available.

Thence N 68° 22' E.

- 304.4 S. end center, identical with S. end center of location amound of stone.
- 608.8 Cor. No. 4, identical with S.E. cor. of location and cor. No. 4 Copper Top lode, this survey; corner hereinbefore described.

Thence N 31° 26' W

1500. Cor. No. 1 place of beginning.

Presumed course of ledge is from S. end center

N 31°26' W 1500 feet to N. end center.

Quien Sabe Lode.

Beginning at cor. No. 1 identical with N.E. cor. of location and corner No. 2 Lorna Doone, hereinbefore described; whence

Feet

- U.S.L.M. No. 1754 bears N 17° 50' W, 6009.5 ft. dist.

 Thence S 68° 22' W.
- 304.4 N.end center, identical with N. end center of location a mound of stone.
- 608.8 Corner No. 2 identical with N.W.cor. of location.

 Set no stone as corner is on sand bar in small creek.
 - Thence S 31° 26' E.

 45.5 Witness cor. to cor.No. 2, a quartz stone 6 x 8 x 24

 ins. set 12 ins. in the ground, chiseled W.C.Q.2.2459-X,

 with mound of stone alongside.
- 1500. Cor. No. 3, identical with S.W. cor. of location, a porphry stone 6 x 8 x 24 ins. set 12 ins. in the ground, chiseled Q-3-2459-X, with mound of stone alongside. No bearings available.

Thence N 68° 32' E

- 304.4 S. end center, identical with S. end center of location, a mound of stone.
- 608.8 Cor. No. 4 identical with S.E. cor. of location and cor. No. 3 Lorna Doone claim hereinbefore described.

Thence N 31° 26' W.

1500.00 Corner No. 1, place of beginning.

The presumed course of the ledge is from S. end center N. 31° 26' W to N. end center 1500.ft. dist.

Area.

Total & net area Homestead lode is, 20.634 acres

" " " " Black Butte " 20.634 "

" " " " Copper Top " 20.657 "

" " " " Lorna Doone " 20.657 "

" " " " Quien Sabe " 20.657 "

Net area Survey No. 2459 = 103.239 "

Variation at all corners is N 14° 16' E

LOCATION

This survey is located in Castle Creek Mng. District, Yavapai Co., Arizona on unsurveyed land approximately T. 8 N. R. 2 W.G. & S. R. B. M.

ADJOINING CLAIMS.

North of Copper Top lode, Copper Line lode unsurveyed, A. O. Brodie, claimaint.

North of Black Butte, Mayflower lode unsurveyed,

A. O. Brodie, claimant.

East of Homestead lode, Argon, Boron and Carbon lodes claims, unsurveyed,

South of Homestead lode, Silicon lode unsurveyed, owned by claimant herein.

South of Copper Top lode, Krypton, unsurveyed, owned by claimant herein.

South of Lorna Doone lode, Zenon lode unsurveyed, owned by claimant herein.

South of Quien Sabe lode, Neon lode, unsurveyed, owned by claimant herein.

West of Quien Sabe lode, Plasmon, Tarpon, Monon lode claims, unsurveyed, owned by claimant herein.

North of Quien Sabe lode, Solon lode, unsurveyed, owned by claimant herein.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

. . .

I certify that the value of labor and improvements upon these claims, placed thereon by the claimant and his grantors, is not less than Five Hundred Dollars for each location, and said improvements consist of:

On the Homestead Lode.

Discovery point, a mound of stones, which bears from No. 1 S. end center N 31° 26' W 300 ft.

> Open cut 5 ft.wide, 10 ft. long with 10 ft. face, the center of which bears from Dis. pt. N20°50' W. 265 ft. Value,\$100.00

No. 2

No. 3	Tunnel $3\frac{1}{2}$ x7 x 10 ft. long, the portal of which bears
	from Dis. pt. N 64° 04' W. 430 ft.
*	Value,\$100.00
No. 4	Tunnel 4 x 6 x 20 ft. long, the portal of which bears
	from Dis. pt. N 63° Ol' W. 492 ft.
	. Value,\$200.00
No. 5	Shaft 4 x 6 x 10 ft. deep, which bears from cor. No. 2.
	S 57° 45' W 410 ft.
	Value,\$100.00
	One-fifth interest in main shaft on Black Butte lode
	Value,\$2700.00
	On Black Butte Lode.
10. 1	Discovery point, a mound of stones which bears from
	N. end center S 31° 26' E 350 ft.
No. 2Ma	in working shaft, which bears from cor. No. 2 S 9° 04' W
	440 ft., $4\frac{1}{2}$ x 7 x 540 ft. deep, timbered.
	Note: It is the purpose of the owners to run crosscuts and
	drifts from the lower levels of this shaft to the
	ledges on other claims of the group, using this as
	main hoistway.
	Total value of shaft,\$13500.00
	One-fifth interest
No. 3	Tunnel 4 * 7 ft., the portal of which bears from
	cor. No. 1 S 53° 31' E 770 ft. Generalcourse of
	tunnel N 49° 00' W 266 ft. where it connects with
	main shaft at 100 ft. level; thence 98 ft. to face.
	Value,\$3000.00
No. 4	Open cut which bears from cor. No. 1 S 69° 02' E 225 ft
	5 x 10 ft. x 10 ft. face.
	Value

	On Copper Top Lode.
No.1	Discovery point, a mound of stone, which bears from
	N. end center S 31° 26' E 375 ft.
No. 2	Shaft, which bears from cor. No. 1 S 48° 20' E 472 ft.
	4 x 6 x 20 ft. deep.
*	Value,\$200.00
No. 3	Shaft which bears from cor. No. 1 S 44° 30' E 488 ft.
	7 x 10 x 30 ft. deep.
,	Value,\$300.00
No. 4	Shaft which bears from cor. No. 4,N 27° 53' W 335 ft.
*	4 x 7 x 10 ft. deep.
	Value,
	One-fifth interest in main shaft on Black Butte
	Value,
	On Lorna Doone Lode.
No. 1	Discovery point, a mound of stone, which bears from
	N. end center S 31° 26' E 350 ft.
No. 2	Shaft, which bears from cor. No. 1 S 17° 22' W 625ft.,
	4 x 6 x 20 ft. deep.
	Value,
No. 3	Two open cuts, center common dump bears from cor. No. :
	S 28° 30' E., 590 ft., each 5 x 10 ft. long x 10 ft.
	face.
	Value,\$200.00
	One-fifth interest in main shaft on Black Butte
	Value,\$2700.00
XI =	On Quien Sabe Lode.
No. 1	Discovery point, a mound of stone, which bears from
	N.end center S 31° 26' E 400 ft.
No. 2	Shaft which bears from cor. No. 1 S 14° 55' W 696 ft.
	4 x 6 x 10 ft. deep.
	Value,

No. 3 .	Shaft which bears from cor. No. 1, S. 19° 45' E.
	508 ft., 4 x 6 x 20 ft. deep.
	Value, \$200.00
No. 4.	Open cut which bears from cor. No. 1, S. 2º 071
	E. 710 ft. 5 x 10 ft. long x 10 ft. face.
	Value,
No.5.	Shaft which bears from cor. No. 1 S. 2° 28' W.,
	860 ft., 4 x 6 x 10 ft. deep.
	Value,
No.6 .	Shaft which bears from cor. No. 1, S. 42° 10' W.
	421 ft. 4 x 6 x 15 ft. deep.
	Value, 150.00
	One-fifth interest in main shaft on Black Butte Value,\$2700.00
	OTHER IMPROVEMENTS.
,	On Homestead Lode.
	Frame and canvas house N.H. cor. of which bears from
	cor. No. 2, S. 2° 30' W. 574 ft. 14 x 32 ft.
	Frame and canvas house N.E. corner of which bears
	from cor. No. 2, S. 7° W. 645 ft., 14 x 16 ft.
	Frame and canvas house M.E. corner of which bears
	from cor. No. 2, S. 12° 59' W. 688 ft. 14 x 32 ft.
	Frame and canvas house N.E. cor. of which bears
	from cor. No. 2, S. 25° 33' W. 650 ft. 14 x 16 ft.
	On Black Butte Lode.
6	Frame and canvas house, the N.E. cor. of which
	bears from cor. No. 2, S. 29° 03' H. 560 ft. 14 x 16
	ft.
	Frame and canvas house, the N.W. cor. of which bears
	from cor. No. 2 S. 25° 30' E. 520 Ft. 14 x 16 ft.
	Frame and canvas house, the N.H. cor. of which bears
	from cor. No. 2, S. 9° 40' E., 530 ft. 14 x 16 ft.

Blacksmith shop, the N.W. cor. of which bears from cor. No. 1, S. 58° 56' E. 645 ft. 14 x 18 ft.

Engine house, the N.W. cor. of which bears from cor. No. 1, S. 60° 30' E. 600 ft. 14 x 20 ft.

Hoist House, the N.W. cor. of which bears from cor. No. 1, S. 56° E. 598 ft. 18 x 30 ft.

Well which bears from cor. No. 2, S. 28° E. 800 ft., approximately 30 ft. deep.

INSTRUMENT.

This survey was made with a Gurley complete engineer's transit.

The courses were deflected from the true meridian as determined by observation on Polaris.

The distances were measured by a 100 ft. x 300 ft. steel tape.

The discrepancies between the courses and distances of this survey and the location notices are due to errors in the latter.

U.S. Deputy Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of.
Black Butte Mining & Reduction Compa
Black Butte Mining & Reduction Compa known as the Homestad, Black Butt, Copper Top, Forma Aron and Quien Salve
and showing the respective capacities in which they acted.
, Chainmean.
If yore, Chainmean.
Joe Fernando, Armana
, Flagmeen.
FINAL OATHS OF ASSISTANTS.
we, It my June and Joe Juna do do solemnly swear that we assisted
Hy John day, United States Deputy Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining elaim of
Black Butte Mining & Reduction Conformal known as the Homestrad Black Butto, Copper top, Jona door
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faillufully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for
Ma Nove , Chairman.
Jel Honounds, American.
F^{ij} uye mam
Subscribed and sworn to by the above-named persons before me this.
day of September, 1907
y rommusion enfures 12/23/07) Trolary Teeblec
17287b5m3-05

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I,	H. G. Schader	, U. S. Deputy Mineral
		ance of instructions received from the United
		Arizona , dated
		have, in strict conformity to the laws of the
		nstructions thereunder, and the instructions
	-	correctly executed the survey of the Mining
		ng & Reduction Company, known as the
		Top, Lorna Doone & Quien Sabe,
		Mining District,
		County, Arizona , in Section
		nge No. 2 W.
		, as represented
		ely show the boundaries of said mining claim
of the locations and instruction petuated in struction petuated in struction petuated in struction and I field notes of improvements are as therein thereof are special labor or instructions.	on certificate, which was rece ons, and that all the corners of rict accordance with the law do further solemnly swear to said survey and my report made upon said mining claim fully stated, and that the conception of the conception with particul	e ground, and described in the attached copy ived by me from the Surveyor General with of said survey have been established and pert, official regulations and instructions therethat the foregoing are the true and original therein, and that the labor expended and m by claimant or
		H.G. Schader
		U.S. Deputy Mineral Surveyor.
U. S.	Deputy Mineral Surveyor, be	fore me H. M. Fichas, a ancipa le this 18"
		A.M. Fichas
	v	Trotary Public
٥	8—154	notary Julie
(Try	8-154 Commission Sp	peris Lec. 23, 1907)

Affidavit of Five Hundred Dollars Improvements.

We,	H.W.	Hamilton		, and	Willian	1 A. Yor e	
of lawful o	ige, being	first duly sw	orn acco	rding to	law, dep	ose an ds a	y: That we are
acquainted	with the	Lorna Doo: Homestead				Top,	mėning claim,s
situate in	Castl	e Creek		.Mining	district,	Yavanai	County,
Arizona Te	erritory, f	for which					
B	Proc	k But	e Mi	ning	o Re	duction	n Compa
							r thre provisions
of the act	of Congre	$ss, approved$ \jmath	May 10,	1872; an	d that th	e labor dim	e umd improve-
ments mad	le thereon	by the applic	cant an	d his	grant	or. 3 exice	l live Hundred
		ich claim ad further the	at we are	e not pers	onally i	ntereste <mark>d</mark> iz	suzid mine.
	*,			The	MA	Lauren	Hon.
					Va	You	<i></i>
TERR	IITORY	OF ARIZONA	,)				
		i.c opa	\right\} 88	3 :			
		Su	vorn to a	nd subscr	ribed befo	ore me, this	s 7 tin
• 5	1 		$day \ o$	f Septe	enber	, A 96	<u>"</u>
					A.M	. Free	e as
14396b400-8-04	nission (expires Dec.	22 10	302)		Notary	Public
CIMIN COLINI	TTODIOIT (whire a nec	, 20 9 75	1011			

LODE CLAIM.

2459

Co All Whom it May Concern: Nomestead	
This Mining Claim, the name of which is the Homestead Mining Claim, situate on lands belonging to the United States of America, and in which there are veral deposits, was entered upon and located for the purposes of exploration and purchase by	aluable min-
Jennie W. Dohbins, a citizen of the United States	
(Locator must insert either "a citizen of the United States," or. "who has declared his intention to become a citizen of the Uni	
the undersigned, on the lst day of January 190 4	,od Diatos, ,
The length of this claim is fifteen hundred (1500)	feet
and I claim twelve hundred	
in a northerly direction and three hun	
(300) feet in a southerly dis	
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together w.	
three hundred (300) feet in width of the surface grounds, on each	h side of the
center of said claim. The general course of the lode deposit and premises is from the	
Northwest to the Southeast	
The claim is situated and located in the Castle Creek Mini	ng District,
in Yayapai County, in the Territory of Arizona, about I miles	
in a southeasterly direction from the Whipsaw mining cam	p and
2½ miles southerly from Briggs P.O. and the west side line of claim is identical with the east side line of the Black Butt claim. This claim covers the west 600 ft of the number one a ber two claims and a part of the Twin claim located and for owned by the Kingston Mining Company a corporation The surface boundaries of the claim are marked upon the ground as follows: Beginning at	e mining nd num- merly
a monument of stone	
4 - 1 - 2 - 4 - 4 - 2 - 4 - 4 - 2 - 4 - 4 - 2 - 4 - 4	
at a point in a northerly direction twelve hundred (1200)	
the discovery shaft (at which this notice is posted), being in the center of the north	
end line of said claim; thence three hundred (300) feet to a monument of stor	
, being the northeast corner of said cla	
fifteen hundred (1500) feet to a monument of stone , t	
southeast corner of said claim; thence three hundred (300)	feet
to a monument of stone at the center of the south end of s	aid claim;
thence three hundred (300) feet to a monument of stone , b	eing at the
southwest corner of said claim; thence fifteen hundred	
feet to a monument of stone at the northwest corner of s	
thence three hundred (300) feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the Unit and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of tory of Arizona," approved March 16, 1901.	ted States,
Dated and posted on the ground this lst day of Vanuary	1904
Witness: Jas. Patton Jennie W. Dobbins	
Filed and recorded at request-of-Wells, Fargo-&-Go-April A.D. 1904 at 2:15 o'clock P.M., Book 71 of Mines, page 396 Re of Yavapai County, Arizona. (SEAL) P.J.Farley County Recorde	cords
By R.E.Butler	ets D
courier print Deputy Recorder.	

To All Whom it May Concern:
This Mining Claim, the name of which is the Lorna Doone
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable min-
eral deposits, was entered upon and located for the purposes of exploration and purchase by
Jennie W. Dobbins, a citizen of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 1st day of January 190 4
The length of this claim is 1500 feet,
and I claim 350 feet,
in a northerly direction and
1150 feet in a southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
300 feet in width of the surface grounds, on each side of the
center of said claim. The general course of the lode deposit and premises is from the
northwest to the south east
The claim is situated and located in the Castle Creek Mining District,
in Yavapai County, in the Territory of Arizona, about la miles
in a south easterly direction from the Whipsaw mining camp and
2½ miles southerly from Broggs P.O. and its east side line is iden-
ical with the west side line of the Copper Top claim. This claim overs a part of the Walker and Number 3 claims located and formerly
wned by the Kingstom Mining Company, a corporation.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stone
*
at a point in a notherly direction 350 feet from
the discovery shaft (at which this notice is posted), being in the center of the north
end line of said claim; thence 305 feet to a monument of stone
, being the north east corner of said claim; thence
1500 feet to a monument of stone being at the
southeast corner of said claim; thence 305 feet
to amonument of stone at the center of the south end of said claim;
thence 305 feet to a monument of stone, being at the
southwest corner of said claim; thence 1500
feet to a monument of stone at the northwest corner of said claim;
thence 305 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States,
and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Terri-
tory of Arizona," approved March 16, 1901.
Dated and posted on the ground this 1st day of January 1904
Witness Jas. Patton Jennie W. Dobbins
Filed and recorded at request of Wells Fargo & Co. April 1st A.D.
1904 at 2:15 o'clock P.M., Book 71 of Mines, page 397 Records of
Yavapai County, Arizona. (SEAL) P.J.Farley County Recorder.
Dr Dr Rutler
COURIER PRINT Deputy Recorder.

Co All Whom it May Concern:	
This Mining Claim, the name of which is to	he Quien Sabe
	United States of America, and in which there are valuable min- the purposes of exploration and purchase by
Jennie W. Dobbins a citizen o	f the United States
	"or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 1st day of	January 1904
The state of the s	hundred (1500) feet,
	(400) feet,
	direction and eleven hun-
	southerly direction from
•	notice is posted, lengthwise of the claim, together with
three hundred	feet in width of the surface grounds, on each side of the
	lode deposit and premises is from the
Northwest	to the southeast
The claim is situated and located in the	Castle Creek Mining District,
in Yayapai County,	in the Territory of Arizona, about $1\frac{1}{2}$ miles
in a southeasterly	direction from the Whipsaw Mining Camp and 2
	arked upon the ground as follows: Beginning at
	direction 400 feet from
-	ed), being in the center of the north
	feet to a monument of stone
	rtheast corner of said claim; thence
· · · · · · · · · · · · · · · · · · ·	monument ofstone being at the
	said claim; thence 305 feet
	at the center of the south end of said claim;
	feet to a monument of stone , being at the
southwest corner of s	said claim; thence 1500
feet to a monument of stone	at the northwest corner of said claim;
and of an Act of the General Assembly of Arizo	refeet to the place of beginning. Six, of Title XXXII, of the Revised Statutes of the United States, ona, entitled "An Act to Revise and Codify the Laws of the Terri-
tory of Arizona," approved March 16, 1901. Dated and posted on the ground thisls	st day of January 190 4
Witness James Patton Filed and recorded at r A.D. 1904 at 2:15 o'clock P.M	Jennie W. Nobbins request of Wells, Fargo & Co. April 1st (., Book-71-of-Mines, page 398 Records-
By P E Butler Deputy Record	ler.

To All Whom it May Concern:
This Mining Claim, the name of which is the Rlack Butte
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable min
eral deposits, was entered upon and located for the purposes of exploration and purchase by
Jennie W. Dobbins, a citizen of the United States
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 1st day of January 190.4
The length of this claim is fifteen hundred (1500) feet,
and I claim three hundred fifty (350) feet,
in a northerly direction and eleven hundred
fifty (1150) feet in a southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
three hundred (300) feet in width of the surface grounds, on each side of the
center of said claim. The general course of the lode deposit and premises is from the
northwest to the southeast
The claim is situated and located in the Castle Creek Mining District,
in Yavapai County, in the Territory of Arizona, about 12 miles
in a southeasterly direction from the Whipsaw mining camp and 22. southerly from Briggs P.O. and adjoins the Mayflower mining claim
with north end line
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a monument of stone
450
at a point in a northerly direction 450 feet from
the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence three hundred twenty feet to a monument of stone
, being the northeast corner of said claim; thence
ffteen hundred (1500) feet to a monument of stone , being at the
southeast corner of said claim; thence three hundred twenty (330) feet
to a monument of stone at the center of the south end of said claim;
thence three hundred twenty (320) feet to a monument of stone , being at the
southwest corner of said claim; thence fif teen hundred (1500)
feet to amonument of stone at the northwest corner of said claim;
thence three hundred twenty (320) feet to the place of beginning. The Black Butte Claim is identical with the Evans Mining claimle. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States,
and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Terri-
tory of Arizona," approved March 16, 1901.
Dated and posted on the ground this 1st day of January 190 4
Witness James Patton Jennie W. Dobbins
Filed and recorded at request of Wells Fargo & Co. April 1st A.D 1904 at 2:15 O'clock P.M., Book 71 of Mines, page 399 Records of
Yawapa County, Arizona. (SEAL) P.J.Farley County Recorder.
By R.E.Butler
COURIER PRINT Deputy Recorder.

Co All Whom it May Concern:
This Mining Claim, the name of which is the Copper Top
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable min-
eral deposits, was entered upon and located for the purposes of exploration and purchase by
Jennie W. Dobbins, a citizen of the United States
(Locator must insert either "a citizen of the United States," or. "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 1st day of Janury 1904
The length of this claim is fifteen hundred (1500) feet,
and I claim three hundred seventy-five (375) feet,
na northerly direction and eleven hundred
twenty-five (1125) feet in a southerly direction from
The center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
three hundred (300) feet in width of the surface grounds, on each side of the
center of said claim. The general course of the lode deposit and premises is from the
northwest to the southeast
The claim is situated and located in the
n Yayapai County, in the Territory of Arizona, about, 12 miles
na southeasterly direction from the Whipsaw Mining Camp and
32 southerly from Briggs P.O. and its east side line adjoins the
wesr side line of the Black Butte claim
a monument of stone
at a point in a northerly direction 37.5 : feet from
the discovery shaft (at which this notice is posted), being in the center of the north
end line of said claim; thence 305 feet to a monument of stone
, being the northeast corner of said claim; thence
1500 feet to a monument of stone , being at the
south east corner of said claim; thence 305 feet
to a monument of stone at the center of the south end of said claim;
thence 305 feet to a monument of stone, being at the
southwest corner of said claim; thence 1500
feet to amonument of stone at the northwest corner of said claim;
thence 305 feet to the place of beginning. This claim covers a part of the Copper Top and Walker mining claim all done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States,
and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Terri-
tory of Arizona," approved March 16, 1901.
Dated and posted on the ground this 1st day of January 190.4
Witness James Patton Jennie W. Nobbins
Filed and recorded at request of Wells Fargo & Co. April 1st A.D. 1904 at 2:15 o'clock P M., Book 71 of Mines, page 400 Recorded of Yavapai County, Arizona.
(SEAL) P.J.Farley County Recorder.

Territory of Arizona,)
:es.
County of Yavapai.

I, J.C.Bradbury, County Recorder in and for the County of Yavapai, Territory of Arizona, and custodian of the records and files of such office, do hereby certify that I have compared the foregoing copies with, and that the same are full, true and correct copies of the Notices of Locations of the following named lode mining claims, located in the Castle Creek Mining District, Yavapai County, Arizona Territory, as the same appear of record in my said office at the books and pages as follows:-

"Homestead" mining claim, notice of location whereof is of record in Book 71 of Mines, at page 396,

"Lorna Doone" mining claim, notice of location whereof is of record in Book 71 of Mines, at page 397,

"Quien Sabe" mining claim, notice of location whereof is of record in Book 71 of Mines, at page 398,

"Black Butte" mining claim, notice of location whereof is of record in Book 71 of Mines, at page 399,

"Copper Top" mining claim, notice of location whereof is of record in Book 71 of Mines, at page 400.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal this 13th day of August, A.D. 1907.

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
October 17, 190.7.
I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
Black Butte Mining & Reduction Company
known as the Homestead, Black Butte, Copper Top, Lorna Doone, Quien Sal
situate in Castle Creek
Mining District, Yavapai County, Arizona
in Section Approx., Township No. 8 N., Range No. 2 W., Unsur., and
designated as Survey No. 2459, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve- or for each of s ments made upon said mining claim by claimant or 1 ts grantors, and that said improvements
consist of 5 cuts, 3 tunnels and 10 shafts, total value \$18,750.00,
shaft No. 2 on the Black Butte lode being a common improvement
for the development of all the claims in the survey, and a 1/5
interest therein, valued at \$2,700 is properly credited to each
claim of the survey.
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Arizona
is correct and in conformity with the foregoing Field Notes.
Frank S. Ingalls
United States Surveyor-General for Arizona.

7361b5m3-03

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General,

Phoenix, Arizona,
October 17, , 1 907
I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of
Black Butte Mining & Reduction Company
, known as the
HOMESTEAD, BLACK BUTTE, COPPER TOP, LORNA DOONE and QUIEN SABE,
situate in mining district,
Yavapai County, Arizona ,
in Section Approx. , Township No. 8 N., Range No. 2 W., Unsur.
, designated as Survey No. 2459
executed by
Surveyor, September 2 - 6 , 1907, under my instructions dated
August 27, , 1907 , have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. Λ true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
Trank D Sigally
U. S. Surveyor General for Arizona.

MISSING PAGE(S)

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 2459 ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Homestead, Black Butte, Copper Top, Lorna Doone and Quien Sabe lodes, Mineral Survey No. 2459, located in section 16, Township 8 North, Range 2 West, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Homestead, Black Butte, Copper Top, Lorna Doone and Quien Sabe lodes, M.S. 2459, were canceled April 16, 2002, by memo 9605 (956) M.S. 2459, which is now a part of the original field notes."

April 16, 2002

Date

Tenny P Namican
Chief Cadastral Surveyor of Arizona