4-683.

MINERAL SURVEY No. 2507

LOT No.

Osizona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

KNOWN AS THE

Rock

Mining District,

Mineral Manage 15 & U.S. Mineral Survey.

Surveyed under instructions dated Mec 23 1907

by Howard Manage

U.S. Mineral Surveyor.

Claim located Mining 15 1908

Survey commenced Lan 2 1908

Survey completed " 5 1908

Gadress" Collotte Otomy

adress T. J. Elliots-attorney Globe, ariz.

RED ROCK LODE MINING CLAIM.

Beginning at corner No.1, the N.E. corner, identical with location, a pine post 4 ft. long, 4 in. square, set 18 in. in the ground in a mound of stones and scribed 1-2507-R R, whence the S.W. corner of Section No.19 and the N.W. corner of Section 30, Tp. 1 N., R. 15 E., G. & S. R. B. & M. bears N. 8°41' W., 880.9 ft. No available witnesses.

Thence S. 30° 33' W.

- to intersection with E. side line of Agent Lode, unsurveyed, whence S.E. corner of Agent Lode bears S. 22° 34' 135.8 W., 589.2 ft.,
- 261.6 same course to intersection with R. line 15 E. at south 1096.0 ft. from Cor.Sec. 19-24-25-30 and north 1537.0 ft. from Quarter Cor.Sec. 25-30, 300.0 same course to the S.E.E.C,

same course to corner No.2, the S.E. corner, identical 600.0 with location, a pine post 4 ft. long, 4 in.square, set 18 in. in the ground in a mound of stones and scribed 2-2507-R R.. No available witnesses.

Thence N. 56° 02' W.

to corner No.4 of the Captain Lode, Survey No.2373, 484.3 same course, adjacent to line 3-4 of the Captain Lode, Survey No.2373, to intersection with the west side line 504.2

641.0

- 1426.3
- Survey No.2373, to intersection with the west side line of the Agent Lode, unsurveyed, whence S.W. corner of the Agent Lode bears S. 20° 34' W., 240.5 ft., same course to intersection with wagon road, same course to intersection with line 1-4, Pinto Lode, Survey No.2379, whence S.E. corner No.4 of Pinto Lode bears S. 10° 10' W., 91.7 ft., same course to corner No.3, the S.W. corner, identical with location. a pine post 4 ft. long, 4 in. square, set 18 in. in the ground in a mound of stones and scribed 3-2507-R R.. No available witnesses. 1500.0 ed 3-2507-R R.. No available witnesses.

- Thence N. 30° 33' E. to line 1-4 Pinto Lode, Survey No.2379, whence corner No.4 of the Pinto Lode bears S. 10° 10' W., 302.9 ft?, 193.6
- 300.0 same course to N.W.E.C.,
- same course to corner No.4, the N.W. corner, identical with location, a pine post 4 ft. long, 4 in. square, set 18 in. in the ground in a mound of stones and 600.0 scribed 4-2507-R R.. No available witnesses.

Thence S. 56° O2' E.

to intersection with west side line of Agent Lode, un-888.7 surveyed, whence S.W. corner of Agent Lode bears S. 20° 34' W., 856.2 ft.,

1049.0 same course to wagon road,

- same course to intersection with R. line 15 E. at south 781.2 ft. from Cor.Sec. 19-24-25-30 and north 1851.8 ft. 1339.7
- from Quarter Cor.Sec. 30-25, 1480.76 same course to east side line of Agent Lode, unsurveyed, whence S.E. corner of Agent Lode bears S. 22° 34' W., 727.5 ft.,
- 1500.00 same course to corner No.1, the point of beginning.

Variation 12° 45' to 13° 15' E. at all corners.

LEDGE.

The presumed course of the vein on this claim is from the N.W.E.C. of location S. 56° 02' E., 1500.0 ft..

ADJOINING CLAIMS.

N.E. St. John's Fraction Lode, unsurveyed, Miami Copper Company, owner.

Agent Lode, unsurveyed, J.B.Newman and P.Oates, owners. S.E. Agent Lode, unsurveyed, J.B.Newman and P.Oates, owners. St.John's Lode No.3%5J.B.Newman, owner.

S.W. Agent Lode, unsurveyed, J.B. Newman and P.Oates, owners. Captain Lode, Survey No.2373, P.Oates owner.

N.W. Pinto Lode, Survey No.2379, St. John's Fraction Lode, unsurveyed, Miami Copper Company, Owner.

AREA.

RED ROCK LODE MINING CLAIM.

Total area

Less area in conflict with Agent

Lode, unsurveyed and excluded, 7.639

area in conflict with Pinto

Lode, Survey No.2379; not

excluded

Net area of Red Rock Lode

12.985

Acres.

20.624

IMPROVEMENTS.

I do hereby certify that the value of labor and improvements upon or for the benefit of this claim, placed thereon by the claimants or their grantors, is not less than Five Hundred Dollars (\$500.00).

No. 1. Second the five Hundred Dollars (\$500.00).

Noteh- Shaft No.2 on Agent Lode, Survey 2510, which bears from a point on line 41of the Red Rock Lode, 888.7 ft. from corner 4, S. 12° 33' W., 227.0 ft., is a common improvement for the development of the Red Rock, Agent, Red Spring, St. John's Fraction, Climax, Flat Top, Clumsy John, Hot Center Over sight, 5t. John's No's. 1, 2, 3, 4, 5 and 6 lodes, and an undivided 1/15 interest in the value of said shaft was reserved for the benefit of the Red Rock Lode, Survey 2507, and is therefore credited to said lode. At the present time many feet of drifting and crosscutting from said shaft lie within the bounds of this survey.

One-fifteenth interest credited to said lode \$2,720.00 Total Value of improvements upon or for benefit of the Red Rock Lode.

2,750.00

This claim is located in the Globe Mining District, Gila County, Arizona, in Secs. 30, Ip. 190, R. 15. E, and approx. dec. 25, Ip. 190, R. 14E, Pursur.

This survey was made with a W. & L. E. Gurley mountain transit, fitted with a Burt solar attachment by which the true meridian was obtained, and checked upon determined courses. Measurements were made with a five hundred foot steel tape.

Vounta Mayne.
U.S. Deputy Mineral Surveyor.

Globe, Arizona, January 25th, 1908.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by / Foundate / Maynuc	
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, or	corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of	uman
and Philip Vates	
known as the Red Rock	
and showing the respective capacities in which they acted.	
Wast Toney, Che	ainman.
B. P. Pflasson, Che	ainman.
[25], Axn	man.
, Fla	ıgman.
FINAL OATHS OF ASSISTANTS.	
We, Nave Town	
2000000	100
and / // flaum, do solemnly swear that we assisted Assure	MIL !
Hay ME., United States Deputy Mineral Surveyor, in marking the corners and	
the boundaries of the mining claim of AB Jacoman and Polatic	L
known as the Rock	
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and	l under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, fair	thfully and
correctly executed, and the corner and boundary monuments established according to law and the i	instructions
furnished by the United States Surveyor-General for Osigona	
Dove Tovey, cho	ainman.
By Blazzon, Che	
$\int \int $	man.
, Fla	
Subscribed and sworn to by the above-named persons before me this	K
day of January, 190 8 Eclesia	022033
notery Rele	lie
17287b5m3-95 delatg. A	ris

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Howard	Hayne , U. S. Deputy Mineral
	that, in pursuance of instructions received from the United
	Ungona dated
Dec. 18 1911	, I have, in strict conformity to the laws of the
	ulations and instructions thereunder, and the instructions
of said Surveyor General, fai	ithfully and correctly executed the survey of the Mining
Claim of & Prewn	nan + Philip Cates
	nan + Philip Cates, known as the
Red. Roca	k ,
situate in Alot	Mining District,
Gela	Mining District, County, Osigona, in Section
30 + 25 , Township No.	1 N , Range No. 14 + 15 1= ,
	o. 2507 , as represented
	which accurately show the boundaries of said mining claim
as distinctly marked by monu	aments on the ground, and described in the attached copy
of the location certificate, wh	hich was received by me from the Surveyor General with
said instructions, and that all	the corners of said survey have been established and per-
petuated in strict accordance	with the law, official regulations and instructions there-
under; and I do further sole	emnly swear that the foregoing are the true and original
field notes of said survey ar	nd my report therein, and that the labor expended and
improvements made upon said	d mining claim by claimants or their grantors
are as therein fully stated, ar	nd that the character, extent, location and itemized value
thereof are specified therein	with particularity and full detail, and that no portion of
said labor or improvements so	o credited to this claim has been included in the estimate
of expenditures upon any oth	ier claim.
	Howard Hayne U.S. Deputy Moneral Surveyor.
я	U.S. Deputy Mineral Surveyor.
Subscribed and sworn to	o by the said Howard T. Wayne
U.S. Deputy Mineral	l Surveyor, before me F.J. Elliott, a Notary
Public in and for the	County of Gila, Ariz. this25th
day of January,	1908.
	Matomy Fublic
	- Jacob
= ====	Notary Fublic

Affidavit of Five Hundred Dollars Improvements.

Wr. W.S. Sultan	and A.G. Smith
	*
of lawful age, being first duly	sworn according to law, depose and say: That we are
acquainted with the Rea	Rock mining claim,
situate in Globe	Mining district, Jsla County,
Arizona Territory, for which	Mining district, Gila County,
have application for sur	vey prior to application for patent under the provisions
of the act of Congress, approve	d May 10, 1872; and that the labor done and improve-
ments made thereon by the ap	plicants and their grantors exceed Five Hundred
Dollars in value, and further	that we are not personally interested in said mine.
	Manual Manual
TERRITORY OF ARIZO.	$\left. \begin{array}{c} VA, \\ \end{array} \right\} ss:$
	Sworn to and subscribed before me, this25th
A sologopopopopopopopopopopopopopopopopopop	day of January , 1908
	A Eccios
14396b400-8-04	Notary Public in and for the County of Gila, Ariz.

This Mining Claim, the name of	of which is the RED ROCK
Mining Claim, situate on lands belo	nging to the United States of America, and in which there
are valuable mineral deposits, was e	entered upon and located for the purposes of exploration and
purchase by J.B. NEWMAN and	HHILIF OATES, citizens of the United
States (Locator must insert either "a citizen of the United S	States." or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the	day of December 190.7
The length of this claim is	feet,
	9 feet,
in a N. 56° 02 W.	direction and 1024.1
	S. 56°-02 E. direction from
	which this notice is posted, lengthwise of the claim, together
•	feet in width of the surface grounds, on each
	e general course of the lode deposit and premises is from the
	to the Southeast
	ed in the Globe Mining District, in
	ty, in the Territory of Arizona, about 5 miles
	direction from Globe, and sidelines a portion
•	
	of the Captain claim.
	Rock claim the N.W. corner of Section
	S.R. B. M. bears N. 8°45°W. 877 feet laim are marked upon the ground as follows: Beginning at
conument of stones	
	direction475.9 feet from
	otice is posted), being in the center of the westerly
	0°33'E. 300 feet to a post monument
	the corner of said claim; thence
	feet to a post monument, being at the
	r of said claim; thence \$.30° 23 W. 300 feet
	at the center of the Easterly end of said claim;
_	feet to a post monument, being at the
	of said claim; thence N. 56° 02 W. 1500
	at the Solve corner of said claim;
thence N. 30° 33' E. 300	
All done under the provisions of	f Chapter Six, of Title XXXII, of the Revised Statutes of he General Assembly of Arizona, entitled "An Act to Revise
•	v of Arizona," approved March 16, 1901.
This is an Amended Location N	otice of the Red Rock
Mining Claim, located by Wilson	J. Rollins, Joseph Faull and Philip Oates
	on theday of
April 190 4 , and a	recorded in Book9 of Records of Mines, at
	Recorder of the aforesaid County of Gila nd this Amended Location Notice is made and posted to
	d this 18th day of December 1907.
and posterior and ground	Chicip Octo
	Thilip Oatro
	J. S. Morron
a)	Ti
led and recorded at the re	equest of F.J.Elliott on the 18 day of Dec-
aber A.D.1907 at 30 Minutes	s past 3 o'clock P.M.
	E T Stewart County Record

TERRITORY OF ARIZONA, SS

To All Whom It May Concern:

E.T.Stewart, County Recorder.

I, E. T. STEWART, County Recorder in and for the County of Gila, Territory of Arizona, do hereby certify that the above and foregoing contain and constitute a full, true and correct copy of the Amended Location Notice of the RED ROCK Lode Mining Claim,

as the same appears of record in my office in Book 15, Records of Mines,

Motice of Mining Location

LODE CLAIM

To All	Whom It May Concern:
This	s Mining Claim, the name of which is the RND ROCK
Mining C	Claim, situate on lands belonging to the United States of America, and in which there
are valua	able mineral deposits, was entered upon and located for the purposes of exploration and
purchase	by J.B. NEWMAN and PHILIP OATES, citizens of the United
tates	st insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the under	rsigned, on the18 day of December190.7
The	length of this claim isfeet,
and We	claim475,9
in a. N	. 56° 02 W. direction and 1024.1
	fect in a S. 56°-02 E. direction from
	r of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
	he center of said claim. The general course of the lode deposit and premises is from the
	hwest to the Southeast
	claim is situated and located in the Globe Mining District, in
	County, in the Territory of Arizona, about 51 miles
in aWe	sterly direction from Globe, and sidelines a porti
f the	northerly side line of the Captain claim.
om The	N.E. corner of Red Rock claim the N.W. corner of Section
	e surface boundaries of the claim are marked upon the ground as follows: Beginning at
at a poi	nt in a N 56° 02 W direction475.9 feet from
	every shaft (at which this notice is posted), being in the center of the westerly
	of said claim; thence N. 30° 33°E. 300 feet to a post monument
	, being thecorner of said claim; thence
	2. L. 1500 feet to a post monument , being at the
	. corner of said claim; thence S.30° 33° W. 300 feet
	ost monument at the center of the Easterly end of said claim;
	. 30° 33' 300 feet to a post monument , being at the
	corner of said claim; thence N. 56° 02'W, 1500
	post monument at the S.W. corner of said claim;
	.30° 33'E. 300 feet to the place of beginning.
	done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
	ed States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise
	if the Laws of the Townitary of Arizona ! approved March 16, 1001
	ify the Laws of the Territory of Arizona," approved March 16, 1901.
Thi	s is an Amended Location Notice of the Red Rock
Thi Mining (s is an Amended Location Notice of the Red Rock Claim, located by Wilson J. Rollins, Joseph Faull and Philip Oates
Thi Mining C	S is an Amended Location Notice of the Red Rock Claim, located by Wilson J. Rollins, Joseph Faull and Philip Oates on the15th day of
Thi Mining C	Solution Notice of the Red Rock Claim, located by Wilson J. Rollins, Joseph Faull and Philip Oates on the
Thi Mining C April page 28 to which	Solution Notice of the Red Rock Claim, located by Wilson J. Rollins, Joseph Faull and Philip Oates on the
Thi Mining C April page 28; to which correct es	Solution Notice of the Red Rock Claim, located by Wilson J. Rollins, Joseph Faull and Philip Oates on the
Mining C April page 28; to which correct es	Solution Notice of the Red Rock Claim, located by Wilson J. Rollins, Joseph Faull and Philip Oates on the

feet in a S. 56°-02 E.	direction from
the center of the discovery shaft, at which this notice is	posted, lengthwise of the claim, together
with feet in	width of the surface grounds, on each
side of the center of said claim. The general course of	the lode deposit and premises is from the
Northwest to the	Southeast
The claim is situated and located in the	
Gila County, in the Territory	
in a Westerly direction from	
of the northerly side line of the Captain From The N.E. corner of Red Rock claim the	
30, T. 1 N., R. 15 E., G. & S.R. B. M. best The surface boundaries of the claim are marked upon	ars N. 8°45'W. 877 feet
wally are the last the second of the second	
at a point in a N 56° 02' W direction	
the discovery shaft (at which this notice is posted), being end line of said claim; thence J. 30° 33 E. 300	
, being the M. I.	
S 56° 02' E. 1500 feet to a post m	
corner of said claim; then	
to a post monument at the center	
thence S. 30° 33° N. 300 feet to a po	
feet to a post monument at the S.W.	
thence N. 30° 33' E. 300 feet to the place of the	
All done under the provisions of Chapter Six, of Tit. the United States, and of an Act of the General Assembly and Codify the Laws of the Territory of Arizona," appro-	of Arizona, entitled "An Act to Revise ved March 16, 1901.
Mining Claim, located by Wilson J. Rollins, Jos	
190.4., and recorded in Book.	9of Records of Mines, at
page	cation Notice is made and posted to
Dated and posted on the ground this 18th d	gy of December 190.7.
	hilip Oatro
Dated and posted on the ground this -18th-day	13. nowman
Filed and recorded at the request of F.J.E ember A.D.1907 at 30 Minutes past 3 o'cloc	Clliott on the 18 day of Dec-
ombor A.D 1907 at 50 Minutes past 5 0.6100	K P.M.
TERRITORY OF ARIZONA, ss	E.T.Stewart, County Recorder
I, E. T. STEWART, County Recorder in and for the County of Gila, Te	erritory of Arizona, do hereby certify that the above
and foregoing contain and constitute a full, true and correct copy of	ne Amended Location Notice of
the RED ROCK Lode Mining Claim,	
as the same appears of record in my office in Book 15, Records o	
at page; that I have compared the same with the ori	ginal record, and that the same is a true transcript
and of the whole thereof.	
Given under my hand and seal of office thisday	of
December, A. D. 190.7.	E. T. Securan

County Recorder, Gila County, A. T.

TERRITORY OF ARIZONA,	
County of	
I,	, County Recorder in and for the County and
Territory aforesaid, do hereby certify that the w	vithin instrument was filed for record ato'clock,
on thisday of	
ofRecords of	fCounty, Arizona, at pages
WITNESS my hand and	official seal the day and year first above written.
	County Recorder.
	X 8
ω	

190

Dated.

Filed and Recorded at request of

Monument Mon

Motice of Location.

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim,

Pages

Book

M.

County Recorder.

Deputy Recorder.

By

The H. H. McNeil Co., Printers, Phoenix

A. D. 190

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,
OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona,		
July 2, , 1908.		
I, U. S. Surveyor General for <u>District of Arizona</u> ,		
do hereby certify that the foregoing transcript of the Field Notes, return and approval		
of the Survey of the mining claim of		
J. B. Newman and Philip Oates		
, known as the RED ROCK		
, situate in Globe		
Mining District, Gila County,		
Arizona, , in Section s 30 & 25 , Township No. 1 N.,		
Range No. 14 & 15 F. , and designated as Survey		
No. 2507 , has been correctly copied from the originals on		
file in this office; that said Field Notes furnish such an accurate description of said		
mining claim as will, if incorporated into a patent, serve fully to identify the premises,		
and that such reference is made therein to natural objects or permanent monuments as		
will perpetuate and fix the <i>locus</i> thereof.		
And I further certify that five hundred dollars' worth of labor has been expended		
or improvements made upon said mining claim by claimants or their grantors, and		
that said improvements consist of 1 shaft, value \$30.00, and a 1/15		
interest in shaft No. 2 Agent lode, unsurveyed, value \$2720.00,		
total value, \$2750.00		
and that no portion of said labor or improvements has been included in the estimate of		
expenditures upon any other claim.		
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix,		
Arizona is correct and in conformity with the foregoing Field Notes.		
Frank S. Ingalls,		
United States Surveyor General for. Arizona.		

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U. S. Surveyor-General,

	FII	oenix, Arizona	-9
		July 2,	, 190_8
I, U. S. Surveyor-General for	District of	Arizona	200722-701411-1-474-444
do hereby certify that the foregoing and	hereto attached Field	l Notes and Return of	the Survey of the
Mining Claim of		*****************************	******************
J. B. N	Jewman and P	hilip Oates	
	·····	······	, known as the
	RED ROCK		=
situate in	Globe		Mining District,
Gila	County,	Arizona	
in Section 5 30 & 25 , Townsl	hip No 1 N	Range No.	14 & 15 E.
, designated as Surve	ey No	2507	
executed by Howard T. I	Wayne	, U.	S. Deputy Mineral
Surveyor, January 2 - 3		, 190 8, under my	instructions dated
December 23,	, 190 <u>8</u> ., have bee	en critically examined	and the necessary
corrections and explanations made, and t	the said Field Notes a	nd Return, and the Sur	rvey they describe,
are hereby approved. A true copy of the	ne copy of the location	on certificate filed by	the applicant for
survey is included in the field notes.	Tras	Mang	all
	U. S. Sur	rveyor-General for Ar	izona.

21811b3m2-06