41/2 1900 1900

4-683.

MINERAL SURVEY No. 2678

LOT No.

Chigona Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Anown as THE

Silver Vrail, Villian Fairnew, Sun Dance, Getes

and Manuelle Hossayainga Mining District,

— Javapae' County, ange 2. M. G & & R B & M. Moren

Section — Township 12 M., Range 2. M. G & & R B & M. Moren

and william the Present National Forget Reserve.

Surveyed under instructions dated July 14", 1909

by J. J. Vieiker

U. S. Mineral Surveyor.

Claim located lee loc. Milie 19

Survey commenced July 15 , 1989

Survey completed 11 18 , 1909

Address. Robert & Morrison Alloney. Prescott

Omyona

Feet

SILVER TRAIL LODE

Beginning at cor. No. 1.

A porphyry stone 24 x 20 x 15 ins. set 12" in ground, with mon. of stones 3 x 3 ft. alongside, stone marked S. T. 1-2648.

Whence a X on a porphyry rock in place marked B.R. S.T. 1-2648 brs. S. 41° E. 59 ft.

U. S. M. M. No. 1. H. D. brs. N. 67° 58° 53° E. 4613.2 ft.

Original cor. of loc. which is also cor. No. 2 Sur. No. 966, Smith lode, brs. S. 75. 42 E. 68.6 ft.

Thence S. 52° 20' W.

1500

241 300 Thence N. 41° W.

Zo S.C.E of Location, a mon. y slows 2 x 1.5 jut

To vein, course N. E. and S. W.

541

To cor. No. 3 which is also cor. No. 4 Lillian lode of this survey, identical with location.

SURVEY NO. 2648

Feet

1500

300

A mon. of stones 2 x 1.5 ft. A porphyry stone
26 x 15 x 6 ins. set 14 ins. in ground. Marked S. T.
3-2648, also L. 4-2648. Alongside a mon. of stones
3 x 3 ft.

Whence a X on a granite rock in place, marked B.R. S. T. 3-2468 brs. S. 74° 10' E. 16.9 ft.

A X on a granite rock in place, marked B.R. L. 4-2648 brs. S. 33° 15' W. 7.1 ft.

Thence N. 52°, 20' E.

365.49 To cor. No. 1 Sun Dance and cor. No. 3 Fairview lodes of this survey.

To cor. No. 4 which is also cor. No. 2 Fairview lode of this survey and cor. No. 6 Survey No. 966, Smith lode.

Identical with cor. of loc. A porphyry stone 8 x 10 ins.

12 ins. above ground, marked S. No. 6, also S. T. 4-2648

and F. 2-2648. Alongside a mon. of stones 3 x 3 ft.

Whence a X on a granite boulder 10 x 12 x 15 ft. above ground marked B.R. F. 2-2648 brs. N. 69° W. 22.5 ft.

A X on a granite boulder 8 x 10 x 12 ft. above ground, marked B.R. S. T. 4-2648 brs. S. 56° 30° W. 27.5 ft.

Thence S. 41° E.

241 To vein, course S. W.

To cor. No. 1, Survey No. 966, Smith lode, I.M.S. No. 1 marked on north end of a granite boulder. and n.c. Eq tve.

541 To cor. No. 1, the place of beginning.

Feet

LILLIAN LODE

Beginning at cor. No. 1, which is also cor. No. 2 Silver Trail lode of this survey, cor. described above.

Whence U. S. M. M. No. 1, H. D. brs. N. 64° 9° 37° E. 6071.42 ft.

Thence S. 52° 20' W.

- 750 To point whence side mon. of loc. brs. S. 41° E. 59°.

 A mon. of stones 2 x 1.5 ft.
- To cor. No. 2, whence orig. mon. of loc. brs. S. 41° E.

 59 ft. A mon. of stones 2 x 1.5 ft.

 A porphyry stone 30 x 18 x 8 ins. set 15 ins. in ground,

 marked L. 222648, alongside a mon. of stones 3 x 3 ft.

 Whence a X on a granite boulder 4 x 6 x 6 ft. above

ground, marked B.R. L. 2-2648 brs. N. 82º 30' W. 10.1 ft.

Thence N. 41° W.

241 To S.C.E. of Loc, a mon. of Stories 2 × 1.5 feet,

300 To vein, course N. E.

To cor. No. 3, identical with loc. a mon. of stones $2 \times 1.5 \text{ ft.}$ A porphyry stone $24 \times 10 \times 6$ ins. set 12 ins. in ground, marked L. 3-2648, alongside a mon. of stones $3 \times 3 \text{ ft.}$ Whence a fir 8 ins. diam. marked B.T. L. 3-2648 brs. N. 49° E. 4.6 ft.

Thence N. 52° 20' E.

To cor. No. 2, Sun Dance lode of this survey.

To North Side center mornment of location.

To cor. No. 4, which is also cor. No. 3 Silver Trail

lode of this survey. Cor. described above.

Feet

Thence S. 41° E.

241 300 541 To vein, course N. E. & S. W. J. N.C. E & Loc. a mon. y slones 2 x 1.5 //To cor. No. 1, the place of beginning.

Stores & 1 to 18 Was

FAIRVIEW LODE

Beginning at cor. No. 1, which is also cor. No. 2 Survey No. 1291, Lawis lode, whence original cor. of loc. brs. S. 41° E. 51.25 ft. A mon. of stones 2 x 1.5 ft. A granite stone 8 x 12 ins. 18 ins. above ground, surrounded by mon. of stones. Stone marked F. 1-2648, also L. 2-1291. Whence a X on a granite rock in place, marked B.R. F. 1-2648 brs. S. 25° 13' W. 10.7 ft.

U. S. M. M. No. 1 - H. D. brs. N. 76° 23' 41" E. 4503.29 ft.

Thence S. 44° 18' W.

366.1

To cor. No. 2, which is also cor. No. 6 Survey No. 966 Smith lode. Cor. described above. And cor. No. 4 Silver Trail lode of this survey.

Thence S. 52° 20' W.

1134.51 To cor. No. 3, which is also cor. No. 1 Sun Dance lode of this survey. Identical with loc., a mon. of stones 2 x 1.5 ft. A porphyry stone 24 x 10 x 10 ins. set 12 ins. in ground, marked F. 3-2648 and S. D. 1-2648. Alongside a mon. of stones 3 x 3 ft.

SURVEY NO. 2648

	SURVEI NO. 2048
Feet	A X on a porphyry stone in place, marked B. R.
	S. D. 1-2648 brs. S. 16° 45' W. 17.2 ft.
	6
i	
á	Thence N. 41° W.
112	To Sun Dance vein, course S. W.
300	To Fairview vein, course N. E., identical with loc. for S.C.E. a mon, y slowes 2 x 1.5 ft.
412	To cor. No. 4 Sun Dance, lode of this survey.
60 0	To cor. No. 4, identical with loc., a mon. of stones
	2 x 1.5 ft. A porphyry stone 24 x 12 x 10 ins.
	set 12 ins. in ground, marked F. 4-2648, alongside
4	a mon. of stones 3 x 3 ft.
<u>a</u>	No bearings available.
	g c
	c &
	Thence N. 52° 20° E.
113,0	To Hassayampa River, course N. W. 50 ft. wide.
1500	To cor. No. 5, identical with loc., a non. of
	stones 2 x 1.5 ft. on line 2-3 Survey No. 1291,
	Louis lode, at E. 41° E. 51.25 ft. from cor. No. 3.
	A porphyry stone 30 x 12 x 10 ins. set 15 ins.
	in ground, marked F. 5-2648, alongside a mon. of
ě	stones 3 x 3 ft.
4	Whence a X on a porphyry rock in place, marked
	B.R. F. 5-2648 brs. N. 26° 30° E. 6.5 ft.
	Thomas S. 470 F
700	Thence S. 41° E. To vein, course S. W. Identical with location for N.C.E
300 500	a mon, of times 2 x 1,5 ft,
500	To Hassayampa River, course N. W., width 50 ft.
548.75	To cor. No. 1, the place of beginning.

Feet

SUN DANCE LODE

Beginning at cor. No. 1, which is also cor. No. 3
Fairview lode of this survey. Cor. described above.
Whence U. S. M. M. No. 1, H. D. brs. N. 69° 59' E.
5885.79 ft.

Thence S. 52° 20' W. .

To cor. No. 3 Silver Trail and cor. No. 4 Lillian lodes of this survey.

To cor. No. 2, on line 3-4 Lillian lode of this survey.

Whence original cor. of loc., a mon. of stones 2 x 1.5 ft.

brs. S. 52° 20' W. 200 ft.

A porphyry stone 24 x 15 x 10 ins. set 12 ins. in

ground, stone marked S. D. 2-2648. Alongside a mon.

Whence a X on a porphyry rock in place, marked B. R. S. D. 2-2648 brs. S. 39° E. 4.8 ft.

· Thence N. 41° W.

of stones 3 x 3 ft.

To vein, course N. E. from which point S. C. E. of loc.

brs. N. 87° W. 290 ft., a mon. of stones 2 x 1.5 ft.

To cor. No. 3, whence on ginal cor. of loc. brs.

N. 84° W. 325 ft., a mon. of stones 2 x 1.5 ft. A

Set 12"

porphyry stone 24 x 10 x 6 ins. in ground, alongside a

mon. of stones 3 x 3 ft..

No bearings available.

Feet

Thence N. 51° 02' 07" E.

1498.4

To cor. No. 4, on line 3-4 Fairview lode of this survey. Ariginal corl of loc. brs. N. 41° W. 188 ft., being identical with loc. mon. of the Fairview lode.

A porphyry stone 24 x 10 x 8 ins. set 12 ins. in ground, stone marked S. D. 4-2648, alongside a mon. of stones 3 x 3 ft.

Whence a X on a porphyry rock in place marked B.R. S. D. 4-2648 brs. N. 759 15! E. 35 ft.

//2 300

412

Thence S. 41° E.

In M.C. E. g. location a mon. of Slower 2×15 ft,

To vein, course S. W.

To cor. No. 1, the place of beginning.

AZTEC LODE

Beginning at cor. No. 1, whence original cor. of loc. brs. N. 52° 20' E. 61 ft., a mon. of stores 2 x 1.5 ft. A porphyry stone 26 x 8 x 6 ins. set 14 ins. in ground surrounded by mon. of stones, stome marked A. 1-2648, whence a X on an oak 8" diam. marked B.T. A. 1-2648 brs. S. 41° W. 38.2 ft. U. S. M. M. No. 1, H. D. brs. N. 82° 33' 08" E. 4736.69 ft.

SURVEY NO. 2648

Feet				
	Thence N. 14° 25' W.			
63.76	To intersect line 3-4 Survey No. 1291, Louis lode at			
	N. 46° 39° E. 79.5 ft. from cor. No. 3.			
1500	To cor. No. 2, whence original cor. of Loc. brs.			
	N. 52° 20° E. 61 ft., a mon. of stones 2 x 1.5 ft.			
	A porphyry stone 24 x 10 x 10 ins. set 12 ins. in			
	ground, alongside a mon. of stones 3 x 3 ft. Stone			
	marked A. 2-2648.			
	A X on a porphyry rock in place marked B.R. A. 2-2348			
	brs. N. 36° E. 32.7 ft.			
	Thence S. 52° 20' W			
263	To N. C. E. of loc. a mon. of stones 2 x 1.5 ft.			
324	To vein, course S. E.			
587	To cor. No. 3, which is also cor. No. 2 Maumelle,			
	identical with cor. of loc., a mon. of stones 2 x 1.5 ft			
	A porphyry stone 24 x 9 x 7 ins. 12 ins. in ground,			
	alongside a mon. of stones 3 x 3 ft. Stone marked			
	A. 3-2648, also M. 2-2648.			
	A X on a porphyry rock in place, marked B.R. A. 3-2648			
	brs. N. 52° E. 9.8 ft.			
	A X on a porphyry rock in place marked B.R. M. 2-2648.			
	brs. S. 37° 40' E. 108 ft.			
	Thence S. 14° 25' E.			
1230	To Hassayampa River, course N. W., width 50 ft.			
1500	To cor. No. 4, which is also cor. No. 1 Maumelle.			
	Identical with cor. of loc., a mon. of stones 2 x 1.5 ft.			

	SURVEY NO. 2648
Feet	Cut a X on a porphyry rock in place, alongside raised a mon. of stones 3 x 3 ft., rock marked A. 4-2648 and M. 1-2648. No bearings available. Thence N. 52° 20' E.
175	To Hassayampa River, course N. W. width 50 ft.
2 63	To vein, course N. W.
324	To S. C. E. of loc. a mon. of stones 2 x 1.5 ft.
536	To intersect line 2-3, Survey No. 1291, at
	S. 41° E. 51.25 ft. from Cor. No. 3.
587	To cor. No. 1, the place of beginning.
ė .	
ı	******

MAUMELLE LODE

Jduntical with location

Beginning at cor. No. 1, which is also cor. No. 4

Aztec lode of this survey. Cor. described above.

U. S. M. M. No. 1, H. D. brs. N. 79° 19' 33" E.

5251.46 ft.

Thence N. 14° 25' W.

210	to dassayampa aiver, course a. w. width oo it.	
1500	To cor. No. 2, which is also cor. No. 3 Aztec lod	le.
	Cor. described above.	

SURVEY NO. 2648

Feet	Thence S. 52° 20° W.					
262	To vein, course S. E.					
280	To Hassayampa River, course N. W. width 50 ft.					
324	To N. C. E. of loc., a mon. of stones 2 x 1.5 ft.					
586	To cor. No. 3. Original cor. of loc. brs. S. 52° 20' W.					
	62 ft. A porphyry stone 30 x 18 x 12 ins. set 12 ins.					
	in ground and surrounded by mon. of stones. Stone					
	marked M. 3-2648.					
	No bearings available.					
	Thence S. 14° 25' E.					
1500	To cor. No. 4. Original cor. of loc. brs. S. 52° 20' W.					
	62 ft. A mon. of stones 2 x 1.5 ft.					
	Cut a X on a porphyry rock in place, marked M. 4-2648.					
	Alongside raised a mon. of stones 3 x 3 ft.					
	No bearings available.					
	· · · · ·					
	Thence N. 52° 20' E.					
262	To S. C. E. of loc., a mon. of stones 2 x 1.5 ft.					
324	To vein, course N. W.					
586	To cor. No. 1, the place of beginning.					
	•					
	. Variation at all the corners 14° 45' E.					
4-	€					

AREA

SILVER TRAIL LODE

LILLIAN LODE

FAIRVIEW LODE

SUN DANCE LODE

MAUMELLE LODE

18.598 acres

20.411 / n

13.578 / n

18.540 / n

Total area AZTEC LODE

18.572 acres

area in conflict with Sur. No. 1291, Louis lode .081 "

imrvey la. 8043

LOCATION

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claims by the Claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

The discovery tunnel No. 1 of the Silver Trail lode is on lode line 195 ft. from a point on line 1-4, 300 ft. from cor. No. 1, 4 x 6 ft. running S. 52° 20' W. 40 ft.

VALUE

\$ 400.00

No. 2. A tunnel the mouth of which bears from cor. No. 3 N. 74° E. 670 ft. 4 x 6 ft. running N. 52° 20' E. 150 ft.

VALUE

\$1500.00

No. 3. Main working shaft for Silver Trail,
Aztec, Maumelle
Lillian, Sun Dance, and Fairview claims. Each
claim to be credited with one-sixth of said
improvement. Which bears from cor. No. 3

N. 86° 30° E. 600 ft.
Shaft 5 x 8 ft. 270 ft. deep, at bottom of shaft
a cross-cut 4 x 6 ft. 50 ft. to vein. Levels are
run N. E. 250 ft. and S. W. 200 ft.

Total value of improvement, \$7700.00 To be

No. 1. Discovery shaft of the Lillian lode on lode line 220 ft. from a point on line 1-4, 300 ft. from cor. No. 1, 4 x 6 ft. 10 ft. deep.

VALUE

credited to each of the above six claims \$1,283.33-1/3

\$ 100.00

To the credit of the Lillian lode from No. 3 working shaft on Silver Trail lode, bung a 1/6 mileter

VALUE \$1,283.35-1/3

No. 1 discovery cut of the Fairview lode on lode line 200 ft. from a point on line 1-5 / 300 ft. from cor. No. 5, 5 x 15 ft. 10 ft. face.

VALUE

\$ 100.00

To the credit of the Fairview lode from No. 3 working shaft Silver Trail lode being a 1/6 miles Therein \$1,283,33-1/3 VALUE

No. 1 discovery cut of the Sun Dance lode on lode line the face of which is 30 ft. from a point on line 2-3, 112 ft. from cor. No. 2, 5×15 ft., 10 ft. face.

VALUE

\$ 100.00

To the credit of the Sun Dance lode from No. 3 working shaft Silver Trail lode, being a 1/6 mleus therein VALUE

\$1,283.33-1/3

No. 1 Discovery cut of the Aztec lode on lode line which is 540 ft. from a point on line 1-4, 263 ft. from cor. No. 4, 5 x 30 ft. 4 ft. deep.

VALUE

\$ 100.00

No. 2 cut on lode line 480 ft. from a point on line 1-4, 263 ft. from cor. No. 4 Aztec lode, 5 x 10 ft., 8 ft. face.

. VALUE

\$ 50.00

Shaft which bears from cor. No. 4 Aztec lode .N. .5° E. 610 ft., 4 x .6 ft. 60 ft. deep, drifts from bottom of shaft N. W. 4 x 6 ft. 100 ft. and S. E. 4 x 6 ft. 100 ft.

VALUE

\$2600.00

Tunnel on Aztec lode, the mouth of which bears from cor. No. 1, N. 65° 33' W. 710.7 ft.,

4 x 6 ft., running N. 53° E., 200 ft. Value \$2000.00

To the credit of the Aztec lode from No. 3 working shaft, Silver Trail lode, being a one-sixth interest the therein \$1,283.33-1/3 Value

No. 1. Des. Shaft on Maumelle lode on lode line 100 ft. from a point on line 1-4 324 ft. from cor. No. 4 4 x 6 ft. 30 ft. deep.

VALUE

,\$ 300.00

No. 2 Tunnel on Maumelle, the mouth of mwhich bears from cor. No. 3, S. 37° E. 950 ft., 4 x 6 ft. running S. 41° W. 75 ft. to vein, 105 ft. to face, running on vein 4 x 6 ft. S. 14° 25' E. 250 ft. Value \$3550.00 No. 3 Tunnel on Maumelle on lode line 50 feet from a point on line 2-3, 262 feet from Cor. No. 2, 4 x 6 feet running S. 14° 25' E. 30 ft. Value \$300.00

To the credit of the Maumelle lode from No. 3 working shaft, Silver Trail lode, being a one-sixth interest therein Value \$1,283.33-1/3

The main working shaft No. 3, on the Silver Trail lode is so situated that in depth it will cut the Silver Trail and Lillian vein and the Fairview and Sun Dance veins on their dip, these veins all dip toward shaft No. 3. Also these veins can be reached by cross-cuts to the N. W. from the main working shaft before the shaft reaches on its perpendicular course the above veins.

The Maumelle and Aztec veins are supposed to cross on their course the Fairview and Silver Trail lodes. These veins can be reached at their intersection with the Silver Trail and Fairview veins by drifting from cross-cuts from the main working shaft No. 3, where said cross-cuts intersect the Silver Trail and Fairview veins and in this case the improvements and expenditures in the above shaft should be credited to the entire group. The total value of No. 3 be credited to the entire group. The total value of No. 3 shaft, cross-cut and levels, is \$7700.00, one-sixth of which is \$1283.33 1/3 which should be credited to each claim in group.

15

OTHER IMPROVEMENTS.

A house, the N. W. Cor. of which brs. N. 79° 45' E.

520 feet from Cor. No. 3 Maumelle.

A barn, the N. W. Cor. of which brs. N. 87° 45' E.

480 ft. from Cor. No. 3, Maumelle.

A house, the N. W. Cor. of which brs. S. 88° E.

535 feet from Cor. No. 3, Maumelle.

A. quartz mill, the N. W. Cor. of which brs. S. 48° 30' E. 800 feet from Cor. No. 3, Maumelle.

An Office, the N. E. Cor. of which brs. from Cor. No. 3, Maumelle, S. 42° 30' E. 750 feet.

* VEINS

I N S T R U M E N T

This survey was made with a W. & L. E. Gurley solar transit.

The courses were deflected from the true meridian as determined by solar observations. The distances were measured with 50 ft. and 300 ft. steel tapes.

NOTE:

The disagreement between this survey and survey No. 966, Smith lode, in regard to line 5-6 Smith and the tie lines to U. S. M. M. No. 1 H. D. is owing to errors in Survey No. 966.

Prescott, Arizona, July 2/, 1909.

J. J. Herlus Ju. & Mineral Surveyor

VEINS

The presumed course of the Silver Trail vein is N.52° 20' E., 195 ft., and S. 52°20' W., 1305 ft., from dis. tunnel No. 1.

The presumed course of the Lillian vein is N. 52°20' E., 220 ft., and S. 52°20'W., 1280 ft., from dis. shaft No. 1.

The presumed course of the Fairview vein is N. 52°20' E., 200 ft., and S. 52°20' W., 1300 ft., from dis. cut. No. 1.

The presumed course of the Sun Dance vein is N. 52°20' E., 1470 ft., and S. 52°20'W., 30 ft., from dis. cut No. 1.

The presumed course of the Aztec vein is S. 14°25' E., 540 ft., and N. 14°25' W., 960 ft., from dis. cut No. 1.

The presumed course of the Maumelle vein is S. 14°25' E. 100 ft., and N. 14°25' W., 1400 ft., from dis. shaft No. 1.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
J. H. Wilkerson
known as the Silver Fruit Lillian Faureur. Dem Dance, aglet & Maumelle
and showing the respective capacities in which they acted.
Mu brocker, Chainman.
H. J. Kecerney, Chainman.
M. J. Kearney, Chainman. M. J. Kearney, Chainman. M. Lecerney, Axman. Who broker, Flagman.
, Flagman.
FINAL OATHS OF ASSISTANTS.
we, Mm brocker and M. J. Klearney, do solemnly swear that we assisted J. J.
Ferher United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of J. H. Wilkers ou
known as the Silver Truit, Lillian Fairiew Sun Dance Uste & Maumelle
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
represented in the relegiong nord needs as having been surveyed by said initial surveyor and ander his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instruc-
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Manuel Crocker, Chainman.
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Manuel Crocker, Chainman.
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for My Communication The arrivery Chainman. The arrivery Arman. Subscribed and sworn to by the above-named persons before me this
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for My Communication The Crocker, Chainman. When the Chairman of the Cocker of

FINAL OATH OF U.S. MINERAL SURVEYOR.

	$\int \int $
	I, J.
	do solemnly swear that, in pursuance of instructions received from the United States
	Surveyor General for Change dated, dated Mly 14, 1909, I have, in strict conformity to the laws of the
	July 14, 1909, I have, in strict conformity to the laws of the
6	United States, the official regulations and instructions thereunder, and the instructions
	of said Surveyor General, faithfully and correctly executed the survey of the Mining
	Claim of A. Halkerson
	Silver Smil, Lillian, Fairview, Sim Dance, after & Maunelle
	Selver Smil, Villegue, Hanview, Dim Dane, Uzte & Maunelle
	situate in Harry compa Mining District, favapai County, Oriz, , in Section
	Javapai County, aug., in Section
le	prox, Township No. 12 U, Range No. 2 W. & + & R. B+M,
	and designated as Survey No. 2648, as represented
	in the foregoing field notes, which accurately show the boundaries of said mining claim
	as distinctly marked by monuments on the ground, and described in the attached copy
2	of the location certificate, which was received by me from the Surveyor General with
	said instructions, and that all the corners of said survey have been established and per-
	petuated in strict accordance with the law, official regulations and instructions there-
	under; and I do further solemnly swear that the foregoing are the true and original
	field notes of said survey and my report therein, and that the labor expended and
	improvements made upon said mining claim by claimant or Wes grantors
	are as therein fully stated, and that the character, extent, location, and itemized value
	thereof are specified therein with particularity and full detail, and that no portion of
	said labor or improvements so credited to this claim has been included in the estimate
	of expenditures upon any other claim.
	J. J. Ferlier U. S. Mineral Surveyor.
	U. S. Mineral Surveyor.
	Subscribed and sworn to by the said U. S. Mineral Surveyor, before me Notary Public this 20th
	Subscribed and sworn to by the said A. E. Faulkner - a.
	1. S. Mineral Surveyor, before the
	190 g
	My Compriscion expires havenber 29-1910
	U. S. Mineral Surveyor, before me J. E. 7 aulkner - a Notary Public this 20 th day of July 1909 My Countries on expire member 29-1910 L. E. 7 aulkner notary Public
	Intra Public
	6-1044

Affidavit of Five Hundred Dollars Improvements.

vare, Mu Crocker and W.J. Keerney
ana
of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the bilou Inil, Illian, Fairner Sun Dance mining claims
acquainted with the silver mil, Lilian, Fairing Sun Sauce, mining claims situate in Lessayumpa Mining district, Jarupur County, Arizona Territory, for which J. H. Wilkerson
Artzona Territory, for which
had made application for survey prior to application for patent under the provisions
of the act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and his grantors exceed Five Hundred
ments made thereon by the applicant and grantors exceed Five Hundred
for each claim, Dollars in value, and further that we are not personally interested in said mine.
$\mathcal{O}(\mathcal{O})$
Im Crocker
Wolfrancey
TERRITORY OF ARIZONA,
County of flevelsee
0
Sworn to and subscribed before me, this July

day of 18 = 190 g
J. Ferlier
27669blm2-07 Terlice Notary Public
My Commusion Expuis Sep. 18-1912

Amended
Notice of Mining Location.
Lode Claim.

To All Whom It May Concern:

This Mining Claim, the name of which is the Silver Trail Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J H Wilkerson A citizen of the United States the undersigned, on the 7th day of November 1908

The length of this claim is 1500 feet, and claim 1500 feet, in a South westerly direction from the center of the discovery mon. at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South west

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the Territory of Arizona, about 500 feet in a South Westerly direction from Senater Mill and joins the Smith lode claim patented, owned by Commercial Mining Co. on the South End line of the Smith.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the Initial Mon. a mon of stones being in the center of the N.E. end line of said claim; thence N 41° W 300 feet to a mon of stones, being the N.W corner of said claim; thence S 52° 20° W 1500 feet to a mon. of stones, being at the S.W. corner of said claim; thence S 41° E 300 feet to a Mon. of stones at the center of the S.W. end of said claim; thence S 41° E 300 feet to a mon.of stones, being at the S.E. corner of said claim; thence N 52° 20' E 1500 feet to a Mon. of stones at the N.E. corner of said claim; thence N 41° W 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of

the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Silver Trail Mining Claim, located by F.M.Murphy, J.O.Goodhue and Forman Mejia on the 1st day of February 1879, and recorded in Book G7 of Records of Mines, at page 133, in the office of the County Recorder of the aforesaid County of Vavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 7th day of November 1908

W.J Kearney, Witness .)

J H Wilkerson

Filed and recorded at request of Allen Hill, Nov. 12, A.D. 1908, at 4:45 o'clock P.M., in Book 82 of Mines, page 635, Records of Yavapai County, Arizona.

(SEAL)

J.C.Bradbury, County Recorder.

By John J.Reddick, Deputy Recorder . "Lillian"

Notice of Mining Location. Quartz Claim.

To all whom it may concern:

This mining claim, the name of which is the Lillian Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and pirchase by L.A.Davies Mgr. the undersigned,

on the 4th day of May 1897.

The length of this claim is Fifteen Hundred feet, and I claim... feet in a Northeasterly direction and feet in a South Westerly direction from the center of the discovery mon., at which this notice is posted, lengthwise of the claim, together with Three Hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South west. The claim is situated and located in Massayampa Mining District, in Yavapai County, in the Territory of Arizona, about in the south westerly direction from the Senator Mine Mill and about 10 miles south of Prescott.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the North End center monument at a point in a Northeasterly direction feet from the discovery mon. (at which this notice is posted), being in the center of the North end line of said claim; thence Southeasterly 300 feet to a mound of stone. being the N.E corner of said claim; thence Southwesterly 750 ft. to a mound of stone at the center of the East side line of said claim; thence in same course 750 feet to mound of stone being at the S.E. Corner of said claim; thence Southwesterly 300 feet to a mound of stone at the center of the South end of said claim; thence in same course 300 feet to a mound of stone, being at the S.W. corner of said claim; thence Northeasterly 750 feet to a mound of stone being at the center of the West side line of said claim; thence in same course 750 feet to a mound of stone at the N.W. corner of said claim; thence in same course 750 feet to a mound of stone at the N.W. corner of said claim; thence in same course 750 feet to a mound of stone at the N.W. corner of said claim; thence South Easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th. 1895.

Dated and posted on the ground this 4th day of May 1897.

L.A.Davies, Mgr.

Witnesses (C.F.Hatcher . (W.A.Newton.

Filed and recorded at request of L.A.Davies, July 12" 1897, at 3.20 O'clock P.M. in Book 48 of Mines, pages. 113-114, Records of Yavapai County, Arizona

(Seal)

W.I.Johnson

County Recorder.

By E.C.Averyt, Deputy.

Amerided Notice of Mining Location. Lode Claim.

To All Whom It May Concern:
This Mining Claim, the name of which is the Fairview Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J H Wilkerson A citizen of the United States the undersigned, on the 7th day of November 1908

The length of this claim is 1500 feet, and I claim 1500 feet, in a South Westerly direction from the center of the discovery mon at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the Territory of Arizona, about 300 feet in a Westerly direction from Senater Mill and Joins the Lewis patented claim on the South west, and the Silver Trail lode on the west side line

The surface boundaries of the claim are marked upon the ground as fatfollows: Beginning at the Initial mon. a mon of stones being in the center of the N.E. end line of said claim; thence N 41° W 300 feet to a mon. ter of the N.E. end line of said claim; thence N 41° W 300 feet to a mon of stones, being the N.W. corner of said claim; thence S 52° 20' W 1500 feet to a mon. of stones, being at the S.W. corner of said claim; thence S 41° E 300 feet to a mon. of stones at the center of the S.W. end of said claim; thence S 41° E 300 feet to a mon. of stones, being at the S.E. corner of said claim; thence N 52° 20° E 1500 feet to a mon. of stones at the N.E. cornermof said claim; thence N. 41 W 300 feet to the place of beginning of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona, " approved March 16, 1901.

This is an Amended Location Notice of the Fairview Mining Claim, located by W.H.Harlan & J.W.Barrington on the 1st day of January 1887, and recorded in Book 23 of Records of Mines, at page 86, in the office of the

Dated and posted on the ground this 7th day of November 1908

W.J Kearney (Witness

J H Wilkerson

Filed and recorded at request of Allen Hill, Nov. 12, A.D. 1908, at 4:45 o'clock P.M., Book 82 of Mines, page 634, Records of Yavapai County, A rizona.

(SEAL)

J.C. Bradbury.

County Recorder.

By John J. Reddick,

Deputy Recorder.

To All Whom It May Concern:

This Mining Claim, the name of which is the Aztec Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J H Wilkerson A citizen of the United States the undersigned, on the 7th day of November 1908

The length of this claim is 1500 feet, and I claim 1500 feet, in a Northerly direction from the center of the discovery Mon. at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premise is from the South to the North

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the Territory of Arizona, about 800 feet in a Westerly direction from Senater Mill and joins the Fairview lode Claim on west side line

The surface boundaries of the claim are marked upon the ground as fol-The surface boundaries of the claim are marked upon the ground as follows: Beginning at the Initial mon. a mon. of stones being in the center of the South end line of said claim; thence N 52° 20' E 324 feet to a mon. of stones, being the N.E. corner of said claim; thence N 14° 25' W. 1500 feet to a mon. of stones, being at the N.W. corner of said claim; thence S 52° 20' W 324 feet to mon. of stones at the center of the North end of said claim; thence S 52° 20 W 324 feet to a mon. of stones, being at the S.W. corner of said claim; thence S 14° 25'E 1500 feet to a mon. of stones at the S.W. corner of said claim; thence N 52° 20' E 324 mon. of stones at the S.E. corner of said claim; thence N. 52° 20' E 324 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Aztec Mining Claim, located by W.H.Harlan on the 25th day of July 1892, and recorded in Book 34 of Records of Mines, at page 497, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

Dated and posted on the ground this 7th day of November 1908

W.J Kearney, Witness

J H Wilkerson

Filed and recorded at request of Allen Hill, Nov.12, A.D. 1908, at 4:45 o'clock P.M., in Book 82 of Wines, page 636, Records of Yavapai County, Arizona. J.C.Bradbury, County Recorder.

(SEAL)

By John J. Reddick,

Deputy Recorder.

Amended Notice of Mining Location. Lode Claim.

To All Whom It May Concern:
This Mining Claim, the name of which is the Maumelle Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J H Wilkerson a citizen of the United States the undersigned, on the 7th day of November 1908

The length of this claim is 1500 feet, and I claim 1500 feet, in a northerly direction from the center of the discovery mon at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North

The claim is situated and located in the Hassayampa Mining District, in Yavapai County, in the Territory of Arizona, about 1200 feet in a westerly direction from Senater Mill and joins the Aztec lode claim on the west and the Fairview lode claim on west side line

The surface boundaries of the claim are marked upon the ground as follows: Beginning at the Initial mon. a Mon. of stones. being in the center of the South end line of said claim; thence N 52° 20' E 324 feet to a mon. of stones, being the N.E corner of said claim; thence N 14° 25' W 1500 feet to a mon. of stones; being at the N.W. corner of said claim; thence S 52° 20' W 324 feet to a mon. of stones at the center of the North end of said claim; thence S 52° 20' W 324 feet to a Mon of stones, being at the S.W. corner of said claim; thence S 14° 25' E 1500 feet to a mon. of stones at the S.E corner of said claim; thence N 52° 20' E 324 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.

This is an Amended Location Notice of the Maumelle Mining Claim, located by Frank Alters and J.W.Barrington on the 1st day of January 1886, and recorded in Book 21 of Records of Mines, at page 533, in the office of the County Recorder of the aforesaid County of Yavapai to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice,

Dated and posted on the ground this 7th day of November 1908

J.H.Wilkerson

Filed and recorded at request of Allen Hill, Nov. 12, A.D. 1908, at 4:45 o'clock P.M., in Book 82 of Mines, page 633, Records of Yavapai County, Arizona.

J.C.Bradbury, County Recorder. (SEAL)

By John J. Reddick,

Deputy Recorder.

TERRITORY OF ARIZONA,) :ss.
County of Yavapai.)

I, J.C.Bradbury, County Recorder in and for the aforesaid County of Yavapai, and Custodian of the records of such office, do hereby certify that I have compared the foregoing copies with, and that the same are true and complete copies of the location notices of the following named lode mining claims, situate in the Hassayampa Vining District, Yavapai County, Arizona, as the same appear of record in my said office, to-wit:-

"LILLIAN", the notice of original location whereof is of record in Book 48 of Mines, at pages 113-114, Records of Yavapai County, Arizona.

"W.E.THORNE", the notice of amended location whereof is of record in Book 82 of Mines, at page 631, records aforesaid.

"W.E.THORNE EX.; the amended notice of location whereof is of record in Book 82 of Mines, at page 632, records aforesaid.

"MAUNELLE", the amended notice of location whereof is of record in Book 82 of Nines, at page 633, records aforesaid.

"FAIRVIEW", the amended notice of location whereof is of record in Book 82 of Mines, at page 634, records aforesaid.

"SILVER TRAIL", the amended notice of location whereof is of record in Book 82 of Mines, at page 635, said records.

"AZTEC", the amended notice of location whereof is of record in Book 82 of Mines, at page 636, records aforesaid.

"SUN DANCE", the original notice of location whereof is of record in Book 85 of Mines, at page 335, records aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 6th day of April, A.D. 1909.

County Recorder.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Pho	oenix, /	Arizona,		
		Se	eptember 22	•	, 190 <u>9</u> •
I, U. S. Surveyor-	General for Distr	ict of	Arizona		
do hereby certify that	the foregoing transcript	of the Fiel	d Notes, return	and approval of	the survey
	,				-
	ER TRAIL, LILLIAN				
situate in	HASS	AYAMPA			
Mining District,	YAVAPAI		County,	ARIZO	NA
in Section Approx.	, Township No	L2 N.,	, Range No. 2	W., Unsur.	, and
designated as Survey 1	No. 2648	, has been o	correctly copied a	from the original	s on file in
	ield Notes furnish such				
incorporated into a pate	ent, serve fully to identif	fy the prem	ises, and that suc	ch reference is ma	ide therein
to natural objects or pe	ermanent monuments as	will perpet	uate and fix the	ocus thereof.	
And I further cer	tify that five hundred of	lollars' wor	th of labor has	oeen expended o	r improve-
ments made upon said	each of mining claims	ant or h	i is grantors, an	d that said imp	rovements
consist of 5 tunne	ls, 4 shafts, 4	cuts a	nd 600 ft.	of drifts	and ,
crosscuts, tota	al value \$18,80	0.00.	Shaft No. 3	and the w	orkings
therefrom, on	the Silver Trai	l lode,	value \$770	0.00, beir	ıg a
common improve	ment for the be	nefit a	nd develop	nent of all	. of
the claims in	this group, an	undivid	ed one-sixt	h interest	therein,
value \$1283-1/	3, is properly	credite	d to each o	of the clai	ms in

	said labor or improveme			e estimate of exp	penditures
I further certify the	at the plat thereof, filed	in the U. S	. Land Office at	Phoenix,)
Arizona	is correct and i	n conformit	y with the forego	oing Field Notes.	
		13.	mank a Two	-011-	
	-	I.	rank S. Ing	alls,	
	United States	Surveyor- G	eneral for Ari	zona.	

31099b5m8-07

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,
September 22, , 190 9
I, U. S. Surveyor-General for District of Arizona
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the
Mining Claim of
J. H. Wilkerson
, known as the
SILVER TRAIL, LILLIAN, FAIRVIEW, SUN DANCE, AZTEC, & MAUMELLE.
ituate in mining district,
YAVAPAI County, ARIZONA
n Section Approx. , Township No. 12 N., Range No. 2 W., Unsur.
within the Prescott National Forest Reserve. , designated as Survey No
xecuted by, U. S. Deputy Mineral
urveyor, July 15 - 18, , 1909, under my instructions dated
July 14, , 190.9, have been critically examined and the necessary cor-
ections and explanations made, and the said Field Notes and Return, and the Survey they describe,
re hereby approved. A true copy of the copy of the location certificate filed by the applicant for
rvey is included in the field notes.
Manch D Ingark
U. S. Surveyor-General for Arizona.