(4—683.)

Mineral Survey No. 3141

\mathbf{L}_{0}	ot No.		
•	,		
	rizona	Land Distr	rict.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF
M. B. Lutfy and I. E. Brown
The second secon
KNOWN AS THE
777 e,5 a
mineral Creek Mining District,
Pinal County, Arizona
Section Approx. 1. Township 3, 5., Range 13, E. Unsur.
Surveyed under instructions dated July 11, 1914.
by G. A. Streitz
U. S. Deputy Mineral Surveyor
Claim located see location notice . 1
Survey commenced July 15 . 1914
Survey completed July 17.1914
o 6—177
Address;
M. E. Leverich, Attv. for claimant.

M. E. Leverich, Atty. for claimant, Phoenix, Arizona.

MESA .

Beginning at Cor .No. 1.

Identical with S. E. Cor. of the location; and with Cor. No. 2 Wedge Lode. Survey No. 2614 and with Cor. No. 1 Buffalo Lode, Survey No. 2659.

A pine post 4 ft. long, 4 ins. square set in mound of stone 4 ft. base, 22 ft. high, scribed S.E. Cor. B.; M. 1- 3141,

Whence,

U. S. M.M. No. 1 bears S. 20° 51' E., 4606, 8 ft. Rock pt. on spout of Tea-pot bears Mtn. 60°07' W.

A triangular sand stone rock, 20 ins. each side above ground, chiseled + B. R. B - 1; M. - 1, bears N. 7° 0' W. 20.38 ft.

Thence S. 74° 55'-W. Along line 1-2 Buffalo lode, Sur. No. 2659, and line 5-4 Native Copper lode, Sur. No. 2573 A. To the south end center.

A sand stone 12 x 6 ins., 10 ins. above ground. with a mound of stone 3 ft. base, 21 ft. high alongside, chiseled S. E. C. M. - 3141 with + on top for exact point. Whence,

The Location monument of this lode bears N. 7° 0' W., 221.73 ft.

> No. 1 Discovery shaft bears N. 7° 0' W. 208.03 ft. To Cor. No. 2

A sand stone 9 x 12 ins. 24 ins. long. set 16 ins. in ground with mound of stone 3 ft. base. 3 ft. high alongside, chiseled M 2-3141, + on top.

Whence.

U. S. M. M. No. 1 bears S. 21° 42' E. Rock pt, on spout Tea-pot Mtn. bears N. 63° 03' W.

Thence N. 29° 46' W.

351.22 To Cor. No. 3.

> Identical with Cor. No. 4, Buffalo lode, survey No. 2659.

64.00

70.00

A rounded sand stone, 5 ins. sq. on top, projects 8 ins. chiseled B. 4 - 2659, M - 3 - 3141.

Whence.

Rock Pt. on spout Tea-pot Mtn hears N. 60° 50' W. A pine post 4 ins. sq. 4 ft. long, scribe N.E. Cor. B.;
B. P. 3-3141 bears N. 37° 32' W: 1.5 ft.

A granite rock, 1 x 2 ft., chiseled B.R.B.4
2659 with + on top, bears S. 35° 45' W. 29.4 ft.

Cor.No.l Buffalo lode, Sur. 2659, brs.S. 40° 10' E.

375.10 ft.

Thence N. 74° 55' E.

'Along line 2-1 Iron King lode, Sur. No. 2605.

To the North end center.

A sand stone 12 x 6 ins. on top, set in cement wall, chiseled N.E.C- M. with + on top

To Cor. No. 4, on line 2-3 Wedge lode survey 2614, and identical with Cor.No.1 Iron King lode, Sur.No. 2605.

A redwood post 4 ft. long 4 ins. square, set 1 ft. in ground in a mound of stone 3 ft. base, 2 ft. high,

scribed M. 4 - 3141 with nail for exact point.

Thence S. 7° 0' E.

To Cor. No. 1., the place of beginning

VEIN.

As near as can be determined from present developments the vein on this claim extends N. 7° W.343.19 ft. from the S.E.C. to the N.E.C.

Variation at all corners 14° 18' E.

Area.

Total Area Mesa Lode

1.081 Acres

Area in conflict with

Buffalo Lode, Survey No. 2659

0.273 "

The Location Monument and all corners of the Mesa lode were identified by M. B. Lutfy, a co-owner.

The survey of this lode is identical with the amended location as staked on the ground.

$\underline{\mathbf{L}} \ \underline{\mathbf{O}} \ \underline{\mathbf{C}} \ \underline{\mathbf{A}} \ \underline{\mathbf{T}} \ \underline{\mathbf{I}} \ \underline{\mathbf{O}} \ \underline{\mathbf{N}}$

This claim is located upon unsurveyed lands of the United States, in Mineral Creek Mining District, Pinal County, Arizona.

Sec. W. Approximately, T. 3. S., R. 13 E., Unsur.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than five hundred dollars and that said improvements consist of;

No.1. The Discovery shaft of the Mesa lode which bears N 7°0' W. 208.03 ft. from the S. E. C., 4 x 6 ft. 3 ft. deep. This was originally 10 ft. deep but has caved and filled.

No. 2. Shaft, the center of which bears

S. 20° 25' W. 33.7 ft. from a point on center line of

Mesa lode N. 7° 0' W. 182.93 ft. from the S.E.C.

Shaft 4 x 66; 15 ft. deep. Value, \$150.00

No. 3. Shaft, the center of which bears

S. 80°01' W. 29.45 ft. from a point on center line
of Mesa lode N. 7°0' W. 182.93 ft. from the S.E.C.

Shaft 5 x 6 ft. 14 ft. deep. Value \$168.00

No. 4. Shaft, the center of which bears N. 37° 14'

W., 150.85 ft. from a point on center line of Mesa

Lode N. 7° 0' W. 182.93 ft. from the S. E. C. Shaft

4 x 6 ft. 35.5 ft. deep.

Value \$355.00

OTHER IMPROVEMENTS

A house, the N. E. Cor. of which bears from N. E.C. Mesa lode, S. 9° 30' W. 10.8 ft. 42.1 x 34.7 ft./ Course of long side, S. 75° W.

A barn, the N. W. Cor. of main part bears from Cor. No. 3 Mesa lode, S. 84° E. 10.3 ft., 24 x 38.9 ft.; Course of long side N. 75° E.

5

I N S T R U M E N T

This survey was made with Gurley Light Mountain transit No. 12623.

The courses were deflected from the true meridian as determined by observation on Polaris at Eastern Elongation. July 15, 1914.

The distances were measured with 100 ft. and 500 ft. steel tapes.

REPORT

The original N. E. Cor. Mesa lode, I found rotted off and lying in mound of stone; A pine post 4 ins. sq. scribed S.E.C. I K. 2605; N. E. C.-B. I restored same by measurements from fixed corners. Found remains of old post in ground. Set Cor. No. 4 Mesa lode of this survey, described above, and set old post along side.

Sur. No. 2614, Wedge lode:

I failed to find Cor. No. 1 and S. E. C., both apparently destroyed.

Note: The differences between these field notes and notes of Surveys No. 2614 Wedge lode and No. 2659 and the amended Location Notice

Buffalo lode are due to errors in the latter.

ADJOINING CLAIMS.

This survey is adjoined on the north by the Iron King lode, Survey No. 2605; on the east by the Wedge lode, Sur No. 2614; on the south by the Native Copper lode, Sur. No. 2573 A; and on the west by the Buffalo lode, Sur. No. 2659:

A To

. pro Primar i Primar i Arian de Primar i Arian

ev ich mittaleim fill en

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by	Y a Streety
	unning, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the s	urvey of the mining claim of
m. D. Littly and I known as the Mesa.	E Brawn
known as the Masa.	
and showing the respective capacities in which they acte	
	Leo Lang, Chainman.
	Sarman Olever Chainman.
	, Axman.
	, Flagman.
FINAL OATHS C	OF ASSISTANTS.
We, Glo. Lang	·
and Norman Olever, do s	solemuly swear that we assisted
Ed Adverty, United States Deputy 1	Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	Mineral Surveyor, in marking the corners and surveying
known as the	
represented in the foregoing field notes as having been so	urveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects,	to the best of our knowledge and belief, faithfully and
correctly executed, and the corner and boundary monum	
furnished by the United States Surveyor-General for	Origona.
	Beo Lauge, Chainman.
	norman Christ, Chainman.
	, Axman.
	Flagman.
Subscribed and sworn to by the	e above-named persons before me this 24
day of July	, 190/4/
-	St. St. Howard,
14224b5m8-04	above-named persons before me this 24. 1904 Notary Public Sign expres
my commis	2 son expires 1/4 17- 1916
Je b.	2417-1916

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for, dated
July 1/214, , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Design and Se Branch
Claim of M B Judy and J & Brawn, known as the
situate in Mining District,
County, Orizona, in Section
approx 11, Township No. 3, 5, Range No. 13 F m.
and designated as Survey No. 3/4/ , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimants or the labor expended and
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
U. S. Doputy Mineral Surveyor.
U. S. Denuty Mineral Surveyor.
Subscribed and sworn to by the said & A Directly
U.S. Deputy Mineral Surveyor, before me a Notard Public
in and fur Maricapa Co, this 24
U.S. Deputy Mineral Surveyor, before me a Notary Public in and fur Maricapa lo. this 24 day of July 1914,
1.1- 0.11
M. D. Howard, Notary Public.
Thy commission expires
Fabrig 17. 1916.

AMENDED NOTICE OF MINING LOCATION.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the MESA Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purposes of exploration and purchase by J. Sherlock, a citizen of the United States on the 7th day of May, 1909.

The length of this claim is three hundred forty three & 92/100 feet, and I claim 91 feet in a northerly direction and two hundred and fifty two & 92/100 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with sixty four feet on the east and one hundred & fifty feet in the west in width of the surface grounds on each side of the center of said claim, the general course of the lode deposit and premises is from the north to the south.

The claim is situated and located in the Mineral Creek Mining District, in Pinal County, in the Territory of Arizona, about 1000 feet in a northerly direction from the Ray Post-Office and 500 feet on the east side of Mineral Creek.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a sandstone 10 x 12 x 18 inches set 10 inches in the ground chiscled N. E. C - M and + on top at exact point with a monument of stone alongside three feet high with three foot base N. 8° 57' W 91 feet from the center of discovery shaft. Thence N. 72° 53½' E 64 feet to NE corner identical with Cor No. 1 of the Iron King Lode, Survey No. 2605,

heing a post 4 x 4 inches 4 feet long set in a monument of stone; Thence S. 8° 57' E. 343.92 feet to SE corner identical with corner No. 1 of the Wedge Lode, Sur. No. 2614, and corner No. 1 of the Buffalo Mine lode, survey No. 2659, being a post 4 x 4 inches, 4 feet long set in a monument of stone. from which point U. S. M. M. No. 1 bears S. 20° 51½' E 4671.5 feet. Thence S. 72° 53½' W. 70 feet to SW corner a sandstone 8 x 10 x 24 inches set 12 inches in the ground chiseled "M" and † on top at exact corner point with monument of stone alongside three feet high with three foot base. Thence N. 31° 41½' W 351.76 feet to NW corner identical with cor. No. 4 of the Buffalo Mine lode, survey No. 2659, a sandstone 6 x 10 x 8 inches above ground, chiseled "B" 4 - 2659" † on top at exact corner point with post 4 x 4 inches 4 feet long in monument of stone along-side.

Thence N. 72° 53 . I. 143.33 feet to the place of beginning.

All done under the provisions of Chapter Six of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona", approved March 16, 1901.

This is an Amended Location Notice of the Mesa Mining Claim, located by J. Sherlock on the 7th day of May, 1909, and recorded in Book 27 of Records of Mines, at page 76, in the office of the County Recorder of the aforesaid County of Pinal to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original location notice.

Dated and posted on the ground this 6th day of February, 1911.

IRA E. BROWN.

M. B. LUTFY.

Filed and recorded at request of Ira E. Brown Feby. 18th, A. D. 1911 at 9 o'clock A. M. G. F. WATSON, Recorder.

Book 27 of Mines, Page 482.

TERRITORY OF ARIZONA,)

County of Pinal,)

I, G. F. WATSON, County Recorder in and for the County of Pinal, Territory of Arizona, do hereby certify that the above and foregoing copy of Amended Notice of Location of the MESA Mining Claim, situated in the Mineral Creek Mining District, is a full, true and correct copy of the same as it appears of record in Book No. 27 of Mines, at page 482, Records of Pinal County, Arizona Territory.

GIVEN under my hand and seal of office this the 31st day of October, A.D. 1911.

County Recorder.

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Arizona,
*	September 25, , 1914.
I, U. S. Surveyor General for	District of Arizona
	ng transcript of the Field Notes, return and approval
	of
	TFY AND I. E. BROWN
	MESA
	, situate in MINERAL CREEK
	, PINAL COUNTY,
	, in Section 11 , Township No. 3 S.,
	, and designated as Survey, has been correctly copied from the originals on
mining claim as will, if incorporate and that such reference is made the will perpetuate and fix the locus the And I further certify that five or improvements made upon said	Notes furnish such an accurate description of said ed into a patent, serve fully to identify the premises, erein to natural objects or permanent monuments as ereof. The hundred dollars' worth of labor has been expended mining claim by claimant or their grantors, and 4 shafts, total value \$673.00
	r improvements has been included in the estimate of
I further certify that the plat t	hereof, filed in the U.S. Land Office at Phoenix, and in conformity with the foregoing Field Notes.
77 1/2 7 0/	Frank S. Ingalls,
United Sta	ttes Surveyor General for Arizona.

SURVEYOR=GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior,

Office of U.S. Surveyor-General,

•	Phoenix	, Arizona,
	Sept	cember 25 , 19 14.
I, U. S. Surveyor-General for.	District of Arizona	
do hereby certify that the foregoing	g and hereto attached Field Notes and R	
•	B. LUTFY AND I. E. BROWN	
		, known as the
	MESA	
situate in	MINERAL CREEK	Mining District,
PINAL	County,	ARIZONA, Approx.
in Section, To	ownship No, Range	e No. 13 E., Unsur.
, designated as	Survey No. 3141	
executed by G	. A. Streitz	, U. S. Deputy Mineral
Surveyor, July 15,	17, 1914 , 190 , ur	nder my instructions dated
July 11, 1914	, 190, have been critically examin	ned and the necessary cor-
rections and explanations made, and	d the said Field Notes and Return, and	the Survey they describe,
are hereby approved. A true copy	of the copy of the location certificate f	iled by the applicant for
survey is included in the field notes		
	Thank I ing U. S. Surveyor-General for	all
=260h52 02	U. S. Surveyor-General for	Ari zona.

7360b5m3-03

4--688

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

MINERAL SURVEY NO. 3141 Amd.

Arizona	
	and District.
FIELD NOTES	
Of The Survey Of The Mining Cl	aim Of
Kennecott Copper Corpo	ration
Known As The	
Mesa Lode	
Mineral Cre	eek Mining District,
Pinal County, Ar	izona
Section11, Township3_S	, Range 13 E
Surveyed under order dated March 9	, 19 62
by Oscar T.	Smith Mineral Surveyor.
Claim locatedMay 9	, 19.09
Survey commenced April 4	, 19.62
Survey completed April 7	, 19.62
Address of claimant Hayden, Arizona	
DATES OF AMENDED LOCATION	S
February 6, 1911	***************************************
March 7, 1962	

MESA LODE

SURVEY NO. 3141 AMD.

_		
	Chain s	EXPENDITURES
		The improvements and the value of the labor and improvements made upon or for the benefit of the lode location embraced in said mining claim by the claimant or its grantors are as follows:
	No. 1	The discovery point of the Mesa lode, being on the lode line 121.46 feet from line 3-4, 64.00 feet from Cor. No. 4. No value.
	No. 2	A shaft, the center of which bears S73° 33! E 45.00 ft., from cor. No. 3 Mesa lode; 4 x 8 ft., 6 ft. deep. Value \$190.00
	No. 3	A shaft, the center of which bears N 89° 00° E 64.00 ft., from cor. No. 3 Mesa lode; 4 x 6 ft., 22 ft. deep. Value \$525.00
	No. 4	A diamond drill hole, the center of which bears S 48° 55' W 49.15 ft. from cor. No. 4 Mesa lode; 1085 ft. deep. Value \$4331.00
		OTHER IMPROVEMENTS
		A frame house, the N.E. corner of which bears S 68° 25' W, 72.00 ft. from cor. No. 4 Mesa lode; 38 x 40 ft. in size; the long sides bear S 75° W. Claimant unknown.
		A frame house, the N.E. corner of which bears S 23° 00' W 140.00 ft. from corn. No. 4 Mesa lode; 26 x 28 ft. in size; the long sides bear S 78° 50' W. Claimant unknown.
		A frame house, the N.E. corner of which bears S 12° 45° W, 119 ft. from cor. No. 4 Mesa lode; 13 x 25 ft. in size; the long sides bear S 17° 10° E. Claimant unknown.
		A frame house, the N.E. cor. of which bears S 4° 50° W, 161.00 ft. from cor. No. 4 Mesa lode; 24 x 34 ft. in size; the long sides bear S 17° 10° E. Claimant unknown.
		A frame house, the S.E. cor. of which bears N 17° 17' W, 117.00 ft. from cor. No. 1 Mesa lode; 22 x 24 ft. in size; the long sides bear N 17° 10' W. Claimant unknown.
		A frame house, the S.E. corner of which bears N 54° 50' W 12 ft. from cor. No. 1 Mesa lode; 38 x 40 ft. in size, the long sides bear S 78° 40' W. Claimant unknown.
		A frame house, the N.E. corner of which bears S 41° 10' E 97.00 ft. from cor. No. 3 Mesa lode; 24 x 36 ft. in size, the long sides bear S 1° E. Claimant unknown.
		OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA AS APPROVED
		FIELD ASSISTANTS
		Name Jerry Brewer Gerald Sanders Capacity Chainman Chainman

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

	April 14 , 19 62
•	
I, Oscar T. Smith	
Mineral Surveyor, hereby certify upon honor tha	at in pursuance of an order received from the Department of
the Interior, Bureau of Land Management	, at Phoenix, Arizona
dated March 9, 1962	, I have faithfully and correctly executed the survey of
the mining claim of Kennecott Copper Corp	oration,
known as the <u>Mesa Lode</u>	(Lode, placer, or mill site)
situate in Mineral Creek Mining District,	Pinal County, Arizona, Section 11
T. 3 S , R. 13 E , Gila	& Salt River Meridian, Arizona , and
executed by me and under my direction, and that the Manual of Instructions for the Survey of the F	hich is represented in the foregoing field notes as having been said survey has been made in strict conformity with said order, Public Lands of the United States, and in the specific manner ther certify that the labor expended and improvements made
upon or for the benefit of the <u>above</u> (Lode or place)	location(s) embraced in the said mining claim by
extent, location, and itemized value thereof are s	are fully stated in my report therein, and that the character, pecified therein with particularity and full detail, and that no tents so credited to this claim has been included in the estimate
Globe, Arizona (Place)	Osca 7 Moth
CERTIFICA	TE OF APPROVAL
	Bureau of Land Management, Survey Office
	(Office) Phoenix, Arizona May 25 , 19 62 (Place) (Date)
The foregoing field notes of mineral survey l	No. 3141 Amd., in Mineral Creek Mining District
Sec. 11 , T. 3 S.	, R13 E, G. & S. R Meridian,
Arizona , executed by Oscar	T. Smith , Mineral Surveyor,
under order dated <u>March 9, 1962</u> corrections made prior to their certification by the are hereby approved.	having been critically examined and the necessary ne surveyor, the field notes and the survey therein described
	Raymond C. Cleghorn
	Acting State Director (Title)
CERTIFICA	TE OF TRANSCRIPT
I CERTIFY that the foregoing transcript of field is a true copy of the original field notes.	ld notes of the above described mineral survey No.

(Title)

Form 4-688 (November 1959)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Land Office Serial Number

CERTIFICATE OF EXPENDITURES, IMPROVEMENTS, AND MINERAL SURVEY

Date

Name of Claimant

Kennecott Copper Company

Mineral Survey Number 3141, Amended

I HEREBY CERTIFY That the record of the above-described mineral survey furnishes such an accurate description of all claims embraced within the survey that it will, if incorporated into a patent, serve fully to identify the premises and that references are made in the survey to natural objects or permanent monuments so that the location of

I FURTHER CERTIFY That the record reveals not less than \$500 worth of labor has been expended for improvements upon or for the benefit of each of the lode claims embraced within the survey and that the improvements Date

Signature of Office Cadastral Engineer

May 31, 1962

Lester S. Maun

Lester S. Mann

MOEN ры 317 ч. 530 _ Аменово

WITNESS

Antice of Mining Location

LODE CLAIM

President Presid				
President Presid	I. WHOM IT MAY CO	NCERN.		
1	1 2 2		4	
are va	luable mineral deposita.	was entered up a United Sta	ites of America, and in	which the
			M (32 T) #	N. 4
74 46	e was dries nyarefor	. Citizen of the Unite	d Statue.	THE PART OF THE PARTY OF THE PA
, 1	meator must losers either "a cities	on of the United States or who has de	clared his intention of hearmin	
(4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.	ALLOIR HELL LINE LINE	/ FB	A Committee of the Comm	
	CITAL IN			
and	claim 22	1.73	***************************************	faci
	The state of the s		With the second	
the loc	feet in a ation monument	Northerly at which this notice is po	dir	rection from
gether	with up to 143.27	at which this notice is po	sted, lengthwise of th	ie claim, to
the cen	ter of said claim. The	general course of the	surface grounds, on	each side of
	The second secon	to the	North	
7. 7.50	STATE OF GREAT WILL IN	ucated in the Mineral Com	al.	
	The second of the state of the second of the	the State of Arizona sentend		
	The state of the s	COUNTY TOUTEN 1 1 HOURT	C A made	
rerid	THE RESULT LESS CONTRACTORS	U.S.A. SOUTHWELL		
(4.7	X II St Delatifiate Lagrania	TACLE V		
The	surface boundaries of t	he claim are marked upon the	MILLIANS IN I AND THE	2 1949 76652
at a poi	it merked by a brane	plus, witnessed by a 4	ie ground as follows:	Beginning
2000 Thois	South 7° 0' Eas	Service of the servic		C17/7/W.cc.812********
the disco	very (at which thi	is notice is posted /, boing but	horsessessed the South	feet from
	The state of out of the contract of the contra	LINGUES SOUTH /6 = 1551 The	The second second	end cente
post	, being the Sou	THE MAN THE TANK	8.t. 5.00 feet to a 4"	L.EHM. SEHLE
North	c) 40 West 331,22	thwest	st, 5.00 feet to a 4"	x 4 wood
Northw	est west 351,22	thwest	st,5.00 feet to a 4" corner of said cla x 4 wood post , be	x 4 wood
Northw to a brai	est Corner of Splug (Witnessed by	said claim; thence North 74	corner of said cla corner of said cla x 4 wood post , be 0-55' East, 143.27 cinity), being the	x 4 wood
North Northwater to a branches center of the center of the	est corner of splug (Witnessed by of said claim; thence	said claim; thence North 74's x 4 post in the vie	corner of said cla corner of said cla x 4 wood post be 0-55' East, 143.27 cinity), being the to a brass plug (Wi	x 4 wood
Northway to a branch center of the being the branch	est ss plug (Witnessed by of said claim; thence post in the vicinit e Northeast ss plug and 4 x pro-	said claim; thence North 74 post in the view North 74 post in the view N 740-55 E, 64.00 feet (y) corner of said claim; thence	corner of said cla x 4 wood post be 0-55' East, 143.27 Finity), being the to a brass plug (Windson) South 70-0' East,	x 4 wood im; thence eing at the North end the stand 343.19 feet
Northway to a branch center of the being the branch	est ss plug (Witnessed by of said claim; thence post in the vicinit e Northeast ss plug and 4 x pro-	said claim; thence North 74 post in the view North 74 post in the view N 740-55 E, 64.00 feet (y) corner of said claim; thence	corner of said cla x 4 wood post be 0-55' East, 143.27 Finity), being the to a brass plug (Windson) South 70-0' East,	x 4 wood im; thence eing at the North end the stand 343.19 feet
Northway to a branch a 4 x 4 being the to a branch a bran	est (Witnessed by ss plug of said claim; thence post in the vicinit se Northeast ss plug and 4 x pouth 74°-55' West, 64 furvey No. 3141, and one under the provisions	said claim; thence North 74 by 24 post in the view North 74 post in the view North 74 by 25 E, 64.00 feet by corner of said claim; thence ost at the Southers .00 feet to the place of beginned including all of Lot 8, 5 of the laws of the United	corner of said cla x 4 wood post -55' East, 143.27 cinity), being the to a brass plug (Will South 70-0' East, corner of s nning in accordance ection 11, Twp 38,	x 4 wood im; thence eing at the North end thessed by thessed by 343.19feet aid claim; with U.S R13E;
Northway to a branch to a bran	est ss plug (Witnessed by of said claim; thence post in the vicinity is plug and 4 x pouth 74°-55' West, 64 urvey No. 3141, and one under the provisions is an amended Location	said claim; thence North 74's post in the view North 74's post including all of Lot 8's post including all of Lot 8's post the laws of the United St.	corner of said cla x 4 wood post be -55' East, 143.27 cinity), being the to a brass plug (Wi South 70-0' East, corner of s nning in accordance ection 11, Twp 3S, sates, and the State of	x 4 wood im; thence eing at the North end these d by these d by 343.19feet aid claim; with U.S. R13E, f Arizona.
to a branches a 4 x 4 being the to a branches Sommand of the to a branches	est ss plug (Witnessed by of said claim; thence post in the vicinity is plug and 4 x pouth 740-55' West, 64 furvey No. 3141, and one under the provisions is an amended Location sim, located by Ira E.	said claim; thence North 74 by 24 post in the view N 740-55 E, 64.00 feet of the southers at the Southers of the laws of the United St. Notice of the St. No	corner of said cla x 4 wood post be 2-55' East, 143.27 cinity), being the to a brass plug (wing South 7-0' East, corner of s nning in accordance ection 11, Twp 35, ates, and the State of	x 4 wood im; thence eing at the North feet the said by the said by 343.19feet aid claim; with U.S RIJE, Arizona.
Northway to a branch to a bran	est (Witnessed by ss plug (Witnessed by of said claim; thence post in the vicinities Northeast is plug and 4 x pout 74°-55' West, 64 view No. 3141, and one under the provisions is an amended Location aim, located by lra E.	said claim; thence North 74's x 4 post in the view North 74's x 4 post in the view N 740-55'E, 64.00 feet y) corner of said claim; thence ost at the Southers of the place of beginn cluding all of Lot 8's of the laws of the United St Notice of the Brown and M. B. Lutfy	corner of said cla x 4 wood post be 2-55' East, 143.27 cinity), being the to a brass plug (wing the second of seco	x 4 wood im; thence eing at the North feet the said by the said by the said claim; with U.S. R13E, Arizona.
Northway to a branch a 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	est ss plug (Witnessed by of said claim; thence post in the vicinity ss plug and 4 x pouth 74°-55' West, 64 urvey No. 3141, and one under the provisions is an amended Location aim, located by lra E.	said claim; thence North 74 by post in the view North 10 by post including all of Lot 8 by post inclu	corner of said cla x 4 wood post be -55' East, 143.27 cinity), being the to a brass plug (Wing South 70-0' East, corner of s nning in accordance ection 11, Twp 3S, sates, and the State of	x 4 wood im; thence eing at the North end these dy these dy these dy 343.19feet aid claim; with U.S R13E, Arizona. day of Mines, at
Northway to a branch to which is correct errorect e	est ss plug (Witnessed by of said claim; thence post in the vicinity is plug and 4 x pouth 74°-55' West, 64 vicinity one under the provisions is an amended Location aim, located by lra E. 1911 , and recor 2 , in the office of the office of the office of the ores in the description in	said claim; thence North 74 a x 4 post in the view N 740-55 E, 64.00 feet of the southers at the Southers of the laws of the United St Notice of the MESA Brown and M. B. Lutfy on the County Recorder of the se, and this amended Location in the said original Location in the said original Location	corner of said cla x 4 wood post be -55' East, 143.27 cinity), being the to a brass plug (wing South 70-0' East, corner of s nning in accordance ection 11, Twp 3S, tates, and the State of foresaid County of Pin Notice is made and	x 4 wood im; thence eing at the North feet the said by the said by the said claim; with U.S. R13E, Arizona. day of Mines, at posted to
Northway to a brain to which is correct errorect errorec	est ss plug (Witnessed by of said claim; thence post in the vicinity is plug and 4 x pout 74°-55' West, 64 urvey No. 3141, and one under the provisions is an amended Location aim, located by lra E. 1911 , and record reference is hereby made ors in the description is and posted on the ground and ground an	said claim; thence North 74 a x 4 post in the view of the said claim; thence of the laws of the linited St. Notice of the MESA Brown and M. B. Lutfy on the County Recorder of the se, and this amended Location and this 2th day of the laws of the laws of the said original Location and this 2th day of the laws of the said original Location and this 2th day of the laws of the said original Location and this 2th day of the said original Location and this 2th day of the said original Location and this 2th day of the said original Location and this 2th day of the said original Location and this 2th day of the said original Location and the said original Location a	corner of said cla x 4 wood post be -55' East, 143.27 cinity), being the to a brass plug (wing South 70-0' East, corner of s nning in accordance ection 11, Twp 3S, tates, and the State of foresaid County of Pin Notice is made and	x 4 wood im; thence eing at the North feet the stand by t
horthwall to a brain to which is correct errorect e	est ss plug (Witnessed by of said claim; thence post in the vicinity is plug and 4 x pout 74°-55' West, 64 urvey No. 3141, and one under the provisions is an amended Location aim, located by lra E. 1911 , and record reference is hereby made ors in the description is and posted on the ground and ground an	said claim; thence North 74 a x 4 post in the vie North 74 a x 4 post in the vie N 740-55 E, 64.00 feet of N 740-55 E, 64.00 feet of Southern at the Southern at the Southern at the Southern for the laws of the United St Notice of the MESA Brown and M. B. Lutfy on the 6t ded in Book 27 the County Recorder of the ae, and this amended Location nds this 2th day of	corner of said cla x 4 wood post be 2-55' East, 143.27 cinity), being the to a brass plug (wing South 7-0' East, corner of s nning in accordance ection 11, Twp 3S, ates, and the State of foresaid County of Ri n Notice is made and Notice March	x 4 wood im; thence eing at the North feet North feet ad all and the seed by t
Northway to a brain to which is correct errorect errorec	est ss plug (Witnessed by of said claim; thence post in the vicinity is plug and 4 x pouth 74°-55' West, 64 vicinity one under the provisions is an amended Location aim, located by lra E. 1911 , and recor 2 , in the office of the office of the office of the ores in the description in	said claim; thence North 74 a x 4 post in the vie North 74 a x 4 post in the vie N 740-55 E, 64.00 feet of N 740-55 E, 64.00 feet of Southern at the Southern at the Southern at the Southern for the laws of the United St Notice of the MESA Brown and M. B. Lutfy on the 6t ded in Book 27 the County Recorder of the ae, and this amended Location nds this 2th day of	corner of said cla x 4 wood post be -55' East, 143.27 cinity), being the to a brass plug (wing South 70-0' East, corner of s nning in accordance ection 11, Twp 3S, tates, and the State of foresaid County of Pin Notice is made and	x 4 wood im; thence eing at the North feet the said the 343.19feet aid claim; with U.S. RIJE; Arizona. day of Mines, at posted to

General Manager of its Pay Mines Division