1001, 14 7974

(4-683.)

# Mineral Survey No. 3151 A & B

		Lot No.			
		Arizo	na	Land Distri	ct.
			<b>-</b>		
		FIELD	NOTES		
	o	F THE SURVEY OF THE	HE MINING CL	AIM OF	
Application of the second		Sanford Roy	ve		
		KNOWN	AS THE		
		HIGHLAND MARY	, HIGHLA	ND MARY MILL-	SITE
		Grand (	Canyon	Mir	ning District,
	Coconino	Co	inty,	Arizona.	the same
Millsite in Se Lode in Se	Coconino ction 33 ection 4 &	Township  5 Township	31 N. 30 N.	, Range , Range	2 E. 2 E.
	Surveyed under in	structions dated	Sept. 19t	n. , 1914,	
		by	Herbert	C. Shotwell	9
				U. S. Doputy Mi	
	Claim located	See location	notices	, 1 + -	
	Survey comme	nced September	26th.	, 1914	Y
	Survey comple	ted. October	lst.	, 1914	-Vi
	o 6—160				9)

Address
Fen S. Hildreth, Attorney, For Claimant.
Phoenix, Arizona.

Feet. HIGHLAND MARY:

Beginning at Cor. No. 1. A limestone  $7 \times 14 \times 25$  in. long set 12 in. in the ground and chiseled HM-1-3151A on N.W. face with cross on top for exact cor. pt. and a substantial mound of stone along side. From cor. 1/4 cor. of Secs. 4 and 5 T. 30 N. R.2 E. brs. N. 4°-20' E. 416 ft. A pine tree 16 in diam. blazed and scribed HM-1-3151A BT. brs. N. 20°-48' E. 60 ft.

Thence 141°-21' E.
51.18 Intersect line between secs. 4 and 5 T.30 N. R.2 E. S. 0-21' E. 376.49 ft. from the 1/4 Sec. and N. 0-21' W. 2263.51 ft. from the cor. of secs. 4, 5, 8 and 9, T. 30, MR. 2 E.

Cross wagon road, course easterly and westerly. Cross wagon road, course northerly and southerly. Cor. No. 2. A limestone 3 x 4 x 34 in. long set 1405.00 1489.00 14 in. in the ground and chiseled HM-2-3151A on northwest face with cross on top for exact corner pt. and substantial mound of stone along side. From Cor. a pine tree 18 in. diam. blazed and scribed HM-2-3151 A BT. brs. S. 18°-40' E. 35 ft. A pine tree 10 in. diam. blazed and scribed HM-2-3151A BT. brs. S. 68°-0' W. 60 ft.

Thence N. 48-39' W. 20.00 Cross wagon road, course northeasterly and southwesterly.

300.00 N. center end, a post in mound of stone 600.00 Cor. No. 3. A sandstone 3 x 16 x 24 n. long set 12 in. in the ground and chiseled HM-3-3151A on S.E. face with cross on top for exact cor. pt. and with substantial mound of stone along side. From cor. a cedar tree **Bin** diam. blazed and scribed HM-3-3151A BT. brs. S. 82°-15' E. 10 ft. A pine tree 12' diam. blazed and scribed HM-3-3151 A BT. brs. N. 49-15' W. 31 ft.

Thence S. 41 -21' W. 764.40 Intersect line between secs. 4 and 5, T.30 N. R.2 E. N. 0-21' W. 525.45 ft. from the 1/4 Sec. cor. and S. 0-21' E. 2123.07 ft. from the cor. secs. 32, 33, 4 and 5.

Cor. No. 4. A limestone 4 x 8 x 26 in. long set 12 in. in the ground and chiseled HM-4-3151A on N.E. face Cor. No. 4. 1489 ..00 and with substantial mound of stone along side, from cor. a piñon tree 10 in. diam, blazed and scribed HM-4-3151A BT. brs. N. 16-15' W. 22.5 ft. A cedar tree 7 in. diam. blazed and scribed HM-4-3151A BT. brs. S. 79-0' E. 17.5 ft.

Thence S. 48° -39° E. A post in mound of stone. S. center end. 300.00 Cross wagon road, course southwesterly and northeasterly.
Cor. No. 1, the place of beginning.
All corners are identical with their respective 390.00 600.00 location 5. Magnetic declination at each cor. is 15° to E.

Feet.

HIGHLAND MARY MILL-SITE.

#### HIGHLAND MARY MILL-SITE.

Beginning at Cor. No. 1 a limestone
6 x 8 x 24 in. long set 12 in. in the ground and chiseled HM-1-3151B on S.E. face with a cross on top for exact cor. pt. and with substantial mound of stone along side. From cor., a cedar tree 8 in. diam. blazed and scribed HM-1-3151B BT. brs.

S. 31°E. 21.8 ft. A cedar tree 16 in. diam. blazed and scribed HM-1-3151B BT. brs. S. 71°W. 19 ft. The 1/4 sec. cor. for secs. 28 and 33 T. 31 N. R.2°E. brs. N. 74°59' W. 382 ft. Cor. No. 3 of the Highland Mary Lode survey No. 3151-A brs. S. 20°22' W. 7174.3 ft.

466.50

Thence S. 00°27' W.

Cor. No. 2. A limestone 3 x 10 x 24 in. long set 12 in. in the ground and chiseled HM-2-3151B with a cross on top for exact cor. pt. and with substantial mound of stone along side. From cor. a pine tree 16 in. diam. blazed and scribed HM-2-3151B BT. brs. N. 63° E. 27.2 ft.

466.50

Thence S. 89°33' E.

Cor. No. 3. A limestone 6 x 12 x 26 in. long set 12 in. in the ground and chiseled HM-3-3151B with a cross on top for exact cor. pt. and a substantial mound of stone along side. From cor. a pine tree 15 in. diam. blazed and scribed HM-3-3151B BT. brs. S. 71°45' W. 12.6 ft. A cedar tree 8 in. diam. blazed and scribed HM-3-3151B BT. brs. S. 49°15' E. 10.8 ft.

Thence N. 00° 27' E.

351.00 Cross wagon road, course northwesterly and south-easterly.

466.50

Cor. No. 4. A limestone 6 x 8 x 25 in. long set in a substantial mound of earth and stone. It was impossible to bury the stone any great depth on account of the hard rock at this pt. so I walled around with stone, filled in around the cor. stone with earth and rock, making it firm and secure. The cor. stone was chiseled HM-4-3151B on southwest face with cross on top for exact cor. pt.from which a pine tree 14 in. diam. blazed and scribed HM-4-3151B BT. brs.

N. 86°W. 45.8 ft. A pinon tree 14 in. diam. blazed and scribed HM-4-3151B BT. brs. S. 10°45' W.

Thence N. 89° 33' W:

250.00 Cross wagon road, course northwesterly and southeasterly.

466.50 Cor. No. 1, the place of beginning. All cors are identical with their respective locations, magnetic declination at each cor. is 15° to E.

#### LEDGE.

The presumed course of the Highland Mary Ledge as near as can be traced upon the ground is from a pt. on Line 1-4 5. 48 39 E. 300 ft. from Cor. No. 4 thence N. 41 21 E. 1489.00 ft. to intersection of Line 2-3

### IMPROVEMENTS.

I certify that the value of the labor and improvements upon this claim placed thereon by the claimant and his grantor is not less than Five Hundred (\$500.00) Dollars and that said improvements consist of;

- Discovery monument. A post 6 in. diam. and standing 4 ft. high, surrounded by a substantial mound of stone No. 1 located on presumed course of ledge from which cor. No. 1 brs. S. 1° 37'E. 440 ft.
- No. 2 A shaft, 4 x 4 x 10 ft. deep-from center of which cor. No. 1 brs. S. 17°43' E. 562 ft. Value.... 20.00
- No. 3 Open cut 4 x 124 x 9 ft. face. Course for first 75 ft. is N. 34°E. The last 49 ft. has a course of N. 20°E. From beginning of cut Cor. No. 1 brs. S. 14°04' W. Value.... \$100.00
- Course N. 26 E. 76 ft. to pt. A. No. 4 Open cut and tunnel. where tunnel goes under cover. Open cut will average ft. wide and 6 ft. high, thence from A.N. 8 W. 14 ft. to B pt. in tunnel, thence from B. N. 30 E. 8 ft. to face. Tunnel will average 5 ft. wide and 5 ft. high. From beginning of cut cor. No. 1 brs. S. 25 52 W. 370 ft. \$ 500.00
- Shaft, 5 x 10 x 9 ft. deep, from center of which cor. No. 1 brs. S. 31°16' W. 709 ft. No. .5 .Value....

Value.....

Open cut, and shaft. From beginning of cut course S. 53°30' W. 52 ft. to face, averages 5 x 8ft (12 ft. face) At 36 ft. in is a shaft 5 x 5 x 7 ft. deep. At the No. 6 right of the face of open cut is an excavation \$ 500.00

> IMPROVEMENTS. HIGHLAND MARY: About 1300 linear ft. of wagon road.

A dam, 12 ft. high and 100 ft. long, from easterly end cor. No. 1 brs. S. 17°20' E. 322 ft.

#### HIGHLAND MARY MILL-SITE.

About 300 linear ft. of wagon road.

Log cabin 16 x 30# from southeasterly cor. cor. No. 4 brs. N. 84° 05' E. 269 ft.

Log cabin 12 x 16tt.from southeasterly cor. cor. No. 4 brs. N. 73°E. 286 ft.

Well, 4 x 6 x 18 ft. deep from center of which cor. No. 1 brs. N. 43° 15' W. 233 ft.

A well, 4 x 6 x 17 ft. deep from the bottom of which a drift is run in a northeasterly direction 16 ft. Another drift is run in a southerly direction From center of well cor. No. 1 brs. 8 ft. N. 33°40' W. 260 ft.

#### OTHER IMPROVEMENTS. Con't.

An old smelter furnace about 4 ft. diam. from center of which Cor. No. 1 brs. N. 37° 10' W. 298 ft.

Dam, 100 ft. long and 12 ft. high for the purpose of storing flood waters to be used in milling purposes. From westerly end of dam cor. No. 2 brs. S. 80° 30' W. 208 ft.

#### AREA.

## A. D. J. O I. N. I. N. G. . . C L A I M S.

There are no known claims adjoining the Highland Mary and so far as known the ground surrounding this claim is public domain and subject to entry. On the north side of the Highland Mary mill-site the ground is located for a Ranger Station, and occupied by United States Department of Agriculture. The balance of the ground however is public domain and subject to entry.

## LOCATION.

The Highland Mary is located in Secs. 4 and 5, T. 30 N. R.2 E. The Highland Mary mill-site is located in Sec. 33, T. 31 N. R.2 E. Both are located in the Grand Mining District, Coconino County, Arizona within the Tusayan National Forest.

#### 

This survey was made with a C.L.Burger & Sons transit, No. 1 C.; The distances were measured with a 600 and a 100 foot steel tape. All courses were deflected from true meridian as determined by direct solar observation.

#### REPORT.

The discrepancies between these claims as marked upon the ground by their respective location monuments and as described in the location notices are due to error in the location notices. I thoroughly satisfied myself while on the ground, making survey, that the improvements accredited to the Highland Mary Lode were made by the claimant and his grantors.

The Highland Mary mill-site has been proven non-mineral. There has been much prospecting upon this ground but no mineral has been disclosed by the grading of the road, digging of the well or building of the dam, nor by any other similar work.

The corners of the public survey referred to in these notes were found properly marked and well preserved.

Jes Burker & Showell

#### REPORT continued.

Improvement No. 1. of this claim is a Miscovery Monument located on the Mineral bearing formation. This formation is a blanket which extends over the area of the claim and the Discovery point was so located aponothis Mineral mearing formation as to cover with the claim the most desirable mineral ground.

U.S.Mineral Surveyor.

en praire

## FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names of the individuals employed by	Herbert C. Shotwell	
United States <del>Deputy</del> Mineral Surveyor, to assist in r	running, measuring, and marking the lin	es, corners, and
boundaries described in the foregoing field notes of the s	survey of the mining claim of	
Sanford Ro	we	*****
known as the HIGHLAND MARY, HIGHLAND		
and showing the respective capacities in which they act	ed.	
	H.H.King	, Chainman.
		, Chainman.
		,
		, Flagman.
	OF ASSISTANTS.	
W. I, Br. Hing	iiuL	
and, do	solemnly swear that we assisted Herk	ert C.
Shotwell , United States Deputy		
TITOTII ARTA DE ATIONI	LAND MARY MILL-SITE	
known as the HIGHLAND MARY, HIGH	HAND MAKY MILL-511B	
represented in the foregoing field notes as having been	surveyed by said <del>deputy</del> mineral surveyor	r and under his
direction; and that said survey has been in all respects	s, to the best of our knowledge and belief	f, faithfully and
correctly executed, and the corner and boundary monu	ments established according to law and	the instructions
furnished by the United States Surveyor-General for	Arizona.	
	HH King	, Chainman.
		,
		, Axman.
		, Flagman.
Subscribed and sworn to by th	ne above-named persons before me this	1 11
day of Octob	,/- )	
	J. J. Ferrall	
	Motary &	Public.

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Herbert C. Shoty	vell	, U. S. <del>Deputy</del> Mineral	
Surveyor, do solemnly swear t			
States Surveyor General for			
Sept. 19th. 1914.			
United States, the official regu		•	
of said Surveyor General, fait			
Claim of Sa			
***************************************			
HIGHLAND MARY			
situate in	Grand Canon	Mining District,	
Coconino Township No. 4 & 5 , Township No. Forest, and designated as Survey No.	County, Ari 31 N., Range 2 E. an 30 N., Range No. 2 E.	izona. , in Section  d Sections In the Tusayan Watio	33 nal
in the foregoing field notes, wh			
as distinctly marked by monur			
of the location certificate, whi			
said instructions, and that all t			
petuated in strict accordance v			
under; and I do further solen			
field notes of said survey and			
improvements made upon said			
are as therein fully stated, and		0	
thereof are specified therein w			
said labor or improvements so		The state of the s	
of expenditures upon any other			
or expenditures upon any other	Claim.		
	,		
	04.0.	10 11 + 00	
	Herbers	U. S. Deputy Mineral Surveyor.	
		O. S. Deputy Miner at 15th of 101.	
Subceribed and awarn to	by the said Werhert	C Chatwall	
	by the said Herbert		
	Surveyor, before me		
	1914.	this &	
day of October	10170	7	
	Sicha	ia Jamen	
	nor	rang Public	

Entire premises relocated as abandoned property. The former location known as the (Grand Chance.)

Notice of Mining Location.

SEF. 18.1914 .

Lode Claim.

TO ALL WHOM IT MAY CONCERN:

This Mining Claim, the name of which is the Highland Mary Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Sanford Rowe of Williams Arizona, a Citizen of the United States, the undersigned, on the 19th.day of March, 1901.

The length of this claim is 1500 feet and I claim 300 feet in a Southerly direction, and 1200 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 500 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South to the North.

The claim is situated and located in the Francis Mining District, in Coconino County, in the Territory of Arizona, about one & one half mile in a Southerly direction from Rowes Well and at the North End of what is known as "North Park".

The surface boundries of the claim are marked upon the ground as follows: Beginning at a Post, in a Southerly direction 400 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence 300 feet to a Post, being the South West corner of said claim; thence 750 feet to a Post at the center of the West side line of said claim; thence 750 feet to a Post, being at the North West corner of said claim; thence 300 feet to a Post at the center of the North end of said claim; thence 300 feet to a Post, being at the South East corner of said claim; thence 750 feet to a Post being at the center of the East side line of said claim; thence 750 feet to a Post at the

South East corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th.1895, and amended March 2d.1899.

Dated and posted on the ground this 19th.day of March, 1901.

Witness;

Sanford Rowe.

Alex Chisholm

James Francis

Filed and recorded at request of Sanford Rowe

Apl 16 A.D.1901 at ..minutes past 9 o'clock A.M.

In Book 4 Page 29, Records of Coconino County,

Arizona Territory.

H.C.Hibben,

County Recorder.

STATE OF ARIZONA, COUNTY OF COCONINO, Ss.	
I, DAN J. CRONIN, County Recorder in and for the County and State moresaid, hereby certify that I have compared the foregoing copy with the second of Molice	
at M., in Book of Mine at page and of the whole thereof.  WITNESS by hand and seal of office this day of A. D. 190/  A. D. 190/  A. D. 190/  A. D. 190/  And that the same is a full, true, correct and complete copy of such and of the whole thereof.	
County Recorder.	\
By Deputy.	

Str. 187974

Location Notice of The Highland Mary.

Mill-Site Claim and Water Right.

Know All Men By These Presents: That I, the undersigned, have this day located a Mill-site for the purpose of erecting suitable works for reducing the ores of the Highland Mary & Blue Mose Mining Claims, Situated in Francis Mining District, Coconino County, Arizona Territory.

The exterior boundaries of said Highland Mary Mill-Site claim are as follows:viz:Commencing at a monument of stone at N.E.corner of claim, and running thence in a westerly direction, 466½ feet to monument of stone at N.W.corner of claim, thence in a southerly direction 466½ feet to monument of stone at S.W.corner of claim, thence in an easterly direction 466½ feet to monument of stone at S.E.corner of claim, thence in a northerly direction 466½ feet to monument of stone at S.E.corner of claim, thence in a northerly direction 466½ feet to monument of stone at N.E.corner of claim and place of beginning.

This location may be more generally described as being situated about four miles South East of Rowes Point and also "knowen" as Rowes Well. That we have also located in connection with the said Mill-Site claim about two inches miner's measure of the water of this Rowes Well under and in accordance with the laws of the Territory of Arizona, regulating the location and possession of Water Rights.

Dated on the ground, this 19th.day of March, 1901.

Witness:

Sanford Rowe.

Alex G.Chisholm

James Francis

Recorded at at request of Sanford Rowe.

April 16 A.D. 1901 at 9 oclock A.M.

H.C. Hibben

County Recorder.

STATE OF ARIZONA, County of Coconino, ss.

I, DAN J. CRONIN, County Recorder in and for the County and State of that I have compared the foregoing county in the County and State of	2
that I have compared the foregoing copy with the bloom of for	oresaid, hereby certify
of the later of th	ralein notice
of Journaid Many Mill Ofthe Ola 1	N. + 19.01
fild for sold in	( States Taght
filed for record in my said office on the lethe day of Ahnt	
	A. D. 190
of your siles and 12t there	nd that the same is a
run, true, correct and complete copy of such	
20 July 01	the whole thereof.
WITNESS my hand and seal of office this	
Sear of office this	day of
Syllember A. D/1018.	
	1. Comme
V Cuc	·
//	County Recorder.
//	
By	
	Deputy.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

# Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,		
May 1		
I, U. S. Surveyor-General for District of Arizona		
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey		
of the mining claim of		
SAN FORD ROWE		
known as the HIGHLAND MARY, HIGHLAND MARY MILL SITE.		
situate in GRAND C ANYON		
Mining District, COCONINO County, ARIZONA.  Sec. 33 T. 31 N., R. 2 E. in Section S 4 & 5 , Township No. 30 N., Range No. 2 E. , and		
designated as Survey No. 3151 A&B , has been correctly copied from the originals on file in		
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if		
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein		
to natural objects or permanent monuments as will perpetuate and fix the <i>locus</i> thereof.		
And I further certify that five hundred dollars' worth of labor has been expended or improve-		
ments made upon said mining claim by claimant or his grantors, and that said improvements		
consist of 3 shafts, 3 cuts, 1 tunnel and 1 excavation, total value		
1220.00		
and that no portion of said labor or improvements has been included in the estimate of expenditures		
upon any other claim.		
I further certify that the plat thereof, filed in the U.S. Land Office at Phoenix, Arizona		
is correct and in conformity with the foregoing Field Notes.		
Frank S, Ingalls,		
United States Summonon Consmal for Arizona.		

# SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior.

Office of U.S. Surveyor-General,

		Phoenix, Arizon	na,
		May 1	, <u>19<b>1</b>5</u> _
I, U. S. Surveyor-General for	District of An	izona	
do hereby certify that the foregoing a	nd hereto attached Fie	d Notes and Return o	f the Survey of the
Mining Claim of	***************************************		
HIGHLAND			
situate in	GRAND CANYON		mining district,
COCONINO .	County,		ARIZONA
Sec. 33, in Section S 4 & 5 , Tow	7 31 N., nship No. 30 N.,	R, Range No	2 E.
, designated as Su			
executed by He	4		
Surveyor, September 2			
September 19,	, 19 <sup>14</sup> , have been cr	itically examined and	the necessary cor-
rections and explanations made, and	he said Field Notes an	d Return, and the Su	rvey they describe,
are hereby approved. A true copy of	f the copy of the locati	on certificate filed by	the applicant for
survey is included in the field notes.	. Chank	I Inga	PPL.
	U. S. Surve	jor-General for Ariz	zona.