E 26 1975

4-683.

Mineral Survey No. 3242

Lot No.

Arizona Land District.

FIELD NOTES

Arizona & Michigan Development Co.

KNOWN AS THE

Blue Lead, Copper Chief, Dwarf, Esmeralda, Little Bush, Southern Cross, North Star, Blue Lead Extension Mining District,

Cochise County, Arizona

Sections 23 and 26 , Township 15 S. , Range 22 E.G&SRB&M.

Surveyed under instructions dated September 28th , 1915,

by Ralph L. Motz

U. S. Deputy Mineral Surveyor

Postoffice address of claimant's attorney,

Cleon T. Knapp,

Bisbee, Arizona.

Claim located see location notices , 1

Survey completed November 22nd, 1915. , 1

NORTH STAR.

Beginning at Cor No 1, the S E Cor, identical with location and with Cors No 2 and 3 of Southern Cross and Blue Lead lodes of this survey, respectively,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3242 N S. No bearings available.

The 1/4 Cor between Sections 23 and 26, Tp 15 S., R 22 E., G & S R B & M brs S 88° 04' W 947.3 ft.

thence N 47° 23' W

to Cor No 2, the S W Cor, identical with location and with Cor No 2 and the northeast corner of Blue Lead lode of this survey, and Blue Grass lode, unsurveyed, respectively.

a pine post 4 ft long 4ins sq set 18 ins in the ground in a mound of stones and scribed 2-3242 N S. No bearings available.

thence N 7° 50' E

- 228.8 to original location for west end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed WECt-N S-3242,
- 362.73 intersect line 1-5 Sur No 1717 Ross lode at S 502 58' W 11.47 ft from Cor No 1, and N 50° 58' E 413.53 ft from Cor No 5.
- 370.7 to Cor No 3, the N W Cor, identical with location,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3242 N S. No bearings available.

thence S 46° 58' E

- 5.5 Cor. No.3 True Blue tode, Sur. No. 1717, and intersect line 1-5 Sur No 1717 Ross lode at S 50° 58' W 4.9 ft from Cor No 1,
- to Cor No 4, the N E Cor, identical with location and with Cors No 2 and 3 of Sur No 1717 True Blue and Southern Cross lodes of this survey, respectively,

a pine post 4 ft long 4 x 6 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3242 N S. No bearings available.

thence S 7° 50' W

- to original location for east end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed EECt-N S-3242.
- 357.5 along line 3-2 Southern Cross lode of this survey to Cor No 1, the place of the beginning.

BLUE LEAD.

Beginning at Cor No 1, the S W Cor, identical with location and with the Southeast, the N.E., and Cor No 2, of Blue Grass lode unsurveyed, Sur No 330 Miantenomah lode, and Little Bush lode of this survey, respectively,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3242 B L,

whence a limestone ledge 15 x 26 ins exposure and chiseled BR x 1-3242 brs N 59° 07' W 53.9 ft., and a second limestone ledge 26 x 21 ins exposure with like chiseling brs S 16° 00' E 26.3 ft., and the 1/4 Cor between Sections 23 and 26, T 15 S., R 22 E., G & S R B & M brs S 41° 31' E 722.8 ft.

thence N 32° 27' E

- 300.0 to original location for west end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed WECt-BL-3242,
- 600.0 to Cor No 2, the N W Cor, identical with location and with Cor No 2 North Star lode of this survey, heretofore described to which I add 2-3242 BL for this claim.

thence S 47° 23' E

to Cor No 3, the N E Cor, identical with location and with Cor No 1 North Star lode of this survey, heretofore described to which I add 3-3242 B L for this claim.

thence S 32° 27' W

- intersect the section line between Secs 23 and 26 at N 89° 56' W 1720.0 ft from the Cor of Secs 23. 24, 25 and 26, and S 89° 56' E 925.7 ft from the 1/4 Cor between Secs 23 and 26,
- 300.0 to original location for east end center, identical with Cors No 1 and 1 of Southern Cross and Blue Lead Extension lodes of this survey, respectively,
 - a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed EECt-BL-3242,
- 410.0 to west end center location of Blue Lead Extension lode of this survey,
- to Cor No 4, the S E Cor, identical with location and with Cors No 1, 3 and 4 of Dwarf, Little Bush and Blue Lead Extension lodes of this survey, respectively,
 - a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3242 B L,

whence a limestone ledge 60 x 72 x 12 ins exposure and chiseled BR x 4-3242 brs N 81° 41' W 40.6 ft., and a second limestone ledge 36 x 48 x 6 ins exposure with like chiseling brs S 88° 53' E 38.55 ft.

thence N 47° 23' W

- intersect the section line between Secs 23 and 26 at N 89° 56' W 2536.2 ft from the Cor of Secs 23, 24, 25 and 26, and S 89° 56' E 109.5 ft from the 1/4 Cor between Secs. 23 and 26.
- 1500.0 to Cor No 1, the place of the beginning.

LITTLE BUSH.

Beginning at Cor No. 1, the S W Cor, identical with location and with Cor No 1, the S E, and the N E, of Copper Chief lode of this survey, Sur No 330 Miantenomah lode, and Sur No 331 Mammoth lode, respectively,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 1-3242 L B,

whence a limestone ledge 17 x 35 ins exposure and chiseled BR x 1-3242 brs S 28° 51' W 35.5 ft., and a second limestone ledge with 27 x 11 ins exposure and like chiseling brs N 75° 30' W 23.55 ft., and the 1/4 Cor between Secs 23 and 26, T 15 S., R 22 E., G & S R B & M brs N 89° 47' E 732.1 ft.

thence N 24° 57' E

- intersect the section line between Secs 23 and 26 at N 89° 59' W 730.8 ft from the 1/4 Cor between Secs 23 and 26, and S 89° 59' E 1902.2 ft from the Cor of Secs 22, 23, 26 and 27,
- 300.0 to original location for west end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed WECt-LB-3242,
- 600.0 to Cor No 2, the N W Cor, identical with location and with Cor No 1 Blue Lead lode of this survey, heretofore described, to which I add 2-3242 LB for this claim.

thence S 47° 23' E

- 799.7 intersect the section line between Secs 23 and 26, at S 89° 56' E 109.5 ft from the 1/4 Cor between Secs 23 and 26, and N 89° 56' W 2536.2 ft from the Cor of Secs 23, 24, 25 and 26,
- 1500.0 to Cor No 3, the N E Cor, identical with location and with Cor No 4 Blue Lead lode of this survey, heretofore described, to which I add 3-3242 LB for this claim.

thence S 24° 57' W

- 31.3 cross railroad tracks running from mine to Dragoon,
- to original location for east end center, identical with west end center of Dwarf lode of this survey, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed EECt-LB-3242,
- 600.0 to Cor No 4, the S E Cor, identical with location and with Cors No 1, 2 and 4 of Esmeralda, Copper Chief and Dwarf lodes of this survey, respectively,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3242 LB,

whence a limestone rock 27 x 26 x 19 ins high and chiseled BR x 4-3242 brs S 36° 30' W 43.3 ft., and a second limestone rock 12 x 19 x 8 ins high with like chiseling brs S 29° 33' E 41.9 ft.

thence N 47° 23' W

1500.0 to Cor No 1, the place of the beginning.

COPPER CHIEF.

Beginning at Cor No 1, the N W Cor, identical with location and with Cor No 1 Little Bush lode of this survey, heretofore described, to which I add 1-3242 CC for this claim,

the 1/4 Cor between Secs 23 and 26, T 15 S., R 22 E., G & S R B & M brs N 89° 47' E 732.1 ft.

thence S 47° 23' E

1500.0 to Cor No 2, the N E Cor, identical with location and with Cor No 4 Little Bush lode of this survey, heretofore described, to which I add 2-3242 CC for this claim.

thence S 24° 57' W

- 300.0 to original location for east end center, identical with west end center Esmeralda lode of this survey, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed EECt-CC-3242,
- 600.0 to Cor No 3, the S E Cor, identical with location and with Cor No 4 Esmeralda lode of this survey,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3242 CC. No bearings available.

thenge N 47° 23' W

1500.0 to Cor No 4, the S W Cor, identical with location and with the S E Cor of Sur No 331 Mammoth lode,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3242 CC. No bearings available.

thence N 24° 57' E

- 300.0 to original location for west end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed WECt-CC-3242,
- 600.0 to Cor No 1, the place of the beginning.

SOUTHERN CROSS.

Beginning at Cor No 1, the S.W. Cor, identical with location and with east end center of Blue Lead lode of this survey, heretofore described, to which I add 1-3242 S C for this claim,

the 1/4 Cor between Secs 23 and 26, T 15 S., R 22 E., G & S R B & M brs N 74° 17' W 816.4 ft.

thence N 32° 27' E

- 260.8 intersect the section line between Secs 23 and 26, at N 89° 56' W 1720.0 ft from the Cor of Secs 23, 24, 25 and 26, and S 89° 56' E 925.7 ft from the 1/4 Cor between Secs 23 and 26,
- 300.0 to Cor No 2, identical with Cor No 1 North Star lode of this survey, heretofore described, to which I add 2-3242 S C for this claim,

thence N 7° 50' E

- 228.8 to east end center location of North Star lode of this survey,
- 357.5 to Cor No 3, identical with Cor No 4 North Star lode of this survey, heretofore described, to which I add 3-3242 S C for this claim. The original location for the N W Cor of this claim brs N 19° 03' E 659.5 ft., being a monument of stones 3 ft high with a 3 ft base.

 thence N 50° 51' E
- 1 Intersect line 4-1 Sur No 1717 True Blue lode at N 46° 58' N 0.7 ft from Cor No 1, and S 46° 58' E 1500.2 ft from Cor No 4, (lines 5-6 Sur No 497 Dreadnought lode, 4-1 Sur No 1717 Copper Bell lode are identical with said line 4-1 Tauge Blue lode,

722.2 to Cor No 4, the N W Cor,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 4-3242 S C. No bearings available. The original location for the N W Cor brs N 64° 06' W 384.2 ft.

(4.)

thence S 64° 06' E

- 0.5 to original location for north end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed NECt-SC-3242,
- to Cor No 5, the N E Cor, identical with location and situated on line 1-2 Sur No 1717 Copper Bell lode at N 50° 55' E 117.1 ft from Cor No 1, and S 50° 55' W 482.9 ft from Cor No 2, (Cor No 1 Copper Bell lode is identical with Cors No 6 and 1 Sur No 497 Dreadnought lode and Sur No 1717 True Blue lode, respectively. Line 1-2 Sur No 1717 True Blue lode brs S 50° 55' W 605.5 ft.)

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 5-3242 S C,

whence a limestone ledge 31 x 24 ins exposure and chiseled BR x 5-3242 brs N 15° W 12.1 ft., and a second limestone ledge 26 x 48 ins exposure and like chiseling brs S 76° 15' E 21.8 ft.

thence S 17° W

- intersect the section line between Secs 23 and 26, at N 89° 56' W 1347.3 ft from the Cor for Secs 23, 24, 25 and 26, and S 89° 56' E 1298.4 ft from the 1/4 Cor between Secs 23 and 26,
- to Cor No 6, the S E Cor, identical with location and with the S W and N W Cors of A 1 and A 2 lodes unsurveyed, respectively, and situated on line 1-2 Blue Lead Extension lode of this survey at N 64° 06' W 13.9 ft from Cor No 2,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 6-3242 S C,

whence a limestone rock 48×72 ins exposure and chiseled BR x 6-3242 brs S 11° 49' E 5.5 ft., and a second limestone rock 36×48 ins exposure and like chiseling brs N 84° 03' W 12.6 ft.

thence N 64° 06' W

- to original location for south end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed SECt-SC-3242,
- 431.2 to Cor No 1, the place of the beginning.

BLUE LEAD EXTENSION.

Beginning at Cor No 1, the N W Cor, identical with location and with the east end center of Blue Lead lode of this survey, heretofore described, to which I add 1-3242 BLE for this claim,

the 1/4 Cor between Secs 23 and 26 T 15 S., R 22 E., G & S R B & M brs N 74° 17' W 816.4 ft.

thence S 64° 06' E

- 136.2 to south end center location of Southern Cross lode of this survey,
- 431.2 to Cor No 6 and the N W Cor of Southern Cross lode of this survey and A 2 lode unsurveyed, respectively, from this point Cor No 3 of this claim brs S 29° 48' W 298.7 ft.
- 445.1 to Cor No 2, the N E Cor, identical with location, a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3242 B L E,

whence a limestone ledge 72 x 120 x 4 ins high exposure and chiseled BR x 2-3242 brs S 66° 10' W 9.6 ft., and a second limestone ledge 48 x 72 x 4 ins high exposure with like chiseling brs S 6° 16' W 12.2 ft.

thence S 32° 27' W

- to original location for east end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed EECt-BLE-3242,
- to Cor No 3, the S E Cor, identical with location and with Cor No 2 Dwarf lode of this survey, and situated on the west side line of A 2 lode unsurveyed at S 29° 48' W 298.7 ft from the northwest corner,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3242 BLE,

whence a limestone ledge $72 \times 48 \times 6$ ins high exposure and chiseled BR x 3-3242 brs S 25° 16' E 6.6 ft., and a second ledge $60 \times 24 \times 6$ ins high with like chiseling brs S 54° 05' W 34.4 ft.

thence N 64° 06° W.

to Cor No 4, the S W Cor, identical with location and with Cor No 4 Blue Lead lode of this survey, heretofore described to which I add 4-3242 BLE for this claim.

thence N 32° 27' E.

- 190.0 to original location for west end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed WECt-BLE-3242,
- 300.0 to Cor No 1, the place of the beginning.

DWARF.

Beginning at Cor No 1, the N W Cor, identical with location and with Cor No 4 Blue Lead Extension lode of this survey heretofore described to which I add 1-3242 D for this claim.

the 1/4 Cor between Secs 23 and 26, T 15 S., R 22 E., G & S R B & M brs N 52° 48' W 784.5 ft.

thence S 64° 06' E

445.1 to Cor No 2, the N E Cor, identical with location and with Cor No 3 Blue Lead Extension lode of this survey, heretofore described to which I add 2-3242 D for this claim,

thence S 24° 57' W

- 150.0 cross railroad tracks running from mine to Dragoon,
- 300.0 to original location for east end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed EECt-D-3242,
- 600.0 to Cor No 3, the S E Cor, identical with location,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3242 D,

whence a limestone ledge 12 x 12 x 8 ins high and chiseled BR x 3-3242 brs N 87° 14' E 7.0 ft., and a second limestone ledge 12 x 18 x 8 ins high with like chiseling brs N 67° 06' W 8.1 ft.,

thence N 64° 06' W

- to Cor No 2 Esmeralda lode of this survey, and also intersect the west side line of A 2 lode unsurveyed at S 29° 48' W 900.0 ft., from the northwest corner, and N 29° 48' E 601.3 ft from the southwest corner,
- to Cor No 4, the S W Cor, identical with location and with Cor No 4 Little Bush lode of this survey, heretofore described to which I add 4-3242 D for this claim.

thence N 24° 57' E

- 300.0 to original location for west end center, identical with east end center Little Bush lode of this survey, heretofore described to which I add WECT-D-3242,
- 568.7 cross railroad tracks running from mine to Dragoon,
- 600.0 to Cor No 1, the place of the beginning.

ESMERALDA.

Beginning at Cor No 1, the N W Cor, identical with location and with Cor No 4 Little Bush lode of this survey, heretofore described to which I add 1-3242 E for this claim,

the 1/4 Cor between Secs 23 and 26, T 15 S., R 22 E., G & S R B & M brs N 20° 03' W 1084.1 ft.

thence S 64° 06' E

to Cor No 2, the N E Cor, identical with location, and situated at the intersection of the west side line of A 2 lode unsurveyed, and line 3-4 Dwarf lode of this survey, at S 29° 48' W 900.0 ft from the northwest corner, and N 29° 48' E 601.3 ft from the southwest corner of A 2 lode, and N 64° 06' W 50.9 ft from Cor No 3, and S 64° 06' E 394.2 ft from Cor No 4 Dwarf lode of this survey,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 2-3242 E,

whence a limestone rock $18 \times 18 \times 10$ ins high and chiseled BR x 2-3242 brs S 47° 30' W 13.3 ft., and a second limestone rock $12 \times 16 \times 10$ ins high with like chiseling brs N 55° 28' E 17.7 ft.

thence S 24° 57' W

- 300.0 to original location for east end center, being a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed EECt-E-3242,
- 600.0 to Cor No 3, the S E Cor, identical with location and situated on the south end line of A 2 lode unsurveyed, at S 64° 06' E 50.9 ft from the southwest corner,

a pine post 4 ft long 4 ins sq set 18 ins in the ground in a mound of stones and scribed 3-3242 E. No bearings available.

thence N 64° 06' W

- 50.9 to the southwest corner of A 2 lode unsurveyed,
- 394.2 to Cor No 4, the S W Cor, identical with location and with Cor No 3 Copper Chief lode of this survey, heretofore described to which I add 4-3242 E for this claim.

thence N 24° 57' E

300.0

to original location for west end center, identical with east end center Copper Chief lode of this survey, heretofore described to which I add WECt-E-3242 for this claim.

600.0

to Cor No 1, the place of the beginning.

LODE LINES.

NORTH STAR.

The presumed course of the vein on this claim is from the east end center N 47° 23' W 1500.0 ft.

BLUE LEAD.

The presumed course of the vein on this claim is from the west end center S 47° 23' E 1500.0 ft.

LITTLE BUSH.

The presumed course of the vein on this claim is from the west end center S 47° 23' E 1500.0 ft.

COPPER CHIEF.

The presumed course of the vein on this claim is from the west end center S 47° 23° E 1500.0 ft.

SOUTHERN CROSS.

The presumed course of the vein on this claim is from the southend center N 29° 58' E 1296.0 ft.

BLUE LEAD EXTENSION.

The presumed course of the vein on this claim is from the east end center N 64°,06' W 445.1 ft.

DWARF.

The presumed course of the vein on this claim is from the east end center N 64° 06' W 445.1 ft.

ESMERALDA.

The preseumed course of the vein on this claim is from the west end center S 64° 06' E 394.2 ft.

AREAS.

Total area of Blue Lead lode - - - - - - - - - - - - - - - - - 20.337 A.

Total area of Southern Cross lode - - - - - - 8.708 A. Conflict with Sur No 1717

True Blue lode - - - - - - 0.005 A.

Conflict with Sur No 1717 Copper Bell lode and Sur No 497 Dreadnought

lode (cpmmon) - - - - - - - 0.002 A.

Total area of Blue Lead Extension lode - - - - - 3.045 A.

Conflict with A 2 lode unsurveyed- - - - - - 0.048 A. Total area of Dwarf lode- - - - -- - - - 6.130 A. Conflict with A 2 lode unsurveyed- - - - - - 0.351 A. Total area of Esmeralda lode- - - -- - - 5.429 A. Conflict with A 2 lode unsurveyed- - -- - - - 0.351 A. IMPROVEMENTS. I certify that the value of the labor and improvements made upon or for the benefit of each claim of this survey by the claimant or its grantors is not less than five hundred dollars, and that said improvements consist of:-NORTH STAR. No.1. Discovery shaft 4 x 6 x 10 ft deep brs from east end center on lode line 660 ft. Value \$ 50.00 1/8 interestin No 2 improvement on Little Bush lode of this survey, allotted to this claim. Value \$2120.00 1/8 interest in No 1 improvement on Copper Chief lode of this survey, allotted to this claim Value \$1674.00 Total. \$3844.00 BLUE LEAD. No.1. Discovery shaft 4 x 6 x 10 ft deep brs from east end center on lode line 450 ft. Value \$ 50.00 No.2. Shaft 4 x 8 x 9 ft deep brs from west end center N 65° 12' E 64.0 ft. Value \$ 50.00 No.3. Shaft 4 x 6 x 9 ft deep brs from west end center N 52° 45' E 60.0 ft. Value \$ 45.00 No.4. Shaft 4 x 6 x 11 ft deep brs from Cor No 1 N 81° 10' E 289.0 ft. Value \$ 100.00 No.5. Shaft $4\frac{1}{2}$ x 6 x 9 ft deep brs from a point on line 2-3 at S 47° 23' E 600.0 ft from Cor No 2, S 42° 42' W 118.0 ft. Value \$ 45.00 No.6. Shaft 5 x 7 x 9 ft deep brs from same point S 38° 35' W 135.0 ft. Value \$ 50.00 No.7. Shaft 5 x 6 x 9 ft deep brs from same point S 31° 13' W 124.5 ft. Value \$ 45.00 No.8. Shaft 7 x 7 x 10 ft deep brs from point on line 4-1 at N 47° 23' W 700.3 ft from Cor No 4, N 49° 24' E 259.5 ft. Value \$ 150.00 No.9. Shaft 4 x 6 x 24 ft deep brs, from same point N 51° 31' E 258.4 ft. Value \$ 240.00 No.10. Shaft 4 x 6 x 9 ft deep brs from same point N 61° 01' E 250.2 ft. Value \$ 75.00 No.11. Shaft 4 x 6 x 35 ft deep brs from same point N 64° 09' E 248.3 ft. Value \$ 350.00 1/8 interest in No 2 improvement on Little Bush lode of this survey, allotted to this claim. Value \$2120.00 (9.)

	1/8 interest in No 1 improvement on Copper Chief lode of this survey, allotted to this claim	\$1 ,674.00
	claim value	\$4,994.00
	LITTLE BUSH.	
No .1 .;	Shaft 4 x 6 x 10 ft deep on lode line 600 ft from east end center Value	\$ 90.00
No.2.	Shaft, 2 compartment, timbered, 6.5 x 10 x 415 ft deep, brs from east end center N 30° 38' W 345.3 ft. Value \$16,600.00 At 375 ft level, drift 5 x 7 x 30 ft long brg S 53° W. Value \$360.00	·
	\$16,960.00 This shaft was put down for the benefit of the 8 claims of this survey. A 1/8 interest has been allotted to each claim of this survey. 1/8 interest to this claim	\$2,120.00
No.3.	Incline shaft 4 x 6 x 30 ft deep at 30 incline of bris from east end center N 26 Value	\$ 300.00
No.4.	Shaft 4 x 6 x 9 ft deep brs from east end center S 57° W 168.3 ft. Value	\$ 75.00
No.5.	Shaft 4 x 6 x 8 ft deep brs. from east end center N 82° W 287.2 ft. Value	\$ 125.00
No.6.	Shaft 4 x 6 x 9 ft deep brs from point on line 2-3 at S 47° 23' E 799.7 ft from Cor No 2, S 40° 45' E 224.4 ft. Value	\$ 50.00
No.7.	Shaft 4 x 6 x 25 ft deep brs from same point S 1° 01' W 20.2 ft. Value	\$ 250.00
No.8.	Shaft 4.5 x 7 x 10 ft deep brs from Cor No 1 S 70° 41' E 130.3 ft. Value	\$ 100.00
No9.	Incline shaft 5 x 7 x 27 ft deep 45° incline brs from CornNo 1 S 78° 22' E 215.1 ft. Value	\$ 300.00
# 4= ₆	1/8 interest in No 1 improvement on Copper Chief lode of this survey, allotted to this claim Value	\$1,674.00
	Total	\$5,084.00
32.	COPPER CHIEF.	
No.1.D	Incline shaft 7 x 7 ft in cross section, the mouth of which brs from east end center on lode line 345.0 ft.	9
.#c	thence N 32° 51' E 62.1 ft at 35° to Sta 1. "N 33° 12' E 53.7 ft at 34° to Sta 2. "N 34° 30' E 37.0 ft at 40° to Sta 3. "N 32° 54' E 39.0 ft at 32° to Sta 4. "N 33° 05' E 57.9 ft at 28° to Sta 5. "N 34° 00' E 66.1 ft at 23° to Sta 6.	
official s	" N 33° 05' E 57.9 ft at 28° to Sta 5, " N 34° 00' E 66.1 ft at 23° to Sta 6, " N 33° 47' E 99.2 ft at 21°30' to Sta a	t face,
1.50	total shaft 415.0 ft at \$20.00 per foo	\$8300.00
	at Sta 1, drift 5 x 7 ft runs S 65° 50' E 35.7 thence S 27° 30' E 20.3	ft.
1	56.0	ō ft.

1

```
MINERAL SURVEY NO. 3242.
 At Sta 2, drift 5 x 7 ft runs N 56° 20' W 13.8 ft Point A.
                                                  N 37° 30' W 55.1 ft
N 20° 00' W 40.6 ft.
                                  thence
                                  thence
                                                  N 65° 20' W 15.4 ft
                                  thence.
                                                                     124.9 ft.
 At Point A, drift 5 x 7 ft runs # 33° 26' W 32.6 ft.
thence N 76° 30' W 44.2 ft.
thence N 50° 00' W 22.9 ft.
                                                                          99.7 ft.
 At Sta 2, drift 5 x 7 ft runs S 7° 42' W 27.6 ft.
thence S 68° 15' E 53.9 ft.
thence S 89° 38' E 20.3 ft.
                                       thence S 64° 45' E 18.3 ft.
                                                                     120.1 ft.
  At Sta 3, 5 x 7 ft drift runs S 40° 10' E 34.7 ft.
thence S 24° 15' E 17.1 ft.
thence S 80° 15' E 30.0 ft.
                                                                        81.8 ft.
At Sta 4, 5 x 7 drift runs N 35° 00' W 36.2 ft.
thence N 44° 00' W 24.0 ft.
thence N 31° 00' E 40.0 ft.
                                                                      100.2 ft.
 At Sta 4, 5 x 7 ft drift runs S 49° E 28.8 ft.
                                       thence N 41° E 8.0 ft.
                                                                36.8 ft.
At Sta 6, 5 x 7 drift runs S 56° E 17.0 ft.
                      Total drifting 636.5 ft at $8. per
                                   foot ,
                                                  Value $5,092.00
 Total value of Improvement No 1, $13.392.00
 This work has been done for the benefit of the entire
eight claims of this survey, so the value of same has been allotted equally to each claim.
1/8 of same to this claim
                                                                              $1,674.00
Incline shaft 4 x 7 x 13 ft deep, incline 40° brg N 24° E, brs from Cor No 2 S 45° 27' W 119.8 ft.
                                                                                 125.00
                                                                Value
Shaft 4 x 6 x 15 ft deep brs from Cor No 2, S 24° 57' W 137.5 ft. 1/2 of same on this claim, the other 1/2 on Esmeralda claim of this survey 1/2 of same to this claim Value $
                                                                                     75.00
Incline shaft 5 x 7 x 28.0 ft deep, 41230' incline, brg N 37° E brs from Cor No 2, S 63° W 262.8 ft. Value
                                                                                   300.00
                                                                Value
Shaft 6 x 10 x 27 ft deep, timbered, brs from Cor No 2, N 74° 13' W 484.0 ft. at bottom is a 4 x 6 ft drift running N 48° E 12.0 ft., also a second drift running S 42° E 13.0 ft. Va
                                                               Value
                                                                                    740.00
```

No.2.

No.3.

No:4.

No.5.

No.6.

(11.)

Incline shaft 5 x 7 ft in cross section, the mouth of which brs from Cor No 1

S 1° 39' W 292.1 ft.

· -	shaft brs N 21° 30' E 32.8 ft at 35° thence N 21° 30' E 84.0 ft at 30°			
	Total depth 116.8 ft at \$12.50 per foot	\$1	,460.00	
No.7.	Incline shaft 4 x 8x20 ft deep, at 49° incline, brg N 10° E, brs from Cor No 1 S 2° 55' E 300.5 ft. Value	•	200.00	
No.8.	Incline shaft 4 x 12 x 38 ft deep, at 36° 30' incline, brg N 26° E brs from Cor No 1 S 10° 29' E 332.1 ft. Value	\$	570.00	
No.9.	Shaft 6 x 7 x 11 ft deep brs from Cor. No. 1 S 14° 30' E 351.7 ft. Value	\$	150.00	
No.10.	Incline shaft 4.5 x 9 x 26 ft deep, at 31° incline, brg N 31° E, brs from Cor No 1 S 31° 11' E 563.2 ft. Value	\$	350.00	
	1/8 interest in No 2 Improvement on Little Bush lode of this survey, allotted to this claim Value	\$2	;1 20.00	
	Total	\$7	,764.00	
	SOUTHERN CROSS.		·	
No.1.	Shaft 4 x 6 x 32 ft deep brs from South End Center on lode line 550 ft. Value	\$	250.00	
No.2.	Shaft 4 x6 x 10 ft deep brs from Cor No 2 N 49° 47' E 192.0 ft. Value	\$	50.00	
	1/8 interest in No 2 improvement on Little Bush lode of this survey, allotted to this claim. Value	\$2	2,120.00	
	1/8 interest in No 1 improvement on Copper Chief lode of this survey, allotted to this claim Value	\$1	.,674.00	
	Total	\$2	,094.00	
e -	BLUE LEAD EXTENSION.			
No.1.	Shaft 4 x 6 x 8 ft deep brs from west end center on lode line 240.0 ft. Value	\$	75.00	
No .2.	Shaft 6 x 13 x 10 ft deep brs from Cor No 2 S 45° W 163.5 ft. Value	\$	200.00	
	1/8 interest in No 2 improvement on Little Bush lode of this survey, allotted to this claim Value	\$:	2,120.00	
7 T 10	1/8 interest in No 1 improvement on Copper Chief lode of this survey, allotted to this claim Value	\$:	1,674.00	
30'20	Total	\$.	4,069.00	
	DWARF.			
No.1.	Shaft 4 x 6 x 10 ft deep brs from east end center on lode line 245.1 ft. Value	*	75.00	
No.2.	Shaft 5 x 7 x 10 ft deep brs from Cor No 1 S 13° 58' E 294.1 ft. Value	\$	90.00	
No.3.	Shaft 5 x 7 x 9 ft deep brs from Cor No 1 S 8° 24' E 252.5 ft. Value	\$	75.00	
	(12.)			

No.4.	Incline shaft 5 x 5 x 16 ft deep, at 45° inline, brg N 35° E, brs from Cor No 1 S 1° 21' E 204.4 ft. Value \$ 130.00				
1	1/8 interest in No 2 improvement on Little Bush lode of this survey, allotted to this claim Value \$2,120.00				
	1/8 interest in No limprovement on Copper Chief lode of this survey, allotted to this claim Value \$1,674.00				
	Total \$4,164.00				
	ESMERALDA.				
No.1.	Shaft 5 x 6 x 10 ft deep brs from west end center on lode line 200 ft. Value \$ 90.00				
No.2.	Shaft 4 x 6 x 9 ft deep brs from Cor No 1 S 27° 07' E 400.5 ft. Value \$ 75.00				
No.3.	Shaft 8 x 8 x 10 ft deep brs from Cor No 1 S 20° 18' W 104.4 ft. Value \$ 175.00				
63	1/2 interest in improvement No 3 of Copper Chief lode, located on this claim Value \$ 75.00				
	1/8 interest in No 2 improvement on Little Bush lode of this survey, allotted to this claim Value \$2,120.00				
± 1	1/8 interest in No l improvement on Copper Chief lode of this survey, allotted to this claim Value \$1,674.00				
	Total \$4,209.00				
	Total improvements on group \$38,222.00 (See * below.)				
	ADJOINING CLAIMS.				
North.	Sur No 1717 True Blue and Copper Bell lodes, Sur No 497 Dreadnought lode.				
East.	Al and A 2 lodes, unsurveyed, owned by the Arizona United Mining Company,				
South.	Sunnyside and Little Jonnie lodes, unsurveyed, owned by the Arizona United Mining Company.				
West.	Sur No 330 Miantenomah lode, Sur No 331 Mammoth lode, Blue Grass lode, claimed by the applicant herein. Sur No 1717 Ross lode.				

INSTRUMENT ..

This survey was made with a C. L. Berger & Sons No 1 C transit. The courses were deflected from the true meridian as determined by a Solar observation. The distances were measured with a 300 ft steel tape. Magnetic variation 12° 30' East at all corners.

LOCATION.

This survey is located in the Cochise Mining District, Cochise County, Arizona, in Sections 23 and 26, T 15 S., R 22 E., G & S R B & M.

REPORT.

Cor of Secs 22, 23, 26 and 27 is a limestone rock 3 x 9 x 12 ins high, chiseled II on south face, II on east face. A monument of stones 2 feet west.

(13.)

1/4 Cor between Secs 23 and 26 is a limestone rock 12 x 6 x 18 ins high set in a small mound of stones, and chiseled 1/4 on north face. A monument of rocks 2 feet west.

Cor of Secs 23, 24, 25 and 26 is a limestone rock 10 x 4 x 10 ins high, and chiseled I on east face, II on south face. A monument of stones 2 feet west.

Sur No 330. Miantenomah lode.
The northeast, and southeast corners, and the east end center, are 4 x 4" posts scribed MNE, MSE and MIM, respectively.
I find line SE-NE to be N 24° 57' E 600.0 ft instead of N 25° 33' E 600.0 ft.

Sur No 331 Mammoth lode.

The northeast and southeast corners, and the east end center, are 4 x 4 posts scribed MNE, MSE, and MIM, respectively.

I find line SE-NE to be N 24° 57' E 600.0 ft instead of N 25° 33' E 600.0 ft.

Sur No 497, Dreadnought lode.
Cors No 1 and 6 are 6 x 6 posts scribed D NO V-USS,
and D NO VI-USS.
I find line to be N 50° 55' E 300.0 ft instead of N
51° 05' E 300.0 ft.

Sur No 1717 Copper Bell lode.

Cors No 1 and 2 are 6 x 6 posts scribed 1-1717 and 2-1717, respectively,

Cor No 4 is a 4 x 6 posts scribed 4-1717.

I find line 1-2 to be N 50° 55' E 600.0 ft. instead of N 51° 17' E 600.0 ft.

#-N 2-4 to be S 46° 58' E 1501.6 ft instead of S 46° 40' E 1500.0 ft.

Sur No 1717 True Blue lode.

Cor No 1 is a 6 x 6" posts scribed 1-1717.

Cors No 2 and 3 are 4 x 6" posts scribed 2-1717 and 3-1717, respectively,

I find line 1-2 to be S 50° 55' W 605.5 ft instead of S 51° 17' W 605.82 ft.

2-3 to be N 46° 58' W 1502.1 ft instead of N 46° 40' W 1500.0 ft.

Sur No 1717 Ross lode.

Cor No 1 is a 4 x 6 post scribed 1-1717.

Cor No 5 is a 6 x 6 post scribed 1717.

I find line 5-1 to be N 50° 58' E 425.0 ft instead of N 51° 17' E 425.0 ft.

U.S. Mineral Surveyor.

Dated at Bisbee, Arizona.

December 20th, 1915.

000000000000000

* The surface of the claims embraced in this survey is practically level. Shaft No.2 on the Little Bush lode is centrally located with reference to the claims of this survey, and it reaches a depth of 415 feet, at which point drifts may be run in various directions to develop the ground indepth. Shaft No.1 on the Copper Chief lode is an incline shaft, located near the south end of the group, and so pointed that it tends to cut under the surface of the ground covered by the claims of this group. As both of the improvements tend to develop all the claims of this survey I have considered them as common improvements.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by Ralph L. Motz
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
ARIZONA & MICHIGAN DEVELOPMENT CO.
known as the Blue Lead, Copper Chief, Dwarf, Esmeralda, Little Bush, Southern Cross, North Star, Blue Lead Extension
and showing the respective capacities in which they acted.
J. J. Backnes , Chainman.
, Chainman.
, Axman.
Flagman.
Wex I, J. J. Backnes
andx , do solemnly swear that we assisted Ralph L. Motz
the boundaries of the mining claim of ARIZONA & MICHIGAN DEVELOPMENT CO.
known as the Blue Lead, Copper Chief, Dwarf, Esmeralda, Little Bush, Souther Cross, North Star, Blue Lead Extension
represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of unriknowledge and belief, faithfully and
correctly executed, and the corner and boundary monuments established according to law and the instructions
furnished by the United States Surveyor-General for Arizona Ranker, Chainman.
Chainman.

Flagman. Subscribed and sworn to by the above-named persons before me this.

day of November 1915. , xxx

Notary Public in and for the County of Cochise, State of Arizona.
My commission expires

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I,	Ralph L. Motz,	, U. S. Deputy Mineral
	`	in pursuance of instructions received from the United
		Arizona , dated
		, I have, in strict conformity to the laws of the
		ons and instructions thereunder, and the instructions
		lly and correctly executed the survey of the Mining
		gan Development Co.
Blue	Lead, Copper Chief,	Dwarf, Esmeralda, Little Bush, Southern bead Extension
situate	e in Cock	Mining District,
		County, Arizona , in Sections
		S., Range No. 22 E. G & S R B & M.
and de	esignated as Survey No.	, as represented
		accurately show the boundaries of said mining claim
		ts on the ground, and described in the attached copy
		was received by me from the Surveyor General with
		corners of said survey have been established and per-
		the law, official regulations and instructions there-
		swear that the foregoing are the true and original
		y report therein, and that the labor expended and
		ning claim by claimant or its grantors
		at the character, extent, location and itemized value
		particularity and full detail, and that no portion of
		_
		dited to this claim has been included in the estimate
or expe	enditures upon any other cia	aim.
		Robbl & max
		Ralph R. Moh V.S. Deputy Mineral Surveyor.
		The Tank Tank Cogo.
S	Subscribed and sworn to by t	the said Ralph L. Notz,
		veyor, before me J. J. Ross, Notary Public
		this 20th
	day of December, 19	

MO ROS

Notary Public in and for the County
of Cochise, State of Arizona.
Ny commission expires February 21st,1916.

o 3—154

Motice of Mining Location

LODE CLAIM

	To	All	Whom	11t	May	Concern	
--	----	-----	------	-----	-----	---------	--

This Mining Claim, the name of which is the Blue Lead
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by The Arizona & Michigan Development Company
(Locator must jusert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the 8 " day of September, 1915 #90
The length of this claim is 1500 feet,
and it claims 450 feet,
in a south easterly direction and 1050
feet in a north westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
north west to the south east
The claim is situated and located in the
Cochise County, in the Acceptory of Arizona, about all mile
in a south westerly direction from Johnson, P. O. in Secs 23 and
26, T. 15-S., R. 22-E. G. &. S. R. B. &. M. Bounded on the north by North Star
on the east by Southern Cross and Blue Lead Extension, on south by Little Bush
and on the west by Blue Grass.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
Post and monument
at a point in a south easterly direction 450 feet from
the discovery shaft (at which this notice is posted), being in the center of the east
end line of said claim; thence south westerly 300 feet to a post and monument
, being the south east corner of said claim; thence
north westerly 1500 feet to a post and monument , being at the
south west corner of said claim; thence north easterly 300 feet
to a post and monumet at the center of the west end of said claim;
thence north sasterly 300 feet to a post and monument , being at the
north west corner of said claim; thence south easterly 1500
feet to a post and monument at the north east corner of said claim;
thence south westerly 300 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the Blue Lead
Mining Claim, located by R. Perry and W. Deckeraw
on the lst day of
April 1899 1992, and recorded in Book 16 of Records of Mines, at
page 71, in the office of the County Recorder of the aforesaid County of Cochise to which reference is hereby made, and this Amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice.
Dated and posted on the ground this day of September 1915 190x
Areyona v Mucheyon heel Co

No. 109. - AMENDED NOTICE OF LOCATION OF LODE CLAIM-The H. H. McNeil Company's Red-Line Blanks, Phoenix, Arizona

13

AMENDED

DEXED

TER	POTORY OF ARIZONA,	U 11	71 7 2	
County of	FOORISE	Brus Ste		
TATE	Wale O	#, xco		corder in and for the County and
T	aforesaid, do hereby cer	SFP2	ment was filed for record at 4 19 15	recorded in Book No. 3.
on this	MINING	day OI	, and day	y, Artzena, at pages J
7	WITNESS	. K	the day and year first abo	[]
		***	Gran E	Anshy
				County Recorder.

190 Motice of Location. Filed and Recorded at request of LODE CLAIM. 2.7 2 Dated.

SEC 241915 A. D. 190 Record of Mines Book o'y Pages. at

A 4 4.5

Recorder.

Deputy Recorder. By

The H. H. McNeil Co., Printers, Phoenix

Corner Monument Corner Monument Discovery Shaft 5000 feet 2000 feet End Monument End Monument 1991 0001 300 ft. Cornent Corner Monument

Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaff; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim, This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other.

Motice of Mining Location

LODE CLAIM

To All Whom It May Concern:
This Mining Claim, the name of which is the Copper Chief
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by The Arizona & Michigan Development Company
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the day of September 1925.
The length of this claim is1500feet,
and it claim S 345 feet,
in a south easterly direction and 1155
feet in a north westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
north west to the south east
The claim is situated and located in the Cochise Mining District, in
Cochise County, in the Taxas of Arizona, about 3 mile
in a south westerly direction from Johnson P. O. in Sec. 26, T. 15 S.,
R. 22 E. G. &. S. R. B & M and is bounded on the north by Little Bush, on the
east by Esmeralda and on the west by Sur. No. 331, Mammoth.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
monument and post
at a point in a south easterly direction 345 feet from
the discovery shaft (at which this notice is posted), being in the center of the east
end line of said claim; thence south westerly 300 feet to a monument and post
, being the south east corner of said claim; thence
north westerly 1500 feet to a post and monument , being at the
south west corner of said claim; thence north easterly 300 feet
to a post and monument at the center of the west end of said claim;
thence north easterly 300 feet to a post and mounment, being at the
north west corner of said claim; thence south easterly 1500
feet to a post and monument at the north east corner of said claim;
thence south westerly 300 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the Copper Chief
Mining Claim, located by H. S. Wein
on the 21st. day of
February 1898 #90, and recorded in Book 14 of Records of Mines, at page 577, in the office of the County Recorder of the aforesaid County of Sochise
to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
P. L.
Dated and posted on the ground this 1 day of September 1915 1920 Aryona & Machigan Read Co
T 24 4
1/ Al Vive

JEN - 2 10 15

INDEXED

AMENDED

- 8.7	1		, n		
TERRITO	RY OF ARIZONA,		-		
"nounty of	COCHISE SS.	17			
againty Oi		11	2		
. //	LAND E YOUR	tokut	a	1 1 1 6	41. 0
1,			, County Re	corder in and for	the County and
Sale.				/	
Territory, afore	said, do hereby certify that t	he within instrumen	t was filed for record a	ito'	clock,M.
214.		CED 7/1	1915	•	2 4
on this	day of	OLI 67	1915 190 and dul	recorded in Boo	k No.
			AL.		79
of	Recor	ds ofCO	CHISE Count	Afrona, at page	es
	Miller		7		
	WITNESS my hand	and official seal the	day and year first goo	e written.	
	A	/		8	512
	77		111111 01	mons	1
			Market Ma	Court	ty Recorder.
					J

Motice of Location. 190 Filed and Recorded at request of LODE CLAIM. Dated..

A. D. 199 Record of Mines SEP 241915 Book 5 4 Pages at.

Deputy Recorder. By

The H. H. McNeil Co., Printers, Phoenix

Corner Discovery Shaft 500 feet 200 June Minior View of the property End Monument End 300 ft. Corner

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Motice of Mining Location

LODE CLAIM

To All Whom It May Concern:	
	True and
	hich is the Dwarf
	g to the United States of America, and in which there ed upon and located for the purposes of exploration and
purchase by Arizona & Michiga	n Development Company
	"or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the day	of September 1915
	500 feet,
	2 o o feet,
	direction and 300
. 4	South easterly direction from
the center of the discovery shaft, at which	th this notice is posted, lengthwise of the claim, together
with 30.0°	feet in width of the surface grounds, on each
	neral course of the lode deposit and premises is from the
South east	to the North West.
	n the Cochise Mining District, in State
	n the Korrivor of Arizona, about 12 mile direction from Johnson P. O. in Sec 26, T. 15-S
by Blue Lead extension, and	on the south by Esmeralda.
The surface boundaries of the claim	are marked upon the ground as follows: Beginning at
	a are marked upon the ground as follows: Beginning at
monument and post	
monument and post	
at a point in a North westerly	
at a point in a North westerly the discovery shaft (at which this notice	direction
at a point in aNorth westerlythe discovery shaft (at which this notice end line of said claim; thenceNorth	direction 200 feet from e is posted), being in the center of the west
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence	direction 200 feet from e is posted), being in the center of the west heasterly 300 feet to a monument and post
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence North being the south easterly 500 fe	direction
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence Nort south easterly 500 fe	direction
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence Nort , being the southheasterly 500 fe north east corner of to a monument and post	direction 200 feet from e is posted), being in the center of the west h easterly 300 feet to a monument and post north west corner of said claim; thence et to a monument and post being at the said claim; thence said claim; thence south westerly 300 feet
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence Nort , being the south east corner of to a monument and post thence south westerly 300 south east corner of sa	direction
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence Nort south easterly 500 fe north east corner of to a monument and post thence south westerly 300 south east corner of sa feet to a monument and post	direction 200 feet from e is posted), being in the center of the west. The easterly 300 feet to a monument and post north west corner of said claim; thence et to a monument and post being at the said claim; thence south westerly 300 feet at the center of the east end of said claim; feet to a monument and post being at the aid claim; thence north westerly 500 set the south west corner of said claim;
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence Nort , being the south east corner of to a monument and post thence south westerly 300 south east corner of sa	direction 200 feet from e is posted), being in the center of the west. The easterly 300 feet to a monument and post north west corner of said claim; thence et to a monument and post being at the said claim; thence south westerly 300 feet at the center of the east end of said claim; feet to a monument and post being at the aid claim; thence north westerly 500 set the south west corner of said claim;
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence Nort south easterly 500 fe north east corner of to a monument and post thence south westerly 300 south east corner of sa feet to a monument and post thence north easterly 300 feet All done under the provisions of Corner of Sa	direction
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence Nort south easterly 500 fe north east corner of to a monument and post thence south westerly 300 south east corner of sa feet to a monument and post thence north easterly 300 feet All done under the provisions of C the United States, and of an Act of the and Codify the Laws of the Territory of	direction
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence Nort , being the south easterly 500 fe north east corner of to a monument and post thence south westerly 300 south east corner of sa feet to a monument and post thence north easterly 300 feet All done under the provisions of C the United States, and of an Act of the and Codify the Laws of the Territory of This is an Amended Location Notic Mining Claim, located by F. R.	direction
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence Nort , being the sputh easterly 500 fe north east corner of to a monument and post thence south westerly 300 south east corner of sa feet to a monument and post thence north easterly 300 feet All done under the provisions of C the United States, and of an Act of the and Codify the Laws of the Territory of This is an Amended Location Notic Mining Claim, located by F. Re	direction 200 feet from e is posted), being in the center of the west north west corner of said claim; thence et to a monument and post being at the said claim; thence south westerly 300 feet at the center of the east end of said claim; feet to a monument and post being at the said claim; thence north westerly 300 feet at the center of the east end of said claim; feet to a monument and post being at the said claim; thence north westerly 500 feet to the place of beginning. Chapter Six, of Title XXXII, of the Revised Statutes of General Assembly of Arizona, entitled "An Act to Revise of Arizona," approved March 16, 1901. The of the Dwarf on the 24 day of
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence Nort , being the south east corner of to a monument and post thence south westerly 300 south east corner of sa feet to a monument and post thence north easterly 300 feet All done under the provisions of C the United States, and of an Act of the and Codify the Laws of the Territory of This is an Amended Location Notice Mining Claim, located by F. R. September 190.0, and rece	direction 200 feet from the is posted), being in the center of the west north west corner of said claim; thence to a monument and post being at the said claim; thence et to a monument and post being at the said claim; thence east end of said claim; feet to a monument and post being at the aid claim; thence north westerly 500 feet to a monument and post being at the find claim; thence north westerly 500 feet south west corner of said claim; to the place of beginning. Chapter Six, of Title XXXII, of the Revised Statutes of General Assembly of Arizona, entitled "An Act to Revise Arizona," approved March 16, 1901. The of the Dwarf on the 24 day of orded in Book 18 of Records of Mines, at
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence north east corner of to a monument and post thence south westerly 300 south east corner of safeet to a monument and post thence north easterly 300 feet the United States, and of an Act of the and Codify the Laws of the Territory of This is an Amended Location Notice Mining Claim, located by F. R. September 190.0, and receptage 336, in the office of the County Reto which reference is hereby made, and correct errors in the description in the series.	direction. 200 feet from the is posted), being in the center of the west heasterly 300 feet to a monument and post north west corner of said claim; thence to a monument and post heing at the said claim; thence south westerly 300 feet at the center of the east end of said claim; feet to a monument and post heing at the said claim; thence north westerly 500 feet to be south west corner of said claim; to the place of beginning. That is a corner of said claim; the control of the south west for the place of beginning. The provided in Sook 16, 1901. The of the Dwarf on the 24 day of the corder of the aforesaid County of Cochise this Amended Location Notice is made and posted to aid original Location Notice.
at a point in a North westerly the discovery shaft (at which this notice end line of said claim; thence north east corner of to a monument and post thence south westerly 300 south east corner of safeet to a monument and post thence north easterly 300 feet the United States, and of an Act of the and Codify the Laws of the Territory of This is an Amended Location Notice Mining Claim, located by F. R. September 190.0, and receptage 336, in the office of the County Reto which reference is hereby made, and correct errors in the description in the series.	direction

- Andrews
-
_
-
-
Part of
No. of
ESC.
Sec. of
-
200
SWEW.
4000
-
Town
1
1
-

SE1. J. 10.15

TERM	ORV OF ARIZONA	tiffic	CHINA .		
County of	ORY OF ARIZONA,	ss.	nan to		
I,	Que 6 K		, Cot	anty Recorder in and	for the County and
9.	resaid, do hereby certify	that the within instru	ment was filed for re	ecord at	o'clock,
on this	MINING	Records of		.County, Arizona, at	
		hand and official seal			
		,	[Willie	Mungo	ounty Recorder.
					•

Thotice of Location.

Lode Claim.

Lode and Recorded at request of

Tiled and Recorded at request of

SEP 241915 4. D. 190
at
Book 5 4 Record of Mines
Pages 69

Pages 169 Chy h

By Deputy Recorder.

The H. H. McNeil Co., Printers, Phoenix

Monument

Monument

Discovery Monument

Discovery Monument

Discovery Monument

A Discovery Monument

Discovery Monument

Monument

Monument

Monument

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim,

Motice of Mining Location

LODE CLAIM

To All	Whom	It	May	Concern	
--------	------	----	-----	---------	--

This Mining Claim, the name of which is the ESMERALDA
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by Arizona & Michigan Development Company
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the day of September 1905
The length of this claim is 400 feet,
and it claims 200 feet,
in aNorth Westerly direction and 200
feet in a South Easterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
North West to the South East
The claim is situated and located in the Cochise Mining District, in
Cochise County, in the Territory of Arizona, about 3 mile
in a South Westerly direction from Johnson P. O. in Sec. 26, T. 15
S., R. 22 E., G. & S. R. B. & M and is bounded on the west by Copper Chief and on the north by Dwarf.
The applicable houndaries of the string of t
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
Monument and post
at a point in a North Westerly direction 200 feet from
the discovery shaft (at which this notice is posted), being in the center of the West
end line of said claim; thence North Easterly 300 feet to a monument and post
being the North west corner of said claim; thence
South easterly 400 feet to a monument and post , being at the
North east corner of said claim; thence South westerly 300 feet
to a monument and post at the center of the East end of said claim;
thence South westerly 300 feet to a monument and post , being at the
south east corner of said claim; thence north westerly 400
feet to a monument and post at the south west corner of said claim;
thence north easterly 300 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the Esmeralda
Mining Claim, located by F. R. Perry
on the 21st. day of
April 1899 , and recorded in Book 17 of Records of Mines, at
page26, in the office of the County Recorder of the aforesaid County of Cochise to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
Dated and posted on the ground this day of September 1915 1965
Aryona & Mechegon heed Co
()

21.12.15

INDEXED

4460

-41TE	THUNDED	***
TENTORY OF ARIZONA,	Section 1991 December 1997	4 - 7.00
County of	DILLICATE STORY	
1. Qua & Murp	ony County Record	der in and for the County and
Tarker aforesaid, do hereby certify that the	within instrument was filed for record at	o'clock, M
on thisday of	SEP 241915 190 , and duly r	ecorded in Book No. 54
of MINING Records	of COCHISE County A	rizona, at pages 70
	d official seal the day and year first above v	
	(lucu B)	rophy
		County Recorder.

Motice of Location. 190 LODE CLAIM. AMENDED Fire Dated.

Filed and Recorded at request of

SEP 241915, A. D. 199 Record of Mines Book 54 at

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other.

Pages 70

Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaff; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim,

Deputy Recorder.

By

Corner Monument Corner Monument ● ■ 300 ft. End End Monument 500 feet 220 Discovery 300 ft. Corner Corner Monument

The H. H. McNeil Co., Printers, Phoenix

Motice of Mining Location

LODE CLAIM

To All Whom It May Concern:
This Mining Claim, the name of which is the Little Bush
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by The Arizona & Michigan Development Company
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the day of September 1905
The length of this claim is 1500 feet,
and it claim s 600 feet,
in a South easterly direction and 900
feet in a north westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
North west to the South east.
The claim is situated and located in theCochiseMining District, in
Cochise County, in the Xiverity of Arizona, about 2 mile
in a South westerly direction from Johnson. P. O. in Secs. 23 & 26.
T. 15 S., R. 22 E. G. &. S. R. B. &. M. Bounded on the north by Blue Lead
on the east by Dwarf, on the south by Copper Cheif and on the west by Sur. No.
330, Miantenomah.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
post and monument
at a point in a South easterly direction 600 feet from
the discovery shaft (at which this notice is posted), being in the center of the Rast
end line of said claim; thence south westerly 300 feet to a post and monument
, being the south east corner of said claim; thence
north westerly 001500 feet to a post and monument , being at the
south west corner of said claim; thence north east erly 300 feet
to a post and monument at the center of the west end of said claim;
thence North easterly 300 feet to a post and monument, being at the
north west corner of said claim; thence south easterly 1500
feet to a post and monument at the north east corner of said claim;
thence south westerly 300 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the Little Bush
Mining Claim, located by A. H. Wein
on the 23rd. day of
July 1899 back, and recorded in Book 17 of Records of Mines, at
page 42, in the office of the County Recorder of the aforesaid County of Cochise
to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
correct errors in the description in the said original Location Notice. Dated and posted on the ground this day of September 1915

No. 109 -- AMENDED NOTICE OF LOCATION OF LODE CLAIM-The H. H. McNeil Company's Red-Line Blacks, Phoenix Astron


SEC. 1915

INDEXED

	TERRITORY OF ARIZONA,
	County of
	i, Que & Murshy , County Recorder in and for the County and
	Territory aforesaid, do hereby certify that the within instrument was filed for record ato'clock,
	on this day of SEP 24 1915 190 , and duly recorded in Book No. 34
	AND MILES
1	Records of County Arizona, at pages
	WITNESS my hand and official seal the day and year first above written
	County Recorder.
	County Recorder.
١	
	tion 199 199 199 199 199 199 199 199 199 19
	L. D. 18 Minos Minos Minos
	Of Locatio OF Cation ODE CLAIM. Recorded at request of Minos Recorded of Minos Deputy Record
	G S E B B B B B B B B B B B B B B B B B B
	Of TCOOPE CLAIM Seconded at 1915 A 1915 D D
	AMEND OF TOPE CLA
	AMEND AMEND COLLODE OLL LODE O

Filed and Recorded at

Dated.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Book 3 4

at

Pages 74

SEP 241915

The H. H. McNeil Co., Printer

Motice of Mining Location

LODE CLAIM

To All Whom It May Concern	l :	nceri	Con	(H)ay	HI	uunom	Elll	40
----------------------------	-----	-------	-----	-------	----	-------	------	----

This Mining Claim, the name of which is the Southern Cross Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by The Arizons & Michigan Development Company
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the day of September 1915 teck
The length of this claim is 1500 feet,
and it claim s 550 feet,
in a south westerly direction and 950
feet in a north easterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
South weste to the north east
The claim is situated and located in the Cochise Mining District, in
State Cochise County, in the Karring State State
in a southerly direction from Johnson P. O. in Secs. 23 and 26
T. 15 S., R. 22 E. G. &. S. R. B. &. M. and is bounded on the west by North Star
Blue Lead and Survey No. 1717; on the south by Blue Lead Extension.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
monument and post
at a point in a south westerly direction 550 feet from
the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence north westerly 300 feet to a post and monument
, being the south west corner of said claim; thence
north easterly 1500 feet to a monument and post , being at the
north west corner of said claim; thence south easterly 300 feet
to a monument and post at the center of the north end of said claim;
thence south easterly 300 feet to a monument and post , being at the
north east corner of said claim; thence south westerly 1500
feet to a mounment and post at the south east corner of said claim;
thence north westerly 300 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the Southern Cross
Mining Claim, located by F. R. Perry and W. Deckeraw
on the lst day of
February 1899 1908, and recorded in Book 16 of Records of Mines, at
page. 72, in the office of the County Recorder of the aforesaid County of to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
Dated and posted on the ground this day of September 1915 page
Argona & Muhyon head Co
) Ox X

Motice of Mocation.
Lode CLAIM.

S101.05/140

300

Filed and Recorded at request of

at
Book 54 Record of Mines

Rages 68

By Deputy Recorder.

The H. H. McNeil Co., Printers, Phoenix

Monument

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Motice of Mining Location

LODE CLAIM

To	All	Whom	Ilt	May	Concern	
----	-----	------	-----	-----	---------	--

15
This Mining Claim, the name of which is the North Star
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by The Arizona & Michigan Development Company .
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the day of September 1915 1998
The length of this claim is
and it claim 8 660 feet,
in a south easterly direction and 840
feet in a north westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 200 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
south east to the north west
The claim is situated and located in the Cochise Mining District, in State
Cochise County, in the Hereitary of Arizona, about 1 mile
in a south westerly direction from Johnson P. O. in Sec. 23, T. 15 S
R. 22 E. bounded on the west by Blue Grass, on the north by Sur. No. 1717, on
east by Southern Cross, and on the south by Blue Lead.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
monument and post
at a point in a south easterly direction 660 feet from
the discovery shaft (at which this notice is posted), being in the center of the west
end line of said claim; thence southerly 229 feet to a monument and post
, being the south east corner of said claim; thence
north westerly 1500 feet to a monument and post , being at the
south west corner of said claim; thence northerly 229 feet
to a monument and post at the center of the west end of said claim;
thence northerly 150 feet to a monument and post, being at the
north west corner of said claim; thence south easterly 1500
feet to a monument and post at the north east corner of said claim;
thence southerly 150 feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
This is an Amended Location Notice of the North Star
Mining Claim, located by W. Deckeraw and F. R. Perry
on the 23rd day of
April 1899 1992 , and recorded in Book 17 of Records of Mines, at
page 27., in the office of the County Recorder of the aforesaid County of to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
Dated and posted on the ground this day of Sentember 1915 190
Dated and posted on the ground this day of Soptember 1915 190
09.9

ULI. 40, 14.10

AMENDED

TERRITO	RY OF ARIZONA,	1.20	1		7	
County of	COGHISE	ss.	HILL	10 0		
J,	Que 6	neurhol	7 ,	, County Rec	corder in and	for the County and
Tritory afores	said, do hereby certify	that the within in	strument was fi	led for record a	t	o'clock M.
on this		lay of SEP2	41915	190, and duly	recorded in 1	Book No. 3 4
of	MINING	Records of			100	1
	WITNESS my	hand and official s	1		/	
	WITNESS III)	nand and omeiar s	VIII	116	Arola	
1 1				the land of	9	bunty Recorder.

190

Motice of Location Filed and Recorded at request of LODE CLAIM. Dated.

SEP 241915 A. D. 190 at

y Recorder. Record of Mines Book 54 Pages

The H. H. McNeil Co., Printers, Phoenix

Deputy Recorder.

By

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Corner Monument Corner Monument Discovery Shaft 5000 feet 2000 Jupunung Libaoosid End 1991 000I 300 ft. Corner Corner

Motice of Mining Location

LODE CLAIM

To All Tabom It May Concern:

This Mining Claim, the name of which is the Blue Lead Extension
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purposes of exploration and
purchase by The Arizona & Michigan Development Company
(Locator must insert either "a citizen of the United States," or, "who has declared his intention to become a citizen of the United States.")
the undersigned, on the day of September 1905
The length of this claim is
and it claims 240 feet,
in a north westerly direction and 260
feet in a south easterly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 200 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
south east to the north west
The claim is situated and located in the Cochise Mining District, in
Cochise County, in the Trivitory of Arizona, about
in a South westerly direction from Johnson P. O. in Sec. 26, T. 15
S., R. 22 E., G. &. S. R. B. & M. Bounded on the north by Southern Cross,
on south by Dwarf and on the west by Blue Lead.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
post and monument
1
at a point in a north westerly direction 240 feet from
at a point in a north westerly direction 249 feet from the discovery shaft (at which this notice is posted), being in the center of the west
the discovery shaft (at which this notice is posted), being in the center of the west
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument
the discovery shaft (at which this notice is posted), being in the center of the west
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet to a post and monument at the center of the east end of said claim;
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet to a post and monument at the center of the east end of said claim; thence south westerly 200 feet to a post and monument , being at the
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet to a post and monument at the center of the east end of said claim; thence south westerly 200 feet to a post and monument , being at the south east corner of said claim; thence north westerly 500
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet to a post and monument at the center of the east end of said claim; thence south westerly 200 feet to a post and monument , being at the south east corner of said claim; thence north westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument at the south westerly 500 feet to a post and monument feet feet feet feet feet feet feet f
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet to a post and monument at the center of the east end of said claim; thence south westerly 200 feet to a post and monument , being at the south east corner of said claim; thence north westerly 500 feet to a post and monument at the south west corner of said claim; thence north easterly 200 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet to a post and monument at the center of the east end of said claim; thence south westerly 200 feet to a post and monument , being at the south east corner of said claim; thence north westerly 500 feet to a post and monument at the south west corner of said claim; thence north easterly 200 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901.
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet to a post and monument at the center of the east end of said claim; thence south westerly 200 feet to a post and monument , being at the south east corner of said claim; thence north westerly 500 feet to a post and monument at the south west corner of said claim; thence north easterly 200 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Location Notice of the Blue Lead Extension
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet to a post and monument at the center of the east end of said claim; thence south westerly 200 feet to a post and monument , being at the south east corner of said claim; thence north westerly 500 feet to a post and monument at the south west corner of said claim; thence north easterly 200 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Location Notice of the Blue Lead Extension Mining Claim, located by J. T. Tong
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet to a post and monument at the center of the east end of said claim; thence south westerly 200 feet to a post and monument , being at the south east corner of said claim; thence north westerly 500 feet to a post and monument at the south west corner of said claim; thence north easterly 200 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Location Notice of the Blue Lead Extension Mining Claim, located by J. T. Tong on the lat. day of January 1914 #1992 and recorded in Book 52 of Records of Mines, at page 504, in the office of the County Recorder of the aforesaid County of to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet to a post and monument at the center of the east end of said claim; thence south westerly 200 feet to a post and monument , being at the south east corner of said claim; thence north westerly 500 feet to a post and monument at the south west corner of said claim; thence north easterly 200 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Location Notice of the Blue Lead Extension Mining Claim, located by J. T. Tong on the lat. day of January 1914 #1992 and recorded in Book 52 of Records of Mines, at page 504, in the office of the County Recorder of the aforesaid County of to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet to a post and monument at the center of the east end of said claim; thence south westerly 200 feet to a post and monument , being at the south east corner of said claim; thence north westerly 500 feet to a post and monument at the south west corner of said claim; thence north easterly 200 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Location Notice of the Blue Lead Extension Mining Claim, located by J. T. Tong on the lat. day of January 1914 #1992 and recorded in Book 52 of Records of Mines, at page 504, in the office of the County Recorder of the aforesaid County of to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.
the discovery shaft (at which this notice is posted), being in the center of the west end line of said claim; thence north easterly 110 feet to a post and monument , being the north west corner of said claim; thence south easterly 500 feet to a post and monument , being at the north east corner of said claim; thence south westerly 110 feet to a post and monument at the center of the east end of said claim; thence south westerly 200 feet to a post and monument , being at the south east corner of said claim; thence north westerly 500 feet to a post and monument at the south west corner of said claim; thence north easterly 200 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act to Revise and Codify the Laws of the Territory of Arizona," approved March 16, 1901. This is an Amended Location Notice of the Blue Lead Extension Mining Claim, located by J. T. Tong on the lst. day of January 1914 1900, and recorded in Book 52 of Records of Mines, at page 504, in the office of the County Recorder of the aforesaid County of to which reference is hereby made, and this Amended Location Notice is made and posted to correct errors in the description in the said original Location Notice.

OF 1.27.13

TEI	ORY OF ARIZONA,	1			
County of	COCHISE	ss.	MICIPA F		
- NE	Que 6	Murphy	<u>/</u> , c	County Recorder in and	for the County and
faitory afe	oresaid, do hereby cer	rtify that the within in	nstrument was filed for	r record at	o'clock, M.
on this		day ofday	190.	, and duly recorded in	Book No
of	MINING	Records of	COCHISE	County, Arizona, at	pages 73
	WITNESS	1 35	seal the day and year	1 2	
			Mils	S DIN	County Recorder.
		<u> </u>			0

Filed and Recorded at request of County Recorder.

SEP 241915 A. D. 190


Book 24 Acount Of Minds

Pages 23

County Recorder.

By Deputy Recorder.

The H. H. Monkell Co., Printers, Phoenix



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim,

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

. Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

	Phoenix, Arizona,		
			March 27 , 19 1
I, U. S. Surveyor-Gene	ral for Distr	ict of Arizona	
do hereby certify that the f	oregoing transcript	of the Field Notes, retu	rn and approval of the survey
of the mining claim of	MARKENSTESS - CENTERS DE SUI SUI SUI		
A F	RIZONA & MICH	IGAN DEVELOPMEN	T CO.
SOUTHERN	CROSS, NORT	H STAR, BLUE LE	ERALDA, LITTLE BUSH CAD EXTENSION.
			ARIZONA,
in Sections 23 & 26	Township No	15 S. , Range No.	22 E., and
designated as Survey No	3242	, has been correctly cop	ied from the originals on file in
			of said mining claim as will, in
			such reference is made therein
to natural objects or permai			
or for each or ments made upon said minimode consist of 42 shafts ment No.2 on the Copper Chief lode development of the eighth interest in \$1,674, respective survey.	fing claim ^S by claiman and ll drift Little Bush l , being commonis group of each of sain all the commonis and late and	t or its grantors ts, total value lode, and improvements eight claims, and improvements ted to each of	, value \$2,120 and the claims in this
and that no portion of said appon any other claim. I further certify that the	labor or improvement	in the U.S. Land Office	
			Trott,
19421b3m8-05	United States	Surveyor-General for	Arizona.

SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

Department of the Interior.

Office of U. S. Surveyor-General,

	Pho enix,	Ari zona,
	192555-944449	March 27 , 1916.
I, U. S. Surveyor-General for-	District of Arizona	
do hereby certify that the foregoin	g and hereto attached Field Notes ar	nd Return of the Survey of the
Mining Claim of		
ARIZO	NA & MICHIGAN DEVELOPME	NT CO.
BLUE LEAD, COPPER CHI	EF, DWARF, ESMERALDA, L SIAR, BLUE LEAD EXTENS	ITTLE BUSH,
situate in	COCHISE	mining district,
COCHI SE	County,	ARIZONA.
in Section s 23 and 26., T	ownship No. 15 S., ,	Range No. 22 E.
, designated as	Survey No. 3242	
executed by	Ralph L. Motz,	, U. S. Deputy Mineral
Surveyor, November 1	5-22, , ₁₉ 15	., under my instructions dated
September 28,	, 1915, have been critically ex	amined and the necessary cor-
rections and explanations made, an	d the said Field Notes and Return,	and the Survey they describe,
are hereby approved. A true copy	y of the copy of the location certification	ate filed by the applicant for
survey is included in the field notes	S.	
	. Thank	Doot
	U. S. Surveyor-General	for Arizona.

4115b5m6-02