JUL 22 1916

Datted

UCT. 30. 1916

4-683.

### Mineral Survey No. 3316

Lot No.	
Arizona	Land District.

### FIELD NOTES

The Detroit Copper Mining Company of Arizona

KNOWN AS THE

MASCOT GHALKOS EXTENSION MINE, PELLICAN EXTENSION MINE, KEYSTONE and NINETY SEVEN Lodes

Copper Mountain Mining District,

Greenlee County, Arizona

Section 21 Jns. Township 4 South Range 29 E.g. S.R. B.M.

Surveyed under instructions dated June 24 , 1916,

by E.T. Morton

U.S. Deputy Mineral Surveyor

Claim located see location notices 1

Survey commenced July 3 1916.

Survey completed July 10 , 1916.

Address cof Attorneys:

Messrs.Ellinwood & Ross,

Box 1207, Globe, Arizona.

	S TO	
Feet.	SURVEY NO. 3316, and	
	1500 To Cor. No. 1, the plasboit tops Maing.	
	Beginning atecor. aNo. defendant solled	
	Identical with Cors. Nos. 2, 3 and 4 Sur. No. 2609, Sur.	
. 0	No. 3140 Tombstone, Pittsburg and Chalkos Extension lodes	
	of this survey respectively 1 . on and 4-8 and no	
	A redwood post, in place, 4 x 6 ins., 3 ft. high, with a	
in the	mound of stone, scribed C.H.M 4-M 1-3316, whence	
whence	U. S. L. M. No.: 1654 bears N.2006 E. 6344. 1 ft.	
	. Ji d. dasd . WThencers. 47945 Red . ou . M . J . S . U	
300	Northeast end center of the location and lode. OH	
600	To Cor. No. 2H'd4 74.8 sonenT	
	Identical with Cor. No. 3 Chalkos Extension Mine lode of	
	this surveyS. off .not of odd	
, el	On line 4-1 Pelican Extension Mine Lode of this survey,	
M'or	at.N.41°10'Et 186 ftv:from CorneNote4.S-1 enil no	
	A redwood post, 4 x 6 ins., 5 ft. long, set 24 ins. in	
edf mi	the ground, with a mound of stone, scribed CoE M 3-M 2-3316	•
	pround, with a mound of stonepidelieve sgnireed on	
	Thence S.41°12!Welieve sanizeed of	
166	Intersect gulch course Southeast	
186	Keystone Cor. No. 1 Pelican Extension Mine lode of this survey.	
1500	To Cor. UNG. Extension Wine Lode of this. Su. ony. To OT	
	On line 4-1 Keystone lode of this survey at N. 41012'E	
ey here	186 ft. from Cor. No. 84.S . ou . ren dilw lesithebi	
	A redwood post, 4x6 ins., 5 ft. long, set 24 ins. in the	
* KDAAT	ground, with a mound of stone, scribed M 3-3316, whence	
<u>e</u>	Cor. No. 1 Sur. No. 760 Micawber lode bears S.37 38'E.	
	300 Southwest end center of the Location and loft. 008	
	Thence N.47°45'W4 .0% .100 of 000	
300 T	Southwest end center of the location and lode.	
600.	stone lode, Sur.No. 5140 Pittsburg . Adrona. Tope	
did bies	On line 2-3 Sur. No. 2609 Tombstone lode at N. 41º12'E.	
W.	1.6 ft. from Gor. No. 3. Nº 13' N. 1 steed abol grud	
	A redwood post, 4x6' ins., 5 ft. long, set 24 ins. in the	
.Je	ground, with a mound of stone, scribed M 4-3316.	
Consult,	No bearings available roud, courseldaliava sparato 0.468	

	Feet.	Thence N. 41° 12' E. U.
	1500	To Cor. No. 1, the place of beginning.
		Chalkos Extension Mine.lode: a nimalast
	.TUE .	Beginning at CorteNo 1 self . stop Hit w Isolinebi
	setol, no	Identical with Core No. 3 Sur. No. 613 Chalkos lode.
		On line 3-4 Sur No. 1030A Hudson lode at N. 41 10 E.
	a niin	363,62 ft; from Core No. 4 poul on , seed books A
		A redwood post, 4x6 ins. 5 5 ft. long, set 24 ins. in the
	Total Control	ground with a mound of stone, scribed C E.M 1=3316, whence
	Marie 1	U. S. L. M. No. 1654 bears N.8015 W. 5265.5 ft.
		No ether bearingseavailable: retres bus tesentron 008
		Thence S. 47°45'ES .OM . TOD OT 000
	300ebo.	Northeast end centers of the location and lode sebl
	600	To Cor. No. 2
	revey,	Identical with Cor. No. 5 Sur. No. 613 Chalkos lode.
		On line 1-2. Pelican lode Survey No. 1031A st. N. 41°10'E.
	ni .	1884fttefrom Cor. JNo. 1.sal & x A . Jeog boowber A
,	1 2-3316.	Acredwood post, 4x6 ins., 5 ft. long, set 24 ins. in the
	20,500	ground, with a mound of stone a scribed C RiM 2 - 3316.
		No bearings available( IA. 8 someoff
	No. The Control of th	Thence S. 41°10'W. o Molug toestoin   881
	188407	Cors. Nos. 1 and 1 Sur. No. 1031A Pelican. lode and 881
		Pelican Extension Mine lode of this survey. 100 of OOCI
	1500H'S.	Tol Cortanogvaus sint to shot snotsyan I-A snil no
		Identical with Cor. No. 2. Mascot. lode of this survey here-
	and the	toforeSdescribed it d sai dx4 . Jeog boowber A
	12000	On line 4-1 Pelican Extension Mine lode of this survey.
	.H'8	Cor. No. 1 Sur. N.W'64074; Nesoned Dours S.370
	300	Southwest end center of the location and lode.
	600	To Cor. No. 4W'CA 074 . W sonon?
	100	Identical with cors. Nos. 2, 3 and 1 Sur. No. 2609 Tomb-
		stone lode, Sur.No. 3140 Pittsburg lode, and Mascot lode
	.E'S.	of this survey heretofore described. Cor. No. 2 said Pitts
		burg lode bears N.41°13'E.8654.5 ft. mori .ft a.1
		A redwood post, 4.E'01614. N sonshing, set 24 ins.
	22	Intersect wagon road, course Northwest to Southeast.
	634.5	Intersect wagon road, course North to South.

Feet. 653.73	Intersect line 2-3 Sur. No. 2857 Tron King lode at S.	78021 W.
1000	165.44 ft.from Cor.No.2 and 0.94 ft.from Cor. No. 2	40,250
	No. 3140. Pittsburg lode, which is online 2-3 said Iron King lode.	
654.54	Intersect line 1-2 Sur. No. 3140 Pittsburg lode at	
10.0	N. 44°23 W. O. 57 ft., from Cor. No. 2. Hiw , hours	
	Cor. No. 3 Ninety Seven lode of this survey, also in	iter.
	sect line 1-2 Sur. No. 2857 Iron King lode at N.1103	
	125.5 ft. from Cor. No. 02. es ruo o . dolug ises reini	os
1136.38	Cors. Nos. 4 and 2 Sur. No. 1030A Hudson lode and Ni	
	Seven lode of this survey respectively to sebul	
1500	To Cor. No. 1. the place of beginning Too of	1498
	Pelican Extension Mine lode	
	Beginning at Cor. No. 1	
	Identical with Cor. No. 11 Sur! No. 1031A Pelican lod	le.
in the	On line 2-3 Chalkos Extension Mine, lode of this aure	ey,
ence	stos.41010'W.dl88eft.afromicor.uNo.e2diw ,bauoug	
	A redwood post, 4x6 ins. s5 ft. long, set 24 ins, in	the
	ground, with a mound of stone; scribed P E M 1-3316,	whence
vey.	U. Sinh. M. Mor 1654 bears N. 108351W. 95855.5 ft. 0 01	
	Thence S. 48° 504E o no Lug toes retni	235
300	Northeasthend center to fathe clocation band lode to M	300
600	To Cor. No. 2	008
rvey.	Identical with Cors. Nos. 4xands4 Sur. No. 91031A Pel	ican
in the	lode and Survey No. #3304, Llavedlode teog boowber A	
( i	A redwood post, in place, 4x6 ins., 3 ft. high, with	8
	mound of stone, scribed P E.M. 2-3316. sanitabed of	
	No bearings available 1014.2 some T	499
	Intersect gulch cowrod 1010 Intersect gulch cowrod 1	40
1337	Intersect gulch course Southwest	1500
1498 n.t	A redwood post, 4x6 ins., 5 ft. long 8 com Crobner	
Ser.	A redwood post, 4x6 ins.; 5 ft. long, set 24 ins. in	the
	ground, with a mound of stone, scribed 2 3-3316.	315.
ari	No bearings available 084. M sonedT	
N.	Thence N. 48° 50 two do Lug Jose void I	252
0.10	Cor. No. Bakeystone Tode of this survey. Jaswilluos	300
3.45008	Southwest end center of the location and lode. In 18	315.
	128.16 ft. from Cor. Wo. 1.	201

1700	Feet.	Intersect gulch, course. Southeast. enil Josepeini	Feet.
	A 10 10 10 10 10 10 10 10 10 10 10 10 10	Tom Corol Nocr4. 12 40.0 ins S. off. roo mort. 12 44. dal	
	9.11	On line 1-2 Keystone lode, of this survey. O. 18 . O. H.	
	- 1 3	A redwood post, 4x6lins., 5 ft. long, set 24 ins.	in the
		ground, with a mound of stone, scribed P E M 4-231	6.
	inter-	Not bearings available bol neves then to . on . Too	
		1.W je abol gniThence NG41010 E. Tug 2-1 anil joas	
	20	Intersect gulch, course. Southeast mort .fr d.dal	
	186niv	Cors. Nos. 2 and 3 Mascot and Chalkos Extension Mi	1136.en
		lodes of this survey respectively to shot never	
	1498	To Cor. No1, the place of beginning W . Too of	1500
		ebol eKeystonenlode.nsoileq	
		Beginning at Cor. No. 11 .ON .TOD is animales	
	.aho.	Oneline 2.3 Mascot lode of this survey. Isolinehi	
	rvey,	A redwood post, 4x6 inst, 5 ft. long, set 24 inst	in the
	W	ground, with a mound of stone, scribed K 1-3316, wh	ence
	in the	Usas. AL. JMT Nocol654 bears NiO944 WJ=6883.5 oft. A	
	6, whence	ground, with a movatocostancenstance P E M 1-331	
	0.10	Cor. No. 4 Pelican Extension Mins lade of this sur	vey.
	235	Intersect gulch course Southeast (T	2015
	300	Northeastbend center of the clocation band lode, 10 M	300
	600	To Cor. No. 2	000
	elican	On line. 3-4. Pelican Extension. Mine lode of this su	rvey.
	-	A redwood post; 4x6 ins. 1, 15 ft. long; 1set 24 ins.	in the
	គ ជវ	iground, with a moundoof stone, scribed K 4-3316. A	£ 1
		mound of stone, scribed P R. sldaliave agnired on	
	NO.	Thence S. 41°12!Welleve squireed of	
	64	Intersect gulch course Southeast.	
	1500	Intersect gulch course Southwest C . oN . TO OT	1337
	1	A redwood post, 4x6 ins., 5 ft. long, set 24 ins.	in the
	in the	ground, with a mound of stone, ascribed Kh3-3316. A	Con
	62018.	ground, with a mound of storefdslisvedsgninged onl	dis.
	300	Thence N. 48° 50'Welleve springed on	
	252	Intersect gulch course Southeast.	
	300	Southwest end center of the location and lode. Too	Name of the last
	315.86	Intersect line 1-2 Sur No - 760 Micawber lode at 8	.45948
	^	128.16 ft. from Cor. No. 1.	VIII

Feet.	Thence W.13014.W.	Feet.	
600	To Cor. No. 4.	0.0. 1.791	
mori	A redwood post, 4x6 ins., 5 ft. long, set 24 ins.		
1110111	ground, with a mound of stone scribed K 4-3316, which is the stone of		
	Cor. No. 1 Micawber lode Sur. No. 760 bears S.72017'E.		
a nit	To Cor. No. 4: A redwood post, in place, 4x5 ins., 5 ft. high, wi	07.1	
13 356	Thence N.41°12'E.	-	
42	Intersect gulch, course Southeast.		
150.31	Intersect line 4-1 sur. No. 760 Micawber lode at 1	1.44°27'W.	
	295.26 ft. from Cor. No. 1	8	
186	Cor. No. 3 Mascot lode of this survey.	25	
1500	To Cor. No. 1, the place of beginning.		
	Ninety Seven dode. Ile de noideirav		
	Beginning at Cor. No. 1.		
	On line 1-3 Lot No. 50 Thomson lode at N.1105'W.		
-dol	258.15 ft. from Cor. No.113. 119h ad nes es rese aA		
ni in	On line 1-4 Sur. No. 1030A Hudson lode at N. 32034	w.	
	606.4 ft. from Cor. No. 4. or sa bnetxe misso sidt		
	A pine post, in place, 4x6 ins., 3 ft.high, with a		
.W'S.	mound of stone, scribed N S 1-3316, whence		
, i	U. S. I. M. No. 1654 bears N. 2 10 W. 4977 ft.		
	Thence S.32°34'E. O. O. A J. 8841		
606.4	Tolican E tension Mine lode, 12 ft S Of LTOR OT		
	Identical with Cor. No. 4 Sur. No. 1030A Hudson lo	de.	
-W.St.	On line 4-1 Chalkos Extension Mine lode of this su	ırvey,	
	at 8.41°10'W. 363.62 ft. from Cor. No. 12 vient		
	A redwood post, in place, 4x6 ins., 3 ft. high, wi	th a	
Acres.	mound of stone scribed N S 2-3316.		
B00,08	No bearings available shot Josem same istor		
20.667	Total area Chalko-W.Ol. 10, W. chland were lator		
20	South end center of the location and lode. ESTA		
275	Sur. No. 2857 Iron Ming lode ON . TUR		
	On line 1-2 Sur. No. 2857 Iron King lode at S.1103	9'E.	
	474.5 ft. from Cor. No (led said not voss		
20,634	On line 4-1 Chalkos Extension Mine lode of this su		
20.661	A redwood post, in place, 4x6 ins., 3 ft. high, wi	tn a	
Max of	mound of stone, scribed N S 3-3316.		
	Sur. No. 760 Micawber Lode 0.925		

Feet.	Thence N.13°14'W.	Feet.	
474 68	lode		
in the	68 Intersect line 4-1 and 3-4 Sur. No. 2857 Iron King lode and Lot No. 50 Thomson lode at S.78021 W. 13.1 ft. from		
	cors. Nos. 1 and 3 respectively.		
Cor. No. 1 Midawber lode Sur. No. 760 bears S.72 17 M.			
716 To Cor. No. 4.			
A redwood post, in place, 4x6 ins., 3 ft. high, with mound of stone, scribed N S 4-3316.			
10.00	Intersect mulch, course gouthesst.	42	
44°27'W.	No bearings available.	150.31	
1/1	Intersect line 4-1 Suro N. 41 O'E.  Thence N. 41 10'E.		
8	North end center of the location and lode.	185	
28	To Cor. No. 1, the place of beginning.		
1 12	Variation at all. corners 13°40'E.	0001	
the first	The state of the s		
74:14	Beginning at Cor. No. 1.		
110	On line 1-3 Lot No. : SENTLPREMOTION at N. 11 05.W.		
	As near as can be determined from the present deve		
· W	ments, the veins of the several locations embraced	lin	
	this claim extend as follows from their respective	•	
	discovery points: and axt , sould no , sou ente A		
	Mascot Tode, 750 ft. N. 41012 E. and 750 ft. S. 4101	.2 W.	
	Chalkos Extension Mine lode, 12 ft. N.41°10'E. and	L	
44	1488 ft. S.41°10'W, 18°028.8 coment		
	Pelican Extension Mine lode, 12 ft. N.41010 E. and	606.4	
, ah	Identical with Cor. No. 4 Sur. W.O. 4841 3841		
.vevu	Keyetone lode, 16 ft. N. 41012 E. and 1484 ft. S. 410	12'W.	
100	Ninety Seven lode, 67 ft. S. 32034 E. and 539.4 ft.		
a nj	A redwood post, in place, 4x6 ins., 3 fw. kc. c. n		
4.7	mound of stone scribed S.AREA.S-3316.	Acres.	
1 2 20 13	Total area Mascot lode	20.658	
	Total area Chalkos Extension Mine lode	20.657	
100	Area in conflict with and lo de nee ntwog	20	
	sur. No. 2857 Iron King lode 0.238	275	
.210	Sur. No. 3140 Pittsburg lode 0.004		
000	of its common conflict with Sur. No. 2857 Iron King lode) 0.004		
Total area Pelican Extension Mine lode 20.6			
e di	e di Tortal area Kevistone lode		
	Area in conflict with-		
	Sur. No. 760 Micawber lode 0.925		

```
.ou . rotal area Ninety Seven dode - - - - - 2.025
  SHEST AND SAFE IL. BEY-Him toilflooming Baran. 177 ft.
  00.0774 - Sur. No. 2857 Iron King lode - - - - - 0.071
             Lot No. 50 Thomson lode - - - - - 0.102
No. 1. The discov. NOITADOINg mineral in place is on the
         This survey is located in the Copper Mountain Mining
  . of . To District, Greenlee County, Arizona in Sec. 21 Uns.,
      .JI T.4 S. SR. 29 E. G. & S. R. B& M. OI . W'GIOO. E S
  00.06818 - - - EXPENDITURE OF FIVE HUNDRED DOLLARS.
         I certify that the walue of the labor and improvements
   no e made upon, or for the benefit of leach of the locations
         embraced in said-mining claim by the claimant or its
     grantors is not less than five hundred dollars, and that
  no. 1 g. 25 48 m. 30 1; to staign etnemayorqmi biss 140 ft.
  00.00412 - - - - - sufeyMascot lode.
         No. 1. The discovery showing mineral in place is on
      . Aothe lode dine #500ft from dine 421 years sidt
   medica No. 2. Box A shaft the center of which bears from Cor. No.
       val. 8.19013'W. 579 ft., Ax6 ft., 106 ft. deep. et of
  00.007.ou rug va divog ent ne interest twalvete -elof erene $1590.00
  Micawbe. shollegnimencienstrate and on the West by Surs.
  main no No. ha. wruther discovery cut, the face of which is on the
   Justice lode line 12 ft. from line 1-2, 5x7 ft., running N.26 W.
         and Lot No. 50 Thomson lode, claiment hereint 12
                        .THEMUSTENI Value - - - - -
   No. 2.1 To A shaft the center of which bears from Cor.
    No. 4 N. 62 15 E. 637 ft. 4x8 ft., 85 ft. deep. 18
    odT . snoitsvreedo sirelog morl be Waluetebes e estáres 1275.00
digitance bolrania noisnate and soo ft, steel tages,
                 The discovery shaft the center of which is on
 the lode line 12 ft. from line 1-2,5x6 ft., 8 ft. deep.
                                     Note: The above shaft has been partially filled by the
  Vingo rains. Elts original size was estimated by the size of
    set and scribed and Cor. No. 3 is a ston-quubpati set
```

and chiseled.

```
dso.s No. 2. - A tunnel the mouth of which bears from Cor. No.
             3 N. 37 41 W. 345 ft., 5x7-ft., running N. 18 20 E. 177 ft.
             170.0 --- - shot gni no values -04 -142 - $1770.00
             Sof. 0 - - - - - - Keystone lode. Od . off for
                                  The discovery showing mineral in place is on the
               No. 1.
         galdode line de ft. from line 1-2,001 st yavans sint
            . No. 2. . . A tunnel the mouth of which bears from Cor. No.
                2 S.60°15'W. 160 ft., 5x7 ft., running S.48.W. 126 ft.
                     .c.a. Land Carlenant avia to avalue atta - - - $1260.00
     sine word if the color of Ninety Seven Lode to the color of the color 
   anoth No. 1. to The discovery showing mineral, in place is on
       stithe lode line 67 ft.mfrbm line 2-3; se at becardes
  Jant b No. 2 2. 10 b At tunnel the mouth of which bears from Cor.
               No. 1 S.25 48'E.30 ft. 5x6 ft. running S.17 40'E.140 ft.
                                                 .shol Jobs 8 | Value - - - - $1400.00
   This survey is bounded on the North by Sur. No. 1030A,
. ol . 10 Sur. No. 613 and Sur. No. 1031A Hudson, Chalkos and Pelican
                lodes respectively, claimant herein; on the East by
 00.000 Sonora lode, claimant herein; on the South by Sur. No. 760
               Micawber lode, claimant unknown and on the West by Surs.
  and Nos. 2609, 3140 and 2857 Tombstone, Pittsburg and Iron King
   . Was lodes respectively, The Arizona Copper Company claimant
               and Lot No. 50 Thomson lode, claimant herein. SI
                     Value - - - -
  250.00
                                                             INSTRUMENT.
        . This survey was made with a Buff & Berger light mount-
                ain transit. The courses were deflected from the true
  00.005 meridian as determined from Polaris observations.. The
                distances were measured with 5, 50 and 500 ft. steel tapes.
  No. 1. The discorrect the center of which is on
  U. S. L. M. No. 1654 is a post 7 ins. square properly set
  00.000 and scribed: - SUISV
      and gur. No. 2609 Tembstone lode lane evode and : etoM
      To sais out we betamites saw sais cornol 2 lata postsproperly
                set and scribed and Cor. No. 3 is a stone properly set
                and chiseled.
```

Sur. No. 760 Micawber lode:

All corners are stones properly

set and chiseled.

Sur. No. 3140 Pittsburg lode:

All corners are posts properly set and scribed, except Cor. No. 2, which is a witness Cor. properly set and scribed.

Sur. No. 2857 Iron King lode:

All corners are posts pro-

perly set and scribed.

Lot No. 50 Thomson lode:

cor.No. 1 is an iron pipe set in a mound of stone with cement. Cors. Nos. 3 and 4 are posts properly set and scribed.

Sur. No. 1031A Hudson lode:

Cor. No. 1 is an iron pipe set in a mound of stone with cement. Cor. No. 3 has been obliterated and Cor. No. 4 is a post properly set and scribed.

Chalkos lode Sur. No. 613:

Cors. Nos.3 and 5 are mounds of stone in which I found the bottoms of posts.

Sur. No. 1031A Pelican lode:

Cors. Nos. 1 and 4 are mounds of stones in which I found bottoms of posts.

The survey of each lode of this location is identical with the respective locations as staked upon the ground. The differences between these field notes and the returns on previous surveys are due to errors in the latter.

The differences between these field notes and the location certificates are due to errors in the latter.

All end centers are mounds of stone.

U. S. Mineral Surveyor.

6.J. Mol C

Cors. 1 and 2 of the Keystone lode are marked by the same posts as Cors. 4 and 3, respectively, of the Pelican Extension Mine lode, but the corner points are different and are marked with a cross (x) scribed in the top of the posts.

## FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

A list of the names of the individuals emplo	yed by E.T.Morton	
United States Deputy Mineral Surveyor, to assist	st in running, measuring, and marking the line	es, corners, and
boundaries described in the foregoing field notes of	of the survey of the mining claim of	
The Detroit Copp	er Mining Company of Arizona	
known as the . Mascot, Chalkos Extens and Nin	sion Mine, Pelican Extension Min nety Seven lodes	e Keystone
and showing the respective capacities in which th	ney acted.	
	J.L.Awalt ,	Chainman.
	D.P.W.Eylar	Chainman.
		Axman.
	·,	Flagman.
FINAL OATH	IS OF ASSISTANTS.	
We, J.L. Awalt		
and D.P.W.Eylar	, do solemnly swear that we assisted	
E.T. Morton , United States -	Deputy Mineral Surveyor, in marking the corners	and surveying
the boundaries of the mining claim of The	Detroit Copper Mining Company	
known as the Masct, Chalkos Extensi		
represented in the foregoing field notes as having	g been surveyed by said <del>deputy</del> mineral surveyor	and under his
direction; and that said survey has been in all r	respects, to the best of our knowledge and belief	, faithfully and
correctly executed, and the corner and boundary	y monuments established according to law and t	the instructions
furnished by the United States Surveyor-General	for Arizona	
	D. Hoyar	Chainman.
	Dr. Moylar	Chainman.
	,	Axman.
	·	Flagman.
Subscribed and sworn	to by the above-named persons before me this	15-th
Annae A e	19 1/2	
day of	9. R. Lynch Motary Publ	
My commission expires Sept. 30-1917,	1.15 Lynch	
Sept. 30-1917,	Motary Publ	re.

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, E.T.Morton	, U. S. <del>Deputy</del> Mineral
Surveyor, do solemnly swear that, in purs	uance of instructions received from the United
States Surveyor General forArizo	na , dated
	I have, in strict conformity to the laws of the
	instructions thereunder, and the instructions
	correctly executed the survey of the Mining
	ng Company of Arizona
Mascot, Chalkos Extension Mine, Po Ninety Seve	known as the slican Extension Mine, Keystone, and an lodes
	Mining District,
	County, Arizona , in Section
	nge No. 29 E. G. & S.R. B.M.
	as represented
	ely show the boundaries of said mining claim
	e ground, and described in the attached copy
	eived by me from the Surveyor General with
	of said survey have been established and per-
	, official regulations and instructions there-
	that the foregoing are the true and original
	t therein, and that the labor expended and
	im by claimant or its grantors
	character, extent, location and itemized value
	larity and full detail, and that no portion of
	this claim has been included in the estimate
of expenditures upon any other claim.	
1 . 1	
	E.J. moston
	('.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said.	E. J. Moston
U.S. <del>Deputy</del> Mineral Surveyor, be	efore me a R. Lynch a notary
Sublic in any for Great	a County any this 15 h
day of July at 1910	efore me 9. P. Synch a notary a County aniz this 15 h
0 9	
my commission.	a. R. Lynd
expires Sept. 30-1917.	notary Public
U 0-104	

## NOTICE OF MINING LOCATION UN 24. 1916

### LODE CLAIM


## To All Mhom It May Concern:

This mining claim, the name of which is the Keystone
Mining Claim, situate on lands belonging to the United States of America, and in which there are
valuable mineral deposits, was entered upon and located for the purpose of exploration and pur-
chase by The Detroit Copper Mining Company of Arizona
the undersigned, on the 25th day of May 1916
The length of the claim is 1500 feet, and it
claim & 16 feet in a N.41°13'E. direction
and 1484 feet in a S.41°13'W. direction from the center of the discovery point
(at which this notice is posted), lengthwise of the claim, together with 300 feet in width of
the said surface grounds, on each side of the center of said claim. The general course of the lode
deposit and premises is from the Northeast to the Southwest
The claim is situated and located in Copper Mountain Mining District, in
Greenlee County, in the State of Arizona, about
- direction from -
From the N.W.Cor. of this claim U.S.L.M.No.1654 bears N.O°44'W.
6883.5 ft.
The surface boundaries of the claim are mark ed upon the ground as follows: Beginning at
a monument of stone
at a point in a N.41°13'E direction 16 feet
from the discovery. Pt. (at which this notice is posted,) being in the center of the Northeast
end line of said claim; thence S.48°10'E. 300 feet to a post
being at the Northeast corner of said claim; thence
S.41°13'W. 1500 feet to a post being at
the Southeast corner of said claim; thence N.48°10'W. 300
feet to a monument of stone being at the center of the Southwest end of said
claim; thence N.48°10'W. 300 feet to a post
being at the Southwest corner of said claim; thence N.41°13'E.1500
feet to a post , being at the Northwest corner of said claim;
thence S.48°10'E. 300 feet to the place of beginning.
Dated and posted on the ground this 25th, day of May 1916.
Dated and posted on the ground this 25th, day of May 1916.

STATE OF ARIZONA,
County of Greenlee.

County Recorder.





The above diagram is to give the locator a general idea of the plan of location under the new law. Your discovery shaft may be in the center of claim, or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, so as to identify the claim.

# Amended Location Notice Jun 24, 1916

brein africalities do develop entitly that, the rolline instrument was files for resemble in

The Detroit Copper Mining Company of Arizona
corporation, the assignee ofGordon McLean
tho on the 24th, day of June 1897, 19-, located the Ninety Seven
mining claim situated in the <u>Copper Mountain</u> Mining District <u>Green</u> ormerly Graham) ounty, Arisona, the location notice of which claim is of record in the office of the Recorder of sa Transcribed ounty in Book 3 Record of Mines, page 530 has on this 2nd day
May, 191_6_, made an amended location of said claim, by virtue of whi
nd of said original location, it claims as a mining claim the following described lead, lode or vein
ineral bearing earth, rock or quartz and premises situated in the Copper Mountain
fining District, in the County ofGreenleeArizona, to-wit:
he name of said claim is theNinety SevenMining Claim. The name
he locatoris The Detroit Copper Mining Company of Arizona
The length of the claim along said vein or lode is 607.4 feet; the width of said claim is 255
set on each side of the middle of said lead, lode or vein. The general course of said lode and clais South east to Northwest
he_Southend center monument of said claim is67feet. The distance from sa
coint of Discovery to the_North_end center monument is 540.4_feet.
This Location Notice is posted in the monument of stones erected at said Point of Discovery upon
aid claim, which monument is hereinafter referred to as the Location Monument.
Said claim is bounded and described as follows, to-wit: Beginning at the monument of ston
laced at the center of thesouthend of the claim, which monument is67fe
S.32°34 'E from said Location Monument; thence S.41°13'W 255
eet to a post, being theS.Wcorner of the claim, thence N.13°14'W.
16.9 feet to a post being the N.W. corner of the claim; then
.41°13'E. 7.8 feet, to a monument of stones, being the center of the North end of the
laim; thence againN.41°13'E. 20 feet to apost, bein
he N.E. corner of the claim; thence S.32°34 E. 607.4
eet to a_post, being theS.Ecorner of the claim; thence_S.41°13'W.
To more fully identify the claim its general location is described as followss:
From the N.E.Corner of this claim U.S.L.M.No.1654 bears
I.2°10'W.4977 feet.
mended and posted on the ground The Detroit Copper Mining Company of
ris 2nd, day of By MNYMKecus Ager

16 STATE OF ARIZ	ONA,		0 8 1		
County of	· · · · · · · · · · · · · · · · · · ·	uthth	U UN	menny.	
I,State aforesaid, do he	ush a contifu that the				
o'clock,M., on					
recorded in Book No		BE THE WAY	The day of the		CENTE AT IN
County, Arizona, at p	ages		gardal I		
WITNES	SS my hand and offic	cial seal the	day and year		
			fee on to		County Recorder
	culture of Adeleration	4.00	Venture	Maria di Maria	A I CELSON AS THE
on sales sanda	ANN AND AND AND AND AND AND AND AND AND	and La		Linux Julian	Tinguisti -
Harding to the Contract	State of the state	916	2 2%	Cr. W.	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	LODI		sst of	03	Recorde
A line of the contract of		Solution	request M:	2 3	V X
元 局 当	The Market of Street of		9 est	9 3	County
6552 ded Ar	TX SEEV	CQ	iturit (	6 2 1	13/
2 2 2	I C	M	g re	8 1	03
3	NIN	MAY	E La	W 40 A	6
2	DEC	Dated -	Fired 7	100	By
The second of the	AND AND A STANK	Da	i strot su pilo	Bo	By
to what todo and k along	a sures. Bridge of	ort weeks 'Z	with artificial today	in a uniquier of	last out outside still
or ground the title					
Africa and codesails of					
facts. Sint of Discounting					propositi to take
					in this best all a
in the feet had a con-					
THE NEW YORK					
	NUMBER STREET	month storm	dent More	1 b) (d) -	
	well all the sale and the w	00°40 0=+		only - 1	yet to a 22 m
and the latest to be					
att o his a firm					
white					
ioni a di alia sa sen					A COLUMN
APPLICATION OF THE PARTY OF THE	124 Januari mil. Vo. evo				The second second
	des Alled on Palloque				
	MadE Walled				
					november description
				investi sin sin	thought to topopolity

this will be a second of

### NOTICE OF MINING LOCATION.

QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the "MASCOT" Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral desposits, was entered upon and located for the purpose of emploration and purchase by M. W. McLean, & John Byrnes, the undersigned on the 5th day of Nov, 1900.

The hength of this claim is fifteen hundred feet and we claim seven hundred and fifty feet in a North Easterly direction and seven hundred and fifty feet in a South Westerly direction, from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the N. E. to the S. W.

The claim is situated and located in the Copper Mountain Mining District, in Graham County in the Territory of Arizona, about \( \frac{1}{4} \) of a mile in a South westerly direction from the Morenci water Co.s tank and adjoining the Micawber patented claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a N. E. direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the N. E. end line of said claim; thence N. Westerly 300 feet to a monument of stone, being the N. W. corner of said claim; thence S. W. 750 feet to a monument of stones at the center of the N. W. side line of said claim; thence S. W. 750 feet to a monument of stone, being at the S. W. corner of said claim; thence S. E. 300 feet to a monument of stone, at the center of the S. W. end of said claim; thence S. E. 300 feet to a monument of stone being the S. E. corner of said claim; thence N. E. 750 feet to a monument of stone, being at the center of the S. E. side line of said claim; thence N. E. 750 feet to a monument of said claim; thence N. E. 750 feet to a monument of said claim;

thence 300 feet to the place of beginning.

The N. E. cor. being also the S. E. cor. of Chalks Extension claim.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "Am Act Concerning Mines", approved March 20th, 1895.

Dated and posted on the ground this 5th day of Nov, 1900.

Orin Smith

M. Wl McLean

John Byrnes

Recorded at request of John Byrnes, Dec. 18th 1900 at 9 o'clock A. M.

Pedro Michelena, Recorder.

#### NOTICE OF LOCATION.

The undersigned, under the provisions of the Several Acts of Congress, relating to the development of the mineral resources of the United States, hereby locate and claim 1500 feet in length, on this lode, vein or deposit of mineral bearing quartz, or other rock in place, with 300 feet in width on each side of the middle of said lode, vein or deposit for mining purposes.

This claim is situated in Copper Mountain Mining District, in the County of Graham and Territory of Arizona and shall be known as the CHALKOS EXTENSION MINE, the location and boundaries of which are more particularly described as follows to wit:

Beginning at a monument of stones, erected at the center of the North East end of claim, and running 300 feet in a S. 47° 45' E direction to a monument of stones; thence 750 feet and 1500 feet in a S. 41° 10' W. to monuments of stones; thence 300 feet in a N. 47° 45' W. direction to a monument of stones, being the center of the South West end of claim; thence 300 feet in a N. 47° 45' W. direction to a monument of stones; thence 750 and 1500 feet in a N. 41° 10' E. direction to monuments of stones; thence 300 feet in a S. 47° 45' E. direction to the place of beginning. 12 ft of this claim lies N. 41° 10' E. and 1488 ft S. 41° 10' W. of the discovery shaft on the claim. The North East end line is the same as the South west end line of the Chalkos lode Lot No. 74 Patented.

This notice is made in duplicate, One copy being posted at the discovery shaft.

Dated on the ground this 24th day of June, A. D. 1897.

Witness Geo M Robison Gordon McLean, Locators

Recorded at 1 0'C P. M. Aug 12th 1897 at request of Detroit Copper Mining Co of Ariz.

P. Michedena, Recorder.

#### NOTICE OF LOCATION.

The undersigned, under the provisions of the several Acts of Congress, relating to the developments of the mineral resources of the United States, hereby locate and claim 1500 feet in length on this lode, vein or deposit of mineral bearing quartz, or other rock in place, with 300 feet in width on each side of the middle of said lode, vein or deposit for mining purposes.

This claim is situated in Copper Mountain Mining District, in the County of Graham and Territory of Arizona and shall be known as the PELICAN EXTENSION MINE, the location and boundaries of which are more particularly described as follows, to wit:

Beginning at a monument of stones, erected at the center of the North East end of claim and running 300 feet in a S. 48° 50' E. direction to a monument of stones; thence 750 feet and 1500 feet in a S. 41° 10' W. direction to monuments of stones; thence 300 feet in a N. 48° 50' W. direction to a monuments of stones, being the center of the South west end of claim; thence 300 feet in a N. 48° 50' W. direction to a monument of stones; thence 750 ft and 1500 feet in a N. 41° 10' W to monuments of stones; thence 300 feet in a S. 48° 50' E. direction to the place of beginning.

12 feet of this claim lies N. 41° 10' E. abd 1488 ft S. 41° 10' W of the discovery shaft. The North East end line is the same as the South West end line of the Pelican Lode U. S. Syrvey No. 1031 A Patented.

This Notice is made in duplicate One copy posted at the discovery shaft.

Dated on the ground this 24th day of June A. D. 1897.

Witness Geo M. Robison Gordon McLean
Locators

Recorded at 1 0'C Pp M. Aug 12" 1897 at request of Detroit Copper Mn'g Co of Ariz.

P. Michelena, Recorder.

## U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona,			
January 19, 19 17			
I, U. S. Surveyor-General for District of Arizona			
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey			
of the mining claim of			
THE DETROIT COPPER MINING COMPANY OF ARIZONA.			
known as the MASCOT, CHALKOS EXTENSION MINE, PELICAN EXTENSION MINE, KEYSTONE AND NINETY SEVEN LODES.  Situate in COPPER MOUNTAIN			
Mining District, GREENLEE County, ARIZONA.			
in Section 21 unsur., Township No. 4 S., Range No. 29 E., and			
designated as Survey No. 3316 , has been correctly copied from the originals on file in			
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if			
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein			
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.			
And I further certify that five hundred dollars' worth of labor has been expended or improve- each of ments made upon said mining claim by claimant oritsgrantors, and that said improvements			
consist of 3 shafts, 3 tunnels and 1 cut, total value \$7395.			
and that no portion of said labor or improvements has been included in the estimate of expenditures			
upon any other claim.			
I further certify that the plat thereof, filed in the U.S. Land Office atPhoenix,			
Ari zona, is correct and in conformity with the foregoing Field Notes.			
Frank P. Trott,			
United States Summeron Consumbles Arizona.			

# SURVEYOR-GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Phoenix, Arizona.				
	***************************************	January 19	, 19 <mark>17.</mark> .	
I, U. S. Surveyor-General for District of Arizona				
do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the				
Mining Claim of				
THE DETROIT COPPER MINING COMPANY OF ARIZONA				
		· 	known as the	
MASCOT, CHALKOS EXTENSION MINE, PELICAN EXTENSION MINE, KEYSTONE AND NINETY SEVEN LODES.				
situate in				
GREENLEE	County,		ARIZONA.	
in Section 21 unsur., Township No. 4 S., Range No. 29 E.				
, designated as Survey No. 3316				
executed byE.T.	Morton	, U. S. <del>Do</del>	eputy Mineral	
Surveyor, July 3-10, , 19:16, under my instructions dated				
June 24, , 1916, have been critically examined and the necessary cor-				
rections and explanations made, and the said Field Notes and Return, and the Survey they describe,				
are hereby approved. A true copy of the copy of the location certificate filed by the applicant for				
survey is included in the field notes.				
	Fran	KD. F	oH/	

U. S. Surveyor-General for Arizona.