Form 3400-11 (September 1967) (formerly 4-683)

### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

### FIELD NOTES

Mineral Survey number
4740 A&B
State
Arizona
Land District
Arizona

Of the Survey of the Mining Claim of (name and address of Claimant)

Jaquays Mining Corporation, c/o D. W. Jaquays 1219 S. 19th Ave.

Phoenix, Arizona

85009

Known as the (name of group, if any)

Chrysotile Group

#### CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE		
NAME OF LOCATION	LOCATED	AMENDED	
J-1	12/23/63		
J-44	12/23/63		
J-46	12/23/63		
J-51	12/23/63		
J-52	12/27/63		
J-53	12/23/63		
J-56	12/27/63		
J-57	12/27/63		
J-58	12/27/63		
Chrysotile	2/8/63		
VICTORY	2/8/63		
ELDORADO	2/8/63		

	Mining district				County		
		McMi	11an			Gila	
Uns.	Section 1,2	Townshi	p	Range	Meridian		Survey under order dated
	4,33, &34	4 N. 4	N.	17 E. 17 E.	Gila &	Salt River	May 18, 1973
	Survey commence	ed	Survey	y completed	Name of	Mineral Surveyo	r
	July 2, 19	973	Octo	ber 31, 1973	T	ravis L. Gan	t

Detector on ending.

- Along the depot of the entire of the control of the contro

Manager Cural F

ingular to a subject to the subject

PARTIES AND THE PROPERTY OF TH

PORT OF THE PROPERTY OF THE PR

This survey was made with a Kern theodolite, Model DKM-2AE Ser. No. 145997, having automatic vertical indexing and microscopic angle reading capabilities enabling the instrument man to read angles, either horizontal or vertical, to 1 sec. of arc. This instrument was used in conjunction with electronic distance-measuring equipment, i.e., a Hewlett-Packard Model 3800 Distance Meter, Ser. No. 0987 A 00472, having a range of 10,000 feet and an absolute accuracy of 0.01 feet plus the distance measured divided by 100,000 when operated in normal temperature ranges. Also available for use by the instrument man was a W. & L. E. Gurley transit, Ser. No. 57289, equipped with horizontal limb  $6\frac{1}{2}$  ins. diam., having two double opposite verniers, and a full vertical circle 5 ins. diam., having one double vernier; the horizontal verniers read to 3 secs. of arc; the vertical vernier reads to one minute of arc. This instrument was used for short-distance taping and alignment procedures and for topographic detail where great distances were not involved.

All bearings in this record were determined by the method of deflection angles referred to the meridian determined by the following solar observation:

July 24, 1973, at Cor. No. 1 of the J-46 lode in latitude 33° 43' 31" N., and longitude 110° 34' 12" W., as determined by scaling from U.S.G.S. quadrangle CHRYSOTILE, dated 1966, I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the theodolite telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angles from a reference point approximately 1200 feet northwesterly clockwise to the sun.

Mean time of observation, 105th meridian, standard time = 8:54 a.m.

Declination of sun at mean time of observation = 19° 48' 29" N.

Mean observed vertical angle to sun's center, corrected for refraction and parallax = 40° 43' 09"

Mean horizontal angle from
reference point to sun's center,
turned clockwise and to the
right to sun's center = 116° 35' 35"

True bearing to reference point = N. 24° 28' 22" W

The lines were measured with either a Lufkin steel tape or with the aforementioned electronic distance meter. The tape was 500 feet in length, graduated every foot for 500 feet, with an added foot on the zero end, graduated in tenths and hundredths; the tape was compared with a standard 100.00 foot tape at the time of the beginning of the survey and found to be correct. The distance meter was compared with a taped course, 1200.00 feet in length, measured as a base-line with a standard 100.00 foot tape, and found to be precise and accurate.

All ines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of  $14^{\circ}$  E.

Note concerning monumentation: Every corner of this survey was monumented with iron posts and brass caps. Each iron post consists of a 3/4-inch nominal inside diam. galvanized water pipe having a l ins. diam. exterior diam.; each pipe was placed in the ground in a foundation consisting of not less than ½ cu. ft. of high early-strength portland cement concrete, mixed at the site; lower end of pipe was deformed to preclude removal from concrete base. A brass cap, having a disc surface 2 ins. diam. and a stem  $2\frac{1}{2}$  ins. in length, was securely cemented into the top of each pipe. and was mkd. as described, using 1/8-in. steel dies for lettering and numbering. Alongside every corner monument so set I caused to have erected a rock monument having a base 2½ ft. minimum diam. and a height not less than two feet.

#### SURVEY NO. 4740 A

#### J-1 Lode

At Cor. No. 1 of the J-1 lode, identical with Cor. No. 4 of the J-46 lode of this survey.

Set an iron post, 2 ft. long, 1 ins. diam., 15 ins. into the ground, with brass cap mkd. J-1-1-4740A and J-46-4-4740A; from which

The U.S. General Land Office monument marking the 17-mile post on the west boundary of the White Mountain Indian Reservation, (now the San Carlos Indian Reservation) bears N. 81° 27' 56" E., 14392.70 ft. dist.

FEET	
	a 4-ins. diam. brass capped iron post mkd. as described in the Official Record, having these marks: 17M - PL - AP - WMIR.
	U.S. L. M. No. 3521 bears N. 56° 16' 03" E., 4792.06 ft. dist.; an iron post 2 ins. diam., 18 ins. above ground, with iron cap mkd. as described in the official record of Sur. No. 3521.
	Thence S. 67° 38' W.
1,275	Center of local drainage, 6 ft. wide, course S. 40° E.
1,499.50	Cor. No. 2.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. J-1-2-4740A; from which
	A limestone rock in place, $2 \times 3$ ft., $1\frac{1}{2}$ ft. above ground, bears N. 86° 00' W. 45.36 ft. dist., mkd. + B R - J-1-2-4740A on south face.
	Thence N. 24° 28' 22" W.
300	Lode line; discovery point bears N. 67° 38' E., 1329.50 ft. dist.
600.00	Cor. No. 3, identical with Cor. No. 4 of the J-53 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. J-1-3-4740A and J-53-4-4740A.
- PA	Thence N. 67° 42' 35" E.
154	Center of local drainage, 5 ft. wide, course S. 25° E.
980	Road, bears N. 55° W. and S. 45° E.
1,315	Center of lcoal drainage, 5 ft. wide, course S. 40° E.
1,499.57	Cor. No. 4, identical with Cor. No. 1 of the J-53 lode, and Cors. Nos. 3 of the J-51 and J-46 lodes of this survey.
	Set a brass tablet, having a stem 2½ ins. long, grouted into solid ledge-rock, with disc 2 ins. diam. mkd. J-1-4, J-53-1, J-51-3, and J-46-3-4740A.
	Thence S. 24° 28' 22" E.

		50KVET NO. 4740 A 4.
	FEET	
	125	Road into Donato Mine entrances, bears West and N. 70° E.
	298	Lode line; discovery point bears S. 67° 38' W., 170 ft. dist.
w	443	Center of dry wash, 8 ft. wide, course East.
	473	Road, bears NW. and East.
	598.00	Cor. No. 1, and place of beginning.
		J-44 Lode
		At Cor. No. 1 of the J-44 lode, established on line 4-1 of the J-46 lode of this survey.
		Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd.  J-44-1-4740A; from which
		The 17-Mile post on the west boundary of the San Carlos Indian Reservation bears N. 82° 30' 06.2" E., 13,529.32 ft. dist., previously described .
		Thence S. 25° 16' E.
	262	Center of dry wash, 8 ft. wide, course N. 85° E.
	433	Road, bears N. 65° W. and S. 65° E.
	1,131	Center of Ash Creek, 20 ft. wide, course North.
	1,488.96	Cor. No. 2.
		Set an iron post, 18 ins. long, 1 ins. diam., grouted into a crevice in ledge rock, with brass cap mkd. J-44-2-4740A; from which
		A point on a sandstone ledge, 4 ft. high and 20 ft. long, bears S. 66° 00' E., 9.81 ft. dist., mkd. + B R-J-44-2-4740A on west face.
	4.6	Thence S. 65° 41' W.
	67	Center of Ash Creek, 20 ft. wide, course N. 20° W.
4	300	Lode line; discovery point bears N. 25° 16' W., 1468.96 ft. dist.
	599.47	Cor. No. 3.
		Set an iron post 18 ins. long, 1 ins. diam., grouted into a crevice in ledge rock, with brass cap mkd. J-44-3-4740A.

	SURVEI NO. 4740 R
FEET	
	Thence N. 25° 16' 04" W.
23	Center of local drainage, 6 ft. wide, course N. 30° E.
1,488.96	Cor. No. 4, established on line 4-1 of the J-46 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. J-44-4-4740A.
and storage	Thence N. 65° 41' E.
195	Road, bears N. 65° W. and S. 65° E.
248	Center of dry wash, 8 ft. wide, course S. 55° E.
299.50	Lode line; discovery point bears S. 25° 16' E., 20 ft. dist.
599.50	Cor. No. 1, and place of beginning.
9) (1) 4) 544	J-46 Lode
	At Cor. No. 1 of the J-46 lode.
	Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. J-46-1-4740A; from which
	The 17-Mile post on the west boundary of the San Carlos Indian Reservation bears N. 83° 16′ 10′ E., 12,956.15 ft. dist., previously described.
	Cors. Nos. 1 of the VICTORY and Chrysotile mill sites of this survey bear S. 75° 57' 11" E., 11,242.56 ft. dist.
	A point on a limestone ledge, 1 ft. high, 2 ft. wide, and 4 ft. long, bears S. 65° 00' W., 23.02 ft. dist., mkd. + B R-J-46-1-4740A.
	Thence N. 24° 28' 22" W.
295	Lode line; discovery point bears S. 65° 52' 28" W., 1349.52 ft. dist.
590.00	Cor. No. 2, identical with Cor. No. 2 of the J-51 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. J-46-2-4740A and J-51-2-4740A.
	Thence S. 65° 59' 20" W.
1,499.54	Cor. No. 3, identical with Cor. No. 4 of the

T. I. lodo. Com. No. 1 of the J. E.	
I I lode Com No 1 of the I F	
I I lode Com No 1 of the I of	
J-1 lode, Cor. No. 1 of the J-51 Cor. No. 3 of the J-51 lode of	
Thence S. 24° 28' 22" 1	Ε.
Road into Donato Mine entrances, and N. 70° E.	bears West
Lode line; discovery point bears 28" E., 150 ft. dist.	N. 65° 52'
443 Center of dry wash, 8 ft. wide, o	course East.
473 Road, bears NW. and East.	
598.00 Cor. No. 4, identical with Cor. No. 1-1 lode of this survey.	No. 1 of the
Thence N. 65° 41' E.	
300.00 Intersect Cor. No. 4 of the J-44 survey, hereimefore described.	lode of this
495 Road, bears N. 65° W. and S. 65°	E.
548 Center of dry wash, 8 ft. wide, o	course S. 55° E
899.50 Intersect Cor. No. 1 of the J-44 survey, hereinbeforedescribed.	lode of this
1,223 Center of local drainage, 4 ft. w S. 20° E.	vide, course
1,499.50 Cor. No. 1, and place of beginning	ıg.
J-51 Lode	
At Cor. No. 1 of the J-51 lode, i Cor. No. 1 of the J-52 lode, and of the J-56 lode of this survey.	Cor. No. 2
Set an iron post, 2 ft. long, 1 i 18 ins. in the ground, with bras J-51-1, J-52-1, and J-56-2-4740A	s cap mkd.
The 17-Mile post on the west the San Carlos Indian Reserv N. 88° 05' 38" E., 13,363.08 previously described.	ation bears
Thence S. 24° 28' 22" E	i.
Lode line; discovery point bears 31" W., 1469.58 ft. dist.	s. 66° 08'

<b>,</b> ,	SURVEY NO. 4740 A 7.
FEET	
590.00	Cor. No. 2, identical with Cor. No. 2 of the J-46 lode of this survey.
	Thence S. 65° 59' 20" W.
1,499.54	Cor. No. 3, identical with Cor. No. 3 of the J-46 lode, Cor. No. 4 of the J-1 lode, and Cor. No. 1 of the J-53 lode of this survey.
	Thence N. 24° 28' 22" W.
299	Lode line; discovery point bears N. 66° 08' 31" E., 30 ft. dist.
598.00	Cor. No. 4, identical with Cor. No. 2 of the J-53 lode and Cor. No. 4 of the J-52 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. J-51-4-4740A, J-53-2-4740A, and J-52-4-4740A.
	Thence N. 66° 17' 41" E.
1,499.63	Cor. No. 1, and place of beginning.
	J-52 Lode
e alla di	Beginning at Cor. No. 1 of the J-52 lode, identical with Cor. No. 2 of the J-56 lode and Cor. No. 1 of the J-51 lode of this survey.
	Thence N. 24° 28' 22" W.
300	Lode line; discovery point bears S. 66° 17' 41" W., 1489.63 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 4 of the J-57 lode and Cor. No. 3 of the J-56 lode of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. J-52-2-4740A, J-57-4-4740A, and J-56-3-4740A.
- 12	Thence S. 66° 17' 41" W.
1,499.63	Cor. No. 3.
100 ST.	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. J-52-3-4740A; from which
-0.90	A sandstone rock in place, 6 x 6 ft., 5 ft. above ground, bears S. 64° 30' E., 15.51 ft. dist., mkd. + B R - J-52-3-4740A on NW face.
	Thence S. 24° 28' 22" E.
300	Lode line; discovery point bears N. 66° 17' 41" E., 10 ft. dist.

	SURVEY NO. 4740 A	
FEET		
600.00	Cor. No. 4, identical with Cor. No. 4 of the J-51 lode and Cor. No. 2 of the J-53 lode of this survey.	
	Thence N. 66° 17' 41" E.	
1,499.63	Cor. No. 1, and place of beginning.	
	J-53 Lode	Ī
700 TM	Beginning at Cor. No. 1 of the J-53 lode, identical with Cors. Nos. 3 of the J-51 and J-46 lodes, and Cor. No. 4 of the J-1 lode of this survey.	
	The 17-Mile post on the west boundary of t San Carlos Indian Reservation bears N. 83 43' 39.6" E., 14,568.27 ft. dist., previ- ously described.	0
	Thence N. 24° 28' 22" W.	-
299	Lode line; discovery point bears S. 67° 44' 52" W., 450 ft. dist.	
598.00	Cor. No. 2, identical with Cors. Nos. 4 of the J-52 and J-51 lodes of this survey.	
	Thence S. 67° 47' 10" W.	
236	Center of local drainage, 4 ft. wide, course S. 30° E.	
1,002	Road, bears N. 40° W. and S. 40° E.	
1,444	Center of local drainage, 4 ft. wide, course S. 40° E.	
1,499.65	Cor. No. 3.	
0.000	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. J-53-3-4740A; from which	
	A juniper, 20 ins. diam., bears S. 78° 20' W., 30.91 ft. dist., mkd. J-53-3-4740A B	т.
	Thence S. 24° 28' 22" E.	
300	Lode line; discovery point bears N. 67° 44' 52" E., 1049.61 ft. dist.	
462	Center of local drainage, 5 ft. wide, course N. 80° E.	
600.00	Cor. No. 4, identical with Cor. No. 3 of the J-1 lode of this survey.	1
	Thence N. 67° 42' 35" E.	
154	Center of local drainage, 5 ft. wide, course S. 25° E.	

7		SURVEY NO. 4740 A 9.	10
	FEEТ 980	Road, bears N. 55° W. and S. 45° E.	
	1,315	Center of local drainage, 5 ft. wide, course S. 40° E.	
	1,499.57	Cor. No. 1, and place of beginning.	
		J-56 Lode	
	- India S	At Cor. No. 1 of the J-56 lode, established on line 3-4 Sur. No. 3521 Asbestin No. 26 lode, at a point from which Cor. No. 4, identical with Cor. No. 2 Sur. No. 3521 Asbestin No. 25 lode, bears N. 24° 28' 22" W., 299.39 ft. dist.	
	2 (A) (A) (A) (A)	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. J-56-1-4740A; from which	
		The 17-Mile post on the west boundary of the San Carlos Indian Reservation bears S. 89° 02' 28.7" E., 12,004.39 ft. dist., previously described.	
		U.S.L.M. No. 3521 bears N. 79° 31' 40" E., 1784.37 ft. dist., previously described.	
		Cors. Nos. 1 of the VICTORY and Chrysotile mill sites of this survey bear S. 66° 06' 34" E., 10,983.25 ft. dist.	
	1.00	Thence S. 64° 30' W.	
	1,499.00	Cor. No. 2, identical with Cors. Nos. 1 of the J-51 and J-52 lodes of this survey.	
		Thence N. 24° 28' 22" W.	
	300	Lode line; discovery point bears N. 64° 30' E., 10 ft. dist.	
	600	Cor. No. 3, identical with Cor. No. 2 of the J-52 lode and Cor. No. 4 of the J-57 lode of this survey.	
Ì		Thence N. 64° 30' E.	
	1,499.00	Cor. No. 4, identical with Cor. No. 1 of the J-57 lode of this survey, established on line 2-3 Sur. No. 3421 Asbestin No. 25 lode, at a point from which Cor. No. 3, identical with Cor. No. 2 Sur. No. 3521 Asbestin No. 24 lode, bears N. 24° 28' 22" W., 1200.00 ft. dist.	
		Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. J-56-4-4740A and J-57-1-4740A.	
		Thence S. 24° 28' 22" E.	
	300	Lode line; discovery point bears S. 64° 30' W., 1489.00 ft. dist.	
			he

•	SURVEY NO. 4740 A 10.
FEET	
300.61	Intersect Cor. No. 2 Sur. No. 3521 Asbestin No. 25 lode, identical with Cor. No. 4 Sur. No. 3521 Asbestin No. 26 lode.
600.00	Cor. No. 1, and place of beginning.
	J-57 Lode
	Beginning at Cor. No. 1 of the J-57 lode, identical with Cor. No. 4 of the J-56 lode of this survey, on line 2-3 Sur. No. 3521 Asbestin No. 25 lode; from which
	The 17-Mile post on the west boundary of the San Carlos Indian Reservation bears S. 86° 30' 39.7" E., 12,274.02 ft. dist., previously described.
	Thence N. 24° 28' 22" W.
300	Lode line; discovery point bears S. 64° 30' W., 1489.00 ft. dist.
600.00	Cor. No. 2, identical with Cor. No. 1 of the J-58 lode of this survey, established on line 2-3 Sur. No. 3521 Asbestin No. 25 lode at a point from which Cor. No. 3, identical with Cor. No. 2 Sur. No. 3521 Asbestin No. 24 lode, bears N. 24° 28' 22" W., 600 ft. dist.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. J-57-2-4740A and J-58-1-4740A.
	Thence S. 64° 30' W.
1,499.00	Cor. No. 3, identical with Cor. No. 2 of the J-58 lode of this survey.
042 L0 1	Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. J-57-3-4740A and J-58-2-4740A.
	Thence S. 24° 28' 22" E.
300	Lode line; discovery point bears N. 64° 30' E., 10 ft. dist.
600.00	Cor. No. 4, identical with Cor. No. 3 of the J-56 lode, and Cor. No. 2 of the J-52 lode of this survey.
	Thence N. 64° 30' E.
1,499.00	Cor. No. 1, and place of beginning.
	AND THE PARTY OF PARTY OF THE P
	- Serb - Solution ( )

F	EET	
		J-58 Lode
Plant of the state		Beginning at Cor. No. 1 of the J-58 lode, identical with Cor. No. 2 of the J-57 lode of this survey, on line 2-3 Sur. No. 3521 Asbestin No. 25 lode; from which
		The 17-Mile post on the west boudary of the San Carlos Indian Reservation bears S. 84° 05' 38.5" E., 12,566.53 ft. dist., previously described.
		Thence S. 64° 30' W.
1,4	99.00	Cor. No. 2, identical with Cor. No. 3 of the J-57 lode of this survey.
		Thence N. 24° 28' 22" W.
	300	Lode line; discovery point bears N. 64° 30' E., 10 ft. dist.
	500.00	Cor. No. 3.
5.5		Set an iron post, 2 ft. long, 1 ins. dia., 18 ins. in the ground, with brass cap mkd. J-58-3-4740A.
		Thence N. 64° 30' E.
1,4	99.00	Cor. No. 4, identical with Cor. No. 2 Sur. No. 3521 Asbestin No. 24 lode and Cor. No. 3 Sur. No. 3521 Asbestin No. 25 lode.
	TA AND	Into the top surface of a 4 ins. x 4 ins. cedar post in place, rising 4 ft. above bed rock and firmly set in a mound of stone, which I further re-inforce with a collar of concrete placed over the stones, I set a brass tablet, with 2½ ins. stem cemented into the wood, having a brass disc 2 ins. diam. mkd. J-58-4-4740A, ASB 25-3-3521, and ASB 24-2-3521.
		Thence S. 24° 28' 22" E.
1 1	300	Lode line; discovery point bears S. 64° 30' W., 1489.00 ft. dist.
	500.00	Cor. No. 1, and place of beginning.
		SURVEY NO. 4740 B
		Chrysotile Mill Site
Maria .		At Cor. No. 1 of the Chrysotile mill site, identical with Cor. No. 1 of the VICTORY mill site of this survey.

FEET	SURVEY NO. 4740 B 12.
PECI	
	Set an iron post, 2 ft. long, 1 ins. diam., 17 ins. in the ground, with brass cap mkd. CRY-1-4740B and VIC-1-4740B; from which
v radiolik Lud volike v	The 17-Mile post on the west boundary of the San Carlos Indian Reservation bears N. 24° 46' 40" E., 4677.87 ft. dist., previously described.
	Cor. No. 1 of the J-46 lode of this survey bears N. 75° 57' 11" W., 11,242.56 ft. dist.
	Cor. No. 1 of the J-56 lode of this survey bears N. 66° 06' 34" W., 10,983.25 ft. dist.
	Thence S. 16° 49' 50" W.
537.99	Cor. No. 2, identical with Cor. No. 4 of the ELDORADO mill site of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. CRY-2-4740B and ELD-4-4740B.
	Thence S. 72° 40' 49" E.
252	Centerline of abandoned Globe-Show Low highway, 22 ft. wide, bears N. 4° E. and S. 4° W.
398.29	Cor. No. 3, identical with Cor. No. 1 of the ELDORADO mill site of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 19 ins. in the ground, with brass cap mkd. CRY-3-4740B and ELD-1-4740B; from which
1 v 1 1 4 m 2 4 V - 3 - v	The centerline of U.S. Highway 60 bears S. 73° E., 103 ft. dist.
	Thence N. 17° 00' 46" E.
542.10	Cor. No. 4, identical with Cor. No. 4 of the VICTORY mill site of this survey.
	Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. CRY-4-4740B and VIC-4-4740B; from which
	The centerline of U.S. Highway 60 bears S. 73° E. and 104 ft. dist.
	Thence N. 73° 16' 15" W.
275	Centerline of abandoned Globe-Show Low highway, 22 ft. wide, bears N. 3° E. and S. 3° W.

13.

	FEET	
		VICTORY Mill Site
- <u>c</u> _	14.00 Tel	Beginning at Cor. No. 1 of the VICTORY mill site, identical with Cor. No. 1 of the Chrysotile mill site of this survey.
_	100	Thence N. 17° 29' 35" E.
	451	Centerline of abandoned Globe-Show Low highway, 22 ft. wide, bears N. 2° E. and S. 2° W.
100	549.22	Cor. No. 2.
		Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. VIC-2-4740B.
		Thence S. 72° 12' 50" E.
	398.04	Cor. No. 3.
		Set an iron post, 2 ft. long, 1 ins. diam., 18 ins. in the ground, with brass cap mkd. VIC-3-4740B; from which
		The centerline of U.S. Highway 60 bears S. 73° E., 103 ft. dist.
		Thence S. 17° 17' 20" W.
,62	352	Unsurfaced access road from U.S. Highway 60 to abandoned Globe-Show Low highway, bears N. 73° W. and S. 73° E.
	541.85	Cor. No. 4, identical with Cor. No. 4 of the Chrysotile mill site of this survey.
it.		Thence N. 73° 16' 15" W.
	275	Centerline of abandoned Globe-Show Low highway, 22 ft. wide, bears N. 3° E. and S. 3° W.
	400.00	Cor. No. 1, and place of beginning.
la de		
		ELDORADO Mill Site
5 A 5 A 1 G		Beginning at Cor. No. 1 of the ELDORADO mill site, identical with Cor. No. 3 of the Chrysotile mill site of this survey; from which
		The 17-Mile post on the west boundary of the San Carlos Indian Reservation bears N. 19° 52' 47" E., 4638.81 ft. dist., previously described.
		Thence S. 17° 08' 23" W.

10		SURVEY NO. 4740 B	14.				
	FEET						
		Set an iron post, 2 ft. long, 1 ins. 18 ins. in the ground, with brass car ELD-2-4740B; from which					
		The centerline of U.S. Highway 60 S. 73° E., 102 ft. dist.	bears				
		Thence N. 69° 04' W.					
	30	Centerline of abandoned Globe-Show Lov 22 ft. wide, bears N. 5° E. and S. 5°					
	396.37	Cor. No. 3.					
		Set an iron post, 2 ft. long 1 ins. di 18 ins. in the ground, with brass cap ELD-3-4740B.					
		Thence N. 16° 49' 50" E.					
	105	Entrance road to Chrysotile mine, bear 65° W. and S. 65° E.	s N.				
	516.40	Cor. No. 4, identical with Cor. No. 2 Chrysotile mill site of this survey.	of the				
		Thence S. 72° 40' 49" E.					
	252	Centerline of abandoned Globe-Show Low 22 ft. wide, bears N. 4° E. and S. 4°	v highway,				
	398.29	Cor. No. 1, and place of beginning.	in.				
		21 122 171 28-62607					
		SURVEY NO. 4740 A & B					
		AREAS					
			acres				
		Total area, J-1 lode Total area, J-44 lode	20.606 20.489				
1-1-2		Total area, J-46 lode	20.448				
		Total area, J-51 lode	20.448				
State No.		Total area, J-52 lode	20.654				
		Total area, J-53 lode	20.606				
100	aga francia a	Total area, J-56 lode Total area, J-57 lode	20.644				
		Total area, J-57 lode Total area, J-58 lode	20.644				
		Total area, Chrysotile mill site	4.948				
		Total area, VICTORY mill site	4.997				
		Total area, ELDORADO mill site	4.818				

#### LOCATION

This survey is located in Unsurveyed Sections 1, 2,, and 4, Township 4 North, Range 17 East, and in Unsurveyed Sections 33 and 34, Township 4½ North, Range 17 East, of the Gila and Salt River Meridian, McMillan Mining District, Gila County, Arizona.

The survey of the J-1, J-44, J-46, J-51, J-53, J-56, J-57, and J-58 lodes and the Chrysotile, VICTORY, and ELDORADO mill sites is identical with the respective locations as marked on the ground.

#### EXPENDITURES

- The discovery point of the J-1 lode is on the No. 1 lode line, 170 ft. from a point on line 4-1,
  298 feet from Cor. No. 4. Value, none.
- A tunnel 5 x 7 ft. in size, the portal of which bears N. 54° 30' W., 355 ft. from Cor. No. 1 No. 2 J-1 lode, and runs WEST, 20 ft. to Pt. A, thence WEST, 33 ft. to Pt. B, thence S. 12° W., 10 ft., thence S. 32° W., 30 ft. to breast. At Pt. A a drift, 5 x 7 ft. in size, runs N. 27° W., 25 ft., thence S. 84° W., 22 ft., thence N. 13° W., 12 ft. to breast. At Pt. b, a drift 5 x 7 ft. in size runs N. 20° W., 17 ft., thence S. 78° W., 15 ft. to breast at date of survey. Value, \$4000.
- The discovery point of the J-44 lode is on the No. 1 lode line, 20 ft. from a point on line 4-1, 299.50 ft. from Cor. No. 4. Value, none.
- A cut 12 ft. wide, the face of which bears S. No. 2 51° W., 242 ft. from Cor. No. 1 J-44 lode; runs N. 20° W., 31 ft., to 12 ft. face. Value, \$550.
- The discovery point of the J-46 lode is on the No. 1 lode line, 150 ft. from a point on line 3-4, 298 ft. from Cor. No. 3. Value, none.
- An open pit, 240 ft. long and of varying width, No. 2 having an average depth of 3 ft., with bounds as indicated on the plat, occupies the west central portion of the J-46 lode, having been excavated in front of the portals of the "Donato" workings.

Value of open pit, \$20,500.

	SURVEY NO. 4740 A & B 16.
FEET	
No. 1	The discovery point of the J-51 lode is on the lode line, 30 ft. from a point on line 3-4, 299 ft. from Cor. No. 3.  Value, none.
No. 1	The discovery point of the J-52 lode is on the lode line, 10 ft. from a point on line 3-4, 300 ft. from Cor. No. 3.  Value, none.
No. 1	The discovery point of the J-53 lode is on the lode line, 450 feet from a point on line 1-2, 299 feet from Cor. No. 1.  Value, none.
No. 2	A trench, the easterly end of which bears N. 78° 30' W., 503 feet from Cor. No. 1 J-53 lode; 10 ft. wide, and 9 ft. deep, running S. 75° W., 12 ft. Value, \$500.
No. 1	The discovery point of the J-56 lode is on the lode line, 10 ft. from a point on line 2-3, 300 ft. from Cor. No. 2.  Value, none.
No. 1	The discovery point of the J-57 lode is on the lode line, 10 ft. from a point on line 3-4, 300 ft. from Cor. No. 3.  Value, none.
No. 1	The discovery point of the J-58 lode is on the lode line 10 ft. from a point on line 2-3, 300 ft. from Cor. No. 2.  Value, none.
	An interest in a common improvement described as follows:
	A network of underground passages, drifts, stopes, winzes, and tunnels, known as the "El Dorado workings" underlies portions of the J-57 and J-58 lodes as indicated on the plat; these are being extended southerly and westerly toward the J-56 and J-52 lodes, eventually to be connected to the so-called "Donato" workings, also as shown on the plat underlying portions of the J-46 lode. Owing to the complicated nature of these workings, no attempt is made herein to describe them, or to indicate on the plat every excavation made to date. The plat does, however, show most of the mined-out area and the primary tunnels to the extent they had been driven on August 1, 1973.  Value of underground workings, \$760,000 Value of one-fourth interest, \$190,000

17

FEET

This improvement is in course of construction for the development of the J-52, J-56, J-57, and J-58 lodes of this survey, all of which are contiguous lode claims owned in common within the range of benefit of the above-mentioned workings. Since the expenditure shown above has been executed in such a manner as tends to the development of each lode cited subsequent to its location and to the time since which common ownership and contiguity have prevailed; therefore an undivided one-fourth interest in its value is hereby credited to each of said lodes.

An interest in another common improvement described as follows:

The "Donato" workings occupy portions of the J-46 and J-51 lodes as shown on the plat, with tunnels planned to be extended northwesterly and northerly, eventually to be connected with the aforementioned "El Dorado" network of tunnels. Similarly, no attempt is hereby made to described them individually, it being considered sufficient to show their extent on the plat.

Value of underground workings, \$60,000 Value of one-half interest, \$30,000

This improvement is in course of construction for the development of the contiguous J-46 and J-51 lodes of this survey, and the expenditure shown is applicable to both lodes. The development has been made subsequent to the locations of these lodes and to the time since which common ownership and contiguity have prevailed; therefore an undivided one-half interest in its value is hereby credited to each lode.

#### OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

Sur. No. 3521 Asbestin No. 24 lode: Cor. No. 2 is a cedar post, 4 ins.  $\times$  4 ins., 4 ft. on long, firmly set and marked as described in the official record of Sur. No. 3521. The bearings of lines 1-2 and 2-3 are shown as approved.

Sur. No. 3521 Asbestin No. 25 Lode: Cor. No. 2 is an iron post with a brass cap  $3\frac{1}{2}$  ins. diam., firmly set and properly marked; Cor. No. 3 is identical with Cor. No. 2 Sur. No. 3521 Asbestin No. 24 lode, described above. Line 2-3 was found to be N. 24° 28' 22" W., 1500.61 ft., instead of N. 24° 31' W., 1499.2 ft., as approved. The bearings of lines 1-2 and 3-4 are shown as approved.

Sur. No. 3521 Asbestin No. 26 Lode: Cor. No. 3 is an iron post with brass cap  $3\frac{1}{2}$  ins. diam., firmly set and properly marked; Cor. No. 4 is identical with Cor. No. 2 Sur. No. 3521 Asbestin No. 25 lode, described above. Line 3-4 was found to be N. 24° 32' 24" W., 1501.08 ft., instead of N. 24° 31' W., 1499.5 ft., as approved. The bearings of lines 2-3 and 4-1 are shown as approved.

#### FIELD ASSISTANTS

#### Name

#### Capacity

Loren E. Bunney Instrument Man
Edward E. Zaragoza Assistant
Thomas E. Smith Assistant

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

#### CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor		Date
Travis L. Gant		November 6, 1973
I HEREBY CERTIFY That in po	rsuance of an order receiv	red from the Bureau of Land Management
		Phoenix, Arizona ,
dated May 18		I have carefully executed the survey of the claim
of Jaquays Mining Corpo		
known as the (lode, placer, or m	ill site) * (See below	
situated in Unsurveyed Sect		
Range 17 E., 17 E., Gila	& Salt RiveMeridian,	in the State of Arizona
This survey, designated as num	ber 4740 A&B , has bee	en executed by me and under my direction and has
been made in strict conformity w	rith said order, the Manual	of Instructions for the Survey of Public Lands of
the United States, and in specif	ic manner described in the	foregoing field notes.
I FURTHER CERTIFY That the	e labor expended and imp	rovements made upon and for the benefit of the
(lode or placer) Lode and Mi	11 Site	location(s)
embraced in the said mining class	m he alaimant(a) as	ts
grantors are fully stated in my re	eport. The character, exte	nt, location, and itemized value are specified in
full detail. No portion of, or int cluded in the estimate of expend	erest in, said labor and im	provements so credited to this claim has been in-
* J-1 lode	J-56 lode	Chrysotile mill site
J-44 <b>1</b> ode	J-57 lode	VICTORY mill site
J-46 lode	J-58 lode	ELDORADO mill site
J-51 lode		
J-52 lode		
J-53 lode		
Globe,	Arizona	Granis L Sport
(Location)		(Signature of Mineral Surveyor)
	CERTIFICATE OF A	Office Arizona State Office Location Phoenix, Arizona  Date September 11, 1974
Range 17 E., Gila and Sa executed by Travis L. Gan under order dated May 18	, []; It River Meridian, in t , 1973 , ha	A&B , in Sections 1, 2, 4, 33 & 34 surveyed X unsurveyed Township 4 N. & , in the State of Arizona 4½ N. , Mineral Surveyor, aving been critically examined and the necessary to the field notes and the survey therein described
Joel T. Fills (Authorized Signate	ure)	State Director (Title)
	CERTIFICATE OF TR	DANSCRIPT
	OUNTH IONI & OF 11	MINUSTRA

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey is a true copy of the original field notes. number

(Authorized Signature)

(Title)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (952) M.S. 4740A

#### NOTICE OF CANCELLATION OF MINERAL SURVEY

The J-44, J-51 and J-53 lodes, Mineral Survey No. 4740A, located in section 4, Township 4 North, Range 17 East and section 33, Township 4 1/2 North, Range 17 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"J-44, J-51 and J-53 lodes, M.S. 4740A were canceled April 20, 1999, by memo 9605 (952) M.S. 4740A, which is now a part of the original field notes."

April 20, 1999

Date

Chief Cadastral Surveyor of Arizona

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (953)
SCREAU OF LAND MANAGEMENT
ARIZONA STATE OFFICE

#### NOTICE OF CAMCELLATION OF MINERAL SURVEY

The J-44, J-51 and J-53 lodes, Mineral Survey Mo. 4740A, located in section 4, Township A Morth, Range 17 East and section 33, Township 4 1/2 North, Range 17 Sact, Gila and Salt River Nerlitan, Artsonal are hareby canceled.

These claims have not been filed with the Artzona State Office. Bureau of hand Management, in attordance with Sention GIA, SO STAT. 2769, (48 U.S.C. 1746).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"U-14, J-51 and J-53 lodes, M.S. 4740A were danceled April 20, 1959, by memo 8605 (952) M.J. 4740A, which is now a part of the original field notes."

Port 1 202 1745

Date

SDSCIA TO TOP STEEL STEEL TO TOP OF THE TOP

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (952) M.S. 4740B

#### NOTICE OF CANCELLATION OF MINERAL SURVEY

The Eldorado, Chrysotile and Victory mill sites, Mineral Survey No. 4740B, located in section 1, Township 4 North, Range 17 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Eldorado, Chrysotile and Victory mill sites, M.S. 4740B were canceled April 20, 1999, by memo 9605 (952) M.S. 4740B, which is now a part of the original field notes."

April 20, 1999 Date

Chief Cadastral Surveyor of Arizona

BURELAU OF LAND MANAGEMENT.

Bureau of Land Management, in accordance with Saction 314, 90 STAT.

my D. Fannelin