

T 23 N. R 16 E G. & S R M

15

Field Notes

BOOK 466

OF THE SURVEY OF THE

Suddivision line

-OF-

No. 466

Township 29 N Range 14 E.

Gila and Salt River Base and Meridian

A R I Z O N A.

By *J. D. Wheler* D.S.

Under contract dated *Aug. 5 1872*

Survey commenced *Nov. 1 1872*

Survey completed *Nov. 3 1872*

466

AT 23 N. R 16 E G. & S. R. M.


BOOK 466

INDEX DIAGRAM.

BOOK 466

Township

Range



Gila and Salt River, Arizona.

ARIZONA.

28-16

No. 466 BOOK 466

1C

T.23 N. R. 16 E. C. & S. I. M.

Chs.

From the Cm to S. as,

1, 2, 35 and 36 on
the S. Board.the township recently
established by me.Draw North ft. S. 35° E.
Va. 10035' E.

Descent

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N. and S. of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In N. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

80.00 Set a post 4 ft. long 4 ins. square, with marked
stone, 12 ins, in the ground for Cor, to Secs,
25, 26, 35 and 36 marked T. 23 N. S. 35 on
N. E. R. 16 E. S. 36 on S. E., S. 35 on
S. W. and S. 26 on N. W. faces with / notch
on S. and / notch on E. edges, dug
pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist.
and raised a mound of earth 2 ft. high $1\frac{1}{2}$ ft.

T 23 N. R 16 E C. & S R M.

Chs.

and raised a mound of earth 2 ft, high. $4\frac{1}{2}$ ft.
base, around post.

Light grass. Surface rolling
Scattering sagebrush
Soil 3rd rate

Dast on a random
line bet. Sec. 25 and 36
Va. 10° 80' E.

Disced

40.00 Sit temporary 1/4 Sec. Cor.
42.00 S. fork of corn creek
bet Cr. 10° W. 70 links west
of sec. and ascend

40.00 Enter gently rolling land
between E. Bound. of
the township 26 links N.
of the Cor. to Sec.
25. 30. 31 and 36 which
was recently established

T.23 N.R.16 E.C. & S.R.M.

Chs.

by me thence I
arrive. At $89^{\circ}49' N.$ on
a true line bet. Secs.
25 and 26 with same va.

40,08 Set a sand stone, $5\frac{1}{2}$ x 4 ins.,¹⁰ ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on N.
face, dug pits $18 \times 18 \times 12$ ins. E and N.
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

8016 Th. On to Sec. 25, 26, 35 and 36
Surface rolling
Soil 3rd. rate
Light grass.
Scattering sage brush

North lat. Secs. 25 and 26
Va. $13^{\circ}30' E.$

Dwund

80 Wash 20 links wide
C. At $80^{\circ} N.$
As end gradually

T.23 N.R.16 E.C. & S.R.M.

Ch

40,00

Set a lime stone, $14 \times 10 \times 6$ ins., 9 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on N. face, dug pits $18 \times 18 \times 12$ ins. A. and S. of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

46,27

Enter rolling mesa

80,00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 28, 24, 25, 26, dug pits $18 \times 18 \times 12$ ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 28, 24, S. 24 on N.E. R. 16 E. S. 25 on S.E. S. 26 on S.W. and S. 23 on N.W. faces, with 2 notch \diamond on S. and 1 notch on E edges.

Land rolling on S. part
A. half on level mesa

Good grass

Soil about 2^d. rate

T.23 N.R 16 E G. & S R M

Ch.

East on a random line ft.

Sect. 24 and 25

Va. 10° 20' E.

Land level

40.00 Sit - temporary 1/4 Sec. Cor.

40.20 Nash 20 links wide
Co. A. 90° N.80.22 Dubrook E. Boundary
of the township of
links A. of the
Gr. to Sect. 19, 24, 25
and 30 which was
recently established by me
thence I run N. 89°44' N. on a true line
ft. Sect. 24 and 25
with - 2 am va.40.11 Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
E. and N. of stone 5 1/2 ft dist and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over

T.23 N. R. 16 E. C. & S. R. M.

Obs.

it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

80.22 The Cor. to Sec. 23 and 24
Surf. soil rolling
Soil 3rd. rate
Good grazing

North lat. Sec. 23 and 24
Va. $13^{\circ} 80' E.$

4000 Descending over rolling mtns.
Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N. and S. of stone 5 $\frac{1}{2}$ feet dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In N. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

80,00 Set a line stone 4 x 10 x 8 ins., 9 ins. in
the ground for Cor. to Secs. 23 and 24 marked
with 2 notch on S. end / notch on E. edges;
Dig pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft.

T.23 N. R. 16 E. G. & S. R. M.

Chs.

dist. and raised a mound of earth 2 ft. high.
4 ft. base. alongside.

Surface rolling
Dirt red. soil
Little grass

East on a random line bet.
S. 18. 19 and 24

Va. $13^{\circ}30' E.$

Over nearly level land

40.00 Set back on a g¹/₄ Sec. line

45.12 Wash 22 links wide. On S. St.
o. A. ascend gradually

79.74 District - E. Boundary
of the township 42 links
S. of the Cor. to S. 18.

13. 18. 19 and 24 which
was recently established
by me. Hence I run
S. $89^{\circ}42' W.$ on a true line

T.23.N.R.16 E.C. & S.R.M.

Chs.

Bet. Secs. 13 and 24
with same var.

39.78

Set a lime stone, 6 x 12 x 7 ins., 11 ins.
in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$. on N.
face, dug pits 18 x 18 x 12 ins. S. and N.
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{4}$ ft. base alongside.

79.76

The Cor to Secs. 13, 14, 23 and 24
D and level
Soil 3rd. rate
Grazing fair

North bet. Secs. 13 and 14
Va. $13^{\circ} 30' E.$

40,00

Over nearly level land
Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
S. and S. of stone $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{4}$ ft. base over
it. In C. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W.
face.

T.23. N.R 16 E C. & S R M

Chs.

80.00

Deposited a marked stone 12 ins. in a ground for Cor. to Secs 11/12, 18 & 1/4, dug pits 18 x 18 x 12 ins. in each Sec. 5½ ft. dist. and raised a mound of earth 2 ft. high 4½ ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 29 N. S. 12 on N.E. R. 16 E. S. 13 on S.E. S. 1/4 on S. W. and S. 11 on N. W. faces, with 4 notch w. on S. and 1 notch w. on E edges.

Land nearly level
Soil 3rd. rate grazing good
Considerable sagebrush

East on a road on line bet. Secs 12 and 13

21.00 Va. 12° 30' E
 Over nearly level land
 Wash 12 links wide Co. Ch. H.
 and ascend very gradually
 Set temporary 1/4 Sec Cor.
 Delimit - E found any

4.000

79.84

T.23.N.R 16 E C. & S R M

Ch.

of the Township 29 miles
S. of the Cor. to Sec.
7, 12, 13 and 18 which
was recently established
by me. Hence I run
S. $89^{\circ} 48' N.$ a true line
bt. Sec. 12 and 13 with-
same ra.

39.92

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins.
E. and W. of stone 5 $\frac{1}{2}$ feet dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W.
face.

79.84

The Cor. to Sec. 11, 12, 13 and 14
Surface rolling
Soil 3rd. rate
Grazing fair

Sto. 466

BOOK 466

11

T.23 N. R.16 E. C. & S. R. M.

Chs.

North lat. Sec. 11 and 12
Va. $13^{\circ} 30' E.$

Over almost level land
Draw 20 links wide
G. St. A. St.

27.09

Set a sand stone, $\frac{1}{2} \times 8 \times \frac{1}{2}$ ins., 9 ins.
in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$. on W.
face, dug pits $18 \times 18 \times 12$ ins. $\frac{1}{2}$ and $\frac{1}{2}$.
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

72.00

Enter basin G. St. A.

80.00

Deposited a marked stone 12 ins. in the
ground for Cor. to Secs 1, 2, 11 and $\frac{1}{2}$, dug pits
 $18 \times 18 \times 12$ ins. in each Sec. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base
over it. In S. E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 23 A.
S. 1 on N.E. R. 1/6 E. S. 1/2 on S.E. S. 1/
on S. W. and S. 2 on N. W. faces, with
5 notch \varnothing on S. and 1 notch
on E edges.

St. Basin

T.23 N. R. 16 E. C. & S. R. M.

Ch.

Surface nearly level
 Soil 3rd. rate
Good grazing

East on a random line
 bt. Sec. 1 and 12
 Va. 13° 30' E.

Give level land in farm

30.00 Begin to ascend gradually
 40.00 Set boundary 1/4 S. of Cr.
 43.00 Begin to descend gradually
 59.00 Wash 15 links wide 60
 ft. A. and ascend gradually
 80.46 Follow E. Boundary
 of the township 27 links
 S. of the Cr. to Sec.
 16, 7 and 12 which was
 recently established by me
 Then I run S. 89°
 48' N. on a true line

T.23 N.R. 16 E.G. & S.R.M.

Ch.

ft. Sos. 1 and 2
with same var

40.28 *Th*. Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
Q. and *N.* of stone 5 $\frac{1}{2}$ feet dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In *Q.* pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on *N.*
face.

80.40 The Cor. to Sos. 1, 2, 11 and 12 ✓
Surface nearly level
Soil 3rd rate —
Grazing fair

North on a sand or
lime bed. Sos. 1 and 2
Lat. 13° 20' E.

Start in dry basin

39.76 Leave basin to E. and W.

40.00 Let truth vary " by Sec. Cor.

52.00 Marsh 24 links wide Co.

T.23. N.R. 16 E.C. & S.R.M.

Ch.

79.80

$S, 90^{\circ} N.$ and would gradually
 Detract - N. Boundary
 of the township 19 links
 West of the Cor. to Sec.
 1. 2. 35 and 36 which
 was recently established
 by me thence I run
 $S, 0^{\circ} 8' N.$ on a true
 line fit - Sec. 1. 2. H
 and ~~etc.~~ with same ra.

39.80

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N. and S. of stone 5 $\frac{1}{2}$ feet dist. and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In N. pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
 face.

79.80 * The Cor. to Sec. 1. 2. 11 and 12
 Surface rolling
 Soil 4th rate.
 No grass on S. half

T.23 N. R. 11 C. & S. R. M.

Chs.

Very little on N. half.
 I carefully examined
 the adjustment
 of my Solar compass.
 To-day particularly
 the latitude and
 reversing apparatus
 and found them
 correct.

O. D. Whaler Nov. 1st

1882.

From the On to Secr.
 2. 3. 84 and 85 on the
 S. boundary of the
 Township recently established
 by me. I am
 North of Secr. 84 and 85
 $V. a. 13^{\circ} 35' E.$
 Descend gradually

1.23 N R 16 E C & S E M

Ch.

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone 5 $\frac{1}{2}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W. face.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins., in the ground for Cor. to Secs. 26, 27, 34 and 35 marked T. 23 R. S. 26 on N. E. R. 1/4 E. S. 90° on S. E. S. 84° on S. W. and S. 27 on N. W. faces, with 1 notch on S. and 2 notch ∞ on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base. around post.

Surface - rolling
Soil 3rd. rate
Very little grass
Scattering sage brush L

T. & R. R. & S. R. M.

Ch.

Cast on a random line
bt. Dis. 26 and 35

Va. $13^{\circ} 30' E.$

Descend gradually

Set lump orange by Sk. Gor.
Dashed St. and S.

line 54 links S. of the
Gor. to Dis. 25, 26, 35 & 36

Since I run $S.89^{\circ} 37' W.$
on a true line set.

Dis. 26 and 35 with

Q and V.A.

Set a small stone, $14 \times 8 \times 6$ ins., 9 ins.
in the ground for $\frac{1}{2}$ Sec, Cor, marked \pm on N.
f. so, dug pits $18 \times 18 \times 12$ ins. Q and N.
of stone $\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

79.84 The Gor. to Dis. 26, 27, 84 & 35

Surface rolling

Soil good rate

good grazing

18

T. 23 N. R. 16 E. C. & S. R. M.

Ch.

North lat. S. 26 and 27
Va. $13^{\circ} 35' E.$

Descend gradually

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N. and S. of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $5\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

40.00 Corn creek 75 links with Co. Ch. $8^{\circ} N.$

42.00 Enter valley and ascend more abruptly

80.00 Set a flat rock 20 x 14 x 4 ins. 15 ins. in the ground for Cor. to Sust 22. 23. 26 and 27 marked with quoins on S. and E. edges. and raised a mound of stone along

19 Th
16

T. 23 N. R. I. G. E. C. & S. R. M.

Ch.

Pts' impracticable
 Surf au south of
 wash rolling
 Soil sandy 3rd. rate
 But little grass

East on a road on line
 ft. Sec. 23 and 26
 Va. 10° 80' E.

Asend

24.70 Enter rolling mesa
 4.000 Set true or angle 14
 Sec. 26

79.72 Intersect N. and S.
 line 70 links S.
 of the Cr. to Sec. 23,
 24, 25 and 26 thence
 I ran S. 89° 30' N.
 on a true line ft. Secs.
 23 and 26 with same va.

ff
20

T.23 N. R. 16 E. C. & S. R. M.

Chains

39.86

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

79.72 The line to Secs. 22, 23, 26 and 27
 Lined on N. half rough
 No grass quite rocky
 East 55° Ch. but mesa
 Good grazing little sage brush
Salt 3rd. rate

North line Secs. 22 and 23
 Va. 18° 80° E.

As cloud

Outer rolling mesa
 Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. S. and S. of stone 5 $\frac{1}{2}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

21.25
40.00

T.23 N. R.16 E. C. & S. R. M.

Chains

at mid. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

80.00 Deposited a marked stone 12 ins. in
ground for 12 Secs 1/4 15, 22, 23, dug pits
18 x 18 x 12 ins. in each Sec. 5 ft. dist. and
raised a mound of earth 2 ft. high 4 ft. base
over it. In S E pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 20 at
S. 1/4 on N.E. R. 16 S. 23 or S.E. S. 22
on S. W. and S. 15 on N. W. faces, with
3 notch 10 on S. and 2 notch 10
on E edges.

South 20 ch. rough and rocky
North part level more
Soil 3rd. rate
Good grass

Dust on a random line
bt. Secs. 14 and 23

Va. $18^{\circ} 20' E.$

Dived very gradually

T.23 N. R. 16 E. C. & S. R. M.

Chs.

- 40.00 Set temporary by Sec. Cor.
 80.30 Detroit St. and S.
 line 36 links S. of
 the Br. to Sec. 14, 15, 22
 and 24 three I run
 S. $89^{\circ} 45'$ W. on a true
 line bet. Sec. 14 and 23
 with same var.
- 40.15 Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 $\frac{1}{4}$ and $\frac{1}{4}$ of stone 5 $\frac{1}{2}$ feet dist. and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 2 $\frac{1}{2}$ ft. base over
 it. In C. pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
 face.
- 80.30 The Cor. to Sec. 14, 15, 22 and 23
 Surface rolling
 Ind. soil
 good growing
 Some sagebrush

T.23 N.R.16 E.C & S.R.M

Ch.

North ht. Secs. 14 and 15
Va. $20^{\circ} 20' E.$

Discrews vary gradually

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

A. and S. of stone 5 $\frac{1}{2}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

80.00

Deposited a marked stone 12 ins. in ground for Cor. to Secs 10, 11, 14 and 15, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 23 N. S. 11 on N.E. R/16 E. S. 14 on S.E. S. 15 on S.W. and S. 10 on N.W. faces, with 4 notch \times on S. and 2 notch \times on E edges.

Surface rolling
Dust dry - rare
Good grazing

BOOK 466

T.23 N. R.16 E. C. & S. R. M.

Chs.

East on a road on line
ft. Sec. 11 and 14
Va. $18^{\circ} 25' E.$

I descend gradually
40.00 Set temporary 4th Sec. Cor.
80.18 Drove out N. and S
line 12 links N. of the
Cor. to Secs. 11, 12, 13 and
14 then I run
N. $89^{\circ} 55' W.$ on a true
line ft. Sec. 11 and 14
with same on

40.09 Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E. and N. of stone $5\frac{1}{2}$ feet dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In C. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

80.18 The Cor. to Secs. 10, 11, 14-15
and gently rolling

T.23 N.R.16 E.C. & S.R.M.

Chs.

Soil dry, rock
 Graining good
Sand sagebrush

North bet Secs 10 and 11

Va. 10° 25' N

Dwindled gradually

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N. and S. of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In N. pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
 face.

4 000

Enter dry lake on N.W.

80,00

Deposited a marked stone 12 ins. in the
 ground for Cor. to Secs. 2, 8, 10 & 11, dug pits
 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and
 raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over
 it. In S.E. pit drove a stake 2 ins. sq. 2
 ft. long 12 ins. in the ground marked T. 23 C.
 S. 2 on N.E. R/16 E.S. 11 on S.E. S. 10
 on S.W. and S. — on N.W. faces, with

24
2 BOOK 466

T.23 N. R. 16 E. G. & S. R. M.

Ch

5 notch Δ on S, and 2 notch Δ on E edges.

Land rolling
Soil dr. rate
Good grazing

East on random line
Spt. Sec. 2 and 11
Va. $130^{\circ} 30' E.$

In dry basin
40.0° Set stump at 44 Sec. Cor.
79.82 Debris - S. and S.
line 4 links North of
the Cr. to Sec. 8, 2, 11
and 12 three I run.
A. $89^{\circ} 58' N.$ on a
line line ft. Sec.

2 and 11 with some on
Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E. and $\frac{1}{4}$ of stone 5 $\frac{1}{2}$ feet dist. and raised

39.91

T.23 N.R.16 E.C. & S.R.M.

Chs.

a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In E., pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on A. face.

7982 Th. On. to Sec. 1, 2, 11 & 12
 Level land
 Little grass
Silt 4th rate

Path on sand on
 line ft. S. east 2 and 3
 Va. $13^{\circ} 30' E.$

On dry basin

40.00 Set temporary 1/4 sec. On.

100.00 Begin to ascend

76.00 Begin to descend

79.96 Destroyed A. Boundary
 of the township 48 ticks

No. of the On. to

S. Sec. 2, 3, 10 and 11 which
 was recently established

26.
BOOK 466

T.23 N.R.16 E.C. & S.R.M.

Chains

by me there I run
S. $0^{\circ} 21' E$. on a true
line bet. Sec. 2 and 3
Var. with same as.

39.96 Deposited a marked stone 12 ins. in the
ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.
A. and S. of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
at in N. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.

Face.

79.96 The loc. to Sec. 2, 3, 10, 5 $\frac{1}{2}$, 2,
Same land soil 4th rate good grass
From the Cor. to Secs.
2, 4, 83 and 84 on the
S. bound. of the township
which was recently
plastered by me
I run North bet.
Secs. 33 and 84
Var. $18^{\circ} 30' E.$

T23 N.R. 16 E.G. & S.R.M.

Chains

80.00

A gradual ascent
Divide 100 ft. high
to E. and W. and divided

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
A. and $\frac{1}{4}$, of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{4}$ ft. base over
it. In A. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

80.00

Deposited a marked stone 12 ins. in the
ground for cor to Secs 27, 28, 30, 34 Aug pits
18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base
over it. In S.E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 28 N.
S. 27 on N.E. R. 16 E.S. 34 on S.E. S. 23
on S.W. and S. 28 on N.W. faces, with
1 notch on S. and 3 notch on
E edges.

Land rolling

Soil 2rd. rate

Some sagebrush and gravel

30.

BOOK 466

T 23 N. R 16 E G. & S R M

Ch.

East on a random line bet.
S 105. 27 and 34

Va., $13^{\circ} 00' E$

Over nearly level land
40,000 Set boundary $\frac{1}{4}$ Sec. Cor.
79,644 Between S. and S.
line 22 links S. of the
Cor. to S 105, 26, 27, 34
and 35 Then I run
S. $89^{\circ} 57' N.$ on a true
line bet. S 105, 27 and 34
with a nail & a.

39,89

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ S. on $\frac{1}{4}$ face, dug pile 13 x 13 x 12
ins. E. and W. of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

79,646 The Cor. to S 105, 26, 27, 34, 35
Land nearly level
Soil Brd. rate some gross

T.23 N.R.16 E.G. & S.R.M.

Chs.

North lot Sec. 27 28
Va. 18° 00' E.

Dwelling over rolling land

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N. and S. of stone 5 $\frac{1}{2}$ feet dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In N. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

8900 Deposited a marked stone 12 ins. in the
ground for Cor. to Secs 21, 22, 27, 28, dug pits
18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base
over it. In S. E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 28 Cr.
S. 22 on N.E. R/16 E. S. 27 on S.E. S. 28
on S. W. and S. 21 on N. W. faces, with
2 notch ∞ on S. and 3 notch
on E edges.

Surface rolling
Soil moderate sandy
Very little grass

T.23 N.R 16 E C. & S R M

Chs.

East on a random line fit.

Sec. 22 and 27

Lat. $10^{\circ} 55' E.$

Descend gradually

4000 Set timber along "4 Sec. line.

45.62 S. Fork Cor. creek

75 links wide St. $60^{\circ} N.$

and ascend very gradually

17.93 Intervmt St. and S.
line 17 links St. of the

Yr. to Sec. 22. 23,

26 and 27 since I run

St. $89^{\circ} 53' N.$ on a true

line fit Sec. 22 and 27

with a nail or a.

39.96

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ S. and $\frac{1}{4}$ E. face, dug pits 18 x 18 x 12
ins. E. and N. of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post.

T.23 N.R.16 E.G.&S.R.M

Chs.

79.93 The Cr. to Sas. 21, 22, 27 and 28

Land rolling

Soil about 3rd. val-

Lith- grass considerable

sage brush and greenwood

North of Sas. 21 and 22

Va. $13^{\circ} 30' E.$

Down gradually

South fork of Horn creek

Co. A.M. and ascend

over rocky land

40,000 Set a sandstone 16 x 12 x 5
in. 11 in. in the ground

for 14 S. Cr. marked

14 on N. face, and

raised in mound

of stone along side.

Ditch impracticable

7829 Enter road.

T.23 N. R. 16 E. C. & S. R. M.

Ch.

8000

Set limestone 20x11x4
in. 15 ins. in the ground
for Gr. to Sis. 10, 16, 21
and 22 marked with
stakes on S. and E.
edges - and saved
a mound of stone
along side. It impractical
South 15 Ch. sandy
gravel fair
Northern part very
rocky and rough
No gravel soil poor

Eat meal sand on line
at Sis. 15 and 22
Va. 10° 30' E.

Very nearly level land

Set driftway 1/4 Sis. Gr.
West - N. and S. line

4000

7984

T. 23 N. R. 16 E. C. & S. R. M.

Chs.

47 links N. of the Cor.
to Secs. 14, 15, 22 and 23
thence I run N. $89^{\circ} 40'$
W. on a true line
bt Secs. 15 and 22
with same c. a.

3993 Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits $18 \times 18 \times 12$ ft. s.
E. and N. of stone $5\frac{1}{2}$ feet dist and at
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

79.86 The Cor. to Secs. 15, 16, 21 and 22
Land level -
Soil about 3rd rate
Good grass
Considerable sagebrush on
N. half

T.23 N.R.16 E C. & S R.M.

Ch.

North ft. S. 15 and 16
Va. $10^{\circ} 30' E.$

Over mesa

40.00 Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. \mathcal{A} . and \mathcal{S} . of stone $5\frac{1}{2}$ feet dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In \mathcal{A} . pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W. face.

80.00 Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 9/14, 15 & 16, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 20 N. S. 10 on N.E. R. 16 E. S. 15 on S.E. S. 16 on S.W. and S. 9 on N.W. faces, with $\frac{1}{4}$ notch \varnothing on S. and $\frac{3}{4}$ notch \varnothing on E edges.

Land nearly level
Soil good
Draining good

T. 23 N. R. 16 E. G. & S. K.M.

Ch.

Cast on a random line
bt. Secs. 10 and 15
Va. $13^{\circ} 21' E.$

Over marshy level land
Set. took on a $\frac{1}{4}$ Sec. line
Jalorick St. and S.
line 23 links St. of
the Sec. to Secs.
10, 11, 14 and 15 thence
I run N. $89^{\circ} 58' W.$
on a true line bt.
Secs. 10 and 15
with a small va.

40.07

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E. and N. of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

T.23 N.R 16 E C. & S R M

Ch.

80.15 The Cor. to Secs. 9, 10, 15 & 16
 Surface nearly level
 Soil good, rather
Good grazing

North bet. Secs. 9 and 10
 Va. 18° 21' E.

Descend very gradually
 Set a post 3 ft. long 3 ins. diam with marked
 stone, 12 ins, in the ground for $\frac{1}{4}$ Sec, Cor,
 marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12
 ins. N. and S. of post $\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
 post.

80.00 Deposited a marked stone 12 ins. in the
 ground for Cor. to Secs. 3, 4, 9 and 10, dug pits
 18 x 18 x 12 ins. in each Sec. $\frac{1}{2}$ ft. dist. and
 raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2
 ft. long 12 ins. in the ground marked T. 28 N.
 S. 3 on N.E. R. 1/6 E. S. 10 on S.E. S. 9
 on S.W. and S. 4 on N.W. faces, with
 5 notch so. on S. and 3 notch so.

T.23 N. R. 16 E C & S I R M

Ch.

on E edges.

Surface gently rolling
Soil red. rockGood grass

East on a random line bt.

Sect. 9 and 10

Va. $13^{\circ}30' E$.

D. went gradually

4000 Set temporary $\frac{1}{4}$ Sect. Cor.7800 Enter basin Co. A. $70^{\circ} W.$ Intersection - S. and S.
line 79 links S. of the

Cor. to Sects. 2, 3, 10 } and 11

where I run S. $89^{\circ}26' W.$
on a true line bt.

Sect. 9 and 10 with

Rand rd.

T.23 N.R.16 E G. & S R M

Ch.

3.9.94

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. O. and N. of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

7.9.88 The G onto Secs. 9, 4, 9 and 10
Gently rolling land
Dirt 3rd rate
Good grass

North on a random line
bt Secs. 9 and 4
Va. 10° 85' E.

Discend very gradually
4.0.00 Set time on May 14 Sec. 6 or,
4.8.20 At. fork of Corn creek
100 ft. Ch. with Co. S. 80° W.
Discend gradually
8.0.21 Followed - N. boundary

T.23 N.R 16 E G & S R M

Chs

of the township 25 links
 E. of the Cor. to Secs.
 8, 4, 8, 8 and 94 which
 was recently established
 by me. Thence I run
 $S 0^{\circ} 11'E.$ on a true line
 bet. Secs. 3 and 4
 with same ra.

40.21 Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N. and S. of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In N. pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
 face.

80.21 The Cor. to Secs. 3, 4, 9 and 10
 Land quite rolling
 Soil about Ind. soil
 Excellent grazing.
Considerable sage-brush

T.23 N.R.16 E C. & S R M

Obs.

I carefully examined
the adjustments of
my Solar Clockwork
to day particularly
the Declination and
reversing apparatus
and found them correct
G. D. Miller Nov. 2 / 1882.

From the Cor. to Sec. 4
T. 32 and R. 33 on the
S. bound. of the township
recently established by me
I run North bt. Sec.
82 and 83

N. 10030' E.

ascend gradually
29.00 Ridge 95 ft. high
Bt. E. and R. St. and
descend

T.23 N.R.16 E.C. & S.H.M.

Ch.

40,00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. Δ and \wedge . of stone 5 ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In Δ pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on Δ face.

80,00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 28 29 32 - 33, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 23 A. 528 on N.E. R. 1/6 E.S. 29 on S.E. S. 82 on S.W. and S. 29 on N.W. faces. with 1 notch on S. and 4 notch on E edges.

Land gently rolling
Soil 2nd. rate
Grazing moderate fair

East on a road on line
bt. Secs. 28 and 33

T $\frac{1}{2}$ 3 N. R 16 E C. & S I M

Ch.

Va. $15^{\circ} 30' E$

Over nearly level land
 40.00 Set traps along $\frac{1}{4}$ Sec. Cor.
 79.87 Intercept $\frac{1}{4}$ sec. line N.
 of the Cor. to Sec.
 28, 29, 32 and 33 which
 thence I run N. 89°
 $47'$ W. of a true lin
 bit Sec. 28 and 33
 with same cor.

39.94 Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pils 18 x 18 x 12 ins.
 E. and N. of stone $\frac{1}{2}$ ft. dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high $\frac{1}{2}$ ft. base over
 it. In E. pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
 face.

79.87 Th Cor. to Sec. 28, 29, 32, 33
 Surface rolling
 Soil red, rather sandy
 Very little grass.

T 23 N. R 16 E C. & S. R M.

Ch.

North lot. Secs. 28 and 29
Va. $13^{\circ} 28' E$.

Descending over rolling land

40,00 Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N. and S. of stone $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 ft. high $\frac{3}{4}$ ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on N. face.

80,00 Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 20, 21, 28, 29, dug pits 18 x 18 x 12 ins. in each Sec. $\frac{5}{4}$ ft. dist. and raised a mound of earth 2 ft. high $\frac{4}{5}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 28 A. S. 21 on N.E. R. 16 E. S. 28 on S.E. S. 29 on S.W. and S. 20 on N.W. faces, with 2 notch Δ on S. and 4 notch \square on E edges.

Sayd quite rolling
Soil good soil
Good grazing

T.23 N.R.16 E.C. & S.R.M

Ch.

Cast on a random line
bet. Secs. 21 and 28
Va. $130^{\circ} 30' E.$

Descending over rolling ground
Set temporary $\frac{1}{4}$ Sec. Cor.
80.25 Drove out N. and S.
line 15 links N. of the
Cor. to Secs. 21, 22, 27 and 28
thence I run N.
 $89^{\circ} 54' N.$ on a true
line bet. Secs. 21 and 28
with same va.

40.12 Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins.
E. and W. of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

80.25 The Cor. to Secs. 20, 21, 28 & 29
Surface rolling

T23 N.R 16 E.C. & S.R.M.

Chs.

Sil 3rd rate sandy
good grazing

South fork Sec 20. and 21
 Va. $18^{\circ} 30' E$

Discard gradually
 Enter creek followed by
 St. $80^{\circ} N$.

26.00 South fork of Bear
 Creek Co. St. $80^{\circ} N$.

40.00 Set a basalt. stone
 $24 \times 17 \times 13$ ins. 19 ins. in
 the ground for 14
 Set Bas. marked 14 on
 N. face and raised
 a mound of stone
 alongside. Bit unpredictable

80.00 Set limestone $20 \times 13 \times 8$ ins.
 15 ins. in the ground
 for Bas. to Sec 16 1/2 20521

T. 23 N. R. 16 E. C & S. I. M.

Ch.

marked with 8 notches
on S. and 4 notches
on E. edges and raised
a mound of stone
along side. Pit impracticable
S. half rolling or level
Soil 3rd rate
good grazing
North half broken and
rocky soil 4th rate

East on a gravel on line
bt. Sres 16 and 2 p

Va. $13^{\circ}30' E.$

Discord very gradually
40.00 Set temporary at S. Cor.
80.19 Followed P. and S. line
23 links S. of the cor.
to Sres. 15. 16. 21 and 22
then I run

T.23 N.R. 16 E C. & S R M

Chs.

S 89° 50' R. go a true
line bet. Secs. 16 and 21
with same ra.

40.10

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E. and W. of stone 5 $\frac{1}{2}$ feet dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

80.19 The Cor. to Secs. 16, 17, 20, 21

~~S 89° 50' R. go a true line bet. Secs. 16, 17, 20, 21~~
~~On south side of line through and across~~
~~boundary gently sloping~~
~~poor grassy soil and rock~~

North bet. Secs. 16 and 17
Va. 18° 30'E.

10.08

15.51

Disced abruptly
Head of wash Co. S. W.
Enter J. mow.

T.23 N. R. 16 E. C & S. R. M.

Chs.

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. Δ . and \square . of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{4}$ ft. base over it. In Δ . pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on Δ . face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 8, 9, 16, - 17, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 23 Δ . S. 9 on N.E. R. 16 E. S. 16 on S.E. S. 17 on S.W. and S. 8 on N.W. faces, with 4 notches on S. and 4 notch on E edges.

South half rough and rocky
Rim and gentle rolling or level land
Good grass
Soil good rate.

T.23 N. R. 16 E.C. & S.R.M.

Chs.

Cast on a random line ft.
Secs. 9 and 14

Va. $13^{\circ} 27' E.$

Dug out survey gradually
Set temporary 14 Sec. Cor.
Drove out S. and S. line
17 links S. of the Cor.
to Secs. 9, 10, 15 & 16
thence I run S. $89^{\circ} 50' W.$
on a true line ft.

Sec. 9 and 16 with same va.

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{2}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E. and N. of stone 5 $\frac{1}{2}$ ft. l. l. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 1 $\frac{1}{2}$ ft. base over
it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on N.
face.

19.92 Th. Cor. to Secs. 8, 9, 16 and 17

Laid — rolling

Soil — wet
good grazing

T.23 N. R.16 E. G. & S. R. M.

Chs.

North ft. Secs. 8 and 9
Va., $10^{\circ} 27' E.$

✓ Descend gradually

40,000 Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

A. and S. of stone $\frac{1}{2}$ fe l dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{4}$ ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

80,000 Set a limestone 20 x 20 x 10 ins. 18 ins in the ground for Div. to Secs. 4, 5, 8 and 9 marked with 5 notches on S. and 4 notches on Q. edges and raised a mound of stone alongside. Pits impracticable and greatly rolling soil 2nd rate Good grazing

page 53 does not exist

BOOK 466

57

T.23 N. R. 16 E. C. & S.R.M.

Chs.

Cast on a road on
line bet Secs. 4 and 9
Va. 10° 30' E.

Over nearly level land
4.000 Set traps along N. Sec. Cor.
79.80 Distances N. and S.
line 32 miles S. of the
Cor. to Secs. 8, 4, 9 and 10
then turn S.
89.46' N. on a true line
bet Secs. 4 and 9 with
same ca.

39.90 Deposited a marked stone 12 ins. in the
ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.
E. and W. of stone 5 ft. deep and raised
a mound of earth 11 ft. high 64 ft. face over
it. In Q. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked S. on N.
face.

79.80 The Cor. to Secs. 4, 5, 8, 9
surface rolling & level

56

BOOK 466

page 55
does not exist

T.23 N. R. 16 E C & S L M

Chs.

Dirt Br. rate
Good grazing

North on a sand on
line bet. Secs. 4 and 5
. Va. $10^{\circ} 30' E$.

Descend gradually

5.50 Cut Creek Bottom Ga. S. W.
20.25 North fork of Cow
creek 60 links wide
Ga. S. 70° N. ascend

40.00 Set temporary 1/4 Sec. Cor.

80.10 District to Boundary
of the Town of

Links N. of the Cor.
to Secs. 4, 5, 82 and 83
recently established by me.

Thence I run

So. 8' th. on a true line
bet. Secs. 4 and 5

T²³ N.R 16 E.G. & S.R.M

Chs.

with same in

40.15 Ch. Deposited a marked stone 12 ins. in the ground for 1 Sec. Cor. dug pit 18 x 18 x 12 ins. Sk. and S. of stone 5 1/2 feet dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In A. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked + S. on N. face.

80.15 Th. Gr. to Secs. 4, 5, 8 & 9

Sand rolling

Soil Ind. soil

Good grazing

John Nelson Landowner Nov. 2nd 1882

From the Gr. to Secs.

5, 6, 8 1 and 8 2 on the
S. Boundary of the
township. Frequently stab-
lished by me. I run
North of pit. Secs. 8 1 and 8 2,
Va. 13° 30' E.

T.23 N.R.16 E G. & S R M

ch.

Beneath over rolling land

3000 Top of ridge loc. S.
and N. and aroundSet a post 3 ft. long & insl. diam. with marked
stone, 12 ins., in the ground for 4 Sec. Cor.,
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12'
ins. N. and S. of post $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around
post. 18 ins. in the ground and S. on8000 face. Deposited a marked stone 12 ins. in the
ground for Cor. to Secs. 29, 8 & 81/102, dug pits
18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base
over it. In S. E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 23 N.
S. 29 on N.E. R. 16 $^{\circ}$ S. 22 on S.E. S. 21
on S.W. and S. 20 on N.W. faces. with
1 notch on S. and 5 notch on
on E edges.Land gently rolling
Soil about 3rd. rate
Grazing good some oak brush

T.23 N.R.16 E.C. & S.R.M.

East on a random line
bet. Secs. 29 and 32
Va. $13^{\circ} 30' E.$

Over rolling land

Set fence along $\frac{1}{4}$ Sec. Cor.
Between N. and S. line
23 links N. of the C. or.
to Secs. 28, 29, 32 and 33
then I run N. $89^{\circ} 55' W.$
in a true line bet. Secs.
29 and 32 with same val.

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits $18 \times 18 \times 12$ ins.
E. and N. of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

The C. or. to Secs. 29, 30, 31 and 32
Surface gently rolling
Soil 2nd. rate
Fair grazing some sagebrush

T.23 N. R. 16 E.C. & S.R.M.

Ch.

Not on a random
line set Sec. 20 80'
Va. 180 80' C.

Proceeding over rolling land

25.08 Dived gradually
40,00 Set temporary 44 Sec. Cor.
79.10 Delivered N. boundary
of the township 68 links
N. of the Cor. to Sec.

25.08 0.81 and 26 recently
established by me.
Hence I run N. 89°
23' E. on a true line
set Secs 30. and 31
with same var.

89.10 Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E. and W. of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on
face N.

T.23 N.R.16 E.G.& S.R.M

Chs

9/10 Th Cor. to Secs. 29, 30, 31 & 32.

Dry soil rolling

Soil ^{about} Grd. rate

Good grass

North ft. Secs. 29 + 30

Va. 13° 30' E.

Discusses over rolling land

000 Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N. and S. of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

80,00 Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 19, 20, 29, 30, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 23 N. 52° on N.E. R. 16 E.S. 29 on S.E. S. 80

T.23 N. R. 16 E.C. & S.R.M.

Chs.

on S. W. and S. 19 on N. W. faces, with
 2 notch ~~as~~ on S. and 5 notch ~~as~~
 on E edges.

Liquid rolling
 Soil sandy 3rd. rate
 Grazing fair
Sand sagebrush L

East on a random line
 ft. Sec. 20 and 29
 Va. $13^{\circ} 10' E.$

Liquid gently rolling
 40,000 Set tump on any $\frac{1}{4}$ Sec. Cor.
 80. 28 Dist. sec. A. and S. line
 80 links S. of the
 C. or to Sec. 19. 20. 29 & 80
 thence I run S. 89°
 47' N. on a true line
 ft. Sec. 20 and 29
 with same va.

T.23 N.R.16 E.G. & S.R.M.

Chs.

40.14

Deposited a marked stone 12 ins in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W. of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

50.28 They go to Sis. 19.20.29 & 30
Land rolling
Soil sandy 3rd val.
Grass fair

C. D. Wheeler Nov. 2nd 1882
Met on a random line
bet. Sis., 19 and 80

Va. 10° 10' El.

Over rolling land

Sat temporary 14 Sis. for.

7945 On west of N. Boundary
of the township 54 links
S. of the cor. to Sis.

T.23 N.R.16 E.G.&SRM

Ch.

19, 24, 25 and 26
 recently established by me.
 Then I run S. 89° 37' E.
 on a true line bet.
 Div. 19 and 20 with
 same ca.

89, 45 Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 E. and N. of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In E. pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
 face.

79, 45 The Cr. to Sect. 19, 20.
 29 and 30

Surface rolling
 Soil sandy Lateral
 Grass

John Malone Confineman
 Nov. 3rd, 1888.

T.23 N.R 16 E G. & S R M

Chs.

forth set. S 15° 19' and 20'
Va. 13° 10' E.

descend gradually

40.00 Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. A. and S. of stone 5 $\frac{1}{2}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In A. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on A. face.

47.29 Corn creek Co. A. 819 ft.
and ascend gradually
17.20 Wash 1/2 bush. wide
L. & R. and ascend gradually
80.00 Set a limestone 20 x 10 x 10 ins.
10 ins. in the ground for.

On. to S. w. 1718, 19 & 20
marked with 2 notches on S.
and 5 notches on E. edge.
and raised a mound of stone
along side Pits impracticable
surface rolling Soil good rate
Good grass

T.23.N.R.16 E.C. & S.R.M

Chs.

East of a random line
bet. Sec. 17 and 20
Va. 18° 30' E.

Dugout

22.5 Wash Co. S.W. and
ground

Dugout

Set true way of 1/4 Sec. line.

44.80 Wash Co. S.W. ascend

Detroit - t. and S. line

76 links S. of the

On to Sec. 14, 17, 20 & 21

thence I run S. 89°

27 1/2 m. on a true line
bet. Secs. 17 and 20

with same ca.

39.93 Set a limestone 20 x 20

810 ins. 15 ins. in

the ground for 1/4

Sec. line, marked 1/4 S.

on N. face and

T.23 N.R.16 E.C. & S.R.M

Ch.

raised a mound
of stone alongside
of its impracticable

19.86 The Cr. to Sec. 17, 18, 19 & 20.
Surface rough and rocky
Soil 3rd rate
No grass plenty of stone

C. D. Wheeler At. 34/88 R.
West on a random
line set. Sec. 18 & 19
Va. 13° 30' E.

Draining over rolling
land

4,000 Set temporary 1/4 Sec. Bot.
19.12 Delivered H. Boundary
of the township &
links S. of the
Cr. to Sec. 13, 18, 19 & 24
which was recently
established by me

T.23 N.R.16 E C. & S R M

Chs.

thence \angle run
 N. $89^{\circ} 57' E$ in a true
 line bet. Secs.
 18 and 19 with same
 va.

39,12

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
~~E~~ and ~~N~~ of stone $5\frac{1}{2}$ feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
 it. In \angle pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on ~~N.~~
 face.

79,12 The cor. to Secs. 17, 18, 19 & 20
 Land rough
 Soil 4th rat.
 No grass.

John Mohr Nov. 8, 1882,
 North bet. Secs. 17 and 18
 Va. $13^{\circ} 35' W.$

Round gradually
 40° Set a Basalt. stone

T.23 N.R 16 E.C. & S.R.M

Ch.

20 x 12 x 12 in., 15
in. in the ground
for $\frac{1}{4}$ S.E. of n.
marked $\frac{1}{4}$ m
N. face and
raised a mound
of stone along side
Rt - impracticable
8,000 ft^3 limestone

20 x 20 x 4 in., 15
in. in the ground
for G onto S.E.
7.8.17 and 18 marked
with 4 notches on
S. and 5 notches
on E. edges. and
raised a mound
of stone along side
Rt - impracticable
Surf ad level
Soil $\frac{4}{5}$ the rate

70

BOOK 466

T.23 N.R.16 E.C. & S.R.M

Chs.

Grazing post.

East on a random
line bet. Sec. 8 & 17
Va., $13^{\circ} 36' E.$

Round

8.75 Enter Mass.

40.00 Set buoy way 1/4 Sec. Cor.

79.70 Intersect St. and

Sylvie 69 buoys

S. of the Cor. to Sec.

8.9. 16 and 17 then

I run S. $89^{\circ} 30' W.$
on a long line bet.

Secs. 8 and 17

with same or

89.85 Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits: 8 x 18 x 12 ins.
E. and $\frac{1}{4}$ of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on A.
face.

T.23 N.R.16 E.C. & S.R.M

Chs-

7970 The Cr. to Sect 7, 8,
17 and 18.

Ground rolling

Soil dark rich

Good grazing

West on a random
line set Dec 1818

Ta, 13° 36' E.

Over nearly level land

40.00 Set temporary Sec line

7920 Discovered the boundary
of the township 28

Links S. of the
Cr. to Sect 7, 12, 13
and 18 which was
recently established by me.

Then I run S. 89°

48' E. on a true line
set, Dec. 1818
with same ca.

T.23 N.R. 16 E.C. & S.R.M.

Cho.

79.20 Set a sand stone, $16 \times 10 \times 6$ ins., 11 ins.
in the ground for 1 Sec, Cor, marked $\frac{1}{2}$ on N.
face, big pile $18 \times 18 \times 12$ ins. 6 $\frac{1}{2}$ and $\frac{1}{2}$
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{4}$ ft. base alongside.

79.20 The Port. to Sec. 7, 8, 17 & 18
Land nearly level
Soil 4th rate
Grazing fair

John Mahon Comptressman
Nov. 3rd. 1882.

North lat. Secs. 7, 8, 8 $\frac{1}{2}$, 18
Va. $13^{\circ} 06' E.$

Second

4.25 Spur br. E. and N. and
Second

4.000 Set a limestone
 $24 \times 23 \times 7$ ins. 18 ins.
in the ground for

T.23 N.R. 16 E.C & S.R.M

Cho.

14 See Cor. marked
14 on N. face and
raised a mound
of stone along side
Pit - impracticable
44,44 Enter level bottom

8,000

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 5, 6, 7 and 8, dug pits
18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base
over it. In S.E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 2 & N.
S. 5 on N.E., R/6 & S. 8 on S.E. S. 7
on S.W. and S. 4 on N.W. faces. with
5 notch on S. and 5 notch on
E edges.

Sink in rolling
Soil 3rd rate
South half grass poor
North half grass good

T.23 N. R. 16 E. C. & S. R. M.

Chs.

East on a random
line bet. Secs. 5 and 8
Va. 18° 30' E.

Nearly level land
4.0.00 Set temporary N. Sec. Cor.
75.34 Leave creek I follow

Begin to ascend

80.24 Intercept N. and S. line
17 links S. of the Cor.
to Secs. 4, 5, 8 & 9
where I run S. 89° 53' W.
on a true line bet.
Secs. 5 and 8
with same va,

✓ 4.0.12 Deposited a marked stone 12 ins. in the
ground for $\frac{1}{2}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E. and W. of stone 5 ft. dirt and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on N.
face.

80.24 The Cor. to Secs. 5, 6, 7 & 8

T.23 N.R.16 E.C. & S.R.M

Chs.

Sand level
 Soil about 3rd. rate
Good grazing

West on a random
 line bet. Sec. 6 and 7
 Va. $80^{\circ}30' E.$

In level valley
 35.48 S. fork of Iron creek
 Co. S. 70° W.

4.000 Set temporary 1/4 Sec. Cor.
 79.67 Intersect N. boundary
 of the township
 34 links N. of the
 Cor. to Dist. 1 G. 7 and
 12 which was
 recently established by me
 There I run
 N. $89^{\circ}45' E.$ on a true
 line bet. Sec. 6 and
 7 with same va.

T.23 N.R.16 E C. & S R M

Chs-

39.07

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E. and W. of stone 5 $\frac{1}{2}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

79.07 Th. Gr. to Secs. 5, 6, 7 & 8
 Surface rolling
 Soil 3rd rate
Good grazing
 North on a road on
 line bet. Secs. 5 and 6
 Va. 13° 08' E.

In creek bottom.

17.07 North fork of corn
 CREEK Co. S. 85° W.

2000 Begin to ascend

25.17 After high level land

4000 Set boundary $\frac{1}{4}$ Sec Gr.

80.37 Dashed N. boundary

T.23 N. R. 16 E C. & S. R. M.

Ch.

of the township 17
Links Npt. of the
Cor. to Secs. 5, 6, 31
and 32 which was
recently established
by me. thence I.
From $80^{\circ} 7' W.$
on a true line bet.
Secs. 5 and 6 with
same ca.

40,37 Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins.
N. and S. of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 2 $\frac{1}{2}$ ft. base over
it. In N. pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N.
face.

80,37 The Cor. to Sec. 5, 6, 7 & 8
Surface rolling
Soil 3rd. rate
Good grass

78
BOOK 466

T.23 N.R 16 E.G. & S.R.M.

Cho.

I carefully examined
the adjustments
of my Solar Compass,
to say particularly
the latitude and
reversing apparatus
and found them
correct.

John Malon Nov. 3rd. 1812.

General Description

T.23 N.R.16 T.C & S.R.M

This township is about the same in regard to the surface soil &c. The Southeast and Southwest parts are very sandy with very good grazing, no water, no timber and considerable sagebrush and in several places some greasewood. Corn creek runs through the S. Central part on the sides of the creek the land is broken and rocky with ledges and spurs. On the S. side the land slopes gradually to the creek.

T.23 N.R.16 E.G.& S.R.M

Chs.

North side all abrupt.
~~as cliff~~

The entire S. part
is a gently rolling
or level prairie land
except in the N.E.
where there is a small
dry lake or basin

The soil is every where
sandy and has
a good growth of
Spartina grass
No water no timber,
some sage brush and
greenwood

Except along side of creek
Oil about 3rd and
4th rate

For further details see book
No. 20.

U. S. Surveyor General's Office,
Tucson, Arizona, July 21, 1883,

The foregoing Field Notes of the survey of the

Subdivision Lines of Township

23 North, Range 16 East

of the Gila and Salt River Base and Meridian, Arizona,
executed by O. H. Wheeler,
D. S., under his contract of the 5th day of
August, 1882, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

J. W. Robbins

Surveyor General.