

No. 1277

BOOK 1277

Book No. I

1

See Index +

## FIELD NOTES

1277

The South & East Boundary Lines of  
Township 19 North, Range 27 East,

Gila and Salt River Meridian, Arizona.

No. 1277

Milton Santee, Deputy Surveyor,  
BY  
under his contract of July 20, 1882.  
Survey commenced Nov. 20, 1882.  
Survey completed Nov. 21, 1882.

Platted by 188

Copied for Washington by 188

Copied for Register by 188



## Preliminary Oaths of Assistants. 1A

I, ..... do solemnly  
wear that I will well and truly perform the duties of compass-  
nan, according to instructions given me, and to the best of my  
skill and ability, in the survey of the .....

, Compassman.

Subscribed and sworn to before me this .....  
day of ..... , 188.....

---

We, Thomas J Hall  
and Jeff Kysell, .....  
do solemnly swear that we will well and faithfully execute the

duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the South and East Boundary of T. 19 & R 27 E and the subdivision lines of Tps 19 & R 27 & 28 E & T. 18 & R 27 E G.S.R.

Thomas J. Hall, Chainman.

Jeff Hysell, Chainman.

, Chainman.

, Chainman.

Subscribed and sworn to before me this 18<sup>th</sup>  
day of November, 1882.

A. E. Schaeffer  
U. S. Commissioner, 3d Judicial District,  
Arizona Territory.

B. R. Okner

and

do solemnly swear that we will well and truly perform the duties of axemen, in the establishment of corners and other duties, according to instructions given us, and to the best of our skill and ability, in the survey of ~~the South and East~~

Boundary of T. 19<sup>d</sup> R. 27<sup>E</sup> and the  
Subdivision lines of Thos 19<sup>d</sup> Rs 27 & 28  
Ex T. 18<sup>d</sup> R. 27<sup>E</sup> Gr. S. R. M.

B. R. Okner, Axeman.

Axeman.

Subscribed and sworn to before me this 18<sup>th</sup>  
day of November, 1882

A. E. Shoemaker

D. S. Commissioner, 3d Judicial District,  
Arizona Territory.

(1)

BOOK 1277

J. R. Meekins

I, do solemnly swear  
that I will well and truly perform the duties of flagman,  
according to instructions given me, and to the best of  
my skill and ability, in the survey of the South  
and East Boundary of T19 & R 27 E and  
subdivision lines of T19 & R 27 & 28  
E. & T. 18 & R 27 E G. & S. R. M.

J. R. Meekins, Flagman.

Subscribed and sworn to before me this 18<sup>th</sup>  
day of November, 1882.

A. E. Schaeffer

U. S. Commissioner, 3d Judicial District,  
Virginia Territory.

BOOK 1277

Tuesday

South Bay T 19 N R 27 E 1  
East " 19 N " 27 E 9.

Township 19 North, Range 27 East,  
Gila and Salt River Basins and  
Meridian

6	5	4	3	2	1	8
—	+	+	+	+	—	—
7	8	9	10	11	12	10
—	+	+	+	+	—	—
18	17	16	15	14	13	11
—	+	+	+	+	—	—
19	20	21	22	23	24	12
—	+	+	+	+	—	—
30	29	28	27	26	25	13
—	+	+	+	+	—	—
31	32	33	34	35	36	14
7	6	5	4	3	1	—

7919b5m4-03

On the 20<sup>th</sup> day of Nov. 1872 I  
set my instrument at the Cor.  
to Sec. 18-19 N., R. 26-27 E., carefully  
examined it in all its adjust-  
ments and found them correct.  
Took the latitude and found  
it to be  $34^{\circ} 58' N.$ , and proceeded  
to run as follows: —

S.B.T. 19 N. R. 27 E. G. &amp; S. R. M.

No. 1277

From the Cor. to Tps. 18 & 19 N. Rs. 26 & 27 E.  
 which is a post, 4 ins. square, set  
 firmly in the ground, marked  
 T. 19 N. S. 31 m N. E., R. 27 E. S. 6 on S. E.,  
 T. 18 N. S. 1 on S. W. and R. 26 E. S. 36 on  
 N. N. E. faces, with 6 notches on each edge;  
 pit, 24x18x12 ins dug lengthwise in  
 such line N. S. E. and W. of post, 6 ft.  
 dit. earth mound 2 $\frac{1}{2}$  ft. high, 5 ft.  
 face around post  
 I run East. on a random line on S. E. of Tp.

Va. 14° 0' East.

I set temporary corners at every half mile, and at 5 miles  
 79.6 chs. I arrive at a point 198 lks. North of Cor. to Tps.  
 18-19 N. Rs. 27-28 E., which is a  
 sandstone, 24x17x8 ins., set 18 ins.  
 in the ground, marked with 6 notches  
 on each edge, and stone mound  
 along side, From which corner I run.  
 789.16' on a true line between sections 1-36.

Va. 14° East.

IF

BOOK 1277

The instrument that I used in  
making this survey was manufactured  
by Otto Fenner, Cassel Germany,  
in 1881, and was carefully ex-  
amined and tested on the true  
meridian at Tucson Arizona,  
May 26, 1882.

On the 20<sup>th</sup> day of Nov. 1882, I  
set my instrument at the Cr.  
of Tps. 18-19 N., Rs. 26-27 E., carefully  
examined it in all its adjust-  
ments and found them correct.  
I took the latitude and found  
it to be  $34^{\circ} 58' N.$ , and proceeded  
to run as follows:

S.B.T. 19 N. R. 27 E. G. &amp; S. R. M.

Chains.

Ascend.

0

Set a post 3 ft. long, 3 ins. diam. with marked stone.  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 N. face, dug pits, 18 x 18 x 12 ins.,  $\frac{1}{2}$  and  $\frac{1}{4}$  of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post. on S.  
 Top of Spur, bears N. & S. and descend.

54.40

Cross Gulch, 10 lks. wide, Course North and ascend.

66.60

Summit of Divide between Jemez  
 Rio Puerco bears N. & S. and descend.

80.00

Set a post 4 ft. long, 4 ins. square, with marked stone.  
 12 ins. in the ground, for Cor. to Secs. 1-2-35-36,  
 marked T 18 N. S. 36, or N. E., R. 27 E., S. 1  
 on S. E., S. 2 on S. W. and S. 35 on N. W. face,  
 with 5 notches on S. and 1 notch on E. edges;  
 dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
 around post. in low sag,  
 Land mountainous

Soil 3rd rate.

Timber of

Cedar.

Vegetation,

Bunchgrass.

J.B. T.'9 N. R. 27 E. G. &amp; S. R. M.

Chains.

N. 89° 46' W. on a true line between sections 2 - 33.

Va. 14° East.

Ascend.9.00 Bank of Jumi and Rio Puerto Divide,  
bzw. N. & S. W. and descend.

30.60 Cross Gulch, 6 lks. wide, Course North and ascend.

34.00 Top of Spur, bears N. &amp; S. and descend.

40.00 Set a Sand stone 30 x 20 x 9 ins., 22  
ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{2}$  on N.  
face, dug pits, 18 x 18 x 12 ins., E. and W. of stone  
 $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base. alongside

60.60 Cross Gulch, 4 lks. wide, Course N. 10° E. and ascend.

64.50 Top of Spur, bears N. 10° E. &amp; S. 10° W. and descend.

80.00 Set a Sand stone 18 x 16 x 12 ins., 2 ins. in  
the ground for Cor. to Secs. 2 - 3 - 34 - 35 marked  
with 4 notches on N. and 2 notches on E. edges, dug pits  
18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a  
mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. alongside

Land mountainous

Soil 3<sup>rd</sup> rate.

Timber of Cedar,

Vegetation, Bunchgrass.

S.B.T. 19 N. R. 27 E. G. & S. R. M.

Chains,

N 89° 46' W on a true line between sections 3-34.

Va. 14° East.

Descend.

6.64 Cross Gulch, 5 lks. wide, Course N 35° W and ascend.

40.00 Set a sand stone  $30 \times 10 \times 4$  ins., 22  
ins. in the ground, for  $\frac{1}{2}$  Sec. Cor., marked  $\frac{1}{4}$  on N.  
face, dug pits,  $18 \times 18 \times 12$  ins., E. and W. of stone  
 $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  
 $3\frac{1}{2}$  ft. base. alongside

80.00 Set a sand stone  $26 \times 20 \times 5$  ins.  $15$  ins. in  
the ground for Cor. to Secs. 3-4-33-34 marked  
with 3 notches on N and 3 notches on E. edges, dug pits  
 $18 \times 18 \times 12$  ins. in each Sec.,  $5\frac{1}{2}$  ft. dist., and raised a  
mound of earth  $2$  ft. high  $4\frac{1}{2}$  ft. base. alongside

Land mountainous

Soil 37a, rate.

Timber of Cedar,  
Vegetation, Bunchgrass.

S.R.T. 19 N. R. 27 E. G. &amp; S. R. M.

Chains.

N. 89° 46' W. on a true line between sections 4 - 33.Va.  $14^{\circ}$  East.

Ascend.

- 2.10 Top of Spur, bears N. 30° W. & S. 30° E. and descend.  
 20.40 Across Juni & Rio Puerto Divide, bears  
 N. 30° W. & S. 30° E. and descend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 N. face, dug pits, 18 x 18 x 12 ins., S. and W. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.  
 12 ins. in the ground, for Cor. to Secs. 4-5-32-33,  
 marked T. 19 M. S. 30°, on N. E.; R. 27 E. S. 4  
 on S. E., S. 5° on S. W. and S. 32° on N. W. face,  
 with 2 notches on N. and 4 notches on E. edges;  
 dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
 around post.

Land mountainous and rolling.

Soil 2<sup>nd</sup> rate.Timber of Cedar,  
Vegetation, Pinon grass.

S.B.T. 19 N R. 27 E. G. &amp; S. R. M.

Chains,

N. 89° 46' W. on a true line between sections

5-32

Va. 14° East.

Descend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 N. face, dug pits, 18 x 18 x 12 ins., ~~6~~ and N. of  
 post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 5-6-31-32,  
 marked T 1/4 N. S. 32, or N. E. R 27 ~~6~~, S. 5  
 on S. E. ~~S. 6~~ on S. W. and S. 31 on N. W. face,  
 with 1 notch on N. and 5 notches on E. edges;  
 dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
 around post.

Land rolling. ~~and~~ mountainous.Soil 2<sup>nd</sup> rateVegetation Bluegrass,  
Timber, Cedar.

S. B. T. 19 N. R. 27 E. G. &amp; S. R. M.

Chains.

7.89<sup>46</sup> N. on a true line between sections 6-31.  
Va. 14° East.

Descend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.  
12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
N. face, dug pits, 18 x 18 x 12 ins., S. and W. of  
post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
high,  $3\frac{1}{2}$  ft. base around post.

79.60 The Cor. to Tps. 18 & 19 N. Rs. 26 & 27 S.  
~~from which I started~~  
~~and mountainous and rolling.~~

Soil 2<sup>nd</sup> rate.

Timber of cedar,  
Vegetation, Bunchgrass.

Nov. 20, 1882.

Chains.

From the Cor. to Tps. 18 & 19 N. Rs. 27 & 28<sup>E</sup>  
previously described by me

I run North on a random line on C. B. of Tp.

Va. 14° East.

I set temporary corners at every half mile, and at 6 miles  
23 ~~ft.~~ I arrive at a point 50 lks. East. of Cor. to Tps.  
19-20 N., Rs. 27-28 E., which is  
a post 5 ins. square set firmly in  
the ground, marked T. 20 N. S. 8 1/2 m  
N.E., R. 28 E. S. 6 on S.E. T. 29 N. S. 6 on  
S.W. and R. 27 E. S. 6 on W.N.E. faces,  
with notches on each edge, pits dug  
lengthwise on each line 6 ft. dist.  
& built mound 2 1/2 ft. high, 5 ft. base  
around post, From which corner I run.  
S. 4° E. on a true line between sections 1-6.

Va. 14° 15' East.

Ascend.

1. 23 Top of Spur, bears N.E. & S.W. and descend.  
40. 23 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for 1/2 Sec. Cor., marked 1/2 S. on  
W. face, dug pits, 18 x 18 x 12 ins., N and S. of  
post 5 1/2 ft. dist., and raised a mound of earth 1 1/2 ft.  
high, 3 1/2 ft. base around post.

Chains,

55.03 Cross low Sag and ascend.

78.09 Cross Road, bears, C. V. W.

80.28 Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 1-6-7-12,

marked <sup>T. 19 R. 27</sup> N. S. 6, on N. E., R 28 <sup>E</sup>, S. Yon S. E. <sup>N</sup> S. 12 on S. W. and S. / on N. W. face,with 5 notches on S. and 1 notch on ~~N.~~ edges;

dug pits, 18 x 18 x 12 ins. in each Sec., 5½ ft. dist.,

and raised a mound of earth 2 ft. high, 4½ ft. base  
around post.

Land rolling. And mountainous.

Soil 2<sup>nd</sup> rateVegetation, *Bromelgras.*

S.B.T. 19 N. R. 27 E. G. &amp; S. R. M.

Chains,

S. 41° E., on a true line between sections 7-12.  
 Va. 14° 10' East.

Ascend.

36.62 Cross Jum' Navajo Road, bears N. 80° E. & S. 80° W.

37.50 Top of Spur, bears N. 60° E. & S. 60° W. and descend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 N. face, dug pits, 18 x 18 x 12 ins., N and S. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post. Now Sag and ascend.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 7-12-13-18,  
 marked T 1/4 S. 7, on N. E., R. 28° S. 18  
 on S. E. S. 1/3 on S. W. and S. 1/2 on N. W. face,  
 with 4 notches on S. and 2 notches on N. edges;  
 dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
 around post.

Land mountainous. And rolling.

Soil 2nd rate

Vegetation, "Bunchgrass."

BOOK 1211  
S.B.T. 19 N. R. 27 E. G. & S. R. M.

Chains.

S. 4° E., on a true line between sections 13-18,

Va. 1410' East.

Ascend.

31.70 Top of Spur, bears N. 70° E. & S. 70° W. and descend.

40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.

12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on N. face, dug pits, 18 x 18 x 12 ins., N and S. of post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base around post.

54.30 Cross Gulch, 11 lks. wide, Course N. 70° E. and ascend.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.

12 ins. in the ground, for Cor. to Secs. 13-18-24,  
marked T. 19 S. 18°, or N. E., R. 28 E., S. 19°  
on S. E. S. 24 for S. W. and S. N. on N. W. face,  
with 3 notches on S. and 3 notches on N. edges;  
dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
around post.

Land mountainous.

Soil 2<sup>nd</sup>, rate

Vegetation, Bunchgrass.

S. 19' E. on a true line between sections 19-24.

Va. 14° 10' East.

Ascend.

- 40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 $W.$  face, dug pits, 18 x 18 x 12 ins.,  $N.$  and  $S.$  of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.
- 80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.  
 12 ins. in the ground, for Cor. to Secs. 19-24-25-30,  
 marked  $\frac{1}{4} 19 \frac{1}{4} N. S. 19$ , on N. E., R. 28  $\frac{1}{4}$ , S. 30  
 $R. 27 \frac{1}{4} S. 25$  on S. W. and S. 24 on N. W. face,  
 with 2 notches on S. and 4 notches on E. edges;  
 dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
 around post.

Land rolling.

Soil 2nd rate

Vegetation, Bunchgrass.

83 T. 19 N. R. 27 E. G. & S. R. M.

ains.

S. 4° E. on a true line between sections 25-30,  
Va. 14° 0' East.

Ascend.

- 40.00 Set a post 3 ft. long, 3 ins. diam. with marked stone.  
 12 ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  S. on  
 W. face, dug pits, 18 x 18 x 12 ins., N and S. of  
 post  $5\frac{1}{2}$  ft. dist., and raised a mound of earth  $1\frac{1}{2}$  ft.  
 high,  $3\frac{1}{2}$  ft. base around post.
- 54.90 Top of Spur, bears N. 30° E. & S. 30° W. and descend.
- 80.00 Set a post 4 ft. long, 4 ins. square, with marked stone.  
 12 ins. in the ground, for Cor. to Secs. 25-30-31-36,  
 marked T. 19 R. S. 30 on N. E., R. 28 E. S. 31  
<sup>R. 27 E.</sup> on S. E. S. 36 on S. W. and S. 25 on N. W. face,  
 with 1 notch on S. and 5 notches on 2 edges;  
 dug pits, 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.,  
 and raised a mound of earth 2 ft. high,  $4\frac{1}{2}$  ft. base  
 around post.

Land rolling.

Soil  $2^{\text{nd}}$  rate

Vegetation, Bimehgrass.

E. B. T. 19 N. R. 27 E. G. & S. R. M.

Chains,

S. 4' E., on a true line between sections 31 - 36.

Va. 14° 10' East.

Descend.

40.00 Set a Lava stone  $18 \frac{1}{2} \times 14 \frac{1}{2} \times 10$  ins., 12  
ins. in the ground, for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on W.  
face, and raised a mound of stone. alongside Pits  
impracticable.

63.70 Gross Wash, 5 lks. wide, Course N 10° E. and ascend.

80.00 The Cor. to Tps. 18 & 19 N. Rs. 27 & 28 E.,  
from which I started.  
Land rolling.

Soil 2<sup>nd</sup> rate

Vegetation, Bunchgrass.

I carefully examined the adjustments of my solar compass to-day, particularly the latitude and reversing apparatus, and found them correct.

Nov. 21, 1882.

For final oaths  
see book No. 4.

No. 1277

## U. S. Surveyor General's Office,

TUCSON, ARIZONA, July 21, 1883

The foregoing Field Notes of the Survey of the

South and East Boundary lines  
of Township 19 North.  
Range 27 East

Of the Gila and Salt River Base and Meridian, Arizona, executed by

Milton Tansey

Deputy Surveyor under his contract of the 25<sup>th</sup>  
day of July, 1882, having been  
critically examined and the necessary corrections and explana-  
tions made, the said Field Notes and the surveys they describe  
are hereby approved.

J. W. Robison  
Surveyor General.