ORIGINAL

BOOK 5475

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD NOTES

OF THE
DEPENDENT RESURVEY OF
A PORTION OF THE NORTH BOUNDARY
AND A PORTION OF THE SUBDIVISIONAL LINES,
AND
THE METES-AND-BOUNDS SURVEY OF THE
NORTH MARICOPA MOUNTAINS WILDERNESS AREA BOUNDARY,
TOWNSHIP 4 SOUTH, RANGE 2 WEST
Of the <u>Gila and Salt River Meridian</u> , In the State of <u>Arizona</u>
EXECUTED BY Olian T. Shockley, Cadastral Surveyor

Under Special Instructions dated <u>October 21, 1993</u>, approved <u>October 21, 1993</u>, which provided for the surveys included under Group Number <u>762</u> and assignment instructions dated <u>October 22, 1993</u>.

Survey commenced October 26, 1993
Survey completed June 13, 1994

BOOK 5475

TOWNSHIP 4 SOUTH , RANGE 2 WEST

Metes-and-Bounds Survey of NMMWA

pp. 9-89

T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

The following field notes are those of the dependent resurvey of a portion of the north boundary and a portion of the subdivisional lines, and the metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 4 South, Range 2 West, Gila and Salt River Meridian, Arizona.

The history of surveys pertaining to this dependent resurvey and survey is as follows: The north boundary was surveyed by W. H. Thorn, W. G. Shapcott and W. K. Kierulff in 1915-16. The south boundary and subdivisional lines were surveyed by Louis D. Gilbert in 1970.

The survey was executed in accordance with the specifications as set forth in the <u>Manual of Surveying Instructions</u>, 1973, and the Special Instructions dated October 21, 1993, for Group No. 762, Arizona.

Preliminary to the resurvey, the lines of the original survey were retraced and search was made for all corners and other calls of the record. Identified corners were remonumented in their original positions; lost corners were restored and monumented at proportionate positions based on the original record. The retracement data were thoroughly verified and only the true line field notes are given herein.

The directions of all lines were determined by direct hour angle observations on the sun, and refer to the true meridian. Distances and angles were measured with a Lietz Set 2B II total station.

The geographic position of the cor. of secs. 5, 6, 31, and 32, on the south boundary of the township, as determined from a tie made to U.S. Geological Survey triangulation station "ESTRELLA 1936", located in the southwest quarter of section 33, Township 4 South, Range 2 West, is as follows:

Latitude: 33°01'44.71" N. Longitude: 112°29'41.76" W. NAD 27

The mean magnetic declination as taken from quadrangle map COTTON CENTER SE, ARIZ., published in 1973 by U.S. Geological Survey, is $13\ 1/2^\circ$ E.

Dependent Resurvey of a Portion of the North Boundary, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Restoring the survey executed by W. H. Thorn, W. G. Shapcott and W. K. Kierulff, in 1915-16
	Beginning at the cor. of secs. 1, 2, 35, and 36, on the N. bdy. of the Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 12 ins. above ground, with brass cap mkd. T3S R2W S35 S36 S2 S1 T4S 1916.
	Add the marks 1993 on the brass cap.
	Cor. is located in a barbed wire fence, 4 strands, bears E. and W.
	N. 89°52' W., bet. secs. 2 and 35.
22.32	Point for A.P. 170 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	Thence along the North Maricopa Mountains Wilderness Area Bdy.
28.64	Point for A.P. 1, T. 3 S., R. 2 W., of the North Maricopa Mountains Wilderness Area Bdy.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T3S R2W AP1 S35
	NMMWA———————————————————————————————————
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located in a barbed wire fence, 4 strands, bears E. and W. and 220 lks. S. of a trail road, bears E. and W.
ř	Leave the North Maricopa Mountains Wilderness Area Bdy.
40.02	The 1/4 sec. cor. of secs. 2 and 35, monumented with an iron post, 1 in. diam, firmly set, projecting 4 ins. above ground, with brass cap mkd. S35 1/4 S2 1916.
	Add the marks T3S R2W T4S 1993 on the brass cap.
	Cor. is located in a barbed wire fence, 4 strand, bears E. and W.
1	

CHAINS	T
	Restoring the survey executed by Louis D. Gilbert, in 1970
	From the cor. of secs. 10, 11, 14, and 15, monumented with an iron post, 3 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T4S R2W S10 S11 S15 S14 1970.
	Add the marks 1993 on the brass cap.
	N. 0°02' W., bet. secs. 10 and 11.
34.77	Point for A.P. 147 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.00	The 1/4 sec. cor. of secs. 10 and 11, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T4S R2W 1/4 S10 S11 1970.
	Add the marks 1993 on the brass cap.
	N. 0°02' W., beginning new measurement.
40.01	The cor. of secs. 2, 3, 10, and 11, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. T4S R2W S3 S2 S10 S11 1970.
	Add the marks 1993 on the brass cap.
	From the 1/4 sec. cor. of secs. 2 and 11, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. T4S R2W 1/4 S2 S11 1970.
	Add the marks 1993 on the brass cap.
	S. 89°56′ W., bet. secs. 2 and 11.
17.67	Point for A.P. 155 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
39.98	The cor. of secs. 2, 3, 10, and 11.
	From the cor. of secs. 27, 28, 33, and 34, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd. T4S R2W S28 S27 S33 S34 1970.
	Add the marks 1993 on the brass cap.
	A

CHAINS	1. 4 3., R. 2 W., Gila and Sait River Meridian, Arizona
	N. 01021 M. hat area 07 and 00
	N. 0°03' W., bet. secs. 27 and 28.
36.56	Point for A.P. 56 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
40.01	The 1/4 sec. cor. of secs. 27 and 28, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 9 ins. above ground, with a mound of stone to the W., 2 ft. base, 1 ft. high, with brass cap mkd. T4S R2W 1/4 S28 S27 1970.
	Add the marks 1993 on the brass cap.
	From the cor. of secs. 22, 23, 26, and 27, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. T4S R2W S22 S23 S27 S26 1970.
	From this cor. point, a rebar of unknown origin, 1/2 in. diam., firmly set, projecting 7 ins. above ground, unmarked, bears N. 64° E., 1 lk. dist.
	S. 89°59' W., bet. secs. 22 and 27.
9.53	Point for A.P. 68 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
39.98	The 1/4 sec. cor. of secs. 22 and 27, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 3 ins. above ground, with brass cap mkd. T4S R2W 1/4 S22 S27 1970.
	Add the marks 1993 on the brass cap.
	From the cor. of secs. 14, 15, 22, and 23, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd. T4S R2W S15 S14 S22 S23 1970.
	S. 89°59' W., bet. secs. 15 and 22.
10.91	Point for A.P. 77 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
39.99	The 1/4 sec. cor. of secs. 15 and 22, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, with a mound of stone to the N., 3 ft. base, 1 ft. high, with brass cap mkd. T4S R2W 1/4 S15 S22 1970.
	Add the marks 1993 on the brass cap.
	S. 89°59′ W., beginning new measurement.

CHAINS	1. 4 S., R. 2 W., Gifa and Saft River Meridian, Arizona
39.99	The cor. of secs. 15, 16, 21, and 22, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 9 ins. above ground, with brass cap mkd. T4S R2W S16 S15 S21 S22 1970.
	Add the marks 1993 on the brass cap.
	N. 0°01' W., bet. secs. 15 and 16.
25.47	Point for a witness point at intersection with line 100-101 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 101 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 55°11′ W., 1.19 chs. dist.
28.41	Point for a witness point at intersection with line 125-126 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
	From this cor. point, A.P. 126 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears N. 57°11′ E., 2.86 chs. dist.
40.02	The 1/4 sec. cor. of secs. 15 and 16, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 8 ins. above ground, with brass cap mkd. T4S R2W 1/4 S16 S15 1970.
	Add the marks 1993 on the brass cap.
	From the cor. of secs. 10, 11, 14, and 15, hereinbefore described.
	S. 89°59' W., bet. secs. 10 and 15.
19.00	Intersect line 87-88 of the North Maricopa Mountains Wilderness Area Bdy., not monumented.
	From this cor. point, A.P. 87 of the North Maricopa Mountains Wilderness Bdy., hereinafter described, bears S. 8°29' W., 2.22 chs. dist.
23.98	Point for A.P. 89 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
27.43	Point for A.P. 139 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.

,	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
29.72	Point for A.P. 137 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
39.99	The 1/4 sec. cor. of secs. 10 and 15, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with brass cap mkd. T4S R2W 1/4 S10 S15 1970.
	Add the marks 1993 on the brass cap.
	From the 1/4 sec. cor. of secs. 32 and 33, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd. T4S R2W 1/4 S32 S33 1970.
	Add the marks 1993 on the brass cap.
	N. 0°03' W., bet. secs. 32 and 33
40.05	The cor. of secs. 28, 29, 32, and 33, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 7 ins. above ground, with brass cap mkd. T4S R2W S29 S28 S32 S33 1970.
	Add the marks 1993 on the brass cap.
	Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears ESE and WNW.
	From the cor. of secs. 27, 28, 33, and 34.
	S. 89°59' W., bet. secs. 28 and 33.
39.92	The 1/4 sec. cor. of secs. 28 and 33, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, in a supporting mound of stone, 3 ft. base, to top, with brass cap mkd. T4S R2W 1/4 S28 S33 1970.
	Add the marks 1993 on the brass cap.
	N. 89°59' W., beginning new measurement.
40.00	The cor. of secs. 28, 29, 32, and 33.

Dependent Resurvey of a Portion of the Subdivisional Lines, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

From the cor. of secs. 5, 6, 31, and 32, on the S. bdy. of Tp., monumented with an iron post, 3 ins. diam., firmly set, projecting 4 ins. above ground, with brass cap mkd. T4S R2W S31 S32 S6 S5 T5S 1993 1970 as described in the field note record of the dependent resurvey of the north boundary of T. 5 S., R. 2 W., executed concurrently under this same group.

From this cor. point, U.S. Geological Survey triangulation station "ESTRELLA 1936", with published latitude of 33°01′56.69132" N. and longitude of 112°28′33.58730" W., NAD27, bears N. 78°12′37" E., forward bearing, 89.85 chs. dist., monumented with a standard brass disk, 3 1/2 ins. diam., cemented flush with the top of a granite boulder, 8 X 6 X 3 ins. high, with top of disk mkd. ESTRELLA 1936 and a triangle.

N. 0°02' W., bet. secs. 31 and 32.

- Point for A.P. 10 of the North Maricopa Mountains Wilderness Area Bdy., hereinafter described.
- The witness 1/4 sec. cor. of secs. 31 and 32, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 24 ins. above ground, in a supporting mound of stone, 4 ft. base, to top, with brass cap mkd. T4S R2W 1/4 S31 S32 WC 1970.

Add the marks 1993 on the brass cap.

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 4 S., R. 2. W., Gila and Salt River Meridian, Arizona

In Sec. 31

From A.P. 1, identical with A.P. 14, T. 5 S., R. 2 W., on line bet. secs. 6 and 31, on the S. bdy. of the Tp., monumented with a stainless steel post, 2 1/2 ins. diam., firmly set, projecting 5 ins. above ground, with brass cap mkd. T4S R2W AP1 S31 NMMWA AP14 S6 T5S 1994 as described in the field note record of the metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Bdy., T. 5 S., R. 2 W., executed concurrently under this same group.

Metes-and-Bounds Survey of the

North Maricopa Mountains Wilderness Area Boundary, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

From this cor. point, the witness 1/4 sec. cor. of secs. 6 and 31, monumented with an iron post, 2 1/2 ins. diam., firmly set, projecting 10 ins. above ground, in a mound of stone, 2 ft. base, to top, with brass cap mkd. T4S R2W S31 WC 1/4 S6 T5S 1993 1970 and an arrow pointing to the cor. point as described in the field note record of the dependent resurvey of a portion of the north boundary of T. 5 S., R. 2 W., executed concurrently under this same group, bears N. 89°59′ W., 10.56 chs. dist.

N. 54°56' E. on line 1-2 of the North Maricopa Mountains Wilderness Area Bdy.

NW of the Butterfield Stage Route road.

5.15 | Point for A.P. 2.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.

T4S R2W NMMWA AP2 S31 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 85 lks. N. of the Butterfield Stage Route road, bears NE and SW.

N. 52°51' E. on line 2-3 of the North Maricopa Mountains Wilderness Area Bdy.

NW of the Butterfield Stage Route road.

4.55 | Point for A.P. 3.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T4S R2W NMMWA AP3 S31

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

BOOK 5475 Metes-and-Bounds Survey of the

North Maricopa Mountains Wilderness Area Boundary

	North Maricopa Mountains Wilderness Area Boundary, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears NE and SW.
	N. 4°52' E. on line 3-4 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of the Butterfield Stage Route road.
2.13	Point for A.P. 4.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP4 S31
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears NE and SW, and 150 lks. W. of Fortymile Desert Tank.
	N. 68°01' E. on line 4-5 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
2.98	Point for A.P. 5.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP5
	S31
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of the Butterfield Stage Route road, bears NE and SW.

Metes-and-Bounds Survey of the

	North Maricopa Mountains Wilderness Area Boundary, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	N. 48°06' E. on line 5-6 of the North Maricopa Mountains

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	N. 48°06' E. on line 5-6 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
9.05	Point for A.P. 6.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W
	NMMWA
	AP6 S31
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears NE and SW.
	N. 57°56' E. on line 6-7 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
7.62	Point for A.P. 7.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W
	NMMWA /
	AP7 S31
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.
	N. 30°09' E. on line 7-8 of the North Maricopa Mountains

N. 30°09' E. on line 7-8 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of the Butterfield Stage Route road.

CHAINS	1. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
2.39	Point for A.P. 8.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP8 S31 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of the Butterfield Stage Route road, bears NE and SSW, in curve.
	N. 53°50' E. on line 8-9 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
3.23	Point for A.P. 9.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP9 S31 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
·	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve, and 85 lks. S. of a wash, 110 lks. wide, 3 ft. deep, drains W.
	N. 73°04' E. on line 9-10 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
3.81	Point for A.P. 10, on line bet. secs. 31 and 32.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W
	NMMWA
	AP10
	S31 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 40 lks. N. of the Butterfield Stage Route road, bears ENE and SW, in curve, and 150 lks. S. of a wash, 110 lks. wide, 2 ft. deep, drains WSW.
	In Sec. 32
	·
	N. 66°12' E. on line 10-11 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
2.36	Point for A.P. 11.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W
	NMMWA
	AP11
	\$32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 65 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.
	N. $70^{\circ}18'$ E. on line $11-12$ of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
3.41	Point for A.P. 12.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W
	NMMWA /
	AP12
	S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 190 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.
	N. 44°20' E. on line 12-13 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a wash.
3.50	Point for A.P. 13.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA/ AP13 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. N. of a wash, 90 lks. wide, 2 ft. deep, drains SW.
	N. 29°47' E. on line 13-14 of the North Maricopa Mountains
	Wilderness Area Bdy.
	WNW of a wash.
5.44	Point for A.P. 14.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

1	
CHAINS	
	T4S R2W NMMWA AP14 S32 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a wash, 50 lks. wide, 2 ft. deep, drains S.
	N. 8°27' W. on line 14-15 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a wash.
3.52	Point for A.P. 15.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP15 S32 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 25 lks. W. of a wash, 40 lks. wide, 1 ft. deep, drains S.
	N. 3°25' E. on line 15-16 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a wash.
4.69	Point for A.P. 16.
·	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 17 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.

S R2	T49		
,	NMMWA		
	4516	1	

1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 55 lks. W. of a wash, 50 lks. wide, 1 ft. deep, drains S.

N. $14^{\circ}32'$ E. on line 16-17 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of a wash.

5.21 | Point for A.P. 17.

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 19 ins. in the ground, to bedrock, in a mound of stone, 3 ft. base, to top, with brass cap mkd.

T4S R2W NMMWA AP17 S32

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 100 lks. W. of a wash, 30 lks. wide, 1 ft. deep, drains SSW.

N. $39^{\circ}00'$ E. on line 17-18 of the North Maricopa Mountains Wilderness Area Bdy.

NW of a wash.

3.16 | Point for A.P. 18.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

,	1. 4 5., K. 2 W., Grid and Safe Kiver Her latan, Al 120ha
CHAINS	
	T4S R2W NMMWA AP18 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. W. of a wash, 45 lks. wide, 3 ft. deep, drains SSW.
	N. 37°25' E. on line 18-19 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a wash.
2.32	Point for A.P. 19.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP19 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. N. of a wash, 70 lks. wide, 2 ft. deep, drains SSW.
	N. 64°39' E. on line 19-20 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a wash.
11.42	Point for A.P. 20.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
1	

BOOK 1954 75

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS

T4S R2W NMMWA AP2O S32

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 90 lks. N. of a wash, 70 lks. wide, 1 ft. deep, drains SW.

N. $48^{\circ}43'$ E. on line 20-21 of the North Maricopa Mountains Wilderness Area Bdy.

NW of a wash.

4.07 | Point for A.P. 21.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 125 lks. W. of a wash, 55 lks. wide, 2 ft. deep, drains WSW.

N. 41°53′ E. on line 21-22 of the North Maricopa Mountains Wilderness Area Bdy.

NW of a wash.

2.68 | Point for A.P. 22.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

CHAINS	The state of the s
	T4S R2W NMMWA AP22 S32 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 50 lks. N. of a wash, 100 lks. wide, 2 ft. deep, drains SW.
	N. 65°44' E. on line 22-23 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a wash.
10.97	Point for A.P. 23.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP23 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 80 lks. N. of a wash, 30 lks. wide, 2 ft. deep, drains WSW.
	N. 80°37' E. on line 23-24 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of a wash.
5.01	Point for A.P. 24.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, encircled with a collar of stone, with brass cap mkd.

CHAINS T4S R2W **NMMWA** AP24 **S32** 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 110 lks. N. of a wash, 25 lks. wide, 2 ft. deep, drains WSW. N. 78°49' E. on line 24-25 of the North Maricopa Mountains Wilderness Area Bdy. NNW of a wash. 4.94 Point for A.P. 25. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd. **T4S R2W NMMWA** AP25 S32 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 85 lks. N. of a wash, 25 lks. wide, 2 ft. deep, drains W. S. 40°34′ E. on line 25-26 of the North Maricopa Mountains Wilderness Area Bdy.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,

23 ins. in the ground, with brass cap mkd.

Point for A.P. 26.

2.22

(1. 4 5., R. 2 W., Gila aliu Sait Rivel Mel Iulali, Al Izolia
CHAINS	
	T4S R2W NMMWA
	AP26
	\$32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve.
	N. 78°45' E. on line 26-27 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
2.62	Point for A.P. 27.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP27 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears NE and W., in curve.
	N. 48°O4' E. on line 27-28 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
3.09	Point for A.P. 28.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS

T4S R2W NMMWA AP28 S32 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 70 lks. N. of the Butterfield Stage Route road, bears NE and SW.

N. 54°55′ E. on line 28-29 of the North Maricopa Mountains Wilderness Area Bdy.

NW of the Butterfield Stage Route road.

6.77 | Point for A.P. 29.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 77 lks. N. of the Butterfield Stage Route road, bears NE and SW.

N. 72°23' E. on line 29-30 of the North Maricopa Mountains Wilderness Area Bdy.

NNW of the Butterfield Stage Route road.

4.35 | Point for A.P. 30.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona **CHAINS** T4S R2W NMMWA AP30 S32 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and WSW. N. 73°43' E. on line 30-31 of the North Maricopa Mountains Wilderness Area Bdy. NNW of the Butterfield Stage Route road. 6.21 Point for A.P. 31. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T4S R2W NMMWA . **S32** 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 50 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve. N. 36°03' E. on line 31-32 of the North Maricopa Mountains Wilderness Area Bdy. NW of the Butterfield Stage Route road. 1.41 Point for A.P. 32. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS **T4S R2W NMMWA** AP32 **S32** 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 100 lks. N. of the Butterfield Stage Route road, bears NNE and SSW. N. 66°51' E. on line 32-33 of the North Maricopa Mountains Wilderness Area Bdy. NNW of the Butterfield Stage Route road. Point for A.P. 33. 2.60 Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. **T4S R2W** NMMWA **S32** 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears NE and WSW, in curve. N. 28°53' E. on line 33-34 of the North Maricopa Mountains Wilderness Area Bdy. WNW of the Butterfield Stage Route road. 3.53 Point for A.P. 34. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W NMMWA AP34 S32
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears ENE and SSW, in curve.
	N. 87°15' E. on line 34-35 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
3.09	Point for A.P. 35, identical with the cor. of secs. 28, 29, 32, and 33, hereinbefore described.
	In Sec. 28
	N. 70°55' E. on line 35-36 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
5.15	Point for A.P. 36.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP36 S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and SW, in curve.
	N. 64°46' E. on line 36-37 of the North Maricopa Mountains Wilderness Area Bdy.

CHAINS	
	NNW of the Butterfield Stage Route road.
4.61	Point for A.P. 37.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP37 S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.
	N. 48°47' E. on line 37-38 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
2.75	Point for A.P. 38.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP38 S28
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and SW, in curve.
	N. 63°57' E. on line 38-39 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
5.93	Point for A.P. 39.

CHAINS					·						
	۱_		_	_	_	_		_			

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

T4S R2W NMMWA AP39 S28 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.


Cor. is located 70 lks. N. of the Butterfield Stage Route road, bears NE and WSW, in curve.

N. $50^{\circ}10'$ E. on line 39-40 of the North Maricopa Mountains Wilderness Area Bdy.

NW of the Butterfield Stage Route road.

5.54 | Point for A.P. 40.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve.

S. $70^{\circ}50'$ E. on line 40-41 of the North Maricopa Mountains Wilderness Area Bdy.

NNE of the Butterfield Stage Route road.

2.72 | Point for A.P. 41.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

BOOK 54 75

CHAINS	
	T4S R2W
	NMMWA
	AP41
	S28
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WNW, in curve.
	N. 53°08' E. on line 41-42 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
2.03	Point for A.P. 42.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP42
	S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve, and 25 lks. N. of a, wash, 30 lks. wide, 1 ft. deep, drains W.
	S. 77°40' E. on line 42-43 of the North Maricopa Mountains Wilderness Area Bdy.
	NNE of the Butterfield Stage Route road.
1.34	Point for A.P. 43.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W NMMWA AP43
	S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ESE and W., in curve.
	N. 60°44' E. on line 43-44 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
1.95	Point for A.P. 44.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP44
	\$28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and SW, in curve.
	N. 82°29' E. on line 44-45 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
2.65	Point for A.P. 45.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W NMMWA AP45
	S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 40 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve.
	N. 81°52' E. on line 45-46 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
3.35	Point for A.P. 46.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP46
	\$28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 40 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve.
i.	N. 62°55' E. on line 46-47 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
4.68	Point for A.P. 47.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.

,	1. 4 3., R. 2 W., Glia aliu Sait River Mei lulan, Al Izona
CHAINS	
	T4S R2W NMMWA AP47 S28
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. N. of the Butterfield Stage Route road, bears NE and WSW, in curve.
	N. 48°08' E. on line 47-48 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
5.10	Point for A.P. 48.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 8 ins. in the ground, to bedrock, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd.
	T4S R2W NMMWA AP48
	S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 65 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.
	N. 61°34' E. on line 48-49 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
4.72	Point for A.P. 49.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 10 ins. in the ground, to bedrock, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd.

	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	T4S R2W NMMWA AP49
	S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 65 lks. N. of the Butterfield Stage Route road, bears NE and SW.
	N. 43°55' E. on line 49-50 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
5.72	Point for A.P. 50.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 11 ins. in the ground, to bedrock, supported in a mound of stone, 4 ft. base, to top, with brass cap mkd.
	T4S R2W NMMWA AP50
	S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 65 lks. N. of the Butterfield Stage Route road, bears E. and SW, in curve.
	N. 61°15' E. on line 50-51 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
6.17	Point for A.P. 51.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	1. 4 3., R. 2 w., Gila and Salt River Meridian, Arizona
CHAINS	
	T4S R2W NMMWA AP51
	\$28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears NE and SW.
	N. 36°16' E. on line 51-52 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of the Butterfield Stage Route road.
4.29	Point for A.P. 52.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP52
	S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. N. of the Butterfield Stage Route road, bears NE and SW.
	N. 61°01' E. on line 52-53 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
3.08	Point for A.P. 53.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W NMMWA AP53
	\$28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears E. and WSW.
	S. 88°40' E. on line 53-54 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
2.98	Point for A.P. 54.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP54
	S28 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears E. and W.
	N. 76°27' E. on line 54-55 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of the Butterfield Stage Route road.
8.54	Point for A.P. 55.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

1	T. 4 5., R. 2 W., Grid and Sait River Meiridian, Airizona
CHAINS	
	T4S R2W
	NMMWA
	AP55
	\$28
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears E. and WSW, in curve.
	N. 80°07' E. on line 55-56 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
8.17	Point for A.P. 56, on line bet. secs. 27 and 28.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.
	T4S R2W
	NMMWA
	AP56
	S28 S27
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. red plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of the Butterfield Stage Route road, bears E. and W., and 35 lks. N. of a wash, 9 lks. wide, 2 ft. deep, drains NW.
	In Sec. 27
	N. 88°36' E. on line 56-57 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of the Butterfield Stage Route road.
8.42	Point for A.P. 57.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.

CHAINS				
	T4S R2W NMMWA AP57			
	\$27 1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.			
	N. 79°12' E. on line 57-58 of the North Maricopa Mountains Wilderness Area Bdy.			
	N. of the Butterfield Stage Route road.			
7.35	Point for A.P. 58.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.			
	T4S R2W NMMWA AP58			
	S27 1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.			
	N. 53°31' E. on line 58-59 of the North Maricopa Mountains Wilderness Area Bdy.			
	NW of the Butterfield Stage Route road.			
6.50	Point for A.P. 59.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.			

CHAINS				
CHAINS				
	T4S R2W NMMWA AP59			
	227			
	\$27 1994			
	1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.			
	N. 70°29' E. on line 59-60 of the North Maricopa Mountains Wilderness Area Bdy.			
	NNW of the Butterfield Stage Route road.			
8.53	Point for A.P. 60.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd. T4S R2W			
	NMMWA			
	AP60			
	S27			
	1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 60 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.			
	N. 62°12′ E. on line 60-61 of the North Maricopa Mountains Wilderness Area Bdy.			
	NW of the Butterfield Stage Route road.			
15.65	Point for A.P. 61.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.			

CHAINS T4S R2W **NMMWA** AP61 **S27** 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WSW, and 60 lks. S. of a wash, 15 lks. wide, 2 ft. deep, drains NE. N. 68°47' E. on line 61-62 of the North Maricopa Mountains Wilderness Area Bdy. NNW of the Butterfield Stage Route road. 10.00 Point for A.P. 62. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd. T4S R2W **NMMWA** AP62 **S27** 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 55 lks. N. of the Butterfield Stage Route road, bears ENE and WSW. N. 73°37′ E. on line 62-63 of the North Maricopa Mountains Wilderness Area Bdy. NNW of the Butterfield Stage Route road. 9.13 Point for A.P. 63. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

	To a distribution of the factor of the facto			
CHAINS				
	T4S R2W			
	NMMWA AP63			
	S27			
	1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and WSW, and 105 lks. S. of a wash, 25 lks. wide, 2 ft. deep, drains E.			
	N. 82°35' E. on line 63-64 of the North Maricopa Mountains Wilderness Area Bdy.			
	N. of the Butterfield Stage Route road.			
6.66	Point for A.P. 64.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.			
	T4S R2W NMMWA AP64			
	\$27 1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and WSW.			
	N. 69°43' E. on line 64-65 of the North Maricopa Mountains Wilderness Area Bdy.			
	NNW of the Butterfield Stage Route road.			
5.86	Point for A.P. 65.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.			

CHAINS				
	T4S R2W NMMWA AP65 S27 1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 45 lks. N. of the Butterfield Stage Route road, bears ENE and WSW, and 45 lks. W. of a trail road, bears N. and S.			
	N. 1°18' W. on line 65-66 of the North Maricopa Mountains Wilderness Area Bdy., leave the Butterfield Stage Route road.			
	W. of a trail road.			
6.76	Point for A.P. 66.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.			
	T4S R2W NMMWA AP66 S27 1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 45 lks. W. of a trail road, bears NNE and SSW.			
	N. 13°16' W. on line 66-67 of the North Maricopa Mountains Wilderness Area Bdy.			
	WNW of a trail road.			
10.54	Point for A.P. 67.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.			

,	1. 4 5., R. 2 w., Glia and Salt River Meridian, Arizona			
CHAINS				
	T4S R2W NMMWA AP67 S27 1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 45 lks. W. of a trail road, bears N. and S.			
	N. 2°05' E. on line 67-68 of the North Maricopa Mountains Wilderness Area Bdy.			
	W. of a trail road.			
1.74	Point for A.P. 68, on line bet. secs. 22 and 27.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.			
	T4S R2W AP68 S22 NMMWA S27 1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. red plastic case beneath the stainless steel post.			
	Cor. is located 40 lks. W. of a trail road, bears NNW and S., in curve.			
	In Sec. 22			
	N. O°25' W. on line 68-69 of the North Maricopa Mountains Wilderness Area Bdy.			
	W. of a trail road.			
11.42	Point for A.P. 69.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.			

	The state of the s			
CHAINS				
	T4S R2W NMMWA AP69 S22			
	1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 45 lks. W. of a trail road, bears N. and S.			
	N. 0°23' E. on line 69-70 of the North Maricopa Mountains Wilderness Area Bdy.			
	W. of a trail road.			
12.57	Point for A.P. 70.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.			
	T4S R2W NMMWA AP70 S22 1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 55 lks. W. of a trail road, bears N. and S.			
	N. 6°44' E. on line 70-71 of the North Maricopa Mountains Wilderness Area Bdy.			
	W. of a trail road.			
6.65	Point for A.P. 71.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.			
	T4S R2W NMMWA AP71 S22 1994			

	1. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and S.
	N. 7°30' W. on line 71-72 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
8.79	Point for A.P. 72.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP72 S22 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 50 lks. W. of a trail road, bears NNE and S., in curve.
	N. 1°23' E. on line 72-73 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
10.37	Point for A.P. 73.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP73 S22 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and S.

	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona			
CHAINS				
	N. 4°24' W. on line 73-74 of the North Maricopa Mountains Wilderness Area Bdy.			
	W. of a trail road.			
8.35	Point for A.P. 74.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.			
	T4S R2W NMMWA AP74 S22 1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 45 lks. W. of a trail road, bears N. and SSE, in curve.			
	N. 3°51' E. on line 74-75 of the North Maricopa Mountains Wilderness Area Bdy.			
	W. of a trail road.			
6.72	Point for A.P. 75.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.			
	T4S R2W NMMWA AP75 S22 1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 45 lks. W. of a trail road, bears N. and S.			
	N. 11°28' W. on line 75-76 of the North Maricopa Mountains Wilderness Area Bdy.			
	WNW of a trail road.			
10.43	Point for A.P. 76.			

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona			
CHAINS				
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.			
	T4S R2W NMMWA AP76 S22 1994			
	1554			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 45 lks. W. of a trail road, bears NNE and S., in curve.			
	N. 10°35' E. on line 76-77 of the North Maricopa Mountains Wilderness Area Bdy.			
	W. of a trail road.			
5.22	Point for A.P. 77, on line bet. secs. 15 and 22.			
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.			
	T4S R2W AP77\S15 NMMWA\S22 1994			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.			
	Cor. is located 130 lks. W. of a trail road, bears N. and SSW, in curve.			
	In Sec. 15			

N. 30°03' W. on line 77-78 of the North Maricopa Mountains

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,

25 ins. in the ground, with brass cap mkd.

2.58

Wilderness Area Bdy.

WSW of a trail road.

Point for A.P. 78.

CHAINS

T4S R2W NMMWA AP78 S15

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 50 lks. W. of a trail road, bears N. and S.

N. $14^{\circ}44'$ W. on line 78-79 of the North Maricopa Mountains Wilderness Area Bdy.

WSW of a trail road.

12.83 | Point for A.P. 79.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T4S R2W NMMWA AP79 S15

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 50 lks. W. of a trail road, bears NNE and SSW.

N. 10°03′ W. on line 79-80 of the North Maricopa Mountains Wilderness Area Bdy.

W. of a trail road.

8.93 Point for A.P. 80.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T4S R2W NMMWA AP80 S15

	North Maricopa Mountains Wilderness Area Boundary, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona		
CHAINS			
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.		
	Cor. is located 45 lks. W. of a trail road, bears N. and S.		
	N. 5°48' W. on line 80-81 of the North Maricopa Mountains Wilderness Area Bdy.		
	W. of a trail road.		
12.49	Point for A.P. 81.		
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.		
	T4S R2W NMMWA AP81 S15		
	1994		
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.		
	Cor. is located 45 lks. W. of a trail road, bears N. and S.		
	N. O°54' E. on line 81-82 of the North Maricopa Mountains Wilderness Area Bdy.		
	W. of a trail road.		
7.59	Point for A.P. 82.		
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.		
	T4S R2W NMMWA AP82 S15		
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.		
	Cor. is located 45 lks. W. of a trail road, bears N. and S.		

CHAINS	
	N. 10°22' E. on line 82-83 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
8.60	Point for A.P. 83.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP83 S15
	1554
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears N. and S.
	N. 6°35' W. on line 83-84 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
10.13	Point for A.P. 84.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP84 S15
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears N. and S.
	N. 5°26' E. on line 84-85 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
5.48	Point for A.P. 85.

CHAIN		CH	ΑI	N
-------	--	----	----	---

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 45 lks. W. of a trail road, bears N. and S.

N. 19°03' W. on line 85-86 of the North Maricopa Mountains Wilderness Area Bdy.

WSW of a trail road.

7.47 | Point for A.P. 86.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 55 lks. W. of a trail road, bears NE and SW.

N. 5°45' E. on line 86-87 of the North Maricopa Mountains Wilderness Area Bdy.

W. of a trail road.

3.34 | Point for A.P. 87.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W NMMWA AP87 S15
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. W. of a trail road, bears ENE and WSW.
	N. 8°29' E. on line 87-88 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
2.22	Intersect the line bet. secs. 10 and 15. Not monumented.
	From this point, the cor. of secs. 10, 11, 14, and 15, bears N. 89°59' E., 19.00 chs. dist., hereinbefore described
	In Sec. 10
	Continue on line 87-88.
7.32	Point for A.P. 88.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W
	AP88 S10 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located inside the sharp bend of a trail road, bears SE and WSW, in curve.
	S. 48°40' W. on line 88-89 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
7.64	Point for A.P. 89, on line bet. secs. 10 and 15.

	North Maricopa Mountains Wilderness Area Boundary, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W S10 NMMWA S15 AP89
	1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	In Sec. 15
	S. 51°28' W. on line 89-90 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
4.00	Point for A.P. 90.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T4S R2W S15
	AP90 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 110 lks. E. of a trail road, bears NE and SW.
	S. 38°46' W. on line 90-91 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
3.58	Point for A.P. 91.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	·

CHAINS T4S R2W S15 **NMMWA** 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 100 lks. S. of a trail road, bears NNE and SW, in curve. S. 56°29' W. on line 91-92 of the North Maricopa Mountains Wilderness Area Bdy. SSE of a trail road. 4.08 Point for A.P. 92. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd. **T4S R2W S15** AP92 NMMWA 1994 Deposit a magnet in a $1 \times 1 \times 2$ ins. white plastic case beneath the stainless steel post. Cor. is located 85 lks. S. of a trail road, bears NE and SW. S. 29°45' W. on line 92-93 of the North Maricopa Mountains Wilderness Area Bdy. ESE of a trail road. 4.28 Point for A.P. 93. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T4S R2W S15 AP93 **NMMWA** 1994

	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. S. of a trail road, bears NNE and SW, in curve.
	S. 46°39' W. on line 93-94 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
10.04	Point for A.P. 94.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W
	\$15
	AP94
	/NMMWA 1994
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. E. of a trail road, bears N. and S.
	S. 7°20' W. on line 94-95 of the North Maricopa Mountains Wilderness Area Bdy.
	E. of a trail road.
6.36	Point for A.P. 95.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W
	\$15 /
	AP95
	NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. E. of a trail road, bears NE and SW.

	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	S. 61°55′ W. on line 95-96 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
9.99	Point for A.P. 96.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W
	S15 AP96
	NMMWA
	1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case and broken, clear glass bottle beneath the stainless steel post.
	S. 44°15′ W. on line 96-97 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
6.55	Point for A.P. 97.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W S15 AP97 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 100 lks. E. of a trail road, bears NE and SW.
	S. 33°52' W. on line 97-98 of the North Maricopa Mountains Wilderness Area Bdy.
	ESE of a trail road.
6.30	Point for A.P. 98.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

,	
CHAINS	
	T4S R2W S15
	AP98
	NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 110 lks. S. of a trail road, bears NNE and SW, in curve.
	S. 58°28' W. on line 98-99 of the North Maricopa Mountains Wilderness Area Bdy.
	SSE of a trail road.
8.81	Point for A.P. 99.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W S15
	AP99
	NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. E. of a trail road, bears N. and S.
	S. 44°24′ W. on line 99-100 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
9.39	Point for A.P. 100.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W S15 AP100 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 140 lks. S. of a trail road, bears NE and SW.
	S. 55°11′ W. on line 100-101 of the North Maricopa Mountains Wilderness Area Bdy.
	SE of a trail road.
7.28	Point for a witness point at intersection with line bet. secs. 15 and 16.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	WP T4S R2W S16 S15 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 130 lks. S. of a trail road, bears ENE and WSW.
	From this cor. point, the cor. of secs. 15, 16, 21, and 22, bears S. 0°01' E., 25.47 chs. dist., hereinbefore described
	In Sec. 16
	Continue on line 100-101.
8.47	Point for A.P. 101.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	T4S R2W S16 AP101 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 130 lks. S. of a trail road, bears NE and SW.
	S. 86°38' W. on line 101-102 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a trail road.
4.33	Point for A.P. 102.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W S16 AP102 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. S. of a trail road, bears ENE and WSW.
	N. 48°15' W. on line 102-103 of the North Maricopa Mountains Wilderness Area Bdy.
	SW of a trail road.
3.75	Point for A.P. 103.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	AP103 NMMWA 1994

	1. 4 3., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. E. of a trail road, bears ESE and W., in curve.
	S. 82°11' W. on line 103-104 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a trail road.
14.43	Point for A.P. 104.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	AP104
	NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. S. of a trail road, bears ENE and W., in curve.
	S. 86°33′ W. on line 104-105 of the North Maricopa Mountains Wilderness Area Bdy.
	S. of a trail road.
9.00	Point for A.P. 105.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	AP105
	NMMWA
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	Cor. is located 70 lks. S. of a trail road, bears E. and W.
	N. 78°04' W. on line 105-106 of the North Maricopa Mountains Wilderness Area Bdy.
	SSW of a trail road.
6.34	Point for A.P. 106.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	AP106 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 115 lks. S. of a trail road, bears SE and NW.
	S. 48°28' W. on line 106-107 of the North Maricopa Mountains Wilderness Area Bdy.
3.28	Point for A.P. 107.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	AP107 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	N. 54°06' W. on line 107-108 of the North Maricopa Mountains Wilderness Area Bdy.
3.94	Point for A.P. 108.

61

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHA	AINS
-----	------

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

N. $15^{\circ}46'$ E. on line 108-109 of the North Maricopa Mountains Wilderness Area Bdy.

1.74 | Point for A.P. 109.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T4S R2W S16 AP109 NMMWA 1994

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 2 lks. W. a steel cable fence, 1 strand, bears NNE and SSW, and 85 lks. S. of a trail road, bears SE and W., in curve.

N. $86^{\circ}06'$ W. on line 109-110 of the North Maricopa Mountains Wilderness Area Bdy.

3.77 | Point for A.P. 110.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

T4S R2W S16 AP110 NMMWA 1994

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. S. of a trail road, bears ENE and WSW.
	N. 72°O3' W. on line 110-111 of the North Maricopa Mountains Wilderness Area Bdy.
4.86	Point for A.P. 111.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	AP111 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. S. of a trail road, bears ESE and WNW.
	S. 87°18' W. on line 111-112 of the North Maricopa Mountains Wilderness Area Bdy.
2.99	Point for A.P. 112.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 21 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	AP112 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. S. of a trail road, bears E. and WNW, in curve.
	N. 63°38' W. on line 112-113 of the North Maricopa Mountains Wilderness Area Bdy.

CHAINS	
2.45	Point for A.P. 113.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.
	T4S R2W S16
	AP113 NMMWA 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. S. of a trail road, bears ESE and WNW.
	N. 26°44' E. on line 113-114 of the North Maricopa Mountains Wilderness Area Bdy.
1.52	Point for A.P. 114.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 20 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP114 S16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of a trail road, bears ESE and WNW.
,	S. 62°49' E. on line 114-115 of the North Maricopa Mountains Wilderness Area Bdy.
2.14	Point for A.P. 115.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.

,	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	T4S R2W NMMWA AP115
	S16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. N. of a trail road, bears E. and WNW, in curve.
	N. 86°47' E. on line 115-116 of the North Maricopa Mountains Wilderness Area Bdy.
2.70	Point for A.P. 116.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP116
	S16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of a trail road, bears ESE and WNW.
	S. 72°15' E. on line 116-117 of the North Maricopa Mountains Wilderness Area Bdy.
5.03	Point for A.P. 117.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP117
	S16 1994

	T. 4 5., R. 2 W., GITA and Sait River Meridian, Arizona
CHAINS	
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. N. of a trail road, bears ENE and WSW.
	S. 86°33' E. on line 117-118 of the North Maricopa Mountains Wilderness Area Bdy.
3.91	Point for A.P. 118.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP118 S16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. N. of a trail road, bears SE and W., in curve.
	N. 15°48' E. on line 118-119 of the North Maricopa Mountains Wilderness Area Bdy.
2.88	Point for A.P. 119.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP119
	/ _{S16} 1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	S. 59°32' E. on line 119-120 of the North Maricopa Mountains Wilderness Area Bdy.
6.11	Point for A.P. 120.

BOOK 54 75

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP120
	S16 1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	S. 87°38' E. on line 120-121 of the North Maricopa Mountains Wilderness Area Bdy.
8.71	Point for A.P. 121.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP121
	S16 1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	S. 8°15' E. on line 121-122 of the North Maricopa Mountains Wilderness Area Bdy.
1.74	Point for A.P. 122.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP122 S16

POOK 67 54 75

CHAINS	
	Cor. is located 75 lks. N. of a trail road, bears ENE and W., in curve.
	N. 81°44' E. on line 122-123 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of a trail road.
12.85	Point for A.P. 123.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP123
	S16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. N. of a trail road, bears E. and W.
	N. 89°46' E. on line 123-124 of the North Maricopa Mountains Wilderness Area Bdy.
	N. of a trail road.
7.30	Point for A.P. 124.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP124
	S16 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of a trail road, bears SSE and W., in curve.

	1. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	S. 47°33' E. on line 124-125 of the North Maricopa Mountains Wilderness Area Bdy.
	NE of a trail road.
4.23	Point for A.P. 125.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA
	AP125
	\$16
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. N. of a trail road, bears E. and WNW, in curve.
	N. 57°11' E. on line 125-126 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
4.97	Point for a witness point at intersection with line bet. secs. 15 and 16.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	WP WP
	T4S R2W
	NWWWA
	S16 S15
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 160 lks. N. of a trail road, bears ENE and WSW.
	From 454 - 100 - 1204 - 450 - 474 - 110 - 1204 - 150 -
	From this cor. point, the 1/4 sec. cor. of secs. 15 and 16 bears N. 0°01' W., 11.61 chs. dist., hereinbefore described

	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	In Sec. 15
	Continue on line 125-126.
7.83	Point for A.P. 126.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W
	NMMWA AP126 /
	AF120
	S15 1994
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. N. of a trail road, bears NE and WSW, in curve.
	N. 47°25' E. on line 126-127 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
12.37	Point for A.P. 127.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W
	NMMWA
	AP127
	S15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. W. of a trail road, bears ENE and WSW.
	N. 63°37' E. on line 127-128 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.


	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
8.54	Point for A.P. 128.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP128
	S15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. N. of a trail road, bears ENE and WSW.
	N. 27°12' E. on line 128-129 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
6.34	Point for A.P. 129.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP129
	\$15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 160 lks. W. of a trail road, bears NE and SW.
	N. 45°58' E. on line 129-130 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
5.90	Point for A.P. 130.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 27 ins. in the ground, with brass cap mkd.

CHAINS	1. 4 5., R. 2 W., GITA AND SAIL RIVER METICIAN, AT 12011A
CHAINS	
	T4S R2W NMMWA AP132 S15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 75 lks. W. of a trail road, bears NE and S., in curve.
	N. 31°02' E. on line 132-133 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
2.51	Point for A.P. 133.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP133 S15 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 105 lks. N. of a trail road, bears NE and SW.
	N. 47°50' E. on line 133-134 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
7.41	Point for A.P. 134.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP134 S15
	1994

CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. N. of a trail road, bears NE and SW.
	N. 43°55' E. on line 134-135 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
7.94	Point for A.P. 135.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
}	T4S R2W
	NMMWA
	AP135 \
	√ S15
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 95 lks. N. of a trail road, bears ENE and WSW.
	N. 36°54' W. on line 135-136 of the North Maricopa Mountains Wilderness Area Bdy.
2.80	Point for A.P. 136.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP136 S15 1994
	Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.
	N. 53°09' E. on line 136-137 of the North Maricopa Mountains Wilderness Area Bdy.
4.09	Point for A.P. 137, on line bet. secs. 10 and 15.

(CH	A	I	N	S
•	_11		4	7.4	9

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

S. 36°52′ E. on line 137-138 of the North Maricopa Mountains Wilderness Area Bdy.

2.05 Point for A.P. 138.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.




Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

N. $33^{\circ}00'$ E. on line 138-139 of the North Maricopa Mountains Wilderness Area Bdy.

1.95 | Point for A.P. 139, on line bet. secs. 10 and 15.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

BOOK 54 75

CHAINS	
	Cor. is located 115 lks. W. of a trail road, bears ENE and SW, in curve.
	In Sec. 10
	N. 60°35' E. on line 139-140 of the North Maricopa Mountains Wilderness Area Bdy.
5.94	Point for A.P. 140.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP140 S10
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 85 lks. W. of a trail road, bears NE and SW.
	N. 40°16' E. on line 140-141 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
2.93	Point for A.P. 141.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP141 S10
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 50 lks. W. of a trail road, bears N. and S.
	N. 23°43' E. on line 141-142 of the North Maricopa Mountains Wilderness Area Bdy.

CHAINS	1. 4 3., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	WNW of a trail road.
4.46	Point for A.P. 142.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W
	AP142/
	NMMWA /S10
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears NNE and SSW.
	N. 43°54' E. on line 142-143 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
5.09	Point for A.P. 143.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W
	NMMWA AP143 S10
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears N. and SSW, in curve.
	N. 6°O3' W. on line 143-144 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
3.25	Point for A.P. 144.

77

Metes-and-Bounds Survey of the North Maricopa Mountains Wilderness Area Boundary, T. 4 S.. R. 2 W.. Gila and Salt River Meridian. Arizona

T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona **CHAINS** Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd. T4S R2W NMMWA / Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post. Cor. is located 45 lks. W. of a trail road, bears NNE and SSW. N. 22°13' E. on line 144-145 of the North Maricopa Mountains Wilderness Area Bdy. WNW of a trail road. 7.53 Point for A.P. 145. Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd. T4S R2W 1994 Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post. Cor. is located 55 lks. W. of a trail road, bears NNE and SSW. N. 18°19' E. on line 145-146 of the North Maricopa Mountains Wilderness Area Bdv. WNW of a trail road. 6.64 Point for A.P. 146.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam.,

25 ins. in the ground, with brass cap mkd.

1	1. 4 S., R. 2 W., Gila and Sait River Meridian, Arizona
CHAINS	
	T4S R2W NMMWA AP146 S10 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. W. of a trail road, bears ENE and SSW, in curve.
	N. 62°42' E. on line 146-147 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
11.74	Point for A.P. 147, on line bet. secs. 10 and 11.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP147 S10 S11 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 70 lks. W. of a trail road, bears NE and SW.
	In Sec. 11
	N. 51°19' E. on line 147-148 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
5.09	Point for A.P. 148.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W
	NMMWA / AP148 S11
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears NNE and SW, in curve.
	N. 29°02' E. on line 148-149 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
5.35	Point for A.P. 149.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP149 S11
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 60 lks. W. of a trail road, bears NE and SW.
	N. 47°55' E. on line 149-150 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
4.30	Point for A.P. 150.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP150 S11
	1994

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears NNE and SSW.
	N. 27°21' E. on line 150-151 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
4.32	Point for A.P. 151.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP151 S11
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears NE and SW.
	N. 44°11' E. on line 151-152 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
6.36	Point for A.P. 152.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP152 S11
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears N. and SW, in curve.

CHAINS	
	N. 7°12' E. on line 152-153 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
8.11	Point for A.P. 153.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA/ AP153 S11 1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears N. and S.
	N. 15°15' E. on line 153-154 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
8.15	Point for A.P. 154.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP154 S11
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears NE and SSW, in curve.
	N. 16°03' E. on line 154-155 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
10.63	Point for A.P. 155, on line bet. secs. 2 and 11.

CHAINS

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 45 lks. W. of a trail road, bears N. and S.

In Sec. 2

N. 7°35' E. on line 155-156 of the North Maricopa Mountains Wilderness Area Bdy.

W. of a trail road.

1.08 | Point for A.P. 156.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 50 lks. W. of a trail road, bears N. and S.

N. 19°35' E. on line 156-157 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of a trail road.

8.59 Point for A.P. 157.

Set a stainless steel post, 28 ins. long, $2 \frac{1}{2}$ ins. diam., 25 ins. in the ground, with brass cap mkd.

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	T4S R2W NMMWA AP157 S2
	1994
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears NE and SW.
	N. 41°29' E. on line 157-158 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
2.68	Point for A.P. 158.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP158 S2
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 50 lks. W. of a trail road, bears NNE and SSW.
	N. 1°52' W. on line 158-159 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
2.31	Point for A.P. 159.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP159 S2
	1994

	To the term of the
CHAINS	
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 45 lks. W. of a trail road, bears NNE and SSW.
	N. 32°07' E. on line 159-160 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
5.14	Point for A.P. 160.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP160 S2
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 65 lks. N. of a trail road, bears NE and SW.
	N. 58°O4' E. on line 160-161 of the North Maricopa Mountains Wilderness Area Bdy.
	NNW of a trail road.
2.17	Point for A.P. 161.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 23 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP161 S2
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears N. and SSW, in curve.
	L

CHAINS	
	N. 7°59' E. on line 161-162 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
13.10	Point for A.P. 162.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 22 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP162 S2
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears NNE and S., in curve.
	N. 9°22' E. on line 162-163 of the North Maricopa Mountains Wilderness Area Bdy.
	W. of a trail road.
9.90	Point for A.P. 163.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W
	NMMWA AP163 S2
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears NNE and SSW.
	N. 26°20' E. on line 163-164 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
10.76	Point for A.P. 164.

CHAINS	
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 24 ins. in the ground, with brass cap mkd.

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 50 lks. W. of a trail road, bears NNE and SSW.

N. 10°01' E. on line 164-165 of the North Maricopa Mountains Wilderness Area Bdy.

W. of a trail road.

4.43 | Point for A.P. 165.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.



Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 55 lks. W. of a trail road, bears NNE and S., in curve.

N. $39^{\circ}50'$ E. on line 165-166 of the North Maricopa Mountains Wilderness Area Bdy.

NW of a trail road.

6.87 Point for A.P. 166.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

CHAINS	
	T4S R2W NMMWA AP166 S2 1994
	1554
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 90 lks. W. of a trail road, bears ENE and WSW.
	N. 52°05' E. on line 166-167 of the North Maricopa Mountains Wilderness Area Bdy.
	NW of a trail road.
7.36	Point for A.P. 167.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP167 S2
	1994
	Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.
	Cor. is located 55 lks. W. of a trail road, bears NNE and SSW.
	N. 15°57' E. on line 167-168 of the North Maricopa Mountains Wilderness Area Bdy.
	WNW of a trail road.
5.34	Point for A.P. 168.
	Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.
	T4S R2W NMMWA AP168 S2 1994

CH	AINS

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 55 lks. W. of a trail road, bears NE and SW.

N. 38°15′ E. on line 168-169 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of a trail road.

5.36 | Point for A.P. 169.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 25 ins. in the ground, with brass cap mkd.

T4S R2W NMMWA AP169 S2

Deposit a magnet in a 1 \times 1 \times 2 ins. white plastic case beneath the stainless steel post.

Cor. is located 55 lks. W. of a trail road, bears NNE and SW, in curve.

N. 24°37′ E. on line 169-170 of the North Maricopa Mountains Wilderness Area Bdy.

WNW of a trail road.

5.96 Point for A.P. 170, on line bet. secs. 2 and 35, on the N. bdy. of the Tp.

Set a stainless steel post, 28 ins. long, 2 1/2 ins. diam., 26 ins. in the ground, with brass cap mkd.

T3S R2W S35 AP170 S2 T4S 1994

Deposit a magnet in a 1 x 1 x 2 ins. white plastic case beneath the stainless steel post.

CHAINS

Cor. is located in a barbed wire fence, 4 strand, bears E. and W., and 60 lks. W. of a cattle guard crossing a trail road, bears N. and S.

GENERAL DESCRIPTION

The land encompassed in this survey is located approximately 37 1/2 miles southwest of Phoenix, Arizona and approximately 17 1/2 miles north northeast of Gila Bend, Arizona. The general elevation is 1000 feet above sea level. The land varies from mountainous to flat and gently rolling, broken with numerous dry washes and drains. The vegetation consists of paloverde, ironwood, cactus, creosote, and sparse native grasses.

Primary access is by way of United States Highway 80. Secondary access is by way of Maricopa Road and numerous unimproved trail roads.

Description of the North Maricopa Mountains Wilderness Area Bdy. T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

The following is for informational purposes only.

Beginning at Angle Point 1, identical with Angle Point 14, T. 5 S., R. 2 W., on the line bet. secs. 6 and 31, on the S. bdy. of the Tp.:

```
thence N. 54°56' E.,
                      5.15 chs. dist. to Angle Point 2;
thence N. 52°51' E., 4.55 chs. dist. to Angle Point 3;
thence N. 4°52' E., 2.13 chs. dist. to Angle Point 4;
thence N. 68°01' E., 2.98 chs. dist. to Angle Point 5;
thence N. 48°06' E., 9.05 chs. dist. to Angle Point 6;
thence N. 57°56' E., 7.62 chs. dist. to Angle Point 7;
thence N. 30°09' E., 2.39 chs. dist. to Angle Point 8;
thence N. 53°50' E.,
                      3.23 chs. dist. to Angle Point 9;
thence N. 73°04' E.,
                      3.81 chs. dist. to Angle Point 10, on the
      line bet. secs. 31 and 32;
thence N. 66°12′ E., 2.36 chs. dist. to Angle Point 11;
thence N. 70°18′ E.,
                      3.41 chs. dist. to Angle Point 12;
thence N. 44°20' E., 3.50 chs. dist. to Angle Point 13;
thence N. 29°47' E., 5.44 chs. dist. to Angle Point 14;
thence N. 8°27' W., 3.52 chs. dist. to Angle Point 15;
thence N. 3^{\circ}25' E., 4.69 chs. dist. to Angle Point 16;
thence N. 14°32' E., 5.21 chs. dist. to Angle Point 17;
thence N. 39°00' E., 3.16 chs. dist. to Angle Point 18;
thence N. 37°25' E., 2.32 chs. dist. to Angle Point 19;
```

T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

,	1. 4 3., R. 2 W., Grid and Sait River Mer lutan, Al 12011a
CHAINS	
	thence N. 64°39' E., 11.42 chs. dist. to Angle Point 20;
	thence N. 48°43' E., 4.07 chs. dist. to Angle Point 21;
	thence N. 41°53′ E., 2.68 chs. dist. to Angle Point 22;
	thence N. 65°44' E., 10.97 chs. dist. to Angle Point 23;
	thence N. 80°37' E., 5.01 chs. dist. to Angle Point 24;
	thence N. 78°49' E., 4.94 chs. dist. to Angle Point 25;
	thence S. 40°34′ E., 2.22 chs. dist. to Angle Point 26;
	thence N. 78°45' E., 2.62 chs. dist. to Angle Point 27;
	Allered N. ADROAK E. D. DO. I III by the Aller Deliet CO.
	thence N. 54°55' E., 6.77 chs. dist. to Angle Point 29;
	thence N. 72°23' E., 4.35 chs. dist. to Angle Point 30;
	thence N. 73°43′ E., 6.21 chs. dist. to Angle Point 31;
	thence N. 36°03′ E., 1.41 chs. dist. to Angle Point 32;
	thence N. 66°51′ E., 2.60 chs. dist. to Angle Point 33;
	thence N. 28°53′ E., 3.53 chs. dist. to Angle Point 34;
	thence N. 48°04′ E., 3.09 chs. dist. to Angle Point 28; thence N. 54°55′ E., 6.77 chs. dist. to Angle Point 29; thence N. 72°23′ E., 4.35 chs. dist. to Angle Point 30; thence N. 73°43′ E., 6.21 chs. dist. to Angle Point 31; thence N. 36°03′ E., 1.41 chs. dist. to Angle Point 32; thence N. 66°51′ E., 2.60 chs. dist. to Angle Point 33; thence N. 28°53′ E., 3.53 chs. dist. to Angle Point 34; thence N. 87°15′ E., 3.09 chs. dist. to Angle Point 35,
	identical with the cor. of secs. 28, 29, 32, and 33;
	thence N. 70°55' E., 5.15 chs. dist. to Angle Point 36;
	thence N. 64°46' E., 4.61 chs. dist. to Angle Point 37;
	thence N. 48°47' E., 2.75 chs. dist. to Angle Point 38;
	thence N. 63°57′ E., 5.93 chs. dist. to Angle Point 39;
	thence N. 50°10′ E., 5.54 chs. dist. to Angle Point 40;
	thence S. 70°50' E., 2.72 chs. dist. to Angle Point 41;
	thence N. 53°08' E., 2.03 chs. dist. to Angle Point 42;
	thence N. 70°55' E., 5.15 chs. dist. to Angle Point 36; thence N. 64°46' E., 4.61 chs. dist. to Angle Point 37; thence N. 48°47' E., 2.75 chs. dist. to Angle Point 38; thence N. 63°57' E., 5.93 chs. dist. to Angle Point 39; thence N. 50°10' E., 5.54 chs. dist. to Angle Point 40; thence S. 70°50' E., 2.72 chs. dist. to Angle Point 41; thence N. 53°08' E., 2.03 chs. dist. to Angle Point 42; thence S. 77°40' E., 1.34 chs. dist. to Angle Point 43;
	thence N. 60°44' E., 1.95 chs. dist. to Angle Point 44; thence N. 82°29' E., 2.65 chs. dist. to Angle Point 45;
	thence N. 82°29' E., 2.65 chs. dist. to Angle Point 45;
	thence N. 81°52' E., 3.35 chs. dist. to Angle Point 46;
	thence N. 62°55' E., 4.68 chs. dist. to Angle Point 47;
	thence N. 48°08' E., 5.10 chs. dist. to Angle Point 48; thence N. 61°34' E., 4.72 chs. dist. to Angle Point 49;
	thence N. 61°34′ E., 4.72 chs. dist. to Angle Point 49;
	thence N. 43°55' E., 5.72 chs. dist. to Angle Point 50; thence N. 61°15' E., 6.17 chs. dist. to Angle Point 51;
	thence N. 61°15' E., 6.17 chs. dist. to Angle Point 51;
	thence N. 36°16′ E., 4.29 chs. dist. to Angle Point 52;
	thence N. 61°01' E., 3.08 chs. dist. to Angle Point 53;
	thence S. 88°40′ E., 2.98 chs. dist. to Angle Point 54;
	thence N. 76°27' E., 8.54 chs. dist. to Angle Point 55;
	thence N. 80°07′ E., 8.17 chs. dist. to Angle Point 56, on the
	line bet. secs. 27 and 28; thence N. 88°36' E., 8.42 chs. dist. to Angle Point 57;
	thence N. 79°12' E., 7.35 chs. dist. to Angle Point 57;
	thence N. 53°31' E., 6.50 chs. dist. to Angle Point 59;
	thence N. 70°29' E., 8.53 chs. dist. to Angle Point 59;
	thence N. 62°12′ E., 15.65 chs. dist. to Angle Point 61;
	thence N. 68°47' E., 10.00 chs. dist. to Angle Point 62;
	thence N. 73°37' E., 9.13 chs. dist. to Angle Point 62;
	thence N. 82°35' E., 6.66 chs. dist. to Angle Point 64;
	thence N. 69°43' E., 5.86 chs. dist. to Angle Point 65;
	thence N. 1°18' W., 6.76 chs. dist. to Angle Point 66;
	thence N. 13°16' W., 10.54 chs. dist. to Angle Point 67;

T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS													
	thence	N.	2°05′	Ε	1.74	chs.	dist.	to	Anale	Point	68.	on	the
			ne bet.					-	/g . c		00,	0	0110
	thence						dist.	to	Anale	Point	69:		
	1		0°23′										
			6°44′										
			7°30′										İ
			1°23′										
			4°24′										
			3°51′										
			11°28′										
			10°35′									on	the
			ne bet.						•		•		
	thence		30°03′					to	Angle	Point	78;		
			14°44′										
			10°03′										
			5°48′										
			0°54′										
			10°22′										
			6°35′										
			5°26′										
			19°03′										
			5°45′										
			8°29′										
			48°40′									on	the
			ne bet.						-				
	thence		51°28′					to	Angle	Point	90;		
			38°46′										
			56°29′										
			29°45′										
			46°39′										
			7°20′										
			61°55′										
	thence	s.	44°15′	W.,	6.55	chs.	dist.	to	Angle	Point	97;		
			33°52′										
			58°28′										
			44°24′						_				
			55°11′				dist.		-				
1	l .		86°38′	_			dist.						
			48°15′	-			dist.		_		_		
ľ			82°11′				dist.						
1			86°33′	-			dist.		_				
	1		78°04′	_			dist.						
ļ			48°28′				dist.						
			54°06′				dist.		_				
	i		15°46′	-			dist.						
	í		86°06′				dist.						
	1		72°03′	-			dist.		_				
			87°18′				dist.						
			63°38′				dist.						
	1		26°44′										
	tnence	5.	62°49′	L.,	2.14	cns.	dist.	το	ang re	POINT	112	;	
										·			

T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

CHAINS													
	thence	N.	86°47′	F	2.70	chs.	dist.	to	Anale	Point	116:		
	thence												
	thence												
	thence												
	thence	s.	59°32′	Ε.,	6.11	chs.	dist.	to	Angle	Point	120;		
	thence												
	thence												
	thence	Ν.	81°44′	Ε.,	12.85	chs.	dist.	to	Angle	Point	123;		
	thence	N.	89°46′	Ε.,	7.30	chs.	dist.	to	Angle	Point	124;		İ
	thence	s.	47°33′	Ε.,	4.23	chs.	dist.	to	Angle	Point	125;		
	thence												
	thence	N.	47°25′	Ε.,	12.37	chs.	dist.	to	Angle	Point	127;		
	thence												
	thence												
	thence			-					_				
	thence												
	thence												
	thence												
	thence	N.	47°50′	Ε.,	7.41	chs.	dist.	to	Angle	Point	134;		
	thence												
	thence												
	thence							to	Angle	Point	137,	on	the
					. 10 ar				_				
	thence												_
	thence							to	Angle	Point	139,	on	the
					. 10 ar								
	thence												
	thence												
	thence												
	thence												
	thence												:
	thence												
	thence												41
	thence							το	Ang le	Point	14/,	on	tne
	thorac				. 10 ar			+-	Anale	Doint	1/0-		
	thence								_	Point			
ļ	thence thence			-					_	Point Point			
	thence								-	Point			
	thence									Point			
[thence								_	Point			
	thence								_	Point			
	thence									Point		on	the
					. 2 and		u 136.		9 10	. 5 1110	,	٠.١	5.10
	thence						dist.	to	Anale	Point	156:		
	thence			-					_				
	thence												
	thence												
	thence												
	thence												
	thence												
				,	_3.10	,					,		

BOOK 5475

T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona

	T. 4 S., R. 2 W., Gila and Salt River Meridian, Arizona
CHAINS	
	thence N. 9°22′ E., 9.90 chs. dist. to Angle Point 163; thence N. 26°20′ E., 10.76 chs. dist. to Angle Point 164; thence N. 10°01′ E., 4.43 chs. dist. to Angle Point 165; thence N. 39°50′ E., 6.87 chs. dist. to Angle Point 166; thence N. 52°05′ E., 7.36 chs. dist. to Angle Point 167; thence N. 15°57′ E., 5.34 chs. dist. to Angle Point 168; thence N. 38°15′ E., 5.36 chs. dist. to Angle Point 169; thence N. 24°37′ E., 5.96 chs. dist. to Angle Point 170, on the line bet. secs. 2 and 35, on the N. bdy. of the Tp.; thence N. 89°52′ W., 6.32 chs. dist. to Angle Point 1, T. 3 S., R. 2 W., on the line bet. secs. 2 and 35, on the N. bdy. of the Tp.
1	

BOOK 5475

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FIELD ASSISTANTS

NAMES	CAPACITY				
Dominica Smith	Land Surveyor				
Steven R. Stokke	Land Surveyor				
Cheryl A. Baier	Surveying Technician				
Kevin C. Berridge	II II				
Gordon R. Bubel	11 11				
Ted E. Cazier	11 11				
Geoffrey A. Graham	11 11				
Jeff A. Hill	11 11				
Lawrence T. Kempe	11 11				
Daniel R. Muth	11 11				
Wallace R. Ott, Jr.	11 11				
Timothy F. Patro	11 11				
Mark R. Searles	11 11				

POOK 5475 CERTIFICATE OF SURVEY

I, Olian T. Shockley, Cadastral Surveyor, HEREBY CERTIFY upon honor that, in pursuance of Special Instructions bearing date of the 21st day of October, 1993, I have dependently resurveyed a portion of the north boundary and a portion of the subdivisional lines, and conducted a metes-and-bounds survey of the North Maricopa Mountains Wilderness Area Boundary, in Township 4 South, Range 2 West, of the Gila and Salt River Meridian, in the State of Arizona, which are represented in the foregoing field notes as having been executed by me and under my direction; and that said survey has been made in strict conformity with said special instructions, the Manual of Instructions for the Survey of the Public Lands of the United States, and in specific manner described in the foregoing field notes.

NOV. 14, 1996	Olian J. Stockley (Cadastral Surveyor)
(5255)	(January ar Jan Jeger)
CERTI	FICATE OF APPROVAL
	BUREAU OF LAND MANAGEMENT Arizona State Office Phoenix, Arizona
boundary and a portion of the subdivi the North Maricopa Mountains Wilderne West, Gila and Salt River Meridian, A	endent resurvey of a portion of the north isional lines, and a metes-and-bounds survey of ess Area Boundary, in Township 4 South, Range 2 Arizona, executed by Olian T. Shockley, Cadastral mined and found correct, are hereby approved.
1/8/97	Dale C. Delse
(Date)	(Acting Chief Cadastral Surveyor of Arizona)
CERTIF	ICATE OF TRANSCRIPT
	ipt of the field notes of the above-described d Salt River Meridian, Arizona, is a true copy of
(Date)	(Acting Chief Cadastral Surveyor of Arizona)