

UNITED STATES DEPARTMENT OF INTERIOR
BUREAU OF LAND MANAGEMENT
Coos Bay District Office
1300 Airport Lane
North Bend, Oregon 97459

ORC03-TS-2019.0002 - Early Fork CT - 4,764 MBF
ORC04-TS-2019.0033 - Lookout – 1,953 MBF - SBA

TIMBER SALE NOTICE – ADVERTISED SUPPLEMENT

NOTICE IS HEREBY GIVEN that the Bureau of Land Management will offer for sale timber as described herein for oral auction, pursuant to Instructions to Bidders, as stated on Form No. 5440-9 and subject to Notice of Requirement for Certification of Non-segregated Facilities, Form No. 1140-4 attached. Written and oral bids will be received by the District Manager, or his representative, at the Coos Bay District Office, 1300 Airport Lane, North Bend, Oregon 97459 on **June 28, 2019**. This sale will commence at 10:00 a.m. Oral bids will be received on Douglas-fir only with a \$0.50/bid minimum overcall on each bid.

AN ENVIRONMENTAL ASSESSMENT was prepared for these sales, and a Finding of No Significant Impact has been documented. These documents are available for inspection as background for this sale at the Coos Bay District Office or online for timber sales: ORC04-TS-2019.0033, Lookout at <http://bit.ly/2GfKj5e>.

AN ENVIRONMENTAL ASSESSMENT was prepared for these sales, and a Finding of No Significant Impact has been documented. These documents are available for inspection as background for this sale at the Coos Bay District Office or online for timber sale ORC03-TS-2019.0005 Early Fork CT at <https://go.usa.gov/xmwUe>.

THIS TIMBER SALE NOTICE does not constitute the decision document for purposes of protest and appeal of a forest management decision. Consistent with 43 CFR Subpart 5003-Administrative Remedies, the notice of a timber sale, when published as a legal ad in a newspaper of general circulation, shall constitute the decision document for purposes of protest and appeal. Protests may be filed with the Authorized Officer within 15 days after the first publication of the aforementioned decision document in the newspaper. It is anticipated that the decision document will be published in The World newspaper on or about May 30, 2019. BLM does not warrant publication on this exact date. All parties considering protest of the timber sale decision document are encouraged to review the aforementioned newspaper to ensure accurate knowledge of the exact publication date.

A WRITTEN BID on Form No. 5440-9 at no less than the appraised price on a unit basis per species and the required minimum bid deposit shall be required to participate in oral bidding for each tract.

FOR SBA SET-ASIDE TRACTS, the bidder must not have been determined by the Small Business Administration to be ineligible for preferential award for set-aside sales and must accompany his deposit with a self-certification statement that he is qualified as a small business concern as defined by the Small Business Administration in its regulations, Title 13, Chapter I, Part 121 (Revision 7) as amended, of the Code of Federal Regulations. The Form 5430-1 Self Certification Statement is attached hereto. The successful bidder will be required to sign SBA Form 723 "Small Business Certification Required on All Preferential Sales of Set-Aside Timber" at the time he signs the timber sale contract. Section 2(a) of Form 723 requires that successful bidders of SBA set-aside tracts must comply with delivery requirements pertaining to timber volume. No more than 30% of the timber volume from a set-aside sale may be delivered for manufacturing to a business that is not a small business, as defined by the SBA (13 CFR 121.507 (a)). A copy of SBA form 723 is attached.

THIS TIMBER SALE has been cruised based upon Eastside Scribner board foot measure. The volumes herein are estimates only, based on 16-foot taper breaks, which must be taken into consideration if comparisons are made with volume predictions based on other standards. The volumes based on 32-foot taper breaks are shown for comparison purposes. No sale shall be made for less than the total purchase price, without regard to the amount bid per unit, even though quantity of timber actually cut, removed, or designated for taking is more or less than the estimated volume or quantity so listed.

APPRAISED PRICES are determined by analytical appraisal methods unless otherwise noted on individual timber sale notices.

USE OF PRIVATE ROADS FOR SALE ACCESS. The purchaser is given no authority to enter upon or cross any private lands or to use any privately-owned property or improvements unless such rights are specifically covered in the contract stipulations. If the Purchaser desires to make any use of private property, which is not specifically authorized by the contract, they must make the necessary prior arrangements for such use with the landowner.

WAIVER OF BID DEFICIENCIES AND REJECTION OF BIDS. When the Authorized Officer determines it to be in the interest of the Government to do so, he may reject any or all bids and may waive minor deficiencies in the bids or the timber sale advertisement or this supplement (43 CFR 5442.3).

INSTRUCTIONS TO BIDDER. Refer to attached Form 5440-9 for detailed Instructions to Bidder. All persons signing Form 5440-9 or tendering oral bids must be authorized in writing by the purchaser to do so. Oral bidding begins from the unit prices of the highest written bid. The Bureau exercises an overcall system in which each bidder assumes the last highest bid and raises from that point. In the event there is a tie in high written bids, and no oral bidding

occurs, the bidder who was the first to submit a bid deposit and written bid shall be declared the high bidder. If it cannot be determined who made the first submission of high tie written bids, the high bidder will be determined by lot. The high bidder must confirm the bid, in writing.

AN IRREVOCABLE LETTER OF CREDIT (ILC) may be used in place of bid bonds, performance bonds, and payment bonds. ILC's must be approved by the Authorized Officer prior to use and are subject to certain limitations. Contact the District Office for further information.

THE SUCCESSFUL BIDDER, as a condition of award, will be required to complete and/or sign the following forms:

1. Form No. 1140-6, Independent Price Determination Certificate, a certification that the bid was arrived at by the bidder or offeror independently, and was tendered without collusion with any other bidder or offeror.
2. Form No. 5450-17, Export Determination.

PRE-AWARD QUALIFICATIONS. The high bidder may be required to furnish information to determine the ability to perform the obligations of the contract. If the high bidder is determined not qualified, responsible or refuses to respond within fifteen (15) days of a request for information pertaining to qualifications, the contract may be offered and awarded for the amount of the high bid to the highest of the bidders who is qualified, responsible, and willing to accept the contract.

A PERFORMANCE BOND in an amount not less than twenty (20) percent of the total purchase price will be required for all contracts of \$2,500 or more, but the amount of the bond shall not be in excess of \$500,000, except when the Purchaser opts to increase the minimum bond as provided in 43 CFR 5451.2. A minimum performance bond of not less than \$500 will be required for all installment contracts less than \$2,500.

INSTALLMENT PAYMENTS may be authorized for sales of \$500 or more. The number of installment required to be paid at any one time will be determined by BLM. For sales under \$500,000, installments will not be less than ten (10) percent of the total purchase price. For sales of \$500,000 or more, installment payments shall be \$50,000.

A SALE DEPOSIT equal to one installment (10 percent of total purchase price) is required prior to approval of the contract. This deposit must be made in cash or by check payable to the Department of Interior - BLM.

LOG EXPORT AND SUBSTITUTION. The timber sold under this contract is subject to the Forest Resources Conservation and Shortage Relief Act of 1990, as amended (16 USC 620, et

seq.). Except for species determined pursuant to public hearing to be surplus, unprocessed timber sold shall not be exported from the United States nor used in direct or indirect substitution for unprocessed timber exported from private lands by Purchaser or any person as defined in the Act (16 USC 620e).

ADDITIONAL INFORMATION concerning each timber sale tract described herein is available at the above District office. A copy of the timber sale contract is also available for inspection at the District office. The prospectus is available online at <https://www.blm.gov/or/resources/forests/index.php>. The online Prospectus includes maps and tables that cannot be made Section 508 compliant. For help with its data or information, please contact the Coos Bay District Office at (541) 756-0100.

A new Special Provision has been added to the contract which enables the Contracting Officer to suspend the contract to facilitate protection of certain plant or animal species, and/or to modify or terminate the contract when necessary to comply with the Endangered Species Act or to protect occupied Marbled murrelet sites in accordance with the Standards and Guidelines of the Coos Bay District Record of Decision and Resource Management Plan. This contract provision limits the liability of the Government to the actual costs incurred by the Purchaser, which have not been amortized by timber removed from the contract area.

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Form 1140-4

NOTICE OF REQUIREMENT FOR CERTIFICATION OF NONSEGREGATED FACILITIES

Bidders and offerors are cautioned as follows: by signing this bid or offer or entering into this contract or lease, as the case may be, the bidder, offeror, or contractor will be deemed to have signed and agreed to the provisions of the Certification of Non-segregated Facilities in this solicitation. The certification provides that the bidder or offeror does not maintain or provide for his employees facilities which are segregated on a basis of race, color, religion, sex, or national origin, whether such facilities are segregated by directive or on a de facto basis. The certification also provides that he will not maintain such segregated facilities. Failure of a bidder or offeror to agree to the Certification of Non-segregated Facilities will render his bid or offer nonresponsive to the terms of solicitations involving awards of contract exceeding \$10,000, which are not exempt from the provisions of the Equal Opportunity clause.

In accordance with 41 CFR 60, as amended May 19, 1967, and Executive Order No. 11246 of September 24, 1965, as amended, this notification will be included in all notices of invitations for bid, lease, offers, and requests for proposal where prospective nonexempt contracts may exceed \$10,000.

COOS BAY SALE NO. ORC03-TS-2019.0002
Early Fork CT

COOS BAY DISTRICT OFFICE
UMPQUA RESOURCE AREA

SALE DATE: June 28, 2019
SALE TIME: 10:00 a.m.

SALE NO. ORC03-TS-2019.0002, Early Fork CT

DOUGLAS COUNTY: OREGON: O&C: ORAL AUCTION: Bid deposit required: \$34,900.00

All timber designated for cutting on: T. 19 S., R. 8 W., Sec. 30, Lots 9, 10, W1/2SE1/4, Sec. 31, Lots 2,3, 4,5 & 10, E1/2; T. 19 S., R. 9 W., Sec. 25, Lot 10, SW1/4, Will. Mer.

Approx. No. Merch. Trees	Est. Vol. MBF 32' Log	Species	Est. Vol. MBF 16' Log	Appraised Price Per MBF	Estimated Vol. Times Appraised Price
19,547	3,342	Douglas-fir	4,072	\$79.30	\$322,909.60
3,018	261	Red Alder	350	\$38.50	\$13,475.00
763	168	Western Hemlock	212	\$38.50	\$8,162.00
2,503	75	Big Leaf Maple	122	\$23.10	\$2,818.20
215	6	Western Redcedar	8	\$160.90	\$1,287.20
26,046	3,852	Totals	4,764		\$348,652.00

THIS TIMBER SALE HAS BEEN CRUISED, APPRAISED, AND ADVERTISED BASED UPON SCRIBNER BOARD FOOT MEASURE (16 FOOT LOG). THE MINIMUM BID FIGURES SHOWN BY SPECIES ARE DOLLARS PER THOUSAND BOARD FEET (MBF). THE MINIMUM BID INCREMENT WILL BE \$0.50 PER MBF. SCRIBNER BOARD FOOT VOLUMES (32 FOOT LOG) BY SPECIES ARE DISPLAYED FOR INFORMATIONAL PURPOSES.

LOG EXPORT AND SUBSTITUTION: All timber sales, including timber from Federal rights-of-ways, shall be subject to the restrictions relating to the export and substitution of unprocessed timber from the United States in accordance with P.L. 94-165 and 43 CFR 5400 and 5424 as amended.

LOG EXPORT AND SUBSTITUTION RESTRICTIONS: Excepting Port-Orford-cedar, all timber offered for sale hereunder is restricted from export from the United States in the form of unprocessed timber and is prohibited from being used as a substitute for exported private timber.

CRUISE INFORMATION: With respect to merchantable trees of all species in all cruise strata: the average DBHOB is 13.7 inches: the average gross merchantable log contains 53 bd. ft.; the total gross volume is approximately 5119 thousand bd. ft.; and 93% recovery is expected. The average DBHOB for Douglas-fir is 13.9 inches; and the average gross merchantable log contains 53 bd. ft. The following cruise methods were used for volume determination:

COOS BAY SALE NO. ORC03-TS-2019.0002
Early Fork CT

VARIABLE PLOT: Timber volumes in the thinning portion of Units 1-6, were based on a variable plot cruise. Using a 20 basal area factor (BAF), 286 plots were measured and 153 trees were randomly selected to be sampled. The sample trees have been cruised and their volumes computed using form class tables for estimating board foot volumes of trees in 16-foot logs. The volumes are then expanded to a total sale volume.

3P: The Douglas-fir and Red Alder in Unit 7, right-of-way and group selection areas have been cruised using the 3P system to select 151 sample trees. The sample trees have been cruised and the volumes computed using form class tables for estimating board foot volumes of trees in 16-foot logs. The volumes are then expanded to a total sale volume. Maps showing the approximate locations of the sample trees are available at the Coos Bay District Office.

100% CRUISE: Timber volumes for tree species other than Douglas-fir and Red Alder within Unit 7, road right-of-way and group selection areas, were based on a 100% cruise using form class tables for estimating board foot volume of trees in 16-foot logs.

CUTTING AREA: Units 1 -7 contain 248 acres of partial cut. Within the partial cut area there are clearings up to 4 acres in size as shown on exhibit A. There are 2 acres of road right-of-way to be cut. Acreage data was collected using a Trimble R1 Global Positioning System receiver. Acreage was calculated based on Global Positioning System traverse procedures including differential correction.

ACCESS: Access to the sale area is provided via: Oregon State highways, Douglas County Roads, government controlled roads, and privately controlled roads. A gate restricts access to this sale. Keys are available at Coos Bay District Office. A refundable deposit of \$100 is required to obtain a key.

DIRECTIONS TO SALE AREA: From Coos Bay, travel north on Highway 101. Turn right on Smith River Road heading east 35 miles, and refer to Exhibits A and A-1 for unit locations.

ROAD USE & MAINTENANCE: Purchaser shall pay a maintenance and rockwear obligation totaling \$56,006.99 to the Government.

ROAD CONSTRUCTION: Road construction and improvement estimates include the following

33.90 stations Class SN-16 road

8.20 stations Class SN-12 road

Refer to Exhibit C

Surfacing:

3376 cu. yds. of 1½-inch minus crushed hardrock

3899 cu. yds. of 3-inch minus crushed hardrock

860 cu. yds. of 6-inch minus crushed hardrock

10 cu. yds. of Rip Rap

Drainage:

110 linear feet of 18-inch CPP Double Wall culvert

40 linear feet of 18-inch CPP Single Wall culvert Down Spout

30 linear feet of 18-inch CMP culvert

4 Culvert Markers

DURATION OF CONTRACT: Will be 36 months for cutting and removal of timber. The contract will contain special stipulations regarding logging, road construction, road use and maintenance, fire prevention, hazard reduction and logging residue reduction, log export and substitution, optional scale check of lump sum sales, equal opportunity in employment, cultural resource protection, and sensitive, threatened, or endangered plants or animals.

SPECIAL PROVISIONS:

1. Snags that are felled for safety reasons will be left on site. [41c](#)
2. All Pacific yew are reserved from cutting, except within road right-of-ways. [41d](#)
3. All existing down coarse woody debris is reserved from cutting and removal. [41e](#)
4. Seasonal restrictions will apply in the Seasonally Restricted Area, as shown on Exhibit A. [42b3](#)
5. Directional felling is required away from roads, property lines, posted boundaries, orange-painted reserve trees, and snags. [42b4](#)
6. Cutting or yarding during high sap flow, March 31 through July 1, may be restricted by the Authorized Officer. [42b5](#)
7. In the Partial Cut Area, conifer trees will be bucked to a maximum of 41-foot lengths. [42b7](#)
8. All trees eight (8) inches DBHOB and larger designated for cutting in the Group Select Area shall be felled and yarded concurrently with all other trees designated for cutting in the Group Select Area. [42b9](#)
9. In the Cable Yarding Area, yarding shall be completed with cable-type equipment capable of lateral yarding 75 feet each side of the skyline road. [42b11](#)
10. In the Cable Yarding Area, one-end suspension is required. Lift trees and/or intermediate support trees may be necessary to achieve suspension. [42b13](#)
11. No-harvest zones will be maintained adjacent to stream channels. Corridor trees felled within the no-harvest zone shall be left on site, unless designated for removal by the Authorized Officer. Trees within 120 feet of any draw of shown on Exhibit A shall be directional felled toward the draw. [42b17](#)
12. Full-log suspension will be required over stream channels. When possible trees should be felled towards the Steam Channel. Where full suspension cannot be achieved, yarding will occur during the dry season. [42b17](#)
13. Within safety standards, harvest trees will be directionally felled away from any stream channels; however, trees that must be felled toward or parallel to the stream channel should be temporarily retained on site to provide bank armament if other trees need to be yarded across the channel. [42b18](#)
14. The yarding machine shall utilize slash on skid trail as directed. [42b20](#)
15. All Harvesting equipment must be approved in writing by the Authorized Officer prior to any operations. [42b20a](#)
16. Ground-based operations shall be conducted when soil moisture content is below 25% plastic limit, as determined by the Authorized Officer. [42b20b](#)
17. The location and use of yarding roads and harvester roads in the Cable Yarding Area and Ground Based Yarding Area shall be approved by BLM prior to use by the Purchaser. [42b21](#)
18. Skyline corridors will be no wider than 12 feet as measured between reserve trees and 150 feet apart, as measured from the tail hold, or where the skyline reaches the far edge of the unit, perpendicular to the preceding corridor. [42b21a](#), [42b14](#)
19. Road building and logging equipment will be washed prior to moving into the Contract Area to minimize the spread of noxious weeds. [42b25](#) and [Exhibit F](#)
20. Hauling on dirt surfaced roads will be permitted between July 1 and October 15, unless dry conditions extend the hauling season. [42b26](#)

COOS BAY SALE NO. ORC03-TS-2019.0002
Early Fork CT

21. Any required construction, improvement, or renovation of structures and roads shall occur during the dry season, June 1 through October 1, both days inclusive, of the same calendar year unless dry conditions extend the construction season. [42c2](#)
22. BLM will assume supervisory responsibility for disposal of logging slash. [42e1](#)
23. Hand or machine piling is required in Roadside Hazard Reduction Area. [42e3b](#)
24. Slashing, loping, and scattering is required on approximately 16 acres in the Group Select Area. [42e3w](#)
25. Within 1 year following the completion of yarding operations, create approximately seven hundred ninety six (796) snags as directed by the Authorized Officer and in accordance with the following table and stipulations. [42f1](#)
26. Within 1 year following the completion of yarding operations, the Purchaser shall mechanically sever approximately one hundred ninety nine (199) orange marked leave trees. See section 42f2. [42f2](#)
27. You must enter into a license agreement with Roseburg Resources. Road use fees were calculated with an interim rate. Once final road use fees are calculated the Contract price will be adjusted with a modification. [42d5](#)

COOS BAY SALE NO. ORC04-TS-2019.0033
LOOKOUT

COOS BAY DISTRICT OFFICE
MYRTLEWOOD RESOURCE AREA

SALE DATE: JUNE 28, 2019
SALE TIME: 10:00 a.m.

SALE NO.: ORC04-TS-2019.0033, LOOKOUT

SET-ASIDE SALE

COOS COUNTY: OREGON: O&C: ORAL AUCTION: Bid deposit required: \$25,800.00

All timber designated for cutting on: T. 29 S., R. 9 W., Sec. 33, SE ¼ SW ¼ , SW ¼ SE ¼, Will. Mer.

Approx. No. Merch. Trees	Est. Vol. MBF 32' Log	Species	Est. Vol. MBF 16' Log	Appraised Price Per MBF	Estimated Vol. Times Appraised Price
2,672	800	Douglas-fir	996	\$141.60	\$141,033.60
1,814	444	western hemlock	567	\$108.00	\$61,236.00
531	181	grand fir	227	\$114.40	\$25,968.80
819	121	Port Orford Cedar	152	\$175.40	\$26,660.80
72	3	red alder	5	\$26.50	\$132.50
34	5	western red cedar	6	\$354.30	\$2,125.80
5,942	1554	Total	1953		\$257,157.50

THIS TIMBER SALE HAS BEEN CRUISED, APPRAISED, AND ADVERTISED BASED UPON SCRIBNER BOARD FOOT MEASURE (16 FOOT LOG). THE MINIMUM BID FIGURES SHOWN BY SPECIES ARE DOLLARS PER THOUSAND BOARD FEET (MBF). THE MINIMUM BID INCREMENT WILL BE \$0.50 PER MBF. SCRIBNER BOARD FOOT VOLUMES (32 FOOT LOG) BY SPECIES ARE DISPLAYED FOR INFORMATIONAL PURPOSES.

LOG EXPORT AND SUBSTITUTION: All timber sales, including timber from Federal rights-of-ways, shall be subject to the restrictions relating to the export and substitution of unprocessed timber from the United States in accordance with P.L. 94-165 and 43 CFR 5400 and 5424 as amended.

LOG EXPORT AND SUBSTITUTION RESTRICTIONS: Except Port-Orford-cedar, all timber offered for sale hereunder is restricted from export from the United States in the form of unprocessed timber and is prohibited from being used as a substitute for exported private timber.

CRUISE INFORMATION: With respect to merchantable trees of all species in all cruise strata: the average DBHOB is 17.3 inches: the average gross merchantable log contains 102 bd. ft.; the total gross volume is approximately 2,081 MBF; and 94% recovery is expected. The average DBHOB for Douglas-fir is 17.1 inches; and the average gross merchantable log contains 99 bd. ft. None of the total sale volume is salvage material. The following cruise methods were used for volume determination.

3P: Douglas-fir, grand fir, western hemlock and Port-Orford cedar were calculated using the 3P system within

COOS BAY SALE NO. ORC04-TS-2019.0033
LOOKOUT

the road right-of-way and Unit 1 to select 290 sample trees. The sample trees were cruised and their volumes computed using form class tables for estimating board foot volumes of trees in 16-foot logs. The volumes are then expanded to a total sale volume.

100% CRUISE: Volumes for Douglas-fir and grand fir in Unit 1 were based on a 100% cruise if they had a DBH of 42" or bigger using form class tables for estimating board foot volume of trees in 16-foot logs.

CUTTING AREA: One unit totaling approximately 39 acres must be regeneration cut and 1 acre of Right-of-Way must be cut. Acreage data was collected using a Trimble Geo R1 Global Positioning System receiver. Acreage was calculated based on Global Positioning System traverse procedures including differential correction.

ACCESS: Access to the sale area is provided via: United States highways, privately controlled roads, and Government controlled roads.

DIRECTIONS TO SALE AREA: From Coos Bay, Oregon, travel south on Highway 101 for approximately five miles. Take slight left onto OR-42 E and travel 51 miles. Turn left onto Signal Tree Road (29-9-36.0). Travel approximately 4 miles to the sale area. Refer to Exhibits A and A-1 for unit locations.

ROAD USE, ROCKWEAR & MAINTENANCE: Refer to Exhibit E Summary attached. Operator maintenance required on 2.46 miles of road.

Rockwear and Road Maintenance Fees Payable to BLM: \$10,567.09

ROAD CONSTRUCTION: Road Construction estimates include the following:

New Construction:

11.65 stations

Road Renovation:

12.45 stations

Aggregate (All quantities are truck measurement):

6" minus hardrock: 655 L.C.Y.

3" minus hardrock: 299 L.C.Y.

1 ½" minus hardrock: 161 L.C.Y.

Drainage:

12" CMP: 240' Lineal Feet

Soil Stabilization:

Dry Seed, fertilizer, & mulch: 1.4 acres (Pre-haul)

Roadside Brushing:

12.45 stations

Road Decommissioning:

Riprap Barriers: 1 (20 L.C.Y. minimum)

DURATION OF CONTRACT: Shall be 36 months for cutting and removal of timber. The contract will contain special stipulations regarding logging, road construction, road use and maintenance, fire prevention, hazard

reduction and logging residue reduction, log export and substitution, optional scale check of lump sum sales, equal opportunity in employment, cultural resource protection, and sensitive, threatened, or endangered plants or animals.

SPECIAL PROVISIONS: This list is not comprehensive. Please review the entire contract.

1. All equipment must be washed prior to entry into the contract area to control the spread of noxious weeds and Port-Orford-cedar root disease.
2. Prior to the prework conference, the purchaser shall notify the Oregon Utility Notifications Center (1-800-332-2344 or 811) prior to any operations for locations of buried cables or lines along the 29-9-33.4 and 29-9-36.0 roads.
3. Tramway agreements will be obtained by the BLM with Lone Rock Timber Management Company for the use of existing trees as tail tree anchors or stumps as tail hold anchors.
4. All roads are designed for all-season haul except for Spur 1A and Spur 1B.
5. No trees shall be felled into Reserve Areas or Basal Area Retention Areas, as shown on the Exhibit A. Line pulling, jacking, or other mechanical devices shall be used as necessary.
6. Lift trees and intermediate support trees may be necessary.
7. One-end suspension is required in cable and ground-based yarding areas.
8. Full suspension is required over any stream channels. Trees cut for yarding corridors within the Reserve Area adjacent to Stream Channels shall be felled toward the channel and left on site.
9. A forwarder, log loader, tractor, or rubber tire skidder may be used to yard logs within the Ground-Based Yarding Areas. Ground-based equipment are restricted to areas with slopes less than 35%.
10. Purchaser shall verify all landing locations and stake required clearing limits prior to construction.
11. Shape and restore all landings to a natural contour to prevent erosion.
12. Seed and fertilize all landings, road cuts and fills, and waste areas.
13. Soil stabilization, water bar construction, road decommissioning, and road barrier construction shall be conducted after the completion of harvest activities but no later than October 15 of the same year.
14. BLM will assume supervisory responsibility for disposal of logging slash.
15. Machine piling of logging slash is required at all landing areas and along all roads.
16. Personnel supplied by the Purchaser for machine or landing pile burning shall include four (4) people qualified at a minimum, as Type-II Firefighters (FFT2), (National Wildfire Coordinating Group (NWCG) Wildland Fire Qualifications System guide, PMS 310-1).
17. After yarding is completed, the purchaser shall top thirty-two (32) and girdle nine (9) conifer trees marked with orange painted "S".
18. The Purchaser shall provide signage and flaggers to control traffic when conducting operations adjacent to any road.
19. To minimize the risk of attracting predators to activity areas, all garbage (especially food products) will be contained and removed daily from the contract area pursuant to Section 27 of the contract.
20. Spill kits will be required to be on site during road construction and logging.

Seasonal Restriction Matrix ORC04-TS-2019.0033 LOOKOUT Timber Sale Prospectus

*Restricted periods are **Shaded**; Conditional periods are **hatched**; See Exhibit A and C for portions of units/haul route affected.

Sale Area	Activity	Jan		Feb		Mar		Apr		May		June		July		Aug		Sept		Oct		Nov		Dec	
		1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15
General All Units	Road Construction, Renovation, or Improvement Work ¹	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded										Shaded	Shaded	Shaded	Shaded	Shaded
	Hauling ¹	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded												Shaded	Shaded	Shaded	Shaded
	Hauling on approved rocked roads ³																								Hatched
	Ground based yarding ²	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	Shaded	25 %	Hatched	Hatched	Hatched	Hatched	Hatched	Hatched	Hatched	Hatched	Hatched	Hatched	Hatched	Hatched	Hatched

¹ Wet season restrictions may be shortened or extended depending on weather conditions for Spur 1A and Spur 1B only.

² Ground based yarding restricted to periods when soil moisture levels are below 25% as determined by the Authorized Officer.

³ Wet season haul on rocked roads may be suspended during periods of heavy rain (>1" in 24 hours).