Advertising Dates: April 18, 2019 and April 25, 2019

TIMBER FOR SALE, UNITED STATES DEPARTMENT OF THE INTERIOR, BUREAU OF LAND MANAGEMENT, ORAL AUCTION as hereinafter designated will be conducted by the District Manager, Bureau of Land Management at the COOS BAY DISTRICT OFFICE, 1300 Airport Lane, North Bend, Oregon 97459-2000, on May 17, 2019 for all timber marked, or designated for cutting. Sale will commence at 10:00 a.m. Before bids are submitted, full information concerning the timber, the conditions of sale and submission of bids, including the appraised price per species, should be obtained from the above District Manager. The prospectus is available online: <u>https://www.blm.gov/or/resources/forests/index.php</u>. The right is hereby reserved to waive technical defects in this advertisement and to reject any or all bids. The United States reserves the right to waive any informality in bids received whenever such waiver is in the interest of the United States.

Environmental Assessment DOI-BLM-ORWA-C040-2016-0007-EA (Upper Rock Creek EA) was prepared for the Glide Path, Slater 21, and Kenyon Mountain sales and a Finding of No Significant Impact has been signed. These documents are available for review at the Coos Bay District Office or online at <u>http://bit.ly/UpperRockCreek</u>. This sale notice, first published on April 18, 2019, constitutes the decision document for purposes of protests under 43 CFR Subpart 5003 - Administrative Remedies. Protests of any sale listed below must be filed within 15 days after the first publication of this notice. In COOS COUNTY: OREGON:

O & C: ORAL AUCTION: ORC04-TS-2019.0030 Glide Path. All timber designated for cutting on certain Federal lands in T. 29 S., R. 9 W., Sec. 21, S1/2NW1/4, SW1/4, W1/2SE1/4 Will. Mer. estimated for the purpose of this sale to be 4,895 MBF. No written bid for less than \$671,267.50 will be considered. Minimum deposit with written bid is \$67,200.00.

O & C: ORAL AUCTION: SET-ASIDE SALE NO: ORC04-TS-2019.0031 Slater 21. All timber designated for cutting on certain Federal lands in T. 30 S., R. 9 W., Sec. 21, S¹/₂NE¹/₄, N¹/₂NW¹/₄, SW¹/₄NW¹/₄, W¹/₂SW¹/₄, SE¹/₄SW¹/₄, N¹/₂SE¹/₄, Will. Mer. estimated for the purpose of this sale to be 1,113 MBF. No written bid for less than \$76,162.70 will be considered. Minimum deposit with written bid is \$7,700.00.

O & C: ORAL AUCTION: SET-ASIDE SALE NO: ORC04-TS-2019.0032 Kenyon Mountain. All timber designated for cutting on certain Federal lands in T. 29 S., R. 9 W., Sec. 33, E1/2NE1/4, W1/2NW1/4, SE1/4NW1/4, NW1/4SW1/4, Will. Mer. estimated for the purpose of this sale to be 1,749 MBF. No written bid for less than \$190,970.70 will be considered. Minimum deposit with written bid is \$19,100.00.

Advertising Dates: 18 April and 22 April 2019

TIMBER FOR SALE, UNITED STATES DEPARTMENT OF THE INTERIOR, BUREAU OF LAND MANAGEMENT, ORAL AUCTION as hereinafter designated will be conducted by the District Manager, Bureau of Land Management at the COOS BAY DISTRICT OFFICE, 1300 Airport Lane, North Bend, Oregon 97459-2000, on May 17, 2019 for all timber marked, or designated for cutting. Sale will commence at 10:00 a.m. Before bids are submitted, full information concerning the timber, the conditions of sale and submission of bids, including the appraised price per species, should be obtained from the above District Manager. The prospectus is available online at https://www.blm.gov/or/resources/forests/index.php. The right is hereby reserved to waive technical defects in this advertisement and to reject any or all bids. The United States reserves the right to waive any informality in bids received whenever such waiver is in the interest of the United States.

The BLM published the West Fork Smith River Environmental Assessment (EA) (DOI-BLM-ORWA-C030-2017-0001-EA), which concluded with a Finding of No Significant Impact (FONSI) dated April 11, 2019. The BLM prepared a decision rationale for the Sister Sweden CT Timber Sale. The EA, FONSI, and decision rationale are available for review at the Coos Bay District Office or online at <u>https://tinyurl.com/yc0zzd6w</u>. This sale notice, first published on 18 April 2019, constitutes the decision document for purposes of protests under 43 CFR Subpart 5003 - Administrative Remedies. Protests of any sale listed below must be filed within 15 days after the first publication of this notice. In DOUGLAS COUNTY: OREGON: O&C: ORAL AUCTION: ORC03-TS-2019.0001 Sister Sweden CT. All timber designated for cutting on certain Federal lands in: T. 20 S., R. 8 W., Sec. 9, lots 2–12, 14–16 Will. Mer., estimated for the purpose of this sale to be 4,656 MBF. No written bid for less than \$494,500.00 will be considered. Minimum deposit with written bid is \$49,500.00.

UNITED STATES DEPARTMENT OF INTERIOR BUREAU OF LAND MANAGEMENT Coos Bay District Office 1300 Airport Lane North Bend, Oregon 97459

ORC04-TS-2019.0030 - Glide Path - 4,895 MBF ORC04-TS-2019.0031 - Slater 21 – 1,113 MBF - SBA ORC04-TS-2019.0032 - Kenyon Mountain - MBF 1,749- SBA ORC03-TS-2019.0001 - Sister Sweden CT – 4,656 MBF

TIMBER SALE NOTICE – ADVERTISED SUPPLEMENT

NOTICE IS HEREBY GIVEN that the Bureau of Land Management will offer for sale timber as described herein for oral auction, pursuant to Instructions to Bidders, as stated on Form No. 5440-9 and subject to Notice of Requirement for Certification of Non-segregated Facilities, Form No. 1140-4 attached. Written and oral bids will be received by the District Manager, or his representative, at the Coos Bay District Office, 1300 Airport Lane, North Bend, Oregon 97459 on **May 17, 2019.** This sale will commence at 10:00 a.m. Oral bids will be received on Douglas-fir only with a \$0.50/bid minimum overcall on each bid.

AN ENVIRONMENTAL ASSESSMENT was prepared for these sales, and a Finding of No Significant Impact has been documented. These documents are available for inspection as background for this sale at the Coos Bay District Office or online for timber sales: ORC04-TS-2019.0030 Glide Path, ORC04-TS-2019.0031 Slater 21 and ORC04-TS-2019.0032 Kenyon Mountain at http://bit.ly/UpperRockCreek or https://eplanning/planAndProjectSite.do?methodName=dispatchToPatternPage¤tPageId=93564

AN ENVIRONMENTAL ASSESSMENT was prepared for this sale, and a Finding of No Significant Impact has been documented. These documents are available for inspection as background for this sale at the Coos Bay District Office or online for timber sale ORC03-TS-2019.0001 Sister Sweden CT at <u>https://tinyurl.com/ycozzd6w</u>. or <u>https://eplanning.blm.gov/epl-front-</u>

office/eplanning/planAndProjectSite.do?methodName=renderDefaultPlanOrProjectSite&proje ctId=68000.

THIS TIMBER SALE NOTICE does not constitute the decision document for purposes of protest and appeal of a forest management decision. Consistent with 43 CFR Subpart 5003-Administrative Remedies, the notice of a timber sale, when published as a legal ad in a newspaper of general circulation, shall constitute the decision document for purposes of protest and appeal. Protests may be filed with the Authorized Officer within 15 days after the first publication of the aforementioned decision document in the newspaper. It is anticipated that the decision document will be published in The World newspaper on or about April 18, 2019. BLM does not warrant publication on this exact date. All parties considering protest of

the timber sale decision document are encouraged to review the aforementioned newspaper to ensure accurate knowledge of the exact publication date.

A WRITTEN BID on Form No. 5440-9 at no less than the appraised price on a unit basis per species and the required minimum bid deposit shall be required to participate in oral bidding for each tract.

FOR SBA SET-ASIDE TRACTS, the bidder must not have been determined by the Small Business Administration to be ineligible for preferential award for set-aside sales and must accompany his deposit with a self-certification statement that he is qualified as a small business concern as defined by the Small Business Administration in its regulations, Title 13, Chapter I, Part 121 (Revision 7) as amended, of the Code of Federal Regulations. The Form 5430-1 Self Certification Statement is attached hereto. The successful bidder will be required to sign SBA Form 723 "Small Business Certification Required on All Preferential Sales of Set-Aside Timber" at the time he signs the timber sale contract. Section 2(a) of Form 723 requires that successful bidders of SBA set-aside tracts must comply with delivery requirements pertaining to timber volume. No more than 30% of the timber volume from a set-aside sale may be delivered for manufacturing to a business that is not a small business, as defined by the SBA (13 CFR 121.507 (a)). A copy of SBA form 723 is attached.

THIS TIMBER SALE has been cruised based upon Eastside Scribner board foot measure. The volumes herein are estimates only, based on 16-foot taper breaks, which must be taken into consideration if comparisons are made with volume predictions based on other standards. The volumes based on 32-foot taper breaks are shown for comparison purposes. No sale shall be made for less than the total purchase price, without regard to the amount bid per unit, even though quantity of timber actually cut, removed, or designated for taking is more or less than the estimated volume or quantity so listed.

APPRAISED PRICES are determined by analytical appraisal methods unless otherwise noted on individual timber sale notices.

USE OF PRIVATE ROADS FOR SALE ACCESS. The purchaser is given no authority to enter upon or cross any private lands or to use any privately-owned property or improvements unless such rights are specifically covered in the contract stipulations. If the Purchaser desires to make any use of private property, which is not specifically authorized by the contract, they must make the necessary prior arrangements for such use with the landowner. WAIVER OF BID DEFICIENCIES AND REJECTION OF BIDS. When the Authorized Officer determines it to be in the interest of the Government to do so, he may reject any or all bids and may waive minor deficiencies in the bids or the timber sale advertisement or this supplement (43 CFR 5442.3).

INSTRUCTIONS TO BIDDER. Refer to attached Form 5440-9 for detailed Instructions to

Bidder. All persons signing Form 5440-9 or tendering oral bids must be authorized in writing by the purchaser to do so. Oral bidding begins from the unit prices of the highest written bid. The Bureau exercises an overcall system in which each bidder assumes the last highest bid and raises from that point. In the event there is a tie in high written bids, and no oral bidding occurs, the bidder who was the first to submit a bid deposit and written bid shall be declared the highbidder. If it cannot be determined who made the first submission of high tie written bids, the highbidder will be determined by lot. The high bidder must confirm the bid, in writing.

AN IRREVOCABLE LETTER OF CREDIT (ILC) may be used in place of bid bonds, performance bonds, and payment bonds. ILC's must be approved by the AuthorizedOfficer prior to use and are subject to certain limitations. Contact the District Office for further information.

THE SUCCESSFUL BIDDER, as a condition of award, will be required to complete and/or sign the following forms:

- 1. Form No. 1140-6, Independent Price Determination Certificate, a certification that the bid was arrived at by the bidder or offeror independently, and was tendered without collusion with any other bidder or offeror.
- 2. Form No. 5450-17, Export Determination.

PRE-AWARD QUALIFICATIONS. The high bidder may be required to furnish information to determine the ability to perform the obligations of the contract. If the high bidder is determined not qualified, responsible or refuses to respond within fifteen (15) days of a request for information pertaining to qualifications, the contract may be offered and awarded for the amount of the high bid to the highest of the bidders who is qualified, responsible, and willing to accept the contract.

A PERFORMANCE BOND in an amount not less than twenty (20) percent of the total purchase price will be required for all contracts of \$2,500 or more, but the amount of the bond shall not be in excess of \$500,000, except when the Purchaser opts to increase the minimum bond as provided in 43 CFR 5451.2. A minimum performance bond of not less than \$500 will be required for all installment contracts less than \$2,500.

INSTALLMENT PAYMENTS may be authorized for sales of \$500 or more. The number of installment required to be paid at any one time will be determined by BLM. For sales under \$500,000, installments will not be less than ten (10) percent of the total purchase price. For sales of \$500,000 or more, installment payments shall be \$50,000.

A SALE DEPOSIT equal to one installment (10 percent of total purchase price) is required prior to approval of the contract. This deposit must be made in cash or by check payable to the Department of Interior - BLM.

LOG EXPORT AND SUBSTITUTION. The timber sold under this contract is subject to the Forest Resources Conservation and Shortage Relief Act of 1990, as amended (16 USC 620, et seq.). Except for species determined pursuant to public hearing to be surplus, unprocessed timber sold shall not be exported from the United States nor used in direct or indirect substitution for unprocessed timber exported from private lands by Purchaser or any person as defined in the Act (16 USC 620e).

ADDITIONAL INFORMATION concerning each timber sale tract described herein is available at the above District office. A copy of the timber sale contract is also available for inspection at the District office. The prospectus is available online at https://www.blm.gov/or/resources/forests/index.php. The online Prospectus includes maps and tables that cannot be made Section 508 compliant. For help with its data or information, please contact the Coos Bay District Office at (541)756-0100.

A new Special Provision has been added to the contract which enables the Contracting Officer to suspend the contract to facilitate protection of certain plant or animal species, and/or to modify or terminate the contract when necessary to comply with the Endangered Species Act or to protect occupied Marbled murrelet sites in accordance with the Standards and Guidelines of the Coos Bay District Record of Decision and Resource Management Plan. This contract provision limits the liability of the Government to the actual costs incurred by the Purchaser, which have not been amortized by timber removed from the contract area.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT Form 1140-4

NOTICE OF REQUIREMENT FOR CERTIFICATION OF NONSEGREGATED FACILITIES

Bidders and offerors are cautioned as follows: by signing this bid or offer or entering into this contract or lease, as the case may be, the bidder, offeror, or contractor will be deemed to have signed and agreed to the provisions of the Certification of Non-segregated Facilities in this solicitation. The certification provides that the bidder or offeror does not maintain or provide for his employees facilities which are segregated on a basis of race, color, religion, sex, or national origin, whether such facilities are segregated by directive or on a de facto basis. The certification also provides that he will not maintain such segregated facilities. Failure of a bidder or offeror to agree to the Certification of Non-segregated Facilities will render his bid or offer nonresponsive to the terms of solicitations involving awards of contract exceeding \$10,000, which are not exempt from the provisions of the Equal Opportunity clause.

In accordance with 41 CFR 60, as amended May 19, 1967, and Executive Order No. 11246 of September 24, 1965, as amended, this notification will be included in all notices of invitations for bid, lease, offers, and requests for proposal where prospective nonexempt contracts may exceed \$10,000.

COOS BAY DISTRICT OFFICE MYRTLEWOOD RESOURCE AREA

SALE DATE: MAY 17, 2019 SALE TIME: 10:00 a.m.

SALE NO .: ORC04-TS-2019.0030, GLIDE PATH

COOS COUNTY: OREGON: O&C: ORAL AUCTION: Bid deposit required: \$67,200

All timber designated for cutting on: T. 29 S., R. 9 W., Sec. 21, S1/2NW1/4, SW1/4, W1/2SE1/4, Will. Mer.

Approx. No. Merch. Trees	Est. Vol. MBF 32' Log	Species	Est. Vol. MBF 16' Log	Appraised Price Per MBF	Estimated Vol. Times Appraised Price
6,390	2,548	Douglas- Fir	3,255	\$164.50	\$535,447.50
3,653	1,257	Western Hemlock	1,614	\$82.50	\$133,155.00
158	18	Port-Orford cedar	26	\$102.50	\$2,665.00
10,201	3,823	Total	4,895		\$671,267.50

THIS TIMBER SALE HAS BEEN CRUISED, APPRAISED, AND ADVERTISED BASED UPON SCRIBNER BOARD FOOT MEASURE (16 FOOT LOG). THE MINIMUM BID FIGURES SHOWN BY SPECIES ARE DOLLARS PER THOUSAND BOARD FEET (MBF). THE MINIMUM BID INCREMENT WILL BE \$0.50 PER MBF. SCRIBNER BOARD FOOT VOLUMES (32 FOOT LOG) BY SPECIES ARE DISPLAYED FOR INFORMATIONAL PURPOSES.

<u>LOG EXPORT AND SUBSTITUTION</u>: All timber sales, including timber from Federal rights-of-ways, shall be subject to the restrictions relating to the export and substitution of unprocessed timber from the United States in accordance with P.L. 94-165 and 43 CFR 5400 and 5424 as amended.

<u>LOG EXPORT AND SUBSTITUTION RESTRICTIONS</u>: Except Port-Orford-cedar, all timber offered for sale hereunder is restricted from export from the United States in the form of unprocessed timber and is prohibited from being used as a substitute for exported private timber.

<u>CRUISE INFORMATION</u>: With respect to merchantable trees of all species in all cruise strata: the average DBHOB is 19.9 inches: the average gross merchantable log contains 101 bd. ft.; the total gross volume is approximately 5,214 thousand bd. ft.; and 94% recovery is expected. The average DBHOB for Douglas-fir is 20.2 inches; and the average gross merchantable log contains 100 bd. ft.; and 95% recovery is expected. None of the total sale volume is salvage material. The following cruise methods were used for volume determination.

<u>VP</u>: Timber volumes in the Unit were calculated using the variable plot (VP) system to select sample trees. Using a 20 BAF (Basal Area Factor), 187 plots were measured and 198 trees were randomly selected to be sampled. The sample trees were cruised and their volumes computed using form class tables for estimating board foot volumes of trees in 16-foot logs. The volumes are then expanded to a total sale volume.

COOS BAY SALE NO. ORC04-TS-2019.0030 GLIDE PATH

<u>CUTTING AREA</u>: One unit totaling approximately 141 acres must be regeneration cut. Acreage data was collected using a Trimble R1 Global Positioning System receiver. Acreage was calculated based on Global Positioning System traverse procedures including differential correction.

<u>ACCESS</u>: Access to the sale area is provided via: United States highways, Coos County roads, privately controlled roads, and Government controlled roads.

<u>DIRECTIONS TO SALE AREA</u>: From Coos Bay, Oregon, travel south on Highway 101 for approximately five miles. Take slight left onto OR-42 E and travel 48.8 miles. Turn left onto Lower Signal Tree Road (29-9-36.0). Travel approximately 9 miles to the sale area. Refer to Exhibits A and A-1 for unit locations.

<u>ROAD USE, ROCKWEAR & MAINTENANCE</u>: Refer to Exhibit E Summary attached. Operator maintenance required on 1.4 miles of road.

Rockwear Fees Payable to BLM:

\$55,046.06

<u>ROAD CONSTRUCTION</u>: Road Construction estimates include the following: New Construction: 4.32 stations Road Renovation: 16.08 stations Road Improvement: 42.40 stations Aggregate (All quantities are truck measurement): 3" minus hardrock: 3,592 L.C.Y. 1 ¹/₂" minus hardrock: 1,327 L.C.Y. 1 ¹/₂" minus bedding: 80 L.C.Y. ³/₄ minus bedding: 170 L.C.Y. 6" minus: 280 L.C.Y Riprap Energy Dissipater: 50 L.C.Y. Asphalt: 75 tons (Exhibit C) 175 tons (Exhibit D) Drainage: 18" CPP double wall: 280' feet 12" CMP single wall: 60' feet 18" CMP single wall: 448' feet 24" CMP single wall: 220' feet Culvert Markers: 29 Soil Stabilization: Dry Seed, fertilizer, & mulch: 3.50 acres (Pre-haul) Dry Seed, fertilizer, & mulch: 1.8 acres (Post-haul) Road Decommissioning:

Normal Decommissioning: 14.50 stations

<u>DURATION OF CONTRACT</u>: Shall be 36 months for cutting and removal of timber. The contract will contain special stipulations regarding logging, road construction, road use and maintenance, fire prevention, hazard reduction and logging residue reduction, log export and substitution, optional scale check of lump sum sales,

equal opportunity in employment, cultural resource protection, and sensitive, threatened, or endangered plants or animals.

SPECIAL PROVISIONS: This list is not comprehensive. Please review the entire contract.

- 1. Tramway agreement with WEYERHAEUSER CO. is required for the use of existing stumps as skyline tail hold anchors.
- 2. All equipment must be washed prior to entry into the contract area to control the spread of noxious weeds.
- 3. All roads are approved for all-season haul except for the 29-9-21.5 road.
- 4. No trees shall be felled into Reserve Areas or Basal Area Retention Areas, as shown on the Exhibit A. Line pulling, jacking, or other mechanical devices shall be used as necessary.
- 5. Lift trees and intermediate support trees may be necessary.
- 6. One-end suspension required in cable and ground-based yarding areas.
- 7. A forwarder, log loader, tractor, or rubber tire skidder may be used to yard logs within the Ground-Based Yarding areas. Ground-based equipment are generally restricted to areas with slopes less than 35% and soil moistures less than 25%.
- 8. Purchaser shall verify all landing locations with the Authorized Officer, not previously identified on Exhibit A.
- 9. Shape and restore all landings to a natural contour to prevent erosion.
- 10. Seed and fertilize all landings, road cuts and fills, and waste areas.
- 11. Soil stabilization, water bar construction, road decommissioning, and road barrier construction shall be conducted after the completion of harvest activities but no later than October 15 of same calendar year.
- 12. BLM will assume supervisory responsibility for disposal of logging slash.
- 13. Machine piling, hand piling or scattering of logging slash are required at all landing areas, along all roads, and all areas within sale area found to have excessive slash. Areas to be piled will be identified by the Authorized Officer.
- 14. Personnel supplied by the Purchaser for landing pile burning shall include four (4) people qualified at a minimum, as Type-II Firefighters (FFT2). Personnel provided by the Purchaser for machine or hand pile burning shall include six (6) Type-II Firefighters, (National Wildfire Coordinating Group (NWCG) Wildland Fire Qualifications System guide, PMS 310-1).
- 15. The Purchaser shall provide signage and flaggers to control traffic when conducting logging and road construction operations adjacent to and/or on the 29-9-36.0 road.
- 16. After yarding is complete the purchaser shall top or girdle 142 conifer trees located throughout the unit.
- 17. The replacement of culverts at MP 6.08 and 6.16, along Signal Tree Road, are subject to daily time restrictions; 2 hours after sunrise and 2 hours before sunset (per Exhibit C).
- 18. The Purchaser shall replace asphalt surfacing of 3.5 Sta. of Lower Signal Tree Road at MP 7.61, MP 7.77, and MP 7.92 or in lieu thereof, may make a contribution to the Bureau of Land Management (at the rate of \$215.00 per ton) (in the amount of \$45,526.25), and upon making such contribution, the Purchaser shall be relieved of the obligations set out in this subsection.
- 19. To minimize the risk of attracting predators to activity areas, all garbage (especially food products) will be contained and removed daily from the contract area pursuant to Section 27 of the contract.
- 20. Spill kits will be required to be on site during road construction and logging.

COOS BAY SALE NO. ORC04-TS-2019.0030 GLIDE PATH

Seasonal Restriction Matrix ORC04-TS-2019.0030 GLIDE PATH Timber Sale Prospectus *Restricted periods are Shaded; Conditional periods are hatched; See Exhibit A and C for portions of units affected.

	,					1									-	1		1							
		J	an	F	eb	N	Iar	A	pr	N	Iay	Jı	ine	Jı	uly	A	ug	S	ept	C)ct	N	[ov	D)ec
	Activity	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15
	Road Construction, Renovation, or Improvement Work ¹																								
General All Units	Hauling ¹																								
	Hauling on approved rocked roads ⁴																								
	Ground based yarding ³											25 %													

¹Wet season restrictions may be shortened or extended depending on weather conditions.

² Bark slip seasonal restrictions may be conditionally waived upon written request and Authorized Officer approval. Strict compliance with damage provision required for continued operations.

³ Ground based yarding restricted to periods when soil moisture levels are below 25% as determined by the Authorized Officer.

⁴ Wet season haul on rocked roads may be suspended during periods of heavy rain (>1" in 24 hours).

COOS BAY DISTRICT OFFICE MYRTLEWOOD RESOURCE AREA

SALE DATE: MAY 17, 2019 SALE TIME: 10:00 a.m.

SALE NO.: ORC04-TS-2019.0031, SLATER 21

SET-ASIDE SALE

DOUGLAS COUNTY: OREGON: O&C: ORAL AUCTION: Bid deposit required: \$7,700.00

All timber designated for cutting on: T. 30 S., R. 9 W., Sec. 21, S¹/₂NE¹/₄, N¹/₂NW¹/₄, SW¹/₄NW¹/₄, W¹/₂SW¹/₄, SE¹/₄SW¹/₄, N¹/₂SE¹/₄, Will. Mer.

Approx. No. Merch. Trees	Est. Vol. MBF 32' Log	Species	Est. Vol. MBF 16' Log	Appraised Price Per MBF	Estimated Vol. Times Appraised Price
7006	806	Douglas-fir	1008	\$71.00	\$71,568.00
102	8	western hemlock	11	\$35.20	\$387.20
402	62	grand fir	80	\$41.00	\$3,280.00
145	7	Port-Orford cedar	9	\$44.00	\$396.00
72	4	incense cedar	5	\$106.30	\$531.50
7,727	887	Total	1,113		\$76,162.70

THIS TIMBER SALE HAS BEEN CRUISED, APPRAISED, AND ADVERTISED BASED UPON SCRIBNER BOARD FOOT MEASURE (16 FOOT LOG). THE MINIMUM BID FIGURES SHOWN BY SPECIES ARE DOLLARS PER THOUSAND BOARD FEET (MBF). THE MINIMUM BID INCREMENT WILL BE \$0.50 PER MBF. SCRIBNER BOARD FOOT VOLUMES (32 FOOT LOG) BY SPECIES ARE DISPLAYED FOR INFORMATIONAL PURPOSES.

<u>LOG EXPORT AND SUBSTITUTION</u>: All timber sales, including timber from Federal rights-of-ways, shall be subject to the restrictions relating to the export and substitution of unprocessed timber from the United States in accordance with P.L. 94-165 and 43 CFR 5400 and 5424 as amended.

<u>LOG EXPORT AND SUBSTITUTION RESTRICTIONS</u>: Except Port-Orford-cedar, all timber offered for sale hereunder is restricted from export from the United States in the form of unprocessed timber and is prohibited from being used as a substitute for exported private timber.

<u>CRUISE INFORMATION</u>: With respect to merchantable trees of all species in all cruise strata: the average DBHOB is 13.0 inches: the average gross merchantable log contains 48 bd. ft.; the total gross volume is approximately 1,203 MBF.; and 93% recovery is expected. The average DBHOB for Douglas-fir is 13 inches; and the average gross merchantable log contains 47 bd. ft. None of the total sale volume is salvage material. The following cruise methods were used for volume determination.

<u>3P:</u> Douglas-fir and grand fir were calculated using the 3P system within the road right-of-way and Units 1-5 to select 104 sample trees. The sample trees were cruised and their volumes computed using form class tables for

estimating board foot volumes of trees in 16-foot logs. The volumes are then expanded to a total sale volume.

<u>100% CRUISE</u>: Volumes for grand fir, western hemlock, Port Orford-cedar, and incense cedar within the road right-of-way and Units 1-5 were based on a 100% cruise using form class tables for estimating board foot volume of trees in 16-foot logs.

<u>CUTTING AREA</u>: Two units totaling approximately 42 acres must be regeneration harvested, three units totaling 16 acres must be partial cut and 3 acres of Right of Way must be harvested. Acreage data was collected using a Trimble Geo XT Global Positioning System receiver. Acreage was calculated based on Global Positioning System traverse procedures including differential correction.

<u>ACCESS</u>: Access to the sale area is provided via: United States highways, Douglas County roads, privately controlled roads, and Government controlled roads.

<u>DIRECTIONS TO SALE AREA</u>: From Coos Bay, Oregon, travel south on Highway 101 for approximately five miles. Take slight left onto OR-42 E and travel 46 miles. Turn right onto Slater Creek Road (30-9-17.0). Travel approximately 2.5 miles to the sale area. Refer to Exhibits A and A-1 for unit locations.

<u>ROAD USE, ROCKWEAR & MAINTENANCE</u>: Refer to Exhibit E Summary attached. Operator maintenance required on 5.57 miles of road.

Rockwear Fees Payable to BLM: \$2	,069.41
Rockwear and Road Maintenance Fees Payable to Roseburg Resources Co.:	\$0.00
Road Use Fees Payable to Roseburg Resources Co.:	\$0.00

<u>ROAD CONSTRUCTION</u>: Road Construction estimates include the following:

New Construction: 20.05 stations Improvement: 6.25 stations Road Renovation: 50.09 stations Aggregate (All quantities are truck measurement): 6" minus hardrock: 1,851 L.C.Y. 3" minus hardrock: 803 L.C.Y. 1 ¹/₂" minus hardrock: 390 L.C.Y Riprap Energy Dissipater: 45 L.C.Y. Riprap Barriers: 1 (20 L.C.Y. minimum) Drainage: 18" CMP: 190' Lineal Feet 24" CMP: 106' Lineal Feet 24" CPP double wall: 120' Lineal Feet 24" CPP Full Round Downspout: 10' Lineal Feet 48" CMP: 60' Lineal Feet Culvert Markers: 4

Dry Seed, fertilizer, & mulch: 2.4 acres (Pre-haul)

Roadside Brushing: <u>55.34 stations</u>

Road Decommissioning: Riprap Barriers: <u>1 (20 L.C.Y. minimum)</u>

<u>DURATION OF CONTRACT</u>: Shall be 36 months for cutting and removal of timber. The contract will contain special stipulations regarding logging, road construction, road use and maintenance, fire prevention, hazard reduction and logging residue reduction, log export and substitution, optional scale check of lump sum sales, equal opportunity in employment, cultural resource protection, and sensitive, threatened, or endangered plants or animals.

SPECIAL PROVISIONS: This list is not comprehensive. Please review the entire contract.

- 1. All equipment must be washed prior to entry into the contract area to control the spread of noxious weeds and Port-Orford-cedar root disease.
- 2. License agreement is required with Roseburg Resources Co., RWA- R-851. Comprehensive liability insurance will be required for this license agreement.
- 3. Seasonal Restrictions affect portions of Unit 5. Tree felling, yarding, and road construction operations are prohibited from April 1 through August 5. Additionally, a daily timing restriction confines tree felling, yarding, and road construction operations to the period from two hours after sunrise to two hours before sunset from August 6 through September 15.
- 4. All roads are approved for all-season haul.
- 5. No trees shall be felled into Reserve Areas or Basal Retention Areas, as shown on the Exhibit A. Line pulling, jacking, or other mechanical devices shall be used as necessary.
- 6. Damage shall affect less than 5% of reserve trees in Units 3-5.
- 7. Lift trees and intermediate support trees may be necessary.
- 8. One-end suspension is required in cable and ground-based yarding areas.
- 9. Full suspension is required over any stream channels. Trees cut for yarding corridors within the Reserve Area adjacent to Stream Channels shall be felled toward the channel and left on site.
- 10. A forwarder, log loader, tractor, or rubber tire skidder may be used to yard logs within the Ground-Based Yarding areas. Ground-based equipment are restricted to areas with slopes less than 35%.
- 11. Log lengths shall not exceed 41 feet in Units 3-5.
- 12. Purchaser shall verify all landing locations and stake required clearing limits prior to road construction.
- 13. Shape and restore all landings to a natural contour to prevent erosion.
- 14. Seed, mulch, and fertilize all landings, road cuts and fills, and waste areas.
- 15. Soil stabilization, water bar construction, road decommissioning, and road barrier construction shall be conducted after the completion of harvest activities but no later than October 15 of the same year.
- 16. BLM will assume supervisory responsibility for disposal of logging slash.
- 17. Machine piling or scattering of logging slash are required at all landing areas and along all roads within the contract area.
- 18. Personnel supplied by the Purchaser for machine or landing pile burning shall include four (4) people qualified at a minimum, as Type-II Firefighters (FFT2), (National Wildfire Coordinating Group (NWCG) Wildland Fire Qualifications System guide, PMS 310-1).

- 19. After yarding is complete the purchaser shall top or girdle 29 conifer trees in Unit 1, top or girdle 16 conifer trees in Unit 2 marked with an orange painted "S." The purchaser shall top or girdle four conifer trees (Purchaser Choice) in Unit 3, nine conifer trees in Unit 4 (Purchaser Choice), and three conifer trees in Unit 5 (Purchaser Choice).
- 20. The Purchaser shall provide signage and flaggers to control traffic when conducting operations adjacent to any road.
- 21. This contract contains provisions (Sec. 42.b (19) and Sec. 42.b (20)) for the sale and removal of additional timber necessary to facilitate safe and efficient Purchaser operations. These provisions include:
 - a. The designation and sale of additional timber, such as corridor and guyline trees, at contract price, as necessary to facilitate safe and efficient logging. Such trees may be felled and removed when they are painted by the Authorized Officer;
 - b. Sale of additional timber volume at current fair market value where the species and/or size of trees are not representative of the forest stand(s) being thinned;
 - c. Government reservation of trees previously marked for cutting replacement when the Authorized Officer determines that it is necessary in order to maintain stand densities consistent with objectives set forth in management prescriptions;
 - d. The use of unilateral modifications executed by BLM for such additional and replacement timber;
 - e. Revocation of the Purchaser's right to cut additional timber if the Authorized Officer determines that trees have been cut and removed that were not previously marked and approved for cutting and removal by the Authorized Officer; and,
 - f. It is estimated that approximately ten percent of the sale volume (estimated at 196 MBF) of such additional timber may be removed under the contract. This volume is not included in the advertised sale volume nor was it included in the timber sale appraisal. This estimate is a net figure reduced by the estimate of the volume of trees previously marked for cutting, which the Authorized Officer may elect to reserve.

Seasonal Restriction Matrix ORC04-TS-2019.0031 SLATER 21 Timber Sale Prospectus

*Restricted periods are Shaded; Conditional periods are hatched; See Exhibit A and C for portions of units/haul route affected.

			Jan]	Feb	l	Mar	I	Apr	N	May	J	une	J	fuly	A	Aug	5	Sept	(Oct	ľ	Nov		Dec
Sale Area	Activity	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15
Units 3-5	Falling and Bucking ₂																								
Units 5-5	Cable Yarding2																								
	Road Construction, Renovation, or Improvement Work ¹																								
General	Hauling ¹																								
All Units	Hauling on approved rocked roads ⁴																								
	Ground based yarding ³											25 %													
Unit 5	Seasonal Restriction Areas															5 th									

¹Wet season restrictions may be shortened or extended depending on weather conditions.

² Bark slip seasonal restrictions may be conditionally waived upon written request and Authorized Officer approval. Strict compliance with damage provision required for continued operations.

³ Ground based yarding restricted to periods when soil moisture levels are below 25% as determined by the Authorized Officer.

⁴ Wet season haul on rocked roads may be suspended during periods of heavy rain (>1" in 24 hours).

⁵In the Seasonal Restriction Area (NSO & MM), shown on Exhibit A, falling, yarding, and new road construction operations are prohibited in the period between March 1 and August 5. In addition, a daily timing restriction confines operations to the period from two hours after sunrise to two hours before sunset between August 6 and September 15 of the same calendar year, both days inclusive.

COOS BAY DISTRICT OFFICE MYRTLEWOOD RESOURCE AREA

SALE DATE: May 17, 2019 SALE TIME: 10:00 a.m.

SALE NO.: ORC04-TS-2019.0032, KENYON MOUNTAIN SET-ASIDE SALE

COOS COUNTY: OREGON: O&C: ORAL AUCTION: Bid deposit required: \$ 19,100.00

All timber designated for cutting on: T. 29 S., R. 9 W., Sec. 33, E1/2NE1/4, W1/2NW1/4, SE1/4NW1/4, NW1/4SW1/4, Will. Mer.

Approx. No. Merch. Trees	Est. Vol. MBF 32' Log	Species	Est. Vol. MBF 16' Log	Appraised Price Per MBF	Estimated Vol. Times Appraised Price
3761	1,064	Douglas-Fir	1374	\$128.60	\$176,696.40
1606	273	western hemlock	365	\$36.70	\$13,395.50
62	3	Port-Orford cedar	4	\$92.30	\$369.20
21	3	grand fir	5	\$31.80	\$159.00
7	9	western redcedar	1	\$350.60	\$350.60
5,457	1,352	Total	1,749		\$190,970.70

THIS TIMBER SALE HAS BEEN CRUISED, APPRAISED, AND ADVERTISED BASED UPON SCRIBNER BOARD FOOT MEASURE (16 FOOT LOG). THE MINIMUM BID FIGURES SHOWN BY SPECIES ARE DOLLARS PER THOUSAND BOARD FEET (MBF). THE MINIMUM BID INCREMENT WILL BE \$0.50 PER MBF. SCRIBNER BOARD FOOT VOLUMES (32 FOOT LOG) BY SPECIES ARE DISPLAYED FOR INFORMATIONAL PURPOSES.

<u>LOG EXPORT AND SUBSTITUTION</u>: All timber sales, including timber from Federal rights-of-ways, shall be subject to the restrictions relating to the export and substitution of unprocessed timber from the United States in accordance with P.L. 94-165 and 43 CFR 5400 and 5424 as amended.

<u>LOG EXPORT AND SUBSTITUTION RESTRICTIONS</u>: Except Port-Orford-cedar, all timber offered for sale hereunder is restricted from export from the United States in the form of unprocessed timber and is prohibited from being used as a substitute for exported private timber.

<u>CRUISE INFORMATION</u>: With respect to merchantable trees of all species in all cruise strata: the average DBHOB is 18.1 inches: the average gross merchantable log contains 90 bd. ft.; the total gross volume is approximately 1,850 thousand bd. ft.; and 95% recovery is expected. The average DBHOB for Douglas-fir is 19.2 inches; and the average gross merchantable log contains 94 bd. ft.; and 95% recovery is expected. None of the total sale volume is salvage material. The following cruise methods were used for volume determination.

3P: Douglas-fir and western hemlock were calculated using the 3P system within the road right-of-way and

Units 1-3 to select 188 sample trees. The sample trees were cruised and their volumes computed using form class tables for estimating board foot volumes of trees in 16-foot logs. The volumes are then expanded to a total sale volume.

<u>100% CRUISE</u>: Volumes for Port Orford-cedar, grand fir, and western red cedar within the road right-of-way and Units 1-3 were based on a 100% cruise using form class tables for estimating board foot volume of trees in 16-foot logs.

<u>CUTTING AREA</u>: Two units totaling approximately 63 acres must be regeneration cut and one unit totaling 6 acres must be partial cut. Acreage data was collected using a Trimble R1 Global Positioning System receiver. Acreage was calculated based on Global Positioning System traverse procedures including differential correction.

<u>ACCESS</u>: Access to the sale area is provided via: United States highways, Coos County roads, privately controlled roads, and Government controlled roads.

DIRECTIONS TO SALE AREA: From Coos Bay, Oregon, travel south on Highway 101 for approximately five miles. Take slight left onto OR-42 E and travel 48.8 miles. Turn left onto Lower Signal Tree Road (29-9-36.0). To access the southern part of Unit 1, travel approximately 5 miles and take left onto Lookout Road (29-9-33.4). Travel 0.7 miles and take sharp right to stay on 29-9-33.4, travel 0.2 miles to sale area. To access the northern part of Unit 1, travel 6.7 miles on Lower Signal Tree Road (29-9-36.0) from OR-42 E. Turn left onto 29-9-28.4 and travel 0.5 miles to sale area. To access Units 2 and 3, travel 5.8 miles on Lower Signal Tree Road (29-9-36.0) from OR-42 E. Turn right onto 29-9-33.0 and travel 0.5 mile to sale area. Refer to Exhibits A and A-1 for unit locations.

<u>ROAD USE, ROCKWEAR & MAINTENANCE</u>: Refer to Exhibit E Summary attached. Operator maintenance required on 2.6 miles of road.

Rockwear Fees Payable to BLM:	\$ 852.31
Maintenance Fees payable to BLM	\$10,168.62

<u>ROAD CONSTRUCTION</u>: Road Construction estimates include the following:

New Construction: <u>9.70 stations</u> Road Renovation: <u>103.49 stations</u> Road Improvement: <u>24.40 stations</u> Aggregate (All quantities are truck measurement): <u>3" minus hard rock: 669 L.C.Y.</u> <u>1 ¹/₂" minus hard rock: 544 L.C.Y.</u> 6" minus: <u>1,521 L.C.Y</u> Riprap Energy Dissipater: <u>6 L.C.Y.</u> Drainage: <u>18" CPP double wall: <u>112' feet</u> <u>18" CPP single wall: 20' feet</u></u>

Soil Stabilization:

Dry Seed, fertilizer, & mulch: <u>2.7 acres (Pre-haul)</u> Dry Seed, fertilizer, & mulch: <u>0.8 acres (Post-haul)</u>

Road Decommissioning:

Normal Decommissioning: 7.65 stations

<u>DURATION OF CONTRACT</u>: Shall be 36 months for cutting and removal of timber. The contract will contain special stipulations regarding logging, road construction, road use and maintenance, fire prevention, hazard and logging residue reduction, log export and substitution, optional scale check of lump sum sales, equal opportunity in employment, cultural resource protection, and sensitive, threatened, or endangered plants or animals.

SPECIAL PROVISIONS: This list is not comprehensive. Please review the entire contract.

- 1. A license agreement is required with Weyerhaeuser Corporation, a performance bond in the amount of \$5,000 and comprehensive liability insurance will be required for this license agreement.
- 2. Tramway agreements will be obtained by the BLM with Weyerhaueser Company, Lone Rock Timber Management Company, and Silver Butte Timber Company for the use of existing trees as tail tree anchors or stumps as tail hold anchors.
- 3. All equipment must be washed prior to entry into the contract area to control the spread of noxious weeds and Port-Orford-cedar root disease.
- 4. All roads are approved for all-season haul except for Spur 1B and Spur 1C.
- 5. No trees shall be felled into Reserve Areas or Basal Area Retention Areas, as shown on the Exhibit A. Line pulling, jacking, or other mechanical devices shall be used as necessary.
- 6. All trees three (3) inches DBHOB or larger and/or twenty-five (25) feet or taller designated for cutting shall be felled concurrently with all other trees designated for cutting.
- 7. Damage shall affect less than 5% of reserve trees in Unit 3.
- 8. Lift trees and intermediate support trees may be necessary.
- 9. Log lengths shall not exceed 41 feet in Unit 3.
- 10. One-end suspension is required in cable and ground-based yarding areas.
- 11. A forwarder, log loader, tractor, or rubber tire skidder may be used to yard logs within the Ground-Based Yarding areas. Ground-based equipment are generally restricted to areas with slopes less than 35% and soil moisture less than 25%.
- 12. Purchaser shall verify all landing locations with the Authorized Officer, not previously identified on Exhibit A.
- 13. Purchaser shall shape and restore all landings to a natural contour to prevent erosion.
- 14. Purchaser shall seed, mulch, and fertilize all landings, road cuts and fills, and waste areas.
- 15. Soil stabilization, water bar construction, road decommissioning, and road barrier construction shall be conducted after the completion of harvest activities but no later than October 15 of same year.
- 16. BLM will assume supervisory responsibility for disposal of logging slash.
- 17. Machine piling, or scattering of logging slash is required at all landing areas, along all roads, and all areas within contract area found to have excessive slash. Areas to be piled will be identified by the Authorized Officer.
- 18. Personnel supplied by the Purchaser for machine or landing pile burning shall include four (4) people qualified at a minimum, as Type-II Firefighters (FFT2), (National Wildfire Coordinating Group (NWCG) Wildland Fire Qualifications System guide, PMS 310-1).

- 19. After yarding is completed the purchaser shall top sixty-one (61) and girdle fourteen (14) conifer trees.
- 20. To minimize the risk of attracting predators to activity areas, all garbage (especially food products) will be contained and removed daily from the contract area pursuant to Section 27 of the contract.
- 21. Spill kits will be required to be on site during road construction and logging.

Seasonal Restriction Matrix ORC04-TS-2019.0032 KENYON MOUNTAIN Timber Sale Prospectus ***Restricted periods are Shaded; Conditional periods are hatched; See Exhibit A and C for portions of units affected.**

1					<u></u> ,,,,,																				
		J	an	F	'eb	N	1ar	A	pr	N	lay	Jı	ıne	Ju	ıly	A	ug	S	ept	0)ct	N	[ov	Ι	Dec
	Activity	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15
	Road Construction, Renovation, or Improvement Work ¹																								
General All Units	Hauling ¹																								
	Hauling on approved rocked roads ⁴																								
	Ground based yarding ³											25 %													

¹Wet season restrictions may be shortened or extended depending on weather conditions.

 2 Bark slip seasonal restrictions may be conditionally waived upon written request and Authorized Officer approval. Strict compliance with damage provision required for continued operations.

³ Ground based yarding restricted to periods when soil moisture levels are below 25% as determined by the Authorized Officer.

⁴ Wet season haul on rocked roads may be suspended during periods of heavy rain (>1" in 24 hours).

COOS BAY DISTRICT OFFICE UMPQUA RESOURCE AREA

SALE NO. ORC03-TS-2019.0001, Sister Sweden CT

DOUGLAS COUNTY: OREGON: O&C: ORAL AUCTION: Bid deposit required: \$49,500.00

All timber designated for cutting on: T. 20 S., R. 8 W., Sec. 9, lots 2 thru 12, 14 thru 16 Will. Mer.

Approx. No. Merch. Trees	Est. Vol. MBF 32' Log	Species	Est. Vol. MBF 16' Log	Appraised Price Per MBF	Estimated Vol. Times Appraised Price
18,243	3,450	Douglas-fir	4,213	\$113.20	\$476,911.60
881	174	Western Hemlock	215	\$39.60	\$8,514.00
2,237	175	Red Alder	228	\$39.80	\$9,074.40
21,361	3,799	Totals	4,656		\$494,500.00

THIS TIMBER SALE HAS BEEN CRUISED, APPRAISED, AND ADVERTISED BASED UPON SCRIBNER BOARD FOOT MEASURE (16 FOOT LOG). THE MINIMUM BID FIGURES SHOWN BY SPECIES ARE DOLLARS PER THOUSAND BOARD FEET (MBF). THE MINIMUM BID INCREMENT WILL BE \$0.50 PER MBF. SCRIBNER BOARD FOOT VOLUMES (32 FOOT LOG) BY SPECIES ARE DISPLAYED FOR INFORMATIONAL PURPOSES.

<u>LOG EXPORT AND SUBSTITUTION</u>: All timber sales, including timber from Federal rights-of-ways, shall be subject to the restrictions relating to the export and substitution of unprocessed timber from the United States in accordance with P.L. 94-165 and 43 CFR 5400 and 5424 as amended.

<u>LOG EXPORT AND SUBSTITUTION RESTRICTIONS</u>: Excepting Port-Orford-cedar, all timber offered for sale hereunder is restricted from export from the United States in the form of unprocessed timber and is prohibited from being used as a substitute for exported private timber.

<u>CRUISE INFORMATION</u>: With respect to merchantable trees of all species in all cruise strata: the average DBHOB is 13.8 inches: the average gross merchantable log contains 52 bd. ft.; the total gross volume is approximately 4,914 thousand bd. ft.; and 95% recovery is expected. The average DBHOB for Douglas-fir is 14.0 inches; and the average gross merchantable log contains 52 bd. ft. The following cruise methods were used for volume determination:

<u>VARIABLE PLOT</u>: Timber volumes in the thinning portion of Units 1-5, were based on a variable plot cruise. Using a 20 basal area factor (BAF), 237 plots were measured and 118 trees were randomly selected to be sampled. The sample trees have been cruised and their volumes computed using form class tables for estimating board foot volumes of trees in 16-foot logs. The volumes are then expanded to a total sale volume.

<u>3P</u>: The Douglas-fir in the right-of-way and group selection areas have been cruised using the 3P system to select 60 sample trees. The sample trees have been cruised and the volumes computed using form class tables

COOS BAY SALE NO. ORC03-TS-2019.0001 Sister Sweden CT

for estimating board foot volumes of trees in 16-foot logs. The volumes are then expanded to a total sale volume. Maps showing the approximate locations of the sample trees are available at the Coos Bay District Office.

<u>100% CRUISE</u>: Timber volumes for tree species other Douglas-fir within the road right-of-way and group selection areas, were based on a 100% cruise using form class tables for estimating board foot volume of trees in 16-foot logs.

<u>CUTTING AREA</u>: Units 1 -5 contain 192 acres of partial cut. Within the partial cut area there are 4 group select areas totaling 16 acre to cut. There are 4 acres of road right-of-way to be cut. Acreage data was collected using a Trimble R1 Global Positioning System receiver. Acreage was calculated based on Global Positioning System traverse procedures including differential correction.

<u>ACCESS</u>: Access to the sale area is provided via: Oregon State highways, Douglas County Roads, government controlled roads, and privately controlled roads. A gate restricts access to this sale. Keys are available at Coos Bay District Office. A refundable deposit of \$100 is required to obtain a key.

<u>DIRECTIONS TO SALE AREA</u>: From Coos Bay, travel north on Highway 101. Turn right on Smith River Road heading east 40 miles, Turn left onto road 20-8-18.1, North Sister Rd and refer to Exhibits A and A-1 for unit locations.

<u>ROAD USE & MAINTENANCE</u>: Purchaser shall pay a maintenance and rockwear obligation totaling \$95,826.60 to the Government.

<u>ROAD CONSTRUCTION</u>: Road construction and improvement estimates include the following <u>36.7</u> stations Class SN-16 road

39.95 stations Class SN-12 road

Refer to Exhibit C

Surfacing:

2,833 cu. yds. of 1¹/₂-inch minus crushed hardrock 1,565 cu. yds. of 3-inch minus crushed hardrock 3,756 cu. yds. of 6-inch minus crushed hardrock 15 cu. yds. of Rip Rap

Drainage:

<u>70</u> linear feet of 18-inch CPP culvert 70 linear feet of 24-inch CPP culvert

60 linear feet of 12-inch CMP culvert

12 Culvert Markers

<u>DURATION OF CONTRACT</u>: Will be 36 months for cutting and removal of timber. The contract will contain special stipulations regarding logging, road construction, road use and maintenance, fire prevention, hazard reduction and logging residue reduction, log export and substitution, optional scale check of lump sum sales, equal opportunity in employment, cultural resource protection, and sensitive, threatened, or endangered plants or animals.

COOS BAY SALE NO. ORC03-TS-2019.0001 Sister Sweden CT

SPECIAL PROVISIONS:

- 1. Snags that are felled for safety reasons will be left on site. <u>41c</u>
- 2. All Pacific yew are reserved from cutting, except within road right-of-ways. <u>41d</u>
- 3. All existing down coarse woody debris is reserved from cutting and removal. <u>41e</u>
- 4. Seasonal restrictions will apply in the Seasonally Restricted Area, as shown on Exhibit A. <u>42b3</u>
- 5. Directional felling is required away from roads, property lines, posted boundaries, orange-painted reserve trees, and snags. <u>42b4</u>
- 6. Cutting or yarding during high sap flow, March 31 through July 1, may be restricted by the Authorized Officer. <u>42b5</u>
- 7. In the Partial Cut Area, conifer trees will be bucked to a maximum of 41-foot lengths. <u>42b7</u>
- 8. All trees eight (8) inches DBHOB and larger designated for cutting in the Group Select Area shall be felled and yarded concurrently with all other trees designated for cutting in the Group Select Area. 42b9
- 9. In the Cable Yarding Area, yarding shall be completed with cable-type equipment capable of lateral yarding 75 feet each side of the skyline road. <u>42b11</u>
- 10. In the Cable Yarding Area, one-end suspension is required. Lift trees and/or intermediate support trees may be necessary to achieve suspension. <u>42b13</u>
- 11. No-harvest zones will be maintained adjacent to stream channels. Corridor trees felled within the noharvest zone shall be left on site. Trees within 120 feet of any draw of shown on exhibit A shall be directional felled toward the draw. <u>42b17</u>
- 12. Full-log suspension will be required over stream channels. Where full suspension cannot be achieved, yarding will occur during the dry season. <u>42b17</u>
- 13. Within safety standards, harvest trees will be directionally felled away from any stream channels; however, trees that must be felled toward or parallel to the stream channel should be temporarily retained on site to provide bank armament if other trees need to be yarded across the channel. <u>42b18</u>
- 14. The yarding machine shall utilize slash on skid trail as directed. 42b20
- 15. All Harvesting equipment must be approved in writing by the Authorized Officer prior to any operations. <u>42b20a</u>
- 16. Ground-based operations shall be conducted when soil moisture content is below 25% plastic limit, as determined by the Authorized Officer. <u>42b20b</u>
- 17. The location and use of yarding roads and harvester roads in the Cable Yarding Area and Ground Based Yarding Area shall be approved by BLM prior to use by the Purchaser. <u>42b21</u>
- 18. Skyline corridors will be no wider than 12 feet as measured between reserve trees and 150 feet apart on one end as measured perpendicular to the proceeding corridor. <u>42b21a</u>, <u>42b14</u>
- 19. Road building and logging equipment will be washed prior to moving into the Contract Area to minimize the spread of noxious weeds. <u>42b25</u> and <u>Exhibit F</u>
- 20. Hauling on dirt surfaced roads will be permitted between July 1 and October 15, unless dry conditions extend the hauling season. <u>42b26</u>
- 21. Any required construction, improvement, or renovation of structures and roads shall occur during the dry season, June 1 through October 1, both days inclusive, of the same calendar year unless dry conditions extend the construction season. <u>42c2</u>
- 22. BLM will assume supervisory responsibility for disposal of logging slash. <u>42e1</u>
- 23. Slashing, loping, and scattering is required on approximately 16 acres in the Group Select Area. <u>42e3w</u>
- 24. Within 1 year following the completion of yarding operations, the Purhaser shall create approximately five hundred and seventy six (576) snags. See section 42f. <u>42f</u>
- 25. Within 1 year following the completion of yarding operations, the Purhaser shall mechanically sever approximately three hundred eighteen (318) orange marked leave trees. See section 42f2. <u>42f2</u>