

## LA PINE EA FY09 PROJECT IMPLEMENTATION STRATEGY

<b>VIII. RIVERVIEW PROJECT</b> (comprised of 6 units totaling ~ 925 acres)					
Treatment goals are ponderosa pine restoration and hazard fuel reduction					
<b>A. FTU 35</b>					
Planned (EA)					
<u>Acres</u>	<u>Treat Objective</u>	<u>Treat type</u>	<u>Treat Rx</u>	<u>Location</u>	<u>Comments</u>
233.5	Hazard Fuel Reducti	PCT/MOW	20 - 30 ft spacing	Little Deschutes River	Hand pile
Proposed (IDT Refinement)					
1. Add buffer around southern subdivision, south of Pine Crest					
2. Consider applying Finney fuel break blocks between and within FTU 35/36					
3. Consider treating within former wildlife block south of Pine Crest					
4. Consider egress buffer along Huntington and Homles Acres Rds					
5. Increase 1st band treatment beyond 500ft into second band					
6. Consider PCT in burn plantation west of Hwy 97.					
<b>B. FTU 35A</b>					
Planned (EA)					
<u>Acres</u>	<u>Treat Objective</u>	<u>Treat type</u>	<u>Treat Rx</u>	<u>Location</u>	<u>Comments</u>
N/A	N/A	N/A	N/A	N/A	N/A
Proposed (IDT Refinement)					
87.0	Hazard Fuel Reducti	PCT/MOW	20 - 30 ft spacing	Little Deschutes River	Hand pile
<b>C. FTU 36</b>					
Planned (EA)					
<u>Acres</u>	<u>Treat Objective</u>	<u>Treat type</u>	<u>Treat Rx</u>	<u>Location</u>	<u>Comments</u>
122.2	Ponderosa Pine Res	CT/PCT	20 - 30 ft spacing	Little Deschutes River	No trtmnt history
Proposed (IDT Refinement)					
1. Emphasize ponderosa pine restoration across FTU 36 and FTU50 boundaries					
2. Put in place 500ft egress buffer along Riverview road across FTU50 and south through FTU 36, beyond the planned unit boundary					

<b>VIII. RIVERVIEW PROJECT</b> (comprised of 6 units totaling ~ 925 acres)					
Treatment goals are ponderosa pine restoration and hazard fuel reduction					

<b>D. FTU 49</b>					
Planned (EA)					
<u>Acres</u>	<u>Treat Objective</u>	<u>Treat type</u>	<u>Treat Rx</u>	<u>Location</u>	<u>Comments</u>
239.9	P.pine Restoration	CT/PCT	20 - 30 ft spacing	Little Dis.River	
Proposed (IDT Refinement)					
1. Use 20-30' spacing					

<b>E. FTU 49A</b>					
Planned (EA)					
<u>Acres</u>	<u>Treat Objective</u>	<u>Treat type</u>	<u>Treat Rx</u>	<u>Location</u>	<u>Comments</u>
N/A	N/A	N/A	N/A	N/A	N/A
Proposed (IDT Refinement)					
51.0	PP Restoration	PCT/CT/M	20 - 30 ft spacing	Little Dis.River	Hand pile
1. Use 20-30' spacing					

<b>F. ROW-7</b>					
Planned (EA)					
<u>Acres</u>	<u>Treat Objective</u>	<u>Treat type</u>	<u>Treat Rx</u>	<u>Location</u>	<u>Comments</u>
N/A	N/A	N/A	N/A	N/A	N/A
Proposed (IDT Refinement)					
183.0	Emergency Egress	PCT/CT	20 - 30 ft spacing	Riverview/Huntington	500 ft Buffer
1. Use 20-30' spacing					