

---

## APPENDIX 3      BIBLIOGRAPHY

Bailey, J.D., and J.C. Tappeiner. 1998. Effects of thinning on structural development in 40- to 100-year-old Douglas-fir stands in western Oregon. *For. Ecol. Manage.* 108: 99-113.

BLM (Bureau of Land Management). 1997. North Yamhill Watershed Analysis. BLM Salem District, Tillamook Resource Area. Tillamook, OR.

Buckland, D. C., R. E. Foster, and N. J. Noren. 1949. Studies in forest pathology VII. Decay in western hemlock and fir in the Franklin River area, British Columbia. *Can. J. For. Res.* 27:312-331.

Bunte, K., and L.H. MacDonald, 1999. Scale considerations and the detectability of sedimentary cumulative watershed effects. Technical Bulletin No. 776, National Council for Air and Stream Improvement, Research Triangle Park, NC. 327 pp.

Carey, A. B. 1991. The biology of arboreal rodents in Douglas-fir forests. USDA For. Serv. PNW Res. Sta. Gen. Tech. Rep. PNW-GTR-276. Olympia, WA. 46 p.

Chan, S. S., D. Larson, and P. D. Anderson. 2004. Microclimate Patterns Associated with Density Management and Riparian Buffers. An interim report on the Riparian Buffer Component of the Density Management Studies. Corvallis, OR: USDA Forest Service, Pacific Northwest Research Station: 41pp.

Corn, P. S. and R. B. Bury. 1991. Terrestrial Amphibian Communities in the Oregon Coast Range. In: *Wildlife and Vegetation of Unmanaged Douglas-fir Forests*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. Gen. Tech. Rep. PNW-285.

Forsman, E. D., I. Otto, and A. B. Carey. 1991. Diets of Spotted Owls on Olympic Peninsula, Washington and the Roseburg District, Bureau of Land Management. Page 527 in L. R. Ruggiero, K. B. Aubry, A. B. Carey, and M. H. Huff, Tech. Coors. *Wildlife and Vegetation of Unmanaged Douglas-fir Forests*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. Gen. Tech. Rep. PNW-285.

Foster, R. E., H. M. Craig, and G. W. Wallis. 1954. Studies in forest pathology XII. Decay of western hemlock in the Upper Columbia Region, British Columbia. *Can. J. Bot.* 29:479-521.

Goheen, D. J., G. M. Filip, C. L. Schmitt, and T. F. Gregg. 1980. Losses from decay in 40- to 120-year old Oregon and Washington western hemlock stands. USDA For. Serv., For. Pest Manage. R6-FPM-045-80. PNW Region, Portland, OR. 19 p.

Hadfield, J.S. 1985. Laminated root rot, a guide for reducing and preventing losses in Oregon and Washington forests. USDA For. Serv., For. Pest Manage. PNW Region, Portland, OR. 13 p.

Hadfield, J.S., D.J. Goheen, G.M. Filip, C.L. Schmitt, and R.D. Harvey. 1986. Root diseases in Oregon and Washington conifers. USDA For. Serv., For. Pest Manage. R6-FPM-250-86. PNW Region, Portland, OR. 27 p.

Hann, D.W., D. D. Marshall, and C Aylworth. 2003. OReGon Growth ANalysis and projectION system (ORGANON). SMC Version, Edition 7.0. College of Forestry, Department of Forest Resources, Oregon State University, Corvallis.

Hostetler, B.B., and D.W. Ross. 1996. Generation of coarse woody debris and guidelines for reducing the risk of adverse impacts by Douglas-fir beetle. Unpublished paper, USDA Forest Service Westside Forest Insect and Disease Technical Center, Troutdale, OR. 6 p.

Lisle, Thomas E. 1989. Sediment Transport and Resulting Deposition in Spawning Gravels, North Coastal California, Water Resources Research, vol. 25, No. 6 Pages 1303-1319.

Luce, Charles H, and T. Black. 2001. Effects of Traffic and Ditch Maintenance On Forest Road Sediment Production. In proceedings of the Seventh Federal Interagency Sedimentation Conference, March 25-29, Reno Nevada. pp. V67-V74.

Marshall, D. B., Northern Goshawk. Pp. 151-153 *in* Birds of Oregon: A General Reference. D. B. Marshall, M. G. Hunter, and A. L. Contreras, Eds. 2003. Oregon State University Press, Corvallis, OR.

Nelson, E.E., and T. Hartman. 1975. Estimating spread of *Poria weirii* in a high-elevation mixed conifer stand. J. For. 73:141-142.

Oregon Department of Fish and Wildlife. Aquatic Inventory Project, Data collected for Cruiser Creek and Elkhorn Creek of the Trask River, Oregon 1994.

Oregon Department Fish and Wildlife. October 1994. Aquatic Inventory Project Stream Reports for Cruiser Creek and Elkhorn Creek.

Oregon Department Fish and Wildlife. September 1994. Aquatic Inventory Project Stream Reports for Elkhorn Creek.

Oregon Department of Forestry and USDI. Bureau of Land Management. August 2003. Trask River Watershed Analysis. Portland, OR.

Rhodes and McCullough. 1994. A Course Screening Process for Potential Application in ESA Consultations, Prepared for NMFS, Columbia River Inter-Tribal Fish Commission, Portland, OR.

Ruth, R.H., and R.A. Yoder. 1953. Reducing wind damage in the forests of the Oregon Coast Range. USDA For. Serv. PNW For. and Range Exp. Sta., Sta. Paper No. 7. 30 p.

Reineke, L.H. 1933. Perfecting a stand-density index for even-aged forests. J. Agric. Res. 46:627-638.

Thies, W.G. 1984. Laminated root rot: The quest for control. J. For. 82:345-356.

Thies, W.G., and R.N. Sturrock. 1995. Laminated root rot in western North America. USDA For. Serv. PNW Res. Sta. Gen. Tech. Rep. PNW-GTR-349. Portland, OR. 32 p.

Thomas, J.W., E. D. Forsman, J. B. Lint, E. C. Meslow, B. R. Noon, and J. Verner. 1990. A Conservation Strategy for the Northern Spotted Owl. Interagency Scientific Committee to Address the Conservation of the Spotted Owl. 458 pp.

USDA Forest Service, and USDI Bureau of Land Management. 1998. Late-Successional Reserve Assessment for Oregon's Northern Coast Range Adaptive Management Area. USDA Forest Service and USDI Bureau of Land Management. 117 p.

Winter, L.E., L.B. Brubaker, J.F. Franklin, E.A. Miller, and D.Q. DeWitt. 2002. Canopy disturbances over the five-century lifetime of an old-growth Douglas-fir stand in the Pacific Northwest. Can. J. For. Res. 32:1057-1070.

Wonn. H.T., and K.L. O'Hara. 2001. Height:diameter ratios and stability relationships for four northern Rocky Mountain tree species. West. J. Appl. For. 16(2):87-94.