UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT District Office 1717 Fabry Road, S.E. Salem, Oregon 97306

ORS06-TS-2013.0101 Roller Coaster Timber Sale

Date: 1/2/2013

PROSPECTUS

THIS IS A PROSPECTUS ONLY. ATTACHMENTS MAY NOT INCLUDE ALL EXHIBITS REFERRED TO IN THE CONTRACT. THE COMPLETE CONTRACT, INCLUDING ALL EXHIBITS, IS AVAILABLE FOR INSPECTION AT THE SALEM DISTRICT OFFICE.

NOTICE IS HEREBY GIVEN that the Bureau of Land Management will offer for sale timber as described herein for oral auction, pursuant to Instructions to Bidders, as stated on Form No. 5440-9 and subject to Notice of Requirement for Certification of Nonsegregated Facilities, Form No. 1140-4, attached. Written and oral bids will be received by the District Manager, or his representative, in the timber sale room at the District Office, 1717 Fabry Road, S.E., Salem, Oregon. The timber sale will commence at 9:00 a.m., on Wednesday, February 13, 2013.

THIS TIMBER SALE NOTICE does <u>not</u> constitute the decision document for purposes of protest and appeal of a forest management decision. Consistent with 43 CFR Subpart 5003-Administrative Remedies, the notice of a timber sale, when published as a legal ad in a newspaper of general circulation, shall constitute the decision document for purposes of protest and appeal. Protests may be filed with the Contracting Officer within 15 days of the publication of the aforementioned decision document in the newspaper. It is anticipated that the decision document will be published in the McMinnville Register Guard on or before January 16, 2013. BLM does not warrant publication on this exact date. All parties considering protest of the timber sale decision document are encouraged to review the aforementioned newspaper(s) to ensure accurate knowledge of the exact publication date.

AN ENVIRONMENTAL ASSESSMENT was prepared for each timber sale tract, and a Finding of No Significant Impact has been documented. These documents are available for inspection as background for each timber sale tract at the Salem District Office.

FOR SBA SET-ASIDE TRACTS, the bidder must not have been determined by the Small Business Administration to be ineligible for preferential award for set-aside sales and must accompany his deposit with a self-certification statement that he is qualified as a small business concern as defined by the Small Business Administration in its regulations, Title 13, Chapter I, Part 121 (Revision 7) as amended, of the Code of Federal Regulations. The Form 5430-1 Self Certification Statement is attached hereto. The successful bidder will be required to sign SBA Form 723 "Small Business Certification Required on All Preferential Sales of Set-Aside Timber" at the time he signs the timber sale contract. A copy of SBA Form 723 is attached.

A WRITTEN BID on Form 5440-9 at not less than the advertised appraised price on a unit basis per species and the required minimum bid deposit shall be required to participate in oral bidding.

THE SUCCESSFUL BIDDER, as a condition of award, will be required to sign Form 1140-6, a certification that the bid was arrived at by the bidder or offeror independently, and was tendered without collusion with any other bidder or offeror. Form 1140-7, Equal Opportunity Affirmative Action Program Representation, must be completed by the successful bidder for all contracts over \$10,000. Form 1140-8, Equal Opportunity

Compliance Report Certification, must also be completed by the successful bidder. Form 5450-17, Export Determination, must be completed by the successful bidder. To expedite procedure, this form should be completed and submitted with the written bid.

THE VOLUMES LISTED herein are estimates only. The sale volumes listed are based on 16-foot taper breaks which must be taken into consideration if comparisons are made with volume predictions based on other standards. The volumes based on 32-foot taper breaks are shown for comparison purposes. No sale shall be made for less than the advertised appraised price. The Purchaser shall be liable for the total purchase price, without regard to the amount bid per unit, even though the quantity of timber actually cut or removed or designated for taking is more or less than the estimated volume or quantity so listed.

THIS TIMBER SALE has been cruised based upon Eastside Scribner board foot measure. The minimum bid figures shown by species are dollars per thousand board feet (MBF). The minimum bid increment will be \$0.10 per MBF.

A PERFORMANCE BOND in an amount not less than 20 percent of the total purchase price will be required for all contracts of \$2,500 or more. A minimum performance bond of not less than \$500 will be required for all installment contracts less than \$2,500.

QUALIFIED SMALL BUSINESS concerns may apply to SBA for a loan to provide financing for access road construction required under the terms of qualifying timber sale contracts, and necessary contract changes will be made. Approval of loan applications rests with SBA and may be contingent on availability of funds. Applicants for such loans shall notify BLM of their intention to apply for a loan.

PRE-AWARD QUALIFICATIONS. The high bidder may be required to furnish information to determine the ability to perform the obligations of the contract. If the high bidder is determined not qualified, responsible or refuses to respond within fifteen (15) days of a request for information pertaining to qualifications, the contract may be offered and awarded for the amount of the high bid to the highest of the bidders who is qualified, responsible, and willing to accept the contract.

LOG EXPORT AND SUBSTITUTION: All timber sales shall be subject to the restrictions relating to the export and substitution of unprocessed timber from the United States in accordance with P.L. 94-165 and 43 CFR 5400 and 5420, as amended. The BLM has revised the log export restrictions special provision to reduce the log branding and painting requirements. The new requirements include branding of one end of all logs with a scaling diameter of over 10 inches. All loads of 11 logs or more, regardless of the diameter of the logs, will have a minimum of 10 logs branded on one end. All logs will be branded on loads of 10 logs or less. One end of all branded logs will be marked with yellow paint. At the discretion of the Contracting Officer, the Purchaser may be required to brand and paint all logs. The Purchaser shall bear any increased costs for log branding and painting.

<u>CONTRACT TERMINATION</u>: A revised Special Provision has been added to the contract which enables the Contracting Officer to suspend the contract to facilitate protection of certain plant or animal species, and /or to modify or terminate the contract when necessary to:

- 1. Comply with the Endangered Species Act, or;
- 2. Comply with a court order, or;
- 3. Protect occupied marbled murrelet sites in accordance with the Standards and Guidelines of the (district name) District Record of Decision (ROD) and Resource Management Plan (RMP), or;
- 4. Protect species which were identified for protection through survey and manage and/or protection buffer standards and guidelines established in the ROD and RMP.

This contract provision limits the liability of the Government to the actual costs incurred by the Purchaser which have not been amortized by timber removed from the contract area.

ADDITIONAL INFORMATION concerning this timber sale tract is available at the above District Office. A copy of the timber sale contract is also available for inspection at the District Office.

Attachments:

Form 1140-4

Form 5450-17

Form 5440-9

Form 5430-1

SBA Form 723

TIMBER SALE NOTICE SBA SET-ASIDE SALE

Sale Date: February 13, 2013

THIS IS A SMALL BUSINESS SET-ASIDE SALE FOR PREFERENTIAL BIDDING BY SMALL BUSINESS CONCERNS AS DEFINED BY THE SMALL BUSINESS ADMINISTRATION.

SALEM DISTRICT TILLAMOOK FIELD OFFICE COLUMBIA MASTER UNIT

ORS06-TS-2013.0101, Roller Coaster Timber Sale, Lump Sum

TILLAMOOK COUNTY, OREGON: O&C: ORAL AUCTION: BID DEPOSIT REQUIRED: \$162,600.00

All timber designated for cutting on: S½SW¼, Sec. 7; NE¼NE¼, S½NE¼, W½, NE¼SE¼, S½SE¼, Sec. 17; N½, N½SW¼, N½SE¼, Sec. 21; NE¼NE¼, Sec. 29; T. 2 S., R. 5 W., WM, Oregon.

THIS TIMBER SALE HAS BEEN CRUISED BASED UPON EASTSIDE SCRIBNER MEASURE. Minimum bid figures shown by species are dollars per thousand board feet (MBF). The minimum bid increment will be \$0.10 per MBF.

					Estimated
Approx. No.	Est. Vol.		Est. Vol.	Appraised	Volume Times
Merchantable	MBF		MBF	Price	Appraised
Trees	32' Log	Species	16' Log	Per MBF	Price
29,455	5,529	Douglas-fir	6,780	\$236.70	\$1,604,826.00
540	107	Western Hemlock	131	\$160.10	\$20,973.10
29,995	5,636	Totals	6,911		\$1,625,799.10

<u>LOG EXPORT AND SUBSTITUTION RESTRICTIONS</u>: All timber offered for sale hereunder is restricted from export from the United States in the form of unprocessed timber and also prohibited from substitution of exported private timber.

<u>CRUISE INFORMATION</u>: The timber volumes for the partial cut units were based on a variable plot cruise for estimating the board foot volume of trees. Plots were measured using a 20 basal area factor (BAF) for partial cut units. None of the total sale volume is salvage material. For merchantable Douglas-fir trees the average DBHOB is 14.8 inches; the average gross merchantable log contains 50 bf; the total gross volume is approximately 7,122 MBF; and 95% recovery is expected. The Right-of-Way volume is based on a 3-P cruise for estimating the board foot volume of trees.

<u>CUTTING AREA:</u> 8 units totaling approximately 390 acres are partial cut and 7 acres are Right-of-Way. Acres shown on Exhibit A have been computed using a Trimble Pro XH Global Positioning System receiver. Acreage was calculated based on Global Positioning System traverse procedures including differential correction.

CONTRACT TERMINATION: Special Provisions have been added to the contract which enables the Contracting Officer to suspend, modify or terminate the contract to protect or to facilitate protection of certain plant or animal species, and to comply with the Endangered Species Act or to protect occupied marbled murrelet sites in accordance with the Standards and Guidelines of the Record of Decision for Amendments to Forest Service and Bureau of Land Management Planning Documents Within the Range of the Northern Spotted Owl. This contract provision limits the liability of the Government to the actual cost incurred by the Purchaser which has not been amortized by the timber removed from the contract area.

DURATION OF CONTRACT: Contract length will be 36 months for cutting and removal of timber.

<u>LOCATION</u>: The Roller Coaster Timber Sale is located approximately 5 air miles south west of Yamhill, Oregon in Sections 7, 17, 21, and 29, T. 2 S., R. 5 W. W. M. Drive west on Pike Road which will become Turner Creek Road from Yamhill approximately 4 miles. Turn left onto Belt Road (gravel) and travel approximately one and three quarter miles to white Weyerhaeuser gate on your left. Gate Combination is **8455**. Proceed through gate approximately 1 mile to timber sale. See Exhibit A for further details.

ACCESS AND ROAD MAINTENANCE: Access is provided by County, Weyerhaeuser, and Bureau of Land Management (BLM) controlled roads. All roads controlled by BLM and Weyerhaeuser controlled portion of Spur G used in conjunction with this sale will be maintained by the Purchaser. Purchaser will be required to pay a rock wear obligation of (\$6,742.95) to the Government and spread 200 CY crushed rock on BLM roads for maintenance.

In the use of Weyerhaeuser controlled roads as shown on Exhibit E, the Purchaser will be required to enter into a license agreement which requires: (a) Weyerhaeuser maintenance of all Weyerhaeuser controlled roads (b) Purchaser pay Weyerhaeuser a road use obligation of (\$6,818.00) and a road maintenance and rock wear obligation of (\$2,021.62), and (c) provide proof of insurance with limits of \$1,500,000/\$1,500,000/\$1,500,000/\$1,500,000/\$1,500,000 and a performance bond of \$1,000.00. Prior to the use of said road, the Purchaser shall furnish the Authorized Officer a copy of the executed license agreement.

Purchaser maintenance shall include frequent blading and shaping of road surface; ditch, culvert, and catch basin cleaning; removal of minor slides and other debris. Roads shall be left in a condition to withstand adverse weather at the end of the seasonal operations.

Alternate access is available but will require a contract modification.

During the Environmental Assessment, wet season haul was analyzed and approved for the access roads shown on Exhibit C provided adequate surfacing was placed prior to the wet season beginning. The adequate surfacing will be at the expense of the Purchaser. Contact District personnel for more detailed information.

<u>ROAD CONSTRUCTION AND RENOVATION</u>: The Purchaser will be required to do all work set forth below. The Purchaser shall supply all materials unless otherwise indicated.

1. New Road Construction:

Road Spur A, 200 feet, 14-foot subgrade, Natural surfacing

Road Spur B-1, 615 feet, 14-foot subgrade, Natural surfacing

Road Spur D, 1,015 feet, 14-foot subgrade, Natural surfacing

Road Spur E-1, 1,175 feet, 14-foot subgrade, Natural surfacing, Install culverts as stated on culvert list.

Road Spur F, 695 feet, 14-foot subgrade, Natural surfacing

Road Spur G, 1,988 feet, 14-foot subgrade, Natural surfacing, Install culverts as stated on culvert list, place pit-run rock as stated in project notes and in 150 sheet.

Road Spur G-1, 252 feet, 14-foot subgrade, Natural surfacing

Road Spur I, 905 feet, 14-foot subgrade, Natural surfacing, Install culvert as stated on culvert list.

Road Spur J, 307 feet, 14-foot subgrade, Natural surfacing

2. Renovation:

Road 2-5-17, 0.53 miles, Blade, Clean Culverts, Brush, Place rock and replace culverts as stated on rock sheets and culvert list.

Road 2-5-17.1, 0.70 miles, Blade, Brush, Place rock and replace culvert as stated on rock sheets and culvert list.

Road 2-5-18.5, 0.29 miles, Blade, Brush, Place rock as stated on rock sheets.

Road 2-5-19, 2.47 miles, Blade, Clean Culverts, Brush, Place rock and replace culverts as stated on rock sheets and culvert list.

Road 2-5-21, 0.49 miles, Blade, Clean Culverts, Brush, Place rock and replace culverts as stated on rock sheets and culvert list.

Road 2-5-21.5, 1.53 miles, Blade, Clean Culverts, Brush, Place rock and replace culverts as stated on rock sheets and culvert list.

Road 2-5-22, 0.36 miles, Blade, Clean Culverts, Brush, Place rock and replace culverts as stated on rock sheets and culvert list.

Road Spur A, 610 feet, Blade, Brush, Place rock as stated on rock sheets.

Road Spur B, 3,692 feet, Blade, Clean Culverts, Brush, Place rock as stated on rock sheets.

Road Spur C, 740 feet, Blade, Brush, Place rock as stated on rock sheets.

Road Spur E, 2,809 feet, Blade, Clean Culverts, Brush, Place rock as stated on rock sheets.

Road Spur F, 345 feet, Blade, Brush, Place rock as stated on rock sheets.

3. Estimated Quantities:

a. Clearing:

2.7 acres of new construction 28.8 acres of renovation

b. Culverts:

314 feet of 18 inch Corrugated Plastic Pipe (CPP) – Type S 570 feet of 24 inch Corrugated Plastic Pipe (CPP) – Type S 84 feet of 36 inch Corrugated Plastic Pipe (CPP) – Type S 102 feet of 42 inch Aluminized Corrugated Metal Pipe (CMP)

c. Aggregate Material:

Quantity	<u>Description</u>
*575 cubic yards	1-1/2" minus crushed rock – construction rock
**705 cubic yards	Pit-Run – Weyerhaeuser Pit – construction rock
***80 cubic yards	Culvert bedding material—Stockpile site
*200 cubic yards	1-1/2" minus crushed rock – BLM maintenance rock
**235 cubic yards	Culvert bedding material - Weyerhaeuser Pit
**135 cubic yards	Riprap – Weyerhaeuser Pit

Rock Source: *Commercial

**Weyerhaeuser Pit

***Stockpile Site

OTHER

Compaction of all final subgrades will be required.

Right of way debris will be disposed of by scattering on all roads.

All natural surface roads will be water barred and blocked at the end of seasonal operations.

Roads Spur A (Sta. 6+10 to 8+10), Spur B-1, Spur D, Spur E-1, Spur F (Sta. 3+45 to 10+40), Spur G, Spur G-1, Spur H, Spur I, and Spur J will be subsoiled to a depth of 18"inches, water barred & blocked upon completion of logging. Clearing debris shall be placed on and around the barriers so as to prevent further use of the road by vehicles.

Grass seeding will be required on all newly disturbed areas. Grass seed will be furnished by the Government.

Seasonal Restriction Matrix

Roller Coaster Timber Sale ORS060-TS2013-0101

	J	AN	F	EB	M	AR	Α	PR	N	IAY	J	UN	J	UL	A	UG	S	EP	0	CT	N	OV	D	EC
Activity	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15	1	15
Felling and Bucking**		10																						
Ground-Based Yarding Skyline Yarding – sec. 7, 17, 21, 29																								
Road construction, renovation and decommissioning																								
Log Haul – rock-surface roads sec.7, 17, 21, 29													152											
Log Haul – all natural-surface roads																<i>)</i> -								

^{*} All dates are dependent on actual weather conditions ** Bark slip restrictions may be conditionally waived

TIMBER SALE CONTRACT SPECIAL PROVISIONS

Sec. 41.

RESERVED

- a. All timber on the reserve area(s) shown on Exhibit A and all trees which are on or mark the boundaries of the reserve areas.
- b. All trees marked with orange paint above and below stump height in the partial cut areas shown on Exhibit A.
- c. All snags and down trees in the partial cut areas shown on Exhibit A, unless approved by the Authorized Officer.
- d. All hardwood trees in the partial cut areas shown on Exhibit A unless otherwise approved by the Authorized Officer.

Sec. 42. Special Provisions

LOGGING

- a. Periodic Payment and First Installment Adjustment
- 1. Notwithstanding the provisions of Sec. 3(b), the amount of the first installment may be reduced by the Government when the Contracting Officer requests the Purchaser to interrupt or delay operations for a period expected to last more than thirty (30) days during the operating season. Such interruption or delay must be beyond the Purchaser's control. Operating Season shall be defined, for this purpose, as the time of year in which operations of the type required are normally conducted and not specifically restricted under the contract. The first installment may be reduced to five (5) percent of the installment amount listed in Sec. 3(b), during the delay period. The Purchaser must request such a reduction in writing. When the Contracting Officer notifies the Purchaser that operations may proceed, the Purchaser shall have fifteen (15) days after such notification to return the first installment to the full value specified in Sec. 3(b). Failure to return the first installment to the full value within the allotted time will be considered a material breach of contract. No timber shall be cut or removed from the contract area until the first installment is restored to the full amount.
- 2. Notwithstanding the provisions of Sec. 3(b), adjustments in the due dates for periodic payments may be made by the Government if the Contracting Officer interrupts or delays contract operations for a period expected to last at least thirty (30) days, and the interruption or delay is beyond the Purchaser's control. Any adjustment made shall provide the Purchaser with an equal amount of operating time as would have been available without the delay. The Purchaser shall request such adjustment in writing before the due date for a periodic payment contained in Sec. 3(b).

- b. Prior to the commencement of operations, the Purchaser shall obtain from the Authorized Officer written approval of a written operations and logging plan commensurate with the terms and conditions of the contract which shall include measures needed to assure protection of the environment and watershed. A pre-work conference between the Purchaser's authorized representative and the Authorized Officer's representative must be held at a location designated by the Authorized Officer before the logging plan will be approved. The Purchaser shall provide a minimum of seven (7) days' notice when requesting the scheduling of a pre-work conference.
- c. Before beginning operations on the contract area for the first time or after a shutdown of seven (7) or more days, the Purchaser shall notify the Authorized Officer in writing of the date he plans to begin operations. This written notification must be received by the Authorized Officer no less than seven (7) days prior to the date the Purchaser plans to begin or resume operations. The Purchaser shall also notify the Authorized Officer in writing if he intends to cease operations for any period of seven (7) or more days.
- d. In the Partial Cut Areas shown on Exhibit A, all trees designated for cutting shall be felled and cut into log lengths not to exceed forty (40) feet plus trim before being yarded, unless otherwise approved by the Authorized Officer
- e. In the "Partial Cut Area Skyline Yarding" shown on Exhibit A, yarding shall be done with a skyline-type cable system. The skyline-type system shall be equipped with a clamping energized or mechanical slackpulling carriage that has at least seventy-five (75) feet lateral yarding capabilities. The carriage shall be capable of being held in position on the skyline during all lateral yarding and shall be able to pass intermediate support jacks as required. Skyline yarding roads shall be spaced approximately one hundred fifty (150) feet apart from the adjacent skyline corridors. The Purchaser shall directionally fall trees into the lead with the yarding direction. The leading end of all logs shall be transported free of the ground during yarding. The rigging of tail or lift trees, intermediate supports and use of tail holds outside the Partial Cut Areas shall be required where necessary to meet this requirement. Lift trees within the cutting areas shall be selected by the Purchaser and approved by the Authorized Officer prior to commencement of falling operations.
- f. In the "Partial Cut Area Ground-Based" areas shown on Exhibit A, equipment shall not exceed a ground pressure rating of 8 p.s.i. (pounds per square inch), and shall be tracked-mounted, have a boom mounted cutting head or grapple and be approved by the Authorized Officer. Yarding shall be done so that the lead-end of the log is lifted fully off the ground. Skid roads will generally be spaced at a minimum of 150 feet apart. Ground based skidding equipment shall not operate off of existing skid roads within 220 feet of streams. Excavation on designated skid roads shall be limited to a maximum cut of one foot unless authorized by the Authorized Officer. The Purchaser shall directionally fall trees into the lead with the skidding direction and winch or carry to these skid roads. All equipment operated off of skid roads shall operate on a continuous layer of slash, and no more than two passes over the same ground shall be permitted. Immediately following ground-based yarding activities for any operating season, the Purchaser shall construct water bars, cover skid trails with slash and block skid trails as designated by the Authorized Officer.

- g. No yarding or loading is permitted in or through the reserve area, shown on Exhibit A, unless approved by the Authorized Officer.
- h. Excessive damage to reserve timber, as determined by the authorized officer, will result in suspension of yarding operations until corrective measures to prevent further damages have been approved by the authorized officer.
- i. No trees may be felled across or into the reserve areas designated on Exhibit A. or adjacent private land, unless expressly authorized by other provisions of this contract.
- j. Prior to attaching any logging equipment to a reserve tree, the Purchaser shall obtain approval from the Authorized Officer and shall take precautions to protect the tree from damage as directed by the Authorized Officer.
- k. Before cutting and removing any trees necessary to facilitate logging in the Partial Cut Areas shown on Exhibit A, the Purchaser shall identify the location of skid roads, cable yarding roads, and tailhold, tieback, guyline, lift, intermediate support, and danger trees on the ground in a manner approved by the Authorized Officer at the pre-work conference and documented in the Logging Plan. Said Purchaser identification of trees to be cut and removed does not constitute authority to proceed with cutting and removal. In addition, before proceeding the following conditions must be met:
 - 1. All skid roads and/or cable yarding roads upon which timber is identified by the Purchaser to be cut and removed in accordance with this special provision must be necessary for the safe and expeditious removal of timber sold under this contact and shall be limited to the minimum width necessary for yarding of logs with a minimum of damage to reserve trees; however, unless otherwise approved in writing by the Authorized Officer, the width of both skid roads and cable roads shall be limited to twelve (12) feet.
 - 2. The Purchaser may immediately cut and remove additional timber to clear skid roads and cable yarding roads; and provide tailhold, tieback, guyline, lift and intermediate support trees; and clear danger trees when the trees have been marked with a non-reserve color of paint above and below stump height by the Authorized Officer and thereby approved for cutting and removal by the Authorized Officer. The volume of the timber to be sold will be determined by the Authorized Officer in accordance with Bureau of Land Management prescribed procedures. No timber may be cut or removed under terms of this provision unless sufficient installment payments have been made in accordance with Sec. 3 (b). of the contract or sufficient bonding has been provided in accordance with Sec. 3. (d). of the contract.
 - 3. The Purchaser agrees that sale of this additional timber shall be accomplished by a unilateral modification of the contract executed by the Contracting Officer and that such timber shall be sold at the unit prices shown in Exhibit B of this contract unless: the value of the timber must be reappraised subject to the terms for contract extension set forth in Sec. 9 of the contract; or, the Authorized Officer determines that the tree species

are not listed in Exhibit B of this contract and otherwise reserved in Section 41 of the contract; or, any tree that exceeds 36 inches in diameter at breast height shall be appraised and sold by bilateral modification of the contract at current fair market value in accordance with Sec. 8 of the contract.

- 4. This authorization for the Purchaser to cut and remove additional timber prior to the execution of a modification may be withdrawn by the Contracting Officer if the Authorized Officer determines that the Purchaser has cut and removed any tree not previously marked and approved for cutting by the Authorized Officer, which under Section 10 of the contract constitutes a violation of the contract and under Section 13 of the contract may constitute a trespass rendering the Purchaser liable for damages under applicable law.
- 5. If authorization is withdrawn, the Contracting Officer shall issue a written notice to the Purchaser that the sale of additional timber under this special provision is no longer approved. In this case, the Purchaser shall inform the Authorized Officer at least one (1) working day prior to the need for cutting and removing any additional timber, and execute a bilateral modification prior to cutting for such additional approved timber at the unit prices shown in Exhibit B of the contract or in accordance with Sec. 8 or Sec. 9 of the contract as determined by the Authorized Officer in accordance with this provision. The Contracting Officer may issue a written order to the Purchaser to suspend, delay, or interrupt any or all contract work for the period of time deemed necessary and appropriate for the Government to safely measure and mark additional timber.
- 6. The Government may reserve trees previously designated for cutting and removal by applying orange paint as replacements for additional trees cut and removed for skid roads and/or cable yarding roads when the Authorized Officer determines such reservation is necessary to maintain stand densities consistent with objectives set forth in the management prescriptions. This may include the replacement of trees damaged by storm events, or insects or disease. The volume of this timber to be reserved will be determined by the Authorized Officer in accordance with Bureau of Land Management prescribed procedures and the value shall be based on the unit prices shown in Exhibit B of the contract. The Purchaser agrees that the Total Purchase Price shall be reduced accordingly through a unilateral modification to the contract executed by the Contracting Officer.

SEASONAL RESTRICTIONS

1. No ground-based yarding, cable yarding and/or hauling on natural surfaced roads or landings shall be conducted on the partial cut areas shown on Exhibit A between October 16 of one calendar year and May 31 of the following calendar year, both days inclusive, and during other periods of wet soil conditions as determined by the Authorized Officer. These dates may be waived by the Authorized Officer dependent upon soil conditions.

- m. No in stream work on culverts shall be conducted between October 1 of one calendar year and July 14 of the following calendar year, both days inclusive.
- n. No road renovation, road construction, or road decommissioning as shown on Exhibit C and E shall be conducted between October 16 of one calendar year and May 31 of the following calendar year, both days inclusive, and during other periods of wet soil conditions as determined by the Authorized Officer.
- o. No road maintenance as shown in Exhibit D shall be conducted during periods of wet soil conditions as determined by the Authorized Officer.

ROAD CONSTRUCTION, IMPROVEMENT, RENOVATION, MAINTENANCE AND USE

- p. The Purchaser shall construct natural surfaced spurs Spur A (6+10-8+10), Spur B-1, Spur D, Spur E-1, Spur F (3+45-10+40), Spur G, Spur G-1, Spur I, and Spur J. Renovate roads Spur A (0+00-6+10), Spur B, Spur C, Spur E, Spur F (0+00-3+45), 2-5-17, 2-5-17.1, 2-5-18.5, 2-5-19, 2-5-21, 2-5-21.5, and 2-5-22. All roads are to be constructed in strict accordance with the plans and specifications shown on Exhibit C, which is attached hereto and made a part hereof.
- q. Any required construction and renovation of roads shall be completed and accepted prior to the removal of any timber, except right-of-way timber, over that road.
- r. Within 30 days of completion of yarding and hauling operations, the Purchaser shall decommission Spurs A (Sta.6+10 8+10), B-1, D, E-1, F (Sta. 3+45 10+40), G, G-1, H, I, and J as shown on Exhibit C, by subsoiling, waterbarring, and blocking. Purchaser shall decommission Spurs A (Sta. 0+00 6+10), B, C, E, and F (Sta. 0+00 3+45) as shown on Exhibit C, by only waterbarring, and blocking. Subsoiling shall consist of loosening the soil to a depth of eighteen (18) inches utilizing excavator attachments, log loader tongs or other approved equipment acceptable to the Authorized Officer. No subsoiling shall be required where the road traverses rock outcroppings. All natural water courses shall be opened to prevent erosion of the road. All culverts shall be removed in a salvageable condition and hauled to the BLM Cedar Creek maintenance facility on road system 3-6-5.3, by the Purchaser. Barriers shall be constructed and clearing debris shall be placed on and around the barriers so as to prevent further use of the road by vehicles as shown on Exhibit C.
- s. The Purchaser is authorized to use the roads listed below and shown on Exhibit E which are under the jurisdiction of the Bureau of Land Management for the removal of Government timber sold under the terms of this contract and/or the hauling of rock as required in Exhibit C provided that the Purchaser comply with the conditions set forth in Section 42 t. and Section 42u.

Road No. and Segment	Length Miles Used	Road Control	Road Surface Type	Maintenance Responsibility	
Spur A	0.16	BLM	Natural/Rocked	Purchaser	
Spur B	0.70	BLM	Rocked	Purchaser	
Spur B-1	0.12	BLM	Natural	Purchaser	
Spur C	0.14	BLM	Rocked	Purchaser	
Spur D	0.19	BLM	Natural	Purchaser	
Spur E	0.53	BLM	Rocked	Purchaser	
Spur E-1	0.22	BLM	Natural	Purchaser	
Spur F	0.20	BLM	Natural/Rocked	Purchaser	
Spur G (Sta. 0+00 – 8+02)	0.15	Weyerhaeuser	Natural	Purchaser	
Spur G (Sta. 8+02 – 19+88)	0.23	BLM	Natural	Purchaser	
Spur G-1	0.08	BLM	Natural	Purchaser	
Spur I	0.17	BLM	Natural	Purchaser	
Spur J	0.06	BLM	Natural	Purchaser	
2-5-22.0	1.47	BLM	Rocked	Purchaser	
2-5-21.4	0.28	BLM	Rocked	Purchaser	
2-5-21.0 a	0.28	BLM	Rocked	Purchaser	
2-5-19.0 e,g,h,& i	2.41	BLM	Rocked	Purchaser	
2-5-17.0	0.64	BLM	Rocked	Purchaser	
2-5-21.5 a	0.35	BLM	Rocked	Purchaser	
2-5- 17.1 a	0.11	BLM	Rocked	Purchaser	

- t. The Purchaser shall pay BLM (\$6,742.95) for rock wear fees on BLM controlled roads as directed by the Authorized Officer for the transportation of timber included in the contract price and for transportation of any mineral material required under terms of the contract over road or roads listed in Section 42 s.
- u. The Purchaser shall perform any road repair and maintenance work on roads used, under the terms of Exhibit D, "Road Maintenance Specifications," of this contract which is attached hereto and made a part hereof. Purchaser shall spread **200** cubic yards of crushed rock on BLM controlled roads as directed by Authorized Officer as part of maintenance requirements.
- v. In the use of roads listed below and shown on Exhibit E, the Purchaser will be required to enter into a license agreement with Weyerhaeuser Inc. Prior to commencement of operations, the Purchaser shall furnish to the Authorized Officer a copy of the required executed license agreement. These conditions include: Payment to Weyerhaeuser, Inc., a road use obligation of (\$6,818.00) and a road maintenance and rock wear obligation of (\$2,021.62) payable at the time indicated in the license agreement. Default by the Purchaser of said Right-of-Way and Road Use Agreement or any license agreement executed pursuant thereto, for failure

to pay appropriate road use fees shall be considered a violation of this contract. The amount of unpaid fees shall be considered as the amount of damage suffered by the Government as a result of the violation of this provision. The Purchaser will be required to carry liability insurance with the limits of \$1,000,000/\$1,000,000/\$1,000,000 and provide a performance bond in the amount of \$1,000.00.

Road No. and Segment	Length Miles Used	Road Control	Road Surface Type	Maintenance Responsibility
2-5-21.5 b	1.14	Weyerhaeuser	Rocked	Weyerhaeuser
2-5-21.0 b	0.15	Weyerhaeuser	Rocked	Weyerhaeuser
2-5-19.0 f	0.06	Weyerhaeuser	Rocked	Weyerhaeuser
2-5-17.1 b,c	0.87	Weyerhaeuser	Rocked	Weyerhaeuser
2-5-18.3	0.29	Weyerhaeuser	Rocked	Weyerhaeuser

w. The Purchaser also agrees that if they elect to use any other private road which is the subject of a right-of-way agreement with the Government for the removal of Government timber sold under the terms of this contract, Purchaser shall request and agree to the modification of this contract to provide for such use and for allowances for amortization of the Government's share of the capital investment of any such road.

ENVIRONMENTAL PROTECTION

- x. If in connection with operations under this contract the Purchaser, his contractors, subcontractors, or the employees of any of them, discover, encounter, or become aware of any objects or sites of cultural value on the contract area such as historical or prehistorical ruins, graves or grave markers, fossils, or artifacts, the Purchaser shall immediately suspend all operations in the vicinity of the cultural value and notify the Authorized Officer of the findings. Operations may resume at the discovery site upon receipt of written instructions and authorization by the Authorized Officer.
- y. In addition to the requirements set forth in Section 25 of this contract, the Purchaser shall power wash all road construction and ground-based logging equipment including loaders and mechanically propelled brush cutters, prior to entry onto BLM lands each work season, or before returning to BLM lands after leaving it. Equipment shall be inspected by the Authorized Officer at a site approved by the Authorized Officer to verify that the equipment has been reasonably cleaned prior to entry onto BLM lands.
- z. The Purchaser shall immediately discontinue specified construction or timber harvesting operations upon written notice from the Contracting Officer that:
 - (1) threatened or endangered plants or animals protected under the Endangered Species Act of 1973, as amended, may be affected by the operation, and a

- determination is made that consultation or reinitiation of consultation is required concerning the species prior to continuing operation, or;
- (2) when, in order to comply with the Endangered Species Act (or to protect occupied marbled murrelet sites in accordance with the Standards and Guidelines of the Salem District Record of Decision (ROD) and Resource Management Plan (RMP), the Contracting Officer determines it may be necessary to modify or terminate the contract, or;
- (3) federal proposed, federal candidate, Bureau sensitive or State listed species protected under BLM Manual 6840 Special Status Species Management have been identified, and a determination is made that continued operations would affect the species or its habitat, or;
- (4) other active raptor nests have been discovered, and a determination is made that continued operations under this contract would adversely affect the present use of the discovered nesting area by the raptor, or;
- (5) when, in order to comply with a court order which enjoins operations on the sale or otherwise requires the Bureau of Land Management to suspend operations, or;
- (6) when, in order to comply with a court order, the Contracting Officer determines it may be necessary to modify or terminate the contract, or;
- (7) species have been discovered which were identified for protection through survey and manage and/or protection buffer standards and guidelines established in the ROD and RMP, and the Contracting Officer determines that continued operations would affect the species or its habitat, or;
- (8) when, in order to protect species which were identified for protection through survey and manage and/or protection buffer standards and guidelines established in the ROD and RMP, the Contracting Officer determines it may be necessary to modify or terminate the contract.

Those operations necessary for a safe removal of personnel and equipment from the contract area and those directed by the Contracting Officer which are required in order to leave the contract area in an acceptable condition will be permitted. Discontinued operations may be resumed upon receipt of written instructions and authorization by the Contracting Officer.

During any period of suspension, the Purchaser may withdraw performance and payment bond coverage aside from that deemed necessary by the Authorized Officer to secure cut and/or removed timber for which the Bureau of Land Management has not received payment, and/or unfulfilled contract requirements associated with harvest operations that have already occurred and associated post-harvest requirements.

In the event of a suspension period or a combination of suspension periods that exceed a total of 30 days, the First Installment held on deposit may be temporarily reduced upon the written request of the Purchaser. For the period of suspension extending beyond 30 days, the First Installment on deposit may be reduced to five (5) percent of the First Installment amount listed in Section 3.b. of the contract. Any First Installment amount temporarily reduced may be refunded or transferred to another BLM contract at the request of the Purchaser. However, if the Purchaser has outstanding debt owing the United States, the Contracting Officer must first apply the amount of First Installment that could be refunded to the debt owed in accordance with the Debt Collection Improvement Act, as amended (31 USC 3710, et seq.). Upon Purchaser's receipt of a bill for collection and written notice from the Contracting Officer lifting the suspension, the Purchaser shall restore the First Installment to the full amount shown in Section 3.b. of the contract within 15 days after the bill for collection is issued, subject to Section 3.h. of the contract. The Purchaser shall not resume contract operations until the First Installment amount is fully restored.

In the event of a suspension period or a combination of suspension periods that exceed a total of 30 days, the unamortized Out-of-Pocket Expenses for road or other construction required pursuant to Exhibit C of the contract shall be refunded or transferred to another BLM contract at the request of the Purchaser. Upon written notice from the Contracting Officer lifting the suspension, the Purchaser shall reimburse the Government the amounts refunded or transferred. The Purchaser may choose to pay this reimbursement at once or in installments payable at the same time as payments are due for the timber under the contract and in amounts approximately equal to the expenses associated with the timber for which payment is due.

In the event that operating time is lost as a result of the incorporation of additional contract requirements, or delays due to Endangered Species Act consultation with the U.S. Fish and Wildlife Service or U.S. National Marine Fisheries Service, or court-ordered injunctions, the Purchaser agrees that an extension of time, without reappraisal, will constitute a full and complete remedy for any claim that delays due to the suspension hindered performance of the contract or resulted in damages of any kind to the Purchaser.

The Contracting Officer may determine that it is necessary to terminate the cutting and removal rights under the contract in order to comply with the Endangered Species Act, protect occupied marbled murrelet sites in accordance with the ROD and RMP, protect species that have been discovered which were identified for protection through survey and manage and/or protection buffer standards and guidelines established in the ROD and RMP, or comply with a court order. Following the issuance of a written notice that cutting and removal rights will be terminated, the Purchaser will be permitted to remove timber cut under the contract, if allowed by the Endangered Species Act, marbled murrelet occupied site protection in accordance with the ROD and RMP, survey and manage and/or protection buffer standards and guidelines established in the ROD and RMP, or court order requirements necessitating the modification or termination.

In the event cutting and removal rights are terminated under this subsection, the Purchaser agrees that the liability of the United States shall be limited to the actual costs incurred by the Purchaser which have not been amortized by timber removed from the contract area. This calculation of liability shall utilize actual Purchaser costs and Government estimates of timber volumes. At the

Authorized Officer's request, the Purchaser agrees to provide documentation of the actual costs incurred in the performance of the contract. In addition, the Purchaser shall be released from the obligation to pay the contract price for any timber which is not authorized to be removed from the contract area.

The Purchaser specifically and expressly waives any right to claim damages, other than those described in the preceding paragraphs, based on an alleged breach of any duty to the Purchaser, whether express or implied, in regard to the manner in which the Government defended the litigation which resulted in the court order affecting the operation of the contract. This waiver also extends to any claims based on effects on the operation of the contract that arise from litigation against another agency. Furthermore, the Purchaser specifically acknowledges and agrees that a court ruling that the Government violated the Administrative Procedures Act cannot be interpreted, in itself, to mean that the Government had not acted reasonably in regard to its duties to the Purchaser under this contract.

FIRE PROTECTION

- aa. Primarily for purposes of fire prevention and control, the Purchaser shall comply with the following provisions when operating at Oregon Department of Forestry Industrial Fire Precaution Level (IFPL) I (Closed Fire Season). At IFPL II and III, additional fire prevention and control provisions may be added as determined by the Authorized Officer and specified in written instructions to the Purchaser to mitigate dry fuel and weather conditions.
 - (1) Prior to the operation of power-driven equipment in construction or logging operations under this contract during the closed fire season or periods of fire danger, prepare a fire prevention and control plan to the satisfaction of the Authorized Officer.
 - (2) Provide and maintain in good working order, and immediately available on the contract area, the following equipment for use during closed fire season or periods of fire danger:
 - (a) Firefighting tools shall be kept at each landing or at such other place at the Authorized Officer shall designate whenever people are working on the contract area. All fire fighting tools shall be kept in a sturdily constructed box which shall be painted red and lettered on the front or top in large letters "For Fire Only." The box shall have a hinged lid and a hasp by which the lid can be sealed. One (1) box may serve two landings, not over six hundred (600) feet apart. When filled, the box shall not weigh over two hundred (200) pounds. The fire tools shall be in good condition, be tight on strong handles, and have sharp cutting edges. There shall be not less than four (4) tools in each box or less than one (1) tool for each man working on the contract area. Three-fourths (3/4) of all fire tools shall be shovels, hazel hoes, or other scraping tools. The fire tools shall be used only for fighting fire.
 - (b) At each landing or such other place as the Authorized Officer shall designate during periods of operation, one (1) tank truck of one thousand (1000) gallons

or more capacity, or multiple engines equal to 1000 gallons capacity, with five hundred (500) feet of 1½ inch hose, one thousand (1000) feet of 1 inch hose, one (1) 1½ inch gated wye, one (1) 1 inch gated wye, two (2) 1½ to 1 inch reducers, and three (3) 1 inch nozzles. The tank truck or smaller engines shall be equipped with a pump capable of delivering a minimum of forty (40) pounds per square inch (psi) engine pressure through fifty (50) feet of 1½ inch hose. The pump may be either a power take off (PTO), or a truck-mounted auxiliary engine. All equipment shall be acceptable to the Authorized Officer and shall conform to the standards set forth in Oregon Revised Statutes 477.645 through 477.670 and any rule promulgated pursuant to these statutes. All hose couplings shall have the standard thread adopted by the BLM (1½ inch National Hose Thread (NH), 1 inch National Pipe Straight Hose Thread (NPSH) or be provided with suitable adapters. At the close of each working day, all bulldozers, tank trucks, and/or engines shall be filled with fuel and made ready for immediate use. All tank trucks, and /or engines and portable tanks shall be filled with water and made available for immediate use.

- (c) Two (2) backpack pumps at each landing and one (1) at each tail block, or any other block, all to be kept full of water and in good operating condition.
- (d) A chemical fire extinguisher of at least eight (8) ounces minimum capacity of a type approved by the Oregon State Forester and a size 0 or larger shovel shall be carried during the closed fire season or periods of fire danger by each falling crew and each bucker using a power saw on the contract area. Such fire extinguisher shall be filled and in effective operating condition and shall at all times be immediately available to the operator when the saw is being fueled or the motor of the saw is running. Any fueling of a power saw shall be done in an area which has first been cleared of all flammable material. Power saws shall be moved at least twenty (20) feet from the place of fueling before the engine is started. Each power saw shall be equipped with an exhaust system and a spark arresting device which are of types approved by the Oregon State Forester.
- (e) Where blocks and cables are used on the contract area during periods of fire danger, the Purchaser shall remove all flammable material within ten (10) feet from the place where the tail or any other block shall hang when the cable is tight. Such clearings shall be inspected periodically by the Purchaser and shall be kept free of flammable material.
- (f) During Oregon Department of Forestry Fire Season, no smoking shall be permitted outside of closed vehicles.

LOGGING RESIDUE REDUCTION

bb. The Purchaser shall perform logging residue reduction at landings and within the Fuel Reduction Areas as shown on Exhibit G, which is attached hereto and made a part hereof. All work shall be done as directed by the Authorized Officer in accordance with the specifications described on Exhibit F which is attached hereto and made a part hereof. This

logging residue work will occur upon completion of logging operations on the units where it is required within thirty (30) days after completion of skidding or yarding on each Fuel Reduction Area unless otherwise agreed by the Authorized Officer.

- cc. Notwithstanding the provisions of Section 15 of this contract, the Government shall assume all obligations for the disposal or reduction of the fire hazards caused by slash created by the Purchaser's operations on Government lands, except for logging residue reduction operations listed above, and burning and fire control assistance as required herein. Upon phone notification by the Authorized Officer of required performance prior to ignition, the Purchaser shall, under supervision of the Authorized Officer or his designated representative, assist in skyline cable and ground based yarding landing pile burning, machine pile burning, and fire control on the day (or days) of ignition by furnishing, at his own expense, the services of personnel and equipment on all units as shown below.
- (1) One (1) work leader (Firefighter Type 1 (FFT1)) to supervise crew and to serve as Purchaser's representative.
- (2) A five (5) person crew (Firefighter Type 2 (FFT2)) for ignition of landing piles, and handpiles.
- (3) Five (5) drip torches with eighty (80) gallons of slash fuel (4:1 ratio of diesel to gasoline).
- (4) Aluma-gel or other incendiary device.
- (5) One (1) chain saw with fuel.
- (6) One (1) hand tool per above listed personnel on the day of ignition.

All listed personnel shall be physically fit, experienced and fully capable of functioning as required. In addition, all listed personnel shall be qualified according to the National Wildfire Coordinating Group (NWCG) Wildland Fire Qualification System Guide, PMS-310-1 and provide documentation of these qualifications. On the day of ignition all listed personnel shall be fluent in speaking and understanding English, clothing shall consist of long pants and long sleeved shirts, and be of approved aramid fabric (NomexTM or equivalent), as well as being free of diesel fuel oil. All personnel shall wear lug sole boots with minimum eight (8) inch tall uppers that provide ankle support, approved hardhats and leather gloves. Personnel who do not meet these requirements or do not have proper clothing and personal protective equipment (PPE) will not be allowed to participate.

All listed tools and equipment shall be in good usable condition. All power-driven equipment shall be fully fueled and available for immediate use. During periods of use under this subsection, the Purchaser shall provide fuel and maintenance for all such power-driven equipment.

In the event of a fire escapement, the Purchaser's personnel and equipment shall, under supervision of the Authorized Officer or his designated representative, take action to control and mop-up the escaped fire until released from such service by the Government. If it becomes necessary to suppress a fire which escapes from the prescribed fire area for a period beyond midnight of ignition day, then the Government shall, at its option: (1) reimburse the Purchaser for such additional use of personnel and equipment at wage rates shown in the current Administratively Determined Pay Rates for the Western Area and at equipment rates shown in the current Oregon-Washington Interagency Fire Fighting Equipment Rental Rates schedule until

the Purchaser is released from such service by the Government or (2) release the Purchaser from additional suppression work and assume responsibility for suppressing the escaped fire.

In case of injury to personnel or damage to equipment furnished as required by this subsection, liability shall be borne by the Purchaser, unless such injury or damage is caused by Government negligence.

Time is of the essence in complying with this provision. In the event the Purchaser fails to provide the personnel and equipment required herein, the Purchaser shall be responsible for all additional cost incurred by the Government in disposing of slash including but not limited to the wages and other costs of providing federal employees and others as substitute labor force, the cost of providing substitute equipment and appropriate additional overhead expenses. If the Purchaser's failure results in a deferral of burning and new conditions necessitate additional site preparation work and/or the use of additional personnel and equipment to accomplish the planned burn, the Purchaser also shall be responsible for such additional costs

CONTRIBUTED FUNDS

dd. The Purchaser shall assist the Government in the pile burning in accordance with Sec. 41.ii. pertaining to Prescribed Burning. The Purchaser shall have the option of completing this work, or in lieu thereof, may make a contribution to the Bureau of Land Management in the amount of four thousand three hundred and ninety-one and 23/100 dollars (\$4,391.23). Upon making such contribution, the Purchaser shall be relieved of the obligations set out in Sec. 41.ii. The Purchaser shall notify the Authorized Officer in writing of his intention to make this contribution prior to approval of this contract. If the Purchaser elects to make a contribution, the Authorized Officer shall establish an installment schedule of payments of the contribution.

LOG EXPORT RESTRICTION

All timber sold to the Purchaser under the terms of the contract, except exempted ee. species, is restricted from export under the United States in the form of unprocessed timber, and is prohibited from being used as a substitute for exported private timber. For the purpose of this contract, unprocessed timber is defined as (1) any logs except those of utility grade or below, such as sawlogs, peeler logs, and pulp logs; (2) cants or squares to be subsequently remanufactured exceeding eight and three-quarters (8-3/4) inches in thickness; (3) split or round bolts or other roundwood not processed to standards and specifications suitable for end-product uses; or (4) western redcedar lumber which does not meet lumber of American Lumber Standards Grades of Number 3 dimension or better, or Pacific Lumber Inspection Bureau R-List Grades of Number 3 Common or better. Thus, timber manufactured into the following will be considered processed: (1) lumber and construction timbers, regardless of size, manufactured to standards and specifications suitable for end product uses; (2) chips, pulp and pulp products; (3) green or dry veneer and plywood; (4) poles and piling cut or treated for use as such; (5) cants, squares, and lumber cut for remanufacturing of eight and three-quarters (8-3/4) inches in thickness or less; (6) shakes and shingles.

Substitution will be determined under the definition found in 43 CFR 5400.0-5(n).

The Purchaser is required to maintain and upon request to furnish the following information:

- 1. Date of last export sale.
- 2. Volume of timber contained in last export sale.
- 3. Volume of timber exported in the past twelve (12) months from the date of last export sale.
- 4. Volume of Federal timber purchased in the past twelve (12) months from date of last export sale.
- 5. Volume of timber exported in succeeding twelve (12) months from date of last export sale.
- 6. Volume of Federal timber purchased in succeeding twelve (12) months from date of last export sale.

In the event the Purchaser elects to sell any or all of the timber sold under this contract in the form of unprocessed timber, the Purchaser shall require each party buying, exchanging, or receiving such timber to execute a "Certificate as to Non-substitution and Domestic Processing of Timber." The original of such certification shall be filed with the Authorized Officer. Additionally, when the other party is an affiliate of the Purchaser, the Purchaser will be required to update information under item (2) of Form 5450-17 (Export Determination) and file the form with the Authorized Officer.

In the event an affiliate of the Purchaser has exported private timber within twelve (12) months prior to purchasing or otherwise acquiring Federal timber sold under this contract, the Purchaser shall, upon request, obtain from the affiliate information in the form specified by the Authorized Officer and furnish the information to the Authorized Officer.

Prior to the termination of this contract, the Purchaser shall submit to the Authorized Officer Form 5460-15 (Log Scale and Disposition of Timber Removed Report) which shall be executed by the Purchaser. In addition, the Purchaser is required under the terms of this contract to retain for a three-year period from the date of termination of the contract the records of all sales or transfer of logs involving timber from the sale for inspection and use of the Bureau of Land Management.

Unless otherwise authorized in writing by the Contracting Officer, the Purchaser shall brand clearly and legibly one end of all logs with a scaling diameter (small end inside bark) of over 10 inches, prior to the removal of timber from the contract area. All loads of 11 logs or more will have a minimum of 10 logs clearly and legibly branded on one end regardless of the diameter of the logs. All logs will be branded on loads of 10 logs or less. One end of all branded logs to be processed domestically will be marked with a 3 square inch spot of highway yellow paint. The Purchaser will stop trucks for accountability monitoring at mutually agreed upon locations when notified by the Authorized Officer.

If multiple trailers (mule trains) are used, each bunked load shall be considered an individual load, and these guidelines will apply to each bunked load. If a flatbed stake trailer is used, each bundle will be treated as a separate load.

At the discretion of the Contracting Officer, the Purchaser may be required to brand and paint all logs. Any increased cost for log branding and painting shall be the responsibility of the Purchaser.

In the event of the Purchaser's noncompliance with this subsection of the contract, the Authorized Officer may take appropriate action as set forth in Section 10 of this contract. In addition, the Purchaser may be declared ineligible to receive future awards of Government timber for a period of one year.

EQUAL OPPORTUNITY IN EMPLOYMENT

ff. Certification of Nonsegregated Facilities, Form 1140-3, is attached hereto and made a part hereof.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

EQUAL OPPORTUNITY IN EMPLOYMENT CERTIFICATION OF NONSEGREGATED FACILITIES

Bid, offer, or contract number or other identification

ORS000-TS - 2013.0101 Roller Coaster Timber Sale

By the submission of this bid or offer and/or by entering into this contract, the bidder, offeror, lessee, subcontractor, or applicant certifies that he does not maintain or provide for his employees any segregated facilities at any of his establishments, and that he does not permit his employees to perform their services at any location, under his control, where segregated facilities are maintained. He certifies further that he will not maintain or provide for his employees any segregated facilities at any of his establishments, and that he will not permit his employees to perform their services at any location, under his control, where segregated facilities are maintained. The bidder, offeror, applicant, or subcontractor agrees that a breach of this certification is a violation of the Equal Opportunity clause in this contract. As used in this certification, the term "segregated facilities" means, but is not limited to, any waiting rooms, work areas, rest rooms and wash rooms, restaurants and other eating areas,

time clocks, locker rooms and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing facilities provided for employees which are segregated by explicit directive or are in fact segregated on the basis of race, color, religion, sex, or national origin, because of habit, local custom, or otherwise. He further agrees that (except where he has obtained identical certifications from proposed subcontractors for specific time periods) he will obtain identical certifications from proposed subcontractors prior to the award of subcontractors exceeding \$10,000 which are not exempt from the provisions of the Equal Opportunity clause; that he will retain such certifications in his files; and that he will forward the following notice to such proposed subcontractors (except where the proposed sub-contractors have submitted identical certifications for specific time periods):

NOTICE TO PROSPECTIVE SUBCONTRACTORS OF REQUIREMENT FOR CERTIFICATIONS OF NONSEGREGATED FACILITIES

A Certification of Nonsegregated Facilities, as required by the May 9, 1967, order (32 F.R. 7439, May 19, 1967) on Elimination of Segregated Facilities, by the Secretary of Labor, must be submitted prior to the award of a sub- contract exceeding \$10,000 which is

not exempt from the provisions of the Equal Opportunity clause. The certification may be submitted either for each subcontract or for all subcontracts during a period (i.e., quarterly, semiannually, or annually).

In accordance with 41 CFR 60, as amended May 19, 1967, and Executive Order No. 11246 of September 24, 1965, as amended, this certification is applicable to all bids, offers, contracts and subcontracts as well as agreements with applicants who are themselves performing federally assisted contracts, which may exceed \$10,000 and are not exempt from the provisions of the Equal Opportunity clause of the Order.


United States Department of the Interior BUREAU OF LAND MANAGEMENT


TIMBER SALE CONTRACT MAP

Contract No. TS2013.0101 Roller Coaster Timber Sale Exhibit A Page 1 of 3

T. 2S, R. 5W, Sections 7,17,21 & 29, W. M. - SALEM DISTRICT - OREGON

January 3rd, 2013





Contour Interval: 40 feet

1 inch = 1,000 feet

Note: Boundaries of Harvest Areas are posted and/or painted orange.



Acres shown on Exhibit A for partial cut have been computed using a Trimble Pro XH Global Positioning System receiver. Acreage was calculated based on Global Positioning System traverse procedures including differential correction.

Prepared By: csween 01/03/2013


United States Department of the Interior BUREAU OF LAND MANAGEMENT


TIMBER SALE CONTRACT MAP

Contract No. TS2013.0101 Roller Coaster Timber Sale Exhibit A Page 2 of 3

T. 2S, R. 5W, Sections 7,17,21 & 29, W. M. - SALEM DISTRICT - OREGON

January 3rd, 2013





Contour Interval: 40 feet

1 inch = 1,000 feet

Note: Boundaries of Harvest Areas are posted and/or painted orange.

Acres shown on Exhibit A for partial cut have been computed using a Trimble Pro XH Global Positioning System receiver. Acreage was calculated based on Global Positioning System traverse procedures including differential correction.

Prepared By: csween 01/03/2013


United States Department of the Interior BUREAU OF LAND MANAGEMENT


TIMBER SALE CONTRACT MAP

Contract No. TS2013.0101 Roller Coaster Timber Sale Exhibit A Page 3 of 3

T. 2S, R. 5W, Sections 7,17,21 & 29, W. M. - SALEM DISTRICT - OREGON

January 3rd, 2013





Contour Interval: 40 feet

1 inch = 1,000 feet

Note: Boundaries of Harvest Areas are posted and/or painted orange.



Acres shown on Exhibit A for partial cut have been computed using a Trimble Pro XH Global Positioning System receiver. Acreage was calculated based on Global Positioning System traverse procedures including differential correction.

Prepared By: csween 01/03/2013

Form 5450-3a (February 1986)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

EXHIBIT B / PRE-SALE

5450-3

Contract No.

ORS06-TS-2013.0101

Roller Coaster

The following estimates and calculations of value of timber sold are made solely as an administrative aid for determining: (1) adjustments made or credits given in accordance with Secs. 6, 9, or 11; (2) when payments are due; and (3) value of timber subject to any special bonding provisions. The value of timber will be determined by multiplying the value per acre as shown below, times the amount of acreage as determined by the Authorized Officer, which has been cut or removed or designated for taking. Except as provided in Sec. 2, Purchaser shall be liable for total purchase price even though quantity of timber actually cut or removed or designated for taking is less than the estimated volume or quantity shown. Cutting areas are shown on **Exhibit A.**

SPECIES	ESTIMATED VOLUM (Units Spec		JANTITY		PRICE PER UNIT	ESTIMATED VOLUME OR QUANTITY X UNIT PRICE
Douglas Fir		6,	789.0	MBF	\$197.80	\$1,342,864.20
Western Hemlock			131.0	MBF	\$154.50	\$20,239.50
TOTALS			6,920.0	MBF		\$1,363,103.70
The apportionment of the total purc	hase price is as follows:					
Unit 1 - Unit 1						
Douglas Fir	514.0 MBF	X	\$197.80	=	\$101,669.20	
Western Hemlock	3.0 MBF	X	\$154.50	=	\$463.50	
Total	517.0 Mbf				\$102,132.70	43.0 acres = \$2,375.18/Acre
Unit 2 - Unit 2						
Douglas Fir	300.0 MBF	X	\$197.80	=	\$59,340.00	
Western Hemlock	1.0 MBF	Х	\$154.50	=	\$154.50	
Total	301.0 Mbf				\$59,494.50	25.0 acres = \$2,379.78/Acre
Unit 3 - Unit 3	450 0 MDE	· ·	#407.00		#04 450 00	
Douglas Fir	159.0 MBF	X	\$197.80	=	\$31,450.20	
Western Hemlock	1.0 MBF	X	\$154.50	=	\$154.50	
Total	160.0 Mbf				\$31,604.70	13.0 acres = \$2,431.13/Acre
Unit 4 - Unit 4						
Douglas Fir	306.0 MBF	X	\$197.80	=	\$60,526.80	
Western Hemlock	7.0 MBF	X	\$154.50	=	\$1,081.50	
Total	313.0 Mbf				\$61,608.30	20.0 acres = \$3,080.42/Acre
Unit 5 - Unit 5						
Douglas Fir	880.0 MBF	X	\$197.80	=	\$174,064.00	
Western Hemlock	20.0 MBF	Χ	\$154.50	=	\$3,090.00	
Total	900.0 Mbf				\$177,154.00	38.0 acres = \$4,661.95/Acre
Unit 6 - Unit 6						
Douglas Fir	3,424.0 MBF	X	\$197.80	=	\$677,267.20	
Western Hemlock	78.0 MBF	X	\$154.50	=	\$12,051.00	
Total	3502.0 Mbf				\$689,318.20	199.0 acres = \$3,463.91/Acre

Form 5450-3a (February 1986)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

EXHIBIT B / PRE-SALE

5450-3

Contract No.

ORS06-TS-2013.0101

Roller Coaster

The following estimates and calculations of value of timber sold are made solely as an administrative aid for determining: (1) adjustments made or credits given in accordance with Secs. 6, 9, or 11; (2) when payments are due; and (3) value of timber subject to any special bonding provisions. The value of timber will be determined by multiplying the value per acre as shown below, times the amount of acreage as determined by the Authorized Officer, which has been cut or removed or designated for taking. Except as provided in Sec. 2, Purchaser shall be liable for total purchase price even though quantity of timber actually cut or removed or designated for taking is less than the estimated volume or quantity shown. Cutting areas are shown on **Exhibit A.**

Unit 7 - Unit 7						
Douglas Fir	397.0 MBF	X	\$197.80	=	\$78,526.60	
Western Hemlock	9.0 MBF	Χ	\$154.50	=	\$1,390.50	
Total	406.0 Mbf				\$79,917.10	26.0 acres = \$3,073.73/Acre
Unit 8 - Unit 8						
Douglas Fir	533.0 MBF	X	\$197.80	=	\$105,427.40	
Western Hemlock	12.0 MBF	Χ	\$154.50	=	\$1,854.00	
Total	545.0 Mbf				\$107,281.40	26.0 acres = \$4,126.21/Acre
Unit RW - Unit RW						
Douglas Fir	276.0 MBF	X	\$197.80	=	\$54,592.80	
Total	276.0 Mbf				\$54,592.80	7.0 acres = \$7,798.97/Acre

TS2013.0101 Roller Coaster Timber Sale Exhibit C


Page 9 of 43

150: ROAD PLAN AND DETAIL SHEET

							150:	110,	וטר	-	171	100	, L I /							Page 9 of 4
						ROAD	WIDTH	GRA	DIANT	-	BA	SE COU	IRSE	SUR	FACI	VG (*5)		COURS		-
	Start Station or	End Station or	rotal Length	Typical Cross Section	1. Curve Radius	Subgrade		Favorable	Adverse	Min. Width	Comp. Depth	Surface Type (*3)	Grading Size (*3)	Number of Lifts	Min. Width	Comp. Depth	Surface Type (*3)	Grading Size (*3)	Number of Lifts	
Road Number		Milepost		-	ΞĒ	Sub	Ditch	Мах.	Мах.	Ξ	Š	Sur	E.	N N	Ξ	3	Sur	E.	Ž	Remarks
2-5-22	0.000	0.356	.356	6		14	2								_		-			20 CY 1-1/2"-0" Crushed Spot Rock (Plus rock listed on culvert list).
2-5-21.5	0.000	1.529	1.529	6		14	2													80 CY 1-1/2"-0" Crushed Spot Rock.
2-5-21	0.000	0.494	0.494	6		14	2													30 CY 1-1/2"-0" Crushed Spot Rock (Plus rock listed on culvert list).
2-5-19	0.000	1.484	1.484	6		14	2													80 CY 1-1/2"-0" Crushed Spot Rock (Plus rock listed on culvert list).
2-5-19	1.484	1.595	0.111	2		14	2													Inslope Road, Clean Ditch Line.
2-5-19	1.595	2.450	0.855	6		14	2													50 CY 1-1/2"-0" Crushed Spot Rock (Plus rock listed on culvert list).
2-5-19	2.450	2.471	0.021	4		14	0													Outslope Road, Remove Dirt Berm on Outside Edge of Roadway. Stop Outslope and Road Renovation at Property Boundary.
2-5-18 .5	0.000	0.288	0.288	6		14	2													10 CY 1-1/2"-0" Crushed Spot Rock.
2-5-17.1	0.000	0.149	0.149	4		14	0													Outslope Road, Create Punchouts to Drain Water. 30 CY Pit-Run leveling rock @ M.P. 0.038
2-5-17.1	0.149	0.695	0.546	6		14	2													Crown Road Surface. 20 CY 1-1/2"-0" Crushed Spot Rock (Plus rock listed on culvert list).
2- 5-17	0.000	0.151	0.151	6		14	2													30 CY 1-1/2"-0" Crushed Spot Rock (Plus rock listed on culvert list).
2-4 Subgrade # Type Typkal Grading Inslope	1 g Section	Cut slope Mamum Top Courts with Courts a with Courts a with 2-4 Topic result Typi Typical Surfa Insie	width	\checkmark	tope Fitt stope 1.5.:1	,	2-4 % Type 3 Grading Outslops	Section		stope 5.	Cel	Sy Sylvan	bgrade wk	g Sectio		files slope	Add and sho (S	2 ft. for fil ulder of cu	thoulder: 1 ft ils over 6 ft, urves as folk Plan Map, E Cut sio 1/4	xhibit C) Intervisible and not more than 7.5.Qif. apart. 5. Surfacing. Turnouts, curve widening and road approach aprons shall be surfaced. 11. Angle of repose 6. Clearing width
Dinch min. Typical G	Onches 3.1 slope from subgrade. Depth may be acceeded. Depth may be acceeded. Depth may be acceeded. Fig. 8 slope 1.5.1 Sanding Section W/Olich	1'	Blope M	9 6	3	ulder stope	dope	25.0	Re	oadway	an.	<u></u>		10 11	T led	25 n. tap 6 ft. min. urnout ingth 50 feet 25 ft. tap 6 ft. min.	3 Sur PRI GR SRI JRI ABG	Slopes und Slopes over in bench co pes exceed face type R - Pit tut R - Grid t N - Scree R - Jaw tt C - Aggt. C - Aggt.	n rock rolled rock rolled rock un rock base course surface cou chips	1
									, yp	mar 1100				Турк	alTurn	out			50	

150: ROAD PLAN AND DETAIL SHEET

Page	10	of	43
------	----	----	----



TS2013.0101 Roller Coaster Timber Sale Exhibit C

Page 11 of 43

150: ROAD PLAN AND DETAIL SHEET

							13	U. N	JAU	FLAI	A WIA	ט טנ	IAIL							Page 11 of 43
														SURFAC	CING (*5					
				5		RUAD	WIDTH	GRAI	DIANT		BA	SE COU			-	SUR	FACE CC	T		
Road Number	Start Station or Milepost	End Station or Milepost	Total Length	Typical Cross Section	Min. Curve Radius	Subgrade	Ditch	Max. Favorable	Max. Adverse	Min. Width	Comp. Depth	Surface Type (*3)	Grading Size (*3)	Number of Lifts	Min. Width	Comp. Depth	Surface Type (*3)	Grading Size (*3)	Number of Lifts	Remarks
Spur G	0+00	19+88	19+88	3		14	0													Sta. 3+06 - 3+55: Place Geotextile Fabric on Excavated Soil,, Place 1' Lift Below Culvert, Bed and fill with 80 total CY Pit-Run Rock.
Spur G-1	0+00	2+52	2+52	3		14	0													
Spur H	0+00	1+00	1+00	3		14	0													Decommission Only - decommission after use. Construct barricade utilizing 50 cubic yards of riprap.
Spur I	0+00	9+05	9+05	3		14	0													
Spur J	0+00	3+07	3+07	3		14	0													
																			-	
Cut slope 2-4 - Subgrade wic Type 1 Typical Grading Insloped	1.5.1	Subgri	n Base width		der stope		Ty	rade width TPE 3 adding Security of the securi	etion	1.5 n	(Mini Cou	um Tope width mass source width mass source width toprade wid Type 4 Surfacing Outslope	4	Shoulder:	Hope Fill slope	Add and sho (S	2 ft. for fi ulder of c ee Road kslopes erials d rock	shoulder: ils over 6 urves as Plan Map	1 ft. for fills of 1-6 ft. Width - 10 ft. in addition to subgrade width, ft. Widen the inside or as shown on the plans.
Subg Ditch min w Ty Typical Gr	Ditches from subgrade, 31 slope in the subgrade, 31 slope in the subgrade is obtain required drainage, and the state of the subgrade is obtain required drainage. 33 dr., 45 pe 5 adding Section O titch	pe	Oitch_ min. wi	уре 6	Top dih	-Shoulder a	ope Fill slope 1.5:1	88	*2	Roadw PLAN Typical T		· •	Ģ	lo II	Turno lengti 50	out h feet	Note Full slop 3. Suri SRM SRM JRF ABO	nmon Slopes un Slopes ov e. bench cc es exces 7 - Pit ru R - Grid N - Scret C - Aggr - Wood	n rock rolled rock and rock base col surface chips	3/4:1


U.S. Department of the Interior Bureau of Land Management

Contract No. TS2013.0101 Roller Coaster Timber Sale Exhibit C Page 28 of 43

September 11th, 2012

removal, rocked, decom

Road Plan Map
T. 2S R. 5W Sec 7, 17, 21 & 29 W.M.
Salem District- Oregon



Roller Coaster Engineering Roads Existing, Rocked W waste_areas Roads to be renovated, natural surface, Decommission after use Roads to be renovated, natural surface, decommission after use Roads to be renovated, natural surface, decommission after use Roads to be renovated, rocked, decom Roads to be renovated, rocked surface

No warranty is made by the Bureau of Land Management as to the accuracy, reliability or completeness of this data for individual or aggregate use with other data csween 9/11/2012


U.S. Department of the Interior Bureau of Land Management

Contract No. TS 2013.0101 Roller Coaster Timber Sale Exhibit C Page 29 of 43

September 11th, 2012

removal, rocked, decom

Road Plan Map T. 2S R. 5W Sec 7, 17, 21 & 29 W.M. Salem District- Oregon



Roller Coaster Engineering Roads Existing, Rocked W waste_areas Roads to be renovated, natural surface Roads to be renovated, natural surface, decommission after use Roads to be renovated, natural surface Roads to be renovated, natural surface, decommission after use Roads to be renovated, rocked decom Roads to be renovated, rocked surface

No warranty is made by the Bureau of Land Management as to the accuracy, reliability or completeness of this data for individual or aggregate use with other data. csween 9/11/2012

Page 30 of 43

U.S. DEPT. OF THE INTERIOR **Bureau of Land Management** SALEM DISTRICT OFFICE - OREGON

Culvert List

REMARKS *6		ROCK AP (GR	RIP RA	Т	S BUIL	A	*4	OUT	OWNSP	DC			*2		ERT L		
	(b)	((a)														
	PADS C.Y.	OUTLET	INLET	LENGTH	GAGE	SIZE	TYPE OF ELBOW	LENGTH	TYPE	SIZE	INSTALL TYPE *3	CULVERT GRADE	LENGTH	GAGE	SIZE	M.P	Road #
Replace. Small Stream. 10 CY Bedding, 20 CY Pit-Run, 10 CY Crush													38'		24"	1.147	2-5-22
New Install. Cross Drain. 10 CY Bedding, 20 CY Pit-Run, 10 CY Crus	2											-	34'		18"	1.170	2-5-22
New Install. Cross Drain. 10 CY Bedding, 20 CY Pit-Run, 10 CY Crus	2			-									36'		18"	0.113	2-5-21
Replace. Cross Drain. 10 CY Bedding, 20 CY Pit-Run, 10 CY Crushed	2								-				40'		18"	0.069	2-5-19
Replace. Cross Drain. 10 CY Bedding, 20 CY Pit-Run, 10 CY Crusher	2									1			34'		18"	0.128	2-5-19
Replace. Cross Drain. 10 CY Bedding, 20 CY Pit-Run, 10 CY Crushed	2				14								36'		18"	0.180	2-5-19
Replace. Cross Drain/Seep. 10 CY Bedding, 20 CY Pit-Run, 10 CY C	2												34'		24"	0.290	2-5-19
Replace. Cross Drain/Small Stream. 10 CY Bedding, 20 CY Pit-Run, Crushed.	2												36'		24"	0.347	2-5-19
Replace. Cross Drain. 10 CY Bedding, 20 CY Pit-Run, 10 CY Crusher	2												30'		18"	0.443	2-5-19
New Install. Cross Drain. 10 CY Bedding, 20 CY Pit-Run, 10 CY Crus	2												30'		18"	0.494	2-5-19
Replace. Cross Drain. 10 CY Bedding, 20 CY Pit-Run, 10 CY Crushe	2												34'		18"	0.586	2-5-19
Replace. Cross Drain. 15 CY Bedding, 30 CY Pit-Run, 15 CY Crushed	2												50'		24"	0.641	2-5-19
Replace. Small Stream. 10 CY Bedding, 20 CY Pit-Run, 10 CY Crush							out)ownsp	xisting C	Use E			38'		24"	0.771	2-5-19
Replace. Small Stream. 20 CY Bedding, 20 CY Pit-Run, 10 CY Crush	10												42'		36"	1.017	2-5-19
Replace. Small Stream. 10 CY Bedding, 20 CY Pit-Run, 10 CY Crush	10												40'		24"	1.263	2-5-19
Replace. Small Stream. 10 CY Bedding, 20 CY Pit-Run, 10 CY Crush	2												38'		24"	1.459	2-5-19
Replace. Small Stream. 15 CY Bedding, 20 CY Pit-Run, 10 CY Crush	10												42'		24"	1.635	2-5-19
Replace. Small Stream. 10 CY Bedding, 20 CY Pit-Run, 10 CY Crush							out)ownsp	xisting C	Use E			36'		24"	1.929	2-5-19
Replace. Cross Drain/Seep. 15 CY Bedding, 20 CY Pit-Run, 10 CY C	2												46'		24"	2.217	2-5-19
Replace. Dry Streambed. 20 CY Bedding, 20 CY Pit-Run, 10 CY Cru	2												60,		24"	0.060	2-5-17
Replace. Medium Stream. 30 CY Bedding, 25 CY Pit-Run, 20 CY Cr	10												56'		42"	0.157	2-5-17
Replace. Medium Stream. 30 CY Bedding, 25 CY Pit-Run, 20 CY Cr	10												46'		42"	0.282	2-5-17

Ga	age Char	t
age	Dec. I	nches
Gag	Steel	Alum.
10	.138	.135
12	.109	.105
14	.079	.075
16	.064	.060

unless otherwise noted.

1. Designed culvert lengths and locations are approximate.

*4. Downspout Types

1) Conventional or Fabricated 2) Turner type

*2. all culverts have 2 2/3" x 1/2"

1) Full *** Downspouts shall be CPP, Type C (single wall).

2) Half 3) Flume 3) Slip joint

**** Corrugated plastic pipe (CPP), Type S (double wall) shall be used for culvert sizes headwalls, footings & other data. 36" and smaller. All larger culvets shall be aluminized steel. Culverts 20' in length or smaller shall be one piece (no joints). No Culvert piece shall be shorter than 6 foot.

Minimization of banding is required.

*6. Include special sections, structures,

Culvert List

CULVERT LOCATIONS DESIGNED *2							Curvert List						ROCK RIP RAP (GRADING) (a) (b)			REMARKS *6		
						DOWNSPOUT *4			4 &*5	AS BUILT		(b)						
Road #	M.P	SIZE	GAGE	LENGTH	CULVERT	GRADE	INSTALL TYPE *3	SIZE	TYPE	LENGTH	TYPE OF ELBOW	SIZE	GAGE	LENGTH	INLET	OUTLET	SPLASH PADS C.Y.	
2-5-17.1	0.031			42'													5	Replace. Small Stream/Seep. 20 CY Bedding, 20 CY Pit-Run, 10 CY Crushed.
Spur E-1	5+65	24"		40'														Install New, Live Stream. Bed and cap with existing soil. Remove During Decommissioning, Place at Specified Location.
Spur E-1	8+75	24"		40'														Install New, Live Stream. Bed and cap with existing soil. Remove During Decommissioning, Place at Specified Location.
Spur G	3+31	24"		32'													3, ,	Install New, Seep/Small Stream. Remove During Decommissioning, Place at Specified Location. Place 80 CY Pit-Run Rock.
Spuri	0+67	18"		40'														Install New, Low Spot. Remove During Decommissioning, Place at Specified Location.
									L									
2.000			l		NO	TES:		I	.	l		* 3 . Se	e culve	rt instal	l llation s	heet		*5. Elbow types

Gage Chart										
3e	Dec. Inches									
Gage	Steel	Alum.								
10	.138	.135								
12	.109	.105								
14	.079	.075								
16	.064	.060								

_				
1.	Designed	culvert	lengths	

and locations are approximate.

*4. Downspout Types

1) Conventional or Fabricated

*** Downspouts shall be 1) Full

2) Turner type

*2. all culverts have 2 2/3" x 1/2"

2) Half

CPP, Type C (single wall).

3) Slip joint

unless otherwise noted.


3) Flume

*6. Include special sections, structures,


**** Corrugated plastic pipe (CPP), Type S (double wall) shall be used for culvert sizes 36" and smaller. All larger culvets shall be aluminized steel. Culverts 20' in length or smaller shall be one piece (no joints). No Culvert piece shall be shorter than 6 foot. Minimization of banding is required.


headwalls, footings & other data.

CULVERT INSTALLATION DETAILS



U.S. DEPT. OF THE INTERIOR Bureau of Land Management SALEM DISTRICT OFFICE - OREGON CULVERT BAND DETAILS





THE HUGGER COUPLER BAND OR AN APPROVED EQUIVALENT COUPLER BAND SHALL BE MADE OF THE SAME MATERIAL AND FINISH AS THE PIPES JOINED. THE COUPLER BANDS SHALL HAVE A MINIMUM WIDTH OF 10 1/2 INCHES AND MAY BE TWO NUMERICAL THICKNESSES LIGHTER THAN THE GAGE OR THICKNESS DESIGNATED FOR THE CONDUIT JOINED. THE BAND SHALL BE DESIGNED TO BE DRAWN TOGETHER WITH TWO 1/2 INCH BOLTS THROUGH USE OF A BAR AND STRAP SUITABLY WELDED TO THE BAND. THE BAND SHALL ENGAGE AND MESH WITH THE SECOND ANNULER CORRUGATION INWARD FROM THE END OF EACH OF THE CONDUIT SECTIONS JOINED.

STANDARD CONSTRUCTION IS 1 PIECE 12' THRU 48' AND 2 PIECE 54' AND ABOVE

GASKETS AND "HUGGER" TYPE BANDS, OR AN APPROVED EQUIVALENT COUPLER, SHALL BE INSTALLED IN ALL 48" AND LARGER METAL PIPES.

"HUGGER" COUPLER BANDS


		57	ANDA	ARD C	DUPL	ER B	ANDS		
				COR	RUGAT	ED			
CULVE		STD. AN				3. 3		6"	< 1"
INCH	_S	WIDTH	NO. OF BOLTS	HTCIW	NO. OF BOLTS	WIDTH	NO. OF BOLTS	WIDTH	NO. OF BOLTS
UNDER		7	2	7	2				
18 TO	54	12	3	12	3	14	3	18	3
OVER	54	24	5	24	5	24	5	24	4

DATA IN THIS BLOCK DOES NOT APPLY TO PERFORATED PIPE UNDERDRAIN. FOR BANDS WITH "PUNCH-QUIT" TYPE CONNECTIONS, 2 BOLTS ARE PERMISSIBLE FOR EACH LAP. BANDS SHALL LAP 1/2 WIDTH UNTO EACH SECTION OF PIPE AND MUST FULLY ENCIRCLE THE JOINT FORMING A NEARLY WATERTIGHT CONNECTION.

- A BANDS WITH ANGLES
- B BANDS WITH TENSION TYPE CONNECTIONS


U.S. DEPT. OF THE INTERIOR Bureau of Land Management SALEM DISTRICT OFFICE - OREGON


Earth Barricad, Waterdip, Drivable and Non-Drivable Waterbar Details




U.S. DEPT. OF THE INTERIOR Bureau of Land Management SALEM DISTRICT OFFICE - OREGON

BRUSHING DETAILS







(NO SCALE)

Running Surface Shoulder of running surface Area to be cut: shall be free of overhanging limbs and all vegatation will be cut to a maximum height of one (1) foot.

- Variable distance between running surface and start of fill slope
- ** All areas within the variable distance shall be free of all vegatation capable of growing one (1) foot in height or higher and all overhanging limbs and branches 14 feet in elevation above the running surface

Road #	New Construction	Surface Blading	Culvert Cleaning	Ditch Cleaning	Roadside Brushing	New Culvert Installs	Culvert Replacements	NOTES
2-5-22		Х	Х	Х	Х	1	1	Renovate Road – Compact Surfacing after blading and spot rocking.
2-5-21.5		Х	Х	Х	Х			Renovate road – Compact Surfacing after blading and spot rocking.
2-5-21		Х	х	Х	X	1		Renovate road – Compact Surfacing after blading and spot rocking.
2-5-20.2					Х			Road for pit access.
Weyco	L		L		L	<u> </u>	L	
0 = 10	1			T			T 4 =	
2-5-19		Х	Х	Х	Х	1	15	Renovate road – Compact Surfacing after blading and spot rocking.
2-5-18.5		Х	Х	Х	Х			Renovate road - Compact Surfacing after blading and spot rocking.
2-5-17.1		Х	Х	Х	Х		1	Renovate road - Compact Surfacing after blading and spot rocking.
		····	2			***************************************		
2-5-17		Х	Х	X	Х		3	Renovate road - Compact Surfacing after blading and spot rocking, remove and replace large fill, Place Rip-Rap for Splash Pads as directed.

Road #	New Construction	Surface Blading	Culvert Cleaning	Ditch Cleaning	Roadside Brushing	New Culvert Installs	Culvert Replacements	NOTES
Spur A	X (Sta. 6+10 to 8+10)	Х						Renovate outsloped road – Compact natural surfacing after blading, Construct ditchouts and construct small Landing at end. Decommission after use by blocking, subsoiling naturally surfaced section, and waterbarring.
Spur B		х		X	Х			Renovate outsloped road – Compact surfacing after blading and spot rocking. Decommission after use by blocking, and waterbarring.
Spur B-1	х	Х						Natural Surface outsloped road - Compact natural surfacing after blading, clear and grub, construct ditchouts and lead-off ditches, rolling dip, drift material as required to reduce grades, construct small landing at end. Decommission road by subsoiling and waterbarring.
Spur C		Х			X			Renovate outsloped road – Compact natural surfacing after blading, Construct ditchouts, Construct small Landing. Decommission after use by blocking and waterbarring.
Spur D	х	Х						Natural Surface outsloped road - Compact Subgrade after blading, clearing and grubbing, and Construct landing. Decommission after use by blocking, subsoiling, and waterbarring.
Spur E		х		Х	х			Renovate outsloped road – Compact surfacing after blading and spot rocking. Decommission after use by blocking and waterbarring.

Road #	New Construction	Surface Blading	Culvert Cleaning	Ditch Cleaning	Roadside Brushing	New Culvert Installs	Culvert Replacements	NOTES
Spur E-1	Х	Х				2		Natural Surface outsloped road – Compact Subgrade after blading, Construct Landing. Decommission after use by blocking, subsoiling, and waterbarring.
Spur F	X (Sta. 3+45 to 10+40)	х						Renovate outsloped road – Compact natural surfacing after blading, Construct ditchouts and construct small Landing at end. Decommission after use by blocking, subsoiling naturally surfaced section, and waterbarring.
Spur G	х	х				1		Natural Surface outsloped road – Compact Subgrade after blading, Construct Landing. (Sta. 3+06 – 3+55) Place Geotextile material, 80 CY Pit-Run, and Culvert Pipe. Decommission after use by blocking, subsoiling, and waterbarring.
Spur G-1	х	х						Natural Surface outsloped road – Compact Subgrade after blading, Construct Landing. Decommission after use by blocking, subsoiling, and waterbarring.
Spur H								Decommission existing roadway by subsoiling, waterbarring, and blocking with 50 CY Rip-Rap and available debris.

TS2013-0101 Roller Coaster Timber Sale EXHIBIT C Page 39 of 43

Road #	New Construction	Surface Blading	Culvert Cleaning	Ditch Cleaning	Roadside Brushing	New Culvert Installs	Culvert Replacements	NOTES
Spur I	Х	Х				1		Natural Surface outsloped road – Compact Subgrade after blading, Construct Landing. Decommission after use by blocking, subsoiling, and waterbarring.
Spur J	Х	Х						Natural Surface outsloped road – Compact Subgrade after blading, Construct Landing. Decommission after use by blocking, subsoiling, and waterbarring.

ROAD SEGMENT:		Spur A		STATIONS:	0+00 t	o 6+10	
				Volume per	Curve		
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals
Road Rock	Pit-Run	Spot Rock	V.S. Sacra	5		5	
Junction	Pit-Run	0+00					5

ROAD SEGMENT:		Spur B		STATIONS:	0+00 to	36+92	
				Volume per	Curve		
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals
Road Rock	Pit-Run	Spot Rock		35		35	4
Junction	Pit-Run	0+00		5		5	40

ROAD SEGMENT:		Spur C		STATIONS:	0+00 to	7+40	
				Volume per	Curve		
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals
Road Rock	Pit-Run	Spot Rock		25		25	
Junction	Pit-Run	0+00		5	~~~	5	30

ROAD SEGMENT:		Spur E		MILEAGE:	0.000 to	0.532	
				Volume per	Curve		
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals
Road Rock	Pit-Run	Spot Rock		25		25	
Junction	Pit-Run	0.000		5	12.	5	30

ROAD SEGMENT:		Spur F		STATIONS:	0+00 to	0 3+45	
				Volume per	Curve		
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals
Road Rock	Pit-Run	Spot Rock		10		10	
Junction	Pit-Run	0+00					10

ROAD SEGMENT:		Spur G		STATIONS:	0+00 to	19+88	
				Volume per	Curve		
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals
Culvert Cap	Pit-Run	3+06 to 3+55		80		80	80

ROAD SEGMENT:		Spur H		STATIONS:	0+00 t	0 1+00	
				Volume per	Curve		
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals
Barricade	Rip-Rap	0+00		50		50	50

ROAD SEGMENT:		2-5-22		MILEAGE:	0.000 to 0.356			
				Volume per	Curve			
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary	
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals	
Road Rock	Crushed	Spot Rock		20	· 1/2 0 3	20	74.4	
Culvert Bedding	Fine Crushed	0.206, 0.229		20		20		
Road Rock	Pit-Run	0.206, 0.229	8"	40		40		
Road Rock	Crushed	0.206, 0.229	4"	20		20	20	
Energy Dissipater	Rip-Rap	0.206, 0.229		4		4	104	

ROAD SEGMENT:		2-5-21.5		MILEAGE:	0.000 t	o 1.529	
				Volume per	Curve		
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals
Road Rock	Crushed	Spot Rock		80	1 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	80	80

ROAD SEGMENT:		2-5-21		MILEAGE:	0.000 to	o 0.494	
				Volume per	Curve		
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals
Road Rock	Crushed	Spot Rock	Po 40 Po			30	
Culvert Bedding	Fine Crushed	0.113				10	
Road Rock	Pit-Run	0.113	8"			20	
Road Rock	Crushed	0.113	4"			10	
Energy Dissipater	Rip-Rap	0.113				2	72

ROAD SEGMENT:		2-5-19		MILEAGE:	0.000 to	2.471	11/0
			424	Volume per	Curve		
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals
Road Rock	Crushed	Spot Rock		130		130	
		0.069, 0.128,					- \$
	30	0.180, 0.290,				11.5	
		0.347, 0.443,					
		0.494, 0.586,					
		0.641, 0.771,					
		1.017, 1.263,					
		1.459, 1.635,					
Culvert Bedding	Fine Crushed	1.929, 2.217		185		185	
		0.069, 0.128,		- 34	7.		
	-	0.180, 0.290,					
		0.347, 0.443,					
		0.494, 0.586,					
	p 1	0.641, 0.771,					
	100	1.017, 1.263,	_				4
		1.459, 1.635,					
Road Rock	Pit-Run	1.929, 2.217	8"	330		330	
		0.069, 0.128,					
		0.180, 0.290,				-	
		0.347, 0.443,					
	0.01	0.494, 0.586,					
	9	0.641, 0.771,				40	
		1.017, 1.263,			1		
	ec 0	1.459, 1.635,				7	
Road Rock	Crushed	1.929, 2.217	4"	165		165	
		0.069, 0.128,					
		0.180, 0.290,	i		7		
		0.347, 0.443,					
		0.494, 0.586,					
		0.641, 0.771,		1			
		1.017, 1.263,					
		1.459, 1.635,	-				
Energy Dissipater	Rip-Rap	1.929, 2.217		52		52	862

ROAD SEGMENT:		2-5-18.3		MILEAGE:		0.000 to 0.288	
				Volume per	Curve		
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals
Road Rock	Crushed	Spot Rock		10		10	10

ROAD SEGMENT:		2-5-17.1	MILEAGE:	0.000 to	0.695	Eq. 1	
				Volume per	Curve		
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals
Road Rock	Crushed	Spot Rock		20		20	
Bedding Material	Fine Crushed	0.031		20		20	
Road Rock	Pit-Run	0.031	8"	20		20	
Road Rock	Crushed	0.031	4"	10		10	
Leveling Rock	Pit-Run	0.038		30		30	
Energy Dissipater	Rip-Rap			5		5	105

ROAD SEGMENT:		2-5-17		MILEAGE:	0.000 to	0.721	
				Volume per	Curve		
	Rock Size and		Compacted	Station/Item	Widening	Approx.	Summary
Application	Туре	Location	Depth	(CY)	(CY)	Total (CY)	Totals
Road Rock	Crushed	Spot Rock		30		30	
		0.060, 0.157,					
Culvert Bedding	Crushed	0.282		80		80	
		0.060, 0.157,					
Road Rock	Pit-Run	0.282	8"	70		70	4.2
		0.060, 0.157,					
Road Rock	Crushed	0.282	4"	50		50	
		0.060, 0.157,	=1			1	
Energy Dissipater	Rip-Rap	0.282		24		22	252

ROAD CONSTRUCTION TOTAL ROCK VOLUMES


		Rock Size and		Approx.	
	Application	Туре	Location	Total (CY)	Total
	Road Rock	Crushed	All roads	575	
Road R	ock/Leveling Rock	Pit-Run	All roads	705	ACCORDING C & DE N
Cu	lvert Bedding	fine crushed	All roads	315	
Energy [Dissipater/Barricade	Rip-Rap	All roads	135	1730


U.S. Department of the Interior Bureau of Land Management

Contract No. TS 2013.0101 Roller Coaster Timber Sale Exhibit E Page 1 of 1

September 11th, 2012

Maintenance and Access Map T. 2S R. 5W Sec 7, 17, 21 & 29 W.M. Salem District- Oregon





Yamhill County controlled road, Yamhill County Maintenance

No warranty is made by the Bureau of Land Management as to the accuracy, reliability or completeness of this data for individual or aggregate use with other data. csween 9/11/2012

LOGGING RESIDUE REDUCTION

Immediately upon completion of harvest, logging slash at all landings and logging slash in Fuel Reduction Areas resulting from timber sale operations will be treated as follows:

CONSTRUCTION AND COVERING OF LANDING PILES

- 1. Within twenty-five (25) feet (horizontal distance) of the edge of each landing, all tops, broken pieces, limbs, and other activity generated woody debris greater than one (1) inch in diameter at the large end and longer than three (3) feet in length shall be piled and covered for burning within fifteen (15) days of the removal of logs from the landing area.
- 2. Landing piles should be located as far as possible from green trees, snags, or unit boundaries to minimize damage.
- 3. Landing piles shall be kept free of dirt and other non-wood debris and constructed as compactly as possible. There should be an adequate supply of finer fuels located within and under the covered area of the pile to ensure ignition of the larger fuels, and the completed piles shall be free of projecting limbs or slash which would interfere with the adequate covering of the piles. To the maximum extent possible, hardwood slash shall be mixed with conifer slash to create piles that are more burnable.
- 4. The landing piles shall be adequately covered with four (4) mil. (0.004) inch thick black polyethylene plastic to ensure ignition. The plastic shall be furnished by the Purchaser. The plastic shall be oriented southwest (SW) to northeast (NE) and over the top of the pile. Plastic shall be held in place with woody debris or tied with rope or twine. The plastic must be secured so that it is held in place during strong wind conditions. Covering shall be completed before September 30th of the year in which the piling occurred, or as directed by the Authorized Officer.
- 5. No landing debris shall be dozed off the landing and covered with dirt. Debris which has been buried and is determined to be the source of holdover fire shall be excavated by the Purchaser, at the Purchaser's expense, with a tractor and/or hydraulic excavator as directed by the Authorized Officer.
- 6. If landing debris is minimal and determined by the Authorized Officer to not be a major fire hazard, the debris should be removed from the landing area and scattered on yarding corridors or skid trails to a depth not to exceed six (6) inches, as directed by the Authorized Officer.
- 7. If the construction of the landing piles will not permit adequate consumption of the piled debris, the Purchaser shall be required to re-pile the debris at the direction of the Authorized Officer.

SLASH PULLBACK

Slash pullback along property lines has been identified for treatment in the units listed below and is shown on the Exhibit F.

- Unit No. 1: One (1) acre along the north property line.
- Unit No. 3: One (1) acre along the west property line.
- Unit No. 5: Two (2) acres along the south and east property lines.
- Unit No. 6: Two (2) acres along the north and east property lines.
- Unit No. 7: Two (2) acres along the north and east property lines.
- Unit No. 8: One (1) acre along south property line.
- 1. The Authorized Officer shall notify the Purchaser of the date work is to begin. Work shall begin within ten (10) days of such date.
- 2. All logging slash greater than two (2) feet long and between one (1) inch and six (6) inches in diameter at the large end should be completely removed at least twenty-five (25) feet (horizontal distance) from the edges of designated property lines. Larger material which has a portion meeting this specification must be bucked at the six (6) inch diameter and that portion pulled back.
- 3. Slash shall not be piled, or windrowed.
- 4. Slash shall be scattered over the site so that the slash is no more than one-foot in depth, measured from mineral soil.

SITE PREPARATION

Site preparation consisting of machine pile construction and covering has been identified for treatment in the units listed below and is shown on the Exhibit F.

- Unit No. 1: Two (2) patch openings totaling two (2) acres.
- Unit No. 2: Three (3) patch openings totaling three (3) acres.
- Unit No. 3: One (1) patch opening totaling one (1) acre.
- Unit No. 4: Three (3) Phellinus weirii pockets totaling three (3) acres.
- Unit No. 5: Two (2) Phellinus weirii pockets totaling three (8) acres.
- Unit No. 6: Six (6) patch openings totaling six (6) acres and two (2) *Phellinus weirii* pockets totaling eight (8) acres.
- Unit No. 8: One (1) Phellinus weirii pocket totaling five (5) acres.

The Authorized Officer shall notify the Purchaser of the date work is to begin. Work shall begin within ten (10) days of such date. A pre-work meeting prior to startup of the site preparation will be required. Site preparation shall be completed as follows:

SPECIAL PROVISIONS FOR MACHINE PILE CONSTRUCTION AND COVERING


- 1. Within designated Fuels Reduction Areas identified on Exhibit F activity generated woody debris shall be piled and covered for burning within the same logging season as yarding operations and during periods of low soil moisture as determined by the Authorized Officer.
- 2. A track mounted hydraulic excavator shall be used to pile woody debris.
- 3. Prior to piling; the excavator shall be cleaned in accordance with section 41.y.
- 4. The excavator shall be equipped with a hydraulic thumb or a rotating controllable grapple head. The machine shall exert no more than 6 PSI ground pressure and shall have a minimum reach of twenty-five (25) feet. The excavator shall not operate on slopes greater than thirty-five (35) percent.
- 5. Along roads, the excavator will be limited to construction of machine piles from the roadbed to avoid compaction within the harvest area.
- 5. Within ground based yarding areas, laminated root rot (*Phellinus weirii*) pockets, along property lines, or in other designated fuel reduction areas, the piling method shall minimize both the amount of ground covered by treads and the number of passes over any single spot on the ground in accordance with the instructions of the Authorized Officer.
- 6. All equipment shall meet the approval of the Authorized Officer.
- 7. Machine piles should be located as far as possible from green trees, snags, or unit boundaries to minimize damage.
- 8. Machine piles shall be kept free of dirt and other non-wood debris and constructed as compactly as possible. There should be an adequate supply of finer fuels located within and under the covered area of the pile to ensure ignition of the larger fuels, and the completed piles shall be free of projecting limbs or slash which would interfere with the adequate covering of the piles. To the maximum extent possible, hardwood slash shall be mixed with conifer slash to create piles that are more burnable. Logging debris greater than six (6) inches in diameter at the small end shall not be piled.
- 9. The machine piles shall be adequately covered with four (4) mil. (0.004) inch thick black polyethylene plastic to ensure ignition. The plastic shall be furnished by the Purchaser. The plastic shall be oriented southwest (SW) to northeast (NE) and over the top of the pile. Plastic shall be held in place with woody debris or tied with rope or twine. The plastic must be secured so that it is held in place during strong wind conditions. Covering shall be completed before September 30th of the year in which the piling occurred, or as directed by the Authorized Officer.

Fuel Reduction Map

Contract No. TS 2013-0101 Roller Coaster Timber Sale Exhibit G Page 1 of 3


T. 2S, R. 5W, Sections 7,17,21 & 29, W. M. - SALEM DISTRICT - OREGON

August 29, 2012



Contour Interval: 40 feet

1 inch = 1,000 feet





Note: Boundaries of Harvest Areas are posted and/or painted orange.

Acres shown on Exhibit A for partial cut have been computed using a Trimble Pro XH Global Positioning System receiver. Acreage was calculated based on Global Positioning System traverse procedures including differential correction.


Prepared By: covrean 8/29/2012

FUEL REDUCTION MAP

Contract No. TS 2013-0101 Roller Coaster Timber Sale Exhibit G Page 2 of 3


T. 2S, R. 5W, Sections 7,17,21 & 29, W. M. - SALEM DISTRICT - OREGON

August 29, 2012



Contour Interval: 40 feet

1 inch = 1,000 feet





Note: Boundaries of Harvest Areas are posted and/or painted orange.

Acres shown on Exhibit A for partial cut have been computed using a Trimble Pro XH Global Positioning System receiver. Acreage was calculated based on Global Positioning System traverse procedures including differential correction.

Prepared By: coween 8/29/2012

FUEL REDUCTION MAP

Contract No. TS 2013-0101 Roller Coaster Timber Sale Exhibit G Page 3 of 3


T. 2S, R. 5W, Sections 7,17,21 & 29, W. M. - SALEM DISTRICT - OREGON

August 29, 2012



Contour Interval: 40 feet

1 inch = 1,000 feet





Note: Boundaries of Harvest Areas are posted and/or painted orange.

Acres shown on Exhibit A for partial cut have been computed using a Trimbie Pro XH Global Positioning System receiver. Acreage was calculated based on Global Positioning System traverse procedures including differential correction.


Prepared By: cawean 8/29/2012

PROJECT LOCATION MAP

Contract No. TS2013.0101 Roller Coaster Timber Sale Project Location Page 1 of 1

T. 2S, R. 5W, Section 7, 17 & 21 W. M. - SALEM DISTRICT - OREGON

January 9th, 2013



Legend

Gate Locations

Roller Coaster Access Roads

---- Roads

Sale Units

No warranty is made by the Bureau of Land Management as to the accuracy, reliability, or completeness of these dat for individual or aggregate use with other data. Original data were compiled from various sources and may be updated without notification.

Salem RollerCoaster TS 2013-0101

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Timber - Sale - Summary

Legal Description

Forest Type	Township	Range	Section	Subdivision
O&C	2 S	5 W	7	S1/2 SW1/4
O&C	2 S	5 W	17	NE1/4NE1/4,S1/2NE1/4,W1/2,NE1/4SE1/4,S1/2SE1/4
O&C	2 S	5 W	21	N1/2,N1/2SW1/4,N1/2SE1/4
O&C	2 S	5 W	29	NE1/4NE1/4

Cutting Volume (16' MBF)

				Cutting vo	funic (10 MIDI)					
Unit	DF	WH				1	Total	Regen	Partial	ROW
1	505	3		+ , -, -			508	2	41	0
2	300	1		and the second			301	3	22	0
3	159	1				12	160	1	12	0
4	306	7					313	3	17	0
5	880	20			1		900	11	27	0
6	3,424	78	1				3,502	14	185	0
7	397	9	= 7				406	0	26	0
All RW	276						276	0	0	7
8	533	12			7-3		545	5	21	0
otals	6,780	131					6,911	39	351	7

Printed: 12/31/2012 6:31:34AM Page 2 of 3

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Logging Costs per 16' MBF		Profit & Risk	
Stump to Truck Transportation Road Construction	\$ 111.17 \$ 47.01 \$ 18.73	Total Profit & Risk Basic Profit & Risk 11 % + Additional Ri Back Off	11 % sk 0 %
Road Amortization	\$ 0.99	Tract Features	
Road Maintenance Other Allowances:	\$ 3.54	Avg Log Douglas-fir: 50 bf Recovery Douglas-fir: 95 %	All : 51 bif All : 95 %
Equipment Washing	\$ 0.07	Salvage Douglas-fir: 0 %	All: 0%
Misc Slash Pullback	\$ 2.89 \$ 0.46	Avg Volume (16' MBF per Acre) Avg Yarding Slope	17 25 %
Total Other Allowances:	\$ 3.41	Avg Yarding Distance (feet) Avg Age	600 7 0
		Volume Cable Volume Ground Volume Aerial	19 % 81 % 0 %
		Road Construction Stations	72.52 0.00
		Road Improvement Stations Road Renovation Stations	433.72
		Road Decomission Stations	0.00
		Cruise	
		Cruised By	Bill Bryant, Mario Salmon
		Date	01/07/2012
Total Logging Costs per 16' MBF	\$ 184.85	Type of Cruise	Variable Plot, 3P
Utilization Center	rs ·	County, State	Yamhill, OR
Center #1 : Banks Center #2	31 Miles 0 Miles	Net Volume Green (16' MBF)	6,911
Weighted distance to Utilization Centers Length of Contrac	31	Salvage (16' MBF)	0
Cutting and Removal Time	36 Months	Douglas-fir Peeler	0
Personal Property Removal Time	1 Months	Export Volume	0
		Scaling Allowance (\$0.00 per 16' MBF)	\$0.00

Salem RollerCoaster TS 2013-0101

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Stumpage Summary

Stumpage Computation

(16' MBF)

Species	Trees	Net Volume	Pond Value	(-) Profit & Risk	(-) Logging Cost	(+) Marginal Log Value	(-) Back Off	Appraised Price	Appraised Value
DF	29,455	6,780	\$ 473.63	\$ 52.10	\$ 184.85			\$ 236.70	\$ 1,604,826.00
WH	540	131	\$ 387.60	\$ 42.64	\$ 184.85			\$ 160.10	\$ 20,973.10
Totals	29,995	6,911							\$ 1,625,799.10

Log Code by Percent

Species	Code #1	Code #2	Code #3	Code #4	Code #5	Code #6
Western Hemlock				59.0	36.0	6.0
Douglas-fir	- 35.00			47.0	47.0	6.0

Marginal Log Volume

Species	Grade #7	Grade #8		
Western Hemlock				
Douglas-fir				

Appraised By: Date:

Area Approval By: Date:

District Approval By: Date:

Printed: 12/31/2012 6:32:28AM Page 2 of 2

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

NOTICE OF REQUIREMENT FOR CERTIFICATION OF NONSEGREGATED FACILITIES

Bidders and offerors are cautioned as follows: by signing this bid or offer or entering into this contract or lease, as the case may be, the bidder, offeror, or contractor will be deemed to have signed and agreed to the provisions of the Certification of Nonsegregated Facilities in this solicitation. The certification provides that the bidder or offeror does not maintain or provide for his employees facilities which are segregated on a basis of race, color, religion, sex, or national origin, whether such facilities are segregated by directive or on a de facto basis. The certification also provides that he will not maintain such segregated facilities. Failure of a bidder or offeror to agree to the Certification of Nonsegregated Facilities will render his bid or offer nonresponsive to the terms of solicitations involving awards of contract exceeding \$10,000 which are not exempt from the provisions of the Equal Opportunity clause.

In accordance with 41 CFR 60, as amended May 19, 1967, and Executive Order No. 11246 of September 24, 1965, as amended, this notification will be included in all notices of invitations for bid, lease, offers, and requests for proposal where prospective nonexempt contracts may exceed \$10,000.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

EXPORT DETERMINATION

OMB CLEARANCE NO. 1004-0058 EXPIRES MAY 31, 1983

Location of facility where Federal Timber is expected to be processed.

INSTRUCTIONS

Timber sale applicant forwards information to authorized officer.

	authorized offic	er.			
In compliance with requirements of 43 CFR 5424,	□I □We hereby submit the f	ollowing information:			
(1) Have you exported private timber from lands trace. ☐ Yes ☐ No (If Yes, give date of last export some a. Export (date)		g facility within the last 12 months?			
(2) Provide names of affiliates* who have exported facility within the last 12 months and date of last exported the second secon		utary to the above processing			
a. Affiliate Export date					
b. Affiliate	Export date				
c. Affiliate	Export date				
*See 43 CFR 5424.0-5					
Name of Firm					
Signature of Signing Officer	Title	Date			

(See statement on reverse)

Form 5450-17 (June 1981)

The Bureau of Land Management collects this information pursuant to the law(see 43 CFR 5400.0-3(c)).

The Bureau of Land Management uses the information to determine whether Federal timber has been substituted for exported private timber (see 43 CFR 5400.0-5(n) and 5424.0-6(c)(2)).

A Bureau of Land Management timber purchaser is obligated to report this information under provisions of the above-numbered contract (see 43 CFR 5424.1).

Form 5440-9 July 1990)

☐ Sealed Bid for Sealed Bid Sale

Required bid deposited is \$

(Continued on reverse)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

DEPOSIT AND BID FOR

timber/vegetative resource on the tract specified above.

□ TIMBER*
□ VEGETATIVE RESOURCE
(Other Than Timber)

In response to the above dated Sale Notice, the required deposit and bid are hereby submitted for the purchase of designated

and is enclosed in the form of

LUMP SUM SALE

FORM APPROVED 0MB NO.1004-0113 Expires: July 31. 1992

Tract Number

ORS06-TS2013.0101

Sale Name

Roller Coaster

Sale Notice (dated)

February 13, 2013

BLM District

☐ money order

☐ Written Bid for Oral Auction Sale

□ cash

☐ certified check ☐ bid bond of corporate surety on approved list of the United States Treasury ☐ guaranteed remittance approved by the

SALEM

☐ bank draft

☐ cashier's check

authorized officer.						
IT IS AGREED That the bid dep to execute and return the contract received by the successful bidde the bid is rejected the deposit w	ct, together w r. It is unders	rith any required postood that no bid for	erformance bond	and any required pay	ment within 30 day	s after the contract is
NOT	E: Bidders s		DULE - LUMP ST heck computation	UM SALE s in completing the	Bid Schedule	
	BID SUB	MITTED			ORAL BI	D MADE
PRODUCT SPECIES	UNIT	ESTIMATED VOLUME OR QUANTITY	UNIT PRICE	TOTAL VALUE	UNIT PRICE	TOTAL VALUE
Douglas-fir	MBF	6780	_ x=	•	x=	=
Western hemlock	MBF	131	x=		x=	
	MBF		_ x=		x=	=
	MBF		_ x=	-	x=	=
	MBF		_ x=	-	x=	-
	_MBF		x=	-	x	=
	MBF		_ x=	•	x=	
	MBF		_ x=	- 1	x=	=
	MBF		_ x=		x=	=
	MBF		_ x=		x:	=
	MBF		_ x=		x:	=
	MBF		x=		x	
	_MBF		_ x=		x	=
	_MBF		x=		x=	
- 70		TOTAL PUR	RCHASE PRICE			

If sale contract is executed, undersigned is liable for total purchase price even though the quantity cut, removed, or designated for taking is more or less than the total estimated volume or quantity shown above. Undersigned certifies bid was arrived at by bidder or offeror independently, and was tendered without collusion with any other bidder or offeror. In submitting or confirming this bid, undersigned agrees to the foregoing provisions, applicable regulations, and certifies that he is authorized to act as, or on behalf of, the bidder.

Bid submitted on (date)				
(Check appropriate box, sign in ink, and complete the following)				
□Signature, if firm is individually owned	Name of firm (type or print)			
□Signatures, if firm is a partnership	Business address, include zip code (type or print)			
□Corporation organized under the state laws of	(To be completed following oral bidding)			
Signature of Authorized Corporate Signing Officer	I HEREBY confirm the above oral bid By (signature)			
Title	Date			
Submit bid, in duplicate, to qualify for either an oral auction or sealed bid sale together with the required bid deposit made payable to the Department of the Interior-BLM	Sealed Bid - Send to District Manager. who issued the sale notice. in a sealed envelope marked on the outside: (1) "Bid for Timber" (2) Vegetative Resource Other Than Timber			
Oral Auction - Submit to Sales Supervisor prior to closing of qualifying period for tract.	(3) Time bids are to be opened (4) Legal description			

The Paperwork Reduction Act of 1980 (44 U.S.C. 3501 et. seq.) requires us to inform you that:

This information is being collected to obtain data relevant to the operation of this timber sale contract.

This information will be used to administer our timber sale program.

Response to this request is required to obtain a benefit.

NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 38 FR 6280 and 43 CFR 5442.1

PURPOSE: To qualify an oral auction bidder, and then if successful, to bind bidder to certain contract conditions.

ROUTINE USE: To determine that an individual is qualified to participate in oral auction bidding, and, as surety that bidder will fulfill contract requirements.

EFFECT OF NOT PROVIDING INFORMATION: Filing this deposit and bid information is necessary only when an individual wishes to participate in a sealed or auction bid sale for timber or vegetative resources.

BURDEN HOURS STATEMENT

Public reporting burden for this form is estimated to average 1 hr. 15 mm. per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S Department of the Interior, Bureau of Land Management, (Alternate) Bureau Clearance Officer, (WO-771), 18 and C Streets, N.W. Washington, D.C. 20240, and the Office of Management and Budget, Paperwork Reduction Project (1004-0113), Washington, D.C. 20503.

INSTRUCTIONS TO BIDDERS

- Lands and on the reconveyed Coos Bay wagon Road Grant Lands is administered and sold pursuant to authority of the Act of August 28, 1937 (50 Stat. 874; 43 U.S.C.
- 118la); timber located on other lands and other vegetative resources on all public lands of the United States under jurisdiction of the Bureau of Land Management are administered and sold pursuant to authority of the Act of July 31, 1947(61 Stat, 681), as amended, by the Act of July 23, 1955(69 Stat. 367; 30 U.S.C.601 et. seq.). Regulations of the Secretary of the Interior governing sale of timber are codified in 43 CFR Group 5400.
- 2. QUALIFICATIONS OF BIDDERS A bidder for sale of timber/vegetative resources must be either (a) a citizen of the United States, (b) a partnership composed wholly of such citizens, (c) an unincorporated association composed wholly of such citizens, or (d) a corporation authorized to transact business in the State in which the timber/vegetative resource is located
- 3. INSPECTION OF TIMBER/VEGETATIVE RESOURCES Bidder is invited, urged, and cautioned to inspect the timber/vegetative resource prior to submitting a bid. By executing the timber/vegetative resource sale contract, bidder warrants that the contract is accepted on the basis of his examination and inspection of the timber/vegetative resource and his opinion of its value.
- 4. DISCLAIMER OF WARRANTY Government expressly disclaims any warranty of the fitness of the designated timber/vegetative resource for any purpose of the bidder; all timber/vegetative resources are to be sold "As Is" without any warranty of merchantability by Government. Any warranty as to the quantity or quality of timber/vegetative resource to be sold is expressly disclaimed by Government.
- 5. BIDS Sealed or written bids for not less than the advertised appraised price, per timber/vegetative resource must be submitted in duplicate to the District Manager who issued Timber/Vegetative Resource Sale Notice.
- (a) Sealed Bid Sales Bids will be received until time for opening which is set out in the Notice. Enclose both copies of bid with required bid deposit in a sealed envelope marked or the outside Rid for Timber/Vegetative Resource, time bid is to be opened, tract number, and legal description of land on which timber/vegetative resource is located. In event of a tie, the high bidder shall be determined by lot from among those who submitted the tie bids.
- (b) Auction Sales Submission of the required bid deposit and a written bid is required to qualify for oral bidding. Oral bidding shall begin from the highest written bid. No oral bid will be considered which is not higher than the preceding bid. In the event there is a tie in high written bids, and no oral bidding occurs, the bidder who was the first to submit his bid deposit and written bid shall be declared the high bidder. If the officer conducting the sale cannot determine who made the first submission of high tie written bids, the high bidder shall be determined by lot. High bidder must confirm his bid, in writing, immediately upon being declared high bidder.
- (c) Except as otherwise provided in 43 CER 5442.2, bids will not be considered in resale of timber/vegetative resource remaining from an uncompleted contract from any person or affiliate of such person who failed to complete the original contract because of(1) cancellation for the purchaser's breach or (2) through failure to complete payment by expiration date.
- (d) When it is in the interest of the Government to do so, it may reject any and all bids and may waive minor deficiencies in bids or in sale advertisement. 6. BID FORMS - All sealed, written bids, and confirmation of oral bids shall be submitted
- on forms provided by Government.
- (a) Lump Sum Sales Bids shall specify (1) Bureau of Land Management estimated volume, (2) price per unit, and (3) total purchase price. Estimated volume and price per unit are to be used for administrative and appraisal purposes only. Upon award of contract, high bidder shall be liable for total purchase price, including any adjustment which may be made as a result of reappraisal if an extension of time is granted, even though quantity of timber/vegetative resource actually cut, removed, or designated for taking is more or less than the estimated volume or quantity listed.
- (b) Timber Scale Sales Bids must state price per thousand hoard feet that will be paid for each species. High bidder will be determined by multiplying bid price per thousand board feet per species by Bureau of Land Management estimate of volume of each species Purchaser shall be liable for purchase price of all merchantable timber sold under contract even though all such timber is not actually cut and removed prior to expiration of time for cutting and removal as specified in contract. *

- 1. AUTHORITY Timber located on the revested Oregon and California Railroad Grant 7. BID DEPOSIT All bidders must make a deposit of not less than the amount specified in the Timber/Vegetative Resource Notic. Deposit may be in the form of cash, money orders. bank drafts, cashiers or certified checks made payable to the Department of the Interior-BLM, bid bonds of a corporate surety shown on the approved list of the United States Treasury Department*, or any approved guaranteed remittance approved by the Authorized Officer. Upon conclusion of bidding, the bid deposit of all bidders, except high bidder, will be returned. The cash deposit of the successful bidder may be applied toward the required sale deposit and/or the purchase price. Cash not applied to the sale deposit or the purchase price, or a corporate surety bid band, will be returned at the time the contract is signed by the Government.
 - 8. A WARD OF CONTRACT Government may require high bidder to furnish such information as is necessary to determine the ability of bidder to perform the obligation of contract. Contract will be awarded to high bidder, unless he is not qualified or responsible or unless all bids are rejected. If high bidder is not qualified or responsible or fails to sign and return the contract together with required performance bond and any required payment, contract may be offered and awarded to the highest bidders qualified, responsible, and willing to accept the contract.
 - 9. TIMBER/VEGETATIVE RESOURCE SALE CONTRACT To be executed by purchaser, has been prepared by Government, and may be examined in the District Manager's office.

10. PERFORMANCE BOND -

- (a) A performance bond in an amount of not less than 20 percent of total purchase price is required, but the amount of the bond shall not be in excess of \$500,000, except when the purchaser opts to increase the minimum bond to permit cutting prior to payment as provided in 43 CFR 5451.2, or in the event the purchaser is a holder of an unresolved default the bond may be increased as provided in 43 CFR 5150. l(b). Performance bond may be (1) bond of a corporate surety shown on approval list issued by the United States Treasury Department and executed on an approved standard form, (2) personal surety bond executed on an approved standard form if Government determines principals and bondsman are capable of carrying Out the terms of the contract, (3) cash bonds, (4) negotiable securities of the United States, or (5) Any guaranteed remittance approved by the Authorized Officer.
- (b) If purchaser elects to cut timber without skidding or yarding it to a loading point or removing it prior to the payment of the second or subsequent installments, Government shall require an increase in amount of performance bond initially required by an amount equal to the value of timber to be cut. Such increase must be on 5 bond rider form supplied by Government and be approved, in writing, by Government prior to cutting timber covered by the bond increase. This increased amount of bond shall be used to assure payment for timber cut in advance of payment.*
- 11. PAYMENT BOND If purchaser elects to (a) cut and remove timber, or (b) remove timber already cut which has been secured by an increased performance bond as provided in paragraph 10(b) above, before payment of the second or subsequent installments, Government shall require a payment bond on a form supplied by Government. Purchaser shall obtain written approval from Government of payment bond prior to cutting and/or removal of timber covered by the bond. Payment bond shall be used to assure payment for timber cot and/or removed in advance of payment. *
- 12. PAYMENT OF PURCHASE PRICE For sates of \$500 or more, Government may allow payment by installments. Except as discussed in paragraphs 10 and II above, no part of any timber/vegetative resource sold may be severed, cut, or removed unless advance payment has been made as provided in contract.
- 13. LIQUIDATED DAMAGES Within thirty (30) days from receipt of Timber Vegetative Resource Sale Contract, the successful bidder shall sign contract and return it to Government, together with required bond and any required payment. If successful bidder fails to comply within the stipulated time, his bid deposit shall be retained by Government as liquidated damages.
- 14. NINETY-DAY SALES If no bid is received within time specified in the advertisement of sale and if Government determines that there has been no significant rise in the market value of timber/vegetative resource, it may, in its discretion, keep the sale open, not to exceed ninety (90) days.
- 15. UNAUTHORIZED USE OF GOVERNMENT PROPERTY A sale may be refused to high bidder who has been notified that he has failed to make satisfactory arrangements for payment of damages resulting from unauthorized use of, or injury to property of the United States.

EQUAL OPPORTUNITY CLAUSE - This contract is subject to the provisions of Executive Order No. 11246 of September 24, 1965, as amended, which sets forth the nondiscrimination clauses. Copies of this order may be obtained from the District Manager. 43 CFR 60-1.7(b) requires that the Equal Opportunity Compliance Report Certification will be completed by prospective contractors. Certification may be obtained from District Manager.

17.LOG EXPORT - All timber offered for sale except as noted in the Timber Sale Notice is restricted from export from the United States in the form of unprocessed timber and cannot be used as a substitute for exported private timber. For the purpose of this contract, unprocessed timber is defined as: (1) any logs except those of utility grade or below, such as sawlogs. peeler logs, and pulp logs; (2) cants or squares to be subsequently remanufactured exceeding eight and three quarters (8-3/4) inches in thickness; (3) split or round bolts or other roundwood not processed to standards and specifications suitable for end product use; or (4) western red cedar lumber which does not meet lumber of American Lumber Standards Grades of Number 3 dimension

or better, or Pacific Lumber Inspection Bureau R-List Grades of Number 3 common or better. Timber manufactured into the following will be considered processed.. (I) lumber and construction timbers, regardless of size, manufactured to standards and specifications suitable for end product uses; (2) chips, pulp and pulp products; (3) green or dry veneer and plywood; (4) poles and piling cut or treated for use as such; (5) cants, squares, and lumber cut for remanufacture of eight and three quarters (8-3/4) inches in thickness or less, or (6) shakes and shingles. in event purchaser wishes to sell any or all of timber restricted from export in the form of unprocessed timber. the buyer, exchanges, or recipient shall be required to comply with contractual provisions relating to "unprocessed timber. @ Special reporting, branding and painting of logs may be included in contract provisions. *

18. DETAILED INFORMATION - Detailed information concerning contract provisions, hid, performance bond forms, tract location maps, and access conditions may be obtained from the District Manager. All persons interested in bidding on the products listed are encouraged to familiarize themselves with all such detailed information.

US GOVERNMENT PRINTING OFFICE: 1990-832-998

Form 5430-1 (May 1965) (formerly 4-1560)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SELF CERTIFICATION CLAUSE BIDDERS STATEMENT

The bidder represents that he \square is \square is not a small business concern as defined by Title 13, Chapter 1, Part 121 of the Code of Federal Regulations, as amended.

(Date)

(Signature of Bidder)

Title 18 USC, sec. 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

INSTRUCTIONS

In order to qualify for a set-aside sale, all bidders must certify to being a small business concern by submitting an executed Self Certification Clause.

The date on the Self Certification Clause and the sale date must be the same.

A Self Certification Clause must accompany the deposit to qualify for each set-aside sale. After a sale award is made, the Self Certification Clause will be immediately returned, with the deposit, to the unsuccessful bidders but may be resubmitted to qualify for other set-aside sales offered on the same date.

The Self Certification Clause submitted by the successful bidder will be retained by the Bureau of Land Management.

GPO 850-444 GPO 905716

Agency Forest	Sale Name
	ORS06-TS2013.0101
Bureau of Land Management	Roller Coaster Timber Sale
	S CERTIFICATION REQUIRED ON AL SALES OF SET-ASIDE TIMBER
The purchaser certifies, at the time of executing timber so which this statement is annexed, that in accordance will Administration (SBA):	ale Contract No ith the Rules and Regulations (13 CFR 121) of the Small Business
I. His firm (a) is primarily engaged in the logging or fores dominant in its field of operation; and (d) employs, togeth	st products industry; (b) is independently owned and operated; (c) is not ner with its affiliates, 500 or fewer persons.
rom this preferential sale to concerns not meeting SBA's ogs, bolts and pieces that are suitable for manufacture ir	So percent (50 percent in the case of Alaska) of the timber of log volume is small business size standard. Such timber and log volume comprises into lumber dimension and/or veneer and normally appraised as such, the contract rights, standing and down trees or portions thereof.
maintained for a period of three years showing the name concern to whom the timber or logs were sold or dispose sale or sales, purchaser shall also require other purchase	gs from this preferential sale, records of such transactions will be address, and SBA size status (i.e., whether large or small) of each and the species, grades and volumes involved. In the event of such ers to maintain similar records for a period of three years (OMB Approval ill be obtained from each party buying such timber and will be retained for
c) If his concern is purchased by, becomes controlled by volume from this preferential sale as is necessary will be he 30 percent (50 percent in the case of Alaska) restricti	y, or merged with a large business, so much of such timber and log sold (not bartered) to one or more small businesses for compliance with ion.
 He agrees that if he utilizes log volume from this prefetone with his own facilities or those of another concern the 	rential sale in the manufacture of a product, such manufacture will be hat qualifies as a small business.
 He understands that in addition to other penalties which neligible to participate in future Federal timber sales. 	ch may be imposed for violating the foregoing, he may be declared
	Signed
	Date