

References

- Agee, J.K. (1991). Fire history along an elevational gradient in the Siskiyou Mountains, Oregon. *Northwest Sci* 65: 188-99.
- Agee, J.K. (1993). Fire ecology of Pacific Northwest Forests. Island Press, Wash. DC.
- Alley Jr., D.W. (1977). The energetic significance of microhabitat selection by fishes in a foothill Sierra stream. Master's thesis. University of California, Davis. Davis (CA).
- Atzet, T., Wheeler, D.L. (1982). Historical and ecological perspectives on fire activity in the Klamath geological province of the Rogue River and Siskiyou National Forests. Pub. R-6-Range-102 ed. Portland (OR): U.S. Department of Agriculture, U.S. Forest Service, Pacific Northwest Region.
- Baltz, D.M., Moyle, P.B. (1984). Segregation by species and size classes of rainbow trout, *Salmo gairdneri*, and Sacramento sucker, *Catostomus occidentalis*, in three California streams. *Environmental Biology of Fishes* 10:101-110.
- Barton, B.A. (1980). Spawning migrations, age and growth, and summer feeding of white and longnose suckers in an irrigation reservoir. *Canadian Field Naturalist* 94:300-304.
- Bond, C.E., Coombs, C. (1985). Characteristics and life history of *Catostomus warnerensis*. Proceedings of the Desert Fish Council 13:40-45.
- Brown, J.K. (1995). Fire regimes and their relevance to ecosystem management. Pages 171-178 *Proceedings of Society of American Foresters National Convention, Sept. 18-22, 1994, Anchorage, AK.* Society of American Foresters, Wash. DC.
- Clayton, M. & Associates (1992). Western regional corridor study. Western Utility Group, Sierra Pacific Power Company.
- Cohen, J.D., Butler, B.W. (1998). Modeling potential structure ignitions from flame radiation exposure with implications for wildland/urban interface fire management. Intermountain Fire Sciences Laboratory, Missoula, Montana: USDA Forest Service, Intermountain Research Station.
- Decker, L.M. (1989). Coexistence of two species of sucker, *Catostomus*, in Sagehen Creek, California, and notes on their status in the western Lahontan Basin. *Great Basin Naturalist* 49:540-551.
- Detling, L. (1961). The chaparral formation of southwestern Oregon, with considerations of its postglacial history. *Ecology* 42:348-357.
- Dose, J.J., Roper, B.B. (1994). Long-term changes in wetted low-flow channel widths within the South Umpqua Watershed, Oregon. *Water Resources Bulletin* 30:993-1000.
- Dunham, J.B., Vineyard, G.L. (1997). Incorporating stream-level variability into analyses of site-level fish habitat relationships: some cautionary examples. *Transactions of the American Fisheries Society* 126:323-329.
- Forman, R.R.T., Melinger, A.D. (1998). Road networks and forest spatial patterns in ecological models of diverse logging regimes. *Nature Conservation in Production Environments: Managing the Matrix*, ed. D.A. Saunders, J. Craig, N. Mitchell. Chipping North, Australia: Surrey Beatty. In press.

References

- Forman, R.R.T., Alexander, L.E. (1998). Roads and their major ecological effects. *Annual Rev. Ecol. Syst.* 29:207-231.
- Franklin, J.F., Dyrness, C.T. (1988). Natural vegetation of Oregon and Washington. Corvallis (OR): Oregon State Univ Pr. 452 p.
- Hann, W.J., Bunnell, D.L. (200). Fire and land management planning and implementation across multiple scales. *Int. J. Wildland Fire.* 10:389-403.
- Hardy, C.C., Schmidt, K.M., Menakis, J.M., & Samson, N.R. (2001). Spatial data for national fire planning and fuel management. *International Journal of Wildland Fire* 10:353-372.
- Hatterman-Valenti, H., Owen, M.D.K., & Christians, N.E. (1995). Comparison of spray drift during post-emergence herbicide applications to turfgrass. *Weed Technology*, 9:321.
- Hohler, D.B., (1981). A dwarfed population of *Catostomus rimiculus* (*Catostomidae: Pisces*) in Jenny Creek, Jackson County, Oregon. [MSc Thesis]. Corvallis (OR): Oregon State Univ. 76 p.
- Imhof, J.G., Fitzgibbon, J., & Annable, W.K. (1996). A hierarchical evaluation system for characterizing watershed ecosystems for fish habitat. *Canadian Journal of Fisheries and Aquatic Sciences* 53:312-326.
- Jones, J.A., Grant, G.E. (1994). Peakflow responses to clearcutting and roads, western Cascades, Oregon: I. Small basins. Corvallis, Oregon.
- Leopold, L.B., Wolman, M.G. & Miller, J. P. (1992). Fluvial processes in geomorphology. Dover Publications, New York.
- Mech, L.D. (1989). Wolf population survival in an area of high road density. *Am. Midl. Nat.* 122:387-89.
- Mellen, Kim, et al. (2003). DecAID, the decayed wood advisor for managing snags, partially dead trees, and down wood for biodiversity in forests of Washington and Oregon. Version 1.10. USDA forest Service, Pacific Northwest Region and Pacific Northwest Research Station; USDI Fish and Wildlife Service, Oregon State Office; Portland, Oregon.
- Moyle, P.B., Nichols, R.D. (1973). Ecology of some native and introduced fishes of the Sierra Nevada foothills in central California. *Copeia* 1973(3):478-490.
- Moyle, P.B. (1976). Inland fishes of California. University of California Press, Berkeley, CA.
- Moyle, P.B., Baltz, D.M. (1985). Microhabitat use by an assemblage of California stream fishes: developing criteria for instream flow determinations. *Transactions of the American Fisheries Society* 114:695-704.
- Naiman, R.J., Decamps, H., & Pollock, M. (1993). The role of riparian corridors in maintaining regional biodiversity. *Ecological Applications.* 3(2): 209-212.
- Nelson, K. (1997). Terrestrial vertebrate fauna survey of the Soda Mountain Region of Southwestern Oregon. [MSc Project]. Ashland, OR: Southern Oregon Univ. 88 p.
- Oregon Department of Environmental Quality. (2000). Oregon's 1998 water quality limited streams 303(d) list. Internet [<http://waterquality.deq.state.or.us/wq/303dlist/303dpage.htm>].

- Oregon Department of Environmental Quality. (2004). Target dates for completion of TMDLs for 303(d) listed waters. Internet [<http://www.deq.state.or.us/wq/303dlist/TMDLTargetsMap.htm>].
- Oregon State Legislature. (1995). HB 2966, Sec. 2; *Oregon Historic Trails Bill*. Oregon State House of Representatives: Salem, OR
- Oregon Watershed Enhancement Board. (2004). Oregon watershed assessment manual, Appendix A. Internet [http://www.oweb.state.or.us/pdfs/wa_manual99/apdx1-ecoregions.pdf].
- Pater, D.E., Bryce, S.A., Thorson, T.D., Kagan, J., Chapell, C., Omernick, J.M., Azevedo, S.H. & Woods, A.J. (1997a). Ecoregions of Western Washington and Oregon. Map and descriptive text. 1 p. Available from: J.M. Omernick, Corvallis OR, Environmental Protection Agency.
- Pater, D.E., Bryce, S.A., Thorson, T.D., Kagan, J., Chapell, C., Omernick, J.M., Azevedo, S.H. & Woods, A.J. (1997b). Summary table: characteristics of ecoregions of Western Washington and Oregon. 1 p. Available from: J.M. Omernick, Corvallis OR, Environmental Protection Agency.
- Platts, W.S., Raleigh, R.F. (1984). Developing strategies for rangeland management. National Research Council/National Academy of Sciences
- Prevost, M.E., Brock, R., Ormsby, T., & Ebersole, J. (1990). Proposal for the Siskiyou Mountains Natural Area ACEC. Submitted Proposal. Medford, OR: Medford District, Bureau of Land Management. 19 p.
- Pullen, R. (1996). Overview of the environment of native inhabitants of southwest Oregon, late prehistoric era. Unpublished Report. USDA, Rogue River, Siskiyou, Umpqua National Forests; USDI, Medford District, BLM.
- Quigley, T.M., Arbelbide, S.J., editors. (1997). An assessment of ecosystem components in the Interior Columbia Basin and portions of the Klamath and Great Basins. Vol. 2, p. 337-1055. Landscape Dynamics of the Basin. General Technical Report PNW-GTR-405. U.S. Department of Agriculture, U.S. Forest Service, Pacific Northwest Research Station, Portland, OR.
- Rosgen, D. (1996). Applied River Morphology. Wildland hydrology, Pagosa Springs, CO.
- Rossa, J.M. (1999). The importance of fish size, environmental variables, and year to Jenny Creek sucker summer habitat use at two different spatial scales. [MSc Thesis]. Logan: Utah State University. 96 p.
- Schmidt, K.M., Menakis, J.P., Hardy, C.C., Hann, W.J. & Bunnell, D.L. (2002). Development of coarse-scale spatial data for wildland fire and fuel management. General Technical Report, RMRS-GTR-87, U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fort Collins, CO.
- Skovlin, J. M. (1984). Impacts of grazing on wetlands and riparian habitats: a review of our knowledge. *Developing Strategies of Rangeland Management*. Boulder, CO: Westview Press: 1001-1103.
- Steber, J., Guhl, W., Stelter, N. & Schroder, F.R. (1995). Alkyl polyglycocides-ecological evaluation of a new generation of nonionic surfactants. *Tenside Surfactants Detergents*, 32; 515-512.
- The Nature Conservancy. (2000). Precious heritage; the status of biodiversity in the United States. Oxford University Press, New York.
- USDA Soil Conservation Service. (1993). Soil Survey of Jackson County Area, Oregon.

References

- USDA Forest Service, USDI Bureau of Land Management. (1994a). Final supplemental environmental impact statement on management of habitat for late-successional and old-growth forest related species within the range of the Northern Spotted Owl. Portland, OR.
- USDA Forest Service, USDI Bureau of Land Management. (1994b). Record of decision for amendments to Forest Service and Bureau of Land Management planning documents within the range of the Northern Spotted Owl; standards and guidelines for management of habitat for late-successional and old-growth forest related species within the range of the Northern Spotted Owl. Portland, OR.
- USDA Forest Service, USDI Bureau of Land Management. (1999). Forest Service and Bureau of Land Management protocol for addressing Clean Water Act section 303(d) listed waters.
- USDA Forest Service, USDI Bureau of Land Management. (2000). Final environmental impact statement for amendments to the survey and manage, protection buffer, and other mitigation measures standards and guidelines. Portland, OR.
- USDA Forest Service, USDI Bureau of Land Management. (2001). Record of decision and standards and guidelines for amendments to the survey and manage, protection buffer, and other mitigation measures standards and guidelines. Portland, OR.
- USDA Forest Service, USDI Bureau of Land Management. (2003). Final supplemental environmental impact statement clarification of language in the 1994 ROD for the Northwest Forest Plan; National Forests and Bureau of Land Management districts within the range of the Northern Spotted Owl (proposal to amend wording about the Aquatic Conservation Strategy). Portland, OR.
- USDA Forest Service, USDI Bureau of Land Management. (2004a). Record of Decision amending resource management plans for seven BLM Districts and land and resource management plans for nineteen National Forests within the range of the Northern Spotted Owl (decision to clarify provisions relating to the Aquatic Conservation Strategy). Portland, OR.
- USDA Forest Service, USDI Bureau of Land Management. (2004b). Final supplemental environmental impact statement to remove or modify the survey and manage mitigation measure standards and guidelines in Forest Service and BLM planning documents within the range of the Northern Spotted Owl. Portland, OR.
- USDA Forest Service, USDI Bureau of Land Management. (2004c). Record of decision to remove or modify the survey and manage mitigation measure standards and guidelines in Forest Service and BLM planning documents within the range of the Northern Spotted Owl. Portland, OR.
- USDA Forest Service, USDI Bureau of Land Management. (2004d). Sufficiency analysis for stream temperature. Portland, OR: Oregon State Office, Bureau of Land Management.
- USDI Bureau of Land Management. (1985). Northwest area noxious weed control program final environmental impact statement. Portland, OR: Oregon State Office, USDI Bureau of Land Management.
- USDI Bureau of Land Management. (1989). Final environmental impact statement for the control of competing vegetation in western Oregon. Portland, OR: Oregon State Office, USDI Bureau of Land Management.
- USDI Bureau of Land Management. (1991). Final environmental impact statement and record of decision of the BLM Oregon Wilderness Study Report. Portland, OR: Oregon State Office, USDI Bureau of Land Management.

- USDI Bureau of Land Management. (1993). Riparian area management; process for assessing proper functioning condition. (1737-9) BLM Service Center; Denver, CO.
- USDI Bureau of Land Management. (1994a). Riparian area management; process for assessing proper functioning condition for lentic riparian-wetland areas. (1737-11) BLM Service Center; Denver, CO.
- USDI Bureau of Land Management. (1994b). Medford district proposed resource management plan and final environmental impact statement. Medford, OR: Medford District, USDI Bureau of Land Management.
- USDI Bureau of Land Management. (1995a). Medford district record of decision and resource management plan. Medford, OR: Medford District, USDI Bureau of Land Management.
- USDI Bureau of Land Management. (1995b). Interim management policy for lands under wilderness review (H-8550-1). Washington, DC: National Office, USDI Bureau of Land Management.
- USDI Bureau of Land Management. (1998). Medford district integrated weed management plan. Medford, OR: Medford District, USDI Bureau of Land Management.
- USDI Bureau of Land Management. (2000). Cascade Siskiyou Ecological Emphasis Area draft management plan and draft environmental impact statement. Medford, OR: Medford District, USDI Bureau of Land Management.
- USDI Bureau of Land Management. (2001). Draft study of livestock impacts on the objects of biological interest in the Cascade-Siskiyou National Monument. Medford OR: Medford District, USDI Bureau of Land Management.
- USDI Fish and Wildlife Service. (2003). Programmatic biological opinion FY 04-08 for southwest Oregon (Medford BLM and Rogue/Siskiyou National Forests). Roseburg, OR: Roseburg Field Office, USDI Fish and Wildlife Service.
- Van Dyke, F.B., Brocke, R.H., Shaw, H.G., Ackerman, B.B., Hemker, T.P. & Linzey, F.G. (1986). Reactions of mountain lions to logging and human activity. *J. Wildl. Manage.* 50:95-102.
- Watershed Professionals Network. (1999). Oregon watershed assessment manual. Prepared by the Governor's Watershed Enhancement Board; Salem, OR.
- Wemple, B.C. (1994). Hydrologic integration of forest roads with stream networks in two basins, western Cascades, Oregon. [Masters Thesis]. Oregon State University: Corvallis, OR.
- Wemple, B.C., Jones, J.A., & Grant, G.E. (1996). Channel network extension by logging roads in two basins, western Cascades, Oregon. *Water Resources Bulletin* 32:1195-1207.
- White, D. (2000). Guidelines for snag and down wood prescriptions in southwestern Oregon. Umpqua National Forest.
- White, R., Stern, M.A., & Munhall, A.V. (1990). Final report on investigations of the range and status of the Warner sucker, *Catostomus warnerensis*, during spring and summer 1990. Report submitted to the USDI Bureau of Land Management, the Oregon Department of Fish and Wildlife, and the USDI Fish and Wildlife Service, Lakeview/Portland, OR.
- Whorton, M., Sohock, D. (1996). Fairness matters: an introduction to environmental justice. Denver, Colorado: Environmental Innovations.

