

2014 BLM Montana/Dakotas State Aviation Plan & National Aviation Plan

Department of the Interior
Bureau of Land Management


Written by: Bob Flesch- BLM State Aviation Manager

05/22/2014
Date:


Reviewed by: Ken Schmid- Branch Chief-Fire and Aviation

05/27/2014
Date:


Reviewed by: Sandra Leach-DSD Resources

5/28/14
Date:


Approved by: Jamie Connell - State Director

5/28/14
Date:



This plan provides comprehensive information regarding BLM aviation organizations, responsibilities, administrative procedures and policy. This plan is implemented through BLM Instruction Memorandum.

The primary distribution of this document is electronic and available at:

<http://www.blm.gov/nifc/st/en/prog/fire/Aviation/Administration.html>

BLM Fire and Aviation Directorate
National Aviation Office
208-387-5180
aviation.blm.gov

National Interagency Fire Center
3833 South Development Ave.
Boise, ID, 83705

The BLM Montana/Dakotas State Aviation Plan is inserted in this document as a second tier to each section of the BLM National Aviation Plan which is written in black text. The State Aviation Plan has been written in blue text so it is visually identifiable as supplemental text. Each BLM District/Office in the Montana/Dakotas are encouraged, but not required, to add their Unit Aviation Plan language as a third tier to this document. Use of a different color font is suggested to visually differentiate Unit-level text. The primary distribution of this document will be through a BLM Montana State Office memo and can also be located at the web address above or <http://www.blm.gov/mt/st/en/prog/fireaviation/0.html> .

Table of Contents

1.0 Aviation Plan

- 1.1 Purpose
- 1.2 Mission Statement
- 1.3 Aviation Program Objectives
- 1.4 National Fire Aircraft Management Strategy
- 1.5 Authority
- 1.6 Policy
 - 1.6.1 Handbooks
 - 1.6.2 Plans
 - 1.6.3 Guides

2.0 Aviation Management Organizations

- 2.1 Department of the Interior (DOI)
- 2.2 National Aviation Groups/Committees
- 2.3 Bureau of Land Management (BLM)
- 2.4 National Aviation Office - NAO (FA-500)
- 2.5 BLM State/District/Field Office Organizations
- 2.6 Aviation Positions

3.0 Administrative Requirements

- 3.1 General
- 3.2 Reporting and Documentation Requirements
- 3.3 Aviation Plans: National, State, Unit, and Project
- 3.4 Aircrew Orientation Briefing Package
- 3.5 Land Use Policy for Aviation Activities
- 3.6 Budget
- 3.7 Aircraft Flight Service Ordering
 - 3.7.1 Inter-Agency Agreements (IAA)
- 3.8 Aircraft Contracts
 - 3.8.1 Non-Fire Exclusive Use Aircraft Contract Process
 - 3.8.2 Fire Exclusive Use Aircraft Contract Process
 - 3.8.3 On-Call/Call When Needed (CWN) Aircraft Contracts
 - 3.8.4 DOI Aircraft Rental Agreements, Non-Fire – (ARA)
 - 3.8.5 Contractor Evaluations
- 3.9 End Product Contracts
 - 3.9.1 End Product Contract Specifications
 - 3.9.2 End Product Project Management
- 3.10 BLM Supplemental Fire Aircraft Acquisition
- 3.11 Cooperator Aircraft
- 3.12 Senior Executive Service (SES) Flights
- 3.13 BLM Law Enforcement Flights
- 3.14 Search and Rescue (SAR) Flights

- 3.15 National Guard and United States Military Aircraft Flights
- 3.16 Unmanned Aircraft Systems (UAS) flights
- 3.17 Dispatching - Flight Requests
 - 3.17.1 Categories of Flight with specific procedures regarding Flight Requests:
- 3.18 Aircraft Use Payment Systems
- 3.19 Coding for Flight Use Reports
 - 3.19.1 Task "Order" Number
 - 3.19.2 Billee Code
 - 3.19.3 Cost Strings
- 3.20 FEPP
- 3.21 FBMS
- 3.22 Aviation Program Reviews
- 3.23 New Program Requests

4.0 Aviation Safety Management Systems

- 4.1 General
- 4.2 Safety Management Systems (SMS)
- 4.3 Policy
 - 4.3.1 Aviation Life Support Equipment (ALSE)
 - 4.3.2 Project Aviation Safety Planning (PASP)
 - 4.3.3 Aircraft Accident Investigation Process
- 4.4 Risk Management
- 4.5 Assurance
 - 4.5.1 Aviation Safety Assistance Team (ASAT)
 - 4.5.2 Aviation Safety Communiqué - SAFECOM
 - 4.5.3 Program Evaluations, Readiness Reviews, Site Visits
 - 4.5.4 National Fire and Aviation Operations Alert System
- 4.6 Promotion
 - 4.6.1 Lessons Learned
 - 4.6.2 Aviation Safety Awards Program

5.0 Aviation Operations

- 5.1 General
- 5.2 Policy, Operational Guides and Handbooks
- 5.3 Public/Civil Aircraft Operations
- 5.4 BLM Employees on Non-BLM Aircraft
- 5.5 Passengers
- 5.6 Emergency Exception to Policy:
- 5.7 Categories of Flight
- 5.8 Flight Planning
- 5.9 Flight Following
- 5.10 Radio Frequency Management/Communications
- 5.11 Overdue, Missing or Downed Aircraft
- 5.12 Mishap Response

- 5.13 Transportation of Hazardous Materials
- 5.14 Invasive Species Control
- 5.15 Fire Chemicals and Aerial Application Policy near Waterways
- 5.16 Search and Rescue (SAR)
- 5.17 Large Airtanker (LAT), Very Large Airtanker (VLAT) and CL-215/415 (Scoopers) Operations
- 5.18 Airtanker Base Operations
- 5.19 SEAT Operations
- 5.20 Foreign Airtanker Operations
- 5.21 Aerial Supervision/Leadplane Operations
 - 5.21.1 Aerial Supervision Personnel
- 5.22 Helicopter Operations
 - 5.22.1 Helitack
 - 5.22.2 Rappel
 - 5.22.3 Cargo letdown
 - 5.22.4 Rope Assisted Delivery System (RADS)
- 5.23 Aerial Ignition Operations
- 5.24 Wild Horse & Burro Operations (WH&B)
- 5.25 Aerial Capture, Eradication and Tagging of Animals (ACETA)
- 5.26 Smokejumper Operations
 - 5.26.1 Smokejumper Personnel
- 5.27 Light Fixed Wing Operations
 - 5.27.1 Low-level Flight Operations (Less than 500' AGL):
 - 5.27.2 Fire Reconnaissance or Patrol flights
 - 5.27.3 Non-Fire Reconnaissance/Aerial Observer
 - 5.27.4 Single Engine IFR/Night Flight
 - 5.27.5 Backcountry Airstrip Operations
- 5.28 Law Enforcement Operations (LE)
- 5.29 Unmanned Aircraft Systems (UAS) (See also NAP Sec. 3.16)
- 5.30 Fleet Aircraft

6.0 Aviation Training

- 6.1 General
 - 6.1.1 Fire Training and Qualifications
 - 6.1.2 Aviation Training for Non-Fire Flight Activities and Positions
- 6.2 Management Responsibility
 - 6.2.1 Supervisory Personnel
 - 6.2.2 Line Managers
 - 6.2.3 Aviation Managers at the Local, State and National Level
 - 6.2.4 Aviation Contracting Responsibilities COR Training Requirements
 - 6.2.5 Contractor and Cooperator Pilot Training
- 6.3 Instructor Standards
- 6.4 Records Management
- 6.5 Tuition and Travel
- 6.6 Development

7.0 Airspace Coordination

- 7.1 Interagency Airspace Coordination
- 7.2 Flight Planning, Hazards and Obstructions
- 7.3 Fire Traffic Area (FTA)
- 7.4 Temporary Flight Restriction (TFR)
- 7.5 National Firefighting Aircraft Transponder Code (1255)
- 7.6 Airspace Boundary Plan
- 7.7 Airspace De-confliction
- 7.8 Airspace Conflicts
- 7.9 Operations along Foreign Borders
- 7.10 Airspace Agreements – Memorandums of Understanding

8.0 Aviation Security – Facilities/Aircraft

- 8.1 Aviation Security Policy
- 8.2 USFS Facilities Security Assessments
- 8.3 USFS Security Response Actions
- 8.4 General Aviation Security Awareness Programs
- 8.5 Cooperators Aircraft Security
- 8.6 Aircraft Physical Security Requirements
- 8.7 Aviation Facility Security Requirements
- 8.8 Exceptions
- 8.9 Transportation Security Administration (TSA)

9.0 Aviation Facilities

- 9.1 General
- 9.2 Aviation Facilities (Permanent and Temporary)

Appendix Contents

- BLM National [and Montana](#) Aviation Organization Directory
- BLM Fire Acquisition Plan
- SES Flight Scheduling Guide
- Latitude – Longitude Information
- BLM SAFECOM Management Roles
- OAS Aviation Program Evaluation Schedule
- BLM Cargo Letdown Protocol
- BLM Cargo Letdown Trainee Qualification Record
- BLM Smokejumper Positions to Interagency Aviation Training (IAT) Functional Crosswalk
- BLM Fleet Aircraft Standard Operations Procedures
- Task Sheet for the Position of Resource Helicopter Manager
- BLM Aviation Enhancement Application Form
- Acronyms
- [Aviation Project Flight Planning](#)

1.0 Aviation Plan

1.1 Purpose

The purpose of the Bureau of Land Management (BLM) National Aviation Plan (*NAP*) is to describe National Aviation Office (NAO) leader's intent, authority, role and responsibilities, program objectives, and to provide strategic and operational guidance to each organizational level. The NAO identified the need for a cohesive national aviation management plan that will allow all state, district/field offices, and aviation users to easily acquire the necessary information and policy to manage the BLM aviation program. Each organizational level plan provides the detailed operational procedures pertinent to their organization. This plan is supplemental and does not replace the policy as described in the Departmental Manual or the BLM *Manual 9400 – Aviation Management*.

1.1 [BLM Montana/Dakotas Supplement: Purpose](#)

The purpose of the BLM Montana/Dakotas State Aviation Plan (SAP) is to provide the ten BLM Districts in Montana/Dakotas with a uniform set of policies, procedures, guidance, and business practices that promote safe, efficient, and economic use of aircraft in support of land management objectives.

This plan is inserted into the BLM National Aviation Plan as a supplement to reduce redundant language. The State Aviation Plan incorporates the principles of *Safety Management Systems (SMS)* which serves as the foundation for the Bureau aviation program. Unit Aviation Managers (UAMs) are encouraged to insert their Unit or Zone Aviation Plan as a third tier into this combined national and state-level aviation plan format. A unit aviation plan should describe how national and state aviation policy is implemented at the field level.

District/Field Supplement:

1.2 Mission Statement

The NAO is responsible for supporting all BLM fire and resource management programs through an active and professional aviation organization that:

- Develops and coordinates efficient aviation policy and management processes.
- Provides guidance for aviation programmatic and operational risk management.
- Leads aviation safety assurance and promotion programs.
- Provides aircraft acquisition support as specified by BLM management objectives.
- Develops and promotes a skilled aviation management workforce.

1.2 [BLM Montana/Dakotas Supplement: Mission Statement](#)

The BLM Montana/Dakotas State Office (MT-925) is aligned with the mission of the National Aviation Office stated above. The State Office provides aviation program leadership to BLM Districts in Montana/Dakotas with the intent to enhance safety, assist the field to develop efficient processes, and encourage cooperation with federal and state partner agencies.

District/Field Supplement: *(Insert the local Fire and Aviation organization vision and mission statements.)*

1.3 Aviation Program Objectives

The BLM aviation program provides the aviation tools to meet public expectation for efficient and safe management of the National System of Public Lands. Aviation management balances mission goals with the environmental considerations, available funding and safety of the involved personnel.

Safety: The priority in all BLM aviation missions is the safety of employees, contractors, cooperators and the public.

- Risk management as part of Safety Management Systems (SMS) will be inherent in all aviation missions and programs.
- All aviation personnel are empowered and expected to manage the risks of aviation operations and make reasonable and prudent decisions to accomplish the mission.
- Aviation personnel must take every opportunity to plan missions thoroughly, and respect aircraft and the environment in which they operate.
- Individuals will be held accountable for their decisions, which should be based on policy, principles, risk management, training, experience and the given situation.
- The agency is committed to ensuring our workplaces are free of recognized hazards. Prior to conducting any mission, all risks will be mitigated to the lowest acceptable level possible.

Professionalism: BLM personnel performing aviation functions must be service oriented and meet all qualification requirements of the departmental and bureau manuals, handbooks, and guides.

Diversity: Individual development, employee wellness and workforce diversity will be emphasized at all levels of the BLM aviation program.

Innovation: Management at all levels is responsible for enhancing the aviation program with a commitment to aviation safety and operational/management efficiency.

1.3 [BLM Montana/Dakotas Supplement: Aviation Program Objectives](#)

In addition to the roles and responsibilities identified in National Aviation Plan, BLM State and Unit-level aviation program managers should strive to achieve the following objectives:

- Provide leadership, direction, service, and support to promote cost-effective interagency coordination and cooperation.
- Create a learning environment for aviation personnel, and encourage open communication with line officers.
- Strive towards zero aircraft accidents and a reduction in the occurrences of mishaps by focusing attention on human factors and the application of sound risk management practices.
- Promote effective interagency working relations that values mission over agency.

District/Field Supplement:

1.4 National Fire Aircraft Management Strategy

Aviation resources are one of a number of tools available to accomplish land management objectives. The proper utilization of aircraft in support of resource management programs serve as a force multiplier when dealing with issues of time, remoteness, terrain, large areas and distances.

This national strategy will:

- Optimize overall aviation capability.
- Apply effective management controls to suppression costs.

- Ensure that aviation assets are assigned to areas of greatest risk and/or highest probability of success.
- Maximize operational flexibility and mobility.
- Contribute to interagency suppression efforts.

The BLM national fire aircraft fleet composition is based on the National Interagency Aviation Council (NIAC) Aviation Strategy document, 2008, and is outlined in detail in the BLM Fire Aircraft Acquisition Plan (reference BLM *NAP Appendix 2*). Any changes in aircraft type or capability must be supported and approved by the Assistant Director of the BLM Fire and Aviation Directorate (FA-100).

In order to maximize effectiveness and efficiency, aviation resources should be centrally controlled, and operations must be locally executed. National strategy considers all BLM fire aircraft and assigned personnel to be national resources available for immediate assignment to areas of greatest national need.

The BLM national aircraft management strategy is predicated on the NAO providing oversight to all BLM fire aircraft acquisition, coordination and allocation of aircraft between states. The NAO tracks tactical aircraft utilization along with monitoring fire activity, fire danger levels and forecasted weather. The NAO will modify contract terms (designated base, MAP, etc.) as required to ensure maximum utilization and effectiveness of firefighting aircraft.

The NAO coordinates with the State Fire Management Officers (SFMO) and their staff on aircraft needs, availability and re-positioning. SFMO will remain informed on the national situation, and will consult with Fire and Aviation's NAO and/or the Division of Fire Operations on assignment of BLM exclusive use aircraft to ongoing large fires.

The NAO facilitates aircraft pre-positioning with funding charge codes. During fire season, BLM exclusive use aircraft will be activated and mobilized to meet BLMs fire needs to the extent possible. Once authorized and acquired, all BLM exclusive use and severity funded aviation resources will be considered national resources subject to pre-positioning by SFMOs within their states, and by the national office on a national basis. This includes aviation personnel such as single engine air tanker (SEAT) managers and air tactical group supervisors (ATGS). The NAO will coordinate with SFMOs and State Aviation Managers (SAM) prior to any movements. Supplemental fire aircraft acquisition will be in accordance with BLM *NAP 3.9*.

[1.4 BLM Montana/Dakotas Supplement: State/Regional Aircraft Management Strategy](#)

[BLM Montana/Dakotas recognizes national aviation plans and policies regarding aviation assets utilized as national resources. The Montana State Office highly recommends District fire and aviation managers pre-position aviation resources where needed and share them with neighboring units and agencies as appropriate via established mobilization procedures. Assignment of exclusive use aircraft outside of Montana for extended attack fire or non-fire projects requires notification to the BLM State Fire Management Officer \(FMO\), or the designated Duty Officer. The Northern Rockies Coordination Center \(NRCC\) will in-turn assess current draw-down levels, anticipated resource requirements, and coordinate the movement of aircraft between agency units accordingly.](#)

District/Field Supplement:

1.5 Authority

This plan fulfills the departmental manual requirements outlined in *350 DM 1, Appendix 3*, and *BLM Manual 9400.3 Directives*. This plan has been developed to provide policy standardization for all BLM aviation programs during 2013.

[1.5 BLM Montana/Dakotas Supplement: Authority](#)

The BLM Montana/Dakotas State Aviation Plan is required and authorized by BLM 9400 policy and the BLM National Aviation Plan (NAP). The State Aviation Plan will be reviewed by the State FMO, and signed/approved by the State Director annually.

District/Field Supplement:

1.6 Policy

BLM aviation management and operations will be conducted within policies contained in the Federal Aviation Regulations, DOI 350-354 Departmental Manuals (DM), Operational Procedures Memorandums (OPM) and Handbooks (HB), and BLM Manual 9400. In addition, the current version of the following Handbooks, Plans and Guides constitute BLM Aviation policy as specified in the BLM Manual 9400.

Exemptions/Waivers: Exemptions/waivers to federal aviation regulations and DOI regulations must be requested in writing to the BLM aviation division chief. Final approval will reside at the OAS Director level (reference *350 DM 1.10*).

1.6.1 Handbooks

- *Aerial Capture, Eradication and Tagging of Animals (ACETA) Handbook*
- *Aviation Life Support Equipment Handbook (ALSE)*
- *BLM Wild Horse & Burro Aviation Management Handbook (WH&B)*
- *Interagency Aviation Transport of Hazardous Materials Handbook*
- *Law Enforcement Short Haul Policy*
- *Military Use Handbook*

1.6.2 Plans

- BLM National Aviation Plan
- BLM State Aviation Plans
- BLM District/Unit Aviation Plans

1.6.3 Guides

- *Interagency Aerial Ignition Guide (IAIG)*
- *Interagency Aerial Supervision Guide (IASG)*
- *Interagency Airspace Coordination Guide (IACG)*
- *Interagency Airtanker Base Operations Guide (IATBOG)*
- *Interagency Helicopter Operations Guide (IHOG)*
- *Interagency Helicopter Rappel Guide (IHRG)*
- *Interagency Single Engine Airtanker Operations Guide (ISOG)*
- *Interagency Smokejumper Pilots Operations Guide (ISPOG)*
- *Interagency Standards for Fire and Fire Aviation Operations (Redbook)*
- *Interagency Aviation Training (IAT) Guide*

1.6 BLM Montana/Dakotas Supplement: Interagency Policy and NR Guides

The following supplemental guides apply to aviation management and operations in Montana/Dakotas: Northern Rockies (NR) Interagency Mobilization Guide, Aircrew Orientation Guide (Ref. Section 3.4), and NR Aviation Frequency Guide.

District/Field Supplement: *Local Unit-level guides, SOPs, etc.*

2.0 Aviation Management Organizations

2.1 Department of the Interior (DOI)

Office of Aviation Services (OAS): The OAS is responsible for Departmental functions related to aircraft services. The OAS provides service offerings that include; aviation safety services, aviation technical services, fleet management, fleet property accountability, aviation user training services, and flight scheduling and coordination services (reference *350 DM 1* for a complete list of functions and responsibilities).

<http://OAS.doi.gov>

Interior Business Center (IBC) Acquisition Services Directorate (AQD): The Aviation Acquisition Services Directorate provides department-wide centralized contracting for aviation flight services for DOI and DOI customers. Other acquisition management activities include property accountability and small purchase service in support of OAS and Bureau operations including DOI fleet aircraft. <http://OAS.doi.gov/apmd/index.htm>

2.2 National Aviation Groups/Committees

Executive Aviation Board (EAB): The EAB is responsible for the Department of Interior aviation program. The Board provides executive oversight and performance accountability and assures that Department-wide strategies and initiatives are developed collaboratively and implemented consistently. Additionally, the Board provides final review and approval of policy, when needed. The EAB is chartered under the direction of the Assistant Secretary for Policy, Management and Budget. The EAB has authority over all aviation related boards/committees/groups within the Department. The BLM permanent member of the EAB is the Bureau Deputy Director.

Executive Aviation Committee (EAC): The EAC is chartered under the direction of the EAB. The Committee follows guidance and directives from the EAB and ensures full collaboration among members to ensure that EAB and Department objectives are met. The EAC also provides Bureau and Department level aviation program performance measurement metrics to the EAB. The EAC is responsible for establishing a Bureau Aviation Managers working group to be the primary surrogate of the Committee to engage in all DOI aviation related issues at the operational bureau level. The BLM permanent member of the EAC is the Assistant Director, Fire and Aviation.

Executive Aviation Sub-Committee (EASC): The EASC is an advisory group for the EAC. The BLM representative to the EASC is the Division Chief, Aviation.

National Wildfire Coordinating Group (NWCG): The purpose of NWCG is to coordinate programs of the participating wildfire management agencies so as to avoid wasteful duplication and to provide a means of constructively working together. Its goal is to provide more effective execution of each agency's fire management program. The group provides a formalized system to agree upon standards of training, equipment, qualifications, and other operational functions. Agreed upon policies, standards, and procedures are implemented directly through regular agency channels.

- Membership: NWCG is made up of the USDA Forest Service; four Department of the Interior agencies: BLM, National Park Service (NPS), Bureau of Indian Affairs (BIA), and the Fish and Wildlife Service (FWS); the National Association of State Foresters and the Intertribal Timber Council. Membership is limited to one individual organization representative, except the Forest Service will be represented by two representatives – one from fire and aviation management and one from fire research.

<http://www.nwcg.gov/index.htm>

National Interagency Aviation Committee (NIAC): The Committee is established to serve as a body of resident aviation experts, assisting NWCG with realizing opportunities for enhanced safety, effectiveness, and efficiency in aviation related operations, procedures, programs and coordination. NIAC is chartered under the Equipment and Technology Branch of NWCG.

- Membership: Committee membership will reflect a mix of people who are knowledgeable in the subject area and who are from NWCG member agencies and organizations, including representation from OAS. <http://www.nwcg.gov/branches/et/niac/index.htm>

NIAC Sub Committees:

- Automated Flight Following Subcommittee
- Interagency Aerial Supervision Subcommittee (IASS)
 - ATGS Cadre
 - Leadplane Cadre
 - ASM Cadre
- Interagency Airspace Subcommittee (IASC)
- Interagency Airtanker Base Operations Subcommittee
- Interagency Airtanker Board (IAB)
- Interagency Aviation Training Subcommittee (IATS)
- Interagency SEAT Board
- Smokejumper Aircraft Screening and Evaluation Board (SASEB)
- Interagency Helicopter Operations Subcommittee (IHOps)
 - Aerial Capture Eradication and Tagging Animals Unit (ACETA)
 - Interagency Aerial Ignition Unit
 - Helitorch Subunit
 - Interagency Helicopter Operations Guide Unit (IHOG)
 - Interagency Helicopter Rappel Unit
 - Rappel Equipment Subunit
 - Helicopter Short Haul Unit

BLM Aviation Management Group (AMG): AMG is chartered under the BLM Fire Leadership Team to provide BLM leadership and expertise in all areas of aviation management. Promote aviation safety, standardization and efficiency in support of fire management and natural resource activities. Provide representation in the development of aviation policy, acquisition plans and operational procedures.


- Membership: BLM; NAO primary staff members, State Aviation Managers, Liaison from Fire Operations (FA-300).

2.3 Bureau of Land Management (BLM)

BLM Director: The Director is responsible for the aviation management program. This responsibility is exercised through the Assistant Director for Fire and Aviation (FA-100).

Assistant Director, Fire and Aviation (FA-100): This position is responsible for aviation policy and program oversight. This responsibility is delegated and accomplished through the Division Chief, Aviation (FA-500).

2.4 National Aviation Office - NAO (FA-500): (reference BLM *NAP Appendix 1* for the NAO Staff contact information)



Division Chief, Aviation (FA-500): This position serves as principle aviation advisor to the Assistant Director for the BLM Fire and Aviation Directorate (FA-100), and other staff, BLM state office, and Departmental aviation programs. This position supervises the Deputy Division Chief, Staff Assistant and Aviation Safety & Training Advisor.

- Identifies and develops Bureau aviation policies and procedures, as well as standardized technical specifications for aviation missions for incorporation into the directives system.
- Coordinates aviation-related activities and services between the Washington Office (WO), and states with other wildland firefighting, regulatory, investigative, and military agencies.
- Represents the BLM at interagency meetings, on interagency committees developing government-wide aviation policies, requirements, procedures and reports, at aviation industry meetings and conventions.
- Plans and conducts technical and managerial analyses relating to the identification of aviation organization and resources appropriate for agency use, cost-effectiveness of aviation, other specialized missions, aircraft acquisition requirements, equipment developmental needs, and related areas.
- Provides oversight of aircraft acquisition and fleet management, contract administration, aviation operations, aviation safety, security and risk management, reviews and evaluations of state aviation programs.

Deputy Division Chief, Aviation: This position serves as the Deputy to the Division Chief and has responsibility for direction of all phases of the Aviation Division's program of work. This position supervises and provides program guidance and technical direction to the Flight Operations Manager, Helicopter Program Manager, SEAT Program Manager, Airspace Program Manager, and the Ramp Services Supervisor.

- Develops the BLM *National Aviation Plan*.
- Prioritizes and coordinates national allocation/reallocation of BLM fire aircraft.
- Manages the BLM NAO Operations, Labor and fire exclusive use contract budgets.
- Coordinates contracting and cooperator aircraft requests with AQD/OAS.
- Reviews states aircraft severity and preposition funding requests; coordinates with BLM Fire Operations.

Flight Operations Manager: This position provides oversight and supervision for the Aerial Supervision Module (ASM), the Air Tactical Group Supervisor (ATGS) programs and standardization of all BLM flight operations.

- Serves on the Interagency Aerial Supervision Subcommittee (IASS) and leadplane cadre.
- Functions as a qualified ASM, Smokejumper and PC-12 check pilot.
- Develops guidance for BLM aircraft and pilot standards.
- Develops and coordinates ASM operational procedures/training/certification.
- Provides guidance on light and medium fixed-wing aircraft operations and standards.
- Provides equipment and pilot procedures standardization and technical oversight for transport aircraft.
- Assigns BLM representative on the Smokejumper Aircraft Screening Equipment and Evaluation Board (SASEB) and Interagency Smokejumper Pilots Operation Guide Steering Committee.
- Coordinates aviation (aircraft and aviation operations facility) security with other DOI bureaus.
- Coordinates primary relief for the Fleet Smokejumper aircraft.
- Coordinates oversight of BLM Smokejumper Pilot Flight Standards.
- BLM National Focal Point for UAS Operations and UAS COA requests.

Aviation Safety & Training Advisor: This position provides leadership and technical expertise for aviation safety management systems, risk management and accident prevention programs. Has oversight of aviation training for BLM, providing training/certification guidance (curriculum, course materials, and instruction) for BLM fire and resource management aviation personnel.

- Serves as the BLM liaison to National Transportation Safety Board (NTSB) and OAS accident investigation teams.
- Oversees the BLM SAFECOM system and provides direction to the SMS portion of the Interagency Lessons Learned center website.
- Compiles BLM aviation safety statistics and analysis.
- Serves on accident review boards.
- Develops and/or coordinates aviation training in support of BLM aviation programs.
- Serves as a member of the Interagency Aviation Training Subcommittee (IATS) and other interagency training working groups.
- Coordinates the development of web based training for both vendor and government communities.

Helicopter Program Manager: This position provides oversight of the BLM Helicopter program.

- Reviews requests for exclusive use contracted helicopters, and coordinates with AQD, OAS and State Aviation Manager.
- Develops and establishes agency helicopter operational standards.
- Develops helicopter position requirements and training.
- Conducts site visits, reviews and inspections.
- Serves as a member of the Interagency Helicopter Operations (IHOpS) and BLM Helitack Steering Committees.

Single Engine Air Tanker (SEAT) Program Manager: This position provides oversight and guidance to the SEAT program and Scooper, Large Airtanker (LAT) and Very Large Airtanker (VLAT) programs.

- Develops and coordinates requirements and training for the SEAT program.
- Performs site visits and inspections of SEAT operating bases.
- Develops contract specifications in coordination with both AQD and industry representatives.
- Chair of the Interagency SEAT Board. Attends Interagency Air Tanker Board meetings as SEAT Advisor.
- Develops the Interagency SEAT Operations Guide.
- Coordinates with the BLM State Office Managers, SEAT contract activation and allocation of aircraft.
- Functions as national liaison with State SEAT programs.
- Supervises the National SEAT Coordinator when activated.
- BLM advisor to the *Interagency Air Tanker Base Operations* Subcommittee.

Air Tactical Group Supervisor Program Manager: This position provides national guidance and standardization for the BLM ATGS operations.

- Develops and reviews exclusive use and on-call ATGS aircraft contract specifications, coordinates with AQD, OAS and State Aviation Managers.
- Coordinates the BLM national ATGS training program (S-378, CRM, and associated flight training) in conjunction with interagency partners.
- Develops, coordinates, and implements strategic and tactical utilization of ATGS aircraft and personnel in conjunction with State Aviation Managers, Geographic Area Coordination groups, and interagency partners.
- Provides BLM direction for the *Interagency Aerial Supervision Guide*.
- Coordinates with Geographic Area Coordinating groups regarding the activities of the ATGS Cadre.
- Serves as a qualified ASM/ATGS Instructor/Check Airman and coordinates staffing for the BLM national ATGS training platform.
- Serves as a member of the Interagency Aerial Supervision Subcommittee (IASS).

Air Tactical Supervisors (ATS): These positions serve as Air Tactical Supervisors on Aerial Supervision Modules.

- Develop and review ASM procedures, make recommendations to the Aerial Supervision Program Manager.
- Instruct NWCG S-378 ATGS and ATS courses and mentor trainee ATGS and ATS personnel.
- Serve as subject matter experts (SME) for aerial supervision, airspace coordination, SEAT and air tanker operations.

Air Tactical Pilots (ATP): These positions serve as ASM and/or leadplane pilots.

- Serve as a contract project inspector for the BLM contracted ASM planes.
- Serve as an SME for aerial supervision, airspace coordination, SEAT and air tanker operations.
- Develop and review ASM/Leadplane procedures, make recommendations.
- Provides aircraft and mission training for tactical resources as assigned.

Airspace Program Manager: This position provides program management and leadership on airspace coordination issues directly impacting aviation safety in BLM, U.S. Forest Service and Department of Defense (DOD) operations.

- Is an active member of the Interagency Airspace Subcommittee.
- Develops and implements the Interagency Airspace Coordination Guide as part of the committee.
- Coordinates directly with FAA headquarters airspace managers, FAA service area managers, and Air Route Traffic Control Center (ARTCC) Supervisors in developing cooperative efforts towards solving airspace conflict issues, including the Notice to Airmen (NOTAM) Entry System (NES) and temporary flight restriction (TFR) coordination.
- Initiates and maintains professional contacts with DOD DC Command, Air Combat Command, Air Mobility Command, Northcom, Southcom and Military Base Commanders in order to coordinate military operations with user agencies, and FAA in eliminating airspace conflicts. Participates in Airspace/Range Council meetings to heighten awareness of airspace issues. Provides leadership and expertise to USFS, BLM and OAS aviation safety managers regarding airspace issues. Participates in investigations when requested and assists in determining programmatic solutions to reducing near mid-air collisions.
- Provides leadership for national development of airspace instruction, field office aviation airspace techniques and procedures including the design and implementation of airspace training courses, participating as guest speaker and providing lecture material.
- Assists other agencies with specific airspace issues when requested.

- Manages the airspace coordination web site. <http://www.airspacecoordination.org/index.html>
- Manages the development of the Airspace Coordinators (THSP) for assignments to support regional and geographical airspace coordination.
- Assists with airspace issues involving Unmanned Aircraft Systems when requested.

Aviation Staff Assistant: This position provides a full range of administrative support to the national aviation staff.

- Prepares and approves travel authorizations and vouchers, processes payroll, monitors budget reports and credit card statements to ensure expenditures are correctly made.
- Works with FBMS to create purchase requisitions for interagency agreements, contracts and requisitions.
- Prepares all formal office correspondence, including memorandums, Instruction Memorandums and Information Bulletins.
- Coordinates meetings and conferences for local and national-level events.

Ramp Services Supervisor (FA-510): This position oversees and directs aircraft ramp operations providing ground aviation management and ground support services to based and transient aircraft, air crews, transient personnel and cargo on the NIFC Aircraft Ramp.

- Insures compliance with FAA, OSHA, EPA, BLM, OAS and airport aviation and security regulations.
- Develops the NIFC Ramp Services Operation Plan
- Manages interagency flight helmet repair service through the NFES for participating agencies and cooperators.

2.5 BLM State/District/Field Office Organizations

State Directors, District/Field Manager: Aviation responsibilities are outlined in *350 DM 1 Appendix 4*.

- State Directors are responsible for all aviation activities within their respective jurisdiction.
- Each state will assign a State Aviation Manager (SAM). The SAM position provides oversight of the state aviation program and support to the state/district/field offices on all aviation matters.
- District/Field Managers are responsible for all aviation activities within their respective jurisdictions.
- Each District/Field Manager will assign a Unit Aviation Manager (UAM) to provide oversight and staff assistance on all aviation matters.
- District/Field Managers are responsible for review and approval of Project Aviation Safety Plans, when required, for aviation activities within their respective jurisdictions.

State Fire Management Officer (SFMO): The SFMO is responsible for providing oversight and approval of the acquisition and use of BLM fire aircraft within their state.

- Provides state strategic direction and guidance.
- Has the authority to prioritize the allocation, reallocation, pre-positioning and movement of all fire aircraft assigned to the BLM within their state.
- Coordinates with Districts/Units, Geographical Area Coordination Centers (GACC), and NAO regarding aviation resources assigned to their state.
- Ensure all state assigned aerial resources are effectively utilized for initial attack incidents.

State Aviation Manager (SAM): The SAM serves as the principal aviation professional for the State Director and is responsible for providing aviation program management, oversight and support to district/field office aviation operations within the state.

- Develops and implements the state aviation management plan, and establishes aircraft safety and accident prevention measures.

- Reviews all Project Aviation Safety Plans (PASP) with a Final Risk Rating of “High” prior to implementation.
- Serves as the Contracting Officer’s Representative (COR) on all BLM aviation exclusive use contracts assigned to the state.
- Nominates candidates to the Contracting Officer for potential appointment as Alternate CORs (ACOR) and assigns Project Inspectors (PI) for all BLM exclusive use aviation contracts in their state.
- Authorized to order aircraft and ensures all aircraft ordering and dispatching occurs via a dispatch office.
- Provides aviation training support to the state office, field/district offices, and other cooperative agencies.
- Provides statewide statistical analysis and A-126 reporting. ([A-126 link](#))
- Coordinates with the NAO specialists regarding aviation issues.
- Coordinates with other interagency partners on regional and state levels.
- Is a member of a geographic area(s) coordinating group aviation committee.
- Designates and assigns an alternate SAM when needed.
- Reviews all potential End Product contracts that could conceivably utilize aircraft (reference BLM NAP 3.8.1).
- Will submit annually to the NAO the BLM Law Enforcement Aviation Statistics form for all law enforcement aviation operations within their state (reference BLM NAP 5.28).
- Collects annual BLM aviation statistics for the state to include: fire, resource and associated costs. Desired delivery to the NAO by Nov 1st annually.
<http://www.blm.gov/nifc/st/en/prog/fire/Aviation/Administration.html>
- Reference the Interagency Airspace Coordination Guide (Chapter 2, Roles and Responsibilities) for specific responsibilities.
- Reviews request for UAS projects to ensure agency compliance.

Zone/District Fire Management Officer (FMO): This position is responsible for hosting, staffing, supporting, providing daily management and dispatching all BLM fire aircraft assigned to their unit.

- Authorized, through a line officer delegation, to request additional fire aircraft; establish priorities; and allocate all fire aircraft assigned to the BLM within their unit or zone.
- When directed by the state office, will mobilize BLM fire aircraft and assigned personnel as requested.
- Delegates or performs the function of the UAM when this position is not assigned.

Unit Aviation Manager (UAM): Field offices (district/center/zones) shall designate a UAM, either full time or collateral duty, to provide program oversight at the local level. Some Units may utilize Service First or similar agreements with interagency partners to provide the UAM (Unit Aviation Officer (UAM), Forest Aviation Officer (FAO)). The UAM is the principal local aviation professional and is responsible for managing and supporting the aviation program for the unit. The UAM has functional responsibility in the following areas and should have a delegation of authority for each area of responsibility:

- Ensures district/unit flight compliance with DOI/BLM/state and district policies and regulations.
- Confirms that a qualified flight manager is assigned to all project/resource flights.
- Ensures that visiting aircrews, pilots and incident management teams receive a Unit aviation briefing.
- Develops and implements the District/Unit aviation management plan (Interagency aviation management plans if applicable), as well as specific operating plans for other aviation programs (helitack, SEAT, airbase, and air tactical).
- May serve as the ACOR or PI on BLM exclusive use aircraft.
- Interagency Aviation Manager may also function as a COR for USFS contracts.

- Authorized to order approved aircraft utilizing agency procurement documents and processes. See NAP 3.7.3 for DOI On-Call and USFS Type 1/2 helicopter CWN and NAP 3.7.4 for DOI Aircraft Rental Agreement.
- Assists in development, review and briefing the appropriate level of signatory authority for PASP's per BLM NAP 4.3.2
- Ensures that airspace coordination procedures with the military airspace schedulers at the local dispatch center are current and that coordination with military airspace schedulers is completed prior to commencing project flights.
- Identifies unit flight hazards and coordinates the creation and annual updating of flight hazard map products (reference *Interagency Standards for Fire and Fire Aviation Operations, Chapter 16, IHOG Chapter 3*).
- Reviews unit SAFECOM reports and facilitates corrective actions.
- Ensure units' Aviation Mishap Response Guide and Checklist is updated by April 15, and functional.
- Facilitates, tracks unit aviation training, and coordinates with unit training manager and SAM.
- Conducts reviews and inspections of aviation facilities, aircrews and field operations.
- Coordinates arrangements for land use agreements/leases of aviation operations facilities.
- Ensures Aviation Security Plan is current and implemented.
- Collects and compiles aviation activity statistics and makes reports.
<http://www.blm.gov/nifc/st/en/prog/fire/Aviation/Administration.html>
- Coordinates with SAM all Senior Executive Service (SES) flights, and use of cooperator aircraft.
- Coordinates with SAM any aircraft flight service contracting needs.
- Designates and assigns an alternate UAM when needed.
- Coordinates with SAM on all potential End Product contracts that could conceivably utilize aircraft.
- Will submit as required to the SAM, the BLM Law Enforcement Aviation Statistics form for all law enforcement aviation operations within their unit (reference BLM NAP 5.28).
- Reference the Interagency Airspace Coordination Guide (Chapter 2, Roles and Responsibilities) for specific responsibilities.
- Reviews request for UAS projects to ensure agency compliance.

First Line Supervisors of BLM Pilots: Duties for this position are outlined in *350 DM 1 Appendix 3*. Duties include:

- Ensure employee pilots meet training requirements set forth by the bureau as well as those outlined by *351 DM 3* and *OPM-22*.
- Ensure employee pilots maintain personal documentation of required training.
- Maintain an employee pilot training file.
- Pilot training records documentation will be submitted to the Alaska SAM for BLM Alaska pilots and to the BLM NAO for all other BLM employee pilots by May 15 annually.

BLM Pilot – Fleet (2101, 2181 position series) & Incidental/Dual Function: The pilot is in command of the aircraft and has ultimate responsibility, under both Federal Aviation Administration (FAA) and DOI policy, for the safety of the aircraft and personnel onboard. Other responsibilities include the following:

- Duties outlined in *350 DM 1 Appendix 3*.
- Meet training requirements set forth by the BLM as well as those outlined by *351 DM 3* and *OPM-22*.
- Maintain personal documentation of required training.
- Submit training records documentation to immediate supervisor by May 1 annually.
- Comply with all requirements of *351 DM 3* and any other applicable policy, including pilot qualification carding for authorized missions.

- Incidental/Dual Function pilots must have a letter of authorization issued by the BLM state office in coordination with the NAO. The letter describes the pilots' duties and restrictions to include any special use requirements (reference 351 DM 3.2C).
- Operates the aircraft in accordance with applicable federal aviation regulations (FAR) and DOI/BLM guides, policy and procedures, and within aircraft contract specifications.
- Develops, activates and closes FAA or agency flight plans.
- Wears and uses personal protective equipment as required (reference DOI Aviation Life Support Equipment Handbook (ALSE) and applicable operations Handbooks).
- Conducts mission planning, performs a thorough pre-flight inspection of the aircraft and briefs all passengers in accordance to 351 DM 1.5.
- Does not deviate from flight plan or mission profiles unless agency authorization is received or as directed by air traffic control.
- Completes all flight records (OAS-AURM or OAS-23), completes OAS procedures as authorized.
- Arranges for aircraft maintenance as needed.

2.5 BLM Montana/Dakotas BLM Supplement: State/District/Field Office Organizations

The BLM State Director has overall responsibility for the BLM aviation program which is delegated to the Deputy State Director of Resources and in turn, to the Branch Chief of Fire and Aviation Management (State FMO). The State FMO delegates the daily duties and responsibilities of managing the aviation program to the BLM State Aviation Manager (SAM).

State Aviation Manager (SAM): The following duties are supplemental to the list found in the BLM-NAP:

- Maintains currency as an Interagency Aviation Trainer (IAT) per the standards in OPM-4.
- Functions as BLM representative on the NRCG Aviation Working Team (AWT) along with aviation managers from other federal and State agencies. The AWT provides interagency management, coordination, and oversight for fire-related air operations and aviation safety.
- Serves as the point of contact for aviation policy for the BLM.
- Establishes procedures and provides guidance to the field for ordering flight services per the Articles of an Inter-Governmental Order (IGO) with DOI-OAS and for obligating funds in FBMS for non-fire point-to-point and mission flights including SES flights.
- Participates as the BLM representative on the Northern Rockies Single Engine Airtanker (SEAT) working group.

Unit Aviation Manager (UAM): Each BLM District in Montana/Dakotas has identified and designated a District/Unit Aviation Manager who is responsible for the oversight of all aviation activities conducted under BLM operational control on their respective District. The UAM may be in a stand-alone position, or assigned aviation responsibilities as a collateral duty to another position title. The specific authority and responsibilities of each UAM is specified in a letter of delegation signed by Line Officer(s).

Each UAM is required to write a Unit Aviation Management Plan, or edit/review an existing plan annually. Unit aviation plans should be submitted to the SAM for review annually. In all cases, the Unit aviation plan shall be finalized and signed by a Line Officer (i.e., District Manager).

See Section 5.1 Operations for a more detailed description of the BLM District aviation programs in Montana/Dakotas.

District/Field Supplement: (*local aviation organization, positions, etc.*)

2.6 Aviation Positions

Aircrew Members: Government (BLM, USFS, other federal/state) employees which perform an active mission function during a flight on aircraft under BLM operational control are considered to be Aircrew Members (not passengers). Aircrew Members include, but are not limited to:

- ATGS , ATS
- Smokejumpers (jumpers and spotters)
- Helitack crew (crew members and manager)
- Designated observers - spotters
- Personnel conducting surveys or mapping
- Photo/video operators
- Loadmasters and flight attendants

Aircraft Dispatcher: Dispatch personnel trained in aviation mission operations, policies, and procedures who receive process and place orders for aircraft, provide flight following and other aviation support services.

Duties include:

- Confirms that BLM Flight Request Form (9400-1a) is utilized, completed for BLM operationally controlled non fire flights (point-to-point and mission flights).
- Provides flight following and coordinates with other agencies on flight following when air operations cross jurisdictional boundaries.
- Maintains a current *Aviation Mishap Response Guide and Checklist* and initiates emergency search-and-rescue procedures for overdue, missing, or downed aircraft. Required to test the plan at least annually through a simulation exercise. (See also *BLM NAP 5.12*)
- Follows the procedures established in the *Geographic* and *National Mobilization Guides*.
- Utilizes required boundary plan checklist (reference *IACG* chapter 7) when dispatching any aircraft into identified dispatch boundary zones.
- Provides appropriate notification to assist in airspace coordination and de-confliction and meet any applicable airspace coordination agreements that BLM has with military airspace scheduling authorities (FAA, bordering dispatches, and military).
- Authorized to order and/or hire approved aircraft utilizing DOI AQD aircraft contract sources for non-fire and fire flights. Cooperator aircraft (USFS, state, and National Guard) can be ordered per fire master agreements and Unit Aviation Plan.
- Reference the *Interagency Airspace Coordination Guide* (Chapter 2, Roles and Responsibilities) for specific responsibilities.

Airspace Coordination Specialist (THSP): An Airspace Coordinator may be ordered to assist or assume airspace coordination duties. The Airspace Coordinator may be located at a GACC, local unit, Area Command, or State Office. Individual must have extensive experience coordinating airspace issues. Duties could include airspace de-confliction, Temporary Flight Restriction, coordination with DoD and FAA, activating airspace agreements, Pilot briefings and conflict resolution. For additional information, consult Chapter 2 “Agency Organizations, Roles and Responsibilities and Airspace Committees” of the *Interagency Airspace Coordination Guide* (2003). Currently, Airspace Coordinators are Technical Specialists (THSP).

Aircraft Manager: Aircraft managers supervise tactical aircraft operations. Each manager complies with their appropriate *Interagency Operations Guide*, and is responsible for the following:

- Plans, coordinates, and supervises aircraft operations according to DOI/BLM policy.

- Directs pilots and crews, and provides operational and safety briefings to aircrews, project leaders, and passengers.
- Conducts and completes flight time reports, daily diaries, and all related documentation.
- Conducts mission planning and risk/hazard analysis with the pilot.

Flight Manager: A flight manager is a government employee that is responsible for coordinating, managing, and supervising flight operations, and will be designated for point-to-point flights transporting personnel. The flight manager is not required to be on board for most flights, however for complex multi segment flights a flight manager is recommended to attend the entire flight. The flight manager will meet the qualification standard for the level of mission assigned as set forth in the *Interagency Aviation Training (IAT) Guide*. The flight manager is supervised by the sending unit dispatcher until the destination is reached.

- Reference *National Mobilization Guide* chapter 60 for specific responsibilities.
- Non-fire Special Use fixed wing missions (as defined by OPM-29) require oversight by a Fixed Wing Flight Manager-Special Use.

A helicopter flight manager is utilized to supervise missions limited to point to point transport of personnel from one helibase/airport to another helibase /airport, low and high level reconnaissance, and landings or takeoffs at unimproved sites; the helicopter flight manager is **not** expected to fulfill all the duties of a qualified resource helicopter manager. Rather, he/she is the government representative who coordinates with the pilot regarding the safety and efficiency of the flight.

Resource (Non-Fire) Helicopter Manager: A resource helicopter manager is utilized to supervise operations involving transport of groups of personnel or cargo from/to unimproved landing sites, external load operations, or other complex special-use project operations.

BLM has adopted S-271 and S-372 with the addition of the Interagency Resource Helicopter Manager task sheet (reference in *BLM NAP Appendix 11*). These requirements must be met in lieu of IAT training stipulations.

Interagency Resource Helicopter Manager Position Task Sheet (PTS) Implementation:

All future Resource Helicopter Managers will be responsible for meeting specific BLM training requirements as well as the Resource Helicopter Manager PTS. Training requirements are S-271 and S-372 with a successful training assignment(s) under the supervision of a fully qualified helicopter manager. Triennial attendance at RT-372 and experience operating in the position every three years is also required for all new and currently qualified Resource Helicopter Managers.

All required training must be completed prior to the initiation of the Resource Helicopter Manager PTS. The individual tasks required for completion of the PTS must be evaluated by a qualified helicopter manager. A PTS is valid for 3 years from the day it is initiated. Upon documentation of the first task in the PTS, the 3 year time limit is reset from that new date. If the PTS is not completed in 3 years from the date of the PTS initiation (or first task being evaluated) the PTS will expire. A new PTS may be initiated. Prior experience documented in the expired PTS may be taken into account in completion of the new PTS at the discretion of the certifying official. All current qualification standards identified in this document must be applied at the time of the new PTS initiation.

- Currently Qualified: Employees who are currently qualified as a Resource Helicopter Manager must meet the triennial RT-372 attendance requirement.
- New Trainees: Complete the training S-271 & S-372 and the Resource Helicopter Manager Position Task Sheet.
- Current trainees: In the past, some employees have used unofficial Resource Helicopter Manager task sheets/task books to document skills and experience. The use of unofficial task books/sheets is no longer allowed. In those instances where an employee has initiated and not completed an unofficial

task sheet/task book, those individuals can transfer similar tasks to the new task sheet. The appropriate State Aviation Manager will adjudicate all issues arising from the change in task sheets. Completed tasks that mirror tasks in the official task sheet need not be completed again. The employee is responsible for the completion of remaining tasks in the officially recognized position task sheet within the allowed PTS time frames.

Roles and responsibilities in implementing this PTS are outlined on pages 3 & 4 of the Resource Helicopter Manager Task Sheet. Here is a short summary:

- The **Home Unit** will be responsible for initiating the Task Sheet with supervisor's concurrence.
- The **Evaluator** must be currently qualified as a helicopter manager.
- The **Final Evaluator** must be currently qualified as a helicopter manager. Only the Evaluator on the final position performance assignment (the assignment in which all remaining tasks have been evaluated and initialed) will complete the Final Evaluator's Verification statement inside the front cover of the PTS recommending certification.
- The Certifying Official from the Home Agency (Unit Aviation Officer/State Aviation Manager/ Helicopter Operations Specialist, whichever is applicable) must review and confirm the completion of the PTS and make a determination of agency certification. This determination should be based on the Trainee's demonstration of acceptable position performance, as well as the completed PTS—which includes a Final Evaluator's Verification. Only the Certifying Official from the Home Agency has the authority to certify an individual's qualifications.

Tracking the unit's or states qualified Resource Helicopter Managers will be the responsibility of the Unit Aviation Manager and the State Aviation Manager respectively. Qualification records will be maintained within the IAT database.

Vendor Pilot: All vendor pilots shall conform to the procurement document requirements they operate under.

2.6 - [Montana/Dakotas BLM supplement: Aviation Positions](#)

- **Air Tactical Group Supervisor (ATGS):** The ATGS assigned to staff the exclusive use contracted fixed wing aircraft in Billings is targeted to be an ATGS trainer to promote ATGS training and program development.
- **Plastic Sphere Dispenser (PSD) and Helitorch Instructors:** The State Aviation Manager (SAM) may issue a written letter of certification, per Chapter 2 of the Interagency Aerial Ignition Guide, for PSD and Helitorch Instructors. Recertification is required annually. The SAM and UAM will each maintain letters of certification on file for at least five years.

District/Field Supplement:

3.0 Administrative Requirements

3.1 General

This section establishes: definitions, management responsibilities, policies, and procedures for administration of the aviation program in BLM.

New program requests involving aerial assets, not already approved by established bureau policy, shall be routed through the State Director to the Division Chief Aviation for approval.

3.2 Reporting and Documentation Requirements

General administration policy for BLM Aviation is found in *350 DM 1*.

- The approval and documentation of senior executive travel in agency and agency procured aircraft is as required by *OMB Circular A-126*. States shall forward biannual reports (April and October) to the NAO, who will forward to OAS.
- Documentation requirements for aviation activities shall follow requirements in *BLM Manual 1220 Records and Information Management* Appendix 2, Combined Records Schedules, Schedule 10/8 and 9.
- Each office will maintain an aviation reference library and aviation files (these may be paper copies and/or electronic documents) per BLM Preparedness Review Checklist #4 "Aviation Management" located at:
http://www.blm.gov/nifc/st/en/prog/fire/fireops/preparedness/preparedness_review/checklists.html
- Documents shall be retained for at least three years. The designated aviation manager at the unit, state and national levels shall be responsible for maintaining and updating all aviation related references, files and records.

3.2 - [BLM Montana/Dakotas BLM Supplement: Reporting & Documentation requirements](#)

UAMs will submit flight use and cost summary data to the SAM at the end of each fiscal year so that an end-of-year summary report can be compiled and submitted to the NAO. .

Separate reports will be submitted to the NAO by the SAM to report Cooperator Aircraft use, SES flight hours, and BLM Law Enforcement flight hours. During NR Preparedness Levels 4 and 5, interim use statistics and UAM participation on daily aviation conference calls may be requested by the SAM to assist with Geographic MAC resource allocation.

District/Field Supplement: *Local reporting/documentation requirements, roles/responsibilities, etc.*

3.3 Aviation Plans: National, State, Unit, and Project

BLM Manual 9400, Aviation Management specifies national aviation management policy. The national, state and district/field offices aviation plans describe procedures that implement policy direction in the *9400* manual. State and unit plans supplement national policies and procedures. State and field offices must not implement policy or procedures less restrictive than national policy. If a state or unit plan must contain more restrictive procedure, a written request, prior to implementation, is to be sent to the NAO.

National Aviation Plan (NAP): The BLM *NAP* provides comprehensive information regarding BLM aviation organization, responsibilities, administrative procedures and policy. The BLM *NAP* is intended to serve as an

umbrella document that state aviation plans can follow for formatting and describe procedures applicable to the organizational level. The BLM *NAP* will be updated and issued annually prior to March 1 by the NAO. The *NAP* is approved by the Assistant Director of the BLM Fire and Aviation Directorate (FA-100).

- **NIFC Ramp Services Operation Plan:** The Ramp Services Operation Plan defines the mission, provides checklists, orientation outlines and instruction for employees and contractors and standardizes operating procedures at NIFC Ramp Services.

State Aviation Plans: Each state shall publish an aviation plan that implements national policy and describes protocols specific to each state's aviation program. The State Aviation Plan serves as an umbrella document for Unit Aviation Plans. However the State Aviation Plan may also be designed to serve as an overall Unit Aviation Plan provided that the local unit administrative and operational procedures are incorporated along with the aircraft supplemental plans that are specific to each unit aviation program (see identified procedures listed under Unit Aviation Plans). State Aviation Plans are approved by the State Director. State Aviation Plans shall be updated annually prior to April 1 and submitted to the NAO for inclusion to the BLM Aviation web site:

<http://www.blm.gov/nifc/st/en/prog/fire/Aviation/Administration.html>

Unit Aviation Plans: Units (districts/field offices/zones) are required to maintain and update Unit Aviation Plans annually, which implement national and state policy and establish local procedures and protocol. Unit Aviation Plans are approved by the District/Field Office Manager. Unit Aviation Plans shall address local administrative and operational procedures to include:

- Unit/state organizations
- Aviation facilities
- Radio use
- Repeater locations
- Phone and computer use
- Airspace coordination to include boundary zone deconfliction (reference IACG Chapter 7)
- Flight hazards
- Aircraft ordering
- Dispatching and flight following procedures
- Administrative procedures
- Identification of typical aviation missions
- Risk assessment and mitigation specific to the Unit or not addressed in State/National Aviation Plan (reference BLM *NAP* 4.4)
- Unit Aviation Plan, Supplemental Operational Plans or Project Aviation Safety Plans shall address recurring aircraft operations.. Examples include:
 - Airbase operations
 - Helitack operations
 - Smokejumper operations
 - Airtanker operations
 - Aerial Supervision.
 - Light Fixed Wing (Fire Detection and Recon, Logistical, etc.).
 - WH&B
 - ACETA
 - Law Enforcement operations
 - Non-Fire Aviation Activities

Project Aviation Safety Plans (PASP): A PASP will be developed and approved at appropriate levels depending on project/flight complexity and risk as required for specific non-fire flights/projects (reference BLM *NAP* 4.3.2 for specifics regarding PASP requirements).

3.3 - [BLM Montana/Dakotas Supplement: State and Unit Aviation Plans](#)

As suggested in the BLM National Aviation Plan (NAP), Sec. 3.3 above, Montana/Dakotas is inserting the State Aviation Plan as a supplement or second tier to the NAP. BLM Districts are encouraged, but not required, to adopt this format and include their unit aviation plan as a third tier into the appropriate sections of this document. Unit Aviation Plans will be reviewed by the SAM and signed/approved by the unit Line Officer (i.e. District Manager) annually. Unit Aviation Plans and/or programs may not implement a policy or procedure that is less restrictive than State and National Aviation Plan direction.

District/Field Supplement:

3.4 Aircrew Orientation Briefing Package

Each state and unit will create an Aircrew/Pilot Orientation Briefing Package. Ultimately, the format of this package will be standardized throughout the states. Unit aviation managers are responsible for providing visiting pilots, aircrews and Incident Management Teams with a briefing. The orientation briefing package serves as a source of information about local administrative and operational procedures (copy of the unit aviation plan, frequency sheets, repeater locations, flight following procedures, hazard map, known landing zones, fire behavior information, recommended lodging/dining list, maps, etc.).

3.4 [BLM Montana/Dakotas Supplement: Aircrew Orientation Guide](#)

Aircrew orientation guides are developed/updated and distributed annually as a comprehensive guide for all BLM suppression programs in Montana/Dakotas.

District/Field Supplement:

3.5 Land Use Policy for Aviation Activities

The regulation of aviation activities on or above BLM managed lands is typically dependent on resource management plan (RMP) direction, wilderness management regulations and any applicable federal aviation regulations.

Temporary aviation operations on BLM lands may be restricted due to resource management plan direction. UAMs should coordinate with resource managers to identify areas of restriction when developing district/field office level operating plans, unit aviation plan, and PASP. For information regarding implementing invasive species control measures for aviation activities reference BLM *NAP* 5.14. The local resource advisor is the focal point for coordinating the reporting of any fire chemical aerial application in or near waterways.

3.5 BLM Montana/Dakotas Supplement: Land Use Policy for Aviation Activities

Aviation operations supporting fire incidents or non-fire projects on BLM lands may require coordination with agency Resource Advisors. Private lands and certain airports owned/managed by the Montana State Division of Aviation are sometimes temporarily used by agency or interagency Fire suppression aircraft. This incidental use of non-federal land will normally require implementing an emergency Land Use Agreement that defines the authorized use and method of reimbursement by the government.

Procedures for reporting the inadvertent or intentional application of fire chemicals within 300 feet of waterways are listed in Chapter 12 of the Interagency Standards for Fire and Fire Aviation Operations (Red Book). Additional local procedures and points of contact may be described in more detail in the Unit Aviation Plan.

There is increasing interest and differing internal viewpoints regarding public recreational use of airstrips that are located on BLM lands which may or may not be depicted on aeronautical sectional charts. The following language is found in the BLM 1626 Travel and Transportation policy, updated in July, 2011: “2. *Land Use Plan Decisions and Considerations. The following decisions are required under the land use planning process pursuant to the regulations found in 43 CFR Part 1600.*” [Note: Sub-sections (a) through (c) are omitted since they do not address aircraft.] “d. *Water and Air: Resource Management Plans shall address access across BLM-managed lands to federal-and state-owned waters and for aircraft landings on land and water. Recreational backcountry airstrips can be an integral part of a balanced and efficient transportation system. Backcountry airstrip designations need to be consistent with the goals and objectives for the planning area and applicable Federal Aviation Administration regulations. BLM MANUAL Rel. 1-1731 07/14/2011*”

District/Field Supplement: *(List/describe any backcountry airstrips utilized by the agency or the public; the status and condition of any airstrips, notification procedures for use, etc. if applicable.)*

3.6 Budget

BLM exclusive use contract fire aircraft daily availability is budgeted by the NAO (FA-500). All exclusive use availability guarantees and fixed government ownership costs for fire aircraft are held at the NAO.

Non-Fire exclusive use contract and fleet aircraft are budgeted outside the NAO through a variety of sources.

3.6 BLM Montana/Dakotas Supplement: Budget

The Budget for BLM Montana/Dakotas is tracked by State Office Fire Budget Specialist and the BLM Branch Chief of Fire and Aviation. Preparedness funds are allocated to the Districts with SFMO concurrence. Severity requests are prepared by the State Assistant FMO, Fire Operations Group (FOG) representative. When able, the SAM will work with the Fire Budget Specialist to secure and identify funds for specific aviation related projects, such as printing the NR Aviation Frequency Guide. Funding may occasionally be allocated from the State Office to a District for training and proficiency flight time associated with A-219 long line training, cargo letdown, etc.

District/Field Supplement:

3.7 Aircraft Flight Service Ordering

Only flights with a scheduled air carrier on a seat fare basis and with payment utilizing their federal government credit card are initiated by individual BLM employees. Aircraft acquisition and procurement for all other flights are approved to be arranged only by IBC (AQD), (Exceptions - 353 DM 1.2.A & OPM-15). These flights are

scheduled, managed and arranged by qualified aviation and dispatch personnel in their respective BLM offices and approved at the appropriate management level (reference state and unit aviation plans).

Aviation services under DOI contract or rental agreement are paid through the IBC. Contractors are responsible for final submission, for payment, through the processes defined by IBC. Assigned Flight/Aircraft Managers are responsible for submission of the OAS-23E. COTRs and CORs are designated by the CO to monitor aviation services contract performance and technical provisions of the contract.

When ordering aircraft, no modification of contract requirements are authorized, except by the CO.

Ratification of Unauthorized Commitments: Unauthorized commitments (orders with vendors without a current and valid DOI ARA or On Call contract) could be subject to the ratification procedures set forth in the Federal Acquisition Regulation 48 CFR 1.602-3 (reference *353 DM 1.8*).

Each type of On-Call contract or the ARA has specific ordering procedures. The procedures are found on the OAS web site: <http://OAS.doi.gov/apmd/index.htm>

An ordering official is a person who places an order directly with a vendor. They must have the knowledge to conduct and document a cost comparison/Contractor selection rationale. For BLM the only personnel that have bureau authorization to order aircraft are qualified aircraft dispatchers, UAMs and SAMs.

Orders for service shall be placed with the Vendor who is determined to represent the best value to the Government, using tradeoff analysis. In selecting an aircraft, the ordering official shall evaluate Vendors by trading-off the differences in capability and price. If one Vendor has both the better capability and the lower price, then that Vendor will be the best value. If one Vendor has the better capability and the higher price, the requestor will decide whether the difference in capability is worth the difference in price. If the requestor considers the better capability to be worth the higher price, then the more capable, higher priced Vendor will represent the ultimate best value to the Government.

When selecting a vendor with the better capability but a higher price, the ordering official shall provide a short explanation to support this decision on the cost comparison.

Criteria evaluated are:

- Aircraft or contractor capability.
- Price (flight time, guarantees, mobilization, per diem, service truck mileage)
- Availability of the contractor to meet time frames.

Once the selection is made, it is the bureau personnel's responsibility to ensure the aircraft and pilot offered by the vendor are approved for the mission.

Procedures for placing orders against the DOI On-Call/ARA for all "Non-Fire" and "Non-Emergency"

aircraft services: The ordering unit shall complete a Request Form for DOI Flight Services (AQD-91) for all flights and submit the completed form to: aqd91@ibc.doi.gov

If utilizing the ARA and your estimate exceeds \$25,000.00, contact your OAS Flight Coordination Center or the Contracting Officer.

The ordering official shall document the vendor price analysis on the second tab of the Flight Services Request Form (AQD-91). Selection of three sources within the local area to compare best value criteria will meet this competition requirement. When selecting a Vendor with the better capability but a higher price, the requester shall place a short explanation to support this decision on the AQD-91.

3.7.1 Inter-Agency Agreements (IAA)

All DOI AQD Contract/ARA aviation services procured by BLM will be funded via an Interagency Agreement with AQD. This will require a substantial amount of lead time for Non-Fire aviation services to ensure the agreements for funding are in place before any flight activity takes place. The user of the aircraft must ensure that an Interagency Agreement (IAA) has been completed by their agency and accepted by DOI. That document will identify the amount, purpose, period of performance and source of the funding.

DOI AQD Contract/ARA Aviation Services Acquired in Support of Non-Fire Activities: Aviation users must work with local UAM to assure Non-Fire aviation services are ordered in accordance with State/District protocols to include:

- Identifying the need for a non-fire flight.
- Completing an AQD-91 Flight Services Request Form / Best Value Comparison to identify a particular aircraft and associated cost.
- Completing a PR request in FBMS with appropriate funding from benefiting activity.
- Creating a new IAA as needed, or referencing an existing IAA, for each project.

DOI Contract/ARA Aircraft Services Acquired in the Support of Fire Management Activities

The Department has determined that the intra-agency payment process utilized in 2013 is not cost efficient and beginning with FY14, has provided direction to create miscellaneous obligations for intra-agency agreements with AQD. Instead of agreement numbers such as L10PG00668 and L13PG00035, there will be a 10-digit numeric miscellaneous obligation number (ex. 45000#####). This obligation number will be disseminated by the National Aviation Office each fiscal year after the agreements for availability and DOI Fire are executed.

A National IAA is established for BLM fire management activities (suppression, severity, fuels (RX), emergency stabilization, burned area rehabilitation, and preparedness). The IAA obligation number for BLM Fire Management Activities is:

- TBD

A separate National IAA is established for BLM fire exclusive use aircraft availability and BLM NAO Fleet aircraft (N190PE, N49SJ, N618) monthly rate. The IAA obligation number for BLM fire exclusive use aircraft availability and BLM NAO Fleet aircraft monthly rate is:

- TBD

[3.7 BLM Montana/Dakotas Supplement: Aircraft Flight Service Ordering](#)

UAMs, Center Managers, and qualified Aircraft Dispatchers (as designated by the Center Manager or UAM) are authorized to arrange for the use of rental and on-call (CWN) contract aircraft for administrative, logistical, or tactical mission flights. The UAM will ensure that an aircraft with the appropriate performance capability for the mission is selected using acceptable evaluation criteria and processes.

The NAP and the Acquisition section of the OAS website describe the requirement to complete a Best Value Determination form prior to hiring an aircraft using one of the DOI on-call flight services contracts or the Aircraft Rental Agreement. The documentation requirements may vary depending on which contract will be used to procure an aircraft to perform a mission. The appropriate instructions, forms, and documents are found on the OAS website. When in doubt about the process, UAMs should call the appropriate AQD Contracting Officer to receive specific guidance. Districts are responsible for developing the Interagency Agreement (IAA or IGO) and obligating the funds for specific missions.

Use of a BLM exclusive-use contract fire aircraft, for either fire or non-fire projects, is already covered by an IAA established at the national level. Fire aircraft may become unavailable on short notice, or be unexpectedly diverted from a resource project to perform initial attack.

Offices are cautioned about exceeding the amount authorized in any IAA obligation that will result in ratification. If that occurs, a second IAA will be needed to obligate additional funds. Estimate high when you obligate and refer to the latest State Office Instruction Memorandum for specific details about Ratifications of Unauthorized Commitments.

District/Field Supplement: *(Local procedures and points of contact for ordering flight services for non-fire resource projects/missions)*

3.8 Aircraft Contracts

Aircraft flight services in excess of \$25,000 require an Exclusive Use aircraft contract or the use of: DOI On-Call or USFS Call When Needed (CWN) contract. Short term projects (< \$ 25,000) may utilize the DOI Aircraft Rental Agreement (ARA) or the On-Call contract.

The DOI On-Call and USFS CWN contracts are competitive bid contracts that do not have a \$25,000 limit like the ARA.

3.8.1 Non-Fire Exclusive Use Aircraft Contract Process

- State, field and district offices are required to submit a “Request for Contract Services” Form (OAS-13) to the SAM for all potential or desired contracted flight services. The SAM will review and approve/disapprove all OAS-13’s. The SAM will work with the appropriate AQD Contracting Officer (CO) and NAO personnel to provide coordination, technical input, solicitation review, and decision making for each contract award.
- A “Pre-Validation of Funds for Contract Award/Renewal” Form (OAS-16) will be authorized by an appropriate budget officer prior to awarding or renewing Non-Fire aircraft contracts.
- The SAM will provide the NAO program manager with a copy of any OAS-13, OAS-16, “Notice to Proceed” (OAS-19), Request for Amendment/Modification and/or Request for Contract Extension for any Non-Fire Exclusive Use aviation contract at the same time the original request is forwarded to the AQD CO.

3.8.2 Fire Exclusive Use Aircraft Contract Process

- Any changes in aircraft type or capability that would significantly increase fixed costs must be supported and approved by the Assistant Director of the BLM Fire and Aviation Directorate (FA-100).
- State offices are required to submit Form OAS-13 to the appropriate NAO program manager for approval of all requested exclusive use aircraft. The NAO program manager will review all OAS-13s and work with the appropriate contracting officer in providing coordination, technical input, solicitation review, and decision making for each contract award.
- SAM will provide the NAO program manager with a copy of any OAS-19 and/or Request for Amendment/Modification for any Exclusive Use/On-Call aviation contract at the same time the original request is forwarded to the AQD CO.
- All OAS-16’s will be authorized by the NAO prior to awarding, renewing, or extending fire aircraft contracts.

Changing the Contract Start Date: The aircraft start dates can be changed to accommodate the government work or training schedules. If the start date is altered from that shown on the original OAS-16, the COR will notify the Deputy Division Chief, Aviation (FA-500). The start date of the exclusive use period may be adjusted up to 14 days prior to, or 14 days after the normal start date (as stated in the aircraft contract). The start date is established by a Notice to Proceed Form (OAS-19) issued by the COR. Adjusting the start date does not alter the length of the use period.

Funding through the following code; **LLFA540000LF100000.HT0000** begins on the new start date and is available continuously for the total number of exclusive use days (excluding contract extension) specified in the contract.

Contract Extension: Mutual Extension - The exclusive use period may be extended on a day by day basis after the Mandatory Availability Period (MAP), provided that such extension is agreeable to both parties in writing prior to the extension. An extension on the use period creates use “outside” of the normal exclusive use period and requires early planning, coordination and a contract modification by the CO. It also requires a dedicated funding source approved by the NAO. Daily availability and subsistence/per diem are entitled to the contractor. Extensions are not guaranteed; they require written mutual agreement (contract modification). They are normally used when additional work is anticipated and other funding sources are available. Funding for extensions may be through BLM (i.e. suppression, severity, rehab, resources, etc.) or from another agency which requires a reimbursable agreement to be in place.

- Funding from **LLFA540000LF100000.HT0000** is limited to the number of days specified in the contract and **is not** to be utilized during contract extension.
- Use Rates for Pay Item Codes (FT, SM, PD, EP, ET, SC, etc) - All Use Rates will be charged to the appropriate office and benefiting activity, but not to the NAO code.
- SAM will make a request for any Exclusive Use contract extension a minimum of five working days prior to end of exclusive use period to the Deputy Division Chief, Aviation.
- Contract extension on Severity Funding must be requested by the State and approved by the National Office through the standard severity request process.

3.8.3 On-Call/Call When Needed (CWN) Aircraft Contracts

AQD administers the DOI On-Call aircraft contracts and the USFS administers the Type 1 and Type 2 Helicopter CWN contract. Authorized BLM personnel (UAM, Aircraft Dispatcher) can hire aircraft using these contracts through the Resource Ordering and Status System (ROSS) as described in the contracts and the *National/Geographic Area Mobilization Guides*. Funding for these aircraft is made through specific incident emergency fire suppression, approved severity funding or approved non-fire activity funding. The emergency fire suppression funding is only available until the specific incident is controlled/out. Resource ordering procedures are described in the *Geographic Mobilization Guide*. The types of DOI On-Call and USFS CWN aircraft contracts available to BLM are:

DOI On-Call Contracts: Reference OAS web site for contract details and ordering procedures:

<http://oas.doi.gov/apmd/cwn/cwn.htm>

There are separate contracts for:

- Small helicopters (ICS Type 3) – 4 to 6 seat helicopters.
 - Used for Fire Operations and Resource Management Projects.
 - DOI On-Call C17.4.2.2 NON-FIRE and ONE-DAY FIRE missions can be hired on a daily availability and fixed flight rate basis or a project flight rate basis. Orders placed and accepted on the basis of payment for daily availability and the fixed flight rate will be subject to contract clause C17.4.2.1.
 - Reference DOI On-Call C16.1.1 “....individual project cost comparisons and contractor selection rationale.” is required.
- SEAT – Fire suppression.
- Air Tactical Fixed Wing – Fire Suppression or Non-fire missions.

- Wild Horse and Burro (WH&B) – Inventory/Census, herding and capture.
- Aerial Capture, Eradication and Tagging of Animals (ACETA) – Inventory/Census, Herding, Marking/Eradiation/High Velocity Darting, Net-Gunning/Low Velocity Darting.

USFS CWN Aircraft Contracts: Reference USFS web site for contract details and ordering procedures:

http://www.fs.fed.us/fire/contracting/helicopters_cwn/helicopters_cwn.htm

There are separate contracts for:

- USFS National Type 1 and 2 Helicopter CWN contract - Medium to heavy lift helicopters. Project flight rates apply for non-fire projects.
- USFS Regional Type 3 Helicopter CWN contracts – Light, multi-purpose helicopters.
- USFS Exclusive Use and CWN contracted aircraft are available for DOI use per requirements of *OPM-39*.

3.8.4 DOI Aircraft Rental Agreements, Non-Fire – (ARA)

ARA aircraft are not authorized for tactical fire operations. Non-tactical operations that an ARA aircraft may be used for include; fire monitoring, fire detection, personnel or cargo transportation (non-Initial attack) etc. The ARA is used to procure flight services requested under a blanket purchase agreement (BPA), and are acquired under the authority of Federal Acquisition Regulations (FAR), Part 13, and BPA. These are not competitive contracts, thus have limitations of \$25,000 total expenditure per ordered project. Project requirements of more than \$25,000 shall not be separated into several transactions to avoid expenditure limits. The OAS Regional Offices administer the ARA program through the Flight Coordination Centers. The OAS web site has a link to the Aircraft and Pilot Source List: http://OAS.doi.gov/fc/ara_order.htm

Resources are displayed by state and the database is searchable by: vendor, type of aircraft, special use qualification. The availability of ARA helicopters is limited as most helicopters are ordered, depending on project needs, from the DOI On-Call contracts: Small Helicopter, Wild Horse and Burro, or the ACETA. The airplanes available on the ARA Source List typically do not have the same level of avionics that the On-Call contracted planes have. ARA aircraft have a minimum flight hour daily guarantee.

The numbers of approved rental aircraft must be consistent with program objectives. Requests from the field to add new vendors must be carefully reviewed at the state and national level. All “Request for Rental Services” (OAS-20) will be reviewed and submitted by the SAM to the NAO. The appropriate NAO program leader (fixed wing, helicopter) will review the request and, if approved, forward to the OAS for processing. Some criteria for assessing need for additional rental aircraft are:

- Type of aircraft.
- The number of same type of aircraft available locally to the field offices.
- The estimated annual usage of that type of aircraft.
- Special services/equipment provided by the contractor.

3.8.5 Contractor Evaluations

In accordance with Federal Acquisition Regulation 42.1502, past performance evaluations shall be prepared at least annually and at the time the work under a contract or order is completed.

The AMD-136A form (Evaluation Report on Contractor Performance (Exclusive Use, On Call, CWN and ARA)) is used for documenting contractor performance for aviation services performed in support of DOI customers.

This form is located at: <http://OAS.doi.gov/library/forms.htm>

The CO will register each contract by submitting the contract information to the agency’s CPARs office. For both exclusive use and on-call contracts, the Project Inspector (PI)/Flight Manager is responsible for completing the contractor evaluation form. The evaluations for the exclusive use contracts will be forwarded to the Contracting Officer Representative (COR) for review and entry into the CPARs system.

On Call includes; Small Helicopters, Air Tactical, SEAT, ACETA and WH&B. The on-call contract evaluations shall be forwarded to the SAM. The SAM will review and forward the on-call evaluations to the respective Contracting Officer for entry into CPARs.

National Call When Needed (CWN) USFS Type1 and Type 2 helicopter contract. The PI/Flight Manager shall complete the USFS Contractor Performance Assessment Report and submit to the SAM. The SAM will review and a forward to the USFS CWN Contracting Officer. The form is available in the vendors copy of the contract and at the following link: <http://web.nifc.gov/contracting/index.htm>

The CO will review and submit the evaluation to the Contractor for their review and signature. The contractor has 30 days to either accept the rating or provide comments. After agreement of both parties, the evaluation becomes an official past performance record which may be used in future source selections.

The PI/Flight Manager should discuss the evaluation with the contractor's representative before submission. If during the performance of a contract there are negative performance issues the PI should attempt to resolve issues with the contractor's representative and inform the UAM and COR of issues. If any issues cannot be resolved locally, then the COR will facilitate contacting the contractor and/or the CO.

3.8 – [BLM Montana/Dakotas Supplement: Aircraft Contracts](#)

The BLM SAM serves as the Contracting Officer's Representative (COR) on two BLM Exclusive Use Fire helicopter contracts and one air tactical fixed wing that are based in Montana. The daily duties of administering these contracts are usually delegated to the District UAM who is formally designated as the "Alternate COR" (ACOR) by a DOI-AQD Contracting Officer. A description of these contract aircraft is found in Chapter 5, Operations.

- When an existing exclusive use contract expires (all option-years have passed), or if a new contract is needed in Montana, the SAM will submit a new AMD-13 to the BLM National Aviation Office (NAO).
- NAO will verify that adequate funds are available in the current year FA-500 allocation to support the contract daily availability, and an OAS-16 will be issued to confirm funding.
- The UAM will consult with his/her Unit FMO to determine the start date for each year's exclusive use contract period and then notify the SAM. The SAM will coordinate with and notify the NAO.
- The SAM will submit an OAS-19 "Notice to Proceed" to the Contractor and the DOI-AQD Contracting Officer (with a courtesy copy sent to the NAO) at least four weeks in advance of the desired start date. Once the OAS-19 is acknowledged by the contractor, the start date can be varied by up to 14 days before or after the projected start date, as stated in the contract and in Sec. 3.8.2 of the NAP above
- Contract extensions will be authorized per the NAP procedures in Sec. 3.8.2 above.

District/Field Supplement: *(Types of Local Unit exclusive use aircraft contracts and designated ACORs, other qualified CORs/Pis, local policies/procedures for contract administration, etc.)*

3.9 End Product Contracts

End Product Contracts are not aircraft flight service contracts. They are used to acquire a product for the BLM (i.e., per-acre, per-unit or per-area, or per head basis). The intent of this type of procurement is for the contractor to supply all personnel and equipment in order to provide a "service" or "end-result." Many contractors utilize aircraft to meet the performance objectives of End Product contracts for activities such as: animal capture, seeding, spraying, survey, photography, etc. Since these are not flight services contracts, the

AQD does not perform any acquisition service. End Product contracts are administered from the state office or BLM National Operations Center (Denver NOC) procurement units. All contracts with cost estimates greater than \$100,000 are administered from the NOC.

These contracts will be conducted in accordance with *OPM-35*. *OPM-35* aids in determining whether an operation is being conducted as either “end-product” or “flight service” and supplements existing DOI policy regarding End Product contracts found in *353 DM 1.2A (3)*. If the provisions of *353 DM 1.2A (3)* and *OPM-35* are met, the aircraft will be operating as a civil aircraft and the aviation management principles normally required for public aircraft under BLM operational control do not apply.

3.9.1 End Product Contract Specifications

Specifications in the contract must only describe the desired quantity or quality of the service or contracted end-result. BLM contracting officers, procurement specialists and aviation managers at all levels must be aware of these requirements. BLM contracting officers and resource specialists must consult with BLM aviation managers if the acceptable language guidelines do not address a specific project requirement or the contract solicitation does not follow the guidelines in *OPM-35*. State End Product contracts where contractors could conceivably utilize aircraft must be reviewed by the BLM SAM prior to solicitation to ensure that specifications and language do not unintentionally imply or determine aircraft operation control. Bureau-wide End Product Contracts (i.e. Wild Horse & Burro) must be reviewed by the BLM National Aviation Office prior to solicitation.

The following list describes acceptable contract language for BLM End Product Contracts.

- No contract language describing aircraft or pilot capabilities, standards, requirements or aircraft specific payment provisions.
- The area of work should be described in terms of: scale of area, general topography, elevation, slope, vegetation, and accessibility by roads or off-road vehicles, land use restrictions for mechanized equipment, etc.
- Aviation Regulations -Acceptable Language: “The Contractor shall comply with all applicable federal, state and local regulations.”
- Airspace Coordination – In areas of military airspace it is acceptable to describe any BLM coordination agreements with military airspace scheduling or range control authorities and that it is the contractors’ responsibility to coordinate their activities with the scheduling office or Range Control. Close coordination is necessary to ensure compliance with applicable airspace coordination agreements that states have with military authorities.
- Aircraft Equipment Specifications -Acceptable Language: Delete all reference to aircraft/equipment. Suggested example clause: “...Contractor is required to demonstrate to the government that the application equipment can be calibrated and will evenly distribute the designated seed at rates specified in the Project Area Narratives.”
- Radio/Communication Requirements - Acceptable Language: “Contractor shall provide a communication system so that contractor personnel engaged in the project at different locations can communicate at all times with each other, and so that government Project Inspectors may communicate with the contractor at any time to discuss performance matters.” (The government VHF-FM radio system may have to be described.)
- Application validation: Marking/GPS - Acceptable Language: “Application equipment will be capable of physically marking or electronically mapping application routes to ensure that seed/fertilizer is applied evenly and completely and at the specified rates.”
- Transporting, Passengers and Equipment - Acceptable Language: “Only approved contractor personnel, contractor equipment and government-provided equipment required for performance ... will be transported by contractor vehicles, trailers, animals or equipment.”

- Safety Hazards - Acceptable Language: “Any ground or aerial hazards that would pose a danger to Contractor’s personnel or operating equipment must be identified and mitigated by the Contractor prior to commencing operations”.
- Aircraft Use Reporting - Acceptable Language: Do not mention or require flight hour/aircraft usage reports.

3.9.2 End Product Project Management

Operational Control: During the performance of End Product contracts, BLM will not exercise operational control of the aircraft in any way. BLM will not direct the contractor as to flight profiles, flight following, landing areas (Except for areas that are off limits due to land management restrictions), fueling/loading procedures, use of personal protective equipment, etc. BLM personnel assigned to administer End Product contracts will have no aviation management responsibility or authority. Any directions to the contractor must be in terms of the service or end-result being specified; e.g. desired seed application coverage, number and disposition of animals captured, etc. It is acceptable to inform military airspace scheduling authorities or range control that the contractor plans on performing work during specified time periods and provide the military authorities the contractor contact information. BLM dispatchers will not perform the airspace scheduling service for the contractor.

BLM Passengers or Aircrew: BLM personnel are not allowed to board any aircraft that is being provided by the contractor **during performance of the End Product contract**. Furthermore, BLM personnel must not become involved in any way with aircraft ground operations such as take-off and landing areas, loading, fueling, etc.

Aircraft Use Reporting: Since aircraft utilized by the contractor under BLM End Product contracts are operating entirely within the applicable 14 CFR as a civil aircraft, and procurement is not through AQD, the bureau will not submit any billing invoice to AQD in conjunction with BLM End Product contracts. Any flight time incurred by the contractor will not be recorded or reported as DOI or bureau aviation statistics.

Aircraft Incidents and Accidents: Since aircraft utilized by the contractor under BLM End Product contracts are operating entirely within the applicable 14 CFR as a civil aircraft, the bureau will not report aviation incidents or accidents incurred by these contractors through the DOI Aviation Mishap Information System. These events should be noted in the Contract Daily Diary and reported through BLM channels as normally required for End Product contracts.

Reconnaissance/Observation Flights: Before, during or after the performance of an End Product contract it may be necessary for bureau employees to aerially survey or inspect the project area. When flights transporting BLM personnel are required, an AQD aviation “flight service” procurement (completely separate from the End Product contract) is required. Aircraft and pilots must have current OAS approvals for the intended mission and a current DOI contract or Aircraft Rental Agreement must be in place. When a DOI procurement is utilized **all** DOI and bureau aviation management policy, procedures and requirements must be applied.

Operations within Military Airspace: If an “End Product” contract project using aircraft is being conducted within Military Airspace (MOA, RA, MTR) it is the responsibility of the contractor to coordinate with the Military Airspace Scheduling Office. BLM Contracting Officers and CORs should inform the contractor of any BLM agreements with the Military organizations regarding airspace. The UAM may contact the Scheduling Office to alert them of the project and general time frames and provide contractor contact information.

3.9 [BLM Montana/Dakotas Supplement: End Product Contracts](#)

[The SAM highly encourages all Districts to consider using end product contracts to the maximum extent possible whenever a project need arises that does not require BLM personnel to be on board an aircraft or](#)

directly controlling operations. Per the NAP, “*End Product contracts where contractors could conceivably utilize aircraft must be reviewed by the BLM SAM prior to solicitation to ensure that specifications and language do not unintentionally imply or determine aircraft operation control.*” The same policy will apply at the District level when contracting/procurement staff and resource specialists are developing a local end-product solicitation. The UAM must also review the solicitation prior to it being let for bids. (BLM employees should refer to OPM-35 for additional DOI policy guidance.)

District/Field Supplement: *Local Unit procedures and use of End-Product contracts*

3.10 BLM Supplemental Fire Aircraft Acquisition

When exclusive use aircraft cannot meet all demands, supplemental aircraft will be requested and acquired using the following procedures:

Fire Aircraft Needed Immediately for Initial Attack

- Obtain bureau or cooperator aircraft from adjacent units under existing mutual aid agreements.
- Coordinate with BLM state office to obtain the BLM Exclusive Use aircraft from other locations within the state.
- Coordinate with the NAO to reassign BLM Exclusive Use aircraft from out of state.
- Hire On-Call/CWN aircraft available locally.

Fire Aircraft Needed to Fill Large Fire Orders: Aircraft will be obtained through normal dispatch procedures. The BLM exclusive use aircraft are primarily initial attack resources. Assignment of these aircraft to ongoing large fires will be the exception and require:

- Unit FMOs will consult with the appropriate SFMO.
- SFMOs will consult with NAO and/or the Division of Fire Operations.

Severity Fire Aircraft: Statewide needs will be met with existing aircraft within the state whenever possible. When state offices determine that supplemental aircraft are needed, they may submit a request for fire severity funding to the Fire and Aviation Directorate. Fire severity funding is the authorized use of suppression operations funds (normally used exclusively for suppression operations and distinct from preparedness funds) for extraordinary preparedness activities that are required due to an abnormal increase in fire potential or danger, or to fire seasons that either start earlier or last longer than planned in the fire management plan.

Specific direction is stated in Chapter 10 of the Interagency Standards for Fire and Fire Aviation Operations, which may be found at: http://www.nifc.gov/policies/pol_ref_redbook_2012.html

- The NAO will consolidate and adjudicate all state office supplemental aircraft requests and determine the number/type/configuration and procurement method of aircraft. If there is a possibility to re-position a BLM aircraft from other areas, the NAO will coordinate the re-positioning of the aircraft. NAO then will make recommendations of severity funded aircraft needs to FA-300 Fire Operations, which makes final approvals of states' requests.
- Severity funding covers the following costs: aircraft mobilization, daily availability, per diem, proficiency/mission currency, rental vehicle, relief crew transportation, additional aviation management personnel base pay (non - BLM Fire employee), travel and per diem.

National Preposition Funding: Units may request national preposition funding to acquire supplemental fire operations assets. National preposition funding may be used to mobilize resources when BLM units:

- Do not have available preparedness funding
- Do not have available short-term severity funding; or
- Do not meet the criteria for use of national severity funding

Approved national preposition funding may be used only for travel and per diem costs for the duration of the assignment, and overtime labor costs associated with the original move. The Preposition Request Process can be referenced at:

http://web.blm.gov/internal/fire/fire_ops/toolbox_preposition_process.htm

3.11 Cooperator Aircraft

Cooperative aircraft operations and partnerships are encouraged for the purpose of efficiency and standardization in procedure. The NAO and the states shall make a concerted effort to establish cooperative structures to increase capability and avoid duplication and conflicting procedures.

Use of Cooperator aircraft and pilots; affiliate, state/local government, military, or other federal agency aircraft by BLM employees may require prior inspection and approval by OAS, usually in the form of a Letter of Authorization (LOA) and/or Memorandum of Understanding (MOU). Proposed use of these aircraft must be requested through the SAM to the NAO. Current list of cooperators with MOU's and corresponding IB's are located at: <http://oas.doi.gov/library/mou.htm>

Any employee who is asked to accompany personnel from another agency on other agency's aircraft must consult their respective aviation manager to ensure approvals are in place. States are encouraged to obtain necessary letters of authorization in advance of intended use period (reference 351 DM 4).

When BLM utilizes other governmental agency aircraft and aircrews, the aircraft are considered to be under operational control of BLM. Annual Operating Plans or Interagency Agreements (IAA) specifies how reimbursement for flight services is managed. Note: When using aircraft under USFS contracts refer to *OPM-39*.

3.11 [BLM Montana/Dakotas Supplement](#): Cooperator Aircraft

Aircraft owned, contracted, and operated by the USFS generally meet the same inspection standards as the Department of Interior (DOI), and may be utilized by Bureau employees without additional approval. However, Cooperator aircraft operated by affiliate organizations or partner agencies such as a County Sheriff, National Guard, and State agencies require special approval through a Cooperator Aircraft Letter of Approval.

References are found in the BLM 9400 aviation policy, the BLM National Aviation Plan, DOI 351DM4, and the FS 5700 manual.

DOI-BLM approval letters are issued by the West Region Director of OAS via the BLM National Aviation Office. BLM Montana/Dakotas has historically submitted requests for approval letters concurrent with USFS Regional inspections and approval. The following is a partial list of the primary Cooperator aircraft which are approved annually via a joint USFS/DOI Letter of Approval. Other letters to approve additional aircraft are issued as the need arises.

Requests to approve a new Cooperator Aircraft will be submitted by the UAM to the SAM. Adequate lead time of at least two to three months is normally necessary to schedule aircraft inspections and secure approvals. In the NR, the SAM will consolidate these requests whenever possible so that a single Interagency Approval Letter signed by the Forest Service Regional Aviation Officer RAO and the OAS West Region Director may be issued. Approval letters have a one-year life span and must be carried on board the specified aircraft whenever agency personnel are utilizing that aircraft. If there will be an exchange of funds for flight services, there must also be an interagency agreement or MOU in place.

In all cases, employees may NOT fly on any unapproved aircraft even if they are on annual leave or days off, to accomplish work-related duties and circumvent aviation policies regarding cooperator aircraft. (Refer to BLM National Aviation Plan, Sec. 5.5.)

District/Field Supplement: *(Locally based Cooperator Aircraft, Unit policies on use of Cooperator Aircraft if anything additional to national/state policy, etc.)*

3.12 Senior Executive Service (SES) Flights

An aircraft may be used to transport SES personnel to meetings, administrative activities, or training sessions when it is the most cost effective mode of transportation. Prior approval is required by the solicitor's office for employees above the GS/GM-15 level, members of their families, and all non-federal travelers on the flight. These flights are typically requested through the SAM however some of the responsibilities may be delegated to UAMs (refer to applicable State Aviation Plan for specifics). DOI requirements and procedures are outlined in *OMB Circular A-126* and *OPM-07*. The OPM and OAS Forms may be found at the OAS document library: <http://OAS.doi.gov/library/sestravel.htm>

- Coordination with the BLM Aviation Manager prior to any SES flight activity is mandatory.
- All government aircraft use (including SES flights) must be requested and arranged at the local level (where the flight is to occur) utilizing the BLM Aircraft Flight Request/Schedule, 9400-1a.
- The SES flight requests require seven days advance notice.
- All mission flights (non point-to-point transportation), including the SES mission flights, will be approved by a local line manager. Special Use mission flights require the completion of a Project Aviation Safety Plan (PASP) and local line manager approval. Mission flights do not require prior approval from the DOI Solicitor's Office.
- All point-to-point SES transportation in government aircraft must be evaluated and approved by the Department of the Interior (DOI) Solicitor's Office.
- An AQD-91/Best Value Comparison form is completed prior to using DOI contract aircraft (reference BLM NAP 3.16).

Reference BLM *NAP Appendix 3* for SES Flight Scheduling Guide

3.12 BLM Montana/Dakotas Supplement: BLM Senior Executive Service (SES) Flights

All BLM point-to-point SES flights in Montana/Dakotas will be ordered and coordinated by the SAM due to the complexity of the required documentation package that is submitted to the DOI Solicitor's Office for approval. If the planned flight is going to be a non-fire mission or special use flight, the District (i.e. UAM) will order or assign an aircraft with adequate performance for the mission, assign a qualified Flight Manager, provide passengers with any required Personal Protective Equipment, and develop a Project Aviation Safety Plan (PASP). Early notification and close coordination with the SAM will be needed so that appropriate justification documents (OAS-110) can be prepared and submitted to the Solicitor.

3.13 BLM Law Enforcement Flights

- The state and/or unit plan should describe all procedures related to BLM law enforcement aviation that occur at that level. A request to use, for BLM operational control projects, non-DOI contracted aircraft and personnel requires, prior to use, a fiscal agreement for the exchange of funds (reference *351 DM 4 & OPM-39*).
- Utilizing aircraft that are not approved by DOI-OAS or USFS (DEA, National Guard, etc.) will require a Letter of Authorization (LOA) for those missions not identified in current MOU's.

- BLM law enforcement aviation statistics form shall be completed by the SAM and/or UAM for all law enforcement aviation operations that occur within their geographic area and submitted annually to the NAO (reference BLM NAP 5.28).

3.14 Search and Rescue (SAR) Flights (see also BLM NAP 5.6 & 5.16)

- The use of BLM aircraft and aviation personnel for SAR operations are not considered normally planned BLM operations. BLM does not budget for SAR operations.
- BLM aircraft mishap or BLM employee mishap: Request for BLM aircraft to respond to a BLM mishap is coordinated through the UAM, FMO/Duty Officer and the District Manager. Documentation of the request can be made on a 9400-1a Form or in WildCad or equivalent dispatch program (reference BLM NAP 5.12, 5.16 for additional information).
- Cooperators' aircraft or other mishap: Request for BLM aircraft to respond to a Cooperator mishap is coordinated through the UAM, FMO/Duty Officer and the District Manager. Documentation of the request can be made on a 9400-1a Form or in WildCad or equivalent dispatch program.
- Sheriff Office SAR: Request for BLM aircraft to assist is typically routed through BLM law enforcement officials to the District Manager. If a request for assistance is made directly to the Dispatch Center, the authority to dispatch BLM aircraft and personnel is at the District/Field Office Manager level. Documentation of the request can be made on a 9400-1a Form or in WildCad or equivalent dispatch program. Notification of BLM aircraft response to the Air Force Rescue Coordination Center is required if the SAR involves a missing or downed aircraft.
- BLM Exclusive Use contracted aircraft should not be released from their contract for non-agency search and rescue operations. If the local unit deems that exigent circumstances exist, and they are unable to provide funding, the COR will work with the CO to facilitate release. The NAO Program Manager should be notified of any release from contract after the fact.

3.15 National Guard and United States Military Aircraft Flights

- U.S. Military – Requests for U.S. military aircraft support is per agreement between Department of the Interior and Department of Defense. The National Interagency Coordination Center is authorized to coordinate (for fire and large Incident activations). The Military Use Handbook describes procedures.

Additionally, there are MOU's for non-fire and LE Counterdrug joint missions between DOI and DOD. Proposed use of these aircraft must be requested through the SAM. Refer to OAS website for current MOU's and corresponding IB's: <http://oas.doi.gov/library/mou.htm>

- National Guard – Each state typically has an agreement between the State and the National Guard for fire support resources. A request for National Guard aviation support is coordinated with the Geographic Area Coordination Center (reference *National and Geographic Area Mobilization Guides*, *Military Use Handbook*, and *OPM-41*). A Cooperator Letter of Approval is required be in place prior to utilizing National Guard aircraft for those missions not identified in current MOU's. Additionally, there are MOU's for non-fire and LE Counterdrug joint missions between DOI and DOD. Refer to OAS website for current MOU's and corresponding IB's: <http://oas.doi.gov/library/mou.htm> Proposed use of these aircraft must be coordinated through the SAM. Requests for approval for those missions not identified in current MOU's must be submitted through the SAM to the NAO.

3.16 Unmanned Aircraft Systems (UAS) flights (see also BLM NAP 5.29)

Reserved

3.17 Dispatching - Flight Requests

All flights will be arranged by aviation dispatchers and/or appropriate aviation manager with the exception of:

- Flights with a scheduled air carrier on a seat fare basis (Part 121 or 135 scheduled flights open to the general public on a ticket sale basis). Seat fare is defined as the cost for a DOI employee to occupy one seat between two different airports/heliports when the aircraft is not under the exclusive control of the DOI. It does not include any charter or on-demand operation.
- Transactions to acquire an End Product contract.

All BLM flights shall:

- Be approved at the appropriate management level.
- Be authorized and documented **prior** to takeoff.
- Use approved pilots and aircraft as directed by the DMs.
- Allow only authorized passengers.
- For all non-fire flights utilizing DOI contract aircraft, the user must assure that there is an Interagency Agreement in place with AQD that includes approved funding for the flight. (reference *NAP 3.16.1*)

A BLM Aircraft Flight Request Form (9400-1a) is required to be completed for all non-fire flights that do not require a PASP (reference BLM NAP 4.3.2). The 9400-1a Form (Aircraft Flight Request/Schedule) can be accessed at: <http://www.blm.gov/nifc/st/en/prog/fire/Aviation/Administration.html>

The UAM must review the 9400-1a Flight Request and obtain approval by appropriate level of authority as determined by the Unit's Line Management and documented in the Unit Aviation Plan.

3.17.1 Categories of Flight with specific procedures regarding Flight Requests:

Life Threatening Emergency Flight Requests (See also BLM NAP 3.13, 5.6 & 5.16)

- Requests for aircraft to meet life threatening emergency needs should be filled with the closest available aircraft with the appropriate capability for the mission.
- Normal protocols associated with ordering/hiring of aircraft can be addressed as time allows after the initial response.
- Local Line Officers are responsible for all aviation activities within their jurisdiction. The response to a life threatening emergency must be coordinated with the UAM, FMO/Duty Officer and Line Officer.

Non-Fire Point to Point Flight Requests (see NAP 5.7 Categories of Flight)

- Prior to hiring or arranging for the flight: Complete a cost analysis comparing costs of using a chartered or government owned aircraft versus commercial airline or driving, time frame requirements, other associated costs. An example Travel Cost Analysis Form (OAS-110) is located at: http://oas.doi.gov/library/opm/CY2013/OPM_13-07_appx6.pdf
- Prior to flight: 9400-1a Form is completed. UAM reviews and appropriate approval obtained (state or local unit determination).
- AQD-91 and Best Value Comparison forms are not required for exclusive use aircraft but are required when comparing rentals to fleet, etc. (reference BLM NAP 3.16).
- Flight Manager designated.

- Resource tracking method determined.

Non-Fire Mission Flight Requests (see *NAP 5.7 Categories of Flight*)

- Lead time for flight request, IAA & Task Order issuance, as described in Unit Aviation Plan.
- UAM to assess project/mission complexity; determine if a PASP is required (ref. *BLM NAP 4.3.2*).
- 9400-1a Form is approved by the appropriate level of authority for low complexity one time types of missions.
- If a PASP is required (reference *BLM NAP 4.3.2*), a 9400-1a form may be used for dispatch office internal flight tracking purposes.
- AQD-91/Best Value Comparison form is not required for exclusive use aircraft but is required when comparing rentals to fleet, etc. (reference *BLM NAP 3.16*).

Fire Point to Point Flight Requests (BLM Operational Control)

- Dispatch office receives a request, completes a resource order per dispatch procedures.
- The BLM Fire IAA # is used, and the DOI Fire contract Task Order # for the hired vendor is used.
- A flight manager is designated and resource tracking method determined (reference National and Geographic Mobilization Guides for details).
- The Dispatcher/UAM is responsible for conducting and documenting a cost comparison and Contractor selection rationale prior to hiring aircraft.

Fire Tactical, Direct Suppression, Logistical and Training Flight Requests

- Requests come from:
 - Incident commander (IC) or designated incident personnel (i.e., AOBD, ASGS, ATGS/ATS).
 - FMO or duty officer.
 - Per unit dispatching plan.
- The ordering official is responsible for conducting and documenting a cost comparison and Contractor selection rationale prior to hiring aircraft.
- The BLM Fire IAA # is used, and the DOI Fire contract Task Order # is used.
- Initial Attack aircraft requests can be documented on a Resource Order and/or Aircraft Dispatch form.
- Minimum dispatch information to be provided on forms sent to pilots, aircrews is: Destination latitude – longitude coordinates, Radio frequencies - air to air/air to ground/flight following, Incident name/contact (if any), Airspace hazards and dispatch boundary concerns, other aircraft being dispatched.
- The BLM standard format for aviation operations is Degrees and Decimal Minutes (DDD° MM.MMM'). Reference *BLM NAP Appendix 4* for additional details. Utilization of the correct format must be discussed between dispatch and the flight crew to assure accurate navigation.
 - Note: The format for the US NOTAM OFFICE for Temporary Flight Restrictions issued by the FAA and in ROSS will be in a Degree, Minutes and Seconds, input with NO punctuation (ddmmssN/ddmmssW).
- Training: Fire training flight requests are made by the supervisor/manager (Helitack, SEAT, and Aerial Supervision) to the FMO, duty officer, UAM and coordinated with the aircraft dispatcher.
- Contractor directed training flights are coordinated with the PI, airbase manager, or UAM. These flights are the responsibility of the contractor.

3.18 Aircraft Use Payment Systems

Aviation Management System (AMS): AMS is an IBC web based system utilized for generating and processing flight use invoices.

- BLM-AK currently renders payment to non-fire vendors via the BLM-AK Pilot Project.

AMS training - <https://www.iat.gov/ams/>

AMS - <https://ams.nbc.gov/maximo/webclient/login/login.jsp>

Internet Payment Platform (IPP): The Internet Payment Platform (IPP) is a comprehensive electronic invoicing and payment information service made available to all Federal agencies and their suppliers by the U.S. Department of the Treasury's Financial Management Service (FMS). IPP centralizes transaction processing in the order-to-payment notification cycle, including purchase orders, invoices and payments: <https://www.ipp.gov/>

Forest Service Aviation Business System (ABS): Flight time, daily availability, and other authorized charges or deductions shall be recorded on a Flight Use Report in ABS for all USFS contracted aircraft. The data shall be entered and reviewed by the government and the contractor's representative. BLM employees (including BLM AD employees) that are flight or aircraft managers with responsibility to input flight use data into the USFS ABS will need to register with the USFS ABS program. ABS can be found at: <http://www.fs.fed.us/business/abs>

3.19 Coding for Flight Use Reports

Documentation of all non-fleet flight services is accomplished on an OAS-23E Aircraft Use Report form, which is then entered into the Aviation Management System (AMS). The hard copy form acts as the 'Field Receiving Report' which provides evidence that the flight information is accurate. Until further notice, AMS will be the Government's "Electronic Receiving Report", which supports Contractor payments that are invoiced and paid through IPP.

BLM SAMs serve as the COR for exclusive use contract aircraft in their state. As such, they are responsible for ensuring that designated alternate CORs and aircraft managers are informed of all coding requirements and that flight invoices are properly completed. BLM pilots, in coordination with the SAM, are similarly responsible for proper flight invoice coding for fleet aircraft.

The following business rules apply to all BLM contracted aircraft:

3.19.1 Task "Order" Number: The contract number to be identified on the OAS-23/23E forms is the appropriate **order number** that was issued by the CO for the applicable contract.

- Reference "Protocol and Guidance for Order Requesting & Invoices of DOI Contract Flight Use" located at <http://oas.doi.gov/apmd/index.htm> for protocols regarding Task Order Number for specific type of contract being utilized.

3.19.2 Billee Code: Billee Codes are a required field, for payment by OAS, on either the OAS-23E or AMS. The Billee Code is still the best method to query reports in AMS and should continue to be utilized for that purpose.

- For Exclusive Use contract aircraft, the "Home Unit" billee code will be used regardless of the operating location for all Pay Item codes when utilizing a BLM Task Order number.

3.19.3 Cost Strings:

Exclusive Use aircraft: All BLM fire Exclusive Use aircraft will charge all AV during the exclusive use period (excluding contract extension) to the following NAO cost string:

LLFA540000LF1000000.HT0000

- Do not use this cost string for anything other than AV during the exclusive use period.
- All other pay item codes (FT, SM, PD, EP, ET, SC, etc) will be charged to the appropriate office and benefiting activity, **not** to the NAO code.
- All BLM Fire Exclusive Use aircraft approved by the NAO for contract extension will charge all AV during the extension period to an approved Severity code or the benefiting activity when appropriate.

On Call/ARA or Severity Funded aircraft: All Pay Item codes including AV (AV, FT, SM, PD, EP, ET, SC, etc) will be charged to the appropriate office and benefiting activity. Severity codes will not be utilized for any charges that should be charged to a suppression code. Suppression and severity formats are listed below:

- Fire suppression – **LLxxxxx000LF2000000.HU0000LFSPzzzz0000**; where **xxxxxx** is the BLM Cost Center and **zzzz** is the “Fire Number”.
- All other severity aircraft – **LLxxxxx000LF2100000.HT0000LFSRyyyy0000**; where **xxxxxx** is the BLM Cost Center and **yyyy** is the Severity charge code.

Mission Use Codes: Mission Codes apply only to AMS line entries for flight time. Each specific type of flight will have the unique mission use code recorded. Example: A helicopter flies a total of 2.1 hours, but does 1.1 hours of bucket work; 0.5 hours initial attack delivery of firefighters, and 0.5 hours of recon. Each type of flight will be shown on its own line entry with the specific mission use codes.

3.20 FEPP (Reserved)

3.21 FBMS

All BLM financial activities are managed through the DOI FBMS program. All fire retardant expenditures (Full service contract and bulk purchase) are entered into FBMS by the district or state level designated officials (reference state and unit aviation plans).

End of Year financial procedures are announced via the departmental and bureau instruction memorandum (IM) system.

3.22 Aviation Program Reviews

Details about aviation program evaluations and fire preparedness reviews are described in BLM *NAP* 4.53.

3.23 New Program Requests

New program requests involving aerial assets, not already approved by BLM, shall be routed through the State Director to the Division Chief, Aviation for approval. Upon NAO approval, new program requests will be forwarded for consideration of approval to the Associate Director, OAS. This request shall include a copy of the NAO approval, and a proposed Operations Plan.

Chapter 3 District/Field Supplement: - Other Misc. Local Unit Administrative Procedures:

4.0 Aviation Safety Management Systems

4.1 General

The BLM Aviation Safety program is modeled after the aviation industry and FAA Safety Management Systems (SMS). Each BLM employee and contractor involved with aviation has the responsibility to plan missions thoroughly, conduct missions with a conservative attitude, and respect for the aircraft and environment in which the missions operate.

The BLM NAO Aviation Safety & Training Advisor is the focal point for the BLM national level program. SAM's are the focal point for state aviation programs, and the unit aviation manager (UAM) is the focal point for district/field office aviation program.

4.2 Safety Management Systems (SMS)

SMS serves to structure the BLM existing safety initiatives and provides a review process for how well those initiatives function. SMS is not a safety program; rather it is a system which organizes existing safety processes around the concept of system safety. SMS incorporates a proactive approach using hazard identification and risk management to achieve accident prevention. Additional information regarding SMS is available at the Lessons Learned website:

<http://www.wildfirelessons.net/Home/>

SMS is divided into 4 components: Policy, Risk Management, Assurance, and Promotion.

4.2 [BLM Montana/Dakotas Supplement: SMS](#)

The SAM is responsible for managing a statewide BLM Aviation Accident Prevention program in Montana/Dakotas. This may be accomplished in partnership with the USFS Regional Aviation Safety Manager (RASM) via training sessions, briefings, site visits, information sharing with the field, preparedness reviews, etc.

The SAM implements all components of SMS via the following duties and responsibilities:

- Provides safety briefings and leads discussions for BLM and cooperator (interagency) employees in a variety of venues including Fire and Aviation Leadership Team and Agency Administrator workshops, as an IAT course instructor, and at workshops for Helicopter Managers, Airtanker Base Managers, SEAT Managers, and Dispatchers.
- Performs interagency aviation safety related task assignments for NRCG to include participation on ASATs. (See Sec. 4.5.1 of NAP below.)
- Manages the BLM SAFECOM program in Montana/Dakotas, writes Corrective Action response statements and addresses or elevates issues.
- Reviews BLM and Interagency PASPs, providing suggestions and edits for enhanced language in the Risk Assessment portion.
- Conducts site visits to airbases, project sites, and fire incidents to meet with AOBD's, flight crews, fire managers, Line Officers, and UAMs. Assists with aviation mishap investigations as needed or requested on behalf of the State Office or NAO.

District/Field Supplement: *(Describe how SMS is implemented on the local unit level.)*

4.3 Policy

SMS is a critical element of management responsibility in determining the agency's safety policy and SMS also defines how the agency intends to manage safety as an organizational core function.

- Policy guides aviation safety doctrine, philosophy, principles and practices.
- Policy provides framework for aviation plans (reference BLM *NAP 3.3*).
- Policy assists in the development of local standard operating procedures.
- Policy will foster and promote doctrinal principles and safety management systems within the states.

Aviation management policies describe; authorities, responsibilities, acceptable operating practices, and administrative procedures. These directives provide the structure for the SMS to effectively function. Safety is a product of effective policy and management processes. All aviation safety standards and policy requirements identified in the BLM *NAP 1.6* must be followed.

4.3.1 Aviation Life Support Equipment (ALSE)

All personnel engaged in aviation activities must wear appropriate Personal Protective Equipment (PPE), depending on the mission. Requirements are listed in *351 DM 1.7* and outlined in the *ALSE Handbook* and mission specific guides and handbooks. Reference BLM *NAP 5.22* for additional PPE requirements utilized for helicopter operations. Any questions concerning the requirements and procedures for obtaining PPE are directed to the local aviation manager. Project leaders must ensure that appropriate and adequate ALSE, including PPE, is available and worn by individuals. If required ALSE is not available, all flights will be canceled or postponed.

4.3.2 Project Aviation Safety Planning (PASP)

Accident prevention is paramount when planning individual aviation projects. Flights may not deviate from Department and Bureau policy and procedures, except for safety of flight considerations. A PASP is required for non-fire Special Use projects. A 9400-1a form may be completed in lieu of the PASP for a low complexity/one-time non-fire mission flights. The PASP or 9400-1a shall be reviewed by the UAM and approved by the appropriate level of authority per the state/unit aviation plan. Managers shall be briefed by the UAM prior to their approval of the plan.

- PASP's that have a final risk assessment of high will require a SAM review prior to line manager approval.
- A courtesy copy of all PASP's will be routed to the SAM prior to implementation.

Projects that occur periodically over a season or fiscal year can have one PASP prepared and approved. In this situation a 9400-1a form will be required for each periodic flight. The 9400-1a approval level would be at the UAM level with a courtesy notification to the SAM.

For projects that are conducted by a units' aviation operations group (helitack, aerial supervision, smokejumpers); if the missions are typical and routine to the operational group with mission risk assessment documented in the groups' annual operations plan and the state and unit plan allows; then project/flight can be conducted, without a specific PASP, after completion of 9400-1a documentation.

Required elements of a PASP include:

- Project name/Objectives/Supervision
- Justification
- Project date and location
- Projected cost of aviation resources
- Flight Manager, Aircrew, passengers, participants

- Desired aircraft, make/model, pilot skills (Included if available and/or specific N# and pilot to be noted on 9400-1A)
- Communication Plan, Flight following and emergency search and rescue
- Flight routes/areas and altitudes
- Hazard identification (e.g., weather, takeoff or landing weights, landing areas, wire hazards, etc.)
- Wire Strike Prevention (351DM1.9, C&D)
 - Flight Environment Considerations: Bureau projects often dictate that flights be conducted in close proximity to the ground where wires are prevalent
 - Risk Assessment/Hazard Maps: To reduce wire strike potential, it is critical that a risk assessment be conducted prior to all low level flights. A low level flight hazard map shall be constructed for the local operational area. All preplanned low level flights require a thorough map reconnaissance of the route to be flown
- Description of take-off and landing areas
- Pre-flight briefings/After Action Reviews
- Personnel qualifications and currency
- Aircraft and equipment approval
- Airspace Coordination and Aerial hazard identification
- Risk assessment utilizing the SMS worksheets as appropriate
- Personal protective clothing/equipment (if required)
- Load calculations and/or weight and balance information requirements
- Unit Aviation Managers review and signature
- Project Lead Supervisor's and line officer's approval signature

A good resource for aviation project planning can be found in the *IHOG* Chapter 3. Personnel needing assistance with mission flight or project planning requirements should contact their unit/state aviation manager. Risk assessments of the relevant project hazards can utilize maps, aerial photos, Google Earth photos, SkyVector.com maps to help identify and map out where the hazards are located. Particular attention in the risk assessment is essential when determining how to mitigate the risk by reducing exposure to hazards in: flight profiles, method of operations, external load operations, winter weather, and high/hot/heavy operations.

4.3.2 [BLM Montana/Dakotas Supplement: Project Aviation Safety Plans \(PASP\)](#)

At least two weeks of advanced notice is normally required for most non-fire PASPs to be developed, reviewed, and routed for approval signature. Local unit aviation plans may specify additional needed lead time.

Montana/Dakotas BLM requires a PASP for every mission regardless of complexity. The NAP statement that *"The reverse side of the 9400-1a may be used as a PASP for low complexity, one-time non-fire mission flights"* applies only in rare circumstances and with case-by-case SAM approval. The process of identifying hazards and developing mitigation strategies using the formal risk assessment process of a PASP is an effective tool for briefing line officers, supervisors, pilots, and Aircrew.

Interagency projects that involve BLM and USFS personnel require the PASP to be reviewed by both the BLM SAM and the USFS Regional Aviation Safety Manager (RASM). Only Line Officers (i.e. the BLM District Manager or Field Manager) are authorized to approve PASPs. When multiple agency employees are involved in a mission, only the approval signature by the Line Officer of the agency having operational control is normally required. (Some projects, such as an interagency prescribed fire with aerial ignition, may require both agency line officers' signatures.) By signing a PASP, a Line Officer is certifying that he/she accepts the remaining "residual" risk after mitigations are implemented, and has determined that the benefits of allowing the mission to proceed outweigh that residual risk.

A briefing on hazards and an assessment of risk are also required on the day of each flight. Items to consider include the current and forecast weather conditions, the status of personnel assigned, and any last minute logistical or mission requirements that could affect complexity or risk. Likewise, each mission should conclude with a debriefing or After-Action-Review (AAR).

The Interagency Aviation Risk Assessment Workbook is available at http://www.fs.fed.us/fire/av_safety/risk_management/index.html#ra and additional information about the process is found in the Interagency Helicopter Operations Guide (IHOG) Chapter 3 at http://www.nifc.gov/aviation/av_ref_ihog.html.

District/Field Supplement: *Local procedures for processing PASPs*

4.3.3 Aircraft Accident Investigation Process

The National Transportation Safety Board (NTSB) has the responsibility to investigate all aviation accidents except for military (49 CFR Parts 830 and 831, Public Law 106-181, and Federal Management Regulation 102-33.185). OAS Chief of Aviation Safety is typically invited by the NTSB to be a party to the investigation. NTSB is still the controlling authority. Policy, including responsibilities and procedures concerning DOI aircraft mishaps are contained in 352 DM 3. Two bureau positions may be established to assist the DOI Investigation Team: 1) as a selected member of the investigation team working directly for the OAS Safety Investigator-In-Charge (IIC), or 2) as the bureau-designated on-site liaison to coordinate with the OAS Safety Investigator-In-Charge. NOTE: In many cases, the bureau will provide only one representative to the investigation team and that individual will perform only as a liaison, or as both a team member and a liaison. OAS Chief of Aviation Safety, as the Department's representative to the NTSB, will determine who will participate. The NTSB IIC will then either accept or deny the individuals proposed by the Chief, or OAS IIC.

The BLM investigation team member:

- Must be requested by OAS to be an investigation team member.
- Will be appointed by the BLM Aviation Division Chief.
- Will normally be BLM NAO staff members or SAM.
- Must not have a personal interest in the mishap.
- Will work directly for the DOI AM Investigator-In-Charge (IIC).
- Is bound by confidentiality regarding all aspects of the investigation and preliminary findings and conclusions.
- Will at no time express opinions of their own or recite opinions of others on the team.

The BLM Liaison:

- Will be appointed by the BLM Aviation Division Chief (FA-500).
- Will provide on-site coordination and support to the DOI AM IIC for personnel, resources, transportation, office space, communications, etc.
- Will coordinate and facilitate in and out-briefings with local BLM management.
- Will serve as liaison between the investigation team and local BLM management, BLM specialists and/or incident management team.
- Will provide the IIC with technical expertise and bureau organizational information.
- Will make arrangements for interviews, site visits, document review, etc.
- Will **not** conduct interviews or investigative actions unless requested by the IIC.
- Will be bound by confidentiality regarding all aspects of the investigation and preliminary findings and conclusions.
- Will at no time express opinions of their own or recite opinions of others on the team.

- Must not have a personal interest in the mishap.

4.4 Risk Management

Risk management enables personnel at all levels to do exactly what the term implies: manage risks. The process of risk management applies to programs and operational missions. The risk management process is designed to mitigate risk to acceptable levels by the identification, assessment, and prioritization of risks followed by coordinated application of resources to minimize, monitor, and control the probability and/or impact of unfortunate events.

These basic decision making principles must be applied before any anticipated job, tasks, or mission is performed:

- **Accept no unnecessary risk:** Unnecessary risk does not contribute to the safe accomplishment of a task or mission. The most logical choices for accomplishing a mission are those that meet all the mission requirements while exposing personnel and resources to the lowest possible risk.
- **Make risk decisions at the appropriate level:** Making risk decisions at the appropriate level establishes clear accountability. Those accountable for the success or failure of a mission must be included in the risk decision process. Supervisors at all levels must ensure subordinates know how much risk they can accept and when they must elevate the decision to a higher level.
- **Accept risk when benefit outweighs cost:** Weighing risks against opportunities and benefits helps to maximize unit capability. Even high-risk endeavors may be undertaken when there is clear knowledge that the sum of the benefits exceeds the sum of the potential costs.
- **Integrate risk management into planning and execution at all levels:** To effectively apply risk management, leaders at all levels must dedicate time and resources to incorporate risk management principles into the planning and execution phases of all operations. Integrating risk management into planning as early as possible provides the decision maker with the greatest opportunity to apply risk management principles.

Risk assessment can be divided into three levels:

1. **Time Critical:** This method is an “on-the-run” mental or verbal review of the situation using the risk management process without necessarily recording the information. The process is used to consider risk while making decisions in a time limited situation. Rapid risk assessment requires effective training of personnel, effective operational practices and a thorough understanding of objectives of the mission.
 - Note that “time critical” does not mean “hasty” or “uninformed.”
2. **Deliberate:** This type is used when planning time permits. It involves systematic risk identification, risk assessment/analysis, consideration of control options and risk decision making, implementation of controls, and supervision. Note that all of these may be applied to time critical risk management; however, the time frame in which the rapid examination is performed is extremely compressed by the urgency of the situation. This will involve documentation of the process and actions.
3. **Strategic:** Strategic Risk management is conducted at the highest levels of the organization and is typically applied to multiple systems type complexity, and requires professional reviews. This method should be used in instances where new technology, change, or development of new programs or activities. It involves an analysis of cost/benefit of mitigations. The strategic process produces a more permanent record of findings and decisions used for long term planning, organizational decision-making and as authoritative training resources.

Risk Management Process: The process by which risk is managed is ongoing throughout the mission. It starts in the planning stage, continues to the approval and scheduling phase, is evaluated and adapted during the execution phase and is analyzed and collected as lessons learned in the post flight phase.

1. **Identify Hazards:** The first step in risk management is to identify hazards. The hazards are the potential sources of danger that could be encountered while performing a task or mission. Hazards

include, **but are not limited to**, weather, time of flight, terrain, equipment, training, and proficiency level of personnel.

2. **Assess Hazards:** Hazard or risk assessment is part of the risk management process. Risk assessment can range from simple to complex, but must be detailed. The process of assessing hazard causes personnel to analyze the degree of risk associated with each threat, and place these in perspective relative to the objectives of the mission and organization.
3. **Develop Controls/Make Decisions:** Starting with the highest threat, identify the risk control options that reduce exposure to the threats for all of those identified in the previous steps that exceed an acceptable level of risk.
4. **Implement Controls/Execute and Monitor:** Implement the plan and ensure that the risk controls are known by all and are utilized. Ensure that people know and do what is expected of them. A high level of risk that cannot be effectively controlled should be reported to the person supervising the operation. Continually evaluate the effectiveness of the controls and ensure that the risk remains in balance with the benefits.
5. **Supervise and Evaluate:** Note any changes to the operation, equipment, environment, and/or people and how they may affect your plan. It is important to remember that risk management is a continuous process! Adjust to changes in the situation in real time by remaining vigilant and maintaining your situation awareness to identify unexpected as well as planned threats. Track your progress by taking note of intermediate accomplishments that will denote and add up to the completion of your objective. Additionally, after action reviews are a good way to assure that the supervision and monitoring of the mission are effective and that lessons learned are captured for the future.

Risk Assessment Tools: As discussed previously, the second step of risk management is assessment of the threats/hazards. There are several tools that may be used to document the risk involved in the operation. A good source for a variety of risk assessment tools can be found in the *IHOG* Chapter 3: http://www.nwcg.gov/pms/pubs/pms510/23_Chapter03.pdf

The Aviation Risk Management Workbook as well as several completed aviation assessment are located at the BLM Aviation Safety website: <http://www.blm.gov/nifc/st/en/prog/fire/Aviation/safety.html>

4.5 Assurance

The safety assurance component involves processes for quality control, mishap investigation, and program reviews. Assurance emphasizes:

- Continuous monitoring and evaluation
- Standards for evaluations
- Internal/external audits and evaluations
- Investigations
- Emergency preparedness and response
- Reporting and feedback

Quality assurance (QA) techniques can be used to provide a structured process for achieving objectives. BLM efforts to date have concentrated on the development and implementation of comprehensive policy revision, risk management processes, SMS promotion and training.

4.5.1 Aviation Safety Assistance Team (ASAT)

During high levels of aviation activity it is advisable to request an Aviation Safety Assistance Team (ASAT). An ASAT's purpose is to enhance risk management, efficiency, effectiveness and provide technical assistance while reviewing aviation operations. If an ASAT cannot be filled internally, the request may be placed with NICC through established ordering channels using individual overhead requests. An ASAT should operate under a Delegation of Authority from the appropriate State/Regional Aviation Manager(s) or Multi Agency Coordinating Group. Formal written reports shall be provided to appropriate manager(s) as outlined at the in-brief. A team should be developed to fit the need of the requesting unit and may consist of the following:

- Aviation Safety Manager;
- Operations Specialist (helicopter and/or fixed wing);
- Pilot Inspector;
- Maintenance Inspector (optional);
- Avionics Inspector (optional);
- Aircraft Dispatcher (optional).

4.5.2 Aviation Safety Communiqué - SAFECOM

The SAFECOM system is used to report any condition, observance, act, maintenance problem or circumstance which has the potential to cause an aviation-related mishap. **The SAFECOM system is not intended for initiating punitive actions.** Mission personnel are encouraged to collaborate on SAFECOM development prior to submission to avoid any punitive implication and increase narrative accuracy of events. Submitting a SAFECOM is **not** a substitute for “on-the-spot” correction(s) to a safety concern. It is a tool used to identify, document, track and correct safety related issues. All personnel involved in aviation activities are encouraged to submit SAFECOMs, when they feel it is warranted. This form is located on the SAFECOM web page: <https://www.safecom.gov/>

Electronic submission is preferred but a SAFECOM may also be completed telephonically by calling 1-888-464-7427. Personnel in doubt about completing a SAFECOM should contact their UAM. Reference the BLM *NAP Appendix 5* for BLM SAFECOM management roles.

- Elevated SAFECOM's will not be made “Public” until any Incident-With-Potential (IWP) determination/ investigation has been completed. The National Aviation Safety Manager (FA-500) will assign a liaison to OAS on a case by case basis.

4.5.2 [BLM Montana/Dakotas Supplement: SAFECOM](#)

Personnel at all levels are encouraged to promote a positive safety culture through reporting hazards and mishaps. SAFECOMs may be submitted by any individual who witnesses or has specific knowledge of an event. Although retaining anonymity is an option when submitting a SAFECOM, it is highly recommended that employees engage in discussions with the UAM or SAM when submitting the report, and provide a method of being contacted in case further questions arise. Although not required, the most effective learning SAFECOMs are often jointly written by the government employee and the involved pilot or mechanic so that technical facts can be articulated correctly.

An employee (i.e. a new UAM) who needs to review and edit SAFECOMs in the system should submit an access request form to the SAM who will sign and forward it to the BLM NAO Safety and Training Advisor. The UAM will provide a written corrective action statement for any BLM SAFECOM generated on their Unit that indicates the BLM had operational control. The SAM will review and initiate follow-up discussions with the UAM, and may write additional corrective action language before the final submission of the document. When a BLM contract aircraft or BLM employees are involved in another agency's event that generates a SAFECOM, the SAM is available to engage in learning discussions with the Cooperator agency and will normally request and retain a copy of the SAFECOM on file.

District/Field Supplement:

4.5.3 Program Evaluations, Readiness Reviews, Site Visits

Aviation program evaluations/reviews are an integral part of the System Safety Assurance program. BLM aviation program reviews are conducted at two levels within the department to insure that safety standards, policy compliance and bureau efficiency objectives are being met.

BLM Fire Preparedness Reviews: Aviation functional operations and facilities are reviewed as part of the total Fire Preparedness review of field/district operations. Reviews are conducted every three years by a

national level review team. District or state level fire readiness reviews are conducted annually. The SAM will be responsible for coordinating annual readiness reviews of the state's aviation crews/personnel, project and base site visits, and developing guidelines for UAM oversight of district/field office aviation activities. The SAM has the responsibility to ensure the reviews are being conducted for aviation operations within the required time frame and to identify well qualified individuals to conduct the review (reference *Interagency Standards for Fire and Fire Aviation Operations*, chapter 18 for information).

OAS Aviation Program Evaluation: OAS will administer an aviation program evaluation of each BLM state and the NAO every five years. The purpose of these evaluations is primarily to review non-fire aviation activities as they relate to administration, operations, safety, training and security. The NAO will identify qualified individuals to assist with the review (reference BLM *NAP Appendix 6* for schedule). The SAM will assist with the review and provide scheduling and logistical support. Additional reviews may be conducted if a need is identified by the aviation division chief.

4.5.4 National Fire and Aviation Operations Alert System

The BLM Office of Fire and Aviation has established an "Operation Alert" system designed to provide field units and personnel with critical ground or aerial operational information in a timely manner. The system is intended to respond to emerging issues as identified through such means as SAFECOMS, SAFENETS, investigation reports, after action reviews, etc. This system is not a replacement for any existing formal notification and alert system such as Interagency Safety Alerts or Aviation Accident Prevention Bulletin. In fact, the intent is for the operations alerts to complement these existing systems in those instances where it is appropriate. These alerts will also complement the department and bureau manual process. The operations alert system will provide time sensitive information to state and unit FMOs and aviation managers. It is anticipated that these individuals will provide the information to appropriate parties through established channels and processes. The Office of Fire and Aviation, Operations (FA-300) and Aviation (FA-500) groups will manage the program.

4.6 Promotion

The BLM must promote safety as a core value with practices that support a positive safety culture. BLM Aviation Managers are encouraged to promote aviation safety and accident prevention at every opportunity, within all fire and non-fire programs. Line Managers play a critical role in establishing a just safety culture at the State and Field levels. Safety promotion can be accomplished through:

- Training
- Communication
- Reporting and Feedback
- Safety and Mishap Information
- Safety Awards

4.6.1 Lessons Learned

National and State level aviation program managers are responsible for providing input into training curriculum development, lessons learned messages, development of new procedures and operational methodologies.

SAM's are responsible for disseminating pertinent aviation safety information, actively engaging resource and fire managers during annual work plan development.

Additional information regarding Lessons Learned is available at the Lessons Learned website:

<http://www.wildfirelessons.net/Home>

4.6.2 Aviation Safety Awards Program

Aviation safety awards are a positive part of the aviation program and are provided to all organization levels. National awards are given following the guidelines in *352 DM 4* for pilots and employees. Air Award recommendations can be submitted through the SAM to the NAO Safety and Training Advisor.

4.6 BLM Montana/Dakotas Supplement: Safety Promotion

The Montana SAM and UAMs promote aviation safety through frequent interaction and briefings, AARs, and SAFECOM reviews with Line Officers, the NRCG Aviation Working Team (AWT), District Fire Managers, and through the measures listed in Section 4.2 above.

UAMs are responsible for local safety promotion and quality assurance through:

- Preparing and reviewing PASPs and risk assessments for non-fire projects
- Updating the Unit Aviation Plan annually with attention to accuracy, completeness, and detail, submitting it for signature within required timeframes.
- Providing aviation training on the local Unit, monitoring the IAT training records for non-fire District employees to ensure those who fly on aviation missions are current and qualified as Aircrew and/or Flight Manager.
- Presenting, attending, or ensuring a qualified flight manager conducts pre-mission briefings and AARs with an emphasis on reviewing the PASP and risk assessment.
- Providing corrective action statements for SAFECOMs submitted on the local Unit during missions in which the Bureau has operational control. Briefing the SAM and local fire managers/supervisors when events occur or trends are identified.
- Disseminating Safety Alerts, Accident Prevention Bulletins, Lessons Learned reports, and other safety-related information, and/or maintaining a display board of these products as they are received from the SAM and other sources.

District/Field Supplement:

5.0 Aviation Operations

5.1 General

As a bureau, we are often challenged with working in high-risk and dynamic environments that are not always predictable. It is the responsibility of each employee, cooperator and contractor to conduct aviation operations that have been planned properly, approved by management, that utilize the correct equipment and personnel and are carefully executed per SOP to minimize risk. Safety is the first priority and leadership at all levels must foster a culture that encourages employees to communicate unsafe conditions, policies or acts that could lead to accidents without fear of reprisal. The four components of SMS (policy, risk management, assurance, and promotion) are critical to the success of safe operations.

State and local units are required to staff exclusive use aircraft assigned to their jurisdiction throughout the contract period and any extensions. Additionally local units will ensure that support functions (i.e. airtanker bases and local dispatch centers) necessary for the mobilization of national assets (i.e. large airtankers, lead planes, SEAT's, ASM's and fire helicopters) are staffed to support local dispatch as well as GACC to GACC and national mobilization.

5.1 [BLM Montana/Dakotas Supplement: General](#)

BLM Montana/Dakotas conducts a wide range of fire and non-fire aviation missions each year in support of fire and resource management programs. It is imperative that managers and supervisors pay close attention to the work and flight environments due to the complex and dynamic nature of each. Successful and safe operations depend on effective mission planning, open communication, adherence to policies and established procedures, maintaining situational awareness, and a continuous focus on sound risk management principles and practices.

[Central Montana/Hi-Line District:](#)

- Collateral duty, permanent full-time (PFT) AFMO/UAM
- 1 Exclusive Use 130-day helicopter contract, shared with Wickenburg, AZ, Bell 206 L4 Type 3 helicopter (Airwest Helicopters), a PFT Helicopter Manager/crew supervisor, a career seasonal Assistant Manager, career seasonal lead crew member and 6 interagency crew members, based at Lewistown, MT (LWT). The crew is trained and equipped to perform aerial ignition.
- One bulk retardant (LC-95A) base with a 3,000 gallon capacity retardant storage tank and mix tank, water supplied by water storage tank and water tender. Base is capable of operating four SEATs which are now procured via a national-level exclusive use contract or an on-call contract.

[Eastern Montana/Dakotas District:](#)

- Stand-alone, permanent full time UAM
- 1 Exclusive Use 90-day helicopter contract, Bell 206 L1C30P helicopter (Leading Edge Aviation, Inc.), staffed by a 6 person helitack fire crew, Crew is supervised by a permanent full time helicopter manager/crew supervisor and an assistant manager. The helitack crew is trained and capable of performing aerial ignition.
- 1 bulk retardant contract (LC-95A) with a 10,000 gallon capacity retardant storage tank and mix tank on leased ramp space, and water supplied from a storage tank. The base is capable of operating two pits for SEATs. The base is staffed by a career seasonal Base Manager, and a seasonal airbase technician.

[Western Montana District:](#)

- Collateral duty, permanent full-time FMO/UAM.

Billings Field Office:

- Collateral duty, permanent full-time AFMO/UAM
- 1 Exclusive Use 90-day air tactical contract, Aero Commander 690B fixed-wing twin-engine air tactical airplane based at Billings Logan Airport (BIL), with a qualified BLM Air Tactical Group Supervisor (ATGS).
- Full service retardant contract (LC-95A), approximately 120 days. The base is staffed by a career seasonal Base Manager, career seasonal SEAT Manager, and a seasonal Ramp Manager.

District/Field Supplement: *Local Unit Aviation Operations*

5.2 Policy, Operational Guides and Handbooks

A list of all of the BLM aviation policy documents can be found in the BLM 9400 Manual and BLM NAP 1.6.

5.3 Public/Civil Aircraft Operations

DOI aviation activities include both “civil” and “public” operations. Civil aircraft operations shall comply with 14 CFR (Federal Aviation Regulations) in the operation and maintenance of public aircraft with the few exceptions outlined in *DM 350-353*. Operators under contract to DOI are bound by that contract to conduct operations in accordance with their FAA-approved commercial operator or airline certificate specifications, unless otherwise authorized by the contracting officer.

Interagency standards for pilot duty days and flight time are 14 hours duty per day and 8 flight hours per day for both contractor and government pilots. If these standards are exceeded, the following time off requirements will be followed.

- 11 consecutive hours of rest if the duty day or flight time limitations are exceeded by not more than 30 minutes
- 12 consecutive hours of rest if the duty day or flight time limitations are exceeded by more than 30 minutes, but not more than 60 minutes
- 16 consecutive hours of rest if the duty day or flight time limitations are exceeded by more than 60 minutes

There will be no impact to the contractor’s daily availability for these additional time off requirements. Notification through the contracting chain of command should occur and a SAFECOM should be submitted.

Maintenance Test and Ferry Flights with Government Pilots – Contracted Aircraft

Government Pilots may perform functional maintenance check-flights and ferry aircraft to and from the Contractor’s maintenance facilities when it is in the best interest of the Government and the following conditions are met:

- Flights are not being paid for by the Government and the operational control remains with the Contractor.
- The test flight does not follow any installation, overhaul, major repair, or replacement of any engine, propeller or flight control system.
- The aircraft is operating under an approved and current OAS Inspection.
- Notification and approval from OAS and the NAO.

5.3 BLM Montana/Dakotas Supplement: Public and Civil Aircraft Operations

Aviation managers, fire and resource managers, supervisors, and line officers receive briefings on civil and public aircraft operations from aviation managers and IAT Instruction. Briefings are delivered through courses

such as M3 Aviation Management for Supervisors, the (DOI) M2, the M-581 Fire Management Leadership course, and other venues. FAA Advisory Circular AC 00-1.1a, Public Law 103-411, FS 5712 - 5714, 351 DM 4, and the NR Interagency "Master Agreement" are referenced and cited in these presentations.

District/Field Supplement:

5.4 BLM Employees on Non-BLM Aircraft

All agency employees will comply with bureau and DOI aviation policies when performing agency employment-related duties on board any organization's aircraft and/or aircraft operated under any other organization's operational control. These policies include, but are not limited to: approved aircraft and pilot (by carding or cooperator letter of approval), project aviation safety plans, flight following, PPE, appropriate flight management, etc. (Reference 351 DM 4). Exceptions are:

- Flights in foreign countries (351 DM 4.1.E.(4)), (350 DM 1.2C)
- Undercover Law Enforcement missions (351 DM 1.6.D)
- Flights with a scheduled air carrier on a seat fare basis (Part 121 or 135 scheduled flights open to the general public on a ticket sale basis). Seat fare is defined as the cost for a DOI employee to occupy one seat between two different airports/heliports when the aircraft is not under the exclusive control of the DOI. It does not include any charter or on-demand operation (353 DM 1 & OPM-15)

5.5 Passengers

A passenger is any person aboard an aircraft, when traveling on official BLM business, who does not perform the function of a flight crewmember or Aircrew member. Unauthorized passengers will not be transported in any DOI aircraft. For official, unofficial and unauthorized definitions, reference 350 DM 1.8.

All passengers will:

- Use appropriate personal protective equipment (reference *ALSE Handbook*).
- Report aviation incidents, operations deviating from policy to the UAM and/or through the SAFECOM system.
- Emphasize personal safety as well as the safety of others involved in the flight.
- Meet the requirements of DOI OPM-04.

Agency employees in off duty status: Federal employees cannot utilize annual leave/LWOP or "volunteer" in order to circumvent agency policy. If any aspect of the employee's activity is related to their official duties, they are conducting agency business, irrespective of their pay status.

Reference the regulations regarding off-duty activities in accordance with the *Standards of Ethical Conduct for Employees of the Executive Branch* (5 CFR. Part 2635.802-803).

Non Federal passengers: Reference *IHOG 10-2, F*

- General: A qualified Helicopter Manager or Flight Manager shall be assigned to the mission. All requirements regarding use of personal protective equipment, flight following, load calculations, and hazard analysis shall be followed.
- Resource/Project Missions: If the mission is special use, a Project Aviation Safety Plan shall be required and approved by line management prior to the flight. It must show that the carriage of Non-Federal passengers aboard the aircraft is of an official nature and is advantageous to the agency. Since the Non-Federal passengers are designated official passengers, no flight release waiver is necessary

- Incident Missions: As a general rule, the Incident Commander on type I or II Incident Management Teams may authorize all flights with Non-Federal passengers on board. On local unit fires, the line manager or their designee is usually the approving authority. Flights on government aircraft with Non-Federal passenger aboard must be in the interest of the government. No flight release waiver is required. This general guidance may be further restricted by agency local unit policy. The air operations staff should check with the local area to ascertain any additional restrictions or necessary approvals.
- Restricted Category Helicopters: Carriage of Non-Federal passengers aboard restricted category aircraft is specifically prohibited.
- Local Unit Aviation Manager and State Aviation Manager must be notified prior to any flights with Non-Federal passengers aboard.

Volunteers: Volunteers when traveling on official business, are official passengers, within the terms of *350 DM 1.8.A.(3)* and *BLM 9400.67.A*. Volunteers are not permitted to operate aircraft or serve as an aircrew member on any DOI aircraft. Volunteers aboard DOI aircraft performing mission flights must be pre-approved by the appropriate BLM line manager. During fire mission flights, the incident commander with delegation of authority or the local line officer are the appropriate levels of approval.

5.6 Emergency Exception to Policy:

Federal employees who are involved in an event in which there clearly exists an imminent threat to human life, and there is insufficient time to utilize approved methods, may deviate from policy to the extent necessary to preserve life (reference *350 DM 1.3.B*). The following provisions and follow-up actions apply:

- Personnel involved are expected to use good judgment.
- Personnel involved in the decision making associated with deviating from policy must weigh the risks verses benefit.
- Any deviations shall be documented on a SAFECOM.

5.7 Categories of Flight

The following terminology is used throughout this section under these definitions.

A “**Point-to-Point**” flight is one that originates at one developed airport or permanent helibase and flies directly to another developed airport or permanent helibase with the sole purpose of transporting personnel or cargo (this term does not apply to flights with a scheduled air carrier on a seat fare basis). These types of flights are often referred to as “administrative” flights and require the aircraft and pilot to be only carded and approved for point-to-point flight. A point-to-point flight is conducted higher than 500 feet above ground level (AGL).

NOTE: A developed airport is one that is listed in the FAA Sectional or FAA supplement for the geographic area.

A “**Mission flight**” is defined as any flight other than point-to-point, conducted with the express purpose of performing (or directly supporting) an agency or resource management related task or tactical job such as fire suppression, wildlife census, reconnaissance, etc. DOI refers to many such missions as “Special Use” in *OPM-29*; these missions require special techniques, procedures and consideration. Aircraft and pilots must be approved for each specific activity prior to use. Mission flights require additional agency planning, active flight following, additional pilot and aircraft inspections and carding, and operational supervision by agency personnel.

5.8 Flight Planning (See also *351 DM 1.4* and *National Mobilization Guide Chapter 20*)

Point-to-Point Flights will be tracked by a FAA - visual flight rules (VFR) or instrument flight rules (IFR) flight plan or on an international Civil Aviation Organization (ICAO) flight plan; or in accordance with a bureau approved flight plan program; or in accordance with an OAS Director approved vendor flight program specified in a DOI procurement document. FAA flight plans may be supplemented by agency flight plans and the administrative tracking and notification procedures specified in the *National and Geographic Area Mobilization Guide*. A qualified flight manager (per *OPM-04*) will be assigned to perform the administrative functions and assure a briefing is given to the pilot and a pre-flight safety briefing is given to the passengers. A 9400-1a Form or some form of Aircraft Flight Strip (per Dispatch SOP) will be utilized to provide dispatch with the appropriate aircraft and pilot information, a passenger manifest, and an estimated time of departure and arrival.

Mission Flights: Agency flight plans for fire/emergency mission flights will be documented on the Aircraft Flight Strip (per Dispatch SOP) and/or Resource Order. Agency flight plans for non-fire/non-emergency mission flights will be documented on the 9400-1a Flight Request/Schedule, Aircraft Flight Strip (per Dispatch SOP) and/or PASP. The flight manager and the pilot will plan the mission together. Approval to conduct non-fire/non-emergency mission flights is required prior to flight (see *NAP 4.3.2*). Elements to be considered are:

- Type of mission
- Environmental conditions – departure point, route, destination
- Time frames
- Logistics – fuel, landing areas, equipment, support crew
- Communications
- Airspace, flight hazards

5.8 [BLM Montana/Dakotas Supplement: Flight Planning and Mobilization](#)

Proper tracking of tactical aircraft requires either a resource order or an agency flight plan (i.e. Form 9400-1a) for all flights in the Montana/Dakotas. Pilots will notify dispatch of departure and arrival times, any necessary deviations from the planned flight route or timeframes, and upon arrival at any intermediate stops and the final destination. If there are unique or specific local procedures on how the flight planning and approval process is managed on the local Unit, those details may be addressed in the District Aviation Plan or the Dispatch Center Operating Plan. A PASP is required for non-fire mission flights in Montana/Dakotas with few exceptions, as discussed in Chapter 4, Section 4.3.2.

District/Field Supplement: (*Local procedures for planning and tracking flights*)

5.9 Flight Following (See also *National Mobilization Guide* Chapter 20 and *Interagency Standards for Fire and Fire Aviation Operations* Chapter 16)

Sterile Cockpit All Aircraft: Sterile cockpit rules apply within a 5-mile radius of the airport. The flight crew will perform no radio or cockpit communication during that time that is not directly related to safe flight of the aircraft from taxi to 5 miles out and from 5 miles out until clearing the active runway. This would consist of reading checklists, communication with Air Traffic Control (ATC), Flight Service Stations, Unicom, or other aircraft with the intent of ensuring separation or complying with ATC requirements. Communications by passengers or air crew members can be accomplished when the audio panels can be isolated and do not interfere with flight operations of the flight crew.

Exception: When conducting firefighting missions within 5 miles of an uncontrolled airport, maintain sterile cockpit until departing the traffic pattern and reaching final altitude. Monitor CTAF frequency if feasible while engaged in firefighting activities. Monitor CTAF as soon as practical upon leaving the fire and returning to the uncontrolled airport. When conducting firefighting missions within Class B, C, or D airspace, notify dispatch that ATC communications will have priority over dispatch communications.

Point-to-Point Flight following is accomplished by an authorized flight plan as outlined in NAP 5.8. Aircraft on FAA IFR flight plans are continuously tracked via radar. Radar tracking for VFR traffic is not guaranteed, but is available when requested if the controller workload, terrain, and operating altitude allow coverage. The designated flight manager will confirm that the pilot has filed and activated an authorized flight plan and performs several functions associated with the agency flight plan. When utilizing an agency flight plan, the pilot or flight manager will notify Dispatch upon departure, arrival at any interim stops, and arrival at the final destination. The flight following method is documented on the Flight Strip or 9400-1a Form.

Mission Flight Following is accomplished by flight crews and agency dispatchers using positive two-way communication (agency radio systems, satellite telephones, satellite texting), via the internet-based Automated Flight Following (AFF) system, or by agency personnel on the scene of an incident or project where the aircraft is operating.

The method of flight following for fire incidents is documented on an aircraft resource order or in a *Dispatch Center's Mobilization/Operating Guide*. The method for flight following non-fire missions will be documented in a PASP and/or 9400-1a Form.

Agency Flight Following: Begins with providing the departure time, souls on board (total personnel on the aircraft), quantity/duration of fuel, and heading to next check-in point. Position reports during a mission normally include the aircraft call sign, latitude, longitude, and heading. The default standard check-in for flight following is 15 minutes. If this is not possible, reporting frequency shall be established and briefed prior to the mission and position reporting shall not exceed one hour intervals under normal circumstances (reference 351 DM 1.4.B). If the 15 minute time limitation is to be exceeded, prior approval by the SAM is required (reference 9400.45.C.2.a).

- In certain circumstances, a position report may be given by some other descriptive location, such as reference to a mission grid-square map, a prominent known landmark, etc.
- Flight following may be conducted by FAA air traffic control if the mission flight is operating within Class B, C, or D airspace, and with prior notification to dispatch.
- Position reports and tactical radio transmissions should not be given when operating within five miles of an airport in the "sterile cockpit" environment.

The BLM standard format for aviation operations is Degrees and Decimal Minutes (DDD° MM.MMM'). Reference BLM *NAP Appendix 4* for additional details. Utilization of the correct format must be discussed between dispatch and the flight crew to assure accurate navigation.

Local/on-scene Flight Following: Local flight following by incident or project personnel may be implemented and utilized only when certain requirements are met and in place: (reference *IHOG 4.II.E.2*)

- Local flight follow procedures pre-identified and approved in the 9400-1A or PASP for project operations and in conjunction with Dispatch for tactical operations.
- Flights following procedures and responsibilities have been addressed in pre-flight briefings.
- Methods of flight following are in place and tested, including mandatory communication between designated flight following personnel and dispatch before flight operations begin. Positive communication with Dispatch must be maintained continuously during the operational period.
- A positive, clean "hand-off" must occur between dispatch and the project site when local flight following begins and ends.
- Backup/alternate communication devices are in place, available and tested.
- A reporting interval not to exceed fifteen minutes (or continuous visual contact) is maintained, and the location/status documented on a field radio log.
- Emergency accident and lost communication procedures must be briefed and understood by project flight following personnel, the pilot, flight manager, and dispatch.

Automated Flight Following (AFF): AFF is the preferred method of agency flight following by Dispatch Centers since the aircraft N-number/identifier, position, speed, and heading of each AFF-equipped aircraft is

graphically depicted every two minutes. The ability to resume radio flight following will be maintained and utilized in the event the AFF system ceases to function (i.e. agency network internet connection failure or aircraft AFF transmitter failure). Reference the *National Mobilization Guide*, Chapter 20 for specific direction regarding AFF.

5.9 [BLM Montana/Dakotas Supplement: Flight Following](#)

If there are supplemental methods or additional procedures for flight following on an individual Unit, those should be addressed in the District/Unit Aviation Plan or Dispatch Center Operating Plan. It is recommended that the aviation portion of a Dispatch Center Operating plan be included as an Appendix or at least referenced in a Unit Aviation Plan to address this topic.

District/Field Supplement: *Local flight following procedures, if different or supplemental to above.*

5.10 Radio Frequency Management/Communications

Agency specific policies for radio communications may be found in the *DOI Radio Communications Handbook* (377 DM). Do not use any frequency without proper authorization from the authorized radio frequency management personnel at the local, state, regional or national level.

5.10 [BLM Montana/Dakotas Supplement: Frequency Management/Communications](#)

Aviation frequencies are issued and controlled in the Northern Rockies by and for USFS, BLM, and interagency partners in accordance with FSH 6609.14 and DOI policies. The NR Aviation Frequency Working Group gathers frequency information, and publishes the annual Northern Rockies Aviation Frequency Guide in a spiral-bound pocket-sized format.

National Flight Following (NFF) and Air Guard frequencies: Dispatch Center radio consoles and aircraft radios are required to be capable of monitoring and transmitting on the emergency Air Guard and National Flight Following (NFF) frequencies.

NFF is available for flight following only those aircraft on point-to-point flights across dispatch area boundaries, or for flights departing from a base of operations flying cross country to or from an incident or project site. Communications on this frequency is limited to administrative exchanges regarding aircraft status and location, such as relaying the aircraft's Latitude-Longitude every 15 minutes if it is not equipped with AFF, to report taking off and landing, or deviations from planned routes. Other acceptable NFF transmissions include Dispatch diverting an aircraft to a higher priority incident, or the pilot/flight crew updating an estimated arrival time or confirming a radio hand-off. Upon arrival at an incident Fire Traffic Area (FTA) or a project site, a different frequency must be utilized for conducting tactical operations and communications with other aircraft on-scene, or with ground personnel. NFF is not to be used as a tactical channel. The NFF frequency is heavily used during field season by transient aircraft and becomes congested quickly if misused. Individual transmissions can impact multiple Dispatch Centers.

Air Guard is generally reserved for transmitting emergencies. It is also authorized for establishing initial contact when there is no response on other designated frequencies, and to recall or redirect an aircraft if unable to do so by other means. Dispatch Centers and pilots are required to monitor Air Guard at all times during flight operations.

District/Field Supplement: *(Optional- attach unit frequency list and map of area coverage as Appendix to your unit aviation plan.)*

5.11 Overdue, Missing or Downed Aircraft

An aircraft is considered “overdue” when it fails to arrive within 30 minutes past the estimated time of arrival (ETA) and cannot be located. An aircraft is considered “missing” when its fuel duration has been exceeded, it has been reported as “overdue” to the FAA and the FAA has completed an administrative search for the aircraft without success. If an aircraft is overdue, missing, or downed, initiate the *Interagency Aviation Mishap Response Guide and Checklist* (NFES 2659). It is critical that the response plan is implemented, followed and documented throughout the duration of the event.

5.12 Mishap Response

The *Interagency Aviation Mishap Response Guide and Checklist* outlines appropriate response to a loss of flight following, or an aircraft incident or accident. The plan describes procedures and requirements, including initiation of SAR, fire and medical response, notification of OAS Safety (1-888-4MISHAP) and BLM management. This guide (or equivalent) is specific to each Unit and shall be available in all Dispatch Offices (Reference 352 DM 3.5). The guide must be updated annually by the date established in the state aviation plan. Dispatch Centers are encouraged to augment the *Interagency Aviation Mishap Response Guide and Checklist* with additional local protocols and notification procedures and are required to test the Plan at least annually through a simulation exercise.

- Timely upward reporting of any confirmed or potential accident or incident is critical. If there is any doubt on how any occurrence might be classified contact your: State Aviation Manager, National Aviation Safety Advisor or the National Division Chief, Aviation (in that order) for clarification.

The *Interagency Aviation Mishap Response Guide and Checklist* is available at:

<http://www.nwcg.gov/pms/pubs/pms503.pdf>

5.12 [BLM Montana/Dakotas Supplement: Mishap Response](#)

Dispatch Centers in Montana are required to have their Aviation Mishap Response Plans updated annually. The Plan should be tested with one or more simulation exercises during each annual field season. Simulations and drills are recommended to ensure all dispatchers who will be mobilizing and tracking aircraft are proficient with initiating an effective response and proper notifications. It is critical to ensure that phone contact lists are current and accurate.

District/Field Supplement: Local procedures- (*Attach your Aviation Mishap Response Plan as an Appendix to your unit aviation plan.*)

5.13 Transportation of Hazardous Materials

Transportation of hazardous materials aboard agency contracted aircraft must meet the requirements set forth in the *Interagency Aviation Transport of Hazardous Materials Guide* (NFES1068). The *Interagency Aviation Transport of Hazardous Materials Guide* is available at:

<http://oas.doi.gov/library/handbooks/library/hazmathb0105.pdf>

Transport of hazardous materials aboard commercial aircraft must be in accordance with that company’s policy.

5.13 [BLM Montana/Dakotas Supplement: Transportation of Hazardous Materials](#)

The most current DOT 9198 letter of Exemption and the current edition of the *Interagency Aviation Transport of Hazardous Materials Guide* must be carried on board any aircraft under BLM operational control when hazardous materials are being transported. The pilot and any employees who are involved with packaging,

transporting, or carrying such materials on any flight must have completed the required IAT A-110 course within the past three years per OPM-4 and the IAT Guide. The course matrix in the IAT Guide and OPM 4 further points out that any Dispatcher who mobilizes and tracks a flight carrying Hazmats, and any Aviation Manager who oversees an aviation program in which aircraft are utilized to carry Hazmats must also complete A110 at least once every three years to remain current. The course length is two hours, and it may be completed as on-line computer-based training, or in a classroom setting. (See Chapter 6-Aviation Training for more details.)

District/Field Supplement:

(Local unit employees trained in transport of hazardous materials, types of hazardous materials routinely stored and transported, etc.)

5.14 Invasive Species Control

Aquatic invasive species are easily transported in a variety of ways (i.e. helicopter buckets, scoopers, fixed tank helicopters and SEATs utilizing open water sources, fire engines and water tenders, and other water handling equipment). Agency personnel should become knowledgeable in the preventive measures associated with mitigating the spread of aquatic plants and invertebrates. Aviation managers should consult with local unit resource advisors to acquire information associated with: contaminated water sources, approved water sources, cleaning of equipment exposed to contaminated water requirements, and other pertinent information.

Work is underway to develop additional guidance and procedures in the cleaning of equipment that has been exposed to aquatic invasives. Additional operational guidelines for aquatic invasive species can be found in the *Interagency Standards for Fire and Fire Aviation Operations*, Chapter 2.

5.15 Fire Chemicals and Aerial Application Policy near Waterways

Interagency policy only allows the use of a product that is qualified and approved for intended use. A qualified products list (QPL) is published for each wildland fire chemical type and maintained on the Wildland Fire Chemical Systems (WFCS) web site:

<http://www.fs.fed.us/rm/fire/wfcs/index.htm>

Personnel involved in handling, mixing and applying fire chemicals or solutions shall be trained in proper safe handling procedures and use the personal protective equipment recommended on the product label and material safety data sheet (MSDS). The MSDS for each approved fire chemical can be found on the WFCS web site.

Airtanker bases shall have appropriate spill containment measures in place. Consult with the local safety officer on requirements.

Products must be blended or mixed at the proper ratio by approved methods prior to being loaded into the aircraft by authorized personnel.

For operational guidelines on use of fire chemicals and the Policy for Delivery of Wildland Fire Chemicals near Waterways, reference the *Interagency Standards for Fire and Fire Aviation Operations*, Chapter 12.

5.15 BLM Montana/Dakotas Supplement: Fire Chemicals and Aerial Application Policy near Waterways

See USFS National Aviation Safety and Management Plan, Section 5.15 for additional guidance on retardant avoidance areas, misapplication reporting requirements, and a link to a map of avoidance areas.

District/Field Supplement: *Local unit areas of concern for retardant avoidance*

5.16 Search and Rescue (SAR) (See also BLM *NAP 3.14*)

Agency line officers, managers or an incident commander may direct agency personnel to participate in SAR aviation missions on or over public lands.

- All personnel involved with SAR operations should remain within the scope of their employment.
- Proper planning, risk assessments, and briefing the mission prior to an event will significantly reduce risk and improve the odds of success.
- SAR operations could lead to actions in conflict with DOI policy (reference BLM *NAP 5.6* Emergency Exception to Policy).

5.17 Large Airtanker (LAT), Very Large Airtanker (VLAT) and CL-215/415 (Scoopers) Operations

Airtankers are a national resource and their primary mission is initial attack. GACCs mobilize these aircraft according to *National and Geographic Area Mobilization Guides*. In addition to federally contracted airtankers, military airtankers with the Modular Airborne Fire Fighting System (MAFFS) and cooperator aircraft may be utilized to supplement the federal fleet through established agreements.

Operational considerations concerning LAT, VLAT and Scoopers can be referenced in the *IASG*.

5.17 BLM Montana/Dakotas Supplement: Large Airtanker Operations

Foreign Airtankers: Agreements are in place to utilize Canadian airtankers and birddogs on an as needed basis and for boundary (International) fires.

MAFFS: Billings is currently approved for using MAFFs and VLATs (portable). Rotation of these resources at these bases of operation will be managed in accordance with the local tanker base operating plans. Orders for these resources must be placed through Northern Rockies Coordination Center per the procedures found in the NR Mobilization Guide.

District/Field Supplement: *Local Unit Large Airtanker use, base facilities, staffing, etc. (if any)*

5.18 Airtanker Base Operations

The airtanker base manager and/or fixed base manager supervises ground operations in accordance with the IATBOG (Interagency Airtanker Base Operations Guide).

The IATBOG establishes qualifications, certification and currency requirements for BLM.

District/Field Supplement:

5.19 SEAT Operations

SEATs are a national resource and their primary mission is initial attack. Mobilization is managed by dispatch centers with support by a national SEAT coordinator and aviation managers. Operational considerations concerning SEATs can be referenced in the *ISOG* and the *IASG*.

SEAT Manager (SEMG) responsibilities are outlined in the *ISOG*, and their training and currency requirements are contained in NWCG PMS 310-1.

Utilization of remote/satellite SEAT bases must be in compliance with ISOG requirements.

5.19 [BLM Montana/Dakotas Supplement](#): SEAT Operations

BLM maintains several SEAT bases that are available to host and/or reload the current fleet of national-contract SEATs. These bases, which have water sources and bulk retardant in stock, are located in Lewistown, Miles City, Baker, Broadus, Colstrip Ekalaka, Jordan as well as the Billings full service airbase. A brief description of the three primary Montana BLM SEAT bases (Billings, Miles City, and Lewistown) is provided in Sec. 5.1 above. Additional bases have historically been established at numerous other small airports. Each Unit Aviation Plan that has a SEAT base or reload base on their unit will include a SEAT Base Operating Plan as an appendix to the Unit or District Aviation Plan.

Districts are highly encouraged to share SEATs and other aerial resources with neighboring Districts, Forests, and other agency lands in accordance with established interagency initial attack agreements. Resource sharing is encouraged both within the geographic area as well as across GACC boundary lines, if aircraft are available. Coordination between the ordering Dispatch Center, the National SEAT Coordinator's desk at NIFC, and the Northern Rockies Coordination Center (NRCC) is required when additional aircraft are needed but unavailable from a neighboring Dispatch Center.

SEATs missions are occasionally cancelled (i.e. due to a false alarm) after an aircraft has already taken off in response to a reported fire. Due to safety and aircraft structural limitations, the aircraft cannot return and land with a full load of retardant on board. Therefore, each base must identify acceptable retardant jettison sites away from the airport, any urban area, or developed private land. Jettison site locations should be documented in each SEAT base operating plan. District Resource Specialists should be consulted annually to review established jettison sites for continued suitability. Jettison areas should be discussed during initial pilot briefings, and pilots should be asked to enter jettison site locations as waypoints in the aircraft panel-mounted GPS before the initial dispatch or as soon as possible thereafter.

District/Field Supplement: *(Describe Local SEAT program and base facilities-primary and reload bases. Attach Unit SEAT base operating plan as appendix to Unit Aviation Plan if applicable.)*

5.20 Foreign Airtanker Operations

The *National Mobilization Guide* identifies procedures for ordering foreign airtankers. Requests for foreign airtankers will be ordered through the GACC and forwarded on to NICC. In accordance with *351 DM 2.3.C* all airtanker make and models, regardless of nationality, must be Interagency Airtanker Board approved. Each aircraft and pilot(s) will be issued Letters of Approval per the procedures outlined in *351 DM 4.1* and *351 DM 4.4* and the *National Mobilization Guide*. Operations of foreign airtankers will be consistent with the procedures outlined in the *IASG*.

5.20 [BLM Montana/Dakotas Supplement](#): Foreign Airtankers

Foreign Airtankers: Agreements are in place to utilize Canadian airtankers and birddogs on an as needed basis and for boundary (International) fires. Approval procedures are listed above.

5.21 Aerial Supervision/Leadplane Operations

These air tactical resources conduct operations in accordance with the *IASG* and the policies and procedures prescribed in the *Interagency Standards for Fire and Fire Aviation Operations*. Dispatch and ordering are accomplished in accordance with the *Geographic Area and National Mobilization Guides*.

Aerial supervision resources will be dispatched, when available, for initial and extended attack to enhance efficiency and safety of ground and aerial operations. The response speed of aerial supervision aircraft is faster than any other resource and should be utilized to maximize initial attack safety, effectiveness, and efficiency. This includes responding to incidents outside of dispatch zone and GACC boundaries.

Air tactical aircraft must meet the avionics typing requirements listed in the *IASG* and the pilot must be carded to perform the air tactical mission.

5.21.1 Aerial Supervision Personnel

Personnel associated with aerial supervision will be trained to the standards in NWCG PMS 310-1 and the *IASG*. Training and qualification requirements for ASM crewmembers are defined in the *IASG*. Individuals performing duties as an ATS or ATP must be certified and authorized by the BLM NAO.

ATGS training and currency requirements are contained in NWCG PMS 310-1. However, additional currency requirements for BLM ATGS are defined in the *IASG*. The ATGS Cadre monitors and coordinates ATGS personnel and training at the GACC level and coordinates with National Program Managers, SAMs, GATRs, and the ATGS Cadre Chair.

Personnel who are performing aerial reconnaissance and detection will not perform aerial supervision duties unless they are fully qualified as an ATGS and the aircraft is equipped and carded for air tactical operations. (Reference BLM *NAP* 5.27.2&3 for additional information on aerial observation)

5.21 BLM Montana/Dakotas Supplement: Aerial Supervision

BLM has one exclusive use Air Tactical fixed wing contract in Billings with Spur Aviation. 2014 is the final option years on this contract. A new solicitation and contract award is tentatively planned for 2015. The Vendor provides a twin turbine engine Aero Commander 690B with pilot. The aircraft costs \$910 per day for Daily Availability, and has an hourly flight rate of \$1,334 in 2013. This aircraft averages 200 to 300 flight hours per year.

District/Field Supplement: *Local Unit use of aerial supervision, available resources, personnel*

5.22 Helicopter Operations

All BLM helicopter operations shall be accomplished in accordance with the *IHOG*, unless otherwise waived by the NAO and/or the aircraft contract.

All personnel involved in BLM helicopter operations and all BLM personnel onboard cooperator/affiliate helicopters shall comply with the PPE requirements in *IHOG* Chapter 9. The only exception from the *IHOG* PPE requirements is on flights with a scheduled air carrier on a Seat Fare Basis (reference BLM *NAP* 3.15 - Dispatching - Flight Requests).

The applicable hover out of ground effect (HOGE) chart will be used to determine payload limits for all BLM helicopter operations for the first time landing into remote landing sites, or when the pilot deems that environmental conditions warrant use of HOGE chart.

BLM Exclusive Use contracted helicopters must meet the daily minimum staffing levels defined by *IHOG* (Chart 2-4), except for weather and 1 hour call back.

Utilization of the R-44 helicopter: Utilization of this model of helicopter shall be addressed in the State Aviation Plan. Additionally, the aircraft user shall review DOI AM Information Bulletin NO. 05-02 "R-44 Helicopters" prior to ordering. This IB is located at: <http://oas.doi.gov/library/ib/library/FY2005/05-02.pdf>

National BLM approval is required for new program requests to host the following:

- Cargo Letdown
- Shorthaul
- Rappel
- Rope Assisted Delivery

Requests for approval are initiated by a State Office to the NAO with the final approval made by the aviation division chief. The “BLM Aviation Enhancement Application Form” has been developed for these requests. Reference BLM *NAP Appendix 12*

5.22.1 Helitack

All helicopter personnel responsibilities are outlined in the *IHOG*. CWN Helitack training and currency requirements are contained in the NWCG PMS 310-1. Exclusive use helitack minimum crew staffing, training and currency requirements are contained in the *Interagency Standards for Fire and Fire Aviation Operations*. Each unit hosting an exclusive-use helicopter is responsible for providing essential management, overhead, equipment, facilities and the resources necessary to fully support the helitack crew.

Hoverfill: BLM Exclusive Use helicopter crews’ and aircraft may be allowed to utilize Hoverfill operations. Before an Exclusive Use Helitack Program utilizes hover fill operations, training, risk management, and operational procedures, must be outlined and approved within their Unit Aviation/Helitack Operations Plan.

5.22.2 Rappel

Rappel activities will be conducted in compliance with the *Interagency Helicopter Rappel Guide*.

BLM currently does not conduct rappel operations.

5.22.3 Cargo letdown

BLM cargo letdown will be conducted in compliance with the *Interagency Helicopter Rappel Guide* and the BLM Cargo Letdown Protocol (reference BLM *NAP Appendix 7*). BLM personnel involved in cargo letdown operations shall record initial and recurrent training on the BLM Cargo Letdown Trainee Qualification Record (reference BLM *NAP Appendix 8*).

5.22.4 Rope Assisted Delivery System (RADS)

The BLM RADS is a proposed BLM helitack program delivery system that augments the standard BLM helitack on-ground delivery system. The BLM RADS has the potential capability to rapidly deliver firefighters to sites that are unsuitable for on-ground landings. The BLM RADS is potentially capable of improving response times, reducing risk exposure, and increasing overall the delivery capability of the BLM helitack program. The BLM plans to implement a RADS Evaluation program in 2014. Contact the NAO for additional information.

[5.22 BLM Montana/Dakotas Supplement: Helicopter Operations](#)

This section will address the two BLM exclusive use helicopter programs in greater detail.

[Central Montana District](#) has a Bell 206 L4 helicopter on a 130-day exclusive use contract and a nine-person helitack crew. 2014 is the final year on this contract. The district owns and uses one Plastic Sphere Dispenser (PSD) for aerial ignition, and have qualified PSD Operators (PLDO) on the crew. The helitack program does not own a Helitorch, but there is a qualified Helitorch Manager (HTMG). The crew has 1 EMT. The aircraft costs for \$2,100 Daily Availability and \$860 hourly flight rate. The aircraft averages 120 flight hours each year. There are three qualified PLDO’s on the crew.

[Eastern Montana/Dakotas District](#) has a Bell 206 L1/C30P on an exclusive use contract for 90 days/year from Leading Edge Aviation. This is the final year on this contract. The daily availability rate is \$1,919 per day for

and the flight rate is \$977/hour. The helicopter is staffed by a 6--7 person crew, three crew members are EMTs. The district owns and uses a PSD for aerial ignition, and there is one qualified PLDO's on the crew.

The SAM is the COR on all BLM exclusive use aircraft contracts in Montana. The DOI-OAS Contracting Officer writes formal letters of delegation annually to identify the SAM as the COR and the UAM on each of the host Districts as the Alternate COR (ACOR). The SAM typically designates each exclusive use Helicopter Manager/Crew Supervisor, each Assistant Manager, and the Lead Crewmember on each crew as Project Inspectors via a letter of delegation from the State Office.

District/Field Supplement: *Local Unit Helicopter use, personnel, equipment, training, etc.*

5.23 Aerial Ignition Operations

Aerial ignition operations and projects are accomplished in accordance with the Interagency Aerial Ignition Guide.

The DOI On-Call Small Helicopter contract provides for vendor supplied helitorch equipment and mix/load personnel. If a vendor supplied helitorch operation is desired, the CO must be contacted prior to ordering. The CO will negotiate the helitorch services pricing.

5.23 BLM Montana/Dakotas Supplement: Aerial Ignition

Information about the aerial ignition capabilities of the Montana BLM exclusive use aircraft and the helitack crews is described in Sec. 5.22 above. Each District Aviation Plan and helitack operating plan should describe any specific local procedures and protocols that implement national policies on aerial ignition, training and certification, field operations, and aerial ignition equipment storage and maintenance.

District/Field Supplement: *Local unit aerial ignition equipment, personnel, program*

5.24 Wild Horse & Burro Operations (WH&B)

Wild Horse and Burro operations will be conducted according to the BLM *WH&B Aviation Management Handbook H-4740-1* and DOI On-Call WH&B contract if conducted as a flight service contract. Reference *NAP 3.8* for End Product contract procedures.

District/Field Supplement:

5.25 Aerial Capture, Eradication and Tagging of Animals (ACETA)

ACETA will be conducted as per the *ACETA Handbook* and DOI On-Call ACETA contract, if conducted as a flight service contract. Reference *NAP 3.8* for End Product contract procedures.

5.26 Smokejumper Operations

Smokejumper dispatch and ordering is accomplished in accordance with the *Great Basin, Alaska and National Mobilization Guides*.

5.26 BLM Montana/Dakotas Supplement: NR Smokejumpers

There are no established BLM Smokejumper bases in Montana/Dakotas. There are USFS smokejumpers based in Missoula, MT and West Yellowstone, MT with a satellite base in Miles City, MT which is opened and operational on an as needed basis. USFS and/or BLM smokejumpers are frequently available from neighboring geographic areas and may be ordered through established dispatch protocols.

District/Field Supplement: *Local use of SMKJs*

5.26.1 Smokejumper Personnel

Smokejumpers: Smokejumper operations are performed according to the *Interagency Smokejumpers Pilots Operations Guide* (ISPOG) and the policies and procedures prescribed in the *Interagency Standards for Fire and Fire Aviation Operations*.

Smokejumper Pilots: The *ISPOG* serves as policy for smokejumper pilots' qualifications, training and operations.

5.27 Light Fixed Wing Operations

Fixed wing dispatch, ordering, and operations shall be accomplished in accordance with state and unit aviation plans. At minimum flights must meet the requirements outlined in *9400 Manual* section .45 for flight scheduling/operations.

5.27.1 Low-level Flight Operations (Less than 500' AGL):

The only fixed-wing aircraft missions authorized for low level operations are:

- Smokejumper/para-cargo
- ASM and lead operations
- Retardant, water and foam application
- Seeding/spraying
- Other missions approved by a PASP

Operational Procedures:

- Fixed-wing aircraft and pilots must be specifically approved for low-level flight operations.
- A high-level recon will be made prior to low-level flight operations.
- All flights below 500 feet will be contained to the area of operation.
- PPE is required for all fixed-wing; low-level flights (reference *ALSE Handbook*). Flight helmets are not required for multi-engine airtanker crews, smokejumper pilots, Leadplane and ASM flight/aircrew members.

5.27.2 Fire Reconnaissance or Patrol flights

The purpose of aerial reconnaissance or detection flights is to locate and relay fire information to fire management. In addition to detecting, mapping and sizing up new fires, this resource may be utilized to describe access routes into and out of fire areas for responding units. Only qualified aerial supervisors (ATGS, ASM, HLCO and Lead/ATCO) are authorized to coordinate aircraft operations in incident airspace and give tactical direction to aviation assets. Flights with a "recon, detection or patrol" designation should communicate with tactical aircraft only to announce location, altitude and to relay their departure direction and altitude from the incident.

5.27.3 Non-Fire Reconnaissance/Aerial Observer

BLM non-fire fixed wing mission flights require that at least one agency person on that flight or at the departure/arrival base meet the IAT requirements of flight manager. Agency personnel must meet IAT requirements for Fixed Wing Flight Manager or NWCG comparable position. Reference *OPM-04* at:

http://oas.doi.gov/library/opm/CY2013/OPM_13-04.pdf

District/Field Supplement: *Describe local fixed wing recon procedures, personnel, resources utilized.*

5.27.4 Single Engine IFR/Night Flight

For single engine night flight reference 351 DM 1.3.

5.27.5 Backcountry Airstrip Operations

Reserved

5.28 Law Enforcement Operations (LE)

LE personnel involved in any aviation operation will adhere to DOI and bureau aviation policy. Local LE personnel that are required to utilize aircraft to support LE operations shall discuss all aspects of the operation with the UAM or SAM, well in advance of operations. The BLM SAM must be briefed on all BLM law enforcement involvement in short haul missions occurring within their state. The UAM will review all LE PASPs prior to commencing operations. Line officers shall be informed of LE aviation activities within their area of responsibility.

LE personnel involved with aviation activities shall receive and be current in required aviation training (NWCG and/or IAT) commensurate with the aviation position they will fill, prior to any aviation operations.

LE personnel will utilize aircraft and pilots that have been approved by OAS for the intended use.

Aircraft contracted for fire/resource operations are allowed to conduct non-threatening surveillance and reconnaissance law enforcement missions only.

- Certain LE operations could lead to actions in conflict with DOI policy; (reference BLM NAP 5.6 Emergency Exception to Policy).
- Certain exceptions to policy for undercover Law Enforcement operations are addressed in 351 DM 1.6.D.

LE personnel will submit as required to the SAM/UAM, the BLM Law Enforcement Aviation Statistics form for all law enforcement aviation operations. The form is located at:

<http://www.blm.gov/nifc/st/en/prog/fire/Aviation/Administration.html>

- BLM LE personnel shall work with their respective aviation manager, SAM/UAM, to complete the BLM Law Enforcement Aviation Statistics form.
- The SAM must submit their consolidated state's report to the NAO at the end of the calendar year.
- Consistent tracking of flight activities throughout the year should help facilitate the completion of this form at the end of the year.
- This form could be utilized on a per-mission basis for ease of compiling final year end data.
- LE personnel on assignments to other states activities shall be included in that states report and shall not be captured in their home states report.

5.28 BLM Montana/Dakotas Supplement: NR Law Enforcement (LE) Operations

Standard agency aviation policies and procedures described in the NAP and other DOI policy documents apply to all BLM LE operations except those involving response to an unexpected or imminent life and death emergency.

The Ranger or Special Agent and the Unit Aviation Manager will ensure all flights are properly coordinated. A PASP will be developed and approval signatures acquired prior to each mission. The local Dispatch Center Manager must be notified of any BLM law enforcement aviation mission at least 24 hours in advance, and

provided with a copy of the PASP. All planning and operations will incorporate risk management principles and require a thorough pre-mission briefing with pilots, observers, the flight manager, and aircrew.

UAMs are responsible for tracking the IAT aviation training and qualifications records for employees who fly on LE missions.

District/Field Supplement: *Local Unit Law Enforcement Aviation personnel and program*

5.29 Unmanned Aircraft Systems (UAS) (See also NAP Sec. 3.16)

Interest and possible use of UAS, (formerly unmanned aerial vehicles), are increasing. The FAA has established regulations regarding UAS operations. Unmanned Aircraft Systems are currently flown under a variety of options which are identified at the FAA's website: <http://www.faa.gov/about/initiatives/uas/reg/>

A Memorandum of Agreement (MOA) between the FAA and DOI regarding operation of Small Unmanned Aircraft Systems in Class G airspace has recently been approved. The MOA can be referenced at: <http://oas.doi.gov/library/ib/library/FY2014/IB1403.pdf>

The current FAA policy for UAS operations is that no person may operate a UAS in the National Airspace System without specific authority. For UAS operating as public aircraft the authority is the Certificate of Authorization (COA) or through a Memorandum of Agreement with the FAA. For UAS operating as civil aircraft the authority is special airworthiness certificates, and for model aircraft the authority is AC 91-57. For those UAS flight operations occurring in restricted airspace, written approval must be obtained prior to conducting flight operations by the controlling agency of the restricted airspace.

Currently UAS operations are only allowed for three types of operations: Federal Government, state/local agencies and qualifying universities. Operations of UAS under FAA Advisory Circular AC 91-57 (Radio Controlled Aircraft) are intended for hobbyists and not government or commercial operators.


A Certificate of Authorization (COA) or compliance with the DOI/FAA Memorandum of Agreement is required for all UAS operations prior to flight. Under the current system, no contract or "for hire" operations by contractors with UAS are allowed. No emergency use of Unmanned Aircraft Systems will be allowed without a previously approved COA. Reference *OPM 13-11 "DOI Use of Unmanned Aircraft systems (UAS)"*: http://oas.doi.gov/library/opm/CY2013/OPM_13-11.pdf

In addition to Departmental Guidance, all requests to utilize UAS must be routed through the respective SAM and/or BLM National Operations Center to the NAO.

- **UAS Request/Approval Process:** Bureaus shall not conduct UAS operations until: requests are approved by bureau line management and bureau national aviation manager and all minimum requirements have been met. Requests must be initiated well in advance of the project which could be at least several months (estimated) prior to the anticipated UAS mission start date.
 - Feasibility by Bureau Unit: Initial feasibility discussions are conducted between bureau unit, local bureau aviation manager and BLM National Flight Operations Manager. Local unit line officer makes decision to go forward with request.
 - Request & Proposal by Bureau Unit: The local unit will prepare and submit a formal request to initiate a UAS project (memo signed by line officer). This proposal shall include the general

purpose, objectives and justification for utilizing UAS. Submissions can be made to the BLM National Aviation Office or the BLM National Operations Center.

- Bureau National Flight Operations Manager Review: The request shall be routed through the bureau state/regional or national office to the bureau national flight operations manager for review and approval/disapproval. If approved, the National Flight Operations Manager will determine if flight operations under the DOI/FAA MOA or the COA is appropriate for the flight mission.
- Request for Certificate of Authorization (COA), if needed: If the bureau proposal is approved, the OAS UAS Coordinator will work directly with bureau requestor and aviation manager to develop the FAA application for a COA. Collaboration and agreement will occur prior to official commitment of the application. The OAS UAS coordinator will keep the bureau informed on the status and issuance of the COA. The COA, once issued, shall serve as the UAS operations plan along with the PASP.
- **Minimum Operational Requirements:** The following requirements must be met prior to any operational use of UAS:
 - COA: A valid and current COA issued by the FAA or following the requirements established within the DOI/FAA MOA.
 - A Unit PASP will be completed by the UAM and project manager prior to flight operations, after the COA has been approved. The PASP will include stipulations identified in the approved COA. For those UAS flight operations under the MOA, stipulations contained within MOA will be included in the PASP.
- **DOI UAS Pilot Qualification Card:** The following requirements must be met prior to piloting a UAS:
 - DOI UAS Pilot Operator Training Requirements: DOI UAS Pilots must receive training with the specific aircraft to be flown. OAS will identify appropriate training, in conjunction with FAA regulations. Pilots must possess training certificates from OAS or OAS-approved sources prior to receiving OAS certification as a DOI UAS Pilot.
 - Other DOI UAS Pilot Requirements: Other requirements (to be determined by OAS) may include FAA pilot certificate and FAA medical exams.
 - The OAS UAS Coordinator will issue a DOI UAS Pilot Qualification Card that specifies the approved UAS aircraft that the Pilot is approved to fly.



5.30 Fleet Aircraft

The BLM currently operates three Fleet aircraft. N49SJ, N190PE and N32PX are DOI owned aircraft operated by the BLM.

- N49SJ is a De Havilland DHC-6 Twin Otter; the primary mission is smokejumper delivery. BLM NAO provides overall management of the aircraft; it is assigned to the Great Basin Smokejumper, Boise.
- N190PE is a Pilatus PC-12; the primary mission is utility and fire logistics support. BLM NAO provides overall management of the PC-12. The aircraft is assigned to Alaska Fire Service a portion of the year and Boise NAO the balance of that year.
- N32PX is a Cessna 206; the primary mission is as a utility aircraft. The BLM Alaska-Office of Law Enforcement and Security will have primary use of the aircraft through the calendar year flown by dual function special agent/ranger-pilots. The management of the aircraft will fall under the BLM Alaska Aviation Office with mission management under AFO/AKSO and South Zone Dispatch Center.
- N437CC is a Cub Crafters CC-18-180 Top Cub. The primary mission is as a utility aircraft. The BLM Alaska Office of Law Enforcement and Security will have primary use of the aircraft through the calendar year and flown by dual function special agent/ranger-pilots. The management of the aircraft will fall under the BLM Alaska Aviation Office with mission management under FDO/AKSO and South Zone Dispatch Center.

BLM fleet aircraft are operated in accordance with the BLM Fleet Aircraft Standard Operations Procedures Guide. Reference BLM NAP Appendix 10.

6.0 Aviation Training

6.1 General

Aviation training is essential to ensure that BLM maintains a safe and efficient aviation operation in pursuit of the bureau's mission. Aviation users, supervisors, and managers need to make certain that they and their employees are knowledgeable of the inherent hazards of aviation operations and have been provided the necessary skills and training to be successful conducting aviation operations. There are two separate, but linked, training programs for BLM Aviation.

6.1.1 Fire Training and Qualifications

The National Wildland Coordinating Group's (NWCG) guides the fire and fire aviation qualifications. Personnel serving in NWCG positions need only meet the qualification and currency requirements required in the *Wildland Fire Incident Management System* (NWCG PMS 310-1), or other interagency guidance as appropriate (smokejumper spotter, ATS, ATGS, Lead/ASM pilot, BLM Exclusive Use helitack, etc).

6.1.2 Aviation Training for Non-Fire Flight Activities and Positions

The DOI Aviation User's Training Program (IAT) regulates the "non-fire" aviation training requirements for bureau personnel. Individuals holding a current qualification under the Incident Qualification Certification System (IQCS) are also qualified to perform some equivalent non-fire aviation positions under IAT guidelines and do not require additional IAT training.

Reference: <https://www.iat.gov/>

For BLM Smokejumper specific non-fire positions reference BLM *NAP Appendix 9* (BLM Smokejumper Positions to Interagency Aviation Training (IAT) Functional Crosswalk).

Aircrew Member: An Aircrew member is a person working in and around aircraft who is essential to ensure the safety and successful outcome of the mission. Aircrew Members are required to:

- Be on board or to attend to the loading and unloading of passengers and cargo at all landings and takeoffs
- Attend to external loads
- Ensure all passengers have received a safety briefing prior to all flights. This includes personnel fulfilling the role of aircraft manager, such as fixed wing managers and helicopter managers.

Aircrew members are required to take the courses listed in *OPM-4* in a classroom for the initial training. Note: A-100 does not fulfill all of the Aircrew Member requirements.

Aircrew Member Training requirements: (reference OPM-04)

A-100 Basic Aviation Safety

A-110* Aviation Transportation of Hazardous Materials (if involved in transport of Hazardous materials)

A-116 General Awareness Security Training (one time)

A-200* Mishap Review

* Completion is required every 3 years

The 2014 revisions of OPM-04 and the Interagency Aviation Training Guide will reflect these changes.

Personnel who previously completed the B3 curriculum will maintain currency in accordance with existing policy requirements. They are not required to take the A-100 prior to the date their B3 recurrency would be due. However, users are encouraged to take it sooner if able.

As of January 1, 2014, credit will no longer be given for the older modules. Instructors may request course materials by sending an email to: iat_admin@ios.doi.gov

An employee may be authorized to complete the initial Aircrew Member training on-line, on a case-by-case basis and at the discretion of the SAM. A written request must come from the employee's supervisor to the SAM explaining why it is not feasible to attend and complete a classroom Aircrew Member session prior to the day of the mission.

A quick reference for the training requirements for non-fire aviation positions can be found in *OPM-4*. A description of each position and role can be found in the *Interagency Aviation Training Guide*.
http://oas.doi.gov/library/opm/CY2013/OPM_13-04.pdf

BLM requires that personnel involved with helicopter external load operations must comply with the following:

- All personnel involved in hover hook ups must complete S-271 and A-219 Units 1-6.
- All personnel involved in long line work must be a qualified aircrew member and complete A-219 Units 1-4 and Unit 6.
- Documentation, for non-fire personnel, indicating the completion of the required training to perform external load work shall be maintained at the interagency aviation training website: <https://www.iat.gov/>
- *OPM-04* does not require any recurrent training for A-219 and thus bureau employees will not need any further external load training

6.1 [BLM Montana/Dakotas Supplement: General](#)

The BLM, USFS, and other partner agencies coordinate aviation training at the state/regional level and on local units in order to assess employee training needs, minimize unnecessary travel, and maximize efficiency. The NRCG Training Working Team, and Aviation Working Team, and the USFS-NR Geographic Area Training Officer identify and coordinate NWCG aviation training calendars and events. The SAM, FS Regional Aviation Safety Manager, and staff specialists in Missoula coordinate with Interagency Aviation Training (IAT) Division of OAS in Boise to ensure both Fire and non-Fire employees receive required training for non-NWCG aviation courses.

District/Field Supplement: *Local training management organization and process*

6.2 Management Responsibility

Supervisors and managers are those individuals that have management or supervisory oversight responsibilities for programs using aviation resources for mission accomplishment.

6.2.1 Supervisory Personnel

Supervisors are those individuals responsible for employees that use aircraft to accomplish bureau programs. Supervisors must complete the aviation management for supervisors training course (M-3) and A-200 Mishap Review. BLM supervisors can take the initial course either in a classroom or online. Refresher for M-3 and A-200 is required once every three years and may be completed in the classroom or through distance learning (i.e. webinar, online or Interactive television). Supervisors should reference *OPM-4* and *Interagency Aviation Training Guide* for further information on required training.

6.2.2 Line Managers

Line managers are those individuals who are responsible and accountable for using aviation resources to accomplish BLM programs. Line managers must complete the aviation management training for supervisors

(M-3) training course or attend a DOI aviation management line managers briefing course once every three years (M-2).

6.2.3 Aviation Managers at the Local, State and National Level

This applies to personnel who are delegated or authorized to plan, organize, direct, control, oversee, or administer aviation or aviation safety programs within the BLM. The training requirements for aviation managers can be found in *OPM-4*, IAT Requirements Matrix.

An in-depth description of each position and role can be found in the *Interagency Aviation Training Guide*.

6.2.4 Aviation Contracting Responsibilities COR Training Requirements

BLM CORs and alternate CORs, on BLM exclusive use contracts, are required to have training in DOI aviation policy, basic contract administration, and contract performance verification and understanding technical aspects of contracts. Initial and recurrent COR training requirements can be found in the DOI *COR Manual* or obtained from AQD contracting officers. CORs are required to be registered in the Federal Acquisition Institute Training Application System (FAITAS) and be certified as a COR by the Federal Acquisition Institute before performing the duties of the position on a DOI contract. FAC-COR initial requests and renewal/maintenance requests should be submitted through the Lead Acquisition Official in the State for submission to the Bureau Procurement Chief in WO. These should not be submitted directly to DOI.

<http://www.fai.gov/drupal/certification/fac-cor>

6.2.5 Contractor and Cooperator Pilot Training

BLM aviation managers at all levels are responsible for assuring that contractors and cooperators are provided adequate briefings of mission requirements, standards and procedures. This may be accomplished through classroom training, computer-based training, simulations, pre-work conferences, aircraft and pilot inspections, pre-flight briefings or other appropriate venues.

6.2 BLM Montana/Dakotas Supplement: Management Responsibility

The SAM will:

- Maintain currency as an Intermediate IAT Instructor and will respond to training requests by BLM Districts. If a needed course is not available on-line, and no one is locally available to present the course, the SAM will either travel to the Unit to present the course, conduct the training via VTC, or locate a qualified Instructor to meet the need.
- Track the IAT training records for Line Officers in Montana/Dakotas, and schedule an M2 Aviation Management briefing for Line Officers or an M-3 Aviation Managers for Supervisors course as needed. Requests for an M2 will be coordinated with the State Director's Office and with the Aviation Safety and Training specialist at the BLM National Aviation Office (NAO). (See Sec. 6.2.2 of the NAP above allows Line Officers to complete M-3 in lieu of M-2 at least once every three years.)

The Unit Aviation Manager (UAM) is responsible for:

- Coordinating with the local Unit Fire Training Officer and/or Red Card Committee to ensure those who participate as Aircrew on Fire missions (other than firefighter crew shuttle) are current and carded per NWCG requirements in the Interagency Qualifications and Certification System (IQCS).
- Reviewing the PASP, mission planning worksheet, and or flight manifest (or 9400-1a) to ensure the Flight Manager and Aircrew members have completed the required IAT training within the required recent timeframe as specified in OPM-4 and the IAT Guide. (Note: Any BLM UAM who is not familiar with how to query the IAT system to review an employee's training records and determine currency should consult the SAM for guidance.)
- Ensuring that those who **supervise** DOI employees who fly on missions have completed M-3 Aviation Management for Supervisors within the past three years.

- Ensuring that those who perform Aviation dispatching duties for Bureau mission aircraft complete the IAT training requirements for an Aviation Dispatcher, if they have not yet completed the NWCG D-312 “Aircraft Dispatcher” course. *(Note: Some of the courses listed in the IAT Guide require refresher training every three years to maintain currency.)*

Supervisors and Line Officers are responsible for:

- Supporting Departmental and Bureau aviation policies and safety requirements described in 350-354 DM, 9400, OPM’s, and the BLM National and State Aviation Plans.
- Completing the required M2 or M3 training and maintaining currency as described in NAP Sec. 6.2.2 above and in OPM-4.
- Fire Management Officers, Dispatch Center Managers, and UAM are responsible for ensuring that those Aviation Dispatchers who have not completed D-312 at least complete the IAT courses for an Aviation Dispatcher listed in the IAT Guide and DOI OPM-4 policy.

District/Field Supplement: *Local procedures, roles and responsibilities for Aviation training program management.*

6.3 Instructor Standards

Standards for NWCG Instructors are outlined in NWCG *PMS 901-1 Field Manager’s Course Guide*. Reference: <http://www.nwcg.gov/pms/training/fmcg.pdf>

Instructors for IAT courses will meet the IAT trainer requirements of the *Interagency Aviation Training Guide*. Reference: https://www.iat.gov/docs/IAT_Guide_2012.pdf

6.3 BLM Montana/Dakotas Supplement: Aviation Instructors

Numerous IAT instructors, basic and intermediate, may be available in the Northern Rockies to facilitate required IAT training. There are several additional instructors who have completed the NWCG “M410” Facilitative Instructor course who are qualified to teach Fire training courses. Many of these instructors are in specialized aviation positions such as helicopter crew supervisors or assistants. The IAT program managers in Boise recognize M410 as a viable equivalent to IAT A-220 “Train-the-Trainer,” and allow those who routinely instruct Fire aviation courses to be granted equivalent IAT Instructor certification if they are observed and evaluated instructing an IAT course (such as A-100 or M-3) by a national IAT program staff member or an approved designee such as the SAM. The national requirements by which an IAT Instructor maintains currency and certification are described in OPM-4 and the current IAT Guide.

District/Field Supplement: *Local unit IAT Instructors*

6.4 Records Management *Reserved*

6.5 Tuition and Travel *Reserved*

6.6 Development *Reserved*

7.0 Airspace Coordination

7.1 Interagency Airspace Coordination

Interagency airspace coordination is accomplished through the Interagency Airspace Subcommittee (IASC) chartered under the NIAC. Guidance and education is provided through the *Interagency Airspace Coordination Guide* (IACG). <http://www.airspacecoordination.org/index.html>

7.2 Flight Planning, Hazards and Obstructions

All mission types of flights are limited to VFR daylight. Flight below 500 feet AGL requires a high level recon (above 500' AGL) of the project area before descent to mission operating flight profiles.

It is the pilots' responsibility to plan the flight. It is the flight managers' responsibility to provide information to the pilot for the project area and mission objectives. It is the aircraft dispatcher's responsibility to inform the aircrew of "boundary airspace" issues and coordinate with neighboring dispatch centers (reference Airspace Boundary Plan, this chapter). State/districts are responsible to develop area flight hazard maps or planning tools that are posted at: operating bases, aircrew briefing packages, and dispatch office. The following hazards or locally significant areas should be depicted:

- Military Airspace – Warning Area, Restricted Area, MOA, Alert Area, Prohibited Area, Military Training Routes (MTRs), Controlled Firing Areas (CFA), Slow Routes (SR), Aerial Refueling Routes (ARs) and Low Altitude Tactical Navigation (LATN) Areas.
- Airspace – Class B/C/D and National Security Areas
- Airports/airstrips – public and private, military
- Dispatch zone boundaries
- Parachute, hang glider, rocket, model airplane operating areas
- Towers over 200 feet. Other towers as locally determined significant
- Wires – Major transmission lines, other lines determined locally as significant (wires crossing – canyons, rivers, lakes, near airports)
- Update/Revision date

7.2 [BLM Montana/Dakotas Supplement: Flight Planning, Hazards, and Obstructions](#)

There are several Military Training Routes (MTRs), Military Operations Areas (MOAs), and numerous physical obstructions such as power lines and towers depicted on the Billings and Great Falls aeronautical sectional charts over Montana. Aerial hazard maps are made available to all dispatch centers and fire zones in the NR, which are reviewed and updated annually. Since many flight hazards are not known, reported, or documented on hazard maps, all agency personnel who utilize aircraft are trained and instructed to always conduct a high level reconnaissance to locate hazards prior to descending to work in low-level flight.

District/Field Supplement: *Provide info. on local unit aviation hazards; include hazard map in appendix, or provide a reference as to where the map can be accessed and reviewed.*

7.3 Fire Traffic Area (FTA)

The FTA provides agency communication protocol through a standardized structure to enhance air traffic separation over wildfire or All-Risk incidents. The structure emphasizes established communications, clearances and compliances. See the IASG Chapter 4 for details:

7.4 Temporary Flight Restriction (TFR)

In order to enhance safety during an incident, the FAA may be requested to issue a TFR that closes the airspace to non-participating aircraft (with some exceptions). While there are currently nine different types of TFR's, the most commonly issued TFR for wildfire is 14 CFR 91,137 (a) 2 which is explicit as to what aviation operations are prohibited, restricted or allowed. Aviation Managers requesting a TFR should be familiar with the ordering procedures, coordination protocol and exceptions that are outlined in Chapter 6 of the *Interagency Airspace Coordination Guide*. TFR's are not authorized by the FAA for resource management projects. A NOTAM D may be requested through the aircraft dispatcher at a local GACC who will contact the local Flight Service Station (FSS).

Non wildfire TFRs are under the jurisdiction of the FAA. All participants involved with an "all risk" TFR should be acquainted with the FAA's publication "FAA Airspace Management Plan for Disasters" located at: <http://www.airspacecoordination.org/files/FAA%20AMP%20for%20disasters%20pdf%20version%20for%20website.pdf>

Presidential TFR's (91.141) involve a set of 30 nautical mile and 10 nautical mile Temporary Flight Restrictions. Flights within the Presidential TFR's require coordination well in advance of the TFR implementation. For further information, contact the National BLM Airspace Program Manager

7.4 [BLM Montana/Dakotas Supplement: Temporary Flight Restriction \(TFR\)](#)

Orders for TFRs in the Northern Rockies are processed by the Northern Rockies Coordination Center (NRCC). When activity reaches certain trigger points, NRCC will order an airspace coordinator. Timely and clear communications across agency, GACC, and unit boundary lines, as well as with the FAA and military, are key requirements for successful airspace coordination.

District/Field Supplement:

7.5 National Firefighting Aircraft Transponder Code (1255)

The FAA has provided the **1255** transponder code as the national designation for firefighting aircraft. It is not agency specific. The code shall be utilized by aircraft responding to and operating over fire incidents supporting suppression operations unless otherwise directed by air traffic control (ATC). It is not to be used for repositioning or during cross-country flights. It is authorized specifically for firefighting and is not to be used for FEMA or all-risk disasters.

7.6 Airspace Boundary Plan

When resources are dispatched by multiple units to an incident or area that shares a common boundary, care should be taken to ensure safe separation and communication of responding aircraft. Boundary Plans should be prepared that focus on a 10 NM wide "neutral airspace" corridor for mutual or exchanged initial attack area's

or zones. Agencies conducting flight activity within the boundary corridors should implement notification procedures to adjoining agencies and cooperators (reference *IACG Chapter 7* for details).

7.7 Airspace De-confliction

While the word “de-conflict” is not in the dictionary, it is a commonly referred aviation term describing the process of reducing the risk of a mid-air collision or a TFR intrusion. Airspace de-confliction can occur for both emergency response and non-emergency aviation activities.

De-confliction can be accomplished through the following measures.

Pilots must obtain all information pertinent to flight before flying. This is accomplished by obtaining a briefing from the FAA through the Flight Service Stations. This is the official source of NOTAM information.

Dispatching units may obtain scheduling information from DOD units that have special use airspace or military training routes and share this information as “hazards” information on the resource order when the aircraft are dispatched. For non-emergency flights, information may be shared through common communication protocol.

Aviation Internet websites are prolific on the internet. When used for obtaining airspace information, the user must be aware of any disclaimers regarding the timeliness of the information posted. The FAA’s U.S. NOTAM office provides current TFR information through DOD Internet NOTAM Service (DINS) at:

<https://www.notams.faa.gov/dinsQueryWeb/> and www.faa.gov

7.7 [BLM Montana/Dakotas Supplement: Airspace De-confliction](#)

[Individual Dispatch Centers have established notification procedures and working relations with several military entities that schedule flight activity on MTRs and in Special Use Airspace. Specific guidance and best practices for de-confliction are provided in the Interagency Airspace Coordination Guide, dispatch mobilization guides, and in dispatch training. Aircrews and field personnel are reminded that effective communication and teamwork enhance the ability of pilots to “see and avoid” other aircraft.](#)

District/Field Supplement: *Describe local unit airspace de-confliction procedures or attach info. in appendix.*

7.8 Airspace Conflicts

Aviation personnel have a responsibility to identify and report conflicts and incidents through the Interagency SAFECOM System to assist in the resolution of airspace conflicts. When a conflict or incident occurs, it may indicate a significant aviation safety hazard. Conflicts may include near mid-air collisions (NMAC), TFR intrusions, and FTA communication non-compliance. Further guidance is available in the *Interagency Airspace Coordination Guide, Chapter 8*.

7.9 Operations along Foreign Borders

All aircraft operations along border patrol zones require coordination with the U.S. Border Patrol. The Dispatch Centers with foreign border zones will have an operational plan detailing the coordination measures with the U.S. Border Patrol Air Marine Operations Center (AMOC). All pilots and aircrews will be briefed about border zone flight procedures.

7.9 [BLM Montana Supplement: Operations along Foreign Borders](#)

Operational plans should effectively address established checklists, forms, and specific operational procedures.

District/Field Supplement: *if applicable*

7.10 Airspace Agreements – Memorandums of Understanding

When Special Use Airspace (SUA's), MTR's, Slow Routes (SR's), or Aerial Refueling Routes (AR's) are located over lands within an agency's jurisdiction or within their area of normal flight operations (fire or non-fire), the agency should consider instituting an agreement with the appropriate DOD entity that schedules the airspace. Airspace agreements establish protocol for emergency and non-emergency contacts. They provide local level leadership a tool that defines protocols to address recurring activities, coordination of time critical responses, deconfliction and resolving issues in a timely manner.

The BLM states may establish agreements with military airspace authorities to coordinate BLM flight activities. A template and sample format is provided in the *Interagency Airspace Coordination Guide, Chapter 12*.

7.10 [BLM Montana/Dakotas Supplement: MOU's and LOA's](#)

The BLM has MOUs and Letters of Agreement (LOA) with the Montana Air National Guard and Ellsworth Air Force Base regarding airspace coordination and de-confliction procedures. The SAM is responsible for coordinating with the National Interagency Airspace Coordinator for periodically reviewing and updating these agreements.

District/Field Supplement: *List local MOUs and process/timeline for periodic review and updates*

7.11 Emergency Security Control of Air Traffic (ESCAT)

ESCAT may be implemented due to an air defense emergency as directed by the North American Aerospace Defense Command (NORAD). Reference *Interagency Airspace Coordination Guide, Chapter 4* for details.

8.0 Aviation Security – Facilities/Aircraft

8.1 Aviation Security Policy

The policies and procedures in this chapter are intended to make the theft of BLM aircraft more difficult and time consuming and therefore an unattractive target to potential criminals or terrorists. The BLM security program includes the following elements:

Department of Interior Security Policy: Departmental Manuals *444-1* and *352 DM 5* set forth the security requirements for all DOI aviation facilities and assigned aircraft. Reference DOI *Aviation Security Policy 352 DM 5*: <http://elips.doi.gov/ELIPS/DocView.aspx?id=1107>

Scope and Applicability

- To the extent applicable, the policies and procedures established herein are intended to supplement the minimum physical security standards detailed in *444 DM 1, Appendix A*. Nothing in this chapter reduces the requirements prescribed by *444 DM 1, Physical Protection and Building Security*, or any other requirement established by law or authority as it pertains to DOI aviation operations.
- The policies and procedures established herein are applicable to all BLM aviation facilities and aircraft owned or controlled by the DOI.
- Contractors are solely responsible for the security of their aircraft while under the control of the DOI. All DOI aviation contracts will include language describing the DOI aviation security policies applicable to contractor operations and require contractor compliance with those policies.

Definitions:

The term “aircraft operations area” (AOA) means the area within an aviation facility in which flight-capable aircraft are present for any purpose, including but not limited to the loading or unloading of cargo or passengers, refueling, maintenance, parking and storage.

The term “aviation facility” means any DOI owned or controlled real property used for aircraft landing and takeoff at which DOI owned or controlled aircraft are permanently based (**Greater than 180 days**).

The term “control” is used in two contexts.

- As it relates to aviation facilities, the term “control” refers to the condition existing when a BLM entity has authority to institute, modify or otherwise effect physical security changes at an aviation facility regardless of property ownership.
- As it relates to aircraft, the term “control” means “operational control” as defined in the Federal Aviation Regulations at 41 CFR 1.1: “Operational control with respect to a flight means the exercise of authority over initiating, conducting or terminating a flight.” This definition is independent of aircraft ownership.

The term “dual-lock method” means using a combination of two locking devices or methods to physically secure or disable a parked aircraft for the purpose of reducing the probability of aircraft theft and associated misuse by unauthorized persons.

The term “risk assessment” refers to the result of a combined threat and vulnerability assessment. It can generally be characterized as an analysis of the probability of serious impact or damage resulting from a known or postulated threat successfully exploiting on or more vulnerabilities.

Risk Assessment

A “risk assessment” will be conducted for each BLM aviation facility (see definition above). Each aviation facility risk assessment will be periodically reexamined and adjusted as necessary to ensure it accurately reflects current conditions. At a minimum, reexaminations shall be conducted and documented every 2 years.

Security Plans

Security plans will conform to the following conditions:

- The “*Field Reference Guide for Aviation Security for Airport or other Aviation Facilities*” (AAF) is intended to provide a standardized method of assessing aviation airport facilities. Each unit is encouraged to utilize this written document to identify the appropriate level of security planning needed. <http://oas.doi.gov/library/handbooks/library/frgasaaf.pdf>
- Individuals preparing aviation facility security plans can reference the TSA “*Security Guidelines for General Aviation Airports*” TSA Information Publication A-001, which is available on the TSA Website at www.tsa.gov
- The scope and depth of the aviation facility security plan should be commensurate with the size and operations complexity of the facility for which it is prepared.

Training

Employees (aircrew member minimum) involved in the control or use of aviation resources or facilities shall complete the appropriate level of aviation security training. A-116 General Awareness Security Training is available at www.iat.gov

BLM Specific Policy/Guidance:

BLM HSPD12 Policy: http://www.blm.gov/ut/st/en/res/efoia/instruction_memorandums/2008/im_no_ut_2008-029.html

Aviation Security Questionnaire:

<http://www.blm.gov/pgdata/etc/medialib/blm/nifc/aviation/security.Par.72738.File.dat/SecurityQuestions.doc>

Field Reference Guide for Aviation Security for Airport or other Aviation Facilities:

<http://oas.doi.gov/library/handbooks/library/frgasaaf.pdf>

8.1 BLM Montana/Dakotas Supplement: Aviation Security Policy

There are no State-wide policies or directives that are different or more restrictive than what is already stated in the BLM National Aviation Plan. If a District has any supplemental facility security procedures, those may be documented or referenced in the Unit Aviation Plan, or included in a SEAT or Helitack base operating plan or other supplement.

District/Field Supplement:

8.2 USFS Facilities Security Assessments *Reserved*

8.3 USFS Security Response Actions *Reserved*

8.4 General Aviation Security Awareness Programs

The BLM utilizes the AOPA Airport Watch Program for Security Awareness: <http://www.aopa.org/airportwatch/>

The Department of Homeland Security (DHS) TSA implemented a national toll free hotline that the general aviation (GA) community can use to report any “out-of-the-ordinary” event or activity at airports. The hotline is operated by the National Response Center and centralizes reporting to the appropriate local, state and federal agencies.

To report any suspicious activity at your airport- Call (866) *GA-SECURE* (866) 427-3287

8.5 Cooperators Aircraft Security

Military or government agency cooperator aircraft under DOI operational control shall adhere to their department-specific aircraft security policies.

8.6 Aircraft Physical Security Requirements

At any time an aircraft, controlled or owned by the DOI, is not directly attended by its assigned flight crew, ground crew, or government managers, it will be physically secured in a manner that disables the aircraft from being utilized.

Exceptions

- Military or government agency cooperator aircraft under DOI operational control. Such cooperator aircraft shall adhere to their department-specific aircraft security policies.
- Aircraft mechanically incapable of flight.

Security Devices: The DOI aircraft contracts specify the aircraft security measures and it is the contractors' responsibility for the aircraft security. Approved security devices require using a dual lock method consisting of any combination of anti-theft devices attached to the aircraft for the sole purpose of locking flight controls, aircraft power, or directional ground movement. Pilots and aircrews must be diligent in pre-flight procedures to prevent engine start up with security measures in place. These may include any combination of the following:

- Locking hanger doors
- Keyed Magneto, starter or master switch
- Hidden battery cut-off switches
- Throttle, mixture/fuel, fuel cut-off locks
- Control surface gust-locks; propeller locks (chain, cable, mechanical) - **(airplane only)**
- Locking wheel, chock or aircraft tie downs
- “Club-type” devices for control yoke

8.7 Aviation Facility Security Requirements

Security risk assessments will be performed on all BLM aviation facilities, temporary bases and aviation airport facilities (AAF) which meet the definition of “aviation facility”, using the *DOI Field Security Guidelines for General Aviation.*

- Completed assessment should be housed within the unit's aviation plan as an appendix or chapter.

Aviation Facility Security – Suggested Enhancements

After completing the AAF Airport Characteristics Measurement tool and determining your facilities total score, reference the *Suggested Airport Security Enhancements template* included within the *Field Reference Guide for Aviation Security for Airport or other Aviation Facilities (AAF)* pg. 6.

- The total score obtained from the Airport Characteristics Measurement Tool is considered minimum mandatory security requirements.

For a more in depth list of suggested airport Security Enhancements reference TSA Information Publication A-001, *Security Guidelines for General Aviation Airports*, Appendix B: www.tsa.gov

Suggested area enhancement may include:

Signage

- Signage should be multi-lingual where appropriate.

Lighting

- Lighting type and illumination levels will comply with published Illuminating Engineering Society (IES) standards and will not supersede standard aviation guidelines governing runway lighting and nighttime flight requirements.

Fencing

- Install perimeter security fencing as needed to control access to the AOA and all other sensitive areas.
- Fence height and other characteristics will comply with standard FAA guidelines where appropriate. Where FAA guidelines are not available, minimum fencing characteristics will be sufficient to meet access control needs.

Access Control

- The number of access points should be minimized and their use and conditions regularly monitored.
- Any access point through a fence or other boundary should not only be able to control or prevent access, but also differentiate between an authorized and an unauthorized user.
- Anti-pass back, anti-piggyback and anti-tailgating systems or protocols should be implemented where appropriate.
- Gates when appropriate should be constructed and installed to the same or greater standard of security as any adjacent fencing in order to maintain the integrity of the area.
- Pedestrian/personnel gates can be constructed using a basic padlock or designed with an electrical or mechanical locks or keypad/card system.

8.7 [BLM Montana/Dakotas Supplement: Facility Security](#)

Unit Aviation Managers should review the Security Assessment for their respective District aviation base(s) of operation on an annual basis, as well as any local airport procedures. Local security procedures should be discussed with locally-based Contractor personnel and agency flight crews/ aircrews at the beginning of each season, and with the crews of any visiting air resources throughout the season during the initial air base or helibase orientation briefing. Employees in certain IAT positions are required to complete the IAT A-216

Aviation Security training module in accordance with OPM-4 and the IAT Guide. Newly developed air base facilities are required to complete the initial one-time assessment prior to becoming operational.

District/Field Supplement:

8.8 Exceptions

If facility ownership or control constraints preclude full implementation of the identified minimum mandatory security requirements, notification must be immediately given to the NAO in writing.

- Written notification will detail the minimum mandatory security requirements(s) which cannot be implemented and the circumstances preventing the implementation. A waiver of the requirements may be requested.
- Pending the response, the facility will comply with 352 DM 5.10, "Aircraft Physical Security Requirements."

8.9 Transportation Security Administration (TSA)

BLM employees who are traveling on commercial airlines are personally responsible for compliance with TSA and DOT hazardous cargo regulations.

9.0 Aviation Facilities

9.1 General

All BLM aviation support facilities will be constructed, maintained, and operated in compliance to applicable regulations/direction of DOI, BLM, FAA, OSHA and lease agreements.

9.2 Aviation Facilities (Permanent and Temporary)

BLM has permanent and temporary airbases managed by the districts/field offices with oversight provided by the NAO and state offices. Permanent air bases include heavy air tanker and SEAT retardant bases, and airplane and helibase/heliport facilities with permanent or temporary fixtures that are used on a continuous or seasonal basis. These aircraft bases of operations include government owned or leased aviation facilities on federal or non-federal land where BLM has primary responsibility for operations, maintenance and oversight.

[9.2 BLM Montana/Dakotas Supplement: Aviation Facilities](#)

This chapter of the National Aviation Plan applies to the following aviation base facilities in BLM Montana/Dakotas.

- The Central Montana exclusive use helicopter crew operates from a government-owned building at Lewistown Municiple Airport (LWT) that is on leased airport property. The contract helicopter crew has a travel trailer to use as a flight crew and mechanic/driver rest facility and office. There are two cement helipads and room for additional aircraft on the nearby ramp.
- The Eastern Montana/Dakotas District helicopter crew and SEAT/retardant base operates from a leased facility at the Frank Wiley Airport, Miles City, MT (MLS). A portion of the offices are government owned, others are leased. The leased property on which the base office building is located also includes ramp space for two SEATs, and an area for a 10,000 gallon liquid retardant tank, a mixing tank, pumps, loading hoses, etc.
- The Billings Airtanker Base is a government owned facility on the City of Billings leased property. The base houses the Airtanker Base Manager, SEAT Manager, and Ramp Manager. Contractor personnel operate from the base as and have additional rest areas/office space in a travel trailer adjacent to the tanker base. A travel trailer is utilized by the retardant vendor as an office and as a rest facility.

Appendix Contents

1. BLM National [and Montana](#) Aviation Organization Directory
2. BLM Fire Acquisition Plan
3. SES Flight Scheduling Guide
4. Latitude – Longitude Information
5. BLM SAFECOM Management Roles
6. OAS Aviation Program Evaluation Schedule
7. BLM Cargo Letdown Protocol
8. BLM Cargo Letdown Trainee Qualification Record
9. BLM Smokejumper Positions to Interagency Aviation Training (IAT) Functional Crosswalk
10. BLM Fleet Aircraft Standard Operations Procedures
11. Task Sheet for the Position of Resource Helicopter Manager
12. BLM Aviation Enhancement Application Form
13. Acronyms
14. [Aviation Project Flight Planning](#)

District/Field Supplement: *Add as many operating plans or documents pertaining to your aviation program as appropriate.*

Appendix 1 - BLM National Aviation Organization Directory

Position	Name	Duty Station	E-Mail	Office Number	Cell Number
Division Chief, Aviation (FA-500)	Vacant	Boise, ID		(208) 387-5448	
Deputy Division Chief, Aviation	Brad Gibbs	Boise, ID	bgibbs@blm.gov	(208) 387-5182	(208) 863-6219
SEAT Program Manager	Glen Claypool	Boise, ID	gclaypoo@blm.gov	(208) 387-5160	(208) 859-7506
Flight Operations Manager, Bravo 3	Rusty Warbis	Boise, ID	rwarbis@blm.gov	(208) 387-5185	(208) 867-0323
Helicopter Program Manager	Bryan Bitting	Boise, ID	bbitting@blm.gov	(208) 387-5173	(208) 407-6440
Aviation Safety/ Training Advisor	Kirk Rothwell	Boise, ID	mrothwell@blm.gov	(208) 387-5879	(208) 914-8483
Airspace Program Manager	Julie Stewart	Portland, OR	j5stewar@blm.gov	(503) 808-6728	(503) 780-0097
Air Attack Program Manager	Gil Dustin	Grand Junction, CO	gdustin@blm.gov		(970) 210-6153
Air Tactical Supervisor	Ken Perry	Lancaster, CA	kperry@blm.gov		(661) 350-5225
Air Tactical Supervisor	Charlie Brown	Durango, CO	c5brown@blm.gov		(907) 903-7794
Air Tactical Pilot, Bravo 1	Jonas Doherty	Boise, ID	jdoherly@blm.gov		(208) 571-7585
Air Tactical Pilot, Bravo 7	Ryan Curl	Driggs, ID	rcurl@blm.gov		(208) 521-9300
Air Tactical Pilot, Bravo 6	Greg House	Houston, TX	ghouse@blm.gov		(832) 278-3069
Air Tactical Pilot, Bravo 8	Don Bell	Redmond, OR	dbell@blm.gov		(541) 604-1043
Aviation Staff Assistant	Cindy Barto	Boise, ID	cbarto@bmm.gov	(208) 387-5180	
Ramp Services Supervisor	Gary Deide	Boise, ID	gdeide@blm.gov	(208) 387-5529	(208) 890-7479
Ramp Services Training Leader	Don Hubbartt	Boise, ID	dhubbart@blm.gov	(208) 387-5529	(208) 867-8518

Appendix 1: BLM Montana/Dakotas Supplement:

AVIATION ORGANIZATION

State Aviation Manager	Bob Flesch	Billings, MT	bflesch@blm.gov	(406) 896-2912	(406) 208-0935
Western Montana District Aviation Manager	John Thompson	Butte, MT	J75thomp@blm.gov	(406) 533-7611	(406) 490-1123
Dillon Dispatch Center Aircraft Dispatch	Vacant	Dillon, MT		(406) 638-3992	
Eastern Montana/Dakotas Aviation Manager	Vacant	Miles City, MT		(406) 233-2054	(406) 853-5163
Eastern Montana/Dakotas Helicopter Crew Supervisor	Vacant	Miles City, MT		(406) 233-2947	(406) 853-0283
Eastern Montana/Dakotas Airbase Manager	Shelley Dunlap	Miles City, MT	sdunlap@blm.gov	(406) 234-7592	(406) 853-0285
Miles City Dispatch Center Aircraft Dispatch	Katherine Morici	Miles City, MT	kmorici@blm.gov	(406) 234-2908	
Central Montana Aviation Manager	Bob Farrell	Lewistown, MT	rfarrell@blm.gov	(406) 538-1085	(406) 223-6890
Central Montana Helicopter Crew Supervisor	Henry Gilliland	Lewistown, MT	hgillila@blm.gov	(406) 538-1071	
Lewistown Dispatch Center Aircraft Dispatch	Fonda Knox	Lewistown, MT	fknox@blm.gov	(406) 538-1077	(406) 350-0373
Billings Field Office Aviation Manager	Chad Cullum	Billings, MT	ccullum@blm.gov	(406) 896-2862	(406) 698-5332
Billings Field Office Air Tanker Base Manager	Jim Hassler	Billings, MT	jhassler@blm.gov	(406) 896-2962	(406) 794-7377
Billings Field Office SEAT Manager	Mark Verlanic	Billings, MT	mverlanic@blm.gov	(406) 896-2910	
Billings Dispatch Center Aircraft Dispatch	Laura Rasmussen	Billings, MT	lrasmuss@blm.gov	(406) 896-2900	(406) 794-7374

Appendix 2 - BLM Fire Aircraft Acquisition Plan

Purpose: This plan establishes the baseline configuration and acquisition strategy for the BLM firefighting fleet composed of government-owned, exclusive use contract and any other long-term aircraft acquisitions. The plan consists of Acquisition Principles, the BLM Firefighting Aircraft Summary Table and individual Aircraft Category Acquisition Summaries.

Acquisition Responsibilities: Government-Owned, Exclusive Use and other long-term acquisitions will be initiated, managed and funded by the National Office to achieve cost efficiencies and limit uncoordinated acquisition. State and field offices have the authority to secure short-term aircraft acquisitions (On-Call, CWN, Rental).

Quality (Best Value): To the extent possible, BLM will acquire aircraft that provide the best performance, capacity, speed, technology and safety features available and affordable. Government ownership, long-term contracts, multiple-aircraft contracts, sharing of contracts and innovative procurement methods will be explored to achieve economies whenever possible. Conversion of contract aircraft to government-owned shall be analyzed for cost savings in the following prioritized categories: Utility, SMJ, ASM. Aircraft will not be secured by any procurement method until there is commitment and capability by the hosting unit to provide the appropriate management support to maximize effectiveness, i.e. staffing levels, qualifications, facilities, equipment/vehicles and administrative support.

Standardization/Interoperability: To the extent possible, BLM will acquire like make/model aircraft with standardized equipment and configuration to meet the needs of specific mission categories, regardless of geographic area. Interoperability and standardization provide the most efficiency in regards to government-owned aircraft and government pilots.

National Mobility: All Government-Owned and Exclusive Use aircraft will be considered BLM national resources and will be acquired with national mobility in mind. Hosting locations (designated bases) shall be committed to providing staffing, facilities and administrative functions in support of mobilizing aircraft nationally. Aircraft specifications, requirements and payment terms will be established to facilitate long-term assignments within the lower 48 states and to/from Alaska.

Baseline Fleet Numbers & Budget Fluctuations: Baseline numbers of aircraft, by category, are currently derived from the Interagency Aviation Strategy approved by the Fire Executive Council (FEC) and NWCG in 2008. Future changes to the BLM fire aircraft fleet shall be determined by fire planning tools approved by the BLM FLT/ELT, or by other strategic interagency plans approved by the FEC/NWCG. If budget constraints dictate a reduction in core aviation assets, these reductions will be absorbed primarily in categories that have the most elastic CWN component and/or that do not impact aerial delivered firefighter capabilities (SEAT, Scooper, ATGS, and Utility). When planning tools or strategic plans indicate an increase in aircraft numbers, aircraft will be attained through CWN/On-Call procurement and hosted in locations that are best suited to logistically support both the aircraft and personnel associated.

BLM Fire Fighting Aircraft Summary Table

National Interagency Aviation Council (NIAC) Interagency Aviation Strategy											
BLM FIREFIGHTING AIRCRAFT FLEET PROJECTION SUMMARY											
Approved by: National Wildfire Coordinating Group and Fire Executive Council - July 2008											
	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018

ATGS	9	9	10 (9)	10 (9)	10 (9)	10 (9)	10	10	10	10	10
ASM	3	5 (3)	5 (3)	5 (4)	5 (5)	5 (5)	5	5	5	5	5
Heli T2	6 (9)	7 (9)	8 (9)	9 (9)	10 (9)	10 (6)	10	10	10	10	10
Heli T3	18 (14)	17 (14)	16 (14)	15 (14)	14 (14)	14 (17)	14	14	14	14	14
SMJ	7	7	7	7 (7)	7 (7)	7 (7)	7	7	7	7	7
Scooper	2	2	2	2 (2)	2 (2)	2 (2)	2	2	2	2	2
SEAT	17 (12)	17	20 (14)	20 (13)	25 (11)	25 (11)	25	25	25	25	25
Utility	4	4	4 (5)	4 (5)	4 (5)	4 (5)	4	4	4	4	4
Heli T1	0	0	0	0	0	0	0	0	0	0	0
Infra-Red	0	0	0	0	0	0	0	0	0	0	0
LAT	0	0	0	0	0	0	0	0	0	0	0
Transport	0	0	0	0	0	0	0	0	0	0	0
Aircraft/YR	66 (60)	68 (65)	72 (63)	72 (63)	77 (62)	77 (62)	77	77	77	77	77

XX = Projected FY Fleet, (XX) = Actual FY Fleet

AIR ATTACK PLATFORM

PURPOSE: Multi-Purpose; Air Tactical Supervision, Fire Recon, Detection, Personnel Transport.

CURRENT SPECIFICATIONS, FAR: High wing, piston driven aircraft with air tactical type 1 avionics. Cruise speed 165 KIAS, payload of 780 lbs, and endurance of 4 hours. FAR 91, 135, 43.

MINIMUM AIRCRAFT: Aero Commander 500 series.

TARGET SPECIFICATIONS: High wing turbine aircraft with air tactical type 1 avionics. Cruise speed 200 KIAS, payload of 2,000 lbs, endurance of 4 hours, and outfitted for ATGS training (rear audio panel). Add additional VHF AM radio and air conditioning.

TARGET AIRCRAFT: Turbine Aero Commander.

ACQUISITION METHOD, MANDATORY PERIOD, and ACQUISITION RATIONALE: 90 Days Exclusive use Exclusive Use contracting provides economical acquisition that must be dedicated to air tactical needs during in a 3-4 month period. Although multi-purpose aircraft is suited for a wide variety of non-fire missions, sufficient work does not exist in off-season to warrant longer contracts or government-owned procurement.

FLIGHT CREW: Vendor Provided.

CURRENT TOTAL: 9 TARGET TOTAL: 10

HOSTING LOCATION(s): Ontario, NAO (Training) Grand Junction, Boise, Pocatello, Salt Lake City, Lewistown, Cedar City, Reno/Stead, and Elko. 1 Additional Air Tactical Platform to be phased-in when dollars are available (Location TBD).

AERIAL SUPERVISION MODULE

PURPOSE: Multi-Purpose; Air Tactical Supervision, Leadplane, Recon and Training.

CURRENT SPECIFICATIONS, FAR: Multi-engine turbine airplanes, IFR single-pilot and approved for flight into known icing conditions; Single-engine service ceiling @ ISA > 12,000 Ft; 200 KIAS cruise speed @ 75% power; Fuel endurance @ 75% power > 4.0 hrs; Type 1 avionics package with the addition of 1 AM, 1 FM, TCAS, and smoke system. 14 CFR Parts 23, 43, 91, and 135.

MINIMUM AIRCRAFT: BE-A90 (U-21)

TARGET SPECIFICATIONS: The items listed above under current specifications including total airframe times < 10,000 hrs, pressurization and visibility enhancements and increased cruise speeds of >300 KIAS.

TARGET AIRCRAFT: To be determined

ACQUISITION METHOD, MANDATORY PERIOD, and ACQUISITION RATIONALE: 180 Days Exclusive-Use Contract IDIQ. The predominate aircraft use is fire related, national in scope, seasons vary in length and intensity from year to year. The 180 day IDIQ contract gives the agency the ability to maximize aircraft use and availability during the length of the season and then use CWN aircraft during peak use months or for specific coverage periods. Government ownership should be explored.

FLIGHT CREW: Government Provided

CURRENT TOTAL: 4 TARGET TOTAL: 5

HOSTING LOCATION(s): Exclusive-Use Contract IDIQ Boise, Driggs, Houston, Redmond, CWN Fort Wainwright

TYPE II HELICOPTERS

PURPOSE: Multi-Purpose; Tactical, Logistical.

CURRENT SPECIFICATIONS, FAR: Turbine engine Single pilot helicopter; Economy Cruise Speed of 95 KIAS. Range of 250NM. Passenger capacity of 9 and HOGE-J of 1,650lbs. @ 7,000 & 25c.; External Load Weight Indicator in cockpit; Wire strike protection system (mechanical); Two panel-mounted VHF-AM and two panel-mounted VHF-FM radios; One Automated Flight Following System; Panel mounted GPS ; Vendor supplied fuel servicing vehicle with operator and vendor provided mechanic. FAR 133, 135, 137.

MINIMUM AIRCRAFT: Bell 205++; Bell 210; Bell 214; Bell 212- HP.

TARGET SPECIFICATIONS: Single pilot helicopter; Economy Cruise Speed of 135 KIAS. Range of 500NM. Twin engine and FAR Part 29 Certificated. Passenger capacity of 9 and HOGE-J of 2,000lbs. @ 7,000 & 25c. GPS XM weather display capabilities, Hoist, cargo let-down, and/or Rope Assisted Deployment System and voice data recorders may be requested.

TARGET AIRCRAFT: Agusta Westland 139; Eurocopter 155B1; Eurocopter EC145; Siskorsky S-70C.

ACQUISITION METHOD, MANDATORY PERIOD, and ACQUISITION RATIONALE: 90-130 Days. The predominate aircraft missions are fire related; seasonal in nature. Although well suited to many non-fire applications, there is not enough need outside of fire season to justify government-owned or long-term contracts. Efficiencies may be realized by sharing >130 day contracts within agency or with other federal agencies.

FLIGHT CREW: Vendor Provided.

CURRENT TOTAL: 9 TARGET TOTAL: 10

HOSTING LOCATION(s): Apple Valley, CA-1 Boise, ID-1 Burns, OR-1 Lakeview, OR-1 Twin Falls, ID-1 Fort Wainwright-2 Fort Yukon-1 Galena-1, 1 Additional T2 Helicopter to be phased-in when dollars are available (Location TBD).

TYPE III HELICOPTERS

PURPOSE: Multi-Purpose; Tactical, Logistical.

CURRENT SPECIFICATIONS, FAR: Single pilot Turbine engine helicopter; Economy Cruise Speed of 95 KIAS. Range of 300NM. Passenger capacity of 5 and HOGE-J of 650 lbs. @ 7,000 & 25c. External Load Weight Indicator in cockpit; Wire strike protection system (mechanical); Two panel-mounted VHF-AM and two panel-mounted VHF-FM radios; One Automated Flight Following System; Panel mounted GPS. Vendor supplied fuel servicing vehicle with operator. FAR 133, 135, 137, Part 127 Certification.

MINIMUM AIRCRAFT: Eurocopter AS-350B2; Bell 206L4 with High Altitude Tail Rotor.

TARGET SPECIFICATIONS: Single pilot Turbine engine helicopter; Economy Cruise Speed of 120 KIAS. Range of 350NM. FAR Part 27 Certificated. Passenger capacity of 5 and HOGE-J of 1,200 lbs. @ 7,000 & 25c. GPS XM weather display capabilities, Hoist, cargo let-down, and/or Rope Assisted Deployment System and voice data recorders may be requested.

TARGET AIRCRAFT: Eurocopter AS-350B3; Agusta Westland AW-119 Koala; Bell 407.

ACQUISITION METHOD, MANDATORY PERIOD, and ACQUISITION RATIONALE: 90-130 Days Exclusive Use Contract. The predominate aircraft missions are fire related; seasonal in nature. Although well suited to many non-fire applications, not enough requirement outside of fire season to justify government-owned or long-term contracts. Efficiencies may be realized by sharing >120 day contracts between geographic areas with dissimilar fire seasons.

FLIGHT CREW: Vendor Provided.

CURRENT TOTAL: 14 TARGET TOTAL: 14

HOSTING LOCATION(s): Fort Wainwright (2), Elko, Galena, Ely, St. George, Las Vegas, Weaver Mtn. /Lewistown, Vale, Ravendale, Moab, Rifle, Salt Lake, Miles City, Rawlins.

SMOKEJUMPER PLATFORM

PURPOSE: Multi-Purpose; SMJ Deployment, Para Cargo Delivery.

CURRENT SPECIFICATIONS, FAR: Required Seats 6 (min). Minimum payload 3,000 pounds. Endurance with designated jumpload 2.5 Hours. Maximum 1.3 Vs1 in smokejumper configuration 105 KIAS. FAR 91, 135, 121.

MINIMUM AIRCRAFT: BE-90, BE-99A, BE-200, DHC-6 100/200/300, Casa 212, 100/200/300, DC3TP, Dornier 228, C-23 A/SD-330, C208B.

TARGET SPECIFICATIONS: Turning capability into dead engine at 1.3VSO (Center of gravity related to payload compartment of two jumpers and two spotters at door should be considered). Maneuverability at drop speeds. Minimum stable jumper drop speed (not to exceed 100 knots) Flight and environment characteristics with door removed. FAA certified to fly with door removed. Engine compatibility to wide range of power and negative thrust. Minimum stable cargo drop speed of less than 120 KIAS. Trim change with speed and power variations. Straightforward and easy to manage systems. Meets minimum one engine out (critical engine) service ceiling policy (9000 feet density altitude at -3 o C with a capability of 50 feet per minute rate of climb). Minimum jumper exit door size must be at least 25 inches wide and at least 36 inches high. Provisions for restraint of smokejumpers.

TARGET AIRCRAFT: Same as minimum aircraft (SASEB list).

ACQUISITION METHOD, MANDATORY PERIOD, and ACQUISITION RATIONALE: 6 Exclusive Use Contract/1 Government-Owned Aircraft. 90-120-365 Days. Aircraft missions are fire related; seasonal in nature. Although well suited to many non-fire applications, not enough requirements outside of fire season currently justify an entire government owned category. One government-owned aircraft provides leveling competition to a limited contractor pool. Where costs can be sustainably reduced, additional government-owned aircraft may be cost-effective.

Vendor provided (6 aircraft), Government provided (1 aircraft).

CURRENT TOTAL: 7 TARGET TOTAL: 7

HOSTING LOCATION(s): Fort Wainwright (3) contract, Boise (1) Fleet, (2) Contract, Fort Wainwright/Boise (1) shared contract.

SCOOPERS Type 3 (800 to 1,799 gallons)

PURPOSE: Single-Purpose; Purpose Built, Tactical.

CURRENT SPECIFICATIONS, FAR: Multi-engine piston or turbine water scooping tanker airplanes specifically designed for firefighting; minimum tank capacity of 1400 gallons of water; minimum payload of 1000 U.S.G of water with 3.5 hours of fuel @ 3000' PA, 25°C; minimum cruise speed of 150 KIAS, TAS. Drop speed of 125 KIAS; 4 hours endurance at maximum cruise power and optimum altitude with 45 minute fuel reserve; Capable of operating from a 5000' gravel surface at certified takeoff weight @ 3,000' PA and 25°C; Airplanes offered shall be approved by the U.S. Department of Agriculture/U.S. Department of the Interior Interagency Airtanker Board; The original equipment manufacturer (OEM) must provide engineering and logistical support for the aircraft make and model offered Part 137.

MINIMUM AIRCRAFT: CL-215.

TARGET SPECIFICATIONS: Multi-engine turbine water scooping tanker airplanes specifically designed for firefighting; minimum tank capacity of 1600 gallons of water; Minimum payload of 1000 U.S.G of water with 3.5 hours of fuel @ 3000' PA, 25°C; Minimum cruise speed of 170 KIAS. Drop speed of 125 KIAS; 4 hours endurance at maximum cruise power and optimum altitude with 45 minute fuel reserve; Capable of operating from a 5000' gravel surface at certified takeoff weight @ 3,000' PA and 25°C; Airplanes offered shall be

approved by the U.S. Department of Agriculture/U.S. Department of the Interior Interagency Airtanker Board; The original equipment manufacturer (OEM) must provide engineering and logistical support for the aircraft make and model offered.

TARGET AIRCRAFT: CL215T, and/or CL-415.

ACQUISITION METHOD, MANDATORY PERIOD, and ACQUISITION RATIONALE: Minimum 80 Days Exclusive Use Contract. The aircraft are single-purpose with only seasonal use applications. Limited number of aircraft are owned and operated in the private sector. Exclusive Use contracts of at least 80 days provide adequate incentive to industry to maintain and provide these aircraft for use by the Federal Government. Establish/maintain On-Call and Variable Term contracts to provide an avenue for new vendors to establish a contract history with the Federal Government and compete for Exclusive Use contracts in the future.

FLIGHT CREW: Vendor Provided.

CURRENT TOTAL: 2 TARGET TOTAL: 2

HOSTING LOCATION(s): Fort Wainwright AK.

SCOOPERS Type 4 (Maximum of 799 gallons)

PURPOSE: Single-Purpose; Purpose Built, Tactical.

CURRENT SPECIFICATIONS: Amphibious Air Tractor 802F-Turbine powered PWC PT6A-67F (minimum 1600 SHP) or equivalent. Interagency Air Tanker Board (IAB) approved Type 3 Air Tank/Gate system. Aircraft tank capacity of 800 US gallons. Aircraft needs to be capable of dispensing both water and fire retardant. Endurance of 2 hours and 30 minutes, 650 gallons of water, 200 lb pilot at 3000' PA 25 degrees Celsius. Aircraft capable of operating from 5,000 ft. gravel runway at certified gross takeoff weight @ 3,000 ft. PA and 25C. Cruise airspeed of at least 140 kts true airspeed. Aircraft must have the IAB approved or Interim approved gate installed on the aircraft. The original equipment manufacturer (OEM) must provide engineering and logistical support for the aircraft make and model offered Part 137.

MINIMUM AIRCRAFT: Amphibious AT-802F PT6 67F "Fire Boss"

TARGET SPECIFICATIONS and TARGET AIRCRAFT: Are the same as the specifications outlined above in Current Specifications.

ACQUISITION METHOD, MANDATORY PERIOD, and ACQUISITION RATIONALE: Establish/maintain On-Call contracts to provide an avenue for new vendors to establish a contract history with the Federal Government and compete for Exclusive Use contracts in the future.

FLIGHT CREW: Vendor Provided.

CURRENT TOTAL: 0 TARGET TOTAL: 4

HOSTING LOCATION(s): Fort Wainwright AK

SINGLE ENGINE AIR TANKERS

PURPOSE: Single Purpose; Tactical Retardant & Suppressant Delivery.

CURRENT SPECIFICATIONS, FAR: Single pilot turbine engine agricultural application type aircraft modified to the aerial retardant delivery role. "On Call" contract specifications are: low wing, tank size of 500 U.S. gallons, and payload of 4,600 pounds. They are capable of operating with the above payload at a pressure altitude of 7000 feet at an outside temperature (OAT) of 30 degrees Celsius. Endurance of at least 1.5 hours with full contract load of retardant at 75% max rated power. Part 137, 91, and various sections of Part 135.

MINIMUM AIRCRAFT: Ayres thrush S2rT-45, Dromader M18T, G-10 w/500 gallon tank.

TARGET SPECIFICATIONS: Single pilot turbine engine agricultural application type aircraft modified to the aerial retardant delivery role. Contract specifications are: low wing, tank size of 700+ U.S. gallons, payload of 6,440 pounds. Capable of operating with the above payload at a pressure altitude of 7000 feet at an outside temperature (OAT) of 30 degrees Celsius. Endurance of at least 1.5 hours with full contract load of retardant at 75% max rated power.

TARGET AIRCRAFT: Air Tractor 802, Ayres Thrush 660/730 series.

ACQUISITION METHOD, MANDATORY PERIOD, and ACQUISITION RATIONALE: 60 day Exclusive Use Contract. Aircraft are mission specific and must be modified from the standard agricultural application aircraft, as delivered from the manufacturers. As a retardant delivery aircraft there are no other use for these types of aircraft. Significant efficiencies would be realized with longer term Exclusive Use contracts (90 to 120 day periods) for a larger number of total aircraft. This would reduce the government's dependence on higher priced On-Call contracts during peak periods during the fire season.

FLIGHT CREW: Vendor Provided.

CURRENT TOTAL: 11 **TARGET TOTAL:** 25

HOSTING LOCATION(s): Arizona (1), Colorado (1), Idaho (2), Montana (2), Nevada (2), Oregon (2), Utah (1). 14 Additional SEATs to be phased-in when dollars are available (Location TBD).

UTILITY FIXED-WING

PURPOSE: Multi-purpose; Logistical, Cargo & Personnel Transport.

CURRENT SPECIFICATIONS, FAR: Single engine or Multi-engine, airplane allowing unobstructed downward and lateral views from right front cockpit seat. They are capable of short gravel airstrip operations. FAR part 135.

MINIMUM AIRCRAFT: C-206, AC-680.

TARGET SPECIFICATIONS: In addition to the current specifications listed above: Single-engine or Multi-engine, turbine aircraft. WAAS-enabled GPS.

TARGET AIRCRAFT: C-206, AC-680, AC-690, PC-12 or C-208.

ACQUISITION METHOD, MANDATORY PERIOD, and ACQUISITION RATIONALE: 60-120 Days Exclusive Use Contract/Government Owned Multi Purpose aircraft suited well to fire and non-fire missions. Amount of resource work outside of fire season may justify only one government-owned utility aircraft.

FLIGHT CREW: Contractor Provided/Government Provided for the PC-12.

CURRENT TOTAL: 5 TARGET TOTAL: 6

HOSTING LOCATION(s): Based in Fairbanks AK (1 aircraft shared with L-48, Aug - Feb).

Appendix 3 - SES Flight Scheduling Guide

These flights are typically requested through the SAM however some of the responsibilities may be delegated to UAMs (refer to applicable State Aviation Plan for specifics).

The OAS-110 will be utilized as the parent or cover document for additional pages of documentation. Additional information regarding SES flight scheduling to include *OPM-7* and OAS-110 form is located at: <http://OAS.doi.gov/library/sestravel.htm>

1. Gather information needed to develop the flight plan and OAS-110.
 - Determine the nature of flight. Is it-point-to-point, mission/special use, etc.?
 - Determine the proposed itinerary/schedule requirements.
 - Determine any special needs: security, dual-pilot crew, etc.
 - Assess and consider any travel schedule time limitations for SES employees and time needed to accomplish objectives.
 - Names, passenger and baggage weights, salaries. (If only annual salaries are available, multiply that number by 1.2 and divide by 2087 to derive the approximate hourly salary.)
2. Notify solicitor of impending request (courtesy call) at least a week to ten days prior to the proposed flight.
3. Conduct research and document cost estimate for the elements in each of these three options.
 - a. Scheduled commercial air carrier (not applicable for mission flights)
 - Use only GovTrip or contract travel agency quotes to determine airfare estimates.
 - Does itinerary meet time frame requirements?
 - Cost of airfare and booking fees
 - Cost of rental car from airport to meeting location
 - Additional lodging and per diem costs incurred if travelling by airline

- Total employee salaries for time spent in travel status. (Add one hour of preflight airport time to the flight time, plus time spent driving rental car to location where fleet or charter aircraft would have otherwise flown to any locations not served by airlines.)
- b. Fleet Aircraft
- Confirm if fleet aircraft are even available within reasonable distance.
 - Include ferry flight time and standby costs with passenger transport flight time estimate.
 - Document total salaries for employee's time spent flying on fleet aircraft.
- c. Charter Operators
- Use only established contract vendors with carded pilots and aircraft capable of carrying the required passenger manifest and weight.
 - Compare two or more competing vendors using the [AQD-91](#) form; maintain documentation in local files and use the best-value vendor in the OAS-110 cost analysis.
 - Include ferry flight costs, guaranteed time, and standby rates (if applicable) in cost estimate.
4. Determine the cost for each of the three options above and document on the OAS-110. Document and forward an explanation why any of the three options was not considered possible or reasonable.
Examples:
- Proposed flight is a reconnaissance mission that can't be performed by scheduled air carriers.
 - Scheduled airline service cannot meet SES employee time constraints or schedule, or would incur additional days in travel status. (Forward itinerary and additional salaries that would be incurred to illustrate infeasibility.)
5. Forward the completed OAS-110 and attached documentation to the Solicitor through the SAM, or with courtesy copy sent to the SAM (refer to specific State Aviation policy).
6. Be sure a qualified Flight Manager is assigned to tend to the safety requirements and administrative details associated with the flight.
7. A Project Aviation Safety Plan (PASP) should be developed for all SES Mission Flights, even those deemed to be "one-time, non-complex." A 9400-1a form may be used as a supplemental manifest and flight tracking device on point-to-point flights.
8. The SAM will report any SES flight hours to the NAO twice each year (October 1 and April 1).

Appendix 4 – Latitude/ Longitude Information

If coordinates are wrong...


- Risk/danger/liability goes up
- Calculations become erroneous (weight/distance/fuel ratios)
- People can't find the "right" spot
- Data goes onto maps in the wrong place
- We look bad as an organization, a unit, an individual
- Contractors/pilots become angry/confused/frustrated

Latitude

- Parallel east-west lines
- Measures 90° North and 90° South of equator

Longitude

- Lines run south to north.
- Measures east and west of the prime meridian
- Lines converge at North and South poles



Common Formats

Format	Example
Decimal Degrees (DDD.DDDDD °)	64.84052° N by 147.60437° W
Degrees and Decimal Minutes (DDD ° MM.MMM')	64° 50.431' N by W 147° 36.262' W
Degrees, Minutes and Seconds (DDD ° MM' SS.S")	64° 50' 25.5" N by W 147° 36' 15.5" W

Notation	
Degrees	°
Minutes	'
Seconds	"
Decimal	.
Hemisphere	N, S, E, W or -

On-line Calculators for converting between Formats:

- <http://www.fcc.gov/mb/audio/bickel/DDDMSS-decimal.html>
- http://www.calculatorcat.com/latitude_longitude.phtml

GPS Datums

- Datums define the origin and orientation of latitude/longitude lines
- Describing a place by lat/long is not good enough. The datum must also be stated.
- Changing the datum changes the lat/long of a point on the surface of the Earth
- There are hundreds of different Datums, agencies use different Datums.
- Referencing lat/long coordinates to the wrong datum can result in position errors of hundreds of meters

Know your agency's standard Format and Datum

- BLM Aviation (Degrees and Decimal Minutes, WGS84)
- BLM GIS (Various)
- TFRs (Degrees, Minutes and Seconds, WGS84). US NOTAM OFFICE FORMAT ddmssN/dddmssW
- BLM Fire (Degrees and Decimal Minutes, WGS84)
- FAA Temporary Flight Restrictions (Degrees, Minutes and Seconds). US NOTAM OFFICE FORMAT ddmssN/dddmssW

Remember...

- Use only ONE period/decimal point when writing a latitude or longitude in Decimal Degrees, or Degrees, Minutes and Seconds.
- Do NOT use periods/decimal points for degrees or minutes when writing a latitude or longitude in Degrees, Minutes and Seconds
- There can NEVER be more than 60 seconds in Degrees, Minutes and Seconds format
- Do NOT mix formats
- Know and use proper Datum

Appendix 5 - BLM SAFECOM Management Roles

POSITION	AUTHORITY	RESPONSIBILITIES	CRITICAL NOTES
Individual	Submission	Fills out the SafeCom form, completing all required fields including initial determination of Operational Control. Completes the Original Text in both the Narrative and Corrective Action fields. Consults with mission personnel prior to submitting electronically to OAS and hardcopy to UAM.	Fill out completely and accurately. Report only the facts. Narratives should be brief and concise.
BLM UAM	Submission	If only a hardcopy has been submitted, submits electronically to OAS.	X
	E-Mail Notification	Receives e-mail notification of all initial, modified and completed SafeComs identifying their BLM Field Office as having operational control.	Provide feedback to person submitting (unless anonymous)
	Corrective Actions	Takes corrective action at the local level and describes these actions in the Public Text area of the Corrective Action field. Include your Job Title (do not enter personal information)	Must treat all corrective action descriptions as if they were public.
BLM State Aviation Manager	E-Mail Notification	Receives e-mail notification of all initial, corrective action, modified and completed SafeComs identifying BLM operational control within their State.	Coordinate with UAM.
	Corrective Actions	Review all information. May take and document additional corrective actions.	X
	Modify Actions	Authority to change all SafeCom information (except for name of the submitter and the original narrative).	Coordinate with UAM. Verify and amend all info for accuracy.
	Operational Control	Make final determination of the Agency, State/Region and Field Unit that has Operational Control.	Determines who will receive e-mail notification.
	Category	Select the appropriate category to classify the SafeCom.	Multiple categories possible.
	Make Public	Copies Original Text into the Public Text area for both the Narrative and Corrective Action fields. Sanitizes the Public Text. Makes the SafeCom "Public" (if overly sensitive, consult with NAO before making public)	Ensures all Public Text is sanitized in Narrative & Corrective Action fields prior to making public.
BLM National Aviation Safety Advisor	E-Mail Notification	Receives e-mail notification of all initial, corrective action, modified and completed SafeComs nationwide that identify BLM operational control.	Coordinate with SAM.
	Corrective Actions	Takes additional corrective actions, if necessary, and documents on the SafeCom.	Coordinate with SAM
	Modify Actions	Authority to change all SafeCom information (except for name of submitter and the original narrative).	X
	Make Public	Has the authority to sanitize information and make the SafeCom "public" (if not already done at the State level). Coordinates with OAS.	Ensures all Public Text is sanitized in Narrative & Corrective Action fields prior to making public.
	Completion	Has the authority to make the SafeCom "complete".	X
	Distribution	Distributes all "Public" BLM SafeComs to BLM SAMs and Other Agencies.	Coordinates with OAS.
	Designates Users	Authority to identify all BLM users and their appropriate permission levels. Must notify OAS of additional users/changes/updates.	Coordinates with OAS.
Out of Agency	Authorized to review other agency "Public" SafeComs. Read Only!	X	
Elevated Safecom	All Actions	OAS or NAO recommends SafeCom be elevated. NAO-Safety retains control of Elevated Safecom and coordinates with SAM for proposed action. Coordination will take place with the SAM to gather detailed documentation.	Action may include lessons learned write up, safety alert etc. Important to follow up with Contracting Officer through the chain of command if aircraft or personnel are not meeting contract specifications.
	Make Public	NAO-Safety will make Safecom public with concurrence of SAM. Pictures, reports and sensitive material may or may not be made public but will be accessible to those with modify access.	Elevated Safecom will not be made "Public" until investigation has been completed.

Appendix 6 - OAS Aviation Program Evaluation Schedule

2008 - Nevada

2009 - Montana, Idaho

2010 - Alaska

2011 - Arizona, New Mexico, Wyoming

2012 - NAO, Colorado, California

2013 - Oregon/ Washington, Utah

2014 - Nevada, Eastern States

2015 – Idaho, Montana

2016 – Alaska

2017 – Arizona, New Mexico, Wyoming

2018 – NAO, Colorado, California

Appendix 7 - BLM Cargo Letdown Protocol

Cargo letdown is a procedure used to lower cargo out of a hovering helicopter to the ground with the use of a nylon line and rappel anchor. This procedure is used by helitack programs across the country to get needed equipment and supplies to the ground when conventional methods are not the most efficient option.

National BLM approval is required to host a cargo letdown program. Requests for approval are initiated by a state office to the NAO with the final approval made by the Division Chief, Aviation.

NAO approval allows for internal cargo letdown operations but, external cargo letdown (off the hook) operations may also be authorized. Initial approval will be based upon indicated need and limited to one field season. Subsequent conditional approval must be requested after the initial field season and validated based on proper utilization and justification of continued need. Approved cargo letdown programs will be re-evaluated in conjunction with new helicopter contract solicitations. Several administrative procedures need to be addressed as part of the request for approval; the state office must supply the NAO with the following documents:

1. Initial justification to include nomination of one Helicopter Cargo Letdown Spotter Trainee candidates (HCLS(T)).
2. Request for Contract Modification from COR to 2. NAO to:
 - a) Provide for a contractor purchased cargo letdown anchor. Costs to the contractor would be recovered in an adjusted Daily Availability rate negotiated by the CO.
 - b) Add additional "Special Pilot Requirements for Cargo Letdown" language.
3. Approved copy of the complete Helibase Operations Plan prior to implementation.
4. Cargo Letdown Operations Plan. This plan would supplement the Helibase Operations Plan. The Cargo Letdown plan should describe all aspects of the letdown program to include:
 - a) Risk Management mitigation measures
 - b) Decision Matrix (under what parameters will this operation be conducted
 - c) Detailed operational procedures
 - d) Detailed equipment and configuration descriptions
 - e) Equipment certification/inspection/retirement intervals and documentation
 - f) Personnel training, experience and proficiency f) requirements and record-keeping
 - g) Letdown mission documentation and record-keeping
 - h) Year-end statistical data on form "BLM Annual Helitack Data Master (June 2010).xlsx". The form is available for download on the BLM NAO website, Aircraft Operations, Helicopters, at: <http://www.blm.gov/nifc/st/en/prog/fire/Aviation/Airops/Helicopters.html>
 - i) Completed copies of all BLM Cargo Letdown Spotter Trainee Qualification Record will be sent to the BLM state aviation manager (SAM) and the BLM helicopter program manager annually.

The NAO will provide assistance in arranging for Pilot and HCLS(T) certification as well as help with obtaining necessary required equipment.

The general operational procedures for cargo letdown are established in the *Interagency Helicopter Rappel Guide* (IHRG). This document provides additional direction to BLM cargo letdown operations.

BLM Cargo Letdown Operations will be conducted in accordance with the IHRG, specifically the applicable portions of:

1. Chapter 3 Equipment
2. Chapter 4 Documentation
3. Chapter 7 Cargo Letdown Operations
4. Appendix B Model Specific Cargo Procedures
5. Appendix E Spotter Training.

Notwithstanding the *IHRG* the BLM also requires that:

1. To be considered for cargo letdown spotter training, the trainee must:
 - a. Be a fully qualified Helicopter Manager.
 - b. Be a current member on an exclusive use helitack crew.
 - c. Meet the prerequisite experience, training, and currency requirements outlined in the *Interagency Standards for Fire and Fire Aviation Operations* "Exclusive Use Fire Helicopter Position Requisites" for the position they encumber.
 - d. Only the helitack supervisor, assistant and/or squad leader positions will be qualified as cargo letdown spotter.
 - e. Any deviation from these additional BLM requirements must be approved in writing by the SAM with a courtesy notification to the NAO Helicopter Program Manager.
 - f. Initial cargo letdown training shall be conducted by a DOI OAS training specialist or a fully qualified spotter (HERS/HCLS). The DOI AM training specialist or designee cargo/rappel check spotter (is responsible for conducting the final initial check ride and certification of a HCLS(T).
 - g. When coordinating for and during training it is important that clear communications are maintained between the designee trainers (if utilized), the DOI OAS training specialist and the BLM Helicopter Program Manager.
 - Each component of training (tower, mock-up, and live helicopter) may take one to two full days to satisfy the training requirements; this may vary based on the number of and progression of students. Requesting unit and trainees must be prepared to commit to the necessary time frames and associated expense when entering into agreement with Trainers.
 - h. This training is performance based and trainees will only move forward as specific training targets are met. It must be understood that there is the potential that a selected trainee could fail to complete the training due to inadequate performance.
 - i. When utilizing the *IHRG*, Trainers will address only information directly associated with Cargo Letdown training and will not cover rappel specific operations unless authorized by NAO.
 - j. Tower training (if utilized) can be generic. Mock-ups and live cargo letdown training shall be helicopter model specific to the aircraft utilized by the trainee and will follow the current model specific cargo letdown procedures in the *IHRG*.
 - k. All trainees will utilize the attached "BLM Cargo Letdown Spotter Trainee Qualification Record" to assure all aspects of training are completed as well as for record keeping purposes. This documentation shall include further training recommendations and a clear picture of the trainee's current level of competence.
 - l. Recurrency: Each year, to re-qualify, a spotter must complete:
 - Attend and/or participate as an instructor at annual helicopter cargo letdown training.
 - Complete deployment of three loads of cargo from the helicopter to the satisfaction of the appropriate agency certifying official. Subsequent re-qualification certification may be

conducted by a qualified spotter (USFS or DOI). Typical terrain shall be utilized for at least one of the three loads.

2. To be considered for approval as Helicopter Cargo Letdown Check Spotter (HCCS), the trainee must:
 - a) Be nominated by the SAM to the NAO.
 - b) Be a current helitack supervisor or assistant on an exclusive use helitack crew.
 - c) Meet the position/prerequisites for check spotter in *IHRG 7.4.2*.
 - d) Meet the prerequisite experience, training, and currency requirements outlined in the *Interagency Standards for Fire and Fire Aviation Operations* "Exclusive Use Fire Helicopter Position Requisites".
 - e) Subsequent recurrent certification may be conducted by a qualified Check spotter (USFS or DOI) with the concurrence of the respective SAM.

3. Pilots shall meet all the following requirements:
 - a) Meet the appropriate requirements of the procurement document to include having logged additional experience as pilot-in-command as follows:
 - 50 hours -- Total hours in make, model and series offered.
 - 25 hours -- Rappel, cargo letdown or long line requiring precision placement, last 12 months.
 - b) Annually attend a cargo letdown training/recurrency training session. This training shall be conducted and documented by a qualified spotter and will include:
 - Briefing and familiarization on letdown bracket and hard points for the specific model.
 - Seating arrangements for cargo and spotters.
 - Cargo placement/location and deployment sequence and method.
 - Exit procedures and sequence.
 - Perform a minimum of six ground mockups in the aircraft model to be used, including rigging the aircraft for cargo letdown mission and deploying cargo.
 - Briefing on any peculiarities of the specific model.
 - Demonstrate ability to operate helicopter during three cargo letdown sequences.
 - Demonstrate ability to work with spotter.
 - c) Upon meeting the above requirements, the pilot may be approved for helicopter cargo letdown operations by a DOI AM or USFS helicopter inspector pilot.
 - d) The pilot shall maintain currency in helicopter cargo letdown flying at the same frequency required of the spotter (every 14 days). If this cannot be accomplished every 14 days, a proficiency flight must be completed prior to any actual operational mission.
 - e) The helicopter must meet the requirements of the departmental manual and the procurement document, as appropriate.
 - f) All cargo letdown equipment will be approved for use in accordance with the requirements outlined in the *IHRG*.

Please contact National Helicopter Program Manager, Bryan Bitting, at (208) 387-5173 if you have questions or require assistance.

Appendix 8 – BLM Cargo Letdown Trainee Qualification Record

INSTRUCTIONS FOR COMPLETING QUALIFICATION RECORDS

Each requirement or task for each qualification record shall be completed under the direct supervision of a qualified HERS/HCLS and signed and dated by the evaluating Spotter Trainer. Comments should be included in the space provided to ensure appropriate documentation of performance and to provide feedback to trainees. The number of evaluations of each task is not limited to the number of signature lines provided within the Evaluator/Date column.

CARGO LETDOWN TRAINEE:

--	--	--

TRAINEE'S NAME

DUTY STATION

PHONE NUMBER

TRAINEE RECOMMENDED BY:

--	--	--

NAME

TITLE

PHONE NUMBER

QUALIFICATION RECORD INITIATED BY:

--	--	--

NAME

TITLE

PHONE NUMBER

Helicopter Make/Model:

Notes:

--	--

SIGNATURE

DATE

Position:

CARGO LETDOWN SPOTTER

Trainee:

TASK: CARGO LETDOWN GROUND TRAINING		Evaluator	Date	Comments
1.	Review IHRG Sections 3,4,7			
2.	Equipment inspections procedures			
3.	Documentation of equipment			
4.	Discuss model specific procedures			
5.	Review Go-No Go checklist & Discuss mission specific Risk Mgt.			
6.	Discuss CRM and spotter directions with pilot			
7.	Discuss emergency procedures with pilot present			
TASK: CARGO LETDOWN SIMULATOR (optional)		Evaluator	Date	Comments
1.	Tower, simulator briefing			
2.	Cabin configuration and rigging (model specific)			
3.	Verbalization with pilot			
4.	Proper equipment checks			
5.	Cargo configuration			
6.	Cargo equipment orientation			
7.	Rigging and deploying cargo			
8.	Maintain visual on cargo			
9.	Emergency procedures			
TASK: CARGO LETDOWN MOCK-UPS		Evaluator	Date	Comments
1.	Proper Briefing crew /pilot			
2.	Proper rigging /model specific			
3.	Verbalization with pilot			
4.	Proper equipment checks			
5.	Cargo configuration			
6.	Cargo equipment orientation			
7.	Maintain control during deployment			
8.	Maintain focus and control of mission			
9.	Emergency procedures			
TASK: CARGO LETDOWN INITIAL LIVE HELICOPTER		Evaluator	Date	Comments
1.	Proper rigging /model specific			
2.	Proper Briefing crew /pilot			
3.	Proper Equipment Checks			
4.	Proper Verbalization			
5.	Ensure power check completed			
6.	Select adequate cargo letdown site and alternate sites and notify ground resources of mission (Stay Clear)			

7.	Maintain aircraft and rotor clearance throughout sequence			
8.	Maintain visual on cargo letdown line and cargo			
9.	Maintain controlled decent of load to the ground			
10.	Maintain focus and control of mission			
TASK: CARGO LETDOWN CHECKRIDE		Evaluator	Date	Comments
1.	Configure helicopter with proper Cargo rigging and perform appropriate equipment checks			
2.	Maintain communication with appropriate flight following authority			
3.	Identify flight hazards			
4.	Identify adequate cargo letdown and alternate emergency sites			
5.	Assess helicopter performance capabilities at local temp. and altitude, perform powercheck			
6.	Assist pilot to position helicopter over cargo letdown site			
7.	Deploy cargo using appropriate verbiage with pilot			
8.	Maintain clearance of cargo from all obstacles			
9.	Maintain aircraft and rotor clearance throughout cargo sequence			
10.	Deploy cargo maintaining controlled decent at all times			
11.	Establish communication with firefighters on the ground. Report to appropriate flight following authority			
12.	Debrief with HERS/HCCS			
TASK: ASSIST IN INSTRUCTION OF CARGO LETDOWN TRAINING		Evaluator	Date	Comments
BASE NAME:				
1.				
2.				
3.				
TASK: CHECKRIDE PROCEDURAL ERROR FREE CYCLES		Evaluator	Date	Comments
1.	Low < 75' AGL			
2.	Low < 75' AGL			
3.	Medium 75' to 150' AGL			
4.	Medium 75' to 150' AGL			
5.	High Above 150" AGL			
6.	Low - Typical Terrain			
7.	Medium - Typical Terrain			
8.	Medium - Typical Terrain			
9.	High - Typical Terrain			
10.	High - Typical Terrain			

CARGO LETDOWN SPOTTER TRAINEE APPROVAL RECOMMENDATION

Additional Cargo Letdown Training Recommended			
---	--	--	--

No Yes Date

Recommendation:

--	--	--

Spotter Trainer Name Signature Date

Successful Completion of Cargo Letdown Training			
---	--	--	--

No Yes Date

Annual Recertification		
------------------------	--	--

Annual Recertification		
------------------------	--	--

Annual Recertification		
------------------------	--	--

Annual Recertification		
------------------------	--	--

Date Certifying Official

Comments:

--	--	--

Check Spotter Name Signature Date

Appendix 9 – BLM Smokejumper Positions to Interagency Aviation Training (IAT) Functional Crosswalk

	IAT Positions										
	Passenger	Aircrew Member	Fixed Wing Flight Manger	Fixed Wing Flight Manager Special Use	Helicopter Flight Manager	Resource Helicopter Manager	Aviation Dispatcher	Project Aviation Manager	Aviation Manager	Supervisor	Aviation Technical Specialist
BLM Position											
Smokejumper	X	X									
Smokejumper Spotter	X	X	X	X							
Paracargo Head Kicker	X	X	X	X							

* IAT position descriptions can be referenced within the IAT Guide @ www.iat.gov

BLM Smokejumper position Functional Crosswalk

The BLM Functional Crosswalk only applies when operating within the smokejumper program mission description. **No equivalencies are granted for single resource qualifications outside of smokejumper operations.**

Example: As a Qualified and Current Fire Smokejumper Spotter, BLM recognizes that a person’s ability to successfully function as a Passenger, Aircrew Member, Fixed Wing Flight Manager and Fixed Wing Flight Manager – Special Use, for non-fire aviation jobs described in *OPM-4* and the *IAT Guide*.

Note 2: Any BLM employee qualified in the above identified BLM position listed within Smokejumper related Guides or Manuals are also able to function in that position in a non-fire assignment. Ex: Individual qualified to perform as a Paracargo Head Kicker on a fire incident can also be a Fixed Wing Flight Manager on a resource paracargo mission.

Definitions and Reference

Smokejumper – An experienced professional fireman who is trained to parachute into wildfires in remote areas and in rugged terrain.

- Referenced in the Interagency Smokejumpers Pilot Operating Guide (ISPOG)

Smokejumper Spotter – A senior smokejumper who is trained to be in-charge of smokejumper missions.

- Referenced in the Interagency Smokejumpers Pilot Operating Guide (ISPOG), Spotter Training Manual & Smokejumper Spotter Video.

Paracargo Head Kicker – A senior paracargo specialist who is trained to be in-charge of paracargo missions.

- Referenced in the BLM Smokejumper Paracargo Manual.

Appendix 10 - BLM Fleet Aircraft Standard Operations Procedures

The Bureau of Land Management currently operates 3 fleet aircraft, N49SJ, N190PE and N32PX. The following procedures will be utilized for all BLM fleet aircraft.

Administration

Aircraft

N49SJ, N190PE, N32PX and N437CC are DOI owned aircraft operated by the BLM. N49SJ and N190PE are Boise based and maintenance is managed through OAS Headquarters in Boise ID. N32PX and N437CC are Alaska based and maintenance is managed through Alaska Region OAS in Anchorage.

N49SJ – DE Havilland DHC-6-300 Twin Otter

BLM NAO maintains overall management responsibility. The aircraft is assigned to the Boise Smokejumpers.

N190PE – Pilatus PC-12

BLM NAO maintains overall management responsibility. The aircraft is assigned to Alaska Fire Service a portion of the year and Boise NAO the balance of that year.

- N190PE core use period will be mid-April through mid-September as dictated by conditions.
- The Aircraft will transition to Alaska as negotiated with AFS and the BLM National Flight Operations Manager. That will usually occur on or around mid-April depending upon anticipated needs.
- The Aircraft will transition to Boise from Alaska when negotiated by AFS and the NAO Flight Operations Manager.
- Funding for the transition to Boise will be done under a resource order or as designated by the NAO Flight Operations Manager.

N32PX – Cessna U206F

The BLM Alaska-Office of Law Enforcement and Security will have primary use of the aircraft through the calendar year flown by OAS carded BLM-AK law enforcement pilots. The management of the aircraft will fall under the State Aviation Office with mission management under ADO and Southern Zone Dispatch Center.

N437CC – Cub Crafters CC-18-180

The BLM Alaska-Office of Law Enforcement and Security will have primary use of the aircraft through the calendar year flown by OAS carded BLM-AK law enforcement pilots. The management of the aircraft will fall under the State Aviation Office with mission management under FDO and Southern Zone Dispatch Center.

Pilots

Pilots seeking to be qualified in BLM aircraft will be approved through the NAO and must attend an approved simulator training course in that aircraft type. If no simulator training is available, a training plan will be developed to meet the training needs of the Pilot and approved by the NAO.

Staffing

BLM aircraft are staffed to meet the appropriate mission as denoted below.

Lower 48 Staffing

- N49SJ: Primary staffing will be provided by the BLM Smokejumpers with secondary relief staffing from the NAO. During the fire season the aircraft is staffed 7 days a week.
- N190PE: Primary staffing will be provided by BLM Alaska during the core operational use.
- N437CC: N/A
- N32PX: N/A
- The Temporary Duty Assignment for the Alaska pilot while in the L48 will allow travel to the domicile or equivalent at the end of a 27 day period.
- Outside of the core use period the NAO Flight Operations Manager will prescribe staffing levels with available pilots.

Alaska Staffing

- N190PE: The aircraft will be staffed on a 12 on, 2 off schedule during the Alaska use period. Days off will be established so as to not coincide with the scheduled days off of other logistics aircraft.
- N32PX: The aircraft will be staffed to meet the needs of the Anchorage Field Office.
- N437CC: The aircraft will be staffed to meet the needs of the Fairbanks Field Office.

Fleet Aircraft Use Report Manager (AURM)

To be determined per guidelines established by OAS

Fuel

Lower 48

When utilizing either the Government Multiservice Aircard or the OAS MasterCard, fleet aircraft will attempt to purchase fuel at a DOD Vendor.

- Record flight time under the pay item code "FW" (Wet Rate) on the OASAURM when receiving fuel from these locations.
- Receipts for fuel purchased through the Government Aircard Multiservice program will be mailed directly to OAS Fleet Activities Specialist (Andrea Peckham) weekly.
- Fuel or other items (oil, maintenance, etc) purchased with the OAS MasterCard will follow OAS requirements, and signed statements with receipts will be provided in the requisite time and format to the appropriate authority.
- Both fleet aircraft may purchase fuel through the NIFC ramp and no charge code is required. Fuel is part of the flight rate on both fleet aircraft.
- NIFC ramp fuel receipts must be submitted in the same manner as the Government Aircard program, IE weekly to OAS Fleet Activities Specialist.

Alaska

Alaska Fire Service has fueling contracts for Fort Wainwright and Galena. Record flight time under the pay item code "DF" (Dry Rate) on the OAS AURM when receiving fuel from these locations. Fuel received at these locations will be recorded on an OAS-59 provided to the pilot by the fueller.

- For fueling away from these locations, utilize the procedures outlined above (1.5.1).

Navigation/Charting data base updates

The data bases will be purchased by the BLM Aviation Office through the aircraft account. Those services (electronic and paper) will be updated by the pilot currently assigned to the aircraft in the requisite time intervals specified.

Aircraft Mission

N49SJ

Primary mission is as a Smokejumper aircraft.

- During fire season the aircraft is staffed 7 days a week.
- Outside of fire season this aircraft is staffed during normal business hours.
- While this aircraft is not in fire season aircraft maintenance is sought during normal business hours.
- During fire season maintenance support is encouraged to use extraordinary measures (overtime, AOG parts, charter aircraft to transport maintenance personnel and/or parts, etc...) to keep the aircraft in flight status per the maintenance procedures that follow.

N190PE

- Primary mission as a multi-role utility and logistics aircraft.
- During the core use period this aircraft is staffed at single pilot duty requirements. 12 on 2 off or 6 on and 1 off with a maximum of 14 hour duty days.
- During the non-core use period the aircraft is staffed as the NAO Flight Operations Manager requires.
- During all operations maintenance support is sought during normal business hours as determined by the maintenance procedures that follow.
- N190PE meets all the requirements to perform ASM missions. Use as an ASM/ATGS platform shall be approved on a limited, case by case basis; Air Tactical missions shall be conducted only with qualified ATP/ATS.
- There is currently no provision for a relief pilot in the core use period.
- The in-flight opening door is not approved for use at this time.
- Special Use (<500' agl) require a helmet until a waiver is obtained.

N32PX

- Primary mission to support the BLM's Law Enforcement program.
- Enhanced patrol and investigative coverage to lands and resources that were previously unpatrolled for their remoteness and distance from Anchorage and the state's road system.

N437CC

- Primary mission to support the BLM's Law Enforcement program.
- Enhanced patrol and investigative coverage to lands and resources that were previously unpatrolled for their remoteness and distance from Fairbanks and the state's road system.

Single Engine Operations

351 DM 1.3 provides authorization for DOI aircraft to perform night and IFR operations in Single Engine aircraft.

United States Forest Service FSM 5716 provides authorization for the Forest Service to perform night and IFR operations in Single Engine aircraft.

Aircraft Scheduling

N49SJ will remain based in Boise the entire year. N32PX will remain based in Alaska the entire year. N190PE is a multi-role utility aircraft and resides part of the year in Alaska and remainder of the year in Boise.

N49SJ

Scheduled through the Boise Smokejumpers.

N190PE

Scheduled by Alaska Interagency Coordination Center (AICC), Aircraft Desk while in Alaska or the National Interagency Coordination Center (NICC) while in the Lower 48. During the non-core use period the NAO Flight Operations Manager will schedule the aircraft.

N32PX

Scheduled by Alaska Southern Zone Dispatch Center.

N437CC

Scheduled by Alaska Southern Zone Dispatch Center.

Maintenance

Use of a government contract requires the permission of the appropriate Contracting Officer. For unscheduled maintenance or scheduled maintenance from other than the Boise contractor, a list of government contract maintenance facilities is included in each airplane. Flight Crew members will contact OAS to assure the proper payment schedule is in place (i.e. credit cards or purchase order) and that the facility has the pertinent expertise, manuals, tools, and parts to perform the work. Flight crewmembers will need to assure that the repair facility understands the BLM discrepancy reporting and sign-off procedures.

- If a maintenance issues arises in the field, the Flight Crew Member on duty will contact the OAS Aircraft Maintenance Specialist as soon as possible.
- In the event that they are not available, you may then contact the appropriate maintenance facility directly. For minor unscheduled maintenance, Flight crewmembers may contact the vendors directly. The OAS Aircraft Maintenance Specialist shall be contacted as soon as possible.
- The maintenance organization contact and frequently used vendor information located in below.

Exhibit 300 Performance Tracking

Current goals for fleet aircraft are:

Fiscal Year	Strategic Goal(s) Supported	Performance Measure	Actual / Baseline	Planned Performance Metric (Target)	Performance Metric Results (Actual)
2010-2015	Hours flown in support of the BLM mission(s)	200 hours	0*	+/- 10% of targeted hours	These Metrics are measured and reported annually by the OAS -2A/AMS and the aircraft use summary provided by OAS
2010-2015	BLM Mission Support	Specific Mission hours as detailed in the Business Case Analysis	0*	+/- 10% of targeted flight hours for each Identified mission	These Metrics are measured and reported annually by the OAS -2A/AMS and the aircraft use summary provided by OAS
2010-2015	BLM Aviation Goals- Multirole utility, logistics and mission support	Fleet Availability Rate	0*	+/- 10% of Scheduled Missions are Accomplished	These Metrics are measured and reported annually by the OAS -2A/AMS and the aircraft use summary provided by OAS. A Non Payment (NP) code will be utilized with a corresponding code identifying the reason(s) the aircraft is unavailable other than scheduled or routine maintenance.
2010-2015	BLM Aviation Goals- Multirole utility, logistics and mission support	Accident/ Incident Rate	0*	0 Accidents or Incidents	These Metrics are measured and reported through the Safecom system

Lost flight time will be documented on the OASAURM utilizing the following procedures:

Exhibit 300 Performance Tracking of Flight Time for Fleet Aircraft

Flight time lost due to the following tracked on the OASAURM

- NC in Pay Item Code
- Code entered in Use Code with an explanation note in the remarks section
- Note the time lost
- Delay codes based on International Air Transport Association (IATA)

Delay Code Item description

- 07** Unable to meet schedule due to maintenance
- 08** Aircraft connection(s) due to misc. traffic, flight operations, ground handling, etc.
- 11** Acceptance of Passengers
- 21** Documentation
- 36** Fueling
- 41** Aircraft Defects
- 43** Non Scheduled maintenance, special checks, and additional work beyond normal maintenance
- 45** AOG (Aircraft On the Ground for technical reasons)
- 51** Damage during flight operations, bird or lightning strikes, turbulence
- 52** Damage during ground operations
- 71** Weather
- 81** ATC (Air Traffic Control)
- 99** Miscellaneous, explain in remarks

Appendix 11 - Task Sheet for the Position of Resource Helicopter Manager



TASK SHEET FOR THE POSITION OF RESOURCE HELICOPTER MANAGER

February 2011

<hr/> TASK SHEET ASSIGNED TO: <hr/>
INDIVIDUAL'S NAME, DUTY STATION, AND PHONE NUMBER
<hr/> TASK SHEET INITIATED BY: <hr/>
OFFICIAL'S NAME, DUTY STATION, AND PHONE NUMBER
<hr/> LOCATION AND DATE THAT TASK SHEET WAS INITIATED <hr/>

The material contained in this Task Sheet accurately defines the performance expected of the position for which it was developed This Task Sheet is approved for use as a position qualification document in accordance with the instructions contained herein.

EVALUATOR

DO NOT COMPLETE THIS UNLESS YOU ARE RECOMMENDING THE TRAINEE FOR CERTIFICATION

VERIFICATION / CERTIFICATION OF COMPLETED TASK SHEET FOR THE POSITION OF:

RESOURCE HELICOPTER MANAGER

FINAL EVALUATOR'S VERIFICATION

I verify that all tasks have been performed and are documented with appropriate initials. I also verify that _____ has performed successfully as a trainee and should therefore be considered for certification in this position.

FINAL EVALUATOR'S SIGNATURE AND DATE

EVALUATOR'S PRINTED NAME, TITLE, DUTY STATION, AND PHONE NUMBER

AGENCY CERTIFICATION: I certify that _____ has met all requirements for qualification in this position and that such qualification has been issued.

CERTIFYING OFFICIAL'S SIGNATURE AND DATE

CERTIFYING OFFICIAL'S NAME, TITLE, DUTY STATION, AND PHONE NUMBER

**US Forest Service & DOI
POSITION TASK SHEET**

Position Task Sheets (PTS) have been developed for designated positions within the aviation management branch of the US Forest Service & DOI. Each PTS lists the performance requirements (tasks) for the specific position in a format that allows a trainee to be evaluated against written guidelines. Successful performance of all tasks, as observed and recorded by an evaluator, will result in a recommendation to the agency that the trainee be certified in that position.

Evaluation and confirmation of the trainee's performance of all the tasks may involve more than one evaluator and can occur on projects, in classroom simulation, and in other work situations. Designated PTSs require position performance during which the majority of required tasks are demonstrated on an actual Project. Performance of these tasks in a classroom setting is NOT qualifying. It is important that performance be critically evaluated and accurately recorded by each evaluator. The bullets under each numbered task are examples or indicators of items or actions related to the task. The purpose of the bullets is to assist the evaluator in evaluating the trainee; the bullets are not all-inclusive.

THE SPECIFIC AVIATION TASKSHEET OF "RESOURCE HELICOPTER MANAGER" IS NOT TRANSFERRABLE TO NWCG QUALIFICATIONS RELATED TO PRESCRIBE OR WILDLAND FIRE. THE SPECIFIC TASKBOOKS FOR NWCG ICS POSITIONS WILL BE ACCOMPLISHED ON THE APPROPRIATE INCIDENTS AND/OR PROJECTS.

Entry of experience into IQCS will be as project only, not as qualified for positions requiring arduous or moderate duty fitness standards as precursors to qualification in wildland or prescribed fire positions.

RESPONSIBILITIES:

- The **Home Unit/ District/Forest** is responsible for:
Selecting trainees based on the needs of the home unit and higher levels.
Ensuring that the trainee meets the training and experience requirements included in the Interagency Aviation Training Guide as well as the Interagency Helicopter Operations Guide.

Initiating PTSs to document task performance.

Explaining to the trainee the purpose and processes of the PTS as well as the trainee's responsibilities.

Providing opportunities for evaluation and/or making the trainee available for evaluation.

Providing an evaluator for local assignments.

Tracking progress of the trainee.

Confirming PTS completion.

Determining certification per local policy.

Issuing proof of certification.

- The **Trainee** is responsible for:
 - Reviewing and understanding instructions in the PTS.
 - Identifying desired objectives/goals.
 - Providing background information to an evaluator.
 - Satisfactorily demonstrating completion of all tasks for an assigned position within three years.
 - Assuring the Evaluation Record is complete.
 - Notifying home unit aviation manager when the PTS is completed and providing a copy.
 - Keeping the original PTS in personal records.
- The **Evaluator** is responsible for:
 - Understanding the IHOG
 - Being qualified and proficient in the position being evaluated.
 - Meeting with the trainee and determining past experience, current qualifications, and desired objectives/goals. Reviewing tasks with the trainee.
 - Explaining to the trainee the evaluation procedures that will be utilized and which objectives may be attained.
 - Identifying tasks to be performed during the evaluation period.
 - Accurately evaluating and recording demonstrated performance of tasks. Satisfactory performance shall be documented by dating and initialing completion of the task. Unsatisfactory performance shall be documented in the Evaluation Record.
 - Completing the Evaluation Record found at the end of this PTS.
 - The bullets under each numbered task are examples or indicators of items or actions related to the task. The purpose of the bullets is to assist the evaluator in evaluating the trainee; the bullets are not all-inclusive.
- The **Final Evaluator** must be currently qualified as a resource or fire Helicopter Manager. Only the Evaluator on the final position performance assignment (the assignment in which all remaining tasks have been evaluated and initialed) will complete the Final Evaluator's Verification statement inside the front cover of the PTS recommending certification.
- The **Unit Training Specialist/Unit Aviation Manager (UAM)** is responsible for:
 - Identifying Project evaluation opportunities.
 - Assuring that trainees have met prerequisites.
 - Identifying and assigning a qualified evaluator that can provide a positive experience for the trainee, and making an accurate and honest appraisal of the trainee's performance.
 - Providing PTSs to approved trainees on the Project when home unit was unable to provide them.
 - Documenting the assignment.
 - Conducting progress reviews.
 - Conducting a close-out interview with the trainee and evaluator and assuring that documentation is proper and complete. Notifying trainee's home unit.
- The **Certifying Official** from the Home Agency (**Unit Aviation Officer/State Aviation Manager/Regional Aviation Manager/ Regional Helicopter Operations Specialist, whichever is applicable**) must review and confirm the completion of the PTS and make a determination of agency certification. This determination should be based on the Trainee's demonstration of acceptable position performance, as well as the completed PTS—which includes a Final Evaluator's Verification. Only the Certifying Official from the Home Agency has the authority to certify an individual's qualifications.

POSITION: RESOURCE HELICOPTER MANAGER

TASK	CODE*	EVALUATION RECORD#	EVALUATOR: Initial & date upon Completion of task
GENERAL 1. Assemble Helicopter Manager Kit.	O		
2. Administer helicopter contracts/agreements in accordance with agency policy: <ul style="list-style-type: none"> • Conduct pre-use inspection of helicopter and fuel service vehicle (if applicable) to ensure compliance with contract/agreement specifications as related to mission required equipment, systems (commo, GPS, AFF, etc...) and operation. Document as per agency policy. • Verify and review required onboard documents for compliance and currency such as: <ul style="list-style-type: none"> ○ Transportation of HazMat Guide ○ DOT exemption ○ Copy of contract or agreement, ○ Helicopter flight manual and aircraft logbook ○ Agency aircraft data card ○ Pilot approval card • Maintain communication with appropriate agency aircraft contracting personnel. • Establish daily work schedules for pilots, mechanics and fuel truck drivers. • Complete daily diary and flight payment documents. • Complete safecomms as needed. • Complete project contractor evaluation and forward to Contracting Officer. 	P		
3. Demonstrate knowledge of agency's aviation safety policies as applicable to duties of the position and tasks within this book : <ul style="list-style-type: none"> • Evaluate project or program using the Risk Management Workbook. • Brief the evaluator as to whether JHA/Risk Management Worksheet or PASP adequately addresses critical system elements and key hazards. • Identify any additional hazards and mitigations not included/or alternate mitigations for the Workbook. 	O		
4. Establish and maintain positive supervisory interpersonal and interagency working relationships.	P		
5. Ensure that: <ul style="list-style-type: none"> • Assigned personnel are in good mental and physical health. • Assigned personnel are motivated to carry out assignments. Morale problems are dealt with immediately. • Fatigue producing conditions on projects are resolved. 	P		

*Code: O = task can be completed in any situation (classroom, simulation, daily job, etc.) P = task must be performed on a project (Resource Project, search & rescue, planned event, Law Enforcement, etc.)

POSITION: RESOURCE HELICOPTER MANAGER

TASK	CODE*	EVALUATION RECORD#	EVALUATOR: Initial & date upon Completion of task
<p>6. Provide for the safety and welfare of assigned personnel during the entire period of the project:</p> <ul style="list-style-type: none"> Recognize potentially hazardous situations and mitigate them. Inform participants of hazards. Ensure that personnel are qualified for assignments or mentored by qualified individuals. Ensure adequate rest and hydration is provided to assigned personnel. 	P		
<p>MOBILIZATION</p> <p>7. Ensure that flight planning, flight-following and resource tracking requirements are met:</p> <ul style="list-style-type: none"> Obtain Resource Order, Flight Request or other mission information. Work with pilot to develop agency and/or FAA flight plans. Obtain appropriate radio frequencies, phone numbers, area maps and known aerial hazard maps for mission. Conduct or ensure that flight following is accomplished at established intervals. 	P		
<p>PROJECT ACTIVITIES</p> <p>8. Provide helicopter and helicopter personnel tactical capabilities to Project supervisor:</p> <ul style="list-style-type: none"> Identify missions that aircraft and pilot are approved to perform; passenger, cargo and longline, etc. Ensure they are suited to the project mission requirements. Identify qualifications and special capabilities of assigned helicopter personnel. Identify helicopter accessories and equipment available in support vehicles or at field camps and order additional equipment if needed. 	P		
<p>9. Conduct preflight and post flight briefings with all involved personnel:</p> <ul style="list-style-type: none"> Review Project Aviation Safety Plan (PASP) prior to each mission. Establish mission objectives, timeframes, reporting locations, travel routes, etc... Identify and discuss performance, safety and/or efficiency problems encountered. Identify adjustments in future operations. 	P		
<p>10. Establish helispots as needed for the project in coordination with the pilot:</p> <ul style="list-style-type: none"> Ensure adequate approach & departure clearance as well as the safety circle in accordance with IHOG minimum requirements for types of helicopters to be utilized. Ensure that IHOG required equipment is available and staged at appropriate locations. 	P		
<p>11. External Load missions are conducted per the requirements within IHOG, Chapter 11 Cargo Transport.</p> <ul style="list-style-type: none"> Coordinate with pilot to ensure sling sites meet minimum requirements. External Load equipment and cargo inspected prior to use Equipment and rigging methods utilized per IHOG chapter 9 and 11 	P		

*Code: O = task can be completed in any situation (classroom, simulation, daily job, etc.) P = task must be performed on a project (Resource Project, search & rescue, planned event, Law Enforcement, etc.)

POSITION: RESOURCE HELICOPTER MANAGER

TASK	CODE*	EVALUATION RECORD#	EVALUATOR: Initial & date upon Completion of task
12. Flight Crew time and scheduling: <ul style="list-style-type: none"> • Continuously monitor and document flight and/or duty hours of pilots, mechanics and/or fuel truck drivers to ensure that agency limitations are not exceeded. • Schedule and manage flight and duty times to meet current and projected work objectives. • Ensure that relief pilots, mechanics, etc. are scheduled and assigned when required. 	P		
13. Ensure that helicopter pilot accurately completes and approves helicopter load calculation: <ul style="list-style-type: none"> • Reflecting current aircraft configuration. • Appropriate flight manual performance charts and environmental conditions. • Flight crew weights, fuel quantity on board. • Elevations at takeoff and landing sites. • In-ground or out-of-ground landing sites. • Density altitude. 	P		
14. Verify that helicopter is maintained to agency contract standards: <ul style="list-style-type: none"> • Review aircraft logbook entries to ensure that scheduled maintenance inspections are completed at required intervals. • Contact agency maintenance specialist during un-scheduled maintenance or major component replacement. • Facilitate return-to-contract availability process. • Inform supervisor/UAM/COR of current or future helicopter maintenance/unavailability. 	P		
15. Ensure that turbine power assurance checks are conducted and documented as required by the procurement document. Contact agency maintenance specialist if trend analysis indicates sub-par engine performance.	P		
16. Ensure helicopter safety policies are adhered to: <ul style="list-style-type: none"> • Confirm that actual helicopter payloads do not exceed the calculated allowable payload. • Appropriate personal protective equipment (PPE) is utilized for all missions. • Ensure crash rescue/response procedures and equipment are established and communicated to all helicopter personnel. • Comply with all requirements in the Interagency Aviation Transport of Hazardous Materials Guide and exemption. • Follow all special mission agency safety requirements. 	P		
17. Receive demobilization instructions. Brief participants, and flight following personnel on demobilization procedures and responsibilities. Ensure that Project and agency demobilization procedures are followed.	P		

*Code: O = task can be completed in any situation (classroom, simulation, daily job, etc.) P = task must be performed on a project (Resource Project, search & rescue, planned event, Law Enforcement, etc.)

INSTRUCTIONS for EVALUATION RECORD

There are four separate blocks allowing multiple evaluations to be made, if required. These evaluations may be made on projects, simulation in classroom, or in daily duties. This should be a sufficient number of forms for qualification if the individual is adequately prepared and opportunities are present. If additional blocks are needed, a page can be copied from a blank Task Sheet and attached.

COMPLETE THESE ITEMS AT THE START OF THE EVALUATION PERIOD:

Evaluator's name, Project/office title, and agency: List the name of the evaluator, his/her project position or office title, and agency.

Evaluator's home unit address and phone: Self-explanatory

#: The number in the upper left corner of the experience block identifies a particular experience or group of experiences. This number should be placed in the column labeled "Evaluation Record #" on the Qualification Record for each task performed satisfactorily.

Location of Project/Simulation: Identify the location where the tasks were performed by agency and office.

Project Kind: Enter kind of project, e.g., animal survey, search and rescue, flood, etc.

COMPLETE THESE ITEMS AT THE END OF THE EVALUATION PERIOD:

Number and Type of Resources: Enter the number of resources and types assigned to the project pertinent to the trainee's Task Sheet position.

Duration: Enter inclusive dates during which the trainee was evaluated. This block may indicate a span of time covering several small and similar Projects if the trainee has been evaluated on that basis, i.e., several initial attack fires in similar fuel types.

Recommendation: Check as appropriate and/or make comments regarding the future needs for development of this trainee.

Date: List the date the record is being completed.

Evaluator's initials: Initial here to authenticate your recommendations and to allow for comparison with initials in the Qualifications Record.

Evaluator's Qualification/rating: List your certification relevant to the trainee position you supervised.

Evaluation Record

TRAINEE NAME/ TRAINEE POSITION _____

#1	Evaluator's name: Project/office title & agency:			
Evaluator's home unit address & phone:				
Name and Location of Project or Simulation (agency & area)	Project Kind (Animal survey, search & rescue, etc.)	Number & Type of Resources Pertinent to Trainee's Position	Duration (inclusive dates in trainee status)	Management Level
			to	
<p>___ The tasks initialed & dated by me have been performed under my supervision in a satisfactory manner by the above named trainee.</p> <p>___ I recommend the following for further development of this trainee.</p> <p>___ The individual has successfully performed all tasks for the position and should be considered for certification.</p> <p>___ The individual was not able to complete certain tasks (comments below) or additional guidance is required.</p> <p>___ Not all tasks were evaluated on this assignment and an additional assignment is needed to complete the evaluation.</p> <p>___ The individual is severely deficient in the performance of tasks for the position and needs further training (both required & knowledge and skills needed) prior to additional assignment(s) as a trainee.</p> <p>Recommendations:</p> 				
Date: _____ Evaluator's initials: _____ Evaluator's Qualification/rating: _____				

#2	Evaluator's name: Project/office title & agency:			
Evaluator's home unit address & phone:				
Name and Location of Project or Simulation (agency & area)	Project Kind (Animal survey, search & rescue, etc.)	Number & Type of Resources Pertinent to Trainee's Position	Duration (inclusive dates in trainee status)	Management Level
			to	
<p>___ The tasks initialed & dated by me have been performed under my supervision in a satisfactory manner by the above named trainee.</p> <p>___ I recommend the following for further development of this trainee.</p> <p>___ The individual has successfully performed all tasks for the position and should be considered for certification.</p> <p>___ The individual was not able to complete certain tasks (comments below) or additional guidance is required.</p> <p>___ Not all tasks were evaluated on this assignment and an additional assignment is needed to complete the evaluation.</p> <p>___ The individual is severely deficient in the performance of tasks for the position and needs further training (both required & knowledge and skills needed) prior to additional assignment(s) as a trainee.</p> <p>Recommendations:</p> 				
Date: _____ Evaluator's initials: _____ Evaluator's Qualification/rating: _____				

Evaluation Record

(Continuation Sheet)

TRAINEE NAME/ TRAINEE POSITION _____

#3	Evaluator's name: Project/office title & agency:			
Evaluator's home unit address & phone:				
Name and Location of Project or Simulation (agency & area)	Project Kind (Animal survey, search & rescue, etc.)	Number & Type of Resources Pertinent to Trainee's Position	Duration (inclusive dates in trainee status)	Management Level
			to	
<p>___ The tasks initialed & dated by me have been performed under my supervision in a satisfactory manner by the above named trainee.</p> <p>___ I recommend the following for further development of this trainee.</p> <p>___ The individual has successfully performed all tasks for the position and should be considered for certification.</p> <p>___ The individual was not able to complete certain tasks (comments below) or additional guidance is required.</p> <p>___ Not all tasks were evaluated on this assignment and an additional assignment is needed to complete the evaluation.</p> <p>___ The individual is severely deficient in the performance of tasks for the position and needs further training (both required & knowledge and skills needed) prior to additional assignment(s) as a trainee.</p> <p>Recommendations:</p>				
Date: _____ Evaluator's initials: _____ Evaluator's Qualification/rating: _____				

#4	Evaluator's name: Project/office title & agency:			
Evaluator's home unit address & phone:				
Name and Location of Project or Simulation (agency & area)	Project Kind (Animal survey, search & rescue, etc.)	Number & Type of Resources Pertinent to Trainee's Position	Duration (inclusive dates in trainee status)	Management Level
			to	
<p>___ The tasks initialed & dated by me have been performed under my supervision in a satisfactory manner by the above named trainee.</p> <p>___ I recommend the following for further development of this trainee.</p> <p>___ The individual has successfully performed all tasks for the position and should be considered for certification.</p> <p>___ The individual was not able to complete certain tasks (comments below) or additional guidance is required.</p> <p>___ Not all tasks were evaluated on this assignment and an additional assignment is needed to complete the evaluation.</p> <p>___ The individual is severely deficient in the performance of tasks for the position and needs further training (both required & knowledge and skills needed) prior to additional assignment(s) as a trainee.</p> <p>Recommendations:</p>				
Date: _____ Evaluator's initials: _____ Evaluator's Qualification/rating: _____				

The following template applies to aviation enhancement requests for programs such as rappel, short-haul and cargo let-down, RADS. Additionally the template should be used for changes in utilization of aviation programs already approved.

The intent of the template is to organize information required by aviation and line managers to make informed decisions.

Published standards have been established to prevent aviation mishaps and to provide a standardized approach to efficient and effective operations. Aviation enhancements have inherent increases of exposure of personnel which require careful scrutiny to ensure the operational gain is worth the risk and that identified hazards are mitigated where possible.

REVIEW AND APPROVALS

Prepared By:	Date:
State Aviation Manager Review:	Date:
National Aviation Office Program Manager Review:	Date:
District Manager/Line Management, Approval:	Date:
State Director, Approval:	Date:
Division Chief Aviation, Approval:	Date:
Background: <i>Provide information pertaining to the program that will undergo enhancement. Include any historic information applicable to past practices and success or other operator's ability to perform the required aviation elements without the BLM restrictions.</i>	
Objectives: <i>These must be clearly stated and achievable with the criteria provided that will be used to measure success and attainment. What is the District trying to accomplish with the enhancement?</i>	
Justification: <i>What benefit accrues to the BLM or the District by granting the enhancement</i>	
Benefit and Risk Analysis: <i>Benefits of the use of the enhancement will be provided along with the analysis of the risks that will be involved. Describe the consequences of use and non-use of the enhancement to BLM policy.</i>	
Benefits	Risks
Consequences for BLM Policy	

9400-1a	BLM Flight Request Form
AAF	Aviation Airport Facilities
ABOD	Aviation Board of Directors
ABS	Forest Service Aviation Business System
ACETA	Aerial Capture Eradication and Tagging of Animals
ACMIS	Acquisition Career Management Information System
ACOR	Alternate COR
AD	Administratively Determined
AFF	Automated Flight Following
AFS	BLM Alaska Fire Service
AGL	Above Ground Level
ALSE	Aviation Life Support Equipment Handbook
AMG	BLM Aviation Management Group
AMOC	Air Marine Operations Center - US Border Patrol
AMS	IBC Aviation Management Systems
AOA	Aircraft Operations Area (AOA)
AQD	Acquisition Services Directorate
AQD-91	Flight Services Request Form
ARA	Aircraft Rental Agreement
ARTCC	Air Route Traffic Control
ASAT	Aviation Safety Assistance Team
ASM	Aerial Supervision Module
ATC	Air Traffic Control
ATGS	Air Tactical Group Supervisor
ATP	Air Tactical Pilot
ATS	Air Tactical Supervisor
AURM	Aircraft Use Report Manager (Fleet)
AV	Exclusive Use Contract Availability
BLM	Bureau of Land Management
BPA	Blanket Purchase Agreement
BVC	Best Value Comparison (Part of AQD-91)
CO	Contracting Officer
COA	Certificate of Authorizations
COR	Contracting Officer's Representative
COTR	Contracting Officer Technical Representative
CFA	Controlled Firing Areas
CWN	Call When Needed
DHS	Department of Homeland Security
DINS	Internet NOTAM Service - DOD
DM	Departmental Manual
DOD	Department Of Defense
DOI	Department of the Interior
EAB	Executive Aviation Board
EAC	Executive Aviation Committee
EASC	Executive Aviation Sub-Committee
EATPL	Emergency Air Traffic Priority List
ESCAT	Emergency Security Control of Air Traffic
ETA	Estimated Time of Arrival
FAA	Federal Aviation Administration
FAIRS	Federal Aviation for Interactive Reporting System
FAO	Forest Aviation Officer
FAR	Federal Acquisition Regulations
FAR	Federal Aviation Regulations
FMO	Fire Management Officer
FOR	Fixed Operating Rate
FPMR	Federal Property Management Regulations
FTA	Fire Traffic Area
FWFM	Fixed Wing Flight Managers
GA	General Aviation
GACC	Geographical Area Coordination Centers
GTR	Government Transportation Request
HB	Handbooks
HOGE	Hover Out of Ground Effect
IAA	Interagency Agreement
IAIG	Interagency Aerial Ignition Guide

IASC	Interagency Airspace Subcommittee
FWFM	Fixed Wing Flight Managers
IASG	Interagency Aerial Supervision Guide
IASS	Interagency Aerial Supervision Subcommittee
IAT	Interagency Aviation Training
IATBOG	Interagency Air Tanker Base Operations Guide
IATS	Interagency Aviation Training Subcommittee
IBC	Interior Business Center
IC	Incident Commander
IES	Illuminating Engineering Society
IFR	Instrument Flight Rules
IHOG	Interagency Helicopter Operations Guide
IHOps	Interagency Helicopters Operations Subcommittee
IHRG	Interagency Helicopter Rappel Guide
IIC	DOI AM Investigator-In-Charge
IPP	Internet Payment Platform
ISOG	Interagency Single Engine Airtanker Operations Guide
ISPOG	Interagency Smokejumper Pilots Operations Guide
IWP	Incident With Potential
LAT	Large Airtanker
LATN	Low Altitude Tactical Navigation Areas
LE	Law Enforcement Operations
LOA	Letter of Understanding
M3	Aviation Management for Supervisors training course
M-410	Facilitative Instructor
MAC	Multi-Agency Coordination
MACAP	Mid Air Collision Avoidance Program
MAP	Mandatory Availability Period
MAFFS	Modular Airborne Fire Fighting System
MOU	Memorandum of Understanding
MSDS	Material Safety Data Sheet
NAO	BLM National Aviation Office
NAP	BLM National Aviation Plan
NIAC	National Interagency Aviation Committee
NIAIS	National Interagency Airspace Information System
NM	Nautical Mile
NORAD	North American Aerospace Defense Command
NOTAM	Notice to Airmen
NTSB	National Transportation Safety Board
NWCG	National Wildfire Coordinating Group
OAS	Office of Aviation Services
OAS-2	Fleet Use Report
OAS-13	Request for Contract Services Form
OAS-16	Pre-Validation of Funds for Contract Award Form
OAS-19	Notice to Proceed Form
OAS-20	Request for Rental Services Form
OAS-23	Aircraft Use Report Form
OAS-110	Travel Cost Analysis Form
OPM	Operational Procedures Memorandums
OSHA	Occupational Safety and Health Administration
PASP	Project Aviation Safety Plan
PI	Project Inspector
PPE	Personal Protective Equipment
QPL	Qualified Products List
RADS	Rope Assisted Deployment
Redbook	Interagency Standards for Fire and Fire Aviation Operations
RMP	Resource Management Plans
ROSS	Resource Ordering and Status System
SAM	BLM State Aviation Manager
SAR	Search and Rescue
SASEB	Smokejumper Aircraft Screening Equipment & Evaluation Board
SEAT	Single Engine Air Tanker
SEMG	Single Engine Air Tanker Manager
SES	Senior Executive Service
SFMO	State Fire Management Officer

SME	Subject Matter Expert
SMS	Safety Management System
SR's	Slow Routes
SUA	Special Use Airspace
TFR	Temporary Flight Restriction
TSA	Transportation Security Administration
UAM	Unit Aviation Manager
UAO	Unit Aviation Officer
UAS	Unmanned Aircraft Systems
USFS	United States Forest Service
VFR	Visual Flight Rules
VLAT	Very Large Airtanker
WFCS	Wildland Fire Chemical Systems
WH&B	Wild Horse and Burro

The following are some additional acronyms found throughout this document.

- **IAA/IGO** Interagency Agreement or Inter-Governmental Order
- **NR** Northern Rockies (geographic area that includes all or part of MT, ID, ND, SD)
- **NRCG** Northern Rockies Coordinating Group

Appendix 14: Aviation Project Flight Planning

Flight Planning Checklist

1. Contact your Unit Aviation Manager to assist with your flight planning at least 4 weeks in advance of your project start date.

- Use Aviation planning worksheet as shown in Attachment F
 - Determining the classification of your flight (Administrative, Mission, or Special Use)
 - Determining what type of aircraft will effectively meet your needs
 - Assign a qualified Flight manager or Project Manager
 - Determine and review all passengers and or crewmembers aviation qualifications

2. Develop a Project Aviation Safety Plan as shown in Attachment G

- Review and complete the Montana Dakotas PASP and attached Risk and Hazard analysis
- Review your Operational Boundary plans
- Review Special Use airspace within your District
 - Military Training routes
 - Military Operating Areas
 - Restricted Areas
- Review Flight following and Communications
- Crash and Rescue Plans

3. Have your a Project Aviation Safety Plan reviewed and approved

- You're Project Manager
- Line Manager
- District Office Manager
- Unit Aviation Manager

4. Pre-Flight Briefing

- Review flight plan with pilot, flight manager and crewmembers with UAM /Dispatcher.
- Review Pre-flight safety briefing and UAM, Pilot, flight manager and passengers/crewmembers
- Pre-taxi Radio Check-in
 - Establish Radio contact with your Aviation dispatcher/Radio Operator.
 - Confirm type of dispatching you intend use.
 - Radio or automatic flight following. (AFF).
 - Provide number of persons on aircraft.
 - Hours of fuel on board.
 - Heading to destination or project area.
 - Type of Flight following. Radio or AFF.

5. Post-Flight De-briefing

- Review activities of the day with pilot, flight manager, crewmembers, dispatcher and UAM and discuss and mitigate any issues that occurred during the flight.
 - Review Flight activities scheduled for the next flight.

Aviation Project Planning Worksheet

PROJECT PLANNING WORKSHEET



Project Name:

Description of Project:

Project Timetable:

Project Organization:

Management

District / Field Office Manager -
Line Officers -
Fire Management Officer -

Project Oversight

Project Manager -
Unit Aviation Manager -
Dispatcher -
Chief of Party -
Project participants -

Administration & Procurement

Billee code -
Charge code -

Aircraft Information

Aircraft type -
Pilot's name -
Aircraft ground support driver -

Operational Procedures

Description:
Airspace De-confliction

Description:

Communications

Description:

Radio Frequencies

Primary Flight Following Frequency

TX: RX:
TX: RX:

Air-guard – For Emergency Use Only

TX: 168.6250N, Tone: 110.9 RX: 168.6250N

Air to Ground Frequency to Ground Contacts

TX: RX:
TX: RX:

Flight Following Instructions

Departure –
En Route –
Deviations in a flight plan -
Closing of flight plan End -
Key Points –

Project Maps

Description: + (Attachments)

Review and approval Process:

Description:

Project Aviation Safety Plan



Montana/Dakotas

Project Aviation Safety Plan (PASP)

- 1) Project Summary
- 2) Review & Approval
- 3) Directions & Notes
- 4) Project Overview
- 5) Project Personnel
- 6) Project Information
- 7) Airports/Landing Zones
- 8) Flight Following/Tracking
- 9) Radio Frequencies
- 10) Passenger/Cargo Manifest
- 11) Airspace
- 12) Special Instructions
- 13) Risk Management
- 14) PASP Attachments

01 ► PROJECT SUMMARY

PROJECT NAME:

HOSTING UNIT:

PROJECT LOCATION:

ANTICIPATED PROJECT DATES:

Reoccurring Flights

Held Periodically:

FINAL RISK ASSESSMENT:

Low Complexity:

Moderate Complexity:

High Complexity:

02 ► REVIEW & APPROVAL

SIGNATURE

PRINTED / TYPED NAME

DATE OF SIGNATURE

P.A.S.P. *PREPARED* By:

Project Manager:

Month / Day / Year:

P.A.S.P. *REVIEWED* By:

District Unit Aviation Manager:

Month / Day / Year:

P.A.S.P. *REVIEWED* By:

Line Manager / Program Lead:

Month / Day / Year:

P.A.S.P. *REVIEWED** By:

MT/DAK State Aviation Manager*:

Month / Day / Year:

P.A.S.P. *APPROVED* By:

District / Field Office Manager:

Month / Day / Year:

03 ► DIRECTIONS & NOTES

* BLM State Aviation Manager is required to review plans of high complexity only (optional lower complexity).

Contact your Unit Aviation Manager (UAM) for briefing, mission planning assistance, and P.A.S.P. development.

Reference your Unit / State Aviation Plans (SAP) for additional information and forms.

Complete each section and expand areas as needed. Insert page breaks at new sections indicated by black bars.

This PASP should include all attachments prior to being distributed for review and approval.

The original approved PASP and worksheets will be retained on file at the dispatch office.

Participating personnel must verify that they have the required training for the mission.

Special Notes:

04 ▶ PROJECT OVERVIEW

NARRATIVE / PROJECT DESCRIPTION / MISSION OBJECTIVES / AGENDA / ITINERARY:

05 ▶ PROJECT PERSONNEL

POSITION	NAME	AGENCY	CONTACT / PHONE	QUALIFICATION/TRAINING
PROJECT MANAGER				
ALT. PROJECT MANAGER				
PROJECT PARTICIPANT(S)				
UNIT AVIATION MANAGER				
AIRCRAFT MANAGER				
AIRCREW				

MEMBER(S)					
VENDOR (If Known)					
06 ► PROJECT INFORMATION					
FLIGHT REQUEST:	9400-1a Form Completed and Filed With Dispatch: <input type="checkbox"/>		FLIGHT PLANNING:	Collaboration with UAM and Dispatch on Project/Mission: <input type="checkbox"/>	
AIRCRAFT FLIGHT JUSTIFICATION:	[Reason for aircraft use]:				
FLIGHT CATEGORY:	Point-to-Point: > 500' AGL <input type="checkbox"/>	Mission: > 500' AGL <input type="checkbox"/>	Mission: < 500' AGL <input type="checkbox"/>	Mission: Special Use <input type="checkbox"/>	
1) MISSION TYPE 2) AIRCRAFT TYPE 3) REQUIREMENTS a) Performance b) Equipment c) Capabilities					
INTERAGENCY AGREEMENT #	F.B.M.S. TASK ORDER/ PURCHASE REQUEST #		MANAGEMENT / CHARGE CODE (Cost Center; Functional Area; Program Element; WBS)		
ANTICIPATED COST ITEMS	INVOICE CODE	UNIT / DIVISION START / STOP	DAILY OR HOURLY RATE	ANTICIPATED DAYS / HOURS	ESTIMATED ITEM COST
DAILY / HR. AVAILABILITY					
FLIGHT TIME					
PILOT STANDBY					
ADDITIONAL CREW STANDBY					
SERVICE MILES					
R.O.N. / PER DIEM					
SPECIAL CHARGES					
BILLEE CODE:		FLIGHT INVOICING:	AMD-23E via AMS	PROJECTED TOTAL COSTS :	
PROJECT CONSTRAINTS:					
POTENTIAL CONTRACTOR / VENDOR / COMPANY NAME	CONTACT OR PILOT NAME AND PHONE #		AIRCRAFT MAKE / MODEL	AIRCRAFT N #	

DISCUSS DECONFLICTION OR ACTIVATION OF BOUNDARY PLAN IF PROJECT IS WITHIN 5 MILES OF NEIGHBORING AGENCY/BORDER:

AIRSPACE NOTES:

12 ▶ SPECIAL INSTRUCTIONS

DISCUSS DUTIES / RESPONSIBILITIES / REQUIRED PPE or ALSE / TAILORING SURVIVAL GEAR / SPECIAL FLIGHT OPERATIONS / SPECIAL GROUND OPERATIONS / APPLICABLE AGREEMENTS / PROJECT CONTINGENCIES / ETC.

13 ▶ RISK MANAGEMENT (RM)

START ▶ Obtain: Risk Assessment (RA) Form HJA-6; Agency RA Workbook & previously filed RA's; GAR model Risk Assessment Matrix Tool (ref. IHOG).

1) IDENTIFY HAZARDS ▶ List known and potential hazards that could be encountered during the project (consider 4-M's & list below). Group into categories.

2) ASSESS HAZARDS ▶ Evaluate severity (effect) & likelihood (probability) of encountering listed hazards. Quantify by determining the *initial* risk (outcome) level.

3) DEVELOP CONTROLS ▶ Identify methods of risk reduction that would eliminate, reduce, avoid, spread or transfer exposure to listed hazards;

4) RE-ASSESS RISK ▶ Assess <i>residual risk/impact</i> of encountering each hazard with mitigations in place to eliminate or reduce/control exposure;	<input type="checkbox"/>	5) MAKE DECISION ▶ Share accountability and have final Go/No-Go decision made at appropriate level (i.e. line manager). Benefits clearly outweigh risks.	<input type="checkbox"/>	
6) IMPLEMENT CONTROLS ▶ Ensure risk controls are made known, implemented, and utilized. Evaluate effectiveness of controls to reduce hazard exposure.	<input type="checkbox"/>	7) SUPERVISE & EVALUATE ▶ Have RA signed and indicated risk level on page 1. Monitor and adjust to changes in real time. Request & evaluate feedback.	<input type="checkbox"/>	
HAZARD TOPIC	CONSIDERATIONS		YES	NO
NECESSITY	Is use of aircraft the most efficient and cost effective means to complete the project? Is there an alternative method to accomplish the mission more safely?			
PLANNING	Has adequate time and resources been afforded to plan and prepare for mission? Do managers and/or participants feel pressured, rushed, or inexperienced?			
MISSION TYPE	Does the project require unique procedures, timing, or flight profiles? Will mission permits, authorizations, permissions, approvals, or agreements be required?			
MISSION PROFILE	Can the project objectives be met by flying at 500' AGL or above? Will the project need to incorporate special use policies and procedures?			
PROJECT CONSTRAINTS	Have required mission timelines, deadlines, or parameters been identified? Have "What If's" been considered and are alternate methods & dates available?			
STAFFING	Are there enough personnel and resources to accomplish the mission safely? Are alternate qualified personnel available to fill in for last minute cancellations?			
TRAINING	Are all project participants trained and qualified for their position/duties? Do unique procedures require specialized training, qualifications, or proficiency?			
EQUIPMENT	Will the project require use of hand held radios, specialized equipment or HAZMAT? Is PPE, ALSE, & Survival Gear available and prepared/tailored for mission?			
LOGISTICS	Will facilities, vehicles, equipment/supplies, & provisions provide adequate support? Have adequate security or eating/lodging facility concerns been addressed?			
AIRCRAFT	Will the mission require any special aircraft configuration or carding? Will the aircraft capabilities and limitations provide for a margin of safety?			
VENDOR	Is the contractor pilot carded and experienced in performing this mission? Are project activities expected to approach pilot flight/duty limitations?			
NOTIFICATIONS	Will all local and pertinent area staff and trainees be notified of the project activity? Have neighboring agencies been notified of boundary activity?			
AIRSPACE	Are aerial hazards, obstructions or aircraft activities in the project area known? Has the project been scheduled to deconflict with military activity?			
WEATHER (Wx)	Have Wx effects (precipitation, temperature, wind, visibility, etc.) been considered? Can/should the project be completed operating at VFR minimums?			
ENVIRONMENT	Effects of terrain, location, altitude, congestion, interface/media, etc. were considered? Have project site(s) been assessed for hazards and needed improvements?			
TAKEOFF AND LANDING ZONES	Will identified takeoff/landing zones (LZ's) & helispots meet minimum standards? Have sites been visited to identify concerns (i.e. FOD; runway limitations; etc.)?			
COMMUNICATIONS	Will terrain, obstructions, or distances make flight following difficult? Are back up communications able to contact Dispatch from the project site?			
SAFETY	Have the 4 -M's, as well as the 4 pillars within the agency SMS been considered? Is a qualified and experienced Aircraft Flight Manager assigned?			
PROJECT SCHEDULE	Is adequate time allotted for inspection, orientation, & pre/post briefings? Have contingency plans been addressed should the mission be postponed/curtailed?			
SPECIAL CONCERNS	Is local Mishap Response Plan current and personnel familiar with protocols? Are all hazards/concerns/mitigations addressed in signed Risk Assessment?			

14 ▶ PASP ATTACHMENTS

The following attachments, if applicable, are incorporated as integral to this P.A.S.P.

	<p>▶ INITIAL or SUPPLEMENTAL FLIGHT REQUEST (9400-1a).</p> <p>Discussion:</p>
	<p>▶ BEST VALUE DETERMINATION (BVD) and COST ANALYSIS (AMD-110).</p> <p>Discussion:</p>
	<p>▶ AIRCRAFT PURCHASE REQUEST (AQD-91) and INTERAGENCY AGREEMENT (IAA).</p> <p>Discussion:</p>
	<p>▶ PROJECT MAP(S).</p> <p>Discussion:</p>
	<p>▶ SIGNED RISK ASSESSMENT (HJA-6).</p> <p>Discussion:</p>
	<p>▶ WEATHER FORECAST FOR DAY(S) OF PROJECT.</p> <p>Discussion:</p>
	<p>▶ LOAD CALCULATION (OAS-67) or WEIGHT & BALANCE FOR DAY(S) OF PROJECT.</p> <p>Discussion:</p>
	<p>▶ ADDITIONAL MANIFEST (OF-252) IF NEEDED.</p> <p>Discussion:</p>
	<p>▶ MATERIAL SAFETY DATA SHEET (MSDS) FOR HAZMAT</p> <p>Discussion:</p>
	<p>▶ AVIATION PROJECT REMINDERS / CHECKLIST (Optional).</p> <p>Discussion:</p>
	<p>▶ BRIEFING ATTENDEES SIGNATURE PAGE.</p> <p>Discussion:</p>
	<p>▶ FLIGHT USE INVOICE (AMD-23E) AT COMPLETION OF PROJECT.</p> <p>Discussion:</p>
	<p>▶ SAFECOM IF APPLICABLE.</p> <p>Discussion:</p>
	<p>▶ OTHER (LIST)</p> <p>Discussion:</p>

ATTACHMENT ► AVIATION PROJECT REMINDERS / CHECKLIST

MISSION PLANNING		YES	NO	MISSION PLANNING		YES	NO
Unit/SAP flight planning checklist reviewed, worksheet completed; UAM & Dispatch consulted;				Flight Request (9400-1a), PR & BVD (OAS-91), Cost Analysis (AMD-110), & IAA are completed;			
Consider: priorities; routes; fuel; ground support; read file/LL; implementation; EMS; contingency;				Contract Administration & Special-Use Mission policies & procedures reviewed; COR contacted;			
All project personnel have completed required training and are currently qualified for positions;				Aircraft Manager, Project Assistant(s), Aircrew Member(s) and Vendor assigned & confirmed;			
Applicable authorizations, agreements, & MOU's identified, obtained, reviewed, and current;				Additional flight planning (i.e. AMD-110/solicitor approval, etc.) completed for SES flights;			
Risk Assessment (HJA-6) completed, signed, & attached to PASP; Benefits outweigh risk;				PASP and applicable attachments are complete, signed/approved, copied, and distributed;			
MISSION PREPARATION		YES	NO	MISSION PREPARATION		YES	NO
Project site & LZ's visited; Capacities & hazards identified; Improvements/mitigations completed;				Maintenance & base/support facilities set-up & open/operational; Security measures appropriate;			
Needed logistics/services obtained: equipment; supplies; PPE; ALSE; vehicles; fuel; provisions;				Notams & airspace activity identified, scheduled, & deconflicted; Enact boundary plan as applicable;			
Intelligence available; Wx forecast favorable; Go/No-Go Decision made at appropriate level;				Equipment, aircraft and overhead resources ordered with Dispatch, mobilized, and tracked;			
PRE-FLIGHT ACTIVITIES		YES	NO	PRE-FLIGHT ACTIVITIES		YES	NO
Pilot/vendor completes daily aircraft pre-flight inspection, flight planning, and log entrees;				Flight plan initiated or flight following provided during ferry/mobilization to project site;			
Aircraft Manager inspects aircraft, pilot, vehicle, equipment, & logs; Mission carding current;				Aircraft Manager provides agency orientational briefing to vendor; Gov't property issued if needed;			
Wx Forecast, area Flight Hazard Map, RA reviewed; Communications checked/verified;				Aircraft Manager obtains start Hobbs, weight & balance/load calculations of aircraft from pilot;			
All PAX/cargo/HAZMAT accurately weighted, manifested, properly packaged & secured;				Hardware/equipment tested; Survival Kit & PPE/ ALSE tailored for mission/environment;			
All project personnel attend project briefing-review, discuss, sign PASP w/attachments;				All personnel & trainees know & understand their project positions/duties/responsibilities;			
Pilot and/or aircrew conduct pre-flight safety briefing at aircraft with all passengers;				Utilize forms, checklists & job aids as available; Provide leadership, supervision, & oversight;			
DURING FLIGHT ACTIVITIES		YES	NO	DURING FLIGHT ACTIVITIES		YES	NO
Promote: sterile cockpit & CRM protocols; policy compliance; see-and-avoid vigilance; SA; ASHE; rapid RA; safe flight profile; HRO & core values;				Utilize clear text radio communication; Relay: Tail #...Off Of...Enroute To...ETE/ETA...SOB... Hrs. Fuel...Heading...Request Flight Following;			
Conduct orientation flight if needed; Download first trip to LZ; Avoid deviations & additional risk;				High level recon before low level flight; Limit hazard exposure; Pilot has final authority;			
Aircraft Manager visits & approves helispots; LZ's have dust abatement, wind indicators, etc.;				Monitor mission effectiveness & efficiency; Report progress; Curtail for safety concerns;			
Monitor changes in: communications; equipment; status; procedure; Wx; location; altitude; aircraft performance; allowables; clearances; traffic; PPE;				Monitor human factors: perception; attention/SA; confusion; distraction: fixation; urgency; stress; fatigue; health; impairment; hazardous attitudes;			
Confirm: deviations; FF hand-offs; landings; ground contact; time to next departure; close-out;				Report overdue/missing aircraft or mishaps to Dispatch to initiate S&R or Mishap Response;			
POST FLIGHT ACTIVITIES		YES	NO	POST FLIGHT ACTIVITIES		YES	NO
Facilitate project debriefing/After-Action Review; Garner feedback; Implement ongoing project changes or improvements; Report findings;				Complete, sign, copy & submit paperwork: diaries; duty logs; flight use invoices; FBMS expenditures; program & contract administration forms/records;			
Have agency inspector return aircraft to contract availability after maintenance work if applicable;				Complete contractor eval. (AMD-136); Retrieve gov't. issued property; Submit SAFECOM if aplic.;			
Release resources from project; Dispatch tracks				FAA Flight Plan or agency flight following			

demobilization, return to station, & release;			provided for demobilization/return ferry to base;		
Project close out; Finish & submit task books, funding obligations, project paperwork & reports;			SPECIAL NOTES:		

ATTACHMENT ► BRIEFING ATTENDEES SIGNATURE PAGE

Copy, utilize, and attach this page for each day a project briefing is held. Have all attendees sign to indicate they attended the project briefing and that the contents of the PASP were reviewed with them.

PROJECT NAME / ACTIVITY:	
BRIEFING DAY / DATE:	
BRIEFING LOCATION:	
BRIEFING LED BY:	
BRIEFING ATTENDED BY:	