

Clover Mountains Wilderness

Legal Boundary Description

The boundary of the Clover Mountains Wilderness established in the "Lincoln County Conservation, Recreation, and Development Act of 2004", Public Law No. 108-424, dated November 30, 2004, Bureau of Land Management serial No. 79847, is located in Township 5 South, Range 67 East; Townships 6 South, Ranges 67, 68, and 69 East, Townships 7 South, Ranges 67, 68, 69, and 70 East and Townships 8 South, Ranges 67, 68, and 69 East, Mount Diablo Meridian, Lincoln County, in the State of Nevada, and is more particularly described as follows:

1. BEGINNING at the corner of Tps. 5 and 6 S., Rs. 67 and 68 E., thence easterly, a distance of approximately 0.25 miles, on the line between sections 6 and 31, on the south boundary of T. 5 S., R. 68 E., to a point on said line, at approximate latitude 37°27'45" North, longitude 114°25'40" West;
2. thence easterly, a distance of approximately 0.5 miles, to the base of right bank of a wash, course easterly, at approximate latitude 37°27'40" North, longitude 114°25'09" West;
3. thence easterly turning southeasterly, a distance of approximately 0.7 miles, along the base of right bank of the wash, course easterly and southeasterly, to a point on said base, located near the confluence with a second wash, course northeasterly, at approximate latitude 37°27'32" North, longitude 114°24'25" West;
4. thence southeasterly, a distance of approximately 0.4 miles, to a knoll, at approximate latitude 37°27'17" North, longitude 114°24'10" West;
5. thence southerly, a distance of approximately 0.3 miles, to the summit of a ridge, bears northwesterly and southeasterly, at approximate latitude 37°27'00" North, longitude 114°24'04" West;
6. thence southeasterly, a distance of approximately 0.2 miles, along the summit of ridge to a knoll, at approximate elevation of 6,112 feet and approximate latitude 37°26'53" North, longitude 114°23'51" West;
7. thence southeasterly, a distance of approximately 0.15 miles, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northerly of the northerly edge of an unimproved road, bears westerly and southeasterly, at observed latitude 37°26'46.876" North, longitude 114°23'43.441" West;
8. thence westerly, a distance of approximately 0.25 miles, on a line parallel with and 100 feet northerly of the northerly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 15 inches in the ground to solid rock, over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked CMW N79847 2011 and a line

indicating the direction of the boundary, at a point on said line, at observed latitude 37°26'49.027" North, longitude 114°23'58.449" West;

9. thence S. 39°16'20" W., a distance of 210.0 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 12 inches in the ground to solid rock, over a plastic-encased magnet, and in a mound of stone, 4 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southerly of the southerly edge of an unimproved road, bears easterly and westerly, at observed latitude 37°26'47.419" North, longitude 114°24'0.098" West;
10. thence easterly turning southeasterly, a distance of approximately 0.4 miles, on a line parallel with and 100 feet southerly and southwesterly of the southerly and southwesterly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on said line and at the base of the left bank of a wash, course northeasterly, at observed latitude 37°26'39.857" North, longitude 114°23'41.723" West;
11. thence southwesterly, a distance of approximately 0.1 mile, along the base of left bank of the wash, course northeasterly, to a point on said base, at approximate latitude 37°26'35" North, longitude 114°23'47" West;
12. thence southeasterly, a distance of approximately 0.2 miles, to the base of right bank of a wash, course southeasterly, at approximate latitude 37°26'26" North, longitude 114°23'43" West;
13. thence southeasterly turning easterly, a distance of approximately 0.3 miles, along the base of right bank of the wash, course southeasterly and easterly, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 20 inches in the ground over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on said base, at observed latitude 37°26'22.311" North, longitude 114°23'24.524" West;
14. thence southerly, a distance of approximately 0.2 miles, to the saddle of a ridge, bears northwesterly and southeasterly, at approximate latitude 37°26'11" North, longitude 114°23'26" West;
15. thence southwesterly, a distance of approximately 0.1 mile, to the base of right bank of a wash, course southerly, at approximate latitude 37°26'08" North, longitude 114°23'30" West;
16. thence southerly, a distance of approximately 1.7 miles, along the base of right bank of the wash, course southerly, to the base of left bank of Fife Canyon, course southwesterly, and located near the confluence of the wash and Fife Canyon, at approximate latitude 37°24'49" North, longitude 114°23'23" West;

17. thence southeasterly, a distance of approximately 200 feet, to the base of left bank of Fife Canyon, course southwesterly, at approximate latitude 37°24'48" North, longitude 114°23'21" West;
18. thence northeasterly, a distance of approximately 2.3 miles, along the base of left bank of Fife Canyon, course southwesterly, to a point on said base, at observed latitude 37°25'23" North, longitude 114°21'12" West;
19. thence easterly, a distance of approximately 700 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 18 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on a spur, slopes northerly, at observed latitude 37°25'24.347" North, longitude 114°21'05.163" West;
20. thence northeasterly, a distance of approximately 500 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southeasterly of the southeasterly edge of an unimproved road, at observed latitude 37°25'30.331" North, longitude 114°21'01.756" West;
21. thence northeasterly, a distance of approximately 1.1 miles, on a line parallel with and 100 feet southeasterly of the southeasterly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southwesterly of the southwesterly edge of a second unimproved road, bears northwesterly and southeasterly, at observed latitude 37°26'05.378" North, longitude 114°20'13.112" West;
22. thence southeasterly, a distance of approximately 1.7 miles, on a line parallel with and 100 feet southwesterly of the southwesterly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 16 inches in the ground over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northwesterly of the northwesterly edge of an unimproved road, bears northeasterly and southwesterly, located near the junction of the two unimproved roads, at observed latitude 37°25'01.580" North, longitude 114°19'03.225" West;
23. thence southwesterly turning southeasterly, a distance of approximately 0.7 miles, on a line parallel with and 100 feet northwesterly and southwesterly of the northwesterly and southwesterly edge of an improved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the

ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on said line, at observed latitude 37°24'31.393" North, longitude 114°18'44.892" West;

24. thence southeasterly, a distance of approximately 0.2 miles, to a knoll, at approximate elevation of 6,262 feet and approximate latitude 37°24'24" North, longitude 114°18'37" West;
25. thence southeasterly, a distance of approximately 0.6 miles, to a knoll, at approximate elevation of 6,352 feet and approximate latitude 37°24'00" North, longitude 114°18'16" West;
26. thence southeasterly, a distance of approximately 0.5 miles, to the base of left bank of a wash, course northerly, at approximate latitude 37°23'42" North, longitude 114°17'51" West;
27. thence southerly, a distance of approximately 1.4 miles, along the base of left bank of the wash, course northerly to the saddle of a ridge, bears easterly and westerly, at approximate latitude 37°22'37" North, longitude 114°17'20" West;
28. thence southeasterly, a distance of approximately 0.4 miles, to a knoll, at approximate elevation of 6,732 feet and approximate latitude 37°22'24" North, longitude 114°16'57" West;
29. thence northeasterly, a distance of approximately 0.3 miles, to the base of right bank of Sheep Canyon, course northerly, located near the confluence of Sheep Canyon and a wash, course northeasterly, at approximate latitude 37°22'31" North, longitude 114°16'38" West;
30. thence northerly, a distance of approximately 1.4 miles, along the base of right bank of Sheep Canyon, course northerly, to a point on said base, at approximate latitude 37°23'39" North, longitude 114°16'44" West;
31. thence northeasterly, a distance of approximately 250 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet easterly of the easterly edge of an unimproved road, at observed latitude 37°23'40.500" North, longitude 114°16'42.462" West;
32. thence northerly, a distance of approximately 0.1 mile, along a line parallel with and 100 feet easterly of the easterly edge of the unimproved road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on said line, at observed latitude 37°23'48.165" North, longitude 114°16'41.053" West;
33. thence southeasterly, a distance of approximately 1.1 miles, to the base of left bank of Tanks Canyon, course northeasterly, at

approximate latitude 37°23'22" North, longitude 114°15'38" West;

34. thence southwesterly, a distance of approximately 0.5 miles, along the base of left bank of Tanks Canyon, course northeasterly, on said base, at approximate latitude 37°23'02" North, longitude 114°15'53" West;
35. thence southeasterly, a distance of approximately 0.25 miles, to a knoll, at approximate latitude 37°22'55" North, longitude 114°15'38" West;
36. thence southeasterly, a distance of approximately 0.6 miles, to the corner of sections 2, 3, 34, and 35, on the south boundary of T. 6 S., R. 69 E.;
37. thence easterly, a distance of approximately 0.4 miles, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on a spur, slopes northerly, at observed latitude 37°22'34.484" North, longitude 114°14'37.837" West;
38. thence S. 26°03'00" E., a distance of 595.2 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at observed latitude 37°22'29.199" North, longitude 114°14'34.600" West;
39. thence N. 55°37'10" E., a distance of 666.7 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet of the southwesterly edge of a jeep trail, bears northwesterly and southeasterly, at observed latitude 37°22'32.920" North, longitude 114°14'27.785" West;
40. thence southeasterly turning northeasterly, a distance of approximately 0.9 miles, on a line parallel with and 100 feet southwesterly and southeasterly of the southwesterly and southeasterly edge of jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southwesterly of the southwesterly edge of East Pass Canyon road, at observed latitude 37°22'30.253" North, longitude 114°13'45.684" West;
41. thence southeasterly, a distance of approximately 1.1 miles, on a line parallel with and 100 feet southwesterly of the southwesterly edge of East Pass Canyon road to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, marked CMW N79847 2011 and a line indicating the direction of the boundary, on said line, at observed latitude 37°21'58.911" North, longitude 114°12'54.926"

West;

42. thence S. 28°25'50" W., a distance of 373.6 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 18 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at observed latitude 37°21'55.663" North, longitude 114°12'57.129" West;
43. thence S. 75°03'20" E., a distance of 286.3 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 20 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at observed latitude 37°21'54.934" North, longitude 114°12'53.704" West;
44. thence N. 80°37'30" E., a distance of 245.8 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 18 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southwesterly of the southwesterly edge of a jeep trail in East Pass wash, at observed latitude 37°21'55.329" North, longitude 114°12'50.701" West;
45. thence S. 25°16'50" E., a distance of 1,362.8 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet southwesterly of the southwesterly edge of a jeep trail in East Pass wash, at observed latitude 37°21'43.149" North, longitude 114°12'43.494" West;
46. thence southeasterly, a distance of approximately 1.3 miles, on a line parallel with and 100 feet southwesterly of the southwesterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on said line, at observed latitude 37°20'47.975" North, longitude 114°11'57.367" West;
47. thence southwesterly, a distance of approximately 1.1 miles, to a knoll, at approximate elevation of 6,084 feet and approximate latitude 37°20'33" North, longitude 114°13'07" West;
48. thence southwesterly, a distance of approximately 0.9 miles, to a knoll, at approximate latitude 37°20'21" North, longitude 114°14'03" West;
49. thence westerly, a distance of approximately 0.4 miles, to a knoll, at approximate elevation of 6,378 feet and approximate latitude 37°20'21" North, longitude 114°14'28" West;

50. thence westerly, a distance of approximately 0.4 miles, to a knoll, at approximate latitude 37°20'20" North, longitude 114°14'57" West;
51. thence southwesterly, a distance of approximately 0.5 miles, to a knoll, at approximate elevation of 5,945 feet and approximate latitude 37°20'05" North, longitude 114°15'26" West;
52. thence southeasterly, a distance of approximately 0.2 miles, to a knoll, at approximate latitude 37°19'56" North, longitude 114°15'16" West;
53. thence southerly, a distance of approximately 0.3 miles, to a knoll, at approximate elevation of 5,955 feet and approximate latitude 37°19'40" North, longitude 114°15'17" West;
54. thence southwesterly, a distance of approximately 0.25 miles, to a knoll, at approximate latitude 37°19'31" North, longitude 114°15'30" West;
55. thence southwesterly, a distance of approximately 0.45 miles, to a knoll, at approximate latitude 37°19'19" North, longitude 114°15'55" West;
56. thence southwesterly, a distance of approximately 0.2 miles, to a knoll, at approximate elevation of 5,568 feet and approximate latitude 37°19'11" North, longitude 114°16'05" West;
57. thence southwesterly, a distance of approximately 0.3 miles, to a knoll, at approximate latitude 37°18'56" North, longitude 114°16'13" West;
58. thence southeasterly, a distance of approximately 0.5 miles, to a knoll, at approximate elevation of 5,615 feet and approximate latitude 37°18'29" North, longitude 114°16'03" West;
59. thence southwesterly, a distance of approximately 0.4 miles, to a knoll, at approximate elevation of 5,654 feet and approximate latitude 37°18'09" North, longitude 114°16'15" West;
60. thence southeasterly, a distance of approximately 0.4 miles, to a knoll, at approximate latitude 37°17'51" North, longitude 114°15'57" West;
61. thence southeasterly, a distance of approximately 0.15 miles, to a knoll, at approximate latitude 37°17'43" North, longitude 114°15'52" West;
62. thence southwesterly, a distance of approximately 0.6 miles, to a knoll, at approximate latitude 37°17'27" North, longitude 114°16'24" West;
63. thence northwesterly, a distance of approximately 1.0 mile, to a knoll, at approximate elevation of 5,838 feet and approximate latitude 37°17'51" North, longitude 114°17'22" West;

64. thence southwesterly, a distance of approximately 0.5 miles, to a knoll, at approximate elevation of 5,272 feet and approximate latitude 37°17'31" North, longitude 114°17'42" West;
65. thence southwesterly, a distance of approximately 0.3 miles, to a knoll, at approximate latitude 37°17'22" North, longitude 114°17'58" West;
66. thence southwesterly, a distance of approximately 0.25 miles, to a knoll, at approximate latitude 37°17'18" North, longitude 114°18'13" West;
67. thence southerly, a distance of approximately 0.3 miles, to a knoll, at approximate latitude 37°17'02" North, longitude 114°18'15" West;
68. thence southerly, a distance of approximately 0.3 miles, to a knoll, at approximate latitude 37°16'47" North, longitude 114°18'21" West;
69. thence southwesterly, a distance of approximately 0.25 miles, to a knoll, at approximate elevation of 5,070 feet and approximate latitude 37°16'38" North, longitude 114°18'32" West;
70. thence southwesterly, a distance of approximately 0.2 miles, to the base of right bank of a wash, course southeasterly, located near the confluence with a second wash, course easterly, at approximate latitude 37°16'31" North, longitude 114°18'45" West;
71. thence northwesterly, a distance of approximately 0.5 miles, along the base of right bank of the wash, course southeasterly, to a point on said base, near the confluence of two washes, courses southeasterly and easterly, at approximate latitude 37°16'48" North, longitude 114°19'05" West;
72. thence westerly, a distance of approximately 0.2 miles, along the base of right bank of the wash, course easterly, to a point on said base, at approximate latitude 37°16'49" North, longitude 114°19'16" West;
73. thence southerly, a distance of approximately 0.3 miles, to a spur, slopes southeasterly, at approximate latitude 37°16'33" North, longitude 114°19'26" West;
74. thence southerly, a distance of approximately 0.6 miles, to the base of left bank of a wash, course easterly, at approximate latitude 37°16'10" North, longitude 114°19'53" West;
75. thence westerly, a distance of approximately 0.2 miles, along the base of left bank of the wash, course easterly, to a point on said base, at approximate latitude 37°16'08" North, longitude 114°20'07" West;
76. thence northwesterly, a distance of approximately 0.2 miles, to a knoll, at approximate latitude 37°16'18" North, longitude 114°20'15" West;

77. thence northwesterly, a distance of approximately 0.25 miles, to a knoll, at approximate latitude 37°16'24" North, longitude 114°20'29" West;
78. thence northwesterly, a distance of approximately 0.5 miles, to a knoll, at approximate elevation of 5,365 feet and approximate latitude 37°16'46" North, longitude 114°20'47" West;
79. thence westerly, a distance of approximately 0.1 mile, to a knoll, at approximate latitude 37°16'46" North, longitude 114°20'54" West;
80. thence northwesterly, a distance of approximately 0.4 miles, to a knoll, at approximate latitude 37°17'00" North, longitude 114°21'16" West;
81. thence westerly, a distance of approximately 0.15 miles, to a knoll, at approximate latitude 37°17'00" North, longitude 114°21'26" West;
82. thence westerly, a distance of approximately 0.1 mile, to the base of right bank of a wash, course northwesterly, located near the confluence with a second wash, course southwesterly, at approximate latitude 37°17'01" North, longitude 114°21'31" West;
83. thence northwesterly turning westerly, a distance of approximately 1.8 miles, along the base of right bank of the wash, course northwesterly and westerly, to a point on said base, at approximate latitude 37°16'49" North, longitude 114°23'03" West;
84. thence northwesterly, a distance of approximately 0.1 mile, to a knoll, at approximate elevation of 4,671 feet and approximate latitude 37°16'53" North, longitude 114°23'10" West;
85. thence westerly, a distance of approximately 0.4 miles, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet northerly of the northerly edge of a jeep trail, bears easterly and westerly, at observed latitude 37°16'49.916" North, longitude 114°23'33.755" West;
86. thence westerly, a distance of approximately 4.7 miles, on a line parallel with and 100 feet northerly of the northerly edge of jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet easterly of the easterly edge of an unimproved road, bears northerly and southerly, at observed latitude 37°15'34.958" North, longitude 114°27'54.187" West;

87. thence northerly, a distance of approximately 0.2 miles, on a line parallel with and 100 feet easterly of the easterly edge of the unimproved road, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 20 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on said line and at base of rock cliff, at observed latitude 37°15'44.118" North, longitude 114°27'57.711" West;
88. thence northwesterly turning northeasterly, a distance of approximately 0.9 miles, along the base of the rock cliff to the base of left bank of a wash, course southwesterly, at approximate latitude 37°16'22" North, longitude 114°27'33" West;
89. thence northeasterly, a distance of approximately 1.0 mile, along the base of left bank of the wash, course southwesterly, to a point on said base, at approximate latitude 37°16'54" North, longitude 114°26'55" West;
90. thence northerly, a distance of approximately 0.8 miles, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at the base of left bank of Cottonwood Canyon, course southwesterly, at observed latitude 37°17'33.017" North, longitude 114°26'54.022" West;
91. thence northeasterly, a distance of approximately 1.2 miles, along the base of left bank of Cottonwood Canyon, course southwesterly, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on said base, at observed latitude 37°18'10.710" North, longitude 114°25'57.316" West;
92. thence N. 74°51'50" W., a distance of 422.4 feet, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 22 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on the base of right bank of Cottonwood Canyon, course southwesterly, at observed latitude 37°18'12.484" North, longitude 114°26'02.048" West;
93. thence southwesterly turning westerly, a distance of approximately 2.2 miles, along the base of right bank of Cottonwood Canyon, course southwesterly and westerly, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 20 inches in the ground over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on said line, at observed latitude 37°17'16.538" North, longitude 114°27'51.296" West;

94. thence northeasterly, a distance of approximately 0.3 miles, to a point, at approximate latitude 37°17'30" North, longitude 114°27'39" West;
95. thence northerly, a distance of approximately 0.25 miles, to a point, at approximate latitude 37°17'43" North, longitude 114°27'39" West;
96. thence northwesterly, a distance of approximately 0.4 miles, to a point, at approximate latitude 37°17'59" North, longitude 114°27'55" West;
97. thence northerly, a distance of approximately 0.4 miles, to a spur, slopes southwesterly, at approximate latitude 37°18'20" North, longitude 114°27'59" West;
98. thence northwesterly, a distance of approximately 0.2 miles, to a point, at approximate latitude 37°18'26" North, longitude 114°28'07" West;
99. thence northwesterly, a distance of approximately 0.2 miles, to a brass tablet, 3 1/4 inch diameter, 3 1/2 inch stem, cemented in a drill hole of solid rock, with top marked CMW N79847 2013 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet easterly of the easterly edge of an improved road, bears northerly and southerly, at observed latitude 37°18'30.373" North, longitude 114°28'18.683" West;
100. thence northerly turning westerly and northwesterly, a distance of approximately 1.6 miles, on a line parallel with and 100 feet easterly, northerly, and northeasterly of the easterly, northerly and northeasterly edge of the unimproved road to intersection with the north and south center line of the southeast one-quarter of the southeast one-quarter of section 21, T. 7 S., R. 67 E., at approximate latitude 37°19'08" North, longitude 114°29'20" West;
101. thence northerly, a distance of approximately 0.2 miles, on the north and south center line of the southeast one-quarter of the southeast one-quarter of section 21, T. 7 S., R. 67 E., to the center east-southeast, one-sixty fourth section corner of section 21;
102. thence westerly, a distance of approximately 0.35 miles, on the east and west center line of the southeast one-quarter of section 21, T. 7 S., R. 67 E., to the center-south, one-sixteenth section corner of section 21;
103. thence northerly, a distance of approximately 0.25 miles, on the north and south center line of section 21, T. 7 S., R. 67 E., to the center one-quarter section corner of section 21;
104. thence westerly, a distance of approximately 0.4 miles, on the east and west center line of section 21, T. 7 S., R. 67 E., to intersection with a line parallel with and 100 feet northeasterly of the northeasterly edge of an unimproved road, bears northwesterly and southeasterly, at approximate latitude

37°19'33" North, longitude 114°30'14" West;

105. thence northwesterly, a distance of approximately 0.1 mile, on a line parallel with and 100 feet northeasterly of the northeasterly edge of the unimproved road to intersection with the line between sections 20 and 21, T. 7 S., R. 67 E., at approximate latitude 37°19'37" North, longitude 114°30'18" West;
106. thence northerly, a distance of approximately 0.15 miles, on the line between sections 20 and 21, T. 7 S., R. 67 E., to the north one-sixteenth section corner of sections 20 and 21;
107. thence westerly, a distance of approximately 0.2 miles, on the east and west center line of the northeast one-quarter of section 20, T. 7 S., R. 67 E., to intersection with a line parallel with and 100 feet northeasterly of the northeasterly edge of an unimproved road, bears northwesterly and southeasterly, at approximate latitude 37°19'46" North, longitude 114°30'29" West;
108. thence northwesterly, a distance of approximately 0.1 mile, on a line parallel with and 100 feet northeasterly of the northeasterly edge of the unimproved road described in course No. 108 to intersection with the north and south center line of the northeast one-quarter of section 20, T. 7 S., R. 67 E.;
109. thence northerly, a distance of approximately 0.15 miles, on the north and south center line of the northeast one-quarter of section 20, T. 7 S., R. 67 E., to the east one-sixteenth section corner of sections 17 and 20;
110. thence westerly, a distance of approximately 0.15 miles, on the line between sections 17 and 20, T. 7 S., R. 67 E., to intersection with a line parallel with and 100 feet northeasterly of the northeasterly edge of an improved road, bears northwesterly and southeasterly, at approximate latitude 37°19'59" North, longitude 114°30'44" West;
111. thence northwesterly, a distance of approximately 0.6 miles, on a line parallel with and 100 feet northeasterly of the northeasterly edge of the improved road described in course No. 108 to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on said line and at the base of left bank of Pennsylvania Canyon, course southeasterly, at observed latitude 37°20'20.449" North, longitude 114°31'01.851" West;
112. thence northwesterly turning northerly, a distance of approximately 5.0 miles, along the base of left bank of Pennsylvania Canyon, course southeasterly and southerly, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at the base of left bank of a wash, course westerly, at observed latitude 37°23'51.039" North, longitude 114°30'36.783" West;

113. thence easterly, a distance of approximately 1.9 miles, along the base of left bank of the wash, course westerly, to the left bank of a second wash, course southwesterly, at the confluence of the two washes, at approximate latitude 37°23'48" North, longitude 114°29'30" West;
114. thence northeasterly turning easterly and northerly, a distance of approximately 1.4 miles, along the base of left bank of the wash, course southwesterly, westerly and southerly, to a point on said base, at approximate latitude 37°24'28" North, longitude 114°27'56" West;
115. thence northerly, a distance of approximately 0.2 miles, to a knoll, on a ridge, bears northerly and southerly, at approximate elevation of 6,457 feet and approximate latitude 37°24'37" North, longitude 114°27'52" West;
116. thence northerly, a distance of approximately 0.4 miles, along the summit of the ridge to a knoll, at approximate elevation of 6,451 feet and approximate latitude 37°24'57" North, longitude 114°27'56" West;
117. thence northerly, a distance of approximately 0.6 miles, continuing along the summit of the ridge to a knoll, at approximate latitude 37°25'24" North, longitude 114°27'47" West;
118. thence northerly, a distance of approximately 0.5 miles, continuing along the summit of the ridge to a knoll, at approximate elevation of 6,580 feet and approximate latitude 37°25'47" North, longitude 114°27'50" West;
119. thence northerly, a distance of approximately 0.5 miles, continuing along the summit of the ridge to a knoll, at approximate elevation of 6,584 feet and approximate latitude 37°26'09" North, longitude 114°27'47" West;
120. thence northerly, a distance of approximately 0.7 miles, continuing along the summit of the ridge to a knoll, at approximate elevation of 6,745 feet and approximate latitude 37°26'44" North, longitude 114°27'34" West;
121. thence northerly, a distance of approximately 0.6 miles, continuing along the summit of the ridge to a knoll, at approximate latitude 37°27'13" North, longitude 114°27'30" West;
122. thence northerly, a distance of approximately 0.25 miles, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 24 inches in the ground over a plastic-encased magnet, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a line parallel with and 100 feet easterly of the easterly edge of a jeep trail, bears northerly and southerly, at observed latitude 37°27'26.069" North, longitude 114°27'24.680" West;
123. thence northerly turning northeasterly, a distance of approximately 0.3 miles, on a line parallel with and 100 feet

easterly and southeasterly of the easterly and southeasterly edge of the jeep trail to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 6 inches in the ground to solid rock, over a plastic-encased magnet, and in a mound of stone, 4 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on said line, located near the junction of a second jeep trail, extending northwesterly, at observed latitude 37°27'35.549" North, longitude 114°27'12.998" West;

124. thence easterly, a distance of approximately 0.5 miles, continuing on a line parallel with and 100 feet southerly of the southerly edge of the jeep trail, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 16 inches in the ground to solid rock, over a plastic-encased magnet, and in a mound of stone, 3 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, at intersection with a second jeep trail extending easterly, at observed latitude 37°27'37.073" North, longitude 114°26'43.200" West;
125. thence easterly turning northerly, a distance of approximately 0.5 miles, on a line parallel with and 100 feet southerly and easterly of the southerly and easterly edge of jeep trail, to a stainless steel post, 28 inches long, 2 1/2 inches diameter, set 18 inches in the ground over a plastic-encased magnet, and in a mound of stone, 2 feet base, to top, with brass cap marked CMW N79847 2011 and a line indicating the direction of the boundary, on said line at observed latitude 37°27'50.064" North, longitude 114°26'21.051" West;
126. thence easterly, a distance of approximately 0.4 miles, to the corner of Tps. 5 and 6 S., Rs. 67 and 68 E., and the Point of Beginning.

The area contained within the bounds of this description contains 85,650 acres, more or less.

END OF DESCRIPTION

The acreage noted in the description is based on a GIS polygon projected onto the 1983 North American Datum Universal Transverse Mercator projection, zone 11.

The direction of each line is with reference to the true meridian.

The geographic positions noted as "approximate" latitudes and longitudes are referenced to the 1983 National Geodetic Reference System and are digitized values from the following editions of the United States Geologic Survey 7.5 minute quadrangle maps. The elevations noted are referenced to sea level and are taken from these same maps:


1. Bunker Peak, Nev., 1973
2. Elgin, Nev., 1969, Photo-inspected 1980
3. Elgin NE, Nev., 1969, Photo-inspected 1980
4. Ella Mountain, Nev., 1973
5. Fife Mountain, Nev., 1973

6. Garden Spring, Nev., 1973
7. Jacks Mountain, Nev., 1973
8. Leith, Nev., 1973, Photo-inspected 1980


The geographic positions noted as "observed" latitude and longitude are 1983 National Geodetic Reference System values determined from Global Positioning System(GPS) static observations processed by National Geodetic Survey Online Positioning User Service(OPUS) utilizing Continuously Operating Reference Stations(CORS): "CARLTON SQUARE 2 CORS ARP", "NVPI PIOCHE CORS ARP", and "AMS WT FACILITY CORS ARP", "NVPT TROPICANA CORS ARP", and "ECHO ECHO BRGN NV1999 CORS ARP" and carried forward by Real Time Kinematic(RTK) observations.

WILDERNESS AREA
Clover Mountains Wilderness
Bureau of Land Management

I hereby certify that the legal boundary description and maps herewith represents the boundary of the Clover Mountains Wilderness within the jurisdiction of the Ely District Office, Bureau of Land Management.

Signed:  Date: 12/19/13
Chief, Branch of Geographic Sciences
Bureau of Land Management, Nevada

I hereby certify and accept legal boundary description and the maps of Clover Mountains Wilderness within the Ely District Office, Bureau of Land Management as entered into the Wilderness Area System as included in the "Lincoln County Conservation, Recreation, and Development Act of 2004", Public Law No. 108-424, dated November 30, 2004.

Signed:  Date: 3/25/14
State Director, Nevada
Bureau of Land Management