

California BLM Special Status Plants List

SCIENTIFIC NAME	COMNAME	TYPEPLANT	FAMILY	FEDStatus	STStatus	BLMStatus	CNPS	NNPS	Global Rank	State Rank	National Rank	NVStatus	ALT	ARC	BAK	BAR	BIS	HOL	EAG	ELC	MOT	NEE	PAL	RED	RID	UKI
<i>Abronia umbellata</i> var. <i>breviflora</i>	pink sand-verbena	VASC	Nyctaginaceae			BLMS	1B.1		G4G5T2	S2	N2			K												
<i>Abronia villosa</i> var. <i>aurita</i>	chaparral sand-verbena	VASC	Nyctaginaceae			BLMS	1B.1		G5T2T3	S2	N2N3				K					S			K			
<i>Acanthomintha ilicifolia</i>	San Diego thormint	VASC	Lamiaceae	FT	SE		1B.1		G1	S1	N1												S			
<i>Acanthoscyphus parishii</i> var. <i>goodmaniana</i>	Cushenberry oxytheca	VASC	Polygonaceae	FE			1B.1		G4?T1	S1	N1				K											
<i>Acmispon argyraeus</i> var. <i>multicaulis</i>	scrub lotus	VASC	Fabaceae			BLMS	1B.3		G4?T2	S2	N2										K					
<i>Acmispon haydonii</i>	pygmy lotus	VASC	Fabaceae			BLMS	1B.3		G3	S3	N3									K						
<i>Acmispon rubriflorus</i>	red-flowered bird's-foot trefoil	VASC	Fabaceae			BLMS	1B.1		G2	S2	N2							S					S		S	
<i>Agave utahensis</i> var. <i>eborispina</i>	ivory-spined agave	VASC	Agavaceae			BLMS	1B.3	W	G4T3	S2	N3	S3			K											
<i>Agrostis blasdalei</i>	Blasdale's bent grass	VASC	Poaceae			BLMS	1B.2		G2G3	S2	N2							S							K	
<i>Agrostis hooveri</i>	Hoover's bent grass	VASC	Poaceae			BLMS	1B.2		G2	S2	N2				K											
<i>Agrostis lacuna-vernalis</i>	vernal pool bent grass	VASC	Poaceae			BLMS	1B.1		G1	S1	N1							K								
<i>Allium hickmanii</i>	Hickman's onion	VASC	Alliaceae			BLMS	1B.2		G2	S2	N2							K								
<i>Allium howellii</i> var. <i>sanbenitense</i>	San Benito onion	VASC	Alliaceae			BLMS	1B.3		G3G4T3	S3	N2							K								
<i>Allium jepsonii</i>	Jepson's onion	VASC	Alliaceae			BLMS	1B.2		G2	S2	N2									K			S			
<i>Allium marvinii</i>	Yucaipa onion	VASC	Alliaceae			BLMS	1B.2		G1	S1	?												K			
<i>Allium munzii</i>	Munz's onion	VASC	Alliaceae	FE	ST		1B.1		G1	S1	N1											S				
<i>Allium sharsmithiae</i>	Sharsmith's onion	VASC	Alliaceae			BLMS	1B.3		G2	S2	N2							K								
<i>Allium shevockii</i>	Spanish Needle onion	VASC	Alliaceae			BLMS	1B.3		G2	S2	N2				K										K	
<i>Allium tuolumnense</i>	Rawhide Hill onion	VASC	Alliaceae			BLMS	1B.2		G2	S2	N2									K						
<i>Ambrosia pumila</i>	San Diego ambrosia	VASC	Asteraceae	FE			1B.1		G1	S1	N1												K			
<i>Amsinckia lunaris</i>	bent-flowered fiddleneck	VASC	Boraginaceae			BLMS	1B.2		G3	S3	N2N3												S		K	
<i>Ancistrocarphus keilii</i>	Santa Ynez groundstar	VASC	Asteraceae			BLMS	1B.1		G1	S1	N1				S											
<i>Anisocarpus scabridus</i>	scabrid alpine tarplant	VASC	Asteraceae			BLMS	1B.3		G2G3	S2S3	N3												S			
<i>Arabis mcdonaldiana</i>	McDonald's rock-cress	VASC	Brassicaceae	FE	SE		1B.1		G3	S3	N3				K											
<i>Arctostaphylos bakeri</i> ssp. <i>sublaevis</i>	The Cedars manzanita	VASC	Ericaceae		SR	BLMS	1B.2		G2T2	S2	N2														K	
<i>Arctostaphylos cruzensis</i>	Arroya de La Cruz manzanita	VASC	Ericaceae			BLMS	1B.2		G1G2	S1S2	N1N2												S			
<i>Arctostaphylos glandulosa</i> ssp. <i>gabrielensis</i>	Gabilan Mountains manzanita	VASC	Ericaceae			BLMS	1B.2		G5T3	S3	N3												S			
<i>Arctostaphylos hookeri</i> ssp. <i>hookeri</i>	Hooker's manzanita	VASC	Ericaceae			BLMS	1B.2		G3T2	S2	N2												K			
<i>Arctostaphylos klamathensis</i>	Klamath manzanita	VASC	Ericaceae			BLMS	1B.2		G2G3	S2	N2													S		
<i>Arctostaphylos luciana</i>	Santa Lucia manzanita	VASC	Ericaceae			BLMS	1B.2		G2	S2	N3				S											
<i>Arctostaphylos manzanita</i> ssp. <i>elegans</i>	Konocti manzanita	VASC	Ericaceae			BLMS	1B.3		G5T3	S3	N3														K	
<i>Arctostaphylos montereyensis</i>	Toro manzanita	VASC	Ericaceae			BLMS	1B.2		G2?	S2?	N2?												K			
<i>Arctostaphylos morroensis</i>	Morro manzanita	VASC	Ericaceae	FT			1B.1		G1	S1	N1				K											
<i>Arctostaphylos myrtifolia</i>	lone manzanita	VASC	Ericaceae	FT			1B.2		G1	S1	N1N2												K			
<i>Arctostaphylos nissenana</i>	Nissenan manzanita	VASC	Ericaceae			BLMS	1B.2		G1	S1	N1												K			
<i>Arctostaphylos otayensis</i>	Otay manzanita	VASC	Ericaceae			BLMS	1B.2		G1	S1	N1													K		
<i>Arctostaphylos pajaroensis</i>	Pajaro manzanita	VASC	Ericaceae			BLMS	1B.1		G1	S1	N1												K			
<i>Arctostaphylos pechoensis</i>	Pecho manzanita	VASC	Ericaceae			BLMS	1B.2		G2	S2	N2				S											
<i>Arctostaphylos pilosula</i>	Santa Margarita manzanita	VASC	Ericaceae			BLMS	1B.2		G2?	S2?	N2?				K											
<i>Arctostaphylos pumila</i>	sandmat manzanita	VASC	Ericaceae			BLMS	1B.2		G1	S1	N1												K			
<i>Arctostaphylos rainbowensis</i>	rainbow manzanita	VASC	Ericaceae			BLMS	1B.1		G2	S2	N2													K		
<i>Arctostaphylos rudis</i>	sand mesa manzanita	VASC	Ericaceae			BLMS	1B.2		G2	S2	N2				K											
<i>Arctostaphylos stanfordiana</i> ssp. <i>raichei</i>	Raiche's manzanita	VASC	Ericaceae			BLMS	1B.1		G3T2	S2	N2				S										K	
<i>Aristocapsa insignis</i>	Indian Valley spineflower	VASC	Polygonaceae			BLMS	1B.2		G1	S1	N1				S											
<i>Aspicilia rogeri</i>		LICH	Megalosporaceae			BLMS			G2G3	S2	N2N3	S1	S													
<i>Astragalus agnicidus</i>	Humboldt milk-vetch	VASC	Fabaceae		SE	BLMS	1B.1		G2	S2	N2				S											
<i>Astragalus agrestis</i>	field milk-vetch	VASC	Fabaceae			BLMS	2B.2		G5	S2	N5			K						K						
<i>Astragalus albens</i>	Cushenberry milk-vetch	VASC	Fabaceae	FE			1B.1		G1	S1	N1					K										
<i>Astragalus anxius</i>	Ash Valley milk-vetch	VASC	Fabaceae			BLMS	1B.3		G1	S1	N1				K											
<i>Astragalus argophyllus</i> var. <i>argophyllus</i>	silverleaf milk-vetch	VASC	Fabaceae			BLMS	2B.2		G5T4	S1	NNR												K		K	
<i>Astragalus atratus</i> var. <i>mensanus</i>	Darwin Mesa milk-vetch	VASC	Fabaceae			BLMS	1B.1		G4G5T1	S2	N2														K	
<i>Astragalus bernardinus</i>	San Bernardino Milk-Vetch	VASC	Fabaceae			BLMS	1B.2		G3	S3	N3					K							K			
<i>Astragalus brauntonii</i>	Braunton's milk-vetch	VASC	Fabaceae	FE			1B.1		G2	S2	N2												S			
<i>Astragalus cimae</i> var. <i>sufflatus</i>	inflated Cima milk-vetch	VASC	Fabaceae			BLMS	1B.3		G3T3	S3	N3														K	
<i>Astragalus deanei</i>	Dean's milk-vetch	VASC	Fabaceae			BLMS	1B.1		G1	S1	N1													K		
<i>Astragalus douglasii</i> var. <i>perstrictus</i>	Jacumba milk-vetch	VASC	Fabaceae			BLMS	1B.2		G5T3?	S2S3	N2?												K		K	
<i>Astragalus ertterae</i>	Walker Pass milk-vetch	VASC	Fabaceae			BLMS	1B.3		G2	S2	N2				K										S	
<i>Astragalus funereus</i>	black milk-vetch	VASC	Fabaceae			BLMS	1B.2		G2	S2	N2					K										
<i>Astragalus hornii</i> var. <i>hornii</i>	Horn's milk-vetch	VASC	Fabaceae			BLMS	1B.1		GUT1	S1	?				K										S	
<i>Astragalus jaegerianus</i>	Lane Mtn. milk-vetch	VASC	Fabaceae	FE			1B.1		G2	S2	N2					K										

Plant Type: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Fed Status: FE = Federally Endangered; FD = Federally Delisted; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare; SC = State Candidate. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution - a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.

SCIENTIFIC NAME	COMNAME	TYPEPLANT	FAMILY	FEDStatus	STStatus	BLMStatus	CNPS	NNPS	Global Rank	State Rank	National Rank	NVStatus	ALT	ARC	BAK	BAR	BIS	HOL	EAG	ELC	MOT	NEE	PAL	RED	RID	UKI
<i>Astragalus johannis-howellii</i>	Long Valley milk-vetch	VASC	Fabaceae		SR	BLMS	1B.2		G2	S1	N2						K									
<i>Astragalus lemmonii</i>	Lemmon's milk-vetch	VASC	Fabaceae			BLMS	1B.2	T	G2	S2	NNR	S1	S													
<i>Astragalus lentiformis</i>	lens-pod milk-vetch	VASC	Fabaceae			BLMS	1B.2		G2	S2	N2								K							
<i>Astragalus lentiginosus var. coachellae</i>	Coachella Valley milk-vetch	VASC	Fabaceae	FE			1B.2		G5T1	S1	N1												K			
<i>Astragalus lentiginosus var. kernensis</i>	Kern Plateau milk-vetch	VASC	Fabaceae			BLMS	1B.2		G5T2?	S2	NNR				S											
<i>Astragalus lentiginosus var. piscinensis</i>	Fish Slough milk-vetch	VASC	Fabaceae	FT			1B.1		G5T1	S1	N1															
<i>Astragalus leucolobus</i>	Big Bear Valley woolypod	VASC	Fabaceae			BLMS	1B.2		G2	S2	N2															
<i>Astragalus magdaleneae var. peirsonii</i>	Peirson's milk-vetch	VASC	Fabaceae	FT	SE		1B.2		G3G4T1	S1	N2															
<i>Astragalus mohavensis var. hemigyris</i>	curved-pod milk-vetch	VASC	Fabaceae			BLMS	1B.1	T	G3G4T2T3	S1	N2N3	S3														K
<i>Astragalus monoensis</i>	Mono milk-vetch	VASC	Fabaceae		SR	BLMS	1B.2		G2	S2	N2															
<i>Astragalus nyensis</i>	Nye milk-vetch	VASC	Fabaceae			BLMS	1B.1		G3?	S1	N3															
<i>Astragalus oocarpus</i>	San Diego milk-vetch	VASC	Fabaceae			BLMS	1B.2		G2?	S2?	N2															
<i>Astragalus oophorus var. lavinii</i>	Lavin's milk-vetch	VASC	Fabaceae			BLMS	1B.2	T	G4T2	S1	N2	S2														
<i>Astragalus pachypus var. jaegeri</i>	Jaeger's bush milk-vetch	VASC	Fabaceae			BLMS	1B.1		G4T1	S1	N1															
<i>Astragalus pseudiodanthus</i>	Tonopah milk-vetch	VASC	Fabaceae			BLMS	1B.2	T	G2Q	S2	N3	S2														
<i>Astragalus pulsiferae var. pulsiferae</i>	Pulsifer's milk-vetch	VASC	Fabaceae			BLMS	1B.2	T	G4T2	S2	NNR	S1														
<i>Astragalus pulsiferae var. suksdorfii</i>	Suksdorf's milk-vetch	VASC	Fabaceae			BLMS	1B.2		G4T2	S2	N2															
<i>Astragalus pycnostachyus var. pycnostachyus</i>	coastal marsh milk-vetch	VASC	Fabaceae			BLMS	1B.2		G2T2	S2	N2															
<i>Astragalus rattanii var. jepsonianus</i>	Jepson's milk-vetch	VASC	Fabaceae			BLMS	1B.2		G4T3	S3	N3															
<i>Astragalus shevockii</i>	Shevock's milk-vetch	VASC	Fabaceae			BLMS	1B.3		G2	S2	N2															
<i>Astragalus tener var. ferrisiae</i>	Ferris's milk-vetch	VASC	Fabaceae			BLMS	1B.1		G2T1	S1	N1															
<i>Astragalus tiehmii</i>	Tiehm's milk-vetch	VASC	Fabaceae			BLMS		T	G3	S2	N3	S2														
<i>Astragalus tricarinatus</i>	triple-ribbed milk-vetch	VASC	Fabaceae	FE			1B.2		G2	S2	N2															
<i>Astragalus webberi</i>	Webber's milk-vetch	VASC	Fabaceae			BLMS	1B.2		G1	S1	N1															
<i>Atriplex argentea var. longitrichoma</i>	Pahrump orache	VASC	Chenopodiaceae			BLMS	1B.1	T	G5T2	S2	NNR	S1														
<i>Atriplex cordulata var. cordulata</i>	heart-leaved saltbush	VASC	Chenopodiaceae			BLMS	1B.2		G3T2	S2	N2															
<i>Atriplex cordulata var. erecticaulis</i>	Earlimart orache	VASC	Chenopodiaceae			BLMS	1B.2		G3T1	S1	N1															
<i>Atriplex coronata var. notatior</i>	San Jacinto Valley crownscale	VASC	Chenopodiaceae	FE			1B.1		G4T3	S1	N1															
<i>Atriplex coronata var. vallicola</i>	Lost Hills crownscale	VASC	Chenopodiaceae			BLMS	1B.2		G4T2	S2	N2															
<i>Atriplex flavida</i>	Carrizo Plain crownscale	VASC	Chenopodiaceae			BLMS	1B.3		G3	S3	N2N3															
<i>Atriplex gypsophila</i>	gypsum-loving crownscale	VASC	Chenopodiaceae			BLMS	1B.3				NNR															
<i>Atriplex pacifica</i>	South Coast saltscale	VASC	Chenopodiaceae			BLMS	1B.2		G4	S2	NNR															
<i>Atriplex parishii</i>	Parish's brittle-scale	VASC	Chenopodiaceae			BLMS	1B.1		G1G2	S1	N1															
<i>Atriplex subtilis</i>	subtle orache	VASC	Chenopodiaceae			BLMS	1B.2		G1	S1	N1															
<i>Baccharis vanessae</i>	Encinitas coyotebrush	VASC	Asteraceae	FT	SE		1B.1		G1	S1	N1															
<i>Balsamorhiza lanata</i>	woolly balsamroot	VASC	Asteraceae			BLMS	1B.2		G3	S3	N3															
<i>Balsamorhiza macrolepis</i>	big-scale balsamroot	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2															
<i>Balsamorhiza sericea</i>	silky balsamroot	VASC	Asteraceae			BLMS	1B.3		G4Q	S3	N3															
<i>Berberis harrisoniana</i>	Kofa Mountain barberry	VASC	Berberidaceae			BLMS	1B.2		G2	S1	N2															
<i>Berberis nevinii</i>	Nevin's barberry	VASC	Berberidaceae	FE	SE		1B.1		G1	S1	N1															
<i>Bloomeria clevelandii</i>	San Diego goldenstar	VASC	Themidaceae			BLMS	1B.1		G2	S3	N2N3															
<i>Boechera bodiensis</i>	Bodie Hills rock cress	VASC	Brassicaceae			BLMS	1B.3	T	G3	S3	N3	S2														
<i>Boechera lincolnsensis</i>	Lincoln rock cress	VASC	Brassicaceae			BLMS	2B.3		G4G5	S3	N4N5															
<i>Boechera serpenticola</i>	Serpentine Rockcress	VASC	Brassicaceae			BLMS	1B.2		G1	S1	N1															
<i>Brodiaea filifolia</i>	thread-leaved brodiaea	VASC	Themidaceae	FT	SE		1B.1		G2	S2	N2															
<i>Brodiaea insignis</i>	Kaweah brodiaea	VASC	Themidaceae		SE	BLMS	1B.2		G1	S1	N1															
<i>Brodiaea matsonii</i>	Sulphur Creek brodiaea	VASC	Themidaceae			BLMS	1B.1		G1	S1	N1															
<i>Brodiaea orcuttii</i>	Orcutt's brodiaea	VASC	Themidaceae			BLMS	1B.1		G2	S2	N2															
<i>Brodiaea rosea</i>	Indian Valley brodiaea	VASC	Themidaceae		SE	BLMS	3.1		G2Q	S2	NNR															
<i>Bryoria tortuosa</i>	yellow-twist horsehair	LICH	Parmeliaceae			BLMS			G5	S2	NNR															
<i>Buxbaumia viridis</i>	green bug moss	BRYO	Buxbaumiaceae			BLMS	2.2		G3G4	S2	N3															
<i>Calochortus clavatus var. avius</i>	Pleasant Valley mariposa lily	VASC	Liliaceae			BLMS	1B.2		G4T2	S2	N2															
<i>Calochortus clavatus var. gracilis</i>	slender mariposa lily	VASC	Liliaceae			BLMS	1B.2		G4T2T3	S2S3	N2N3															
<i>Calochortus dunni</i>	Dunn's mariposa lily	VASC	Liliaceae		SR	BLMS	1B.2		G2G3	S2S3	N2N3															
<i>Calochortus excavatus</i>	Inyo mariposa	VASC	Liliaceae			BLMS	1B.1		G2	S2	N2															
<i>Calochortus fimbriatus</i>	late-flowered mariposa lily	VASC	Liliaceae			BLMS	1B.3		G3	S3	N3															
<i>Calochortus greenei</i>	Greene's mariposa	VASC	Liliaceae			BLMS	1B.2		G3	S2S3	N3															
<i>Calochortus longebarbatus var. longebarbatus</i>	long-haired star-tulip	VASC	Liliaceae			BLMS	1B.2		G4T3	S3	N3															
<i>Calochortus monanthus</i>	Shasta River mariposa	VASC	Liliaceae			BLMS	1A		GX	SX	NX															
<i>Calochortus obispoensis</i>	San Luis mariposa lily	VASC	Liliaceae			BLMS	1B.2		G2	S2	N2															
<i>Calochortus palmeri var. munzii</i>	San Jacinto mariposa lily	VASC	Liliaceae			BLMS	1B.2		G3T3	S3	N3															

Plant Type: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Fed Status: FE = Federally Endangered; FD = Federally Delisted; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare; SC = State Candidate. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution - a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole; T-ranks are used for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.

SCIENTIFIC NAME	COMNAME	TYPEPLANT	FAMILY	FEDStatus	STStatus	BLMStatus	CNPS	NNPS	Global Rank	State Rank	National Rank	NVStatus	ALT	ARC	BAK	BAR	BIS	HOL	EAG	ELC	MOT	NEE	PAL	RED	RID	UKI
<i>Calochortus palmeri</i> var. <i>palmeri</i>	Palmer's mariposa lily	VASC	Liliaceae			BLMS	1B.2		G3T2	S2	N2				K	K							S		K	
<i>Calochortus persistens</i>	Siskiyou mariposa lily	VASC	Liliaceae	FC	SR	BLMS	1B.2		G2	S2	N2													S		
<i>Calochortus raichei</i>	The Cedars fairy-lantern	VASC	Liliaceae			BLMS	1B.2		G2	S2	N2															K
<i>Calochortus simulans</i>	La Panza mariposa lily	VASC	Liliaceae			BLMS	1B.3		G2	S2	N2				K											
<i>Calochortus striatus</i>	alkali mariposa lily	VASC	Liliaceae			BLMS	1B.2	T	G3	S2S3	N3	S1			K	S									S	
<i>Calochortus westonii</i>	Shirley Meadows star-tulip	VASC	Liliaceae			BLMS	1B.2		G3	S3	N3				K											
<i>Calycadenia hooveri</i>	Hoover's calycadenia	VASC	Asteraceae			BLMS	1B.3		G2	S2	N3										S					
<i>Calycadenia micrantha</i>	small-flowered calycadenia	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2															S
<i>Calycadenia villosa</i>	dwarf calycadenia	VASC	Asteraceae			BLMS	1B.1		G3	S3	N3				S											
<i>Calyptridium parryi</i> var. <i>hesseae</i>	Santa Cruz Mountains pussypaws	VASC	Montiaceae			BLMS	1B.1		G3G4T2	S2	N2							K								
<i>Calyptridium pulchellum</i>	Mariposa pussypaws	VASC	Montiaceae	FT			1B.1		G1	S1	N1				S						S					
<i>Calystegia collina</i> ssp. <i>tridactylosa</i>	three-fingered morning-glory	VASC	Convolvulaceae			BLMS	1B.2		G4T1	S1	N1			K												K
<i>Calystegia purpurata</i> ssp. <i>saxicola</i>	coastal bluff morning-glory	VASC	Convolvulaceae			BLMS	1B.2		G4T2T3	S2S3	N2N3															K
<i>Calystegia stebbinsii</i>	Stebbins' morning glory	VASC	Convolvulaceae	FE	SE		1B.1		G1	S1	N1										K					
<i>Calystegia vanzookiae</i>	Van Zook's morning-glory	VASC	Convolvulaceae			BLMS	1B.3		G2Q	S2	N2										K					
<i>Camissonia benitensis</i>	San Benito evening-primrose	VASC	Onagraceae	FD		BLMS	1B.1		G2	S2	N2							K								
<i>Camissonia integrifolia</i>	Kern River evening-primrose	VASC	Onagraceae			BLMS	1B.3		G2	S2	N2				S										K	
<i>Camissoniopsis hardhamiae</i>	Hardham's evening-primrose	VASC	Onagraceae			BLMS	1B.2		G2	S2	N2				K			S								
<i>Campanula californica</i>	swamp harebell	VASC	Campanulaceae			BLMS	1B.2		G3	S3	N3															K
<i>Campanula shetleri</i>	Castle Crags harebell	VASC	Campanulaceae			BLMS	1B.3		G2	S2	N2													S		
<i>Cardamine pachystigma</i> var. <i>dissectifolia</i>	dissected-leaved toothwort	VASC	Brassicaceae			BLMS	1B.2		G3G5T2Q	S2	N2													S		
<i>Carex klamathensis</i>	Klamath sedge	VASC	Cyperaceae			BLMS	1B.2		G2	S2	N2													S		
<i>Carex obispoensis</i>	San Luis Obispo sedge	VASC	Cyperaceae			BLMS	1B.2		G3?	S3?	N3?				K											
<i>Carex saliniformis</i>	deceiving sedge	VASC	Cyperaceae			BLMS	1B.2		G2	S2	N2															S
<i>Carex xerophila</i>	chaparral sedge	VASC	Cyperaceae			BLMS	1B.2		G2	S2	N2										K					
<i>Carlquistia muirii</i>	Muir's raillardella	VASC	Asteraceae			BLMS	1B.3		G2	S2	N2				K											K
<i>Carpenteria californica</i>	tree-anemone	VASC	Hydrangeaceae		ST	BLMS	1B.2		G1?	S1?	N1?				S											
<i>Castilleja ambigua</i> var. <i>humboldtensis</i>	Humboldt Bay owl's-clover	VASC	Orobanchaceae			BLMS	1B.2		G4T2	S2	N2			K												K
<i>Castilleja ambigua</i> var. <i>insalutata</i>	pink Johnny-nip	VASC	Orobanchaceae			BLMS	1B.1		G4T2	S2	N2							K								
<i>Castilleja campestris</i> var. <i>succulenta</i>	succulent owl's clover	VASC	Orobanchaceae	FT	SE		1B.2		G4?T2T3	S2S3	N2N3				K											
<i>Castilleja densiflora</i> var. <i>obispoensis</i>	Obispo Indian paintbrush	VASC	Orobanchaceae			BLMS	1B.2		G5T2	S2	N2				S											
<i>Castilleja gleasoni</i>	Mt. Gleason Indian paintbrush	VASC	Orobanchaceae		SR	BLMS	1B.2		G2	S2	N2												S			
<i>Castilleja mendocinensis</i>	Mendocino Coast paintbrush	VASC	Orobanchaceae			BLMS	1B.2		G2	S2	N2				S											K
<i>Castilleja rubicundula</i> var. <i>rubicundula</i>	pink creamsacs	VASC	Orobanchaceae			BLMS	1B.2		G5T2	S2	N2													S		K
<i>Caulanthus californicus</i>	California jewelflower	VASC	Brassicaceae	FE	SE		1B.1		G1	S1	N1				K			K								
<i>Caulanthus lemmonii</i>	Lemmon's jewelflower	VASC	Brassicaceae			BLMS	1B.2		G3	S3	N3				K											
<i>Ceanothus confusus</i>	Rincon Ridge ceanothus	VASC	Rhamnaceae			BLMS	1B.2		G1	S1	N1															K
<i>Ceanothus cyaneus</i>	Lakeside ceanothus	VASC	Rhamnaceae			BLMS	1B.2		G2	S2	N2												K			
<i>Ceanothus divergens</i>	Calistoga ceanothus	VASC	Rhamnaceae			BLMS	1B.2		G2	S2	N2															K
<i>Ceanothus otayensis</i>	Otay Mountain ceanothus	VASC	Rhamnaceae			BLMS	1B.2		G1G2	S1	N1												K			
<i>Ceanothus roderickii</i>	Pine Hill ceanothus	VASC	Rhamnaceae	FE	SR		1B.2		G1	S1	N1										K					
<i>Centromadia parryi</i> ssp. <i>congdonii</i>	Congdon's tarplant	VASC	Asteraceae			BLMS	1B.1		G3T2	S2	N2							K								
<i>Centromadia parryi</i> ssp. <i>parryi</i>	pappose tarplant	VASC	Asteraceae			BLMS	1B.2		G3T2	S2	N2															K
<i>Centromadia pungens</i> ssp. <i>laevis</i>	smooth tarplant	VASC	Asteraceae			BLMS	1B.1		G3G4T2	S2	N2													S		
<i>Chaenactis carphoclinia</i> var. <i>peirsonii</i>	Peirson's pincushion	VASC	Asteraceae			BLMS	1B.3		G5T2	S2	N2										K					
<i>Chaenactis glabriuscula</i> var. <i>orcuttiana</i>	Orcutt's pincushion	VASC	Asteraceae			BLMS	1B.1		G5T1	S1	N1										S					
<i>Chaenactis parishii</i>	Parish's chaenactis	VASC	Asteraceae			BLMS	1B.3		G3G4	S3	N2										K					
<i>Chaenactis suffrutescens</i>	Shasta chaenactis	VASC	Asteraceae			BLMS	1B.3		G2G3	S2S3	N3														K	
<i>Chlorogalum grandiflorum</i>	Red Hills soaproot	VASC	Agavaceae			BLMS	1B.2		G3	S3	N3										K					
<i>Chlorogalum pomeridianum</i> var. <i>minus</i>	dwarf soaproot	VASC	Agavaceae			BLMS	1B.2		G5T3	S3	N2N3													K		S
<i>Chloropyron maritimum</i> ssp. <i>maritimum</i>	salt marsh bird's-beak	VASC	Orobanchaceae			BLMS	1B.2		G4?T1	S1	N1												S			
<i>Chloropyron maritimum</i> ssp. <i>palustre</i>	Pt. Reyes birds-beak	VASC	Orobanchaceae			BLMS	1B.2		G4?T2	S2	N2			K												
<i>Chloropyron molle</i> ssp. <i>hispidum</i>	hispid bird's-beak	VASC	Orobanchaceae			BLMS	1B.1		G2T1	S1	N1				S						S					
<i>Chloropyron tecopense</i>	Tecopa bird's-beak	VASC	Orobanchaceae			BLMS	1B.2		G2	S1	N2	S2				K										
<i>Chorizanthe aphanantha</i>	Irish Hills spineflower	VASC	Polygonaceae			BLMS	1B.1		G1	S1	N1				K											
<i>Chorizanthe biloba</i> var. <i>immemora</i>	Hernandez spineflower	VASC	Polygonaceae			BLMS	1B.2		G3T1T2	S1S2	N1N2												K			
<i>Chorizanthe blakleyi</i>	Blakley's spineflower	VASC	Polygonaceae			BLMS	1B.3		G2	S2	N2				K											
<i>Chorizanthe breweri</i>	Brewer's spineflower	VASC	Polygonaceae			BLMS	1B.3		G3	S3	N3				K											
<i>Chorizanthe minutiflora</i>	Fort Ord spineflower	VASC	Polygonaceae			BLMS	1B.2		G1	S1	N1										K					
<i>Chorizanthe parryi</i> var. <i>parryi</i>	Parry's spineflower	VASC	Polygonaceae			BLMS	1B.1		G3T2	S2	N2												K			
<i>Chorizanthe polygonoides</i> var. <i>longispina</i>	long-spined spineflower	VASC	Polygonaceae			BLMS	1B.2		G5T3	S3	N3										S		K			

Plant Type: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Fed Status: FE = Federally Endangered; FD = Federally Delisted; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare; SC = State Candidate. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution - a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.

SCIENTIFIC NAME	COMNAME	TYPEPLANT	FAMILY	FEDStatus	STStatus	BLMStatus	CNPS	NNPS	Global Rank	State Rank	National Rank	NVStatus	ALT	ARC	BAK	BAR	BIS	HOL	EAG	ELC	MOT	NEE	PAL	RED	RID	UKI			
<i>Chorizanthe pungens</i> var. <i>pungens</i>	Monterey spineflower	VASC	Polygonaceae	FT			1B.2		G2T2	S2	N2																K		
<i>Chorizanthe rectispina</i>	straight-awned spineflower	VASC	Polygonaceae			BLMS	1B.2		G2	S2	N2			K														K	
<i>Chorizanthe robusta</i> var. <i>robusta</i>	robust spineflower	VASC	Polygonaceae	FE			1B.1		G2T1	S1	N1																	S	
<i>Chorizanthe xanti</i> var. <i>leucotheca</i>	white-bracted spineflower	VASC	Polygonaceae			BLMS	1B.2		G4T3	S3	N3				S								K						
<i>Cirsium ciliolatum</i>	Ashland thistle	VASC	Asteraceae		SE	BLMS	2B.1		G3	S1	N3																	S	
<i>Cirsium crassicaule</i>	slough thistle	VASC	Asteraceae			BLMS	1B.1		G1	S1	N1				S														
<i>Cirsium fontinale</i> var. <i>campylon</i>	Mt. Hamilton thistle	VASC	Asteraceae			BLMS	1B.2		G2T2	S2	N2																	S	
<i>Cirsium fontinale</i> var. <i>obispoense</i>	Chorro Creek bog thistle	VASC	Asteraceae	FE	SE		1B.2		G2T2	S2	N2				S														
<i>Cirsium occidentale</i> var. <i>compactum</i>	compact cobwebby thistle	VASC	Asteraceae			BLMS	1B.2		G3G4T2	S2	N2				K														
<i>Cirsium occidentale</i> var. <i>lucianum</i>	Cuesta Ridge thistle	VASC	Asteraceae			BLMS	1B.2		G3G4T2	S2	N2				S														
<i>Cirsium rhotophilum</i>	surf thistle	VASC	Asteraceae		ST	BLMS	1B.2		G1	S1	N1				K														
<i>Cirsium scariosum</i> var. <i>loncholepis</i>	La Graciosa thistle	VASC	Asteraceae	FE	ST		1B.1		G1	S1	N1				S														
<i>Clarkia amoena</i> ssp. <i>whitneyi</i>	Whitney's farewell-to-spring	VASC	Onagraceae			BLMS	1B.1		G5T1	S1	N1				S														
<i>Clarkia australis</i>	Small's southern clarkia	VASC	Onagraceae			BLMS	1B.2		G2	S2	N2				K														
<i>Clarkia biloba</i> ssp. <i>australis</i>	Mariposa clarkia	VASC	Onagraceae			BLMS	1B.2		G4G5T3	S3	N3																		K
<i>Clarkia borealis</i> ssp. <i>arida</i>	Shasta clarkia	VASC	Onagraceae			BLMS	1B.1		G3T2	S2	N2																		K
<i>Clarkia delicata</i>	delicate clarkia	VASC	Onagraceae			BLMS	1B.2		G3	S3	N3																		K
<i>Clarkia gracilis</i> ssp. <i>albicaulis</i>	white-stemmed clarkia	VASC	Onagraceae			BLMS	1B.2		G5T3	S3	N3																		K
<i>Clarkia jolonensis</i>	Jolon clarkia	VASC	Onagraceae				1B.2		G2	S2	N2																		K
<i>Clarkia mildrediae</i> ssp. <i>mildrediae</i>	Mildred's clarkia	VASC	Onagraceae			BLMS	1B.3		G3T3?	S3?	N3?																		S
<i>Clarkia mosquinii</i>	Mosquin's clarkia	VASC	Onagraceae			BLMS	1B.1		G2	S2	N2																		K
<i>Clarkia rostrata</i>	beaked clarkia	VASC	Onagraceae			BLMS	1B.3		G2G3	S2S3	N2N3																		K
<i>Clarkia springvillensis</i>	Springville clarkia	VASC	Onagraceae	FT	SE		1B.2		G2	S2	N2				K														
<i>Clarkia tembloriensis</i> ssp. <i>calientensis</i>	Vasek's clarkia	VASC	Onagraceae			BLMS	1B.1		G3T1	S1	N1				S														
<i>Claytonia peirsonii</i> ssp. <i>yorkii</i>	York's spring beauty	VASC	Montiaceae			BLMS	1B.1		G2G3T1	S1	NNR																		K
<i>Clinopodium chandleri</i>	San Miguel savory	VASC	Lamiaceae			BLMS	1B.2		G2G3	S2	N2																		K
<i>Collinsia antonina</i>	San Antonio collinsia	VASC	Plantaginaceae			BLMS	1B.2		G2	S2	N2																		S
<i>Collinsia multicolor</i>	San Francisco collinsia	VASC	Plantaginaceae			BLMS	1B.2		G2	S2	N2																		S
<i>Comarostaphylis diversifolia</i> ssp. <i>diversifolia</i>	summer holly	VASC	Rhamnaceae			BLMS	1B.2		G3T2	S2	N2																		K
<i>Cordylanthus eremicus</i> ssp. <i>kernensis</i>	Kern Plateau bird's-beak	VASC	Orobanchaceae			BLMS	1B.3		G3T2	S2	N2				K														S
<i>Cordylanthus rigidus</i> ssp. <i>littoralis</i>	seaside bird's-beak	VASC	Orobanchaceae		SE	BLMS	1B.1		G5T2	S2	N2				K														K
<i>Cordylanthus tenuis</i> ssp. <i>pallescens</i>	pallid bird's-beak	VASC	Orobanchaceae			BLMS	1B.2		G4G5T1	S1	N1																		S
<i>Croton wigginsii</i>	Wiggins' croton	VASC	Euphorbiaceae		SR	BLMS	2B.2		G2G3	S2	N2?																		K
<i>Cryptantha clokeyi</i>	Clokey's cryptantha	VASC	Boraginaceae			BLMS	1B.2	T	G3	S3	N3	S1				K													S
<i>Cryptantha crinita</i>	silky cryptantha	VASC	Boraginaceae			BLMS	1B.2		G2	S2	N2																		K
<i>Cryptantha dissita</i>	serpentine cryptantha	VASC	Boraginaceae			BLMS	1B.2		G3	S3	N3				S														K
<i>Cryptantha excavata</i>	deep-scarred cryptantha	VASC	Boraginaceae			BLMS	1B.3		G1	S1	N1																		K
<i>Cryptantha ganderi</i>	Gander's cryptantha	VASC	Boraginaceae			BLMS	1B.1		G2G3	S1	N2																		S
<i>Cryptantha mariposae</i>	Mariposa cryptantha	VASC	Boraginaceae			BLMS	1B.3		G2G3	S2S3	N2N3																		S
<i>Cryptantha spithamea</i>	Red Hills cryptantha	VASC	Boraginaceae			BLMS	1B.3		G2	S2	N2																		K
<i>Cusickiella quadricostata</i>	Bodie Hills cusickiella	VASC	Brassicaceae			BLMS	1B.2		G2	S2	N2	S2																	K
<i>Cylindropuntia californica</i> var. <i>californica</i>	snake cholla	VASC	Cactaceae			BLMS	1B.1		G3T2	S1	N1																		S
<i>Cylindropuntia fosbergii</i>	pink teddy-bear cholla	VASC	Cactaceae			BLMS	1B.3		G2	S2	N2																		K
<i>Cylindropuntia munzii</i>	Munz cholla	VASC	Cactaceae			BLMS	1B.3		G3	S1	N1																		K
<i>Cymopterus deserticola</i>	desert cymopterus	VASC	Apiaceae			BLMS	1B.2		G2	S2	N2					K													K
<i>Cymopterus ripleyi</i> var. <i>saniculoides</i>	Ripley's cymopterus	VASC	Apiaceae			BLMS	1B.2	T	G3G4T3Q	S1	N3	S3																	K
<i>Dedeckera eurekensis</i>	July gold	VASC	Polygonaceae		SR	BLMS	1B.3		G3	S3	N3																		K
<i>Deinandra arida</i>	Red Rock tarplant	VASC	Asteraceae			BLMS	1B.2		G1	S1	N1																		S
<i>Deinandra conjugens</i>	Otay tarplant	VASC	Asteraceae	FT	SE		1B.1		G1	S1	N1																		S
<i>Deinandra floribunda</i>	Tecate tarplant	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2																		K
<i>Deinandra halliana</i>	Hall's tarplant	VASC	Asteraceae			BLMS	1B.1		G3	S3	N3				S														K
<i>Deinandra increscens</i> ssp. <i>villosa</i>	Gaviota tarplant	VASC	Asteraceae	FE	SE		1B.1		G3T2	S2	N2				S														
<i>Deinandra minthornii</i>	Santa Suzana tarplant	VASC	Asteraceae		SR	BLMS	1B.2		G2	S2	N2																		S
<i>Deinandra mohavensis</i>	Mojave tarplant	VASC	Asteraceae		SE	BLMS	1B.3		G2	S3	N2				K	S													K
<i>Delphinium californicum</i> ssp. <i>interius</i>	Hospital Canyon larkspur	VASC	Ranunculaceae			BLMS	1B.2		G3T3	S3	N3																		S
<i>Delphinium hesperium</i> ssp. <i>cuyamaca</i>	Cuyamaca larkspur	VASC	Ranunculaceae		SR	BLMS	1B.2		G4T2	S2	N2																		S
<i>Delphinium parryi</i> ssp. <i>blochmaniae</i>	dune larkspur	VASC	Ranunculaceae			BLMS	1B.2		G4T2	S2	N2				S														
<i>Delphinium parryi</i> ssp. <i>eastwoodiae</i>	Eastwood's larkspur	VASC	Ranunculaceae			BLMS	1B.2		G4T2	S2	N2				S														
<i>Delphinium purpusii</i>	Kern County larkspur	VASC	Ranunculaceae			BLMS	1B.3		G3	S3	N3				K														
<i>Delphinium recurvatum</i>	recurved larkspur	VASC	Ranunculaceae			BLMS	1B.2		G2?	S2	N2?				K														K
<i>Delphinium umbracolorum</i>	umbrella larkspur	VASC	Ranunculaceae			BLMS	1B.3		G3																				

SCIENTIFIC NAME	COMNAME	TYPEPLANT	FAMILY	FEDStatus	STStatus	BLMStatus	CNPS	NNPS	Global Rank	State Rank	National Rank	NVStatus	ALT	ARC	BAK	BAR	BIS	HOL	EAG	ELC	MOT	NEE	PAL	RED	RID	UKI	
<i>Dendrocacaulon intricatum</i>	northern moon shrub	LICH	Lobariaceae			BLMS			G3G4Q	S1	NNR			S												K	
<i>Dendrocallybia racemosa</i>	no common name	FUNG	Tricholomataceae			BLMS			G4	None	N4															S	
<i>Dieteria asteroides var. lagunensis</i>	Mount Laguna aster	VASC	Asteraceae		SR	BLMS	2B.1		G5T2T3	S1	N1										K						
<i>Diplacus mohavensis</i>	Mojave monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G2	S2	N2					K											
<i>Diplacus pictus</i>	Calico monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G2	S2	N2				K												
<i>Diplacus pulchellus</i>	yellow-lip pansy monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G2	S2	N2										K						
<i>Dithyrea maritima</i>	beach spectaclepod	VASC	Brassicaceae		ST	BLMS	1B.1		G1	S1	N1				S												
<i>Dodecahema leptoceras</i>	slender-horned spineflower	VASC	Polygonaceae	FE	SE		1B.1		G1	S1	N1															K	
<i>Dudleya abramsii ssp. affinis</i>	San Bernardino Mountains dudleya	VASC	Crassulaceae			BLMS	1B.2		G4T2	S2	N2					K											
<i>Dudleya abramsii ssp. murina</i>	mouse-gray dudleya	VASC	Crassulaceae			BLMS	1B.1		G4T2	S2	N2				K												
<i>Dudleya blochmaniae ssp. blochmaniae</i>	Blochman's dudleya	VASC	Crassulaceae			BLMS	1B.1		G3T2	S2	N2				S												
<i>Dudleya multicaulis</i>	many-stemmed dudleya	VASC	Crassulaceae			BLMS	1B.2		G2	S2	N2												S				
<i>Dudleya saxosa ssp. saxosa</i>	Panamint dudleya	VASC	Crassulaceae			BLMS	1B.3		G4T3	S3	N3															K	
<i>Dudleya variegata</i>	variegated dudleya	VASC	Crassulaceae			BLMS	1B.2		G2	S2	N2															K	
<i>Dudleya viscida</i>	sticky dudleya	VASC	Crassulaceae			BLMS	1B.2		G2	S2	N2															K	
<i>Echinocereus engelmannii var. howei</i>	Howe's hedgehog cactus	VASC	Cactaceae			BLMS	1B.1		G5T1	S1	N1										K						
<i>Enceliopsis covillei</i>	Panamint daisy	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2															K	
<i>Entosthodon kochii</i>	Koch's cord moss	BRYO	Funariaceae			BLMS	1B.3		G1	S1	N1										K						
<i>Epilobium nivium</i>	Snow Mountain willowherb	VASC	Onagraceae			BLMS	1B.1		G2G3	S2S3	N2N3			K													
<i>Epilobium oregonum</i>	Oregon fireweed	VASC	Onagraceae			BLMS	1B.2		G2	S2	N2															S	
<i>Epilobium siskiyouense</i>	Siskiyou fireweed	VASC	Onagraceae			BLMS	1B.3		G3	S3	N3															S	
<i>Eremalche parryi ssp. kernensis</i>	Kern mallow	VASC	Malvaceae	FE			1B.1		G3G4T3	S3	N3				K												
<i>Eriastrum brandegeae</i>	Brandegee's eriastrum	VASC	Polemoniaceae			BLMS	1B.1		G1Q	S1	N1															K	S
<i>Eriastrum densifolium ssp. sanctorum</i>	Santa Ana River woollystar	VASC	Polemoniaceae	FE	SE		1B.1		G4T1	S1	N1															K	
<i>Eriastrum harwoodii</i>	Harwood's eriastrum	VASC	Polemoniaceae			BLMS	1B.2		G2	S2	N2					K						K	K				
<i>Eriastrum luteum</i>	yellow-flowered eriastrum	VASC	Polemoniaceae			BLMS	1B.2		G2	S2	N2				K												
<i>Ericameria cuneata var. macrocephala</i>	Laguna Mountains goldenbush	VASC	Asteraceae			BLMS	1B.3		G5T2T3	S2S3	N2N3															K	
<i>Ericameria fasciculata</i>	Eastwood's goldenbush	VASC	Asteraceae			BLMS	1B.1		G2	S2	N2																K
<i>Ericameria gilmanii</i>	Gilman's goldenbush	VASC	Asteraceae			BLMS	1B.3		G2	S2	N2				K											S	
<i>Ericameria palmeri var. palmeri</i>	Palmer's goldernbush	VASC	Asteraceae			BLMS	1B.1		G4T2?	S2	N2												S				
<i>Erigeron aequifolius</i>	Hall's daisy	VASC	Asteraceae			BLMS	1B.3		G3	S3	N3															K	
<i>Erigeron blochmaniae</i>	Blochman's leafy daisy	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2				K												
<i>Erigeron calvus</i>	bald daisy	VASC	Asteraceae			BLMS	1B.1		G1Q	S1	N1										S						
<i>Erigeron greenei</i>	Greene's narrow-leaved daisy	VASC	Asteraceae			BLMS	1B.2		G2?	S2?	N2?															K	
<i>Erigeron maniopotamicus</i>	Mad River fleabane daisy	VASC	Asteraceae			BLMS	1B.2		G2?	S2?	N2?			S													
<i>Erigeron multiceps</i>	Kern River daisy	VASC	Asteraceae			BLMS	1B.2		G2	S2S3	N2	S1			S												
<i>Erigeron parishii</i>	Parish's daisy	VASC	Asteraceae	FT			1B.1		G2	S2	N2					K											
<i>Erigeron serpentinus</i>	serpentine daisy	VASC	Asteraceae			BLMS	1B.3		G2	S2	N2															K	
<i>Erigeron supplex</i>	supple daisy	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2															S	
<i>Erigeron uncialis var. uncialis</i>	limestone daisy	VASC	Asteraceae			BLMS	1B.2		G3?T2	S2	N2	S1														S	
<i>Eriogonum alexanderae</i>	Alexander's buckwheat	VASC	Polygonaceae			BLMS	1B.1	T	G3Q	S1	N2N3	S2S3					S										
<i>Eriogonum apricum var. apricum</i>	lone buckwheat	VASC	Polygonaceae	FE	SE		1B.1		G2T1	S1	N1															K	
<i>Eriogonum bifurcatum</i>	forked buckwheat	VASC	Polygonaceae			BLMS	1B.2	T	G3	S3	N3	S2			K											K	
<i>Eriogonum butterworthianum</i>	Butterworth's buckwheat	VASC	Polygonaceae		SR	BLMS	1B.3		G2	S2	N2							S									
<i>Eriogonum cedrorum</i>	The Cedars buckwheat	VASC	Polygonaceae			BLMS	1B.3		G1	S1	N1															K	
<i>Eriogonum contiguum</i>	Reveal's buckwheat	VASC	Polygonaceae			BLMS	2B.3	W	G3	S2	N3	S1														K	
<i>Eriogonum crosbyae</i>	Crosby's buckwheat	VASC	Polygonaceae			BLMS		T	G3Q	S3	NNR	S3	K														
<i>Eriogonum eremicola</i>	Wildrose Canyon buckwheat	VASC	Polygonaceae			BLMS	1B.3		G1	S1	N1						S									K	
<i>Eriogonum heermannii var. occidentale</i>	western Heermann's buckwheat	VASC	Polygonaceae			BLMS	1B.2		G5T2	S2	N2															K	
<i>Eriogonum hoffmannii var. hoffmannii</i>	Hoffmann's buckwheat	VASC	Polygonaceae			BLMS	1B.3		G3T2	S2	N2															K	
<i>Eriogonum hoffmannii var. robustius</i>	robust Hoffmann's buckwheat	VASC	Polygonaceae			BLMS	1B.3		G3T3	S3	N3															K	
<i>Eriogonum kelloggii</i>	Red Mountain buckwheat	VASC	Polygonaceae		SE	BLMS	1B.2		G2	S2	N2				K												
<i>Eriogonum kennedyi var. pinicola</i>	Kern buckwheat	VASC	Polygonaceae			BLMS	1B.1		G4T1	S1	N1				S											K	
<i>Eriogonum mensicola</i>	Pinyon Mesa buckwheat	VASC	Polygonaceae			BLMS	1B.3		G3	S3	N2N3												S			K	
<i>Eriogonum microthecum var. panamintense</i>	Panamint Mountains buckwheat	VASC	Polygonaceae			BLMS	1B.3		G5T3	S3	N3												K			K	
<i>Eriogonum microthecum var. schoolcraftii</i>	Schoolcraft's wild buckwheat	VASC	Polygonaceae			BLMS	1B.2	T	G5T3	S3	N3	S1	S													K	
<i>Eriogonum nervulosum</i>	Snow Mtn. buckwheat	VASC	Polygonaceae			BLMS	1B.2		G2	S2	N2															K	
<i>Eriogonum nortanii</i>	Pinnacles buckwheat	VASC	Polygonaceae			BLMS	1B.3		G2	S2	N2															K	
<i>Eriogonum nudum var. murinum</i>	mouse buckwheat	VASC	Polygonaceae			BLMS	1B.2		G5T2	S2	N2				K												
<i>Eriogonum ovalifolium var. vineum</i>	Cushenberry buckwheat	VASC	Polygonaceae	FE			1B.1		G5T1	S1	N1					K											
<i>Eriogonum prociduum</i>	prostrate buckwheat	VASC	Polygonaceae			BLMS	1B.2	T	G3	S3	N3	S1	K													K	

Plant Type: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Fed Status: FE = Federally Endangered; FD = Federally Delisted; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare; SC = State Candidate. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution - a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.

SCIENTIFIC NAME	COMNAME	TYPEPLANT	FAMILY	FEDStatus	STStatus	BLMStatus	CNPS	NNPS	Global Rank	State Rank	National Rank	NVStatus	ALT	ARC	BAK	BAR	BIS	HOL	EAG	ELC	MOT	NEE	PAL	RED	RID	UKI	
<i>Eriogonum tembloense</i>	Temblo buckwheat	VASC	Polygonaceae			BLMS	1B.2		G2	S2	N2				K												
<i>Eriogonum umbellatum var. ahartii</i>	Ahart's buckwheat	VASC	Polygonaceae			BLMS	1B.2		G5T3	S3	N3													S			
<i>Eriogonum umbellatum var. glaberrimum</i>	green buckwheat	VASC	Polygonaceae			BLMS	1B.3		G5T2?	S2	N2?		S														
<i>Eriogonum ursinum var. erubescens</i>	blushing wild buckwheat	VASC	Polygonaceae			BLMS	1B.3		G3G4T3	S3	N3													S			
<i>Eriophyllum mohavense</i>	Barstow woolly-sunflower	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2				K										K		
<i>Eryngium aristulatum var. parishii</i>	San Diego button-celery	VASC	Apiaceae	FE	SE		1B.1		G5T1	S1	N1											S					
<i>Eryngium montereyense</i>	Fort Ord button-celery	VASC	Apiaceae			BLMS	1B.1		G1	S1	N1																
<i>Eryngium spinosepalum</i>	spiny-sepaled button-celery	VASC	Apiaceae			BLMS	1B.2		G2	S2	N2				K												
<i>Erysimum ammophilum</i>	coast wallflower	VASC	Brassicaceae			BLMS	1B.2		G2	S2	N2								S								
<i>Erysimum concinnum</i>	bluff wallflower	VASC	Brassicaceae			BLMS	1B.2		G3	S2	N3				K												
<i>Erysimum menziesii</i>	Menzies' wallflower	VASC	Brassicaceae	FE	SE		1B.1		G1	S1	N1				K												
<i>Erythranthe calicicola</i>	limestone monkeyflower	VASC	Phrymaceae			BLMS	1B.3	T	G3	S3	N3	S1S2													K		
<i>Erythranthe filicaulis</i>	slender-stemmed monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G2	S2	N2															K	
<i>Erythranthe gracilipes</i>	slender-stalked monkerflower	VASC	Phrymaceae			BLMS	1B.2		G2	S2	N2				S												
<i>Erythranthe inflatula</i>	ephemeral monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G3	S2	N3		K						K					S			
<i>Erythranthe marmorata</i>	Stanislaus monkeyflower	VASC	Phrymaceae			BLMS	1B.1		G2?	S2?	N2															S	
<i>Erythranthe norrisii</i>	Kaweah monkeyflower	VASC	Phrymaceae			BLMS	1B.3		G2	S2	N2				K												
<i>Erythranthe rhodopetra</i>	Red Rock Canyon monkeyflower	VASC	Phrymaceae			BLMS	1B.1		G1	S1	N1															K	
<i>Erythranthe shevockii</i>	Kelso Creek monkeyflower	VASC	Phrymaceae			BLMS	1B.1		G1	S1	N1				K											K	
<i>Erythronium tuolumnense</i>	Tuolumne fawn-lily	VASC	Liliaceae			BLMS	1B.2		G2G3	S2S3	N2N3															K	
<i>Eschscholzia lemmonii ssp. kernensis</i>	Tejon poppy	VASC	Papaveraceae			BLMS	1B.1		G5T2	S2	N2				K												
<i>Eschscholzia minutiflora ssp. twisselmannii</i>	Red Rock poppy	VASC	Papaveraceae			BLMS	1B.2		G5T2	S2	N2															K	
<i>Eschscholzia rhombipetala</i>	diamond-petaled California poppy	VASC	Papaveraceae			BLMS	1B.1		G1	S1	N1				S												
<i>Euphorbia hooveri</i>	Hoover's spurge	VASC	Euphorbiaceae	FT			1B.2		G1	S1	N1															S	
<i>Euphorbia jaegeri</i>	Orocopia Mountains spurge	VASC	Euphorbiaceae			BLMS	1B.1		G1	S1	N1											K	K				
<i>Euphorbia ocellata ssp. rattanii</i>	Stony Creek spurge	VASC	Euphorbiaceae			BLMS	1B.2		G4T2?	S2?	N2?															K	
<i>Euphorbia platysperma</i>	flat-seeded spurge	VASC	Euphorbiaceae			BLMS	1B.2		G3	S1	N1				S					S							
<i>Extriplex joaquinana</i>	San Joaquin spearscale	VASC	Chenopodiaceae			BLMS	1B.2		G2	S2	N2															K	
<i>Fremontodendron decumbens</i>	Pine Hill flannelbush	VASC	Malvaceae	FE	SR		1B.2		G1	S1	N1															K	
<i>Fremontodendron mexicanum</i>	Mexican flannelbush	VASC	Malvaceae	FE	SR		1B.1		G1	S1	N1															K	
<i>Fritillaria brandegeei</i>	Greenhorn fritillary	VASC	Liliaceae			BLMS	1B.3		G2G3	S2S3	N2N3				S												
<i>Fritillaria falcata</i>	talus fritillary	VASC	Liliaceae			BLMS	1B.2		G2	S2	N2															K	
<i>Fritillaria gentneri</i>	Gentner's fritillaria	VASC	Liliaceae	FE			1B.1		G2	S1	N2															K	
<i>Fritillaria ojaiensis</i>	Ojai fritillary	VASC	Liliaceae			BLMS	1B.2		G3	S3	N2?				K												
<i>Fritillaria pluriflora</i>	adobe-lily	VASC	Liliaceae			BLMS	1B.2		G2G3	S2S3	N2N3															S	K
<i>Fritillaria striata</i>	striped adobe-lily	VASC	Liliaceae		ST	BLMS	1B.1		G1	S1	N1				S												
<i>Fritillaria viridea</i>	San Benito fritillary	VASC	Liliaceae			BLMS	1B.2		G2	S2	N2															K	
<i>Galium angustifolium ssp. borregoense</i>	Borrego bedstraw	VASC	Rubiaceae		SR	BLMS	1B.3		G5T3?	S3?	N3?															K	
<i>Galium angustifolium ssp. jacinticum</i>	San Jacinto Mountains bedstraw	VASC	Rubiaceae			BLMS	1B.3		G5T2?	S2?	N2?															K	
<i>Galium angustifolium ssp. onycense</i>	Onyx Peak bedstraw	VASC	Rubiaceae			BLMS	1B.3		G5T3	S3	N3				K												
<i>Galium argense</i>	Argus bedstraw	VASC	Rubiaceae			BLMS	1B.3		G1G2	S1S2	N1N2				S												
<i>Galium californicum ssp. primum</i>	Alvin Meadow bedstraw	VASC	Rubiaceae			BLMS	1B.2		G5T2	S2	N2															S	
<i>Galium californicum ssp. sierrae</i>	El Dorado bedstraw	VASC	Rubiaceae	FE	SR		1B.2		G5T1	S1	N1															K	
<i>Galium glabrescens ssp. modocense</i>	Modoc bedstraw	VASC	Rubiaceae			BLMS	1B.2		G4T3	S3	N3		K														
<i>Galium grande</i>	San Gabriel bedstraw	VASC	Rubiaceae			BLMS	1B.2		G1	S1	N1															S	
<i>Galium hardhamiae</i>	Hardham's bedstraw	VASC	Rubiaceae			BLMS	1B.3		G3	S3	N3				K												
<i>Galium hilendiae ssp. kingstonense</i>	Kingston bedstraw	VASC	Rubiaceae			BLMS	1B.3		G4T3	S2	N3				K											K	
<i>Galium serpenticum ssp. scotticum</i>	Scott Mtn. bedstraw	VASC	Rubiaceae			BLMS	1B.2		G4G5T2	S2	N2															K	
<i>Galium serpenticum ssp. warnerense</i>	Warner Mtns. bedstraw	VASC	Rubiaceae			BLMS	1B.2		G4G5T2T3	S2	N2N3		S														
<i>Gentiana setigera</i>	Mendocino gentian	VASC	Gentianaceae			BLMS	1B.2		G2	S2	N2				K												
<i>Gilia capitata ssp. pacifica</i>	Pacific gilia	VASC	Polemoniaceae			BLMS	1B.2		G5T3	S2	NNR				K											S	
<i>Gilia millefoliata</i>	dark-eyed gilia	VASC	Polemoniaceae			BLMS	1B.2		G2	S2	N2				K												
<i>Gilia tenuiflora ssp. arenaria</i>	sand gilia	VASC	Polemoniaceae	FE	ST		1B.2		G3G4T2	S2	N2															K	
<i>Githopsis tenella</i>	delicate bluecup	VASC	Campanulaceae			BLMS	1B.3		G2	S2	N2															K	
<i>Glossopetalon pungens</i>	pungent glossopetalon	VASC	Crossosomataceae			BLMS	1B.2	T	G2G3	S1	N2N3	S2														K	
<i>Gratiola heterosepala</i>	Boggs Lake hedge-hyssop	VASC	Plantaginaceae		SE	BLMS	1B.2		G2	S2	N2N3		K		K										K	K	
<i>Grimmia torenii</i>	Toren's grimmia	BRYO	Grimmiaceae			BLMS	1B.3		G2	S2	N2															K	
<i>Grimmia vaginulata</i>	vaginulate grimmia	BRYO	Grimmiaceae			BLMS	1B.1		G3	S1	N2N3															K	
<i>Grindelia fraxinipratensis</i>	Ash Meadows gum-plant	VASC	Asteraceae	FT			1B.2	T	G2	S1	N2	S1			K												
<i>Grindelia hallii</i>	San Diego gumplant	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2															K	
<i>Harmonia doris-nilesiae</i>	Niles's harmonia	VASC	Asteraceae			BLMS	1B.1		G2G3	S2S3	N2N3															S	

Plant Type: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Fed Status: FE = Federally Endangered; FD = Federally Delisted; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare; SC = State Candidate. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution - a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.

SCIENTIFIC NAME	COMNAME	TYPEPLANT	FAMILY	FEDStatus	STStatus	BLMStatus	CNPS	NNPS	Global Rank	State Rank	National Rank	NVStatus	ALT	ARC	BAK	BAR	BIS	HOL	EAG	ELC	MOT	NEE	PAL	RED	RID	UKI
<i>Harmonia hallii</i>	Hall's harmonia	VASC	Asteraceae			BLMS	1B.2		G2	S2?	N2?															K
<i>Harmonia stebbinsii</i>	Stebbins's harmonia	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2													K		
<i>Helianthella castanea</i>	Diablo rock-rose	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2							S								
<i>Helianthus niveus ssp. tephrodes</i>	Algodones Dunes sunflower	VASC	Asteraceae		SE	BLMS	1B.2		G4T2	S1	N2										K					
<i>Helianthus winteri</i>	Winter's sunflower	VASC	Asteraceae			BLMS	1B.2		G2?	S2?	N2?				K											
<i>Hesperexax sparsiflora var. brevifolia</i>	short-leaved evax	VASC	Asteraceae			BLMS	1B.2		G4T3	S3	N3			K												K
<i>Hesperidanthus jaegeri</i>	Jaeger's hesperidanthus	VASC	Brassicaceae			BLMS	1B.2		G2	S2	N2						S								K	
<i>Hesperocyparis forbesii</i>	Tecate cypress	VASC	Cupressaceae			BLMS	1B.1		G2	S2	N2												K			
<i>Hesperocyparis nevadensis</i>	Piute cypress	VASC	Cupressaceae			BLMS	1B.2		G2	S2	NNR				K											
<i>Hesperocyparis pygmaea</i>	pygmy cypress	VASC	Cupressaceae			BLMS	1B.2		G1	S1	N1															S
<i>Hesperolinon adenophyllum</i>	glandular western flax	VASC	Linaceae			BLMS	1B.2		G2G3	S2S3	N2N3															K
<i>Hesperolinon bicarpellatum</i>	two-carpellate western flax	VASC	Linaceae			BLMS	1B.2		G2	S2	N2															K
<i>Hesperolinon breweri</i>	Brewer's dwarf flax	VASC	Linaceae			BLMS	1B.2		G2	S2	N2?															S
<i>Hesperolinon didymocarpum</i>	Lake County dwarf flax	VASC	Linaceae		SE	BLMS	1B.2		G1	S1	N1															S
<i>Hesperolinon drymarioides</i>	drymaria-like western flax	VASC	Linaceae			BLMS	1B.2		G2	S2	N2															K
<i>Hesperolinon sharsmithiae</i>	Sharsmith's western flax	VASC	Linaceae			BLMS	1B.2		G2Q	S2	N2															K
<i>Hesperolinon tehamense</i>	Tehama County western flax	VASC	Linaceae			BLMS	1B.3		G2	S2	N2															K
<i>Heterotheca shevockii</i>	Shevock's golden-aster	VASC	Asteraceae			BLMS	1B.3		G2	S2	N2				S											
<i>Heuchera brevistaminea</i>	Laguna Mountains alumroot	VASC	Saxifragaceae			BLMS	1B.3		G2	S2	N2									K			K			
<i>Hibiscus lasiocarpus var. occidentalis</i>	woolly rose-mallow	VASC	Malvaceae			BLMS	1B.2		G5T3	S3	NNR										K					
<i>Holodiscus discolor var. cedrorum</i>	Cedars oceanspray	VASC	Rosaceae			BLMS	1B.3				NNR															K
<i>Hooveria purpurea var. purpurea</i>	purple amole	VASC	Agavaceae	FT			1B.1		G2T2	S2	NNR				S			S								
<i>Horkelia bolanderi</i>	Bolander's horkelia	VASC	Rosaceae			BLMS	1B.2		G1	S1	N1															K
<i>Horkelia cuneata var. puberula</i>	mesa horkelia	VASC	Rosaceae			BLMS	1B.1		G4T1	S1	N1												S			
<i>Horkelia hendersonii</i>	Henderson's horkelia	VASC	Rosaceae			BLMS	1B.1		G1	S1	N1													S		
<i>Horkelia marinensis</i>	Point Reyes horkelia	VASC	Rosaceae			BLMS	1B.2		G2	S2	N2										K					S
<i>Horkelia parryi</i>	Parry's horkelia	VASC	Rosaceae			BLMS	1B.2		G2	S2	N2															
<i>Horkelia tenuiloba</i>	thin-lobed horkelia	VASC	Rosaceae			BLMS	1B.2		G2	S2	N2			S												K
<i>Horkelia truncata</i>	Ramona horkelia	VASC	Rosaceae			BLMS	1B.3		G3	S3	N2												K			
<i>Hosackia crassifolia var. otayensis</i>	Otay Mountain lotus	VASC	Fabaceae			BLMS	1B.1		G5T1	S1	N1												K			
<i>Hulsea californica</i>	San Diego sunflower	VASC	Asteraceae			BLMS	1B.3		G3	S3	N3									K			S			
<i>Iris hartwegii ssp. columbiana</i>	Tuolumne iris	VASC	Iridaceae			BLMS	1B.2		G4T1Q	S1	N1															K
<i>Iris munzii</i>	Munz's iris	VASC	Iridaceae			BLMS	1B.3		G2	S2	N2				K											
<i>Isocoma menziesii var. decumbens</i>	decumbent goldenbush	VASC	Asteraceae			BLMS	1B.2		G3G5T2T3	S2	N2										K			K		
<i>Isoetes minima</i>	Columbia quillwort	VASC	Isoetaceae			BLMS	1B.1		G1G2	S1	N1?			S				S			S			I		S
<i>Ivesia aperta var. aperta</i>	Sierra Valley ivesia	VASC	Rosaceae			BLMS	1B.2	T	G2T2	S2	N2	S1											K			
<i>Ivesia jaegeri</i>	Jaeger's ivesia	VASC	Rosaceae			BLMS	1B.3		G2G3	S1	N2N3															K
<i>Ivesia longibracteata</i>	Castle Crags ivesia	VASC	Rosaceae			BLMS	1B.3		G1	S1	N1															S
<i>Ivesia paniculata</i>	Ash Creek ivesia	VASC	Rosaceae			BLMS	1B.2		G2	S2	N2			K												
<i>Ivesia patellifera</i>	Kingston Mtns. ivesia	VASC	Rosaceae			BLMS	1B.3		G2	S2	N2					K										K
<i>Ivesia pickeringii</i>	Pickering's ivesia	VASC	Rosaceae			BLMS	1B.2		G2	S2	N2															S
<i>Ivesia rhypara var. rhypara</i>	grimy ivesia	VASC	Rosaceae			BLMS		T	G2T2	N2	N2	S2		K												
<i>Ivesia sericoleuca</i>	Plumas ivesia	VASC	Rosaceae			BLMS	1B.2		G2	S2	N2										S					
<i>Ivesia webberi</i>	Webber's ivesia	VASC	Rosaceae	FT			1B.1	T	G2	S1	N2	S2														K
<i>Juncus leiospermus var. leiospermus</i>	Red Bluff dwarf rush	VASC	Juncaceae			BLMS	1B.1		G2T2	S2	N2															K
<i>Juncus luciensis</i>	Santa Lucia dwarf rush	VASC	Juncaceae			BLMS	1B.2		G3	S3	N3							S		K						
<i>Lagophylla diabolensis</i>	Diablo Range hare-leaf	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2															
<i>Lasthenia californica ssp. macrantha</i>	perennial goldfields	VASC	Asteraceae			BLMS	1B.2		G3T2	S2	N2			S												K
<i>Lasthenia conjugens</i>	Contra Costa goldfields	VASC	Asteraceae	FE			1B.1		G1	S1	N1															
<i>Lasthenia glabrata ssp. Coulteri</i>	Coulter's goldfields	VASC	Asteraceae			BLMS	1B.1		G4T2	S2	N2					K										
<i>Lathyrus jepsonii ssp. Jepsonii</i>	Delta tule pea	VASC	Fabaceae			BLMS	1B.2		G5T2	S2	N2															S
<i>Layia carnosa</i>	beach layia	VASC	Asteraceae	FT	SE		1B.1		G2	S2	N2			K												
<i>Layia discoidea</i>	rayless tidytips	VASC	Asteraceae			BLMS	1B.1		G2	S2	N2															K
<i>Layia heterotricha</i>	pale-yellow layia	VASC	Asteraceae			BLMS	1B.1		G2	S2	N2				K											K
<i>Layia jonesii</i>	Jones' layia	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2				S											
<i>Layia leucopappa</i>	Comanche Point layia	VASC	Asteraceae			BLMS	1B.1		G1	S1	N1				S											
<i>Layia munzii</i>	Munz's tidy-tips	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2				K											
<i>Layia septentrionalis</i>	Colusa layia	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2													S		K
<i>Legenere limosa</i>	legenere	VASC	Campanulaceae			BLMS	1B.1		G2	S2	N2									S						K
<i>Lepechinia ganderi</i>	Gander's pitcher-sage	VASC	Lamiaceae			BLMS	1B.3		G3	S3	N3															K
<i>Lepidium flavum var. felipense</i>	Borrego Valley pepper-grass	VASC	Brassicaceae			BLMS	1B.2		G5T1	S1	N1															S

Plant Type: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Fed Status: FE = Federally Endangered; FD = Federally Delisted; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare; SC = State Candidate. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution - a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.

SCIENTIFIC NAME	COMNAME	TYPEPLANT	FAMILY	FEDStatus	STStatus	BLMStatus	CNPS	NNPS	Global Rank	State Rank	National Rank	NVStatus	ALT	ARC	BAK	BAR	BIS	HOL	EAG	ELC	MOT	NEE	PAL	RED	RID	UKI
<i>Lepidium jaredii</i> ssp. <i>album</i>	Panoche pepper-grass	VASC	Brassicaceae			BLMS	1B.2		G2G3T2T3	S2S3	N2N3							K								
<i>Lepidium jaredii</i> ssp. <i>jaredii</i>	Jared's pepper-grass	VASC	Brassicaceae			BLMS	1B.2		G2G3T1T2	S1S2	N1N2			K												
<i>Leptosiphon floribundus</i> ssp. <i>hallii</i>	Santa Rosa Mountains leptosiphon	VASC	Polemoniaceae			BLMS	1B.3		G4T1T2	S1S2	N1N2												K			
<i>Leptosiphon nuttallii</i> ssp. <i>howellii</i>	Mt. Tedoc linanthus	VASC	Polemoniaceae			BLMS	1B.3		G5T2	S2	N2													S		
<i>Leptosiphon serrulatus</i>	Madera leptosiphon	VASC	Polemoniaceae			BLMS	1B.2		G3	S3	N1?			S												
<i>Leptosyne hamiltonii</i>	Mt. Hamilton coreopsis	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2							S								
<i>Lessingia glandulifera</i> var. <i>tomentosa</i>	Warner Springs lessingia	VASC	Asteraceae			BLMS	1B.1		G4?T2	S2	N2												K			
<i>Lewisia cantelovii</i>	Cantelow's lewisia	VASC	Portulacaceae			BLMS	1B.2		G3	S3	N3										K			S		
<i>Lewisia cotyledon</i> var. <i>heckneri</i>	Heckner's lewisia	VASC	Portulacaceae			BLMS	1B.2		G4T3	S3	N3													K		
<i>Lewisia disepala</i>	Yosemite lewisia	VASC	Montiaceae			BLMS	1B.2		G2	S2	N2			K												
<i>Lilaeopsis masonii</i>	Mason's lilaeopsis	VASC	Apiaceae	CR		BLMS	1B.1		G2	S2	N2										S					
<i>Lilium maritimum</i>	coast lily	VASC	Liliaceae			BLMS	1B.1		G2	S2	N2															K
<i>Limnanthes alba</i> ssp. <i>parishii</i>	Parish's meadowfoam	VASC	Limnathaceae		SE	BLMS	1B.2		G4T2	S2	N2								K				S			
<i>Limnanthes bakeri</i>	Baker's meadowfoam	VASC	Limnathaceae		SR	BLMS	1B.1		G1	S1	N1			S												
<i>Limnanthes floccosa</i> ssp. <i>bellingiana</i>	Bellingher's meadowfoam	VASC	Limnathaceae			BLMS	1B.2		G4T2T3	S1	N3			S										S		
<i>Limnanthes floccosa</i> ssp. <i>californica</i>	Butte County meadowfoam	VASC	Limnathaceae	FE	SE		1B.1		G4T1	S1	N1													S		
<i>Linanthus bernardinus</i>	Pioneertown linanthus	VASC	Polemoniaceae			BLMS	1B.2		G1	S1	N1				S											
<i>Linanthus maculatus</i> ssp. <i>emaculatus</i>	Jacumba Mountains linanthus	VASC	Polemoniaceae			BLMS	1B.1		G2T1	S1	N1									K						
<i>Linanthus maculatus</i> ssp. <i>maculatus</i>	Little San Bernardino Mtns. linanthus	VASC	Polemoniaceae			BLMS	1B.2		G2T2	S2	N2				K									K		
<i>Linanthus orcuttii</i>	Orcutt's linanthus	VASC	Polemoniaceae			BLMS	1B.3		G3	S2	N2									S			S			
<i>Loeflingia squarrosa</i> var. <i>artemisiarum</i>	Sagebrush loeflingia	VASC	Caryophyllaceae			BLMS	2B.2	W	G5T3	S2	N3	S1S2	S			K		K								
<i>Lomatium congdonii</i>	Congdon's lomatium	VASC	Apiaceae			BLMS	1B.2		G2	S2	N2															
<i>Lomatium observatorium</i>	Mt. Hamilton lomatium	VASC	Apiaceae			BLMS	1B.2		G1	S1	N1							S								
<i>Lomatium ravenii</i> var. <i>ravenii</i>	Raven's lomatium	VASC	Apiaceae			BLMS	1B.3		G4T2	S2	NNR		K							K						
<i>Lomatium roseanum</i>	adobe lomatium	VASC	Apiaceae			BLMS	1B.2	T	G2G3	S2	N2N3	S2	K													
<i>Lomatium shevockii</i>	Owens Peak lomatium	VASC	Apiaceae			BLMS	1B.2		G2	S2	N2				K										K	
<i>Lupinus albifrons</i> var. <i>medius</i>	Mountain Springs bush lupine	VASC	Fabaceae			BLMS	1B.3		G4T2	S2	NNR									K			K			
<i>Lupinus citrinus</i> var. <i>citrinus</i>	orange lupine	VASC	Fabaceae			BLMS	1B.2		G2T2	S2	N2			S												
<i>Lupinus citrinus</i> var. <i>deflexus</i>	Mariposa lupine	VASC	Fabaceae		ST	BLMS	1B.2		G2T1T2	S1S2	N1N2										S					
<i>Lupinus duranii</i>	Mono Lake lupine	VASC	Fabaceae			BLMS	1B.2		G2	S2	N2															
<i>Lupinus ludovicianus</i>	San Luis Obispo County lupine	VASC	Fabaceae			BLMS	1B.2		G1	S1	N1			S												
<i>Lupinus magnificus</i> var. <i>hesperius</i>	McGee Meadows lupine	VASC	Fabaceae			BLMS	1B.3		G3T1Q	S1	N1															
<i>Lupinus magnificus</i> var. <i>magnificus</i>	Panamint Mtns. lupine	VASC	Fabaceae			BLMS	1B.2		G3T3	S3	N3														K	
<i>Lupinus sericatus</i>	Cobb Mountain lupine	VASC	Fabaceae			BLMS	1B.2		G2?	S2?	N2?															K
<i>Lupinus spectabilis</i>	shaggyhair lupine	VASC	Fabaceae			BLMS	1B.2		G2	S2	N2										K					
<i>Lupinus uncialis</i>	lilliput lupine	VASC	Fabaceae			BLMS	2B.2		G4	S2	N4		K													
<i>Madia radiata</i>	showy golden madia	VASC	Asteraceae			BLMS	1B.1		G3	S3	N2				K					K						
<i>Malacothamnus aboriginum</i>	Indian Valley bush-mallow	VASC	Malvaceae			BLMS	1B.2		G3	S3	N3				S											
<i>Malacothamnus astrotentaculatus</i>	starry-tentacled bushmallow	VASC	Malvaceae			BLMS			G2	S2	N2													K		
<i>Malacothamnus hallii</i>	Hall's bush-mallow	VASC	Malvaceae			BLMS	1B.2		G2	S2	NNR															K
<i>Malacothamnus involucratus</i>	Carmel Valley bush-mallow	VASC	Malvaceae			BLMS	1B.2		G2Q	S2	N2												K			
<i>Malacothamnus lucianus</i>	Arroyo Seco bush-mallow	VASC	Malvaceae			BLMS	1B.2		G1Q	S1	N1												S			
<i>Malacothrix saxatilis</i> var. <i>arachnoidea</i>	Carmel Valley malacothrix	VASC	Asteraceae			BLMS	1B.2		G5T2	S2	N2												S			
<i>Menodora spinescens</i> var. <i>mohavensis</i>	Mojave menodora	VASC	Oleaceae			BLMS	1B.2		G4T2	S2	N2				K										K	
<i>Mentzelia inyoensis</i>	Inyo blazing star	VASC	Loasaceae			BLMS	1B.1	T	G2	S1	N3	S1			K	K										
<i>Mentzelia polita</i>	polished blazing star	VASC	Loasaceae			BLMS	1B.2	T	G2G3	S2?	N23	S2														K
<i>Mentzelia tridentata</i>	creamy blazing star	VASC	Loasaceae			BLMS	1B.3		G3	S3	N3				K										S	
<i>Microseris paludosa</i>	marsh microseris	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2															K
<i>Mielichhoferia shevockii</i>	Shevock's copper moss	BRYO	Mielichhoferiaceae			BLMS	1B.2		G2	S2	N2										K		S			
<i>Monardella beneolens</i>	sweet-smelling monardella	VASC	Lamiaceae			BLMS	1B.3		G2	S2	N2															K
<i>Monardella boydii</i>	Boyd's monardella	VASC	Lamiaceae			BLMS	1B.2		G1?Q	S1?	N1?				K											
<i>Monardella eremicola</i>	Clark Mountain monardella	VASC	Lamiaceae			BLMS	1B.3		G3Q	S3	N3														K	
<i>Monardella hypoleuca</i> ssp. <i>intermedia</i>	intermediate monardella	VASC	Lamiaceae			BLMS	1B.3		G4T2?	S2?	N2?													S		
<i>Monardella hypoleuca</i> ssp. <i>lanata</i>	felt-leaved monardella	VASC	Lamiaceae			BLMS	1B.2		G4T3	S3	N3													K		
<i>Monardella linoides</i> ssp. <i>oblonga</i>	Tehachapi monardella	VASC	Lamiaceae			BLMS	1B.3		GNRT2	S2	N2															K
<i>Monardella macrantha</i> ssp. <i>hallii</i>	Hall's monardella	VASC	Lamiaceae			BLMS	1B.3		G5T3	S3	N3													S		
<i>Monardella nana</i> ssp. <i>leptosiphon</i>	San Felipe monardella	VASC	Lamiaceae			BLMS	1B.2		G4G5T2?Q	S2	N2										S					
<i>Monardella palmeri</i>	Palmer's monardella	VASC	Lamiaceae			BLMS	1B.2		G2	S2	N2				S											
<i>Monardella robisonii</i>	Robison monardella	VASC	Lamiaceae			BLMS	1B.3		G3	S3	N3				K										S	
<i>Monardella sinuata</i> ssp. <i>nigrescens</i>	northern curly-leaved monardella	VASC	Lamiaceae			BLMS	1B.2		G3T2	S2	N2													S		
<i>Monardella stoneana</i>	Jennifer's monardella	VASC	Lamiaceae			BLMS	1B.2		G2	S1	N1															K

Plant Type: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Fed Status: FE = Federally Endangered; FD = Federally Delisted; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FO = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare; SC = State Candidate. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution - a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.

SCIENTIFIC NAME	COMNAME	TYPEPLANT	FAMILY	FEDStatus	STStatus	BLMStatus	CNPS	NNPS	Global Rank	State Rank	National Rank	NVStatus	ALT	ARC	BAK	BAR	BIS	HOL	EAG	ELC	MOT	NEE	PAL	RED	RID	UKI
<i>Monardella undulata ssp. crispa</i>	crisp monardella	VASC	Lamiaceae			BLMS	1B.2		G3T2	S2	N2				K											
<i>Monardella undulata ssp. undulata</i>	San Luis Obispo monardella	VASC	Lamiaceae			BLMS	1B.2		G3T2	S2	N2				K											
<i>Monardella venosa</i>	veiny monardella	VASC	Lamiaceae			BLMS	1B.1		G1	S1	NNR													S		
<i>Monolopia congdonii</i>	San Joaquin woolly threads	VASC	Asteraceae	FE			1B.2		G2	S2	N2				K			K								
<i>Nama demissa var. covillei</i>	Coville's purple mat	VASC	Namaceae			BLMS	1B.3		G5T3	S3	N3					K					K					
<i>Navarretia gowenii</i>	Lime Ridge navarretia	VASC	Polemoniaceae				1B.1		G1	S1	NNR							K								
<i>Navarretia leucocephala ssp. bakeri</i>	Baker's navarretia	VASC	Polemoniaceae			BLMS	1B.1		G4T2	S2	N2													S		
<i>Navarretia leucocephala ssp. pauciflora</i>	few-flowered navarretia	VASC	Polemoniaceae	FE	ST		1B.1		G4T1	S1	N1														S	
<i>Navarretia miwukensis</i>	Mi-Wuk navarretia	VASC	Polemoniaceae			BLMS	1B.2		G1G2	S1S2	NNR										K					
<i>Navarretia nigelliformis ssp. radians</i>	shining navarretia	VASC	Polemoniaceae			BLMS	1B.2		G4T2T3	S2	N2N3							K								
<i>Navarretia panochensis</i>	Panoche navarretia	VASC	Polemoniaceae			BLMS	1B.3		G3	S3	N3							K								
<i>Navarretia paradoxiclara</i>	Patterson's navarretia	VASC	Polemoniaceae			BLMS	1B.3		G2	S2	N2									K						
<i>Navarretia paradoxinota</i>	Porter's navarretia	VASC	Polemoniaceae			BLMS	1B.3		G2	S2	N2														K	
<i>Navarretia prostrata</i>	prostrate vernal pool navarretia	VASC	Polemoniaceae			BLMS	1B.2		G2	S2	N2							S								
<i>Navarretia rosulata</i>	Marin County navarretia	VASC	Polemoniaceae			BLMS	1B.2		G2	S2	N2														K	
<i>Navarretia setiloba</i>	Piute Mountains navarretia	VASC	Polemoniaceae			BLMS	1B.1		G2	S2	N2				K								S			
<i>Nemacladus bellus</i>	beautiful threadplant	VASC	Campanulaceae			BLMS	1B.3		G2	S2	N2				K										S	
<i>Nemacladus calcaratus</i>	Chimney Creek nemacladus	VASC	Campanulaceae			BLMS	1B.2		G1	S1	N1				K											S
<i>Nemacladus inyoensis</i>	Badger Flat threadplant	VASC	Campanulaceae			BLMS	1B.2		G3	S3	N2															K
<i>Nemacladus secundiflorus var. robbinsii</i>	Robbins' nemacladus	VASC	Campanulaceae			BLMS	1B.2		G3T2	S2	N2															S
<i>Nemacladus twisselmannii var. twisselmannii</i>	Twisselmann's nemacladus	VASC	Campanulaceae		SR	BLMS	1B.2		G1T1	S1	N1				S											
<i>Neviusia cliftonii</i>	Shasta snow-wreath	VASC	Rosaceae			BLMS	1B.2		G2	S2	N2													S		
<i>Nitrophila mohavensis</i>	Amargosa niterwort	VASC	Amaranthaceae	FE	SE		1B.1	T	G1	S1	N1	S1														
<i>Nolina interrata</i>	Dehesa nolina, bear grass	VASC	Ruscaceae		SE	BLMS	1B.1		G2	S2	N1N2												S			
<i>Oenothera wolffii</i>	Wolf's evening-primrose	VASC	Onagraceae			BLMS	1B.1		G2	S1	N2			S												
<i>Opuntia basilaris var. brachyclada</i>	short-joint beavertail	VASC	Cactaceae			BLMS	1B.2		G5T3	S3	N3													S		
<i>Opuntia basilaris var. treleasei</i>	Bakersfield cactus	VASC	Cactaceae	FE	SE		1B.1		G5T1	S1	N1				S										S	
<i>Orcuttia californica</i>	California orcutt grass	VASC	Poaceae	FE	SE		1B.1		G1	S1	N1												S			
<i>Orcuttia inaequalis</i>	San Joaquin Valley orcutt grass	VASC	Poaceae	FT	SE		1B.1		G1	S1	N1				K											
<i>Orcuttia pilosa</i>	hairy orcutt grass	VASC	Poaceae	FE	SE		1B.1		G1	S1	N1													S		
<i>Orcuttia tenuis</i>	slender orcutt grass	VASC	Poaceae	FT	SE		1B.1		G2	S2	N2			K										K		
<i>Oreocarya roosiorum</i>	bristlecone cryptantha	VASC	Boraginaceae		SR	BLMS	1B.2		G2	S2	N2							S							S	
<i>Oreocarya schoolcraftii</i>	Schoolcraft's cryptantha	VASC	Boraginaceae			BLMS	2B.2		G3	S1	N3	S3		K												
<i>Oreonana vestita</i>	woolly mountain-parsley	VASC	Apiaceae			BLMS	1B.3		G3	S3	N3															
<i>Oreostemma elatum</i>	tall alpine aster	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2									S						
<i>Orthocarpus pachystachyus</i>	Shasta orthocarpus	VASC	Orobanchaceae			BLMS	1B.1		G1	S1	N1														S	
<i>Packera eurycephala var. lewisrosei</i>	cut-leaved ragwort	VASC	Asteraceae			BLMS	1B.2		G4T2	S2	N2															K
<i>Packera ganderi</i>	Gander's butterweed	VASC	Asteraceae		SR	BLMS	1B.2		G2	S2	N2															K
<i>Packera layneae</i>	Layne's butterweed	VASC	Asteraceae	FT	SR		1B.2		G2	S2	N2										K				S	
<i>Palafoxia arida var. gigantea</i>	giant Spanish needle	VASC	Asteraceae			BLMS	1B.3		G5T2	S2	N2								K							
<i>Panicum acuminatum var. thermale</i>	Geyser's panicum	VASC	Poaceae		SE	BLMS	1B.2		G5T2Q	S2	NNR															S
<i>Paronychia ahartii</i>	Ahart's paronychia	VASC	Caryophyllaceae			BLMS	1B.1		G3	S3	N3															K
<i>Pedicularis centranthera</i>	dwarf lousewort	VASC	Orobanchaceae			BLMS	2B.3		G4	S2	NNR															K
<i>Pediomelum castoreum</i>	Beaver Dam breadroot	VASC	Fabaceae			BLMS	1B.2	T	G3	S2	N3	S2			K											K
<i>Penstemon albomarginatus</i>	white-margined beardtongue	VASC	Plantaginaceae			BLMS	1B.1	T	G2	S1	N2	S2				K										K
<i>Penstemon bicolor ssp. roseus</i>	rosy two-toned beardtongue	VASC	Plantaginaceae			BLMS	1B.1	T	G3T3Q	S1	N3	S3														K
<i>Penstemon fruticiformis var. amargosae</i>	Death Valley beardtongue	VASC	Plantaginaceae			BLMS	1B.3	T	G4T3	S2	NNR	S2				K										K
<i>Penstemon janishiae</i>	Janish's beardtongue	VASC	Plantaginaceae			BLMS	2B.2		G4	S1	NNR			K												
<i>Penstemon newberryi var. sonomensis</i>	Sonoma beardtongue	VASC	Plantaginaceae			BLMS	1B.3		G4T3	S3	N2															K
<i>Penstemon personatus</i>	closed-throated beardtongue	VASC	Plantaginaceae			BLMS	1B.2		G2	S2	N2														S	
<i>Penstemon stephensii</i>	Stephens' beardtongue	VASC	Plantaginaceae			BLMS	1B.3		G3?	S3?	N3?															
<i>Penstemon sudans</i>	Susanville beardtongue	VASC	Plantaginaceae			BLMS	4.3	W	G3	S3	N3	S1	S													K
<i>Pentachaeta exilis ssp. aeolica</i>	slender pentachaeta	VASC	Asteraceae			BLMS	1B.2		G5T2	S2	N2															K
<i>Perityle inyoensis</i>	Inyo rock daisy	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2															K
<i>Perityle villosa</i>	Hanaupah rock daisy	VASC	Asteraceae			BLMS	1B.3		G2	S2	N2															S
<i>Petalonyx thurberi ssp. gilmanii</i>	Death Valley sandpaper-plant	VASC	Loasaceae			BLMS	1B.3		G5T2	S2	N2															K
<i>Phacelia cookei</i>	Cooke's phacelia	VASC	Boraginaceae			BLMS	1B.1		G1	S1	N1															S
<i>Phacelia damnationensis</i>	Damnation Pass phacelia	VASC	Hydrophyllaceae			BLMS	1B.3		G2	S2	N2															K
<i>Phacelia greenei</i>	Scott Valley phacelia	VASC	Boraginaceae			BLMS	1B.2		G2	S2	N2															K
<i>Phacelia insularis var. continentis</i>	North Coast phacelia	VASC	Hydrophyllaceae			BLMS	1B.2		G2T2	S2	N2															S
<i>Phacelia inundata</i>	playa phacelia	VASC	Boraginaceae			BLMS	1B.3	T	G2	S2	N3	S2?	S													K

Plant Type: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Fed Status: FE = Federally Endangered; FD = Federally Delisted; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare; SC = State Candidate. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution - a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.

SCIENTIFIC NAME	COMNAME	TYPEPLANT	FAMILY	FEDStatus	STStatus	BLMStatus	CNPS	NNPS	Global Rank	State Rank	National Rank	NVStatus	ALT	ARC	BAK	BAR	BIS	HOL	EAG	ELC	MOT	NEE	PAL	RED	RID	UKI
<i>Phacelia inyoensis</i>	Inyo phacelia	VASC	Boraginaceae			BLMS	1B.2		G2	S2	N2						K									
<i>Phacelia leonis</i>	Siskiyou phacelia	VASC	Boraginaceae			BLMS	1B.3		G3	S2?	N3													S		
<i>Phacelia monoensis</i>	Mono County phacelia	VASC	Boraginaceae			BLMS	1B.1	T	G3	S2	N3	S2					K									
<i>Phacelia mustelina</i>	Death Valley round-leaved phacelia	VASC	Boraginaceae			BLMS	1B.3		G3	S2	N3														S	
<i>Phacelia nashiana</i>	Charlotte's phacelia	VASC	Boraginaceae			BLMS	1B.2		G3	S3	N3				K										K	
<i>Phacelia novenmillensis</i>	Nine Mile Canyon phacelia	VASC	Boraginaceae			BLMS	1B.2		G3	S3	N3				K										K	
<i>Phacelia parishii</i>	Parish's phacelia	VASC	Boraginaceae			BLMS	1B.1	T	G2G3	S1	N3	S3				K										
<i>Phacelia perityloides var. jaegeri</i>	Jaeger's phacelia	VASC	Hydrophyllaceae			BLMS	1B.1		G4T2	S2	N2										K					
<i>Phacelia phacelioides</i>	Mount Diablo phacelia	VASC	Boraginaceae			BLMS	1B.2		G2	S2	N2							K								
<i>Phaeocollybia californica</i>	California phaeocollybia	FUNG	Cortinariaceae			BLMS			G3	S2?	NNR													S		
<i>Phaeocollybia olivacea</i>	olive phaeocollybia	FUNG	Cortinariaceae			BLMS			G3	None	NNR													S		
<i>Phaeocollybia spadicea</i>	spadicea phaeocollybia	FUNG	Cortinariaceae			BLMS			G3G4	None	N4													S		
<i>Phlox hirsuta</i>	Yreka phlox	VASC	Polemoniaceae	FE	SE		1B.2		G1	S1	N1													S		
<i>Pholisma sonorae</i>	sand food	VASC	Boraginaceae			BLMS	1B.2		G2	S2	N2										K					
<i>Pinus albicaulis</i>	white bark pine	VASC	Pinaceae	FP		BLMS		T	G3G4		N3?	S3	K			K								S		
<i>Pinus radiata</i>	Monterey pine	VASC	Pinaceae			BLMS	1B.1		G1	S1	N1															
<i>Piperia candida</i>	white-flowered rein orchid	VASC	Orchidaceae			BLMS	1B.3		G3?	S3	N3?			S												
<i>Piperia yadonii</i>	Yadon's rein orchid	VASC	Orchidaceae	FE			1B.1		G1	S1	N1															
<i>Plagiobothrys chorisianus var. chorisianus</i>	Choris' popcornflower	VASC	Boraginaceae			BLMS	1B.2		G3T1Q	S1	N2															
<i>Plagiobothrys parishii</i>	Parish's popcornflower	VASC	Boraginaceae			BLMS	1B.1		G1	S1	N1															
<i>Plagiobothrys uncinatus</i>	hooked popcorn-flower	VASC	Boraginaceae			BLMS	1B.2		G2	S2	N2				S											
<i>Pleuropogon hooverianus</i>	Hoover's semaphore grass	VASC	Poaceae		ST	BLMS	1B.1		G2	S2	N2			S												
<i>Poa diaboli</i>	Diablo Canyon blue grass	VASC	Poaceae			BLMS	1B.2		G2	S2	N2				S											
<i>Poa sierrae</i>	Sierra blue grass	VASC	Poaceae			BLMS	1B.3		G3	S3	N3															K
<i>Polyctenium williamsiae</i>	Williams's combleaf	VASC	Brassicaceae			BLMS	1B.2	T	G2Q	S1	NA	S2	S				K		S							
<i>Polygonum polygaloides ssp. esotericum</i>	Modoc County knotweed	VASC	Polygonaceae			BLMS	1B.1		G4G5T3	S3	N3			K												
<i>Potentilla basaltica</i>	Black Rock potentilla	VASC	Rosaceae	FC		BLMS	1B.3	T	G1	S1	N2	S1	K													
<i>Pseudobahia peirsonii</i>	Tulare pseudobahia	VASC	Asteraceae	FT	SE		1B.1		G1	S1	N1			S												
<i>Puccinellia howellii</i>	Howell's alkali-grass	VASC	Poaceae			BLMS	1B.1		G1	S1	N1													S		
<i>Puccinellia parishii</i>	Parish's alkali-grass	VASC	Poaceae			BLMS	1B.1		G2G3	S1	N2N3				S											
<i>Puccinellia simplex</i>	California alkali grass	VASC	Poaceae			BLMS	1B.2		G2	S2	N2N3				K											K
<i>Pyrrocoma lucida</i>	sticky pyrrocoma	VASC	Asteraceae			BLMS	1B.2		G3	S3	N3															K
<i>Quercus dumosa</i>	Nuttall's scrub oak	VASC	Fagaceae			BLMS	1B.1		G3	S3	N3															K
<i>Raillardella pringlei</i>	showy raillardella	VASC	Asteraceae			BLMS	1B.2		G2G3	S2S3	N2N3														S	
<i>Ravenella exigua</i>	chaparral harebell	VASC	Campanulaceae			BLMS	1B.2		G2	S2	N2															K
<i>Ravenella sharsmithiae</i>	Sharsmith's harebell	VASC	Campanulaceae			BLMS	1B.2		G1G2	S1S2	N1N2															S
<i>Rhynchospora californica</i>	California beaked-rush	VASC	Cyperaceae			BLMS	1B.1		G1	S1	N1														S	
<i>Ribes canthariforme</i>	Moreno currant, San Diego currant	VASC	Grossulariaceae			BLMS	1B.3		G2	S2	N2														S	
<i>Ribes tularense</i>	Sequoia gooseberry	VASC	Grossulariaceae			BLMS	1B.3		G1	S1	N1				K											
<i>Rorippa columbiae</i>	Columbia yellow cress	VASC	Brassicaceae			BLMS	1B.2		G3	S2	N3		S											S		
<i>Rupertia hallii</i>	Hall's rupertia	VASC	Fabaceae			BLMS	1B.2		G2G3	S2S3	N2N3															K
<i>Sabulina howellii</i>	Howell's sandwort	VASC	Caryophyllaceae			BLMS	1B.3		G4	S3	N4														S	
<i>Sabulina stolonifera</i>	Scott Mtn. sandwort	VASC	Caryophyllaceae			BLMS	1B.3		G2	S2	N2															S
<i>Sagittaria sanfordii</i>	Sanford's arrowhead	VASC	Alismataceae			BLMS	1B.2		G3	S3	N3															K
<i>Saltugilia latimeri</i>	Latimer's woodland-gillia	VASC	Polemoniaceae			BLMS	1B.2		G3	S3	N3					K						K	K		K	
<i>Salvia greatae</i>	Orocopia sage	VASC	Lamiaceae			BLMS	1B.3		G2G3	S2S3	N2N3															
<i>Sanicula saxatilis</i>	rock sanicle	VASC	Apiaceae		SR	BLMS	1B.2		G2	S2	N2															S
<i>Scutellaria bolanderi ssp. austromontana</i>	southern mountains skullcap	VASC	Lamiaceae			BLMS	1B.2		G4T3	S3	N3														S	
<i>Sedum albomarginatum</i>	Feather River stonecrop	VASC	Crassulaceae			BLMS	1B.2		G2	S2	N2															S
<i>Sedum eastwoodiae</i>	Red Mountain stonecrop	VASC	Crassulaceae			BLMS	1B.2		G5T2	S2	N2			K												
<i>Sedum paradisum ssp. paradisum</i>	Canyon Creek stonecrop	VASC	Crassulaceae			BLMS	1B.3		G3G4T3	S3	N3															K
<i>Senecio clevelandii var. heterophyllus</i>	Red Hills ragwort	VASC	Asteraceae			BLMS	1B.2		G4?T2Q	S2	NNR															K
<i>Sidalcea covillei</i>	Owens Valley checkerbloom	VASC	Malvaceae		SE	BLMS	1B.1		G2	S2	N2						K									
<i>Sidalcea hickmanii ssp. anomala</i>	Cuesta Pass checkerbloom	VASC	Malvaceae		SR	BLMS	1B.2		G3T1	S1	N1				S											
<i>Sidalcea hickmanii ssp. parishii</i>	Parish's checkerbloom	VASC	Malvaceae		SR	BLMS	1B.2		G3T1	S1	N1														S	
<i>Sidalcea keckii</i>	Keck's checkerbloom	VASC	Malvaceae	FE			1B.1		G2	S2	N2				K											K
<i>Sidalcea malviflora ssp. patula</i>	Siskiyou checkerbloom	VASC	Malvaceae			BLMS	1B.2		G5T2	S2	N2			S												
<i>Sidalcea malviflora ssp. purpurea</i>	purple-stemmed checkerbloom	VASC	Malvaceae			BLMS	1B.2		G5T1	S1	N1															K
<i>Sidalcea oregana ssp. eximia</i>	coast checkerbloom	VASC	Malvaceae			BLMS	1B.2		G5T1	S1	N1			S												
<i>Sidalcea robusta</i>	Butte County checkerbloom	VASC	Malvaceae			BLMS	1B.2		G2	S2	N2															K
<i>Silene bolanderi</i>	Bolander's catchfly	VASC	Caryophyllaceae			BLMS	1B.2		G2	S2	N2				K											K

Plant Type: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Fed Status: FE = Federally Endangered; FD = Federally Delisted; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare; SC = State Candidate. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution - a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.

SCIENTIFIC NAME	COMNAME	TYPEPLANT	FAMILY	FEDStatus	STStatus	BLMStatus	CNPS	NNPS	Global Rank	State Rank	National Rank	NVStatus	ALT	ARC	BAK	BAR	BIS	HOL	EAG	ELC	MOT	NEE	PAL	RED	RID	UKI	
<i>Silene greenei</i> ssp. <i>angustifolia</i>	Red Mountain catchfly	VASC	Caryophyllaceae		SE	BLMS	1B.2		G5T1	S1	N1			K												S	
<i>Silene occidentalis</i> ssp. <i>longistipitata</i>	long-stiped campion	VASC	Caryophyllaceae			BLMS	1B.2		G4T2Q	S2	NNR													S			
<i>Sowerbyella rhenana</i>	stalked orange peel fungus	FUNG	Pyrenomataceae			BLMS			G3G5	None	NNR													S			
<i>Spathularia flavida</i>	fairly fan	FUNG	Cudoniaceae			BLMS			G4G5	None	NNR													S			
<i>Sphaeralcea rusbyi</i> var. <i>eremicola</i>	Rusby's desert-mallow	VASC	Malvaceae			BLMS	1B.2		G4T2	S2	N2										K						
<i>Stenotus lanuginosus</i> var. <i>lanuginosus</i>	woolly stenotus	VASC	Asteraceae			BLMS	2B.2		G5T5	S3	NNR		K														
<i>Stipa exigua</i>	little ricegrass	VASC	Poaceae			BLMS	2B.3		G4G5	S2	N4		K						K								
<i>Streptanthus albidus</i> ssp. <i>peramoenus</i>	most beautiful jewelflower	VASC	Brassicaceae			BLMS	1B.2		G2T2	S2	N2				K												
<i>Streptanthus brachiatus</i> ssp. <i>brachiatus</i>	Socrates Mine jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T1	S1	NNR															K	
<i>Streptanthus brachiatus</i> ssp. <i>hoffmanii</i>	Freed's jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G4T2	S2	NNR															K	
<i>Streptanthus callistus</i>	Mount Hamilton jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G1G2	S1S2	N1N2								S								
<i>Streptanthus campestris</i>	southern jewel-flower	VASC	Brassicaceae			BLMS	1B.3		G3	S3	N3				K					S			S				
<i>Streptanthus cordatus</i> var. <i>piutensis</i>	Piute Mountains jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G5T1	S1	N1				K										K		
<i>Streptanthus glandulosus</i> ssp. <i>hoffmanii</i>	Hoffmann's jewel-flower	VASC	Brassicaceae			BLMS	1B.3		G4TH	SH	N2?															S	
<i>Streptanthus hesperidis</i>	green jewelflower	VASC	Brassicaceae			BLMS	1B.2		G2G3	S2S3	N2															K	
<i>Streptanthus insignis</i> ssp. <i>lyonii</i>	Arburua Ranch jewelflower	VASC	Brassicaceae			BLMS	1B.2		G3G4T2	S2	N2								S								
<i>Streptanthus morrisonii</i> ssp. <i>elatus</i>	Three Peaks jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T1	S1	NNR															K	
<i>Streptanthus morrisonii</i> ssp. <i>hirtiflorus</i>	Dorr's Cabin jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T1	S1	NNR															S	
<i>Streptanthus morrisonii</i> ssp. <i>kruckebergii</i>	Kruckeberg's jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T1	S1	NNR																K
<i>Streptanthus morrisonii</i> ssp. <i>morrisonii</i>	Morrison's jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T1?	S1?	NNR															K	
<i>Streptanthus oliganthus</i>	Masonic Mountain jewel-flower	VASC	Brassicaceae			BLMS	1B.2	T	G3	S3	N3	S2											K				
<i>Streptanthus vernalis</i>	early jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G1	S1	N1															K	
<i>Stylocline citroleum</i>	oil neststraw	VASC	Asteraceae			BLMS	1B.1		G3	S3	N3				K												
<i>Stylocline masonii</i>	Mason neststraw	VASC	Asteraceae			BLMS	1B.1		G1	S1	N1													S			
<i>Sulcaria isidiifera</i>	splitting yarn lichen	LICH	Alectoriaceae			BLMS	1B.1		G1	S1	N1				S												
<i>Sulcaria spiralifera</i>	twisted horsehair lichen	LICH	Parmeliaceae			BLMS	1B.2		G3G4	S2	N3N4			K													
<i>Symphyotrichum defoliatum</i>	San Bernardino aster	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2									S			K				
<i>Symphyotrichum greatae</i>	Greata's aster	VASC	Asteraceae			BLMS	1B.3		G2	S2	N2				S								S				
<i>Tetracoccus dioicus</i>	Parry's tetracoccus	VASC	Euphorbiaceae			BLMS	1B.2		G2G3	S2	N2													K			
<i>Thelypodium howellii</i> ssp. <i>howellii</i>	Howell's thelypodium	VASC	Brassicaceae			BLMS	1B.2		G1T1	S1	N1		S						K								
<i>Thermopsis californica</i> var. <i>semota</i>	velvety false lupine	VASC	Fabaceae			BLMS	1B.2		G4T2	S2	N2									S							
<i>Thysanocarpus rigidus</i>	Ridge Fringepod	VASC	Brassicaceae			BLMS	1B.2		G1G2	S2	N2									S							
<i>Tortula californica</i>	California screw-moss	BRYO	Pottiaceae			BLMS	1B.2		G2G3	S2?	N2N3		S		S												
<i>Tracyina rostrata</i>	beaked tracyina	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2															K	
<i>Trifolium buckwestiorum</i>	Santa Cruz clover	VASC	Fabaceae			BLMS	1B.1		G2	S2	N2								K								
<i>Trifolium dedeckerae</i>	DeDecker's clover	VASC	Fabaceae			BLMS	1B.3		G2	S2	N2				S											K	
<i>Trifolium hydrophilum</i>	saline clover	VASC	Fabaceae			BLMS	1B.2		G2	S2	NNR									S							
<i>Trifolium jokerstii</i>	Butte County golden clover	VASC	Fabaceae			BLMS	1B.2		G2	S2	N2															K	
<i>Trifolium polyodon</i>	Pacific Grove clover	VASC	Fabaceae		SR	BLMS	1B.1		G1	S1	N1								K								
<i>Trifolium siskiyouense</i>	Siskiyou clover	VASC	Fabaceae			BLMS	1B.1		GH	SH	NNR													S			
<i>Triteleia ixioides</i> ssp. <i>cookii</i>	Cook's triteleia	VASC	Themidaceae			BLMS	1B.3		G5T2T3	S2S3	N2N3				K												
<i>Triteleia piutensis</i>	Piute Mountains triteleia	VASC	Themidaceae			BLMS	1B.1		G1	S1	N1				K												
<i>Tropidocarpum californicum</i>	Kings gold	VASC	Brassicaceae			BLMS	1B.1		G1	S1	N1				K												
<i>Vaccinium shastense</i> ssp. <i>shastense</i>	Shasta huckleberry	VASC	Ericaceae			BLMS	1B.3		G4T3	S3	N3															K	
<i>Verbena californica</i>	Red Hills vervain	VASC	Verbenaceae	FT	ST		1B.1		G2	S2	N2										K						
<i>Viola pinetorum</i> ssp. <i>grisea</i>	grey-leaved violet	VASC	Violaceae			BLMS	1B.2		G4G5T3	S3	N3?															K	
<i>Wyethia reticulata</i>	El Dorado mule ears	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2										K						
<i>Xylorhiza cognata</i>	Mecca-aster	VASC	Asteraceae			BLMS	1B.2		G2	S2	N2															K	
<i>Xylorhiza orcuttii</i>	Orcutt's woody aster	VASC	Asteraceae			BLMS	1B.2		G3?	S2	N2										K						
<i>Zeltnera namophila</i>	spring-loving centaury	VASC	Gentianaceae	FT					G2Q		N2	S1				K											

Plant Type: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Fed Status: FE = Federally Endangered; FD = Federally Delisted; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare; SC = State Candidate. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution - a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.

SCIENTIFIC NAME	COMNAME	TYPEPLANT	FAMILY	FEDStatus	STStatus	BLMStatus	CNPS	NNPS	Global Rank	State Rank	National Rank	NVStatus	ALT	ARC	BAK	BAR	BIS	HOL	EAG	ELC	MOT	NEE	PAL	RED	RID	UKI
-----------------	---------	-----------	--------	-----------	----------	-----------	------	------	-------------	------------	---------------	----------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Plant Type: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Fed Status: FE = Federally Endangered; FD = Federally Delisted; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare; SC = State Candidate. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution – a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.

Plant Type: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Fed Status: FE = Federally Endangered; FD = Federally Delisted; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare; SC = State Candidate. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution – a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.