

**BLM Alaska Open File Report 115**  
BLM/AK/ST-007/017+3890+940  
March 2007

# **Mineral Investigations in the Bristol Bay Mining District Study Area, Southwestern Alaska, 2006**

Kirby W. Bean, Peter E. Bittenbender, Edward C. Gensler, Liming Wu



Alaska



## **Mission Statement**

The Bureau of Land Management sustains the health, diversity and productivity of the public lands for the use and enjoyment of present and future generations.

## **Authors**

Kirby W. Bean is a geologist in the Division of Energy and Minerals, Branch of Solid Minerals, working in the Juneau-John Rishel Mineral Information Center, Bureau of Land Management, Juneau, Alaska.

Peter E. Bittenbender is a senior geologist in the Division of Energy and Minerals, Branch of Solid Minerals, working in the Juneau-John Rishel Mineral Information Center, Bureau of Land Management, Juneau, Alaska.

Edward C. Gensler is an engineer in the Division of Energy and Minerals, Branch of Solid Minerals, working in the Juneau-John Rishel Mineral Information Center, Bureau of Land Management, Juneau, Alaska.

Liming Wu is a geologist in the Division of Energy and Minerals, Branch of Solid Minerals, working in the Juneau-John Rishel Mineral Information Center, Bureau of Land Management, Juneau, Alaska.

## **Cover**

BLM geologists evaluate a color anomaly near Lake Clark in the Bristol Bay Mining District.

## **Open File Reports**

Open File Reports issued by BLM-Alaska present the results of inventories or other investigations on a variety of scientific and technical subjects that are made available to the public outside the formal BLM-Alaska technical publication series. The Open File Reports can include preliminary or incomplete data and are not published or distributed in quantity.

To request a copy of this or another BLM-Alaska scientific report, or for more information, please contact:

BLM-Alaska Public Information Center  
222 W. Seventh Ave., #13  
Anchorage, AK 99513  
(907) 271-5960

Juneau - John Rishel Mineral Information Center  
100 Savikko Road, Mayflower Island  
Douglas, AK 99824  
(907) 586-7751

Most BLM-Alaska scientific reports are also available for loan or inspection at Alaska Resources Library and Information Services in Anchorage, (907) 27-ARLIS, and other major libraries in Alaska; USDI Resources Library in Washington, D.C.; the BLM National Business Center Library in Denver; and other select locations.

A bibliography of scientific reports is online at [www.blm.gov/ak](http://www.blm.gov/ak). Related publications are also listed at [www.blm.gov/ak/jrmic](http://www.blm.gov/ak/jrmic).

MINERAL INVESTIGATIONS  
IN THE  
BRISTOL BAY MINING DISTRICT STUDY AREA  
SOUTHWEST ALASKA  
2006

by

Kirby W. Bean, Peter E. Bittenbender,  
Edward C. Gensler, and Liming Wu

**BLM-Alaska Open File Report 115**  
March 2007

U. S. Department of the Interior  
Bureau of Land Management



## TABLE OF CONTENTS

Abstract .....	iii
Introduction .....	1
Field season review with highlights.....	3
Sampling and analytical procedures .....	5
Sampling methods .....	5
Analytical results for rock chip samples .....	7

## LIST OF FIGURES AND PLATES

Figure 1. General land status and location map of the Bristol Bay Mining Study Area .....	1
Figure 2. Copper and gold bearing quartz veins at the Pfaff prospect .....	3
Figure 3. Geologist samples a copper occurrence near the north shore of Lake Kontrashibuna .....	4
Plate 1. Bristol Bay Study Area sample locations .....	<i>pocket inside back cover</i>

## LIST OF TABLES

Table 1. Reporting methods.....	6
Table 2. Analytical results for rock chip, stream sediment, and pan concentrate samples .....	9
Table 3. Latitude and longitude coordinates for samples.....	31



## **ABSTRACT**


In 2006, the Bureau of Land Management (BLM) completed the first year of the Bristol Bay Mining Study Area. Investigators mapped or sampled approximately 60 mineral occurrences in the 27.2-million-acre Bristol Bay Mining Study Area, BLM collected and analyzed 309 rock chip, pan concentrate, and stream sediment samples during the investigation.



## INTRODUCTION

As part of the Bristol Bay mining area study, personnel from the Division of Energy and Solid Minerals of the Bureau of Land Management - Alaska (BLM) conducted mineral investigations in the 27.2-million-acre Bristol Bay Mining Study Area. The investigations are part of BLM's ongoing mineral assessment program of public land in Alaska, as authorized by Congress in Section 1010 of the Alaska National Interest Lands Conservation Act (ANILCA), which reads:

*"Section 1010(a): MINERAL ASSESSMENTS. -- The Secretary shall, to the full extent of his authority, assess the oil, gas, and other mineral potential on all public lands in the State of Alaska in order to expand the data base with respect to the mineral potential in such lands..."*



**Figure 1. General land status and location map of the Bristol Bay Mining Study Area**

Goals of BLM mineral assessments are to compile, analyze, and publicize mineral information to facilitate multiple-use management of the area. Mineral information includes mineral occurrence surveying, mapping, and sampling; airborne and ground-based geophysics; stream sediment geochemistry; and economic, engineering, and environmental analysis. BLM is scheduled to complete fieldwork for the mineral assessment of the district in 2008 and produce a final report in 2009.

The Bristol Bay Study Area extends from Goodnews Bay in the west to Cook Inlet in the east, as far north as the Taylor Mountains, and as far south as Becharof Lake (figure 1). BLM geologists

collected 309 rock chip, stream sediment, and pan concentrate samples while evaluating approximately 60 prospects and mineral occurrences in the district during short reconnaissance in 2005 and 2006.

In this report, the authors present geochemical data that have resulted from the analyses of samples collected during 2006 in the Bristol Bay Mining Area Study.

Table 2 presents the commercial laboratory's analytical results for rock chip samples. Coordinates for all samples are presented in table 3.

## FIELD SEASON REVIEW WITH HIGHLIGHTS

Four BLM geologists spent approximately 28 field days investigating mineral occurrences during June and July 2006. This effort mostly concentrated on the eastern part of the district, composed primarily of Permian to Cretaceous accretionary rocks of the Peninsular terrane that have been intruded by large Jurassic batholiths (Nokleberg and others, 1994)<sup>1</sup>. Occurrences investigated included copper-gold porphyrys such as the Pebble deposit as well as skarn, vein gold, and placer gold deposit types.

In general the high density of historical mineral occurrences in the region, favorable geologic environment, and field observations of significant areas of hydrothermal alteration indicate this part of Alaska is anomalously endowed with minerals and has good potential to host major deposits.

Discoveries of world-class copper-gold porphyry deposits north of Iliamna are indicative of the potential deposits in the eastern portion the study area.

In 2006, BLM contracted for an airborne geophysical survey to be flown in the Goodnews Bay quadrangle (figure 1). The survey, administered by the State of Alaska, Division of Geological and Geophysical Surveys (ADGGS), is scheduled to include the collection of fixed-wing aeromagnetic data across the entire quadrangle. The primary target of the survey was copper-nickel-PGE-bearing mafic and ultramafic rocks. The survey is currently anticipated to be flown in 2007 with results released late in the year. When released, information about the survey data will be available from ADGGS at <http://www.dggs.dnr.state.ak.us>.



**Figure 2. Copper and gold bearing quartz veins at the Pfaff prospect. Gold in select samples ran as high as 24 ppm.**

<sup>1</sup> Nokleberg, W.J., Plafker, G., Wilson, F.H., 1994, Geology of south-central Alaska in *The Geology of Alaska*, Plafker G., and Berg, H.C., eds. Geological Society of America, Boulder, Colorado, p.311-366.



**Figure 3. Geologist samples a copper occurrence near the north shore of Lake Kontrashibuna.**

## **SAMPLING AND ANALYTICAL PROCEDURES**

### **SAMPLING METHODS**

BLM personnel collected several types of rock samples during this study:

- Channel samples -- rock fragments, chips, or dust from a continuous channel of uniform width and depth across an exposure;
- Chip channel samples -- chips of rock taken in a continuous line across a relatively uniform width and depth of an exposure;
- Continuous chip samples -- chips of rock taken in a continuous line across an exposure;
- Representative chip samples -- discontinuous chips of rock taken across an exposure;
- Spaced chip samples -- chips of rock taken at a specified interval across an exposure;
- Random chip samples -- chips of rock taken randomly across an exposure;
- Grab samples -- rock chips or fragments taken more or less at random from an outcrop, float, or mine dump; and,
- Select samples -- rock chips collected from the highest-grade parts of a mineralized zone.

Stream sediment, soil, and pan concentrate samples are collected in reconnaissance fashion to detect any anomalous metal values that may indicate the presence of mineralized rock in an area. Stream sediment samples are collections of silt- and clay-sized particles taken from a stream bed. Pan concentrate samples consist of one pan full of gravel, sand, and/or fines reduced by standard panning methods. The resultant concentrate of fines, approximately 0.75 ounces, is then analyzed.

### **ANALYTICAL METHODS**

All analyses were conducted by a commercial laboratory. Rock samples were dried, crushed to a minus 10 mesh, split and pulverized to minus 150 mesh. Stream sediment samples were dried and sieved to a minus 80 mesh. Pan concentrate samples were pulverized to minus 200 mesh. For samples analyzed by inductively coupled argon plasma (ICP) and atomic absorption spectrophotometry (AA), a 0.5-gram sample was dissolved in aqua regia for measurement. For samples analyzed by X-ray fluorescence (XRF), a 10-gram pressed pellet was prepared for measurement. Samples were analyzed for gold by fire assay pre-concentration of a 30-gram sample, followed by an ICP finish, with results reported in parts per billion. Platinum and palladium were analyzed by fire assay pre-concentration of a 30-gram sample, followed by an ICP finish, with results reported in parts per billion.

The remaining elements were analyzed by ICP with results reported as either parts per million or percent. In most instances, when the results of samples analyzed by this method exceeded the upper detection limits, the samples were not reanalyzed, but results were reported as being greater than the corresponding upper detection limit.

**TABLE 1. REPORTING METHODS**

Element	Units Reported	Lower Detection Limit	Upper Detection Limit	Analytical Method
Pt	ppb	5	10000	FA
Pd	ppb	1	10000	FA
Au	ppb	1	10000	FA
Ag	ppm	0.2	100	ICP
Cu	ppm	1	10000	ICP
Cu	pct	0.01	30.00	AA
Pb	ppm	2	10000	ICP
Pb	pct	0.01	30	AA
Zn	ppm	2	10000	ICP
Zn	pct	0.01	30	AA
Mo	ppm	1	10000	ICP
Ni	ppm	1	10000	ICP
Ni	pct	0.01	50	AA
Cr	ppm	1	10000	ICP
Al	pct	.01	15	ICP
As	ppm	2	10000	ICP
Ba	ppm	10	10000	ICP
Ba	ppm	10	10000	XRF
Ba	pct	0.01	50	XRF
Bi	ppm	2	10000	ICP
Ca	pct	0.01	15	ICP
Cd	ppm	0.5	500	ICP
Co	ppm	1	10000	ICP
Fe	pct	0.01	15	ICP
Ga	ppm	10	10000	ICP
Hg	ppm	0.01	100	AA
K	pct	0.01	10	ICP
La	ppm	10	10000	ICP
Mg	pct	0.01	15	ICP
Mn	ppm	5	10000	ICP
Na	ppm	0.01	10	ICP
Sb	ppm	2	10000	ICP
Sc	ppm	1	10000	ICP
Sr	ppm	1	10000	ICP
Ti	pct	0.01	10	ICP
V	ppm	1	10000	ICP
W	ppm	10	10000	ICP
W	ppm	10	10000	XRF

The site descriptions in this report contain select analytical results. These results are dependent primarily on analytical methods used to analyze the sample.

## **ANALYTICAL RESULTS FOR SAMPLES FROM MINES, PROSPECTS, MINERAL OCCURRENCES, AND RECONNAISSANCE INVESTIGATIONS**

Analytical and sample data are presented in table 1. The results are organized by map number in the table, as well as on plate 1.

### **UNITS OF MEASURE**

Results are recorded under the element's chemical symbol in the following units. Over-detection-limit samples were reanalyzed, using a different analytical technique with different units of measurement.

### **ABBREVIATIONS**

#### *Sample types:*

PC	pan concentrate	R	rock chip
PL	Placer	SS	stream sediment

#### *Sampling method (Rock Chip):*

CH	Channel	RC	random chip
CC	chip channel	Rep	representative chip
C	continuous chip	S	select
G	Grab	SC	spaced chip

**Sample size:** Sample sizes are given in feet. The sizes of spaced chip samples are given by the overall size of the sample followed by the sample spacing (e.g., 10 feet @ 0.5-foot spacings).

#### *Sample sites:*

FL	Float	OC	outcrop
MD	mine dump	RC	rubblecrop
MT	mine tailings	TP	trench, pit, or cut

**Sample descriptions:**

@	At	gs	greenstone
alt	Altered	gw	graywacke
amp	amphibolite/amphibole	hbl	hornblende
and	Andesite	int	intrusive
arg	Argillite	ls	limestone
asp	Arsenopyrite	mag	magnetite
bn	Bornite	mg	medium-grained
bt	Biotite	meta	metamorphic
br	breccia/brecciated	mal	malachite
calc	Calcareous	mo	molybdenite
carb	Carbonate	msv	massive
cin	Cinnabar	peg	pegmatite
cg	coarse-grained	phy	phyllite
chl	chlorite/chloritic	po	pyrrhotite
cs	Coarse	porph	porphyry/polyphitic
cuox	copper oxide	py	pyrite/pyritic
cpy	Chalcopyrite	qtz	quartz
dissem	disseminated/disseminations	qtz	quartzite
dac	Dacite	sed	sediment
di	Diorite	ser	sericite
dol	dolomite/dolomitic	sch	schist
fel	Felsic	sil	silicified/siliceous
feox	iron-oxidized	sph	sphalerite
fg	fine-grained	sulf	sulfide
gb	Gabbro	vn(s)	vein(s)
gdi	Granodiorite	volc	volcanic
gn	Galena	w/	with
gp	graphite/graphitic		
grt	Garnet		

**TABLE 2**

**ANALYTICAL RESULTS FOR**  
**ROCK CHIP, STREAM SEDIMENT, AND PAN CONCENTRATE**  
**SAMPLES**

Table 2. Analytical results for rock chip, stream sediment, and pan concentrate samples

Map Sample No	Location	Type	Site	Method	Size (ft)	Description	Pt ppm	Pd ppm	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm
1 11455	Neocola Mtns	R	OC	S		fg diorite w/ dissems seams of py± cpy	<0.005	0.019	0.004	0.2	287	5	38	9
1 11456	Neocola Mtns	R	OC	Rep		feox gneiss w/ sulf	<0.005	0.018	0.017	<0.2	389	2	31	2
1 11457	Neocola Mtns	R	RC	G		granite w/ minor feox	<0.005	<0.001	<0.001	<0.2	11	2	38	3
1 11458	Neocola Mtns	R	OC	S		metaseds & ls w/ minor sulf	<0.005	0.005	0.135	0.7	182	12	43	1220
1 11459	Neocola Mtns	R	RC	S		gs w/ cpy & cuox	0.019	0.085	0.252	4.1	5580	5	46	12
1 11460	Neocola Mtns	R	RC	S		msv gs w/ seam of cpy	<0.005	0.01	1.41	8.6	1.87%	4	165	14
1 11461	Neocola Mtns	R	OC	Rep		gs w/ po	<0.005	0.013	0.07	0.4	486	2	20	2
1 11462	Neocola Mtns	R	RC	Rep		msv sulf containing po, cpy, & sp	<0.005	0.012	2.64	123	7.90%	14	7.97%	420
1 11463	Neocola Mtns	R	OC	SC	5.5	skarn w/ msv sulf containing po, cpy, & sp	<0.005	0.047	0.875	38.7	2.73%	13	12.80%	391
2 11426	Twin Lakes East	R	RC	G		feox volc w/ py ± cpy	<0.005	0.004	0.002	<0.2	234	3	51	11
2 11427	Twin Lakes East	R	OC	S	1.5	feox fg volc w/ py & cpy	0.007	0.005	0.001	<0.2	130	5	40	25
2 11428	Twin Lakes East	R	OC	S	1	feox fg volc w/ py & cpy	<0.005	0.003	<0.001	<0.2	169	6	44	15
2 11473	Twin Lakes East	R	OC	SC	14@1	arg clast w/ py in metaseds	0.006	0.02	0.116	0.3	266	16	78	50
2 11474	Twin Lakes East	R	RC	G		mafic int w/ po/py	<0.005	<0.001	<0.001	<0.2	110	2	72	5
2 11475	Twin Lakes East	R	RC	G		mafic int w/ po/py	<0.005	<0.001	<0.001	0.2	131	9	96	13
2 11476	Twin Lakes East	R	RC	S		alt gbo w/ cpy	<0.005	0.015	0.006	4.5	4.03%	13	214	3
2 11477	Twin Lakes East	R	OC	Rep	35	and w/ py ± cpy	<0.005	<0.001	<0.001	<0.2	197	3	54	15
2 11478	Twin Lakes East	R	RC	G		ls w/ dissems & seams of fg to cg py	<0.005	<0.001	0.001	0.2	258	5	40	22
3 11429	Twin Lakes West	R	OC	S	8	feox altered rock in fract	<0.005	<0.001	0.001	0.5	24	11	46	<2
3 11430	Twin Lakes West	R	FL			feox vugs w/ py	<0.005	<0.001	0.003	0.3	84	9	124	35
3 11445	Twin Lakes West	R	FL	S		feox shear w/ sulf	<0.005	<0.001	0.001	0.2	13	37	62	2
3 11479	Twin Lakes West	R	OC	Rep	30	feox and w/ py	<0.005	<0.001	<0.001	<0.2	19	15	112	3
3 11480	Twin Lakes West	R	OC	SC	29	feox and w/ dissems py	<0.005	<0.001	<0.001	0.2	27	40	97	11
3 11481	Twin Lakes West	R	OC	G		volc contact w/ minor py	<0.005	<0.001	0.003	0.2	24	38	144	15
3 11482	Twin Lakes West	R	FL	G		shear in arg w/ qtz, sph, gn, & cpy	0.005	0.001	0.002	5.6	277	1010	2570	38
3 11483	Twin Lakes West	R	OC	SC	8	sil volc w/ minor py	<0.005	<0.001	<0.001	<0.2	8	11	30	2
4 11449	Summit Creek	R	PC			dacite w/ dissems seams of fg py	<0.005	<0.001	0.355	<0.2	25	25	221	6
4 11504	Summit Creek	PC				1 pan, 1 f gold	<0.005	<0.001	0.053	<0.2	19	6	53	7
4 11506	Summit Creek	R	FL	G	1	feox fg volc w/ py	<0.005	<0.001	0.002	0.4	194	9	73	17
4 11551	Summit Creek	R	OC	Rep		and to dac w/ fg dissems py	<0.005	0.002	0.004	0.2	200	7	81	16
4 11552	Summit Creek	R	RC	G		feox granite	<0.005	<0.001	0.002	0.3	32	13	130	5
5 11505	Summit Creek Trib	PC				<0.005	0.001	0.622	<0.2	13	9	89	5	
6 11401	Bonanza Creek	SS				2 pans, 1 vf gold	--	--	0.007	0.4	42	10	144	55
7 11567	Otter Lake N.	R	RC	G		msv mag w/ qtz segregations & clasts	0.009	0.022	0.011	<0.2	134	15	117	25



Table 2. Analytical results for rock chip, stream sediment, and pan concentrate samples

Map Sample No	Location	Type	Site	Method	Size (ft)	Description	Pt ppm	Pd ppm	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm
8 11565	Otter Lake NW	R	OC	G		carb, sil sch w/ py seams	<0.005	<0.001	0.149	0.2	101	14	17	22
8 11566	Otter Lake NW	R	RC	G		jasper w/ hem & py	<0.005	0.002	0.002	<0.2	19	2	9	8
9 11567	Otter Lake SE	R	OC	Rep		sch w/py	0.007	0.021	0.061	0.2	265	6	88	72
9 11568	Otter Lake SE	R	OC	S		feox sch	<0.005	0.016	0.087	0.7	1390	2	67	23
10 11569	Otter Lake SW	R	OC	C	3.2	feox chl sch w/ py	0.014	0.02	0.07	0.4	322	7	116	23
10 11560	Otter Lake SW	R	OC	S		chl sch w/ seams of py ± cpy	0.009	0.013	0.091	1.4	1785	10	67	292
10 11561	Otter Lake SW	R	OC	G		qtz boudin in chl sch lens/ w sulf	<0.005	0.005	0.003	<0.2	753	<2	43	4
10 11562	Otter Lake SW	R	OC	SC	16	chl sch w/ seams of py	<0.005	0.002	0.088	0.3	116	10	529	41
10 11563	Otter Lake SW	R	OC	S		chl sch w/ cpy & mag	<0.005	0.013	0.042	2	2.07%	4	84	13
10 11564	Otter Lake SW	R	OC	Rep	1.7	chl sch w/ py & cpy in layers	<0.005	<0.001	<0.001	<0.2	534	<2	70	<2
11 11569	South Currant Creek	R	OC	G		mafic dike in granitoid w/ cpy	<0.005	0.002	0.079	8.5	1210	26	141	3
12 11510	U.S. Currant Creek	R	FL	S		feox volc? w/ py	<0.005	<0.001	0.003	1.4	256	6	53	<2
12 11570	U.S. Currant Creek	R	RC	S		qtz-carb vn in granitoid w/ py & cpy	<0.005	0.001	0.015	5.8	125	496	3580	<2
12 11578	U.S. Currant Creek	R	RC	G		granitoid w/ py & mo	<0.005	<0.001	0.091	7.1	9310	4	67	3
12 11579	U.S. Currant Creek	R	RC	S		soft, alt rock w/ dissems & seams of mo	<0.005	<0.001	0.007	0.4	29	34	14	2
12 11580	U.S. Currant Creek	R	Rc	G		granitoid w/ py & mo	<0.005	0.001	0.006	0.9	989	9	57	4
12 11585	U.S. Currant Creek	R	RC	G		feox granitiod w/ py ± cpy	<0.005	<0.001	0.002	0.7	77	10	33	<2
13 11514	N. Currant	R	FL	S	70	meta w/ py	<0.005	0.015	0.088	0.7	1010	33	55	44
13 11583	N. Currant	R	RC	G		metavolc w/ py	<0.005	0.014	0.016	0.3	214	135	136	82
13 11584	N. Currant	R	OC	SC	36	alt dac w/ py	<0.005	0.027	0.038	<0.2	122	6	14	17
14 11412	Portage Crk	PC			2 pans		<0.005	0.002	<0.002	<0.2	46	9	91	14
14 11413	Portage Crk	PC				--	--	--	3	74	10	314	14	
14 11414	Portage Crk	PC			1 pan, 1 vf flake	--	--	--	30.6	49	6	84	15	
14 11415	Portage Crk	PC			1 pan	--	--	--	1.7	44	12	122	16	
14 11416	Portage Crk	PC			1 pan	<0.005	0.003	0.099	<0.2	44	6	75	12	
14 11417	Portage Crk	PC			1 pan	--	--	--	--	--	--	--	--	
14 11418	Portage Crk	PC			1 pan	--	--	--	0.3	64	47	203	38	
15 11568	Gull	R	UW	G		rhy to dac in shear w/ tr py	<0.005	<0.001	0.003	0.2	6	117	40	2
16 11557	Gull Area	R	OC	G		feox rhy to dacite w/ minor py	<0.005	<0.001	0.01	0.3	10	121	54	4
17 11446	Kijik Lake	R	RC	S		feox alt rock w/ py	<0.005	0.004	0.001	0.4	81	4	267	6
18 11484	Kijik River area	R	OC	S		sil metased w/ py & cpy	<0.005	<0.001	0.004	51.7	2880	1225	865	3680
18 11485	Kijik River area	R	OC	S		qtz vn in fel volc w/ aspy, cpy, py, & gn	<0.005	<0.001	0.148	367	9650	1730	461	>10000
18 11486	Kijik River area	R	OC	Rep		granite shear w/ py	<0.005	<0.001	0.029	25	2590	101	175	5810
18 11487	Kijik River area	R	OC	C	4	feox granite w/ py, aspy, ± cpy	<0.005	<0.001	0.005	21.3	548	92	33	2420
19 11489	NW Kijik Lake	R	OC	S		qzt w/ dissems & net of py	<0.005	0.001	0.003	1.3	56	13	7	108



Table 2. Analytical results for rock chip, stream sediment, and pan concentrate samples

Map Sample No	Location	Type	Site	Method	Size (ft)	Description	Pt ppm	Pd ppm	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm
19 11490 NW Kijik Lake	R OC	SC	6	alt metased w/ sulf	<0.005 <0.001	<0.001	0.5	8	24	2	22			
19 11491 NW Kijik Lake	R OC	G		granite w/ disseminated sulf	<0.005	0.001	0.002	0.4	25	4	65	21		
20 11488 Thompson area	R OC	G		feoxic felsic volc w/ minor py	<0.005	<0.001	0.5	36	17	118	79			
21 11422 Pass	R RC	G	0.5	feoxic dk gray, fg volc	<0.005	0.001	0.002	0.8	539	27	369	197		
21 11423 Pass	R RC	G		feoxic breccia w/ py	0.008	<0.001	0.009	3.4	2290	75	1370	115		
21 11424 Pass	R RC	G		feoxic breccia w/ py	<0.005	0.001	<0.001	0.7	477	13	1150	6		
21 11425 Pass	R RC	G		feoxic dk gray, fg volc	0.008	<0.001	0.005	0.7	193	14	303	271		
21 11452 Pass	R OC	S		volc br w/ minor sulf	<0.005	<0.001	<0.001	4.4	200	928	745	169		
21 11453 Pass	R OC	S		dacite w/ fg sulf	0.007	<0.001	<0.001	0.4	38	28	161	17		
21 11454 Pass	R RC	S		dk dacite porph w/ minor py	<0.005	0.001	0.001	1.8	640	18	472	45		
21 11469 Pass	R OC	G		fg dk gray dacite w/ disseminated py/ po	<0.005	0.002	0.001	0.5	141	15	110	12		
21 11470 Pass	R OC	SC	90@5	dacite w/ disseminated fg py/ po	<0.005	0.001	<0.001	0.4	117	10	135	56		
21 11471 Pass	R RC	S		dacite w/ fg to cg sulf of py/po ± gn & cpy	<0.005	<0.001	0.001	4.1	508	480	1140	28		
21 11472 Pass	R RC	S		feoxic sil dacite	<0.005	<0.001	<0.001	0.4	55	168	2810	11		
22 11553 Pass Area	R OC	G		rhy to dac w/ minor py	<0.005	<0.001	0.002	0.3	6	10	20	37		
22 11554 Pass Area	R R	SC	7.5@0.5	sil br w/ minor py	<0.005	<0.001	0.002	0.3	5	13	8	17		
22 11555 Pass Area	R OC	S		dacite w/ py ± cpy	<0.005	0.001	0.005	0.3	11	14	126	167		
23 11573 E. Gladiator	R OC	SC	11	granitoid near shear w/ disseminated py	<0.005	<0.001	0.006	7.4	74	109	876	29		
23 11574 E. Gladiator	R OC	Rep		hornfels metased near shear w/ py	<0.005	0.001	<0.001	0.9	65	31	1220	17		
23 11575 E. Gladiator	R OC	S		feoxic msx py, sph, cpy & mo in granitoid	0.007	0.001	0.006	14.7	23	193	652	5		
23 11576 E. Gladiator	R OC	G		granitoid w/ disseminated & stringers of mo	<0.005	<0.001	0.009	15.2	13	216	72	<2		
23 11577 E. Gladiator	R FL	G		gneissic seds w/ py/py ± cpy	<0.005	0.002	0.006	0.6	799	7	43	9		
24 11511 Currant Creek	R RC		1	feoxic dg gray meta w/ py	<0.005	<0.001	0.002	0.3	69	2	60	3		
25 11556 Kontrashibuna Lake	R RC	G		felint w/ disseminated, seams, & patches of py	<0.005	0.001	0.002	<0.2	7	5	11	6		
26 11571 W. Gladiator	R FL	G		msv py clasts in granitoid br	<0.005	<0.001	0.353	1.7	1310	29	36	>10000		
26 11572 W. Gladiator	R FL	G		epi vn in volc w/ cpy	0.005	0.037	0.004	2.1	3800	12	37	26		
27 11466 N. Kontrashibuna	R FL	G		skarn w/ msv sulf containing po, cpy, & sp	<0.005	<0.001	0.02	4.4	2180	1980	688	138		
27 11467 N. Kontrashibuna	R OC	G		alt diorite w/ disseminated seams & knots of cpy	0.017	0.15	0.019	2.2	6300	18	73	17		
27 11468 N. Kontrashibuna	R RC	S		alt diorite w/ disseminated seams & knots of cpy	0.005	0.134	0.013	2	6250	15	60	10		
28 11448 Kasna	R OC	C	8	rust pyroxonite w/ sulf	<0.005	<0.001	0.059	4	7040	31	661	78		
28 11497 Kasna	R OC	SC	18@1	skarn w/ cpy, hem, mag, & grt	<0.005	<0.001	0.101	28.9	2.24%	583	1280	129		
28 11498 Kasna	R OC	SC	60@3	skarn w/ cpy, hem & mag	<0.005	<0.001	0.001	0.122	3.7	8270	23	172	539	
28 11581 Kasna	R OC	SC	30	skarn w/ mag, hem, & cpy	<0.005	<0.001	0.055	3.9	5760	11	250	270		
28 11582 Kasna	R OC	SC	42	skarn w/ mg, hem, & cpy	<0.005	<0.001	0.004	3.5	8500	4	164	41		
29 11411 Tak II	R RC	S			0.005	0.01	0.084	11.1	333	1260	434	94		

Table 2. Analytical results for rock chip, stream sediment, and pan concentrate samples

Map No	Sample	Al	Ba	Bi	Ca	Cd	Co	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	S	Sb	Sc	Sn	Ti	V	W	
No		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	pct	ppm	ppm	ppm	ppm	ppm	ppm	
19	11490	0.62	340	5	0.01	<0.5	<1	1.52	<10	<0.01	0.24	20	-0.01	20	2	0.02	<1	0.17	<2	1	15	<0.01	7	10	
19	11491	0.56	550	5	0.18	<0.5	<1	3.49	<10	<0.01	0.25	10	0.03	343	2	0.13	1	1.6	<2	10	8	3	0.08	3	10
20	11488	0.65	40	<2	0.08	1.0	<1	1.25	10	<0.01	0.17	40	0.02	82	3	0.11	<1	<0.01	<2	<1	8	4	<0.01	<1	10
21	11422	4.34	500	2	1.17	4.9	16	4.69	10	0.02	1.5	10	1.29	390	<1	0.36	6	0.26	13	12	10	106	0.15	115	10
21	11423	2.9	440	40	0.13	3.9	7	9.16	10	0.09	0.28	30	0.38	543	<1	0.01	4	0.63	18	4	12	6	0.03	57	20
21	11424	1.66	440	<2	0.59	19.1	6	3.97	10	0.01	0.52	50	0.51	656	<1	0.09	4	0.04	2	9	29	17	0.19	68	<10
21	11425	2.46	760	5	0.21	1.6	5	7.25	10	0.01	1.17	10	0.21	965	11	0.07	3	0.54	9	6	10	10	0.07	36	10
21	11452	1.44	400	3	0.02	1.0	1	5.17	10	0.03	0.14	10	0.04	353	3	0.01	1	0.21	13	2	16	2	0.01	4	<10
21	11453	0.41	800	<2	0.02	2.5	<1	0.98	<10	0.01	0.09	<10	0.01	76	1	0.05	<1	0.13	<2	1	10	2	<0.01	1	10
21	11454	4.3	780	5	1.22	6.7	17	4.42	10	0.01	1.45	10	1.28	443	<1	0.33	6	0.29	10	13	11	128	0.18	124	<10
21	11469	4.22	740	3	1.61	<0.5	19	4.47	10	0.01	1	<10	1.5	489	1	0.46	14	2.15	12	13	8	151	0.13	126	10
21	11470	3.77	630	<2	1.52	0.9	12	3.67	10	0.01	0.92	10	1.1	201	1	0.43	5	1.04	8	9	10	109	0.15	103	10
21	11471	2.58	870	5	0.03	20.3	3	8.08	10	0.01	0.31	10	0.13	1420	<1	0.02	<1	1.21	8	2	35	2	0.01	14	<10
21	11472	0.7	1260	<2	0.11	37.6	7	1.88	<10	0.01	0.12	30	0.08	3400	2	0.04	3	0.03	<2	2	32	6	0.01	10	<10
22	11553	0.43	550	<2	0.02	<0.5	<1	1.15	<10	0.06	0.15	10	0.01	24	4	0.06	1	0.1	<2	1	8	3	<0.01	2	10
22	11554	0.73	1690	<2	0.02	<0.5	<1	1.11	<10	0.03	0.12	10	0.02	25	4	-0.01	<1	0.14	<2	1	9	4	<0.01	3	10
22	11555	1.96	810	2	0.17	<0.5	11	3.31	<10	0.01	0.36	10	1.09	410	1	0.02	20	2.09	13	1	9	12	<0.01	15	10
23	11573	0.34	1230	102	0.02	6.4	4	3.31	<10	<0.01	0.22	10	0.06	1085	175	0.02	1	0.93	<2	1	15	2	0.07	5	10
23	11574	2.36	770	16	0.2	3.5	15	7.83	10	<0.01	0.22	<10	1.11	3350	29	0.04	17	3.83	<2	5	11	6	0.1	71	<10
23	11575	1.98	960	194	0.12	3.0	16	10.25	10	<0.01	0.23	<10	0.86	2910	42	0.02	18	6.65	<2	3	13	4	0.06	41	10
23	11576	0.28	1590	229	0.01	<0.5	1	4.43	<10	0.01	0.22	10	0.01	585	79	0.02	<1	0.39	<2	1	17	5	0.05	5	10
23	11577	1.93	690	2	1.09	<0.5	27	6.77	10	<0.01	0.4	<10	0.52	2120	16	0.12	35	4.78	<2	7	8	33	0.17	91	10
24	11511	2.62	200	<2	0.98	<0.5	24	6.21	10	0.01	0.07	<10	1.33	953	<1	0.33	32	4.93	<2	16	8	72	0.26	141	<10
25	11556	0.55	1020	<2	0.17	<0.5	1	1.3	<10	0.01	0.19	<10	0.08	177	2	0.14	1	0.43	<2	2	9	14	0.1	12	10
26	11571	1.7	180	6	0.4	0.5	1405	15.7	10	0.02	0.09	<10	0.8	221	21	0.04	249	10	8	2	7	8	0.02	28	10
26	11572	1.19	50	2	1.47	<0.5	10	2.3	<10	0.01	0.02	<10	0.61	236	2	0.04	20	0.06	3	5	8	83	0.41	92	10
27	11466	1.84	340	10	3.43	3.5	89	11.55	10	0.02	0.03	<10	0.85	562	65	0.08	241	0.08	11	2	7	67	0.07	47	10
27	11467	1.19	70	<2	1.2	0.8	31	4.91	10	0.3	0.05	<10	1.05	207	1	0.09	43	0.53	2	6	8	35	0.28	144	<10
27	11468	1.59	30	<2	1.64	0.5	26	5.53	<10	0.21	0.03	<10	1.24	270	2	0.06	87	0.55	4	6	8	95	0.32	123	10
28	11448	0.16	60	<2	3.44	1.0	93	23.5	<10	0.05	0.01	<10	0.29	6340	5	0.03	2	0.65	22	<1	7	55	0.01	41	20
28	11497	0.21	50	10	5.61	2.5	99	33.4	<10	0.15	0.01	<10	0.4	3840	19	0.04	4	7.12	26	1	7	89	0.01	24	10
28	11498	0.94	40	45	4.47	<0.5	312	19.3	<10	0.02	0.28	<10	1.42	2770	7	0.08	11	7.21	27	4	7	116	0.14	50	20
28	11581	0.17	60	7	6.31	0.8	26	17.5	<10	0.19	0.01	<10	0.65	5250	60	0.02	2	1.32	14	2	7	44	0.01	15	20
28	11582	0.11	70	15	6.45	0.9	26	18.6	<10	0.07	0.01	<10	0.41	5420	16	0.02	1	0.66	9	1	7	56	0.01	8	10
29	11411	3.51	220	20	0.05	<0.5	37	11.7	10	0.02	0.12	<10	2.01	1430	<1	0.01	36	3.74	19	15	8	1	0.1	180	10

Table 2. Analytical results for rock chip, stream sediment, and pan concentrate samples

Map Sample No	Location	Type	Site	Method	Size (ft)	Description	Pt ppm	Pd ppm	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm
29 11447	Tak II	R OC	SC	7.5@1	fel volc w/ minor feox	<0.005 <0.001	0.044 0.2	55	9	39	39	13		
29 11450	Tak II	R OC	SC	166@10	mafic volc w/ py & mag	<0.005 0.007	0.097 6	329	1830	851	851	84		
29 11451	Tak II	R OC	RC		feox gabbro w/ hem	<0.005 0.012	0.004 0.4	193	26	85	85	11		
29 11492	Tak II	R OC	SC	9	gs w/ cpy in stringers & patches	0.005 0.019	0.005 3.8	<b>1.04%</b> 9	53	53	53	14		
29 11493	Tak II	R OC	SC	10.5@0.5	gs w/ cpy in stringers	<0.005 0.018	0.005 1.8	4340	7	53	53	17		
29 11494	Tak II	R OC	SC	11@0.5	gs/ w minor cpy	0.005 0.016	0.001 <0.2	1590	6	43	43	10		
29 11495	Tak II	R OC	S		gs w/ cpy in stringers	<0.005 0.051	0.635 81	<b>4.37%</b> 56	167	9	167	9		
29 11496	Tak II	R OC	S		hem stringers in gs w/ cpy & py	<0.005 0.006	0.008 2.5	3330	19	43	43	6		
30 11419	Tazimina	R FL	G	0.5	fe stained, w/ minor cuox	0.005 0.004	0.048 8	5080	986	<b>1.87%</b> <2				
30 11420	Tazimina	R FL	G		feox altered rock w/ sulf	<0.005 0.001	0.136 19.7	3800	4850	<b>4.04%</b> 5				
30 11421	Tazimina	R FL	G	1	feox altered rock w/ sulf	<0.005 <0.001	0.422 57.6	<b>2.48%</b> 1830	2.41% 2					
30 11464	Tazimina	R OC	S		feox sch w/ seams & pods of py/po± cpy	0.008 0.016	0.198 12.5	7900	106	2920	2920	21		
30 11465	Tazimina	R OC	SC	14.5	feox sch w/ seams & pods of py/po± cpy	<0.005 0.005	0.034 2.6	1550	8	1120	1120	7		
30 11509	Tazimina	R RC	S		feox volc?	<0.005 0.005	0.002 <0.2	37	3	90	90	<2		
31 11568	Little Tazinima	R OC	C	1.7	feox granite w/ disseminated cpy	<0.005 <0.001	0.109 47.1	<b>1.22%</b> 1.17% 1425	4					
32 11402	Keeler	SS				--	--	0.045 <0.2	13	3	72	26		
33 11407	Rocky K	SS				--	--	<0.005 <0.2	13	4	63	20		
34 11405	Old Man Creek	SS				--	--	1.1 <0.2	12	5	57	14		
34 11406	Old Man Creek	PC				--	--	0.017 <0.2	22	5	66	23		
35 11403	Sleiat Mtn	R RC	G	3	fg dk gray andesite w/ disseminated pyrr	--	--	0.057 4.4	30	70	45	928		
35 11404	Sleiat Mtn	R RC	G	3	light dacite porphyry w/ qtz vn(s)	--	--	0.158 276	627	1245	401	>10000		
36 11432	Robin	SS				--	--	<0.005 <0.2	41	12	132	19		
37 11431	Shotgun Hills	R OC	Rep	1	rhyolite porphyry w/ qtz vn(s)	--	--	1.395 8	231	70	34	2350		
38 11410	King Salmon River	SS				--	--	<0.005 0.2	36	11	99	169		
39 11408	Tickchik Mtn	R OC	C	0.5	aplite dike in granite	--	--	0.007 5.8	16	29	18	3490		
39 11409	Tickchik Mtn	R OC	C	1	granite	--	--	<0.005 0.6	3	6	44	297		
40 11842	Canyon Creek	SS				<0.005 <0.001	0.003 <0.2	36	7	85	85	6		
40 11843	Canyon Creek	PC			1 pan	<0.005 0.001	0.259 <0.2	39	7	176	176	<2		
41 11811	Millet	R TP	S		feox gossan in skarn w/ cpy	<0.005 <0.001	0.108 10.9	<b>4.95%</b> 8	891	113				
41 11813	Millet	R TP	C	4	feox, cuox skarn w/ cpy	<0.005 <0.001	0.036 13.5	<b>3.34%</b> 7	627	58				
41 11814	Millet	R TP	C	6	feox, cuox skarn w/ cpy	<0.005 <0.001	0.047 1.1	9860	5	78	78	13		
41 11815	Millet	R TP	G	2	feox, cuox skarn w/ cpy	<0.005 <0.001	0.089 3.1	4020	4	1280	1280	29		
41 11844	Millet	R OC	C	6	dk skarn w/ disseminated cpy	<0.005 0.001	0.006 1.4	6550	3	79	79	10		
41 11845	Millet	R TP	Rep		feox cuox skarn	<0.005 <0.001	0.077 14.1	<b>5.86%</b> 5	784	65				
41 11846	Millet	R TP	S		dk gray feox skarn w/ disseminated cpy	<0.005 0.001	0.006 1.8	6340	2	184	184	19		

Table 2. Analytical results for rock chip, stream sediment, and pan concentrate samples

Map No	Sample	Al ppm	Ba ppm	Bi ppm	Ca ppm	Cd ppm	Co ppm	Fe ppm	Ga ppm	Hg ppm	K ppm	La ppm	Mg ppm	Mn ppm	Mo ppm	Na ppm	Ni ppm	S ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti ppm	V ppm	W ppm
29	11447	0.63	540	<2	0.16	<0.5	4	1.79	<10	0.01	0.1	10	0.3	165	<1	0.05	4	0.02	<2	2	9	0.06	27	<10	
29	11450	3.98	180	8	0.5	8.7	18	9.21	10	0.03	0.09	<10	2.3	1490	<1	0.03	44	1.42	15	13	8	14	0.13	188	<10
29	11451	2.11	130	<2	1.31	<0.5	23	4.84	10	<0.01	0.09	<10	0.93	443	<1	0.18	28	0.05	5	5	8	44	0.21	137	10
29	11492	2.7	20	5	2.25	<0.5	19	5.26	10	0.01	0.06	<10	1.12	327	<1	0.23	41	0.67	<2	6	8	93	0.54	190	10
29	11493	2.1	40	3	1.96	<0.5	20	6	10	0.03	0.06	<10	1.17	313	<1	0.25	44	0.27	<2	6	8	75	0.53	240	10
29	11494	2.34	60	2	2.1	0.5	15	5.13	10	<0.01	0.1	<10	0.96	323	<1	0.25	35	0.01	<2	6	8	58	0.41	211	<10
29	11495	2.05	60	11	3.76	1.7	25	7.24	10	0.24	0.08	<10	1	482	2	0.04	43	3.15	<2	9	9	43	0.41	144	10
29	11496	1.69	110	12	7.54	<0.5	9	4.65	<10	0.05	0.23	<10	0.4	889	<1	0.02	25	0.01	<2	5	8	47	0.14	76	10
30	11419	1.43	70	2	0.07	69.1	12	33.9	10	1	0.05	<10	0.79	380	<1	0.03	36	10	33	4	7	4	0.03	33	<10
30	11420	3.12	40	9	0.87	173.0	24	22.1	10	2	0.02	<10	1.48	646	3	0.15	1	10	26	3	10	18	0.03	31	<10
30	11421	1.92	200	<2	0.08	95.7	54	26	10	1	0.03	<10	1.14	541	<1	0.01	26	10	25	5	8	1	0.02	45	<10
30	11464	3.48	70	<2	0.1	20.8	110	22.7	10	0.02	0.04	<10	2.29	905	14	0.03	12	10	27	17	7	2	0.03	125	<10
30	11465	3.23	180	3	0.22	6.1	35	8.07	10	0.01	0.07	<10	2.57	1140	1	0.05	7	3.46	10	18	7	9	0.06	138	<10
30	11509	3.04	810	<2	1.35	<0.5	14	4.77	10	<0.01	0.79	<10	1.38	783	<1	0.28	5	0.97	<2	9	8	74	0.32	106	10
31	11568	0.29	1940	440	0.17	8.9	1	1.41	<10	0.1	0.05	70	0.02	10250	76	0.03	2	0.4	<2	3	11	7	0.03	11	<10
32	11402	1.68	740	<2	0.34	<0.5	9	2.97	10	0.02	0.07	10	0.58	746	1	0.02	19	0.02	<2	3	9	21	0.09	54	10
33	11407	1.34	830	<2	0.23	<0.5	7	2.44	<10	0.02	0.06	10	0.45	370	1	0.02	17	0.01	<2	3	6	17	0.09	49	<10
34	11405	1.19	760	<2	0.21	<0.5	8	2.93	<10	0.02	0.05	10	0.35	474	1	0.02	17	0.01	<2	3	10	16	0.11	79	10
34	11406	1.75	790	<2	0.83	<0.5	9	5.28	10	0.07	0.29	70	0.58	820	1	0.12	20	0.03	<2	6	21	55	0.49	160	10
35	11403	1.34	800	27	0.09	1.0	2	1.84	<10	0.02	0.87	10	0.39	465	1	0.01	7	0.02	19	2	456	12	0.06	42	230
35	11404	0.29	130	99	-0.01	17.6	<1	18.4	10	0.88	0.17	10	0.01	32	27	-0.01	<1	0.34	728	4	660	14	<0.01	4	<10
36	11432	1.71	1440	<2	0.17	<0.5	17	4.03	<10	0.16	0.07	<10	0.41	895	1	0.01	54	0.02	<2	5	9	16	0.02	52	10
37	11431	0.16	130	21	-0.01	1.0	<1	4.01	<10	0.14	0.05	<10	-0.01	30	113	0.01	<1	0.08	87	<1	21	3	<0.01	2	340
38	11410	1.93	870	<2	0.28	<0.5	15	3.8	10	0.03	0.08	10	0.68	1055	1	0.02	44	0.01	9	4	11	18	0.08	57	10
39	11408	0.18	40	2	0.03	<0.5	<1	0.75	<10	0.13	0.08	<10	0.01	47	1	0.05	<1	0.02	17	1	75	1	<0.01	1	20
39	11409	0.49	220	<2	0.07	<0.5	1	1.33	<10	<0.01	0.31	20	0.11	247	<1	0.04	1	0.02	2	3	14	2	0.09	10	20
40	11842	1.07	600	2	0.83	<0.5	9	10.45	10	0.02	0.05	10	0.37	830	<1	0.03	3	0.09	<2	3	7	54	0.19	298	10
40	11843	0.41	170	3	0.64	<0.5	26	45.1	30	0.03	0.04	10	0.16	2030	1	0.03	7	0.05	<2	3	7	25	0.37	1200	10
41	11811	1.14	90	9	7.17	2.5	87	23.7	<10	0.11	0.02	10	0.7	6310	12	0.02	11	2.63	<2	4	7	67	0.01	32	10
41	11813	0.76	20	<2	6.98	1.2	232	18.9	<10	0.1	<10	0.99	7330	175	0.03	6	4.73	<2	2	7	71	0.01	49	<10	
41	11814	0.26	30	<2	9.67	<0.5	27	16.7	<10	0.02	0.01	<10	0.62	6630	7	0.03	<1	0.7	<2	1	7	60	0.01	15	10
41	11815	0.5	50	5	14.4	3.2	54	12.4	<10	0.11	0.01	<10	0.82	6000	11	0.02	5	0.79	10	1	8	142	0.01	24	<10
41	11844	1.28	90	<2	6.94	<0.5	23	9.28	<10	0.02	<10	1.62	9820	5	0.02	11	0.62	7	5	78	0.04	39	10		
41	11845	0.82	50	15	2.52	2.1	121	17.9	<10	0.2	0.01	<10	0.67	6750	11	0.01	30	5.25	17	4	7	19	0.02	34	<10
41	11846	2.61	100	<2	10.95	<0.5	34	5.95	10	0.03	<10	2.56	2960	1	0.07	61	0.48	9	11	8	267	0.04	67	<10	

Table 2. Analytical results for rock chip, stream sediment, and pan concentrate samples

Map Sample No	Location	Type	Site	Method	Size (ft)	Description	Pt	Pd	Au	Ag	Cu	Pb	Zn	As ppm
							ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
41 11847 Millet		R	TP	Rep	5	skarn w/ tr cpy	<0.005	0.002	0.161	43.8	6330	8	1620	124
41 11848 Millet		R	OC	C	5	feox dk skarn w/ cpy	<0.005	<0.001	0.007	1.3	4700	4	144	14
41 11849 Millet		R	OC	C	5	dk gray feox skarn w/ dissemm cpy	<0.005	<0.001	0.018	6.8	1.23%	7	293	61
41 11850 Millet		R	TP	Rep	3	feox skarn w/ tr cpy	<0.005	0.001	0.108	10.1	9660	28	249	251
41 11851 Millet		R	TP	Rep	3	dk gray feox skarn w/ dissemm cpy	0.006	<0.001	0.006	1.6	5700	10	202	14
41 11852 Millet		R	RC		3	dk gray feox skarn w/ dissemm cpy	<0.005	<0.001	0.195	20.6	7170	50	2630	691
41 11853 Millet		R	TP	Rep	2	dk gray feox skarn w/ dissemm cpy	<0.005	<0.001	0.01	2.7	8830	6	370	24
41 11854 Millet		R	TP	Rep	5	feox gossan skarn	<0.005	<0.001	0.049	7.3	2340	15	533	216
42 11855 Anelon	SS						<0.006	<0.001	<0.001	<0.2	7	5	54	4
42 11856 Anelon	PC				1 pan		<0.005	<0.002	0.094	<0.2	4	2	26	2
43 11863 Frying Pan	R	RC	G		10	feox volc w/ tr py	<0.005	0.014	0.266	2	88	15	17	18
43 11864 Frying Pan	R	RC	G		10	feox fel volc w/ dissemm py	<0.005	<0.001	0.037	0.6	6	17	14	63
44 11826 308 Zone	R	OC	Rep		2	granite porph	<0.005	<0.001	0.028	0.3	104	2	24	2
45 10785 Pile	R	RC	G			mg hbl gabbro	<0.005	0.001	<0.001	<0.2	212	2	62	4
45 11812 Pile	R	OC	G		1	gb w/ mag	0.005	0.002	0.001	<0.2	210	2	37	3
46 10777 Dutton	R	RC	G			hem alt vn(s) in greenstone	0.005	<0.001	<0.001	<0.2	5	7	46	<2
46 10778 Dutton	R	OC	Rep			fest greenstone	<0.005	<0.001	0.006	<0.2	147	2	57	18
46 10781 Dutton	R	OC	C		3	shear in gs w/ cpy, mo, & gn	0.008	0.017	0.247	28.7	1.88%	22	1080	183
46 10782 Dutton	R	OC	Rep		2	msv cpy, gn, & mo in shear zone	<0.005	0.02	0.184	37.7	2.47%	14	1050	121
46 10783 Dutton	R	OC	C		3	cpx & cuox in feox shear	<0.005	<0.001	0.024	8.7	4990	6	21	35
46 11800 Dutton	R	RC	S		0.5	vn in di w/ dissim mag	<0.005	<0.001	<0.001	<0.2	29	7	25	<2
46 11801 Dutton	R	Rc	Rep		1	mag-hb-qtz rich diorite	0.007	0.002	<0.001	0.8	46	54	138	53
46 11806 Dutton	R	TP	C		2	feox gs w/ cpy	0.01	0.018	0.047	4.5	2170	9	161	252
46 11807 Dutton	R	TP	C		5	feox volc w/ tr cpy & py	0.01	0.004	<0.001	<0.2	50	5	9	2
46 11808 Dutton	R	RB	G			feox gossan in skarn w/ py & cpy	<0.005	0.002	0.007	43.7	61	2470	5050	3060
47 10779 Duryea	R	RC	G			fest and cust gossan	<0.005	0.007	0.008	0.3	1.55%	43	416	20
47 11804 Duryea	R	TP	S			feox gs w/ cpy, py ± mo, sph	<0.005	0.012	0.061	5.7	2.42%	5	117	7
48 11802 Duryea area	R	OC	C		3	gs br w/ tr sulf	0.01	0.023	0.017	0.6	378	4	31	11
48 11803 Duryea area	R	RC	C		1	skarn	<0.005	0.002	0.004	<0.2	482	2	8290	7
49 10780 Ground Hog	R	OC	C			gs	<0.005	0.002	0.043	4.1	4670	3	62	4
49 11805 Ground Hog	R	OC	C		3	skarn w/ sulf	<0.005	0.001	<0.001	0.4	238	8	31	30
49 11809 Ground Hog	R	TP	Rep		15	feox gossan in skarn w/ py & cpy	<0.005	0.002	0.048	3.3	3450	13	182	42
49 11810 Ground Hog	R	TP	Rep			feox gossan in skarn w/ py & cpy	0.005	0.008	0.083	3.1	5830	12	146	87
50 11825 Durant	R	OC	C		1	feox shear w/ carb, sil & tr sulf	0.007	0.008	0.002	<0.2	105	3	63	16
50 11831 Durant	R	OC	C			qtz-calc vein w/ py	<0.005	0.011	0.04	0.5	1220	<2	28	6



Table 2. Analytical results for rock chip, stream sediment, and pan concentrate samples

Map No	Sample	Location	Type	Site	Method	Size (ft)	Description	Pt ppm	Pd ppm	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm	
51	11823	Durant area	SS					0.006	0.01	0.082	<0.2	158	2	41	9	
51	11824	Durant area	SS	R	OC	Rep	3	fg gs w/ qtz vn(s)	0.01	0.017	0.001	<0.2	84	4	40	5
52	11832	Easy	R	FL	S	0.5	msv clot of py in gs	0.006	0.021	0.002	<0.2	130	<2	37	3	
52	11833	Easy	R					<0.005	0.009	0.097	4	1450	2	29	129	
53	10784	Meadow area	SS					0.01	0.008	0.009	<0.2	39	2	54	11	
54	11835	Meadow	R	OC	Rep	2	fg gs w/ disseminated py	<0.005	0.001	<0.001	0.2	73	9	58	5	
54	11839	Meadow	R	OC	Rep	2	feox gs	<0.005	0.003	<0.001	<0.2	75	6	42	5	
55	11840	Karen	R	OC	Rep	5	milky white qtz	<0.005	<0.001	0.002	<0.2	20	<2	<2	13	
55	11841	Karen	R	OC	Rep	5	gdi	<0.005	<0.001	<0.001	<0.2	42	<2	38	6	
56	11836	N. Copper Lake	R	OC	Rep	50	feox volc w/ disseminated py	<0.005	0.001	0.002	0.4	36	40	66	20	
56	11837	N. Copper Lake	R	OC	C	5	alt gdi w/ py & tr cpy	<0.005	0.001	0.01	<0.2	57	5	31	13	
56	11838	N. Copper Lake	R	OC	C	10	feox sheared gdi w/ disseminated py & tr cpy	<0.005	0.001	0.008	<0.2	4	3	12	9	
57	11834	N. Copper Lake area	R	OC	Rep	6	feox alt volc/ w/ tr py	<0.005	<0.001	0.002	<0.2	35	14	114	8	
58	11861	Copper River	R	OC	C	3	feox bleached volc w/ disseminated sulf	<0.005	0.004	0.002	<0.2	34	2	4	15	
59	11816	Fog Lake	R	OC	G	2	alt fel volc w/ disseminated py	<0.005	<0.001	0.063	0.4	205	3	10	4	
59	11827	Fog Lake	R	OC	C	5	feox volc w/ qtz & sulf	<0.005	<0.001	0.381	0.5	350	3	24	11	
59	11828	Fog Lake	R	OC	S	0.5	qtz vein in volc w/ cpy & py	<0.005	<0.001	1.45	2	778	5	9	25	
59	11829	Fog Lake	R	OC	C	2	alt volc w/ qtz vn & sulf	<0.005	<0.001	0.026	0.2	67	3	13	4	
59	11830	Fog Lake	R	OC	SC	30	alt feox volc w/ py & tr cpy	<0.005	<0.001	0.025	0.2	33	7	16	7	
60	11822	Sister	R	OC	Rep	20	gdi	<0.005	<0.001	<0.001	<0.2	13	<2	54	3	
60	11859	Sister	R	OC	C	2	feox bleached volc w/ disseminated py	<0.005	0.005	<0.001	<0.2	46	4	26	293	
60	11860	Sister	R	OC	G		feox bleached volc w/ disseminated sulf	<0.005	0.004	0.002	<0.2	17	2	3	4	
61	11817	Dream Creek	R	OC	Rep		gdi	<0.005	<0.001	<0.001	<0.2	120	4	50	<2	
62	11818	Lower Dream Creek	R	OC	C	1	fel volc w/ py	0.005	<0.001	0.004	<0.2	12	23	48	8	
62	11819	Lower Dream Creek	R	OC	Rep	2	fel volc w/ py	0.005	0.002	0.055	<0.2	105	4	32	4	
63	11858	Gibraltar Lake	R	OC	C	2	feox bleached volc w/ disseminated py	<0.005	<0.001	0.002	0.2	46	8	41	13	
64	11820	Golden Fleece	R	RC	Rep	6	fel volc	<0.005	0.001	<0.001	<0.2	28	2	2	27	
65	11862	Peter's Plug	R	OC	G		fg basalt	<0.005	<0.001	<0.001	<0.2	41	2	52	14	
66	11857	Aukney	R	OC	Rep	5	feox volc w/ fg disseminated py	<0.005	<0.001	0.006	0.2	92	11	50	345	
67	11821	KUY	R	RC	C	2	fel volc w/ py	<0.005	<0.001	0.001	<0.2	43	38	53	3	
68	11865	Mirror Lake	R	RC	Rep	5	feox fel volc w/ fg disseminated sulf	<0.005	<0.001	0.001	<0.2	15	6	85	28	
68	11866	Mirror Lake	R	OC	C	5	dk volc w/ fg disseminated cpy	<0.005	<0.001	0.001	<0.2	53	3	23	13	
68	11867	Mirror Lake	R	OC	C	3	feox volc w/ fg disseminated cpy	<0.005	0.001	0.007	<0.2	33	7	94	6	
69	11874	Hard Core Work	R	RC	Rep	10	feox dac w/ disseminated fg py & cpy	<0.005	<0.001	0.025	1.6	125	5	2	6	
70	11868	Mirror Lake outlet	R	OC	C	5	feox volc w/ fg disseminated sulf	<0.005	<0.001	0.003	0.2	9	8	44	3	



Table 2. Analytical results for rock chip, stream sediment, and pan concentrate samples

Map No	Sample	Location	Type	Site	Method	Size (ft)	Description	Pt ppm	Pd ppm	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm
70	11869	Mirror Lake outlet	R	OC	C	4	feox volc w/ disseminated sulf	<0.005	<0.001	0.003	<0.2	15	10	28	3
71	11875	Iron Spring	R	RC	Rep	5	feox dac w/ disseminated fgy sulf	<0.005	<0.001	0.034	1.2	73	12	54	16
72	10789	Pfaff	R	OC	C	5	qtz veins w/ py, cpy, & bn in shear in gs	<0.005	0.003	1.02	53.5	5660	630	1580	125
72	10790	Pfaff	R	OC	C	8	vesicular andesite w/ rare sulf	<0.005	0.001	0.775	34.2	6480	254	574	84
72	10791	Pfaff	R	OC	G	2	qtz veins w/sulf & clst in shear in gs	<0.005	0.006	0.894	103	3.04%	657	800	82
72	10792	Pfaff	R	OC	C	4.4	qtz vn in volc w/bn, cpy, cuox	<0.005	0.001	2.28	54.8	6470	274	395	10
72	11597	Pfaff	R	TP	C	2.2	qtz vein in volc w/ bn & cuox	<0.005	0.001	1.385	86	1.28%	381	513	<2
72	11598	Pfaff	R	TP	C	11	cacite shear w/ qtz vn(s) & cuox	<0.005	0.003	1.055	75.2	1.72%	125	790	3
72	11599	Pfaff	R	TP	SC	0.7	vuggy qtz vn w/ sulf	<0.005	<0.001	0.321	12.5	319	378	271	4
72	11870	Pfaff	R	OC	C	1	vuggy qtz vn in volc w/ clots of bn	<0.005	0.003	24.6	107	1.42%	669	456	20
72	11871	Pfaff	R	RC	S	0.5	vuggy qtz vn in volc w/ clots of bn	<0.005	0.001	1.745	226	1.86%	109	197	113
72	11872	Pfaff	R	RC	S	0.5	vuggy qtz vn in volc w/ clots of bn	<0.005	<0.001	5.67	3117	1.67%	153	192	722
72	11873	Pfaff	R	RC	S	0.5	vuggy qtz vn in volc w/ clots of bn	<0.005	0.002	0.924	175	2.45%	2290	4230	7
72	11910	Pfaff	R	TP	S	1	qtz vn w/ cuox & bn	<0.005	0.001	<0.001	0.6	75	17	40	5
72	11911	Pfaff	R	TP	S	1	cuox volc	<0.005	0.001	24.0	898	8.56%	1555	630	377
72	11912	Pfaff	R	TP	S	1	feox, cuox qtz vn/ w sulf	0.007	<0.001	15.4	3116	7.04%	504	1375	405
72	11913	Pfaff	R	TP	C	20	qtz vn w/ cu sulf	0.01	0.003	0.154	19.8	1960	49	42	23
73	11914	Battle Lake	R	OC	G		feox volc w/ tr py	<0.005	0.001	0.154	19.8	1960	49	42	23
74	11400	Muklung	SS					--	--	0.013	<0.2	62	4	93	46
75	11503	Marsh Mtn	R	MD	G		gw w/ carb ± cin	--	--	0.011	0.2	13	9	125	176
76	11501	Heigemeister Strait	PC				2 pans	--	--	0.005	<0.2	47	2	77	12
77	11502	Slug River	PC				1 pan	--	--	0.006	<0.2	29	2	78	10
78	11884	KAMI	SS	RC	G, S	0.17		<0.005	0.001	0.078	2.1	562	8	32	8
79	11885	Cottonwood Creek	SS					<0.005	0.004	0.016	<0.2	16	2	39	<2
79	11886	Cottonwood Creek	PC				1 pan	<0.005	0.002	0.138	<0.2	167	<2	41	4
80	10793	Kulik Copper	R	FL	G		dark volc w/py clots	<0.005	0.007	0.101	1.2	133	10	45	22
80	10794	Kulik Copper	R	TP	S	15	fg volc w/ py & cuox	<0.005	0.001	0.009	2	1.91%	17	110	14
80	10795	Kulik Copper	R	OC	G		feox volc br	<0.005	0.001	0.018	0.6	575	6	54	18
80	11601	Kulik Copper	R	TP	G		skarn w/ msv hem, py ± cpy	<0.005	0.003	0.051	1.7	1150	16	135	49
80	11602	Kulik Copper	R	OC	S		skarn w/ hem, py & cpy	<0.005	0.005	0.015	0.8	378	67	290	71
81	11600	Kulik Copper area	R	RB	G		int w/ disseminated & seams of po/py ± cpy	<0.005	0.002	0.02	1.3	241	13	39	5
81	11603	Kulik Copper area	R	OC	G		di w/ seams & disseminated py	<0.005	0.001	0.007	0.2	205	5	29	<2
82	10796	B2020-56	R	OC	G		feox volc w/ fg disseminated py	<0.005	0.007	0.021	0.5	434	9	27	11
82	11887	B2020-56	R	OC	S	1	feox qtz vn w/ py	<0.005	0.002	0.416	3.4	114	399	1185	582
82	11888	B2020-56	R	OC	S	0.5	feox qtz vn in gdi w/ py	<0.005	0.002	0.02	0.2	19	8	10	4



Table 2. Analytical results for rock chip, stream sediment, and pan concentrate samples

Map Sample No	Location	Type	Site	Method	Size (ft)	Description	Pt ppm	Pd ppm	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm
83 10797	American Creek	PC				abundant black sand	--	--	26.3	0.3	18	<2	228	7
83 10798	American Creek	PC				5 fine flakes	<0.005	0.002	10	0.8	16	<2	157	3
83 11500	American Creek	PC			1 pan		--	--	0.034	0.2	16	21	162	29
83 11607	American Creek	R OC	Rep	0.16		intermed volc w/ qtz vn & py	<0.005	0.001	0.005	2.2	169	257	268	15
83 11608	American Creek	R OC	G		1 pan	fg volc w/ dissems & seams of py	<0.005	<0.001	0.006	1.9	192	600	407	36
83 11609	American Creek	PC					<0.005	0.001	0.062	<0.2	12	<2	117	5
83 11881	American Creek	SS					<0.005	<0.001	0.002	<0.2	15	2	45	<2
83 11883	American Creek	PC			1 pan		<0.005	0.003	1.17	<0.2	17	<2	149	<2
84 11604	Big River	R OC	C	0.42		alt gdi w/ qtz vn & py	<0.005	0.001	0.032	10.6	504	84	87	87
84 11605	Big River	R OC	S			msv gn, cpy, py in alt vein in gdi	0.006	0.001	0.084	3683	5.18%	12.55%	9.91%	11
84 11915	Big River	R OC	SC		6	sulf rich vn	<0.005	0.001	0.08	3.2	937	12	34	6
84 11916	Big River	R OC	C	4		sulf rich vn	0.008	<0.001	9.07	26.8	1360	4250	8980	136
85 11606	Gorge Creek	PC			1 pan		--	--	<0.2	19	<2	143	<2	
85 11889	Gorge Creek	SS					<0.005	0.002	<0.2	15	2	36	<2	
85 11890	Gorge Creek	PC				1 pan, 3 vt gold	<0.005	0.004	0.091	<0.2	16	2	69	<2
86 11896	B2020-103	R OC	S	0.25		feox qtz vn w/ py	<0.005	0.002	0.006	<0.2	51	4	15	3
86 11897	B2020-103	R OC	C	1		feox qtz vn w/ py	<0.005	0.004	0.009	<0.2	74	4	24	<2
86 11898	B2020-103	R FL	G			cuox alt sed w/ tr cpy	<0.005	0.002	0.006	4.8	7120	51	308	16
86 11899	B2020-103	R FL	S			cuox alt sed w/ cpy	<0.005	0.001	0.017	57.6	3.90%	47	1790	2
87 11610	Ikgaluk River	R RC	S			alt volc w/ qtz vn, gn, & py	<0.005	<0.001	0.602	11.1	119	1.09%	686	32
87 11611	Ikgaluk River	R OC	SC	12		sil alt volc w/ py ± cpy	<0.005	0.002	0.009	0.5	33	115	38	<2
87 11612	Ikgaluk River	R OC	C	7.4		fg seds in shear w/ cuox	<0.005	0.002	0.002	0.2	2520	85	769	7
87 11613	Ikgaluk River	R OC	Rep	4.5		shear in sed w/ fg py	<0.005	0.002	0.385	20.5	2910	147	236	294
88 11891	B2020-87	R OC	Rep, G	3		fg di w/ py & cpy	<0.005	0.001	0.027	<0.2	320	9	17	5
88 11892	B2020-87	R OC	C	1		feox di w/ qtz, py & cpy vn	<0.005	0.006	0.203	1.3	3940	7	19	6
88 11893	B2020-87	R OC	C	5		feox di w/ qtz, py & cpy vn	<0.005	0.001	0.043	<0.2	97	8	18	<2
88 11894	B2020-87	R OC	S	0.5		di w/ py & cpy	<0.005	0.011	0.26	1.9	9680	6	29	113
88 11895	B2020-87	R RC	S			feox di w/ qtz, py, cpy & mo vn	<0.005	0.003	0.67	32.5	1830	34	5640	66
88 11917	B2020-87	R OC	SC	4		di w/ qtz vn(s) & dissems py + cpy	<0.005	<0.001	0.081	0.8	971	10	27	<2
88 11918	B2020-87	R OC	C	2		di w/ qtz vn(s) & dissems py + cpy	<0.005	0.002	0.2	1.2	1230	81	173	<2
88 11919	B2020-87	R OC	RC	5		di w/ qtz vn(s) & dissems py + cpy	<0.005	0.01	0.015	0.4	241	5	14	<2
88 11920	B2020-87	R OC	S	3		di w/ qtz vn(s) & dissems py + cpy	<0.005	0.001	0.036	0.4	967	8	23	<2
89 11878	Kabugakli Lode	R OC	C	3		fel dike w/ dissems sulf	<0.005	0.001	0.032	<0.2	5	7	25	304
89 11902	Kabugakli Lode	R OC	C	3		felsic dike w/ qtz vn(s)	0.005	0.001	0.001	0.2	121	7	51	98
89 11903	Kabugakli Lode	R OC	C	5		shear in seds w/ py	<0.005	<0.001	0.009	0.5	292	7	58	11



Table 2. Analytical results for rock chip, stream sediment, and pan concentrate samples

Map No	Sample	Location	Type	Site	Method	Size (ft)	Description	Pt ppm	Pd ppm	Au ppm	Ag ppm	Cu ppm	Pb ppm	Zn ppm	As ppm
89	11904	Kabugakli Lode	R	OC	C	1	fel dike w/ qtz vns	<0.005	<0.001	0.111	<0.2	9	9	40	477
89	11905	Kabugakli Lode	R	OC	C	1	feox shear in dike w/ tr py	<0.005	0.002	<0.001	<0.2	43	8	101	38
89	11906	Kabugakli Lode	R	OC	C	2	carbon rich zone in shear w/ py	<0.005	0.002	0.837	<0.2	21	24	34	3780
89	11908	Kabugakli Lode	R	OC	C	2	arg w/ tr py	<0.005	0.003	0.008	<0.2	37	9	102	26
90	11593	Kabugakli Lode Area	R	OC	S		calc alt sed w/ carb vn(s) & sulf	0.009	0.021	1.45	0.3	20	76	130	7960
90	11594	Kabugakli Lode Area	R	OC	G		cald & sil alt seds w/ sulf veinlets	<0.005	0.002	0.007	<0.2	17	7	34	67
90	11595	Kabugakli Lode Area	R	OC	SC	11	qtz-dio w/ disseminated py/po	<0.005	0.001	0.009	<0.2	25	7	70	40
90	11596	Kabugakli Lode Area	R	RC	G		fg siltstone w/ disseminated py/po	<0.005	0.003	0.011	<0.2	131	7	36	2
90	11882	Kabugakli Lode Area	R	RC	G	1	feox dio w/ disseminated sulf	<0.005	0.001	0.03	0.3	72	16	72	<2
91	10788	Kabugakli Placer	PC			3 pans, 1 cs, 3 f, >20 vf	--	--	--	1500	167	<2	97	9	
91	11900	Kabugakli Placer	SS				<0.005	0.003	2.62	<0.2	161	4	59	23	
91	11901	Kabugakli Placer	PC			2 pans, 6 f, & 30 vf gold	<0.005	<0.001	183.0	6.2	137	5	61	22	
91	11907	Kabugakli Placer	R	RC	C	1	py in arg w/ carb vn & tr py	<0.005	0.003	0.005	<0.2	44	19	92	27
91	11909	Kabugakli Placer	PC			3 pans, 6 f gold	--	--	--	11.6	226	3	68	44	
92	11588	Becharof Lake	SS				0.006	0.008	--	<0.2	21	<2	53	2	
92	11879	Becharof Lake	SS				<0.005	<0.001	0.002	<0.2	22	<2	47	<2	
92	11880	Becharof Lake	PC			1 pan	0.034	0.021	0.007	<0.2	21	<2	91	<2	
93	11589	Kejulik River	PC			2 pans	--	--	0.844	<0.2	9	<2	61	<2	
93	11590	Kejulik River	PC			1 pan	--	--	--	<0.2	15	9	61	<2	
93	11591	Kejulik River	PC			1 pan	--	--	--	<0.2	13	3	80	<2	
93	11592	Kejulik River	PC			2 pans	--	--	--	<0.2	11	2	78	<2	
94	10786	Puale Bay Area	R	RC	G		med to thinly bedded ox ss	<0.005	0.003	<0.001	<0.2	25	4	48	42
94	10787	Puale Bay Area	R	OC	G		med to thinly bedded ox ss	<0.005	0.003	0.005	<0.2	42	6	71	32
94	11586	Puale Bay Area	R	RC	S		ss w/ carb & barite(?) vn(s)	<0.005	0.002	<0.001	<0.2	48	5	76	8
94	11587	Puale Bay Area	R	RC	G		concretions in ss w/ sulf	0.007	0.003	0.001	<0.2	44	5	61	13
94	11876	Puale Bay Area	R	OC	G	3	feox mudstone w/ fg disseminated py	0.006	0.003	0.012	0.5	145	18	85	8
95	11877	Sulfur Creek	R	OC	G		feox volc w/ carb	<0.005	0.003	0.004	<0.2	62	16	90	2





**TABLE 3**  
**LATITUDE AND LONGITUDE COORDINATES FOR SAMPLES**



Table 3. Latitude and longitude coordinates for 2005-2006 samples. Coordinates are in decimal degrees and use the North American Datum 1927.

<b>Sample No</b>	<b>Latitude</b>	<b>Longitude</b>	<b>Sample No</b>	<b>Latitude</b>	<b>Longitude</b>
11502	58.70962	-161.64127	11594	57.88099	-155.07410
11503	59.27735	-158.53439	11595	57.88260	-155.07360
11504	60.85538	-154.22413	11596	57.88986	-155.09487
11505	60.86425	-154.19644	11597	59.10945	-154.87217
11506	60.36882	-154.43242	11598	59.10902	-154.87524
11507	60.47141	-153.83034	11599	59.10823	-154.88030
11508	60.47157	-153.83096	11600	58.91046	-154.89357
11509	60.06775	-153.95185	11601	58.90894	-154.89892
11510	60.26320	-153.56685	11602	58.90928	-154.89969
11511	60.15659	-153.85446	11603	58.91138	-154.89952
11512	60.28135	-153.55684	11604	58.68306	-153.87259
11513	60.16061	-154.05155	11605	58.68317	-153.87259
11514	60.31285	-153.88760	11606	58.67135	-154.84047
11551	60.84450	-154.18945	11607	58.96149	-155.57651
11552	60.84869	-154.16473	11608	58.96149	-155.57619
11553	60.36757	-154.43099	11609	58.96141	-155.57607
11554	60.36824	-154.43101	11610	58.32162	-155.00046
11555	60.35706	-154.47212	11611	58.32083	-155.00030
11556	60.14480	-153.87615	11612	58.33117	-154.99902
11557	60.29316	-154.24837	11613	58.33203	-154.99502
11558	60.29301	-154.25063	11800	59.67625	-153.78538
11559	60.47505	-153.82900	11801	59.67602	-153.78439
11560	60.47486	-153.82933	11802	59.69499	-153.92936
11561	60.47450	-153.82967	11803	59.69574	-153.92723
11562	60.47454	-153.82521	11804	59.68112	-153.95042
11563	60.47161	-153.83093	11805	59.67574	-153.96357
11564	60.47156	-153.83088	11806	59.67672	-153.96374
11565	60.51523	-153.78833	11807	59.67146	-153.95936
11566	60.51498	-153.78656	11808	59.67319	-153.95802
11567	60.51824	-153.78214	11809	59.68421	-153.94467
11568	60.06933	-153.95556	11810	59.68410	-153.94491
11569	60.26512	-153.56255	11811	59.78139	-154.50877
11570	60.26519	-153.56235	11812	59.74333	-153.94667
11571	60.19191	-153.91687	11813	59.78460	-154.51097
11572	60.19186	-153.91684	11814	59.78459	-154.51100
11573	60.16003	-153.85385	11815	59.78453	-154.51146
11574	60.16003	-153.85368	11816	59.50914	-154.35996
11575	60.16006	-153.85370	11817	59.33708	-154.53241
11576	60.16006	-153.85368	11818	59.33664	-154.55869
11577	60.18129	-153.73682	11819	59.33709	-154.56207
11578	60.28194	-153.56073	11820	59.31424	-154.76834
11579	60.28368	-153.55887	11821	59.26554	-154.60590
11580	60.28368	-153.55881	11822	59.41593	-154.20521
11581	60.16130	-154.04839	11823	59.71196	-154.02530
11582	60.16176	-154.04810	11824	59.71544	-154.01504
11583	60.31691	-153.88537	11825	59.71068	-154.00748
11584	60.31607	-153.88982	11826	59.78541	-155.48645
11585	60.25073	-153.58138	11827	59.50911	-154.36101
11586	57.76885	-155.38959	11828	59.50918	-154.36106
11587	57.76876	-155.39007	11829	59.50903	-154.36068
11588	57.93477	-155.97873	11830	59.50908	-154.36152
11589	57.85109	-155.74134	11831	59.71086	-154.00771
11590	57.85128	-155.74280	11832	59.68848	-153.99943
11591	57.85312	-155.74231	11833	59.68840	-153.99933
11592	57.85289	-155.74204	11834	59.61399	-154.11642
11593	57.88357	-155.07251	11835	59.66665	-154.07008

Table 3. Latitude and longitude coordinates for 2005-2006 samples. Coordinates are in decimal degrees and use the North American Datum 1927.

Sample No	Latitude	Longitude	Sample No	Latitude	Longitude
11836	59.61097	-154.13682	11892	58.26882	-155.43439
11837	59.59905	-154.05373	11893	58.27065	-155.43981
11838	59.59903	-154.05387	11894	58.26919	-155.43697
11839	59.66664	-154.06998	11895	58.26917	-155.43396
11840	59.63826	-153.94342	11896	58.32276	-155.00432
11841	59.63828	-153.94342	11897	58.32132	-155.00042
11842	59.85234	-154.35359	11898	58.33425	-154.99463
11843	59.85238	-154.35355	11899	58.33322	-154.99421
11844	59.78067	-154.50827	11900	57.88267	-155.07431
11845	59.78073	-154.50830	11901	57.88267	-155.07431
11846	59.78088	-154.50793	11902	57.88342	-155.07270
11847	59.78111	-154.50849	11903	57.88409	-155.07239
11848	59.78136	-154.50870	11904	57.88407	-155.07251
11849	59.78143	-154.50880	11905	57.88225	-155.07316
11850	59.78513	-154.51128	11906	57.88218	-155.07313
11851	59.78533	-154.51129	11907	57.88288	-155.07465
11852	59.78575	-154.51159	11908	57.88264	-155.07436
11853	59.78587	-154.51134	11909	57.88485	-155.08327
11854	59.78615	-154.51141	11910	59.10704	-154.89099
11855	59.67448	-154.94996	11911	59.10700	-154.88552
11856	59.67448	-154.95000	11912	59.10838	-154.88066
11857	59.41364	-155.25040	11913	59.10861	-154.87802
11858	59.34360	-154.60003	11914	59.08372	-154.95558
11859	59.49702	-154.39384	11915	58.68255	-153.87207
11860	59.54624	-154.27568	11916	58.68304	-153.87303
11861	59.54644	-154.27574	11917	58.26773	-155.43276
11862	59.39392	-155.10748	11918	58.26830	-155.43366
11863	59.85655	-155.33068	11919	58.27023	-155.43940
11864	59.85673	-155.31734	11920	58.26918	-155.43430
11865	59.24145	-154.70365			
11866	59.24697	-154.74756			
11867	59.24709	-154.74680			
11868	59.24632	-154.81803			
11869	59.24635	-154.81805			
11870	59.10986	-154.86903			
11871	59.10970	-154.87002			
11872	59.10956	-154.86742			
11873	59.10995	-154.86379			
11874	59.08319	-154.79513			
11875	59.07729	-154.83418			
11876	57.76093	-155.66800			
11877	57.69431	-155.82301			
11878	57.88338	-155.07277			
11879	57.94316	-155.95036			
11880	57.94314	-155.95035			
11881	58.92638	-155.64830			
11882	57.88989	-155.09483			
11883	58.92638	-155.64826			
11884	58.89156	-154.55029			
11885	58.92471	-154.93359			
11886	58.92472	-154.93370			
11887	58.84309	-154.96980			
11888	58.84375	-154.97065			
11889	58.67634	-154.82446			
11890	58.67634	-154.82445			
11891	58.26748	-155.43262			