

EAGLE LAKE BLM CALIFORNIA SPECIAL STATUS PLANTS

Thursday, April 30, 2015

1:47:20 PM

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Astragalus agrestis</i>	field milk-vetch	VASC	Fabaceae			BLMS	2.B2		G5	S2?		No	31-Mar-15	This species is rather widespread elsewhere, so the primary value of this population is its disjunct location in CA, and maintaining the genetic viability of the species across its range.	K					K										
<i>Astragalus argophyllus</i> var. <i>argophyllus</i>	silverleaf milk-vetch	VASC	Fabaceae			BLMS	2B.2		G5T4	S1		No	31-Mar-15					K	K											
<i>Astragalus lemmonii</i>	Lemmon's milk-vetch	VASC	Fabaceae			BLMS	1B.2	W	G2	S2		No	13-Sep-12							S										
<i>Astragalus lentiformis</i>	lens-pod milk-vetch	VASC	Fabaceae			BLMS	1B.2		G2	S2		No								K										
<i>Astragalus pulsiferae</i> var. <i>pulsiferae</i>	Pulsifer's milk-vetch	VASC	Fabaceae			BLMS	1B.2	W	G4T2	S2 in CA; S1 in NV		No								K										
<i>Astragalus pulsiferae</i> var. <i>suksdorfii</i>	Suksdorf's milk-vetch	VASC	Fabaceae			BLMS	1B.2		G4T2	S2		No	28-Apr-15	Occurrences formerly attributed to this species in the northern part of its range (formerly K in Alturas and Eagle Lake) are now <i>A. pulsiferae</i> var. <i>coronensis</i> [Welsh, S.L., R. Ondricek, and G. Clifton 2002. Varieties of <i>Astragalus pulsiferae</i> (Leguminosae). Rhodora 104:271-279]. Suspected in the Eagle Lake Field Office on conifer sites near Lake Almanor.						S										
<i>Astragalus webberi</i>	Webber's milk-vetch	VASC	Fabaceae			BLMS	1B.2		G1	S1		No								S										
<i>Dalea ornata</i>	ornate dalea	VASC	Fabaceae			BLMS	2B.1		G4G5	S2		No	28-Apr-15	Only six closely associated occurrences are known of this plant in CA, and they are disjunct from the others in western NV. Known from the Snake and Columbia valleys in E. WA, OR, and SW ID. Occurrences in CA are grazed and subject to invasion from medusahead and cheatgrass.						K										

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Eriogonum microthecum</i> <i>var. schoolcraftii</i>	Schoolcraft's wild buckwheat	VASC	Polygonaceae			BLMS	1B.2	W	G5T3 in CA; G5T2 in NV	S3 (CA); S1 (NV)		No	28-Apr-15	Taxon described by: Reveal, J. L. 2004. New entities in <i>Eriogonum</i> (Polygonaceae: Eriogonoideae). Phytologia 86(3):121-159.						K								S		
<i>Gratiola heterosepala</i>	Boggs Lake hedge-hyssop	VASC	Plantaginaceae		SE	BLMS	1B.2		G2	S2		No		This is a vernal pool plant. Can be found in man-made reservoirs.	K		K			K		K				K				
<i>Ivesia aperta</i> <i>var. aperta</i>	Sierra Valley ivesia	VASC	Rosaceae			BLMS	1B.2	T	G2T2	S2 (CA); S1 (NV)		No	28-Apr-15							K										
<i>Ivesia sericoleuca</i>	Plumas ivesia	VASC	Rosaceae			BLMS	1B.2		G2	S2		No	28-Apr-15							S										
<i>Ivesia webberi</i>	Webber's ivesia	VASC	Rosaceae	FT			1B.1	T	G1	S2 (CA); S1 (NV)	CE	No	28-Apr-15	Listed as Threatened by the U.S. Fish and Wildlife Service on June 3, 2014 (79 Federal Register 106: 31878-31883). Critical Habitat designated on June 3, 2014 (79 Federal Register 106: 32126-32155). On BLM lands in Sierra Valley. Specific occurrence 1 as mapped by CNDDB does not include BLM lands within it, but 50 plants were found on BLM lands in the vicinity in 1992.						K										
<i>Loeflingia squarrosa</i> <i>var. artemisiarum</i>	Sagebrush loeflingia	VASC	Caryophyllaceae			BLMS	2B.2		G5T2T3	S2		No	28-Apr-15	Known to CA from only Lassen County (6 occ), Inyo County (5 occ), and two occurrences from Kern and Los Angeles counties. Three occurrences are on BLM lands within the Eagle Lake Field Office, 3 on private, and disjunct. Threatened by livestock trampling.					K	K									S	
<i>Mimulus evanescens</i>	ephemeral monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G3	S2		No	28-Apr-15		K					S							S			
<i>Oreostemma elatum</i>	tall alpine aster	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	28-Apr-15							S										

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Pedicularis centranthera</i>	dwarf lousewort	VASC	Orobanchaceae			BLMS	2B.3		G4	S2		No	28-Apr-15	Only five known occurrences form CA, all from Secret Valley in Lassen Co, on BLM lands managed by the Eagle Lake Field Office. These occurrences are rather disjunct from Harney and Lake counties in OR and primarily the eastern half of NV.						K										
<i>Penstemon sudans</i>	Susanville beardtongue	VASC	Plantaginaceae			BLMS	1B.3		G3	S3		No	16-Nov-10							K										
<i>Phacelia inundata</i>	playa phacelia	VASC	Boraginaceae			BLMS	1B.3	W	G2	S2 (CA); S2? (NV)		No	28-Apr-15		S					K								S		
<i>Polyctenium williamsiae</i>	Williams's combleaf	VASC	Brassicaceae			BLMS	1B.2	T	G2Q	S1 (CA); S2 (NV)	CE	No	03-Jun-13	Known in Bishop on BLM land in the Bodie area. Because the Jepson Manual 2nd Edition and the Flora of North America reduced this species to synonymy under <i>P. fremontii</i> , the species was recently reviewed and kept on List 1B.2 by CNPS and CNDDB by decision dated February 8, 2012.	S				K	S										
<i>Pyrrocoma lucida</i>	sticky pyrrocoma	VASC	Asteraceae			BLMS	1B.2		G3	S3		No	13-Sep-12							K										
<i>Rorippa columbiae</i>	Columbia yellow cress	VASC	Brassicaceae			BLMS	1B.2		G3	S1		No			S					S						S				
<i>Stipa exigua</i>	little ricegrass	VASC	Poaceae			BLMS	2B.3		G5	S2		No	03-Jun-13	Formerly <i>Oryzopsis exigua</i> Thurb. Known in CA from only two widely separated occurrences, one on public lands within the Eagle Lake Field Office which burned within the last few years. It is not common in NV. Threats include grazing and weed invasion following the recent fire.	K					K									S	
<i>Thelypodium howellii</i> var. <i>howellii</i>	Howell's thelypodium	VASC	Brassicaceae			BLMS	1B.2		G2T2	S2		No	03-Jun-13		S					K									S	

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
-----------------	-------------	---------------	--------	------------	-----------	------------	--------------------	-------------	-------------	------------	-----------	----------------	--------------	----------	---------	--------	-------------	---------	--------	------------	-----------	-----------	--------------	---------	--------------	---------	------------	----------	-------

Type of Plant: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Federal Status: FE = Federally Endangered; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution – a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. Comments: Additional information, only provided for some plants. Date Updated: This field is provided to show when changes or updates were last made to an element; this tracking was implemented only in recent years, so the field is blank for most elements. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.