

UKIAH BLM CALIFORNIA SPECIAL STATUS PLANTS

Thursday, April 30, 2015

12:53:46 PM

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Agrostis blasdalei</i>	Blasdale's bent grass	VASC	Poaceae			BLMS	1B.2		G2	S2		No	29-Apr-13	On Shell Island off of Sea Ranch, Sonoma County, part of the California Coastal National Monument (source: Jim Weigand). Also suspected on the Stornetta Unit because it is known from closeby at Manchester State Beach (Jim Weigand, 2/3/2015).																K
<i>Amsinckia lunaris</i>	bent-flowered fiddleneck	VASC	Boraginaceae			BLMS	1B.2		G2?	S2?		No	13-Sep-12	Walker Ridge/Bear Creek (Source: Jim Weigand). Documented within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).												S				K
<i>Arctostaphylos bakeri subsp. sublaevis</i>	The Cedars manzanita	VASC	Ericaceae			BLMS	1B.2		G2T2	S2		No	23-Oct-12	CNDDDB occurrence 1 on BLM and pvt lands at The Cedars. Headwaters of Big Austin Creek and East Austin Creek. 10,000's of plants according to CNDDDB.																K
<i>Arctostaphylos canescens subsp. sonomensis</i>	Sonoma canescent manzanita	VASC	Ericaceae			BLMS	1B.2		G3G4T2	S2		No	31-Mar-15	Walker Ridge/Bear Creek (Source: Jim Weigand). Documented within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).																K

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Astragalus rattanii</i> var. <i>jepsonianus</i>	Jepson's milk-vetch	VASC	Fabaceae			BLMS	1B.2		G4T3	S3		No	13-Sep-12	Documented within the proposed right-of-way of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).											S				K	
<i>Balsamorhiza macrolepis</i>	big-scale balsamroot	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	13-Sep-12	Formerly <i>B. macrolepis</i> Sharp var. <i>macrolepis</i> . Jepson Manual 2nd edition submerges <i>B. m.</i> var. <i>platylepis</i> (Sharp) Ferris, which was the only variety, into <i>B. hookeri</i> Nutt. Documented in the Ukiah Field Office within the proposed right-of-way of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).								K			K				K	
<i>Brodiaea rosea</i>	Indian Valley brodiaea	VASC	Themidaceae		SE	BLMS	1B.1		G2	S2		No	28-Apr-15	Formerly <i>Brodiaea coronaria</i> (Salisb.) Engler subsp. <i>rosea</i> (Greene) Niehaus. Jepson Manual 2nd edition elevates to species.												S			K	
<i>California macrophylla</i>	round-leaved filaree	VASC	Geraniaceae			BLMS	1B.1		G2	S2		No	30-Jul-13	Nine CNDDDB occurrences on the Payne Ranch, Colusa and Lake counties, Ukiah Field Office. CNDDDB Occurrence 67 is on BLM lands in Riverside County, within the Palm Springs Field Office. Likely to occur in Hollister FO acc 12/10/08 email from Jim Weigand. Nonspecific (1-mile radius circle) CNDDDB Occurrence 18 in the Bakersfield FO (Kern Co.) has BLM lands within the mapped circle.		S						S							K	K

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Calochortus raichei</i>	The Cedars fairy-lantern	VASC	Liliaceae			BLMS	1B.2		G2	S2		No	23-Oct-12	CNDDB occurrences 4 and 8 are definitely on BLM land at The Cedars; occurrence 7 is mapped as occurring partly on BLM land but RareFind account says it occurs on private land.															K
<i>Calycadenia micrantha</i>	small-flowered calycadenia	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	28-Apr-15																S
<i>Calystegia collina subsp. tridactylosa</i>	three-fingered morning-glory	VASC	Convolvulaceae			BLMS	1B.2		G4T1	S1		No	22-Nov-10	Known to occur on BLM Toney Creek holding, Eden Valley. Documented in the Ukiah Field Office within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).		K													K
<i>Calystegia purpurata subsp. saxicola</i>	coastal bluff morning-glory	VASC	Convolvulaceae			BLMS	1B.2		G4T2T3	S2S3		No	26-Feb-15	Known from the Stornetta Unit, per the following collections: CAS263828, 1937, and RSA7999419, 2013.															K
<i>Campanula californica</i>	swamp harebell	VASC	Campanulaceae			BLMS	1B.2		G3	S3		No	26-Feb-15	Known from the Stornetta Unit, per the following collection: SBBG124996, 1967.															K
<i>Carex saliniformis</i>	deceiving sedge	VASC	Cyperaceae			BLMS	1B.2		G2	S2		No	17-Mar-15	Known from Alder Creek near Stornetta Unit, according to Jim Weigand (2/3/2015).															S
<i>Castilleja mendocinensis</i>	Mendocino Coast paintbrush	VASC	Orobanchaceae			BLMS	1B.2		G2	S2		No	28-Apr-15	Now known from the Stornetta Unit, as well as CCNM rocks at Mendocino. Stornetta collection: SBBG21322, 1964. Info from Jim Weigand, 2/3/2015.		S												K	

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Castilleja rubicundula</i> <i>subsp. rubicundula</i>	pink creamsacs	VASC	Orobanchaceae			BLMS	1B.2		G5T2	S2		No	13-Sep-12	On BLM lands in Bear Creek Watershed acc to 12/10/08 email from Jim Weigand. Documented within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).												S			K
<i>Ceanothus confusus</i>	Rincon Ridge ceanothus	VASC	Rhamnaceae			BLMS	1B.1		G1	S1		No	28-Apr-15																S
<i>Ceanothus divergens</i>	Calistoga ceanothus	VASC	Rhamnaceae			BLMS	1B.2		G2	S2		No	28-Apr-15																S
<i>Centromadia parryi</i> subsp. <i>parryi</i>	pappose tarplant	VASC	Asteraceae			BLMS	1B.2		G3T1	S1		No	28-Apr-15	Formerly <i>Hemizonia parryi</i> Greene. Known in Bear Creek watershed acc. 12/10/2008 email from Jim Weigand.															K
<i>Chlorogalum pomeridianum</i> var. <i>minus</i>	dwarf soaproot	VASC	Agavaceae			BLMS	1B.2		G5T2	S2		No	13-Sep-12													K		K	
<i>Cryptantha dissita</i>	serpentine cryptantha	VASC	Boraginaceae			BLMS	1B.2		G2	S2		No	13-Sep-12	Suspected to occur at Eden Valley, Arcata Field Office. Name change from <i>Cryptantha clevelandii</i> var. <i>dissita</i> to <i>Cryptantha dissita</i> as of March 3, 2011. Species found on Walker Ridge (Ukiah Field Office) as part of rare plant inventory for proposed wind energy development. Re-ranked from rare plant rank 1B.1 to 1B.2 on 10-25-2012.		S													K
<i>Cryptantha excavata</i>	deep-scarred cryptantha	VASC	Boraginaceae			BLMS	1B.3		G1	S1		No	28-Apr-15	Known from Walker Ridge/Bear Creek acc. Jim Weigand. Old, nonspecific CNDDDB occurrences mapped near BLM lands in Colusa County.															K

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Eriastrum brandegeae</i>	Brandegee's eriastrum	VASC	Polemoniaceae			BLMS	1B.1		G1Q	S1		No	18-Apr-13	Reranked from California Rare Plant Rank 1B.2 to 1B.1 on 8-23-2012.												K			K
<i>Erigeron serpentinus</i>	serpentine daisy	VASC	Asteraceae			BLMS	1B.3		G2	S2		No	23-Oct-12	CNDDDB Occurrence 3 is on BLM land at The Cedars.															K
<i>Erigeron supplex</i>	supple daisy	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	17-Mar-15	Old records from the Garcia River just east of the Stornetta Unit, according to Jim Weigand (2/3/2015).															S
<i>Eriogonum cedrorum</i>	The Cedars buckwheat	VASC	Polygonaceae			BLMS	1B.3		G1	S1		No	23-Oct-12	Specific CNDDDB Occurrence 1 is mapped on BLM land at The Cedars.															K
<i>Eriogonum nervulosum</i>	Snow Mtn. buckwheat	VASC	Polygonaceae			BLMS	1B.2		G2	S2		No	13-Sep-12																K
<i>Etriplex joaquinana</i>	San Joaquin spearscale	VASC	Chenopodiaceae			BLMS	1B.2		G2	S2		No	28-Apr-15	Found by Craig Thomsen and Ellen Dean in Bear Creek Unit (Payne Ranch). Formerly Atriplex joaquinana A. Nelson.															K
<i>Fritillaria pluriflora</i>	adobe-lily	VASC	Liliaceae			BLMS	1B.2		G3	S3		No	22-Nov-10	Documented in the Ukiah Field Office within the proposed right-of-way of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010). Also occurs elsewhere in the Ukiah Field Office.													S		K
<i>Gilia capitata subsp. pacifica</i>	Pacific gilia	VASC	Polemoniaceae			BLMS	1B.2		G5T3T4	S2		No	17-Mar-15	To be suspected on the Stornetta Unit according to Jim Weigand (2/3/2015).															S

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Harmonia hallii</i>	Hall's harmonia	VASC	Asteraceae			BLMS	1B.2		G2	S2?		No	13-Sep-12	Formerly <i>Madia hallii</i> Keck. Documented in the Ukiah Field Office within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010). Also elsewhere in the Ukiah Field Office.																K
<i>Hesperevax sparsiflora subsp. brevifolia</i>	short-leaved evax	VASC	Asteraceae			BLMS	1B.2		G4T2T3	S2S3		No	17-Mar-15	On BLM at Mattole Beach (in great numbers acc. Jennifer Wheeler) and at Samoa.		K													K	
<i>Hesperolinon adenophyllum</i>	glandular western flax	VASC	Linaceae			BLMS	1B.2		G3	S3		No	28-Apr-15																K	
<i>Hesperolinon breweri</i>	Brewer's dwarf flax	VASC	Linaceae			BLMS	1B.2		G2	S2		No	13-Sep-12																S	
<i>Hesperolinon didymocarpum</i>	Lake County dwarf flax	VASC	Linaceae		SE	BLMS	1B.2		G1	S1		No	13-Sep-12																S	
<i>Hesperolinon drymarioides</i>	drymaria-like western flax	VASC	Linaceae			BLMS	1B.2		G2	S2		No	13-Sep-12	Documented in the Ukiah Field Office within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Volmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010). Also occurs elsewhere in the Ukiah Field Office.															K	

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Hesperolinon sharsmithiae</i>	Sharsmith's western flax	VASC	Linaceae			BLMS	1B.2		G2Q	S2		No	28-Mar-13	CNDDDB Occurrence 53 is currently mapped by CNDDDB as <i>H. tehamense</i> but CNPS/ CDFW now consider that occurrence to be <i>H. sharsmithiae</i> (http://cnps.org/forums/showthread.php?t=1723&highlight=Hesperolinon+sharsmithiae). <i>H. sharsmithiae</i> was added to the CNPS and CDFW lists on 12-14-2012.															K
<i>Hesperolinon tehamense</i>	Tehama County western flax	VASC	Linaceae			BLMS	1B.3		G2	S2		No	28-Mar-13	Added K for Ukiah on 3-28-2013 (was previously K for Redding only). CNDDDB occurrences 18, 20, and 40 are all on BLM lands in the Ukiah FO. CNDDDB Occurrence 53 is also currently mapped on BLM lands, but this occurrence is now considered by CNPS/CDFW to represent <i>H. sharsmithiae</i> (http://cnps.org/forums/showthread.php?t=1723&highlight=Hesperolinon+sharsmithiae).														K	K
<i>Horkelia bolanderi</i>	Bolander's horkelia	VASC	Rosaceae			BLMS	1B.2		G1	S1		No	03-Jun-13	Very non-specific occurrence, CNDDDB occurrence 9, encompasses BLM lands. Vollmar (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010) reported that suitable habitat is present on BLM lands.															S
<i>Lasthenia californica</i> subsp. <i>macrantha</i>	perennial goldfields	VASC	Asteraceae			BLMS	1B.2		G3T2	S2		No	17-Mar-15	Known from the Stornetta Unit, per the following collections: JEPS21849, 1958, and CAS514082, 1967.															K
<i>Layia septentrionalis</i>	Colusa layia	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	28-Apr-15													S		S	

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Lilium maritimum</i>	coast lily	VASC	Liliaceae			BLMS	1B.1		G2	S2		No	17-Mar-15	Known from the Stornetta Unit, per the following collection: CAS51392, 1967. Also seen by Jim Weigand in 2014 on Stornetta lands.															K
<i>Lupinus sericatus</i>	Cobb Mountain lupine	VASC	Fabaceae			BLMS	1B.2		G2	S2		No	28-Apr-15	Walker Ridge/Bear Creek, Sulphur Creek sub-watershed (Source: Jim Weigand).															K
<i>Malacothamnus hallii</i>	Hall's bush-mallow	VASC	Malvaceae			BLMS	1B.2		G2Q	S2		No	18-Sep-12	CNDDDB Occurrence 38, population found on BLM lands on 6/2011.															K
<i>Microseris paludosa</i>	marsh microseris	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	17-Mar-15	Known from the Stornetta Unit, per the following collection: CAS514442, 1968.															K
<i>Panicum acuminatum var. thermale</i>	Geyser's panicum	VASC	Poaceae		SE	BLMS	1B.2		G5T2Q	S2		No	28-Mar-13	Formerly <i>Dichanthelium lanuginosum</i> (Ell.) Gould var. <i>thermale</i> (Boland.) Spellenberg. Rare Plant Rank changed from 1B.1 to 1B.2 by CNPS/CDFW on 9-12-2012.															S
<i>Silene campanulata subsp. campanulata</i>	Red Mountain catchfly	VASC	Caryophyllaceae		SE	BLMS	4.2		G5T3Q	S3		No	28-Apr-15	Known from Red Mountain, Mendocino Co., Arcata FO; suspected on public lands in Ukiah FO from an occurrence near public lands in the Gilmore Peak 24k quad, Colusa Co.		K													S
<i>Streptanthus brachiatus subsp. brachiatus</i>	Socrates Mine jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T1	S1		Yes	03-Jun-13																K
<i>Streptanthus brachiatus subsp. hoffmannii</i>	Freed's jewelflower	VASC	Brassicaceae			BLMS	1B.2		G2T2	S2		No	16-Nov-10	This taxon was recognized in Jepson Manual 1st edition, but is reduced to synonymy under <i>S. brachiatus</i> in the 2nd edition.															K
<i>Streptanthus glandulosus subsp. hoffmannii</i>	Hoffmann's jewel-flower	VASC	Brassicaceae			BLMS	1B.3		G4TH	SH		No	16-Nov-10	Elevated from <i>S. g.</i> var. <i>hoffmannii</i> Kruckeberg to subsp. <i>hoffmannii</i> in Jepson Manual 2nd edition.															S
<i>Streptanthus morrisonii subsp. elatus</i>	Three Peaks jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T2	S2		No	28-Apr-15	Reduced to synonymy under <i>S. morrisonii</i> in Jepson Manual 2nd edition.															K

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Streptanthus morrisonii</i> <i>subsp. hirtiflorus</i>	Dorr's Cabin jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T1	S1		No	28-Apr-15	Reduced to synonymy under <i>S. morrisonii</i> in Jepson Manual 2nd edition.															S
<i>Streptanthus morrisonii</i> <i>subsp. kruckebergii</i>	Kruckeberg's jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T1	S1		No	03-Jun-13	Reduced to synonymy under <i>S. morrisonii</i> in Jepson Manual 2nd edition.															K
<i>Streptanthus morrisonii</i> <i>subsp. morrisonii</i>	Morrison's jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G2T2	S2		No	28-Apr-15	The Jepson Manual 2nd edition does not recognize any subspecific taxa under <i>S. morrisonii</i> .															K
<i>Streptanthus vernalis</i>	early jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G1	S1		No	24-Aug-09	Known from only one occurrence on serpentine at Three Peaks.															K

Type of Plant: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Federal Status: FE = Federally Endangered; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution – a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. Comments: Additional information, only provided for some plants. Date Updated: This field is provided to show when changes or updates were last made to an element; this tracking was implemented only in recent years, so the field is blank for most elements. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.