REDDING BLM CALIFORNIA SPECIAL STATUS PLANTS

Wednesday, May 06, 2015
3:11:02 PM

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
Acmispon rubriflorus	red-flowered lotus	VASC	Fabaceae			BLMS	1B.1		G1	S1		No	16-Nov-10	Formerly *Lotus rubriflorus* H.K. Sharsm.												S			
Allium jepsonii	Jepson's onion	VASC	Alliaceae			BLMS	1B.2		G1	S1		No	15-Nov-10										K			S			
Amsinckia lunaris	bent-flowered fiddleneck	VASC	Boraginaceae			BLMS	1B.2		G2?	S2?		No	13-Sep-12	Walker Ridge/Bear Creek (Source: Jim Weigand). Documented within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).												S			K
Anisocarpus scabridus	scabrid alpine tarplant	VASC	Asteraceae			BLMS	1B.3		G2G3	S2S3		No	15-Nov-10													S			
Arctostaphylos klamathensis	Klamath manzanita	VASC	Ericaceae			BLMS	1B.2		G3	S3		No	31-Mar-15													S			
Astragalus rattanii var. jepsonianus	Jepson's milk-vetch	VASC	Fabaceae			BLMS	1B.2		G4T3	S3		No	13-Sep-12	Documented within the proposed right-of-way of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).												S			K
Astragalus tener var. ferrisiae	Ferris's milk-vetch	VASC	Fabaceae			BLMS	1B.1		G1T1	S1		No	13-Sep-12													S			
Balsamorhiza lanata	woolly balsamroot	VASC	Asteraceae			BLMS	1B.2		G3	S3		No	13-Sep-12	Elevated to *B. lanata* from *B. hookeri* Nutt. var. *lanata Sharp.*												K			

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
Balsamorhiza macrolepis	big-scale balsamroot	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	13-Sep-12	Formerly *B. macrolepis* Sharp var. *macrolepis*. Jepson Manual 2nd edition submerges *B. m.* var. *platylepis* (Sharp) Ferris, which was the only variety, into *B. hookeri* Nutt. Documented in the Ukiah Field Office within the proposed right-of-way of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).									K			K			K
Balsamorhiza sericea	silky balsamroot	VASC	Asteraceae			BLMS	1B.3		G4Q	S3		No	28-Apr-15													S			
Boechera serpenticola	Serpentine Rockcress	VASC	Brassicaceae			BLMS	1B.2		G1	S1		No	13-Sep-12	CNDDB maps nonspecific areas immediately adjacent to BLM lands near summit of Bully Choop Mountain. North-facing slopes on serpentine talus.												S			
Brodiaea rosea	Indian Valley brodiaea	VASC	Themidaceae		SE	BLMS	1B.1		G2	S2		No	28-Apr-15	Formerly *Brodiaea coronaria* (Salisb.) Engler subsp. *rosea* (Greene) Niehaus. Jepson Manual 2nd edition elevates to species.												S			K
Bryoria tortuosa	yellow-twist horsehair	LICH	Parmeliaceae			BLMS			G5	S2		No	28-Apr-15	S5 in OR; S3 in WA.		K										K			
Buxbaumia viridis	green bug moss	BRYO	Buxbaumiaceae			BLMS	2.2		G4G5	S2		No	03-Jun-13			K										S			
Calochortus greenei	Greene's mariposa	VASC	Liliaceae			BLMS	1B.2		G3	S3		No	13-Sep-12													K			
Calochortus longebarbatus var. longebarbatus	long-haired star-tulip	VASC	Liliaceae			BLMS	1B.2		G4T3	S3		No			S											S			
Calochortus monanthus	Shasta River mariposa	VASC	Liliaceae			BLMS	1A		GH	SH		No														S			
Calochortus persistens	Siskiyou mariposa lily	VASC	Liliaceae	FC	SR	BLMS	1B.2		G1	S1		No	28-Apr-15													S			
Campanula shetleri	Castle Crags harebell	VASC	Campanulaceae			BLMS	1B.3		G2	S2		No	28-Apr-15													S			

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
Carex klamathensis	Klamath sedge	VASC	Cyperaceae			BLMS	1B.2		G2	S2		No	15-Nov-10	CNDDB maps (Occurrence 3) within 1/2 mile of BLM lands in Tehama Co. BLM lands appear to have same serpentine substrate as Occurrence 3 in CNDDB.												S			
Castilleja rubicundula subsp. rubicundula	pink creamsacs	VASC	Orobanchaceae			BLMS	1B.2		G5T2	S2		No	13-Sep-12	On BLM lands in Bear Creek Watershed acc to 12/10/08 email from Jim Weigand. Documented within the proposed right-of-way, as well as within the area of potential effect, of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010).												S			K
Chaenactis suffrutescens	Shasta chaenactis	VASC	Asteraceae			BLMS	1B.3		G3	S3		No														K			
Chamaesyce hooveri	Hoover's spurge	VASC	Euphorbiaceae	FT			1B.2		G2	S2		Yes	13-Sep-12	Formerly *Chamaesyce hooveri* (Wheeler) Koutnik.												S			
Chlorogalum pomeridianum var. minus	dwarf soaproot	VASC	Agavaceae			BLMS	1B.2		G5T2	S2		No	13-Sep-12													K			K
Cirsium ciliolatum	Ashland thistle	VASC	Asteraceae		SE	BLMS	2B.1		G3	S1		No	28-Apr-15													S			
Clarkia biloba subsp. brandegeae	Brandegee's clarkia	VASC	Onagraceae			BLMS	1B.2		G4G5T4	S2S3		No	28-Apr-15										K			K			
Clarkia borealis subsp. arida	Shasta clarkia	VASC	Onagraceae			BLMS	1B.1		G3T2	S2		No	18-Apr-13													K			
Clarkia borealis subsp. borealis	northern clarkia	VASC	Onagraceae			BLMS	1B.3		G3T3	S3		No	28-Apr-15													S			
Clarkia gracilis subsp. albicaulis	white-stemmed clarkia	VASC	Onagraceae			BLMS	1B.2		G5T2	S2		No	28-Apr-15													K			
Clarkia mildrediae subsp. mildrediae	Mildred's clarkia	VASC	Onagraceae			BLMS	1B.3		G3T3	S3		No	13-Sep-12													S			

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
Clarkia mosquinii	Mosquin's clarkia	VASC	Onagraceae			BLMS	1B.1		G2	S2		No	15-Nov-10	Formerly *Clarkia mosquinii* subsp. *mosquinii* and *C. m.* subsp. *xerophila*.											K			
Cordylanthus tenuis subsp. pallescens	pallid bird's-beak	VASC	Orobanchaceae			BLMS	1B.2		G4G5T1	S1		No	13-Sep-12													S			
Cryptantha crinita	silky cryptantha	VASC	Boraginaceae			BLMS	1B.2		G2	S2		No	13-Sep-12													K			
Cypripedium fasciculatum	clustered lady's slipper	VASC	Orchidaceae			BLMS	4.2		G4	S4		No	28-Apr-15													K			
Cypripedium montanum	mountain lady's slipper	VASC	Orchidaceae			BLMS	4.2		G4	S4		No	28-Apr-15													K			
Dendriscocaulon intricatulum	northern moon shrub	LICH	Lobariaceae			BLMS			G3G4Q	S1		No	28-Apr-15			S										K			
Dendrocollybia racemosa	no common name	FUNG	Tricholomataceae			BLMS			G4	None		No	16-Nov-10	Formerly *Collybia racemosa* (Pers.) Quélet.		K										S			
Epilobium oreganum	Oregon fireweed	VASC	Onagraceae			BLMS	1B.2		G2	S2		No	28-Apr-15													S			
Epilobium siskiyouense	Siskiyou fireweed	VASC	Onagraceae			BLMS	1B.3		G3	S3		No	28-Apr-15													S			
Eriastrum brandegeeae	Brandegee's eriastrum	VASC	Polemoniaceae			BLMS	1B.1		G1Q	S1		No	18-Apr-13	Reranked from California Rare Plant Rank 1B.2 to 1B.1 on 8-23-2012.											K			K
Eriogonum umbellatum var. ahartii	Ahart's buckwheat	VASC	Polygonaceae			BLMS	1B.2		G5T2	S2		No	03-Oct-11	Currently shown in 5 locations close to BLM lands. Rarefind shows that locations are near West Branch of Feather River, De Sabla, South of Paradise Lake, and near Magalia Reservoir on scattered parcels.											S			
Eriogonum ursinum var. erubescens	blushing wild buckwheat	VASC	Polygonaceae			BLMS	1B.3		G3G4T2	S2		No	28-Apr-15	CNDDB maps very close to BLM lands, especially Occurrence 1.											S			
Erythronium citrinum var. roderickii	Scott Mtn. fawn lily	VASC	Liliaceae			BLMS	1B.3		G4T3	S3		No	15-Nov-10													S			
Euphorbia ocellata subsp. rattanii	Stony Creek spurge	VASC	Euphorbiaceae			BLMS	1B.2		G4T1T2	S1S2		No	13-Sep-12	Formerly *Chamaesyce ocellata* (Dur. & Hilg.) Millsp. subsp. rattanii (S. Watson) Koutnik.											K			
Fritillaria gentneri	Gentner's fritillaria	VASC	Liliaceae	FE			1B.1		G1	S1		Yes	13-Sep-12													K			

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
Fritillaria pluriflora	adobe-lily	VASC	Liliaceae			BLMS	1B.2		G3	S3		No	22-Nov-10	Documented in the Ukiah Field Office within the proposed right-of-way of the AltaGas/Greenwing Energy proposed Walker Ridge wind farm (Vollmar Consulting, 2010 Sensitive Botanical Resources Survey Report, Walker Ridge Project Site, Lake and Colusa Counties, California, October 2010). Also occurs elsewhere in the Ukiah Field Office.												S			K
Galium serpenticum subsp. scotticum	Scott Mtn. bedstraw	VASC	Rubiaceae			BLMS	1B.2		G4G5T2	S2.2		No														K			
Gratiola heterosepala	Boggs Lake hedge-hyssop	VASC	Plantaginaceae		SE	BLMS	1B.2		G2	S2		No		This is a vernal pool plant. Can be found in man-made reservoirs.	K		K			K		K				K			
Harmonia doris-nilesiae	Niles's harmonia	VASC	Asteraceae			BLMS	1B.1		G2	S2		No	28-Apr-15	Formerly *Madia doris-nilesiae* T.W. Nelson & J.P. Nelson.												S			
Harmonia stebbinsii	Stebbins's harmonia	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	28-Apr-15	Formerly *Madia stebbinsi*i T.W. Nelson & J.P. Nelson.												K			
Hesperolinon tehamense	Tehama County western flax	VASC	Linaceae			BLMS	1B.3		G2	S2		No	28-Mar-13	Added K for Ukiah on 3-28-2013 (was previously K for Redding only). CNDDB occurrences 18, 20, and 40 are all on BLM lands in the Ukiah FO. CNDDB Occurrence 53 is also currently mapped on BLM lands, but this occurrence is now considered by CNPS/CDFW to represent *H. sharsmithiae* (http://cnps.org/forums/showthread.php?t=1723 &highlight=Hesperolinon+sharsmithiae).												K			K
Horkelia hendersonii	Henderson's horkelia	VASC	Rosaceae			BLMS	1B.1		G1G2	S1		No	28-Apr-15													S			
Ivesia longibracteata	Castle Crags ivesia	VASC	Rosaceae			BLMS	1B.3		G1	S1		No	03-Jun-13													S			
Ivesia pickeringii	Pickering's ivesia	VASC	Rosaceae			BLMS	1B.2		G2	S2.2		No														S			
Juncus leiospermus var. leiospermus	Red Bluff dwarf rush	VASC	Juncaceae			BLMS	1B.1		G2T2	S2		No	28-Apr-15													K			

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
Layia septentrionalis	Colusa layia	VASC	Asteraceae			BLMS	1B.2		G2	S2		No	28-Apr-15													S			S
Legenere limosa	legenere	VASC	Campanulaceae			BLMS	1B.1		G2	S2		No	28-Apr-15													K			
Leptosiphon nuttallii subsp. howellii	Mt. Tedoc linanthus	VASC	Polemoniaceae			BLMS	1B.3		G5T2	S2		No	13-Sep-12	Formerly *Linanthus nuttallii* Mlkn. Subsp. *howellii* Nelson & Patterson.												S			
Lewisia cantelovii	Cantelow's lewisia	VASC	Portulacaceae			BLMS	1B.2		G3	S3		No	13-Sep-12										K			S			
Lewisia cotyledon var. heckneri	Heckner's lewisia	VASC	Portulacaeae			BLMS	1B.2		G4T3	S3?		No	28-Apr-15													K			
Limnanthes floccosa subsp. bellingeriana	Bellinger's meadowfoam	VASC	Limnanthaceae			BLMS	1B.2		G4T3	S1		No	03-Jun-13		S											S			
Limnanthes floccosa subsp. californica	Butte County meadowfoam	VASC	Limnanthaceae	FE	SE		1B.1		G4T1	S1		Yes	13-Sep-12													S			
Mimulus evanescens	ephemeral monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G3	S2		No	28-Apr-15		K					S						S			
Minuartia howellii	Howell's sandwort	VASC	Caryophyllaceae			BLMS	1B.3		G4	S2		No	13-Sep-12													S			
Minuartia stolonifera	Scott Mtn. sandwort	VASC	Caryophyllaceae			BLMS	1B.3		G2	S2		No	03-Jun-13													S			
Monardella venosa	veiny monardella	VASC	Lamiaceae			BLMS	1B.1		G1	S1		No	03-Jun-13	Formerly *M. douglasii* Benth. var. *venosa* (Torr.) Jeps.												S			
Navarretia leucocephala subsp. bakeri	Baker's navarretia	VASC	Polemoniaceae			BLMS	1B.1		G4T2	S2		No	13-Sep-12													S			
Neviusia cliftonii	Shasta snow-wreath	VASC	Rosaceae			BLMS	1B.2		G2	S2		No	28-Apr-15													S			
Orcuttia pilosa	hairy orcutt grass	VASC	Poaceae	FE	SE		1B.1		G1	S1		Yes	13-Sep-12													S			
Orcuttia tenuis	slender orcutt grass	VASC	Poaceae	FT	SE		1B.1		G2	S2		Yes	13-Sep-12	This is a vernal pool plant. Only one known population of this plant occurs in the Alturas Field Office.	K											K			
Orthocarpus pachystachyus	Shasta orthocarpus	VASC	Orobanchaceae			BLMS	1B.1		G1	S1		No	16-Nov-10	Previously thought to be extinct.												S			
Packera eurycephala var. lewisrosei	cut-leaved ragwort	VASC	Asteraceae			BLMS	1B.2		G4T2	S2		No	28-Apr-15	Formerly *Senecio eurycephalus* Torrey & A. Gray var. *lewisrosei* (J.T. Howell) T.M. Barkley.												K			
Packera layneae	Layne's butterweed	VASC	Asteraceae	FT	SR		1B.2		G2	S2		No	13-Sep-12	Formerly *Senecio layneae* Greene.									K			S			

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
Paronychia ahartii	Ahart's paronychia	VASC	Carophyllaceae			BLMS	1B.1		G2	S2		No	13-Sep-12													K			
Penstemon filiformis	thread-leaved beardtongue	VASC	Plantaginaceae			BLMS	1B.3		G3	S3		No	16-Nov-10													S			
Penstemon personatus	closed-throated beardtongue	VASC	Plantaginaceae			BLMS	1B.2		G2	S2		No	28-Apr-15													S			
Phacelia cookei	Cooke's phacelia	VASC	Boraginaceae			BLMS	1B.1		G1	S1		No	16-Nov-10													S			
Phacelia greenei	Scott Valley phacelia	VASC	Boraginaceae			BLMS	1B.2		G2	S2		No	16-Nov-10													K			
Phacelia leonis	Siskiyou phacelia	VASC	Boraginaceae			BLMS	1B.3		G3	S3		No	28-Apr-15													S			
Phaeocollybia californica	California phaeocollybia	FUNG	Cortinariaceae			BLMS			G3	None		No	28-Apr-15			K										S			
Phaeocollybia olivacea	olive phaeocollybia	FUNG	Cortinariaceae			BLMS			G3	None		No	16-Nov-10			K										S			
Phaeocollybia spadicea	spadicea phaecollybia	FUNG	Cortinariaceae			BLMS			G3G4	None		No	16-Nov-10			K										S			
Phlox hirsuta	Yreka phlox	VASC	Polemoniaceae	FE	SE		1B.2		G1	S1		Yes														S			
Ptilidium californicum	Pacific fuzzwort	BRYO	Ptilidiaceae			BLMS	4.3		G3G4	S3?		No	03-Jun-13			K										S			
Puccinellia howellii	Howell's alkali-grass	VASC	Poaceae			BLMS	1B.1		G1	S1		No	03-Jun-13													S			
Raillardella pringlei	showy raillardella	VASC	Asteraceae			BLMS	1B.2		G3	S3		No														S			
Rhynchospora californica	California beaked-rush	VASC	Cyperaceae			BLMS	1B.1		G1	S1		No	03-Jun-13													S			
Rorippa columbiae	Columbia yellow cress	VASC	Brassicaceae			BLMS	1B.2		G3	S1		No			S					S						S			
Rupertia hallii	Hall's rupertia	VASC	Fabaceae			BLMS	1B.2		G2G3	S2S3		No	28-Apr-15													K			
Sagittaria sanfordii	Sanford's arrowhead	VASC	Alismataceae			BLMS	1B.2		G3	S3		No	13-Sep-12													K			
Sedum albomarginatum	Feather River stonecrop	VASC	Crassulaceae			BLMS	1B.2		G2	S2		No	28-Apr-15													S			
Sedum obtusatum subsp. paradisum	Canyon Creek stonecrop	VASC	Crassulaceae			BLMS	1B.3		G4G5T2	S2		No	16-Nov-10	Formerly *S. paradisum* (M. Denton) M. Denton.												K			
Sidalcea robusta	Butte County checkerbloom	VASC	Malvaceae			BLMS	1B.2		G2	S2		No	13-Sep-12													K			
Silene occidentalis subsp. longistipitata	long-stiped campion	VASC	Caryophyllaceae			BLMS	1B.2		G4T2Q	S2		No	16-Nov-10													S			
Smilax jamesii	English Peak greenbriar	VASC	Smilacaceae			BLMS	1B.3		G2	S2		No														S			

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
Sowerbyella rhenana	stalked orange peel fungus	FUNG	Pyrenemataceae			BLMS			G3G5	None		No	16-Nov-10			S										S			
Spathularia flavida	fairy fan	FUNG	Cudoniaceae			BLMS			G4G5	None		No	16-Nov-10			K										S			
Trifolium jokerstii	Butte County golden clover	VASC	Fabaceae			BLMS	1B.2		G2	S2		No	03-Jun-13													K			

Type of Plant: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Federal Status: FE = Federally Endangered; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more Information is needed; 4 = Plants of limited distribution – a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: http://www.natureserve.org/explorer/ranking.htm#interpret. Comments: Additional information, only provided for some plants. Date Updated: This field is provided to show when changes or updates were last made to an element; this tracking was implemented only in recent years, so the field is blank for most elements. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.