BUREAU OF LAND MANAGEMENT - WHITE RIVER FIELD OFFICE
2014 Travel Inventory Route Segment Table (To Accompany Travel Management Maps)

Created 3/24/2015

Disclaimer:

No warranty is made by the Bureau of Land Management as to the accuracy, reliability, or completeness of these data for individual use or aggregate use with other data.

Unique ID #	Route Number	Route Name	Planning Category	Surface	Width	Construction Method	Use Class	Use Level	Linear Disturbance	Inventory Status	Data Source	Public Access	Land Status	Length Feet	Length Miles
1			Transportation Linear Disturbance							Complete	Digitized	No	BLM	2175.09	0.41195
2			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	476.90	0.09032
3			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	1549.51	0.29347
4			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	Yes	BLM	3358.03	0.63599
5			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	No	BLM	186.30	0.03528
6			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	No	BLM	189.63	0.03591
7			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	No	BLM	248.37	0.04704
8			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	2936.45	0.55614
9			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	493.99	0.09356
10			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	Digitized	Yes	BLM	1789.45	0.33891
11			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	1270.98	0.24072
12	1012		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	4857.72	0.92002
13			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	2773.27	0.52524
14			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	7628.67	1.44482
15			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1668.53	0.31601
16			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1748.61	0.33118
17			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2586.17	0.48981
18			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	1658.39	0.31409
19			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	5064.86	0.95925
20			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1717.52	0.32529
21			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	168.84	0.03198
22			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	4101.16	0.77673
23			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	536.51	0.10161
24			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2302.88	0.43615

25			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	191.61	0.03629
26			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	187.59	0.03553
27			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	366.78	0.06947
28			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	196.44	0.03720
29			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	174.08	0.03297
30			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Moderate Use		Complete	Digitized	No	BLM	1202.76	0.22780
31			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Moderate Use		Complete	Digitized	No	BLM	744.25	0.14096
32			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	4904.35	0.92885
33			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1816.94	0.34412
34			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1369.03	0.25929
35			Transportation Linear Disturbance							Complete	Digitized	No	BLM	1138.30	0.21559
36			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2771.38	0.52488
37			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1595.74	0.30222
38			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	947.12	0.17938
39			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2390.10	0.45267
40			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	419.19	0.07939
41			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	694.71	0.13157
42			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1070.97	0.20284
43			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1081.36	0.20480
44			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	412.39	0.07810
45			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	994.88	0.18842
46			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	392.97	0.07443
47			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	899.09	0.17028
48			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	672.11	0.12729
49			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	697.02	0.13201
50			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	462.05	0.08751
51			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1105.51	0.20938
52			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	545.12	0.10324

53			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2165.65	0.41016
54			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	135.20	0.02561
55			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	174.84	0.03311
56			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	1072.76	0.20317
57			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	930.85	0.17630
58			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	395.12	0.07483
59			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	353.20	0.06689
60			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1204.43	0.22811
61			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	511.37	0.09685
62			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2958.08	0.56024
63			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1553.60	0.29424
64			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3078.27	0.58301
65			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	902.83	0.17099
66			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	623.61	0.11811
67			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	990.07	0.18751
68			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	363.17	0.06878
69			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	352.36	0.06673
70			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	669.90	0.12688
71			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1598.24	0.30270
72			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	876.21	0.16595
73			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	820.44	0.15539
74			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1889.61	0.35788
75			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3429.71	0.64957
76			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3649.47	0.69119
77			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	901.04	0.17065
78			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1094.83	0.20735
79			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3538.89	0.67024
80			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	192.30	0.03642

81			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	1923.35	0.36427
82			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1432.12	0.27124
83			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	946.88	0.17933
84			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	4367.24	0.82713
85			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	970.99	0.18390
86			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2043.99	0.38712
87			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	9386.74	1.77779
88			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	432.95	0.08200
89			Transportation Linear Disturbance							Complete	Digitized	No	BLM	334.78	0.06340
90			Transportation Linear Disturbance							Complete	Digitized	No	BLM	387.85	0.07346
91			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	176.63	0.03345
92			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1125.07	0.21308
93			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	297.16	0.05628
94			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1085.98	0.20568
95			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	37.70	0.00714
96			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	CPW	148.71	0.02816
98			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	468.29	0.08869
99			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	521.37	0.09874
100			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2722.31	0.51559
101			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	362.50	0.06866
102			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	313.00	0.05928
103			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1992.26	0.37732
104			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	308.00	0.05833
105			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1361.90	0.25794
106			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1226.45	0.23228
107			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1159.40	0.21958
108			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	689.17	0.13052
109			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	175.58	0.03325

110			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	125.40	0.02375
111			Transportation Linear Disturbance							Complete	Digitized	No	BLM	128.71	0.02438
112			Transportation Linear Disturbance							Complete	Digitized	No	BLM	58.02	0.01099
113			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	120.86	0.02289
114			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	466.32	0.08832
115			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	196.17	0.03715
116			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	837.21	0.15856
117			Transportation Linear Disturbance							Complete	Digitized	No	BLM	83.77	0.01587
118			Transportation Linear Disturbance							Complete	Digitized	No	BLM	415.21	0.07864
119			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1950.19	0.36935
120			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1373.58	0.26015
121			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	61.00	0.01155
122			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	457.22	0.08659
123			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	509.27	0.09645
124			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	381.74	0.07230
125			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1290.13	0.24434
126			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	2224.24	0.42126
127			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	382.83	0.07251
128	1513		BLM Primitive Road						Primitive Road	Complete	Digitized	Yes	BLM	1018.37	0.19287
129			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	671.15	0.12711
130	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	1372.87	0.26001
131	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	231.89	0.04392
132			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	933.88	0.17687
133			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	681.58	0.12909
134			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	110.98	0.02102
135			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	266.77	0.05053
136			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1052.71	0.19938
137			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1729.73	0.32760
138			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	676.98	0.12822

139			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1434.50	0.27169
140			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1218.69	0.23081
141			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1479.31	0.28017
142			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1405.74	0.26624
143	1554	Agee Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	4104.25	0.77732
144	1554	Agee Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	858.71	0.16263
145		Devils Hole Mountain	Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1242.14	0.23525
146	1554	Agee Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	365.76	0.06927
147			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1310.76	0.24825
148			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	172.55	0.03268
149			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	22.09	0.00418
150			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	469.81	0.08898
151			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	171.97	0.03257
152			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	709.93	0.13446
153			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	343.27	0.06501
154			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	280.26	0.05308
155			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	137.43	0.02603
156			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	56.81	0.01076
157			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1049.17	0.19871
158	1102B	Blair Mesa B	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	979.98	0.18560
159	1102B	Blair Mesa B	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	260.79	0.04939
160	1102		BLM Primitive Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	34.14	0.00647
161			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1381.46	0.26164
162			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	1463.66	0.27721
163	1102	Blair Mesa	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	2358.56	0.44670
164			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	467.89	0.08862
165	1257		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	444.72	0.08423
166			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	623.58	0.11810
167			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	163.89	0.03104
168	1755		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	368.17	0.06973
169			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	378.40	0.07167
170			Transportation Linear Disturbance	Gravel	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	314.87	0.05963

171			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1156.52	0.21904
172			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2229.05	0.42217
173			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	673.86	0.12762
174			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	504.52	0.09555
175	1554	Agee Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1438.47	0.27244
176			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	184.48	0.03494
177			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	440.83	0.08349
178			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1026.66	0.19444
179			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	673.16	0.12749
180			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	482.45	0.09137
181			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	332.33	0.06294
182			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	139.61	0.02644
183			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	744.14	0.14094
184			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	675.76	0.12798
185			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	623.55	0.11810
186			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	713.18	0.13507
187			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	673.59	0.12757
188			Transportation Linear Disturbance		2-Track >50 Inches	Unknown	2wd		Primitive Road	Complete	Digitized	No	BLM	214.29	0.04058
189			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Light Use	Trail	Complete	GPS Device	Yes	BLM	817.91	0.15491
190	1033	North Barcus Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	514.60	0.09746
191	1132		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	579.40	0.10974
192	1138A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	502.35	0.09514
193	1142	Pinto Spur	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1910.18	0.36178
194			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	617.44	0.11694
195			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	5960.02	1.12879
196			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	373.84	0.07080
197			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	401.77	0.07609
198			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	291.80	0.05527
199			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	118.28	0.02240
200			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1025.48	0.19422

201			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	477.04	0.09035
202			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	841.82	0.15944
203			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3860.80	0.73121
204			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	87.59	0.01659
205			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	887.38	0.16806
206			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	575.68	0.10903
207			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	327.79	0.06208
208			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	374.97	0.07102
209			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	34.36	0.00651
210			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2381.60	0.45106
211	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	983.22	0.18622
212			Transportation Linear Disturbance	Natural	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1121.31	0.21237
213			Transportation Linear Disturbance	Natural	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	97.76	0.01851
214	1190		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	769.86	0.14581
215			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	159.95	0.03029
216			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1341.04	0.25398
217			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	972.66	0.18422
218			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	867.11	0.16423
219			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	242.95	0.04601
220			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	305.00	0.05777
221	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	870.37	0.16484
222	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	873.76	0.16548
223			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	403.50	0.07642
224			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	113.81	0.02156
225			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	950.85	0.18009
226	1176A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	69.14	0.01309
227			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	201.75	0.03821
228			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1068.98	0.20246
229			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1560.07	0.29547
230	1176A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	433.60	0.08212

231			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	248.67	0.04710
232			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	71.86	0.01361
233			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	69.13	0.01309
234			Transportation Linear Disturbance							Complete	Digitized	No	BLM	215.87	0.04089
235			Transportation Linear Disturbance							Complete	Digitized	No	BLM	78.21	0.01481
236	1081	Old Oldland Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	5044.24	0.95535
237	1081	Old Oldland Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	919.45	0.17414
238			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1859.86	0.35225
239			Transportation Linear Disturbance	Unknown		Unknown	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	284.45	0.05387
240			Transportation Linear Disturbance	Unknown		Unknown	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	128.18	0.02428
241			Transportation Linear Disturbance	Unknown		Unknown	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	1420.12	0.26896
242			Transportation Linear Disturbance	Unknown		Unknown	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	432.35	0.08189
243			Transportation Linear Disturbance	Unknown		Unknown	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	431.60	0.08174
244			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	8697.06	1.64717
245			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	304.57	0.05768
246			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2157.42	0.40860
247			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	489.07	0.09263
248			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1348.68	0.25543
249			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	96.37	0.01825
250			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	251.37	0.04761
251			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	606.03	0.11478
252			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	125.30	0.02373
253			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4380.67	0.82967
254			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2454.33	0.46484
255			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1663.06	0.31497
256	1165		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	369.55	0.06999
257			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	215.72	0.04086
258			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2824.41	0.53493
259			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	126.96	0.02404

260			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	391.73	0.07419
261			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	911.32	0.17260
262			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	165.59	0.03136
263			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	485.14	0.09188
264			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1029.74	0.19503
265			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2925.50	0.55407
266			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2187.80	0.41436
267			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1424.17	0.26973
268			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1081.70	0.20487
269			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1482.05	0.28069
270			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	394.79	0.07477
271			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	467.50	0.08854
272			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1394.02	0.26402
273			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1625.30	0.30782
274			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1030.33	0.19514
275			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1494.43	0.28304
276	1179		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	5062.75	0.95885
277			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	262.66	0.04975
278			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	10.44	0.00198
279			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	148.29	0.02809
280			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	509.97	0.09658
281	1179		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	612.20	0.11595
282	1008		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	420.15	0.07957
283	1008		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	230.14	0.04359
284			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3275.49	0.62036
285	1007	Barnes Ridge *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1657.96	0.31401
286	1007	Barnes Ridge *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	34.66	0.00656
287	1007	Barnes Ridge *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1021.49	0.19346
288	1007	Barnes Ridge *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	2540.28	0.48111
289	1007	Barnes Ridge *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	193.38	0.03662
290	1007	Barnes Ridge *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	117.77	0.02230
291			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1081.26	0.20478

292			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	514.89	0.09752
293			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1047.55	0.19840
294			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	652.56	0.12359
295			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	443.34	0.08397
296			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	374.05	0.07084
297			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	614.50	0.11638
298			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	470.50	0.08911
299			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	446.70	0.08460
300			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	392.77	0.07439
301			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	967.25	0.18319
302	1003A	Shutte Gulch A	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	48.31	0.00915
303	1003B	Shutte Gulch B	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2276.12	0.43108
304	1003B	Shutte Gulch B	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3724.52	0.70540
305	1003B	Shutte Gulch B	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2656.10	0.50305
306			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	56.97	0.01079
307			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	734.98	0.13920
308			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2957.11	0.56006
309			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1048.71	0.19862
310			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	794.27	0.15043
311			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	668.22	0.12656
312			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4307.11	0.81574
313			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	389.34	0.07374
314			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	279.97	0.05302
315			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2820.00	0.53409
316			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	2983.61	0.56508
317			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1106.12	0.20949
318			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	678.56	0.12851
319			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	280.29	0.05309
320			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	203.65	0.03857
321	1008A	Middle Stewart *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	509.29	0.09646

322	1008A	Middle Stewart *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	820.70	0.15544
323	1008A	Middle Stewart *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	368.93	0.06987
324			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	4571.27	0.86577
325			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2088.54	0.39556
326	1008A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	364.94	0.06912
327			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	259.14	0.04908
328			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	22.68	0.00430
329			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	163.30	0.03093
330			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1636.80	0.31000
331			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1430.14	0.27086
332			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	722.03	0.13675
333			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1373.07	0.26005
334	1008B		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1846.44	0.34971
335	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1065.17	0.20174
336	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	44.82	0.00849
337			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3544.89	0.67138
338			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	449.86	0.08520
339	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	103.77	0.01965
340			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	754.14	0.14283
341			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	565.13	0.10703
342			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	766.95	0.14526
343			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	193.62	0.03667
344			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	42.63	0.00807
345			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	51.32	0.00972
346			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	256.20	0.04852
347			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	47.36	0.00897
348			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	544.55	0.10314
349			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	910.07	0.17236
350	1179		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1339.06	0.25361
351	1179		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	681.76	0.12912
352	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	7393.22	1.40023
353	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2486.76	0.47098

354			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	795.04	0.15058
355	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	321.89	0.06096
356	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	403.68	0.07645
357	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	122.50	0.02320
358			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	105.04	0.01989
359			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	412.85	0.07819
360			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	732.25	0.13868
361	1010		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	231.77	0.04390
362			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	574.46	0.10880
363			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1871.97	0.35454
364			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	105.78	0.02003
365			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	587.21	0.11121
366			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	580.52	0.10995
367			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2481.93	0.47006
368			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	585.07	0.11081
369			Transportation Linear Disturbance		Bladed Route				Primitive Road	Complete	Digitized	No	BLM	994.36	0.18833
370			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	13255.09	2.51043
371			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	266.95	0.05056
372			Transportation Linear Disturbance					Light Use	Primitive Road	Complete	Digitized	Yes	BLM	1096.93	0.20775
373			Transportation Linear Disturbance				2 wd	Light Use	Primitive Road	Complete	Digitized	Yes	BLM	1540.59	0.29178
374			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2722.77	0.51568
375			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	4020.99	0.76155
376			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1728.46	0.32736
377			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	Yes	BLM	494.89	0.09373
378			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	Yes	BLM	1052.24	0.19929
379			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	831.34	0.15745
380			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2755.57	0.52189
381			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2610.56	0.49442
382			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	316.43	0.05993
383	1148	Tower	BLM Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	Digitized	Yes	BLM	1950.73	0.36946

384			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	635.98	0.12045
385	1187	Rocky	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	820.84	0.15546
386			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	829.18	0.15704
387			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4296.11	0.81366
388			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1666.31	0.31559
389	1003A	Shutte Gulch A	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	375.26	0.07107
390			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1480.66	0.28043
391			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2726.14	0.51631
392			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	789.66	0.14956
393			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1982.76	0.37552
394			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3560.32	0.67430
395			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3407.09	0.64528
396			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	5370.11	1.01707
397			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1108.90	0.21002
398			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	684.90	0.12972
399			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	831.07	0.15740
400			BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	747.77	0.14162
401			BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	701.27	0.13282
402			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4198.27	0.79513
403			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	945.31	0.17904
404			BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4280.43	0.81069
405			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	3999.25	0.75743
406			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	1408.96	0.26685
407	1515	Colorow	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	1483.82	0.28103
408			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	329.92	0.06248
409			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1252.85	0.23728
410			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	365.37	0.06920
411			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	5103.44	0.96656
412			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	799.59	0.15144
413			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	547.72	0.10374

414			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	579.29	0.10971
415			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1819.17	0.34454
416			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	183.51	0.03476
417			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	455.53	0.08627
418			BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4192.58	0.79405
419			BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2626.63	0.49747
420			BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	790.56	0.14973
421			BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2200.16	0.41670
422			BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2852.49	0.54024
423			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	8199.69	1.55297
424			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	4183.28	0.79229
425	1515		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	4954.57	0.93837
426			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1479.48	0.28020
427			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1577.95	0.29885
428			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	LIght Use	Primitive Road	Complete	GPS Device	Yes	BLM	1306.88	0.24751
429			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1265.20	0.23962
430	1515	Colorow	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	607.84	0.11512
431			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2883.43	0.54610
432	1710		Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	770.29	0.14589
433			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2178.35	0.41257
434			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1689.58	0.32000
435			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	427.52	0.08097
436			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1584.32	0.30006
437			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1638.91	0.31040
438			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	669.16	0.12673
439			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	261.90	0.04960
440			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1359.64	0.25751
441			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1192.79	0.22591
442	1727		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	2112.40	0.40008
443	1727		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1050.91	0.19904
444			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	958.37	0.18151
445			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	149.59	0.02833

446			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	271.63	0.05145
447			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	817.07	0.15475
448			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	302.34	0.05726
449			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	496.06	0.09395
450			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	661.57	0.12530
451			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	504.12	0.09548
452			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1818.58	0.34443
453			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1372.52	0.25995
454			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	309.04	0.05853
455			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2153.97	0.40795
456			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1094.53	0.20730
457			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1470.42	0.27849
458	1003A	Shutte Gulch A	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1315.67	0.24918
459			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3503.89	0.66361
460			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	335.90	0.06362
461			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	301.13	0.05703
462			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	CPW	794.51	0.15048
463			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	State	1520.82	0.28803
464			BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use			Primitive Road	Complete	Digitized	No	BLM	968.62	0.18345
465			Transportation Linear Disturbance						<Null>	Complete	Digitized	Yes	BLM	3287.53	0.62264
466			Transportation Linear Disturbance						<Null>	Complete	Digitized	Yes	BLM	782.72	0.14824
467			Transportation Linear Disturbance						<Null>	Complete	Digitized	Yes	BLM	592.51	0.11222
468			Transportation Linear Disturbance						<Null>	Complete	Digitized	Yes	BLM	799.61	0.15144
469			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1049.45	0.19876
470			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	780.50	0.14782
471			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2906.37	0.55045
472			BLM Primitive Road		2-Track >50 Inches	Repeated Use		Light Use	Primitive Road	Complete	Digitized	No	BLM	570.48	0.10805
473			BLM Primitive Road		2-Track >50 Inches	Repeated Use		Light Use	Primitive Road	Complete	Digitized	Yes	BLM	453.56	0.08590
474			BLM Primitive Road		2-Track >50 Inches	Repeated Use		Light Use	Primitive Road	Complete	Digitized	No	BLM	1504.89	0.28502
475	1155		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use		Unknown	Primitive Road	Complete	Digitized	Yes	BLM	8445.85	1.59959
476			BLM Primitive Road		2-Track >50 Inches	Repeated Use		Unknown	Primitive Road	Complete	Digitized	No	BLM	366.24	0.06936

477			BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use		Unknown	Primitive Road	Complete	Digitized	Yes	BLM	1866.31	0.35347
478			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1201.47	0.22755
479	1266		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	173.10	0.03278
480			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1207.75	0.22874
481			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2642.71	0.50051
482	1727		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1818.12	0.34434
483			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1618.12	0.30646
484			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	480.24	0.09095
485			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	264.58	0.05011
486			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	217.53	0.04120
487			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	378.93	0.07177
488			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	232.06	0.04395
489			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2161.46	0.40937
490			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	609.44	0.11542
491			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	399.20	0.07561
492			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	857.11	0.16233
493			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	711.04	0.13467
494			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	210.37	0.03984
495			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	205.15	0.03885
496			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1814.36	0.34363
497			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	616.03	0.11667
498			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1833.71	0.34729
499			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2906.39	0.55045
500			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2416.02	0.45758
501			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	695.91	0.13180
502			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2551.60	0.48326
503			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1610.21	0.30496
504			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	902.58	0.17094
505			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	495.30	0.09381

506			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1140.81	0.21606
507			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2609.42	0.49421
508			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3418.69	0.64748
509			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2917.82	0.55262
510			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1941.78	0.36776
511			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	589.53	0.11165
512			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1213.26	0.22978
513			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1009.00	0.19110
514			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1258.61	0.23837
515			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	668.92	0.12669
516			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	4574.22	0.86633
517			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	520.63	0.09860
518			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2271.76	0.43026
519			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	7864.43	1.48948
520			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	6574.72	1.24521
521			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	236.74	0.04484
522			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	709.87	0.13444
523			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2853.18	0.54038
524			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	326.09	0.06176
525			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	388.79	0.07364
526			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1931.70	0.36585
527			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	592.62	0.11224
528			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	504.91	0.09563
529			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	203.09	0.03846
530			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	708.40	0.13417
531			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	179.92	0.03408
532			Transportation Linear Disturbance				ATV		Trail	Complete	Digitized	No	BLM	677.46	0.12831
533			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	Yes	BLM	5041.43	0.95482

534			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	458.40	0.08682
535			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	Yes	BLM	793.92	0.15036
536			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	No	BLM	3788.12	0.71745
537			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	No	BLM	2404.40	0.45538
538			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1947.86	0.36891
539			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	940.37	0.17810
540			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	1705.10	0.32294
541			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1869.78	0.35412
542			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	No	BLM	1798.75	0.34067
543			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	Yes	BLM	323.24	0.06122
544			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	Yes	BLM	175.73	0.03328
545			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3173.64	0.60107
546			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	No	BLM	6027.86	1.14164
547			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	387.47	0.07338
548			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1058.41	0.20046
549			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1608.44	0.30463
550			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4544.63	0.86072
551			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	7214.72	1.36642
552			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	310.47	0.05880
553			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1543.16	0.29226
554			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	7076.55	1.34026
555			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	576.21	0.10913
556			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1663.15	0.31499
557			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	460.19	0.08716
558			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	12357.61	2.34046
559			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1325.31	0.25101
560			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4464.50	0.84555
561			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1563.85	0.29618

562			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	427.16	0.08090
563			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	8082.89	1.53085
564			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	No	BLM	1749.64	0.33137
565			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	2301.11	0.43582
566			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	576.36	0.10916
567			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1893.82	0.35868
568			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1200.09	0.22729
569			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1126.64	0.21338
570			Transportation Linear Disturbance				ATV		Primitive Road	Verify	Digitized	No	BLM	1563.13	0.29605
571			Transportation Linear Disturbance				ATV		Primitive Road	Verify	Digitized	No	BLM	193.83	0.03671
572			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	4073.55	0.77151
573			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	249.38	0.04723
574			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	266.80	0.05053
575			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	56.93	0.01078
576			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	400.46	0.07585
577			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	No	BLM	1523.60	0.28856
578			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	Yes	BLM	1941.22	0.36766
579			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	246.53	0.04669
580			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	479.14	0.09075
581			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	268.71	0.05089
582			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	77.38	0.01466
583			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	887.15	0.16802
584			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	888.33	0.16824
585			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	769.42	0.14572
586			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	528.11	0.10002
587			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	403.90	0.07650
588			Transportation Linear Disturbance				2wd	Heavy Use		Complete	Digitized	Yes	BLM	8557.61	1.62076
589			Transportation Linear Disturbance				2wd	Heavy Use		Complete	Digitized	No	BLM	418.30	0.07922

590			Transportation Linear Disturbance				2wd	Heavy Use		Complete	Digitized	Yes	BLM	2876.93	0.54487
591			Transportation Linear Disturbance				2wd	Heavy Use		Complete	Digitized	Yes	BLM	298.76	0.05658
592			Transportation Linear Disturbance				2wd	Heavy Use		Complete	Digitized	No	BLM	1081.96	0.20492
593			Transportation Linear Disturbance				2wd	Heavy Use		Complete	Digitized	No	BLM	804.51	0.15237
594			Transportation Linear Disturbance				2wd	Heavy Use		Complete	Digitized	Yes	BLM	441.57	0.08363
595			Transportation Linear Disturbance				2wd	Heavy Use		Complete	Digitized	Yes	BLM	3882.84	0.73539
596			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1880.90	0.35623
597			Transportation Linear Disturbance				2wd	Heavy Use		Complete	Digitized	Yes	BLM	6615.82	1.25300
598			Transportation Linear Disturbance				2wd	Heavy Use		Complete	Digitized	No	BLM	816.32	0.15461
599			Transportation Linear Disturbance					Unknown		Complete	Digitized	No	BLM	1225.03	0.23201
600			Transportation Linear Disturbance				2wd	Heavy Use		Complete	Digitized	Yes	BLM	1247.31	0.23623
601			Transportation Linear Disturbance				2wd	Heavy Use		Complete	Digitized	Yes	BLM	3739.76	0.70829
602			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	672.08	0.12729
603			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2690.50	0.50956
604			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	160.35	0.03037
605			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1838.67	0.34823
606			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1396.15	0.26442
607			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	544.34	0.10310
608			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	303.80	0.05754
609			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	No	BLM	2553.14	0.48355
610			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	No	BLM	1290.94	0.24450
611			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1737.29	0.32903
612			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	412.34	0.07809
613			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	615.13	0.11650
614			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	385.02	0.07292
615			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1688.13	0.31972
616			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1034.99	0.19602
617			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	No	BLM	3171.61	0.60068

618			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	723.80	0.13708
619			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1743.88	0.33028
620			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2490.64	0.47171
621			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	907.13	0.17181
622			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	714.86	0.13539
623			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	661.46	0.12528
624			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	807.88	0.15301
625			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2612.63	0.49482
626			Transportation Linear Disturbance				4wd-Touring Low		Primitive Road	Complete	Digitized	No	BLM	6775.96	1.28333
627			Transportation Linear Disturbance				4wd-Touring Low		Primitive Road	Complete	Digitized	No	BLM	1718.55	0.32548
628			Transportation Linear Disturbance				4wd-Touring Low		Primitive Road	Complete	Digitized	No	BLM	958.71	0.18157
629			Transportation Linear Disturbance				4wd-Touring Low		Primitive Road	Complete	Digitized	No	BLM	64.17	0.01215
630			Transportation Linear Disturbance				ATV		Trail	Complete	Digitized	No	BLM	2872.45	0.54402
631			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	No	BLM	268.42	0.05084
632			Transportation Linear Disturbance				4wd-Touring Low		Primitive Road	Complete	Digitized	No	BLM	51.96	0.00984
633			Transportation Linear Disturbance				4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	1904.27	0.36066
634			Transportation Linear Disturbance				ATV	Light Use	Primitive Road	Complete	Digitized	No	BLM	915.07	0.17331
635			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2343.74	0.44389
636			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	173.93	0.03294
637			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3179.75	0.60223
638			Transportation Linear Disturbance				ATV	Light Use	Primitive Road	Complete	Digitized	No	BLM	4247.42	0.80444
639			Transportation Linear Disturbance				ATV	Light Use	Primitive Road	Complete	Digitized	No	BLM	1219.27	0.23092
640			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	566.23	0.10724
641			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1403.97	0.26590
642			Transportation Linear Disturbance				4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	2095.96	0.39696
643			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	No	BLM	1904.39	0.36068
644			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	53.30	0.01010
645			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	562.87	0.10660

646			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1362.22	0.25800
647			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	759.82	0.14391
648			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	318.04	0.06023
649			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2103.96	0.39848
650			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	7605.46	1.44043
651			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	170.87	0.03236
652			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1826.88	0.34600
653			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	819.58	0.15522
654			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3271.62	0.61962
655			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1043.25	0.19758
656			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5817.18	1.10174
657			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1015.04	0.19224
658			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	852.05	0.16137
659			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	887.59	0.16810
660			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1848.85	0.35016
661			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	477.13	0.09037
662			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1018.52	0.19290
663			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2546.23	0.48224
664			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	787.86	0.14922
665			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	840.56	0.15920
666			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2648.11	0.50154
667			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	220.44	0.04175
668			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3165.77	0.59958
669			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	41.19	0.00780
670			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	352.38	0.06674
671			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	274.00	0.05189
672			Transportation Linear Disturbance					Light Use	Trail	Verify	Digitized	No	BLM	1253.03	0.23732
673			Transportation Linear Disturbance				2wd	Light Use	Primitive Road	Verify	Digitized	No	BLM	345.09	0.06536

674			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3870.16	0.73299
675			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	557.51	0.10559
676			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	184.34	0.03491
677			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	512.74	0.09711
678			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	930.52	0.17623
679			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	875.77	0.16587
680			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	700.05	0.13258
681			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	Yes	BLM	990.36	0.18757
682			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	876.60	0.16602
683			Transportation Linear Disturbance				ATV		Primitive Road	Verify	Digitized	Yes	BLM	1334.07	0.25266
684			Transportation Linear Disturbance				ATV	Light Use	Trail	Verify	Digitized	Yes	BLM	953.64	0.18061
685			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1034.99	0.19602
686			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	492.22	0.09322
687			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	877.67	0.16622
688			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2301.14	0.43582
689			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1262.51	0.23911
690			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	466.11	0.08828
691			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2109.41	0.39951
692			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	893.48	0.16922
693			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	968.08	0.18335
694			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	206.51	0.03911
695			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	195.48	0.03702
696			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1267.40	0.24004
697			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1930.92	0.36570
698			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1532.81	0.29030
699			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	671.29	0.12714
700			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2524.69	0.47816
701			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1168.09	0.22123

702			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3909.30	0.74040
703			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1898.13	0.35949
704			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1422.22	0.26936
705			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	520.88	0.09865
706			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2264.28	0.42884
707			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1539.05	0.29149
708			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	712.23	0.13489
709			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	134.97	0.02556
710			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	107.38	0.02034
711			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	31.98	0.00606
712			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2136.66	0.40467
713			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1599.70	0.30297
714			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	395.16	0.07484
715			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1380.17	0.26140
716			Transportation Linear Disturbance				2wd	Heavy Use		Complete	Digitized	No	BLM	708.46	0.13418
717			Transportation Linear Disturbance				2wd	Moderate Use		Complete	Digitized	No	BLM	7282.52	1.37926
718			Transportation Linear Disturbance				2wd	Moderate Use		Complete	Digitized	No	BLM	8274.86	1.56721
719			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1882.47	0.35653
720			Transportation Linear Disturbance				2wd	Moderate Use		Complete	Digitized	No	BLM	3203.27	0.60668
721			Transportation Linear Disturbance					Moderate Use		Complete	Digitized	No	BLM	4661.03	0.88277
722			Transportation Linear Disturbance					Moderate Use		Complete	Digitized	No	BLM	3686.32	0.69817
723			Transportation Linear Disturbance							Complete	Digitized	No	BLM	530.40	0.10045
724			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	896.55	0.16980
725			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	145.36	0.02753
726			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	Yes	BLM	1182.10	0.22388
727			Transportation Linear Disturbance				4wd-Touring (Low)	Seasonal Use	Primitive Road	Verify	Digitized	No	BLM	652.73	0.12362
728			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	118.50	0.02244
729			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	256.09	0.04850

730			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	215.92	0.04089
731			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	215.75	0.04086
732			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1984.45	0.37584
733			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	602.33	0.11408
734			Transportation Linear Disturbance						Trail	Verify	Digitized	No	BLM	269.75	0.05109
735			Transportation Linear Disturbance				2wd	Heavy Use	Primitive Road	Complete	Digitized	No	BLM	124.64	0.02361
736			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	803.25	0.15213
737			Transportation Linear Disturbance							Complete	Digitized	No	BLM	261.20	0.04947
738			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	1261.88	0.23899
739			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	641.67	0.12153
740			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1036.01	0.19621
741			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	83.75	0.01586
742			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3182.17	0.60268
743			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	456.28	0.08642
744			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	392.74	0.07438
745			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	266.45	0.05046
746			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2534.25	0.47997
747			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	602.46	0.11410
748			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	575.97	0.10908
749			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3908.34	0.74022
750			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	233.85	0.04429
751			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2044.94	0.38730
752			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1235.04	0.23391
753			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1289.88	0.24430
754			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	808.36	0.15310
755			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	483.26	0.09153
756			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2311.91	0.43786
757			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	469.50	0.08892

758			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1374.05	0.26024
759			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1386.80	0.26265
760			Transportation Linear Disturbance							Complete	Digitized	No	BLM	239.47	0.04535
761			Transportation Linear Disturbance							Verify	Digitized	Yes	BLM	290.51	0.05502
762			Transportation Linear Disturbance				ATV	Light Use	Trail	Verify	Digitized	Yes	BLM	1307.20	0.24758
763			Transportation Linear Disturbance				4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	Digitized	Yes	BLM	881.88	0.16702
764			Transportation Linear Disturbance				ATV	Light Use	Trail	Verify	Digitized	No	BLM	3974.32	0.75271
765			Transportation Linear Disturbance					Light Use	Trail	Verify	Digitized	No	BLM	104.12	0.01972
766			Transportation Linear Disturbance				ATV	Seasonal Use	Trail	Verify	Digitized	No	BLM	5012.96	0.94942
767			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	131.20	0.02485
768			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	952.04	0.18031
769			Transportation Linear Disturbance				Stock		Trail	Verify	Digitized	No	BLM	1795.80	0.34011
770			Transportation Linear Disturbance				4wd-Touring (Low)		Primitive Road	Complete	Digitized	Yes	BLM	730.96	0.13844
771			Transportation Linear Disturbance				4wd-Touring (Low)		Primitive Road	Complete	Digitized	Yes	BLM	233.67	0.04426
772			Transportation Linear Disturbance						Trail	Verify	Digitized	Yes	BLM	531.83	0.10072
773			Transportation Linear Disturbance						Trail	Verify	Digitized	Yes	BLM	285.93	0.05415
774			Transportation Linear Disturbance						Trail	Verify	Digitized	No	BLM	4572.24	0.86595
775			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	741.80	0.14049
776			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	440.69	0.08346
777			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	673.08	0.12748
786			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	968.60	0.18345
788	1192		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1862.90	0.35282
793			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	151.87	0.02876
797			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	421.83	0.07989
805			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1293.63	0.24501
810			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1066.24	0.20194
813			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	412.58	0.07814
814			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	78.22	0.01482

820			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	904.66	0.17134
823	1028		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2692.70	0.50998
824			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1726.55	0.32700
832			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	950.39	0.18000
833			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	837.36	0.15859
842			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	628.48	0.11903
843			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	5134.07	0.97236
844			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	Stock	Light Use	Trail	Complete	GPS Device	Yes	BLM	1966.33	0.37241
845			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	177.79	0.03367
848			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	249.81	0.04731
849			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	157.62	0.02985
850			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	96.39	0.01826
851			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	778.29	0.14740
853	1028		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	266.23	0.05042
854			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1298.22	0.24587
862	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	1760.90	0.33350
865			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1329.44	0.25179
869	1185		BLM Primitive Road	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	5674.12	1.07464
871			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	5548.32	1.05082
874			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3635.32	0.68851
878	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	242.67	0.04596
879			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1797.23	0.34038
882			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	1488.51	0.28191
883	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	1046.78	0.19825
887			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1789.69	0.33896
888	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	247.02	0.04678
889			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	450.71	0.08536
891			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	332.91	0.06305
892			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2327.80	0.44087
895			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2420.66	0.45846
896	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	191.41	0.03625

901			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1220.80	0.23121
903	1124		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	1586.09	0.30040
904			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2537.53	0.48059
906	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	1117.34	0.21162
907			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	391.08	0.07407
914	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	742.17	0.14056
916			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	604.22	0.11444
918			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2251.49	0.42642
922			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3455.47	0.65445
923	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3984.28	0.75460
925			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	450.34	0.08529
927	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	364.86	0.06910
929			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2202.65	0.41717
930			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1388.65	0.26300
932			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1873.30	0.35479
933	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	1477.85	0.27990
934			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3211.56	0.60825
935	1000C		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1547.49	0.29308
939			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1484.40	0.28114
943			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2746.16	0.52011
944	1192		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	2734.12	0.51783
945	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2513.41	0.47603
946			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1172.23	0.22201
948			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3178.40	0.60197
950			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	891.11	0.16877
954	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1504.45	0.28493
957	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	1603.33	0.30366
958			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	154.41	0.02924
960			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3274.04	0.62008
961	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2231.76	0.42268
964			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	266.84	0.05054
966			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	602.88	0.11418
971			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	137.42	0.02603

972			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	734.06	0.13903
975	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	540.33	0.10234
976			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	548.05	0.10380
981			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	496.70	0.09407
985	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1778.52	0.33684
986	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	652.04	0.12349
987			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2359.64	0.44690
988	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	790.60	0.14974
989			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	114.31	0.02165
993			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1942.64	0.36792
995			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	881.41	0.16693
996	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	3015.55	0.57113
997			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6433.33	1.21843
999			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1324.47	0.25085
1000	1192		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	998.77	0.18916
1001	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1415.39	0.26807
1002	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	4862.32	0.92089
1003			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1019.77	0.19314
1005	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1069.15	0.20249
1008			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	Stock	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	677.85	0.12838
1009			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	835.14	0.15817
1010			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3533.36	0.66920
1012			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5249.49	0.99422
1013	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2302.10	0.43600
1014			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	70.73	0.01339
1015	1192		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	81.15	0.01537
1016			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	1150.84	0.21796
1017			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	83.47	0.01581
1018	1027		BLM Primitive Road	Natural	Ditched Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	1457.36	0.27602
1019	1192		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	67.15	0.01272
1020	1136		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	1180.00	0.22349
1021	1192		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	131.85	0.02497
1022	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	788.35	0.14931
1023			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	2075.79	0.39314

1024			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	169.11	0.03203
1026	1136		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	857.92	0.16249
1027			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	636.83	0.12061
1028	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	1416.25	0.26823
1030			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3118.73	0.59067
1031			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	251.60	0.04765
1032	1126		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	601.52	0.11392
1033			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1335.00	0.25284
1034			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	534.86	0.10130
1035			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	985.51	0.18665
1037			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2214.35	0.41938
1038	1126		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	159.11	0.03013
1039			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1958.28	0.37089
1041			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	Stock	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1087.04	0.20588
1043	1027		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	219.47	0.04157
1045	1136		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	355.84	0.06739
1046	1027		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	195.79	0.03708
1047			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1619.15	0.30666
1050	1192		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1818.57	0.34443
1051	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	607.29	0.11502
1052	1027		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2129.28	0.40327
1053			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2460.76	0.46605
1055	1037		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	5005.33	0.94798
1056	1027		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	974.08	0.18448
1057			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	772.39	0.14629
1059			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	240.45	0.04554
1060			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	7481.81	1.41701
1061			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	761.68	0.14426
1062			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2542.12	0.48146
1063			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	1704.31	0.32279
1064			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4792.63	0.90770
1065	1026		BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	846.30	0.16028
1066			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	254.84	0.04827

1068			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	622.71	0.11794
1069	1192		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	62.22	0.01178
1071	1033	North Barcus Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	5798.75	1.09825
1072			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	341.26	0.06463
1073			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	716.65	0.13573
1074			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	490.00	0.09280
1076			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	507.42	0.09610
1077			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	90.30	0.01710
1078			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	452.23	0.08565
1079			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	443.06	0.08391
1080	1026		BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	114.33	0.02165
1081	1025		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	2340.90	0.44335
1082			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	546.65	0.10353
1084	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	106.40	0.02015
1086	1136		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	4235.22	0.80213
1087	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	3981.37	0.75405
1088			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2132.51	0.40388
1089			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	576.17	0.10912
1090			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	7120.98	1.34867
1091			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1130.34	0.21408
1092			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	496.58	0.09405
1093			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3355.42	0.63550
1094			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5842.34	1.10650
1095			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	715.54	0.13552
1097			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	1572.42	0.29781
1099	1035		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	46.15	0.00874
1100	1192		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	2859.38	0.54155
1101			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	11498.67	2.17778
1102	1000A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2011.59	0.38098
1103	1035		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1859.49	0.35218
1105			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6731.05	1.27482
1106			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	491.69	0.09312

1108			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1239.64	0.23478
1111	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	64.40	0.01220
1112			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	163.97	0.03106
1113			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	10293.06	1.94944
1114	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1364.52	0.25843
1115	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	1167.01	0.22102
1120			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2440.05	0.46213
1121			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Trail	Complete	Digitized	Yes	BLM	1756.43	0.33266
1123			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4112.55	0.77889
1124			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1297.99	0.24583
1125	1190		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	3183.22	0.60288
1126	1124	Buckhorn Draw	BLM Road	Natural	Bladed Route	Repeated Use	2wd	Seasonal Use		Complete	GPS Device	No	BLM	4364.70	0.82665
1129			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1173.94	0.22234
1131			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	399.13	0.07559
1133			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1573.35	0.29798
1134	1126		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	15588.48	2.95236
1136	1033	North Barcus Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1827.31	0.34608
1138			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Trail	Complete	Digitized	Yes	BLM	1431.70	0.27116
1141			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Trail	Complete	Digitized	Yes	BLM	2939.23	0.55667
1142			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	19077.34	3.61313
1143	1020		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	119.47	0.02263
1144			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	697.55	0.13211
1145			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2765.73	0.52381
1146			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	0.69	0.00013
1147			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Non-existent	Primitive Road	Complete	GPS Device	Yes	BLM	1215.27	0.23016
1148	1026		BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	6723.12	1.27332
1149			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	12876.51	2.43873
1150			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	47.82	0.00906
1151	1025		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	5395.04	1.02179
1152			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	341.36	0.06465
1153			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3146.26	0.59588
1154			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1304.21	0.24701

1155			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	578.56	0.10958
1156			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	548.40	0.10386
1157			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	840.41	0.15917
1158	1033	North Barcus Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	97.00	0.01837
1160	1192		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	5343.42	1.01201
1161			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1526.37	0.28909
1162			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	2328.79	0.44106
1164			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	142.66	0.02702
1166	1132		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	8254.95	1.56344
1167	1033	North Barcus Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	990.23	0.18754
1168			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	229.11	0.04339
1169			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Non-existent	Primitive Road	Complete	GPS Device	Yes	BLM	1793.58	0.33969
1171	1190		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1642.85	0.31115
1173			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	7692.02	1.45682
1174	1035		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	9001.95	1.70491
1175			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1412.75	0.26757
1176			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3722.84	0.70508
1177	1000A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1131.08	0.21422
1178	1025		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	144.81	0.02743
1179			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	348.10	0.06593
1180			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	8929.03	1.69110
1181			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	170.79	0.03235
1182	1255		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use		Complete	GPS Device	Yes	BLM	12265.08	2.32293
1183	1020		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	0.81	0.00015
1184	1028	Little Duck Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	5270.10	0.99812
1185			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	280.95	0.05321
1186			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	939.23	0.17789
1187			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	7447.40	1.41049
1188			Transportation Linear Disturbance	Natural	Ditched Route	Mechanical	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	66.56	0.01261
1189	1027		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	5056.04	0.95758
1190	1000A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1697.13	0.32143
1191	1124	Buckhorn Draw	BLM Road	Natural	Bladed Route	Repeated Use	2wd	Seasonal Use		Complete	GPS Device	No	BLM	3826.82	0.72478
1192			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1041.84	0.19732
1193			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	615.80	0.11663

1194			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	254.36	0.04818
1196	1190		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1244.08	0.23562
1197			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	13018.17	2.46556
1198			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	6366.44	1.20577
1201	1187		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2136.27	0.40460
1202	1136		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	No	BLM	11835.86	2.24164
1203			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	238.04	0.04508
1204	1000A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	341.01	0.06459
1205	1000A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	423.53	0.08021
1206			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	276.71	0.05241
1208	1033	North Barcus Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	5908.69	1.11907
1209			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	318.23	0.06027
1210	1000A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	288.33	0.05461
1211			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4170.32	0.78983
1212			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	118.63	0.02247
1213			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	283.10	0.05362
1214			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1137.26	0.21539
1215	1190		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1420.34	0.26900
1216			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	737.08	0.13960
1218			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2616.86	0.49562
1220	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	19816.10	3.75305
1221	1187		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1984.63	0.37588
1222			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6291.11	1.19150
1223	1025		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	7793.31	1.47601
1225			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	797.66	0.15107
1226	1025		BLM Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	No	BLM	1616.43	0.30614
1228			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	9544.23	1.80762
1229			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1207.36	0.22867
1231			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1110.88	0.21039
1233	1020		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1091.98	0.20681
1234			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1223.43	0.23171
1235	1126	Mare Canyon	BLM Road	Natural	Bladed Route	Repeated Use	2wd	Seasonal Use		Complete	GPS Device	No	BLM	612.46	0.11600
1236			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	21088.15	3.99397
1237	1035		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	771.24	0.14607

1239			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3156.23	0.59777
1240	1126	Mare Canyon	BLM Road	Natural	Bladed Route	Repeated Use	2wd	Seasonal Use		Complete	GPS Device	No	BLM	1171.82	0.22194
1241	1027		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	9073.54	1.71847
1242			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	1985.11	0.37597
1243			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	657.59	0.12454
1245			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	668.74	0.12666
1250			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1582.05	0.29963
1251			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2802.89	0.53085
1254			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	9124.13	1.72805
1255			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	780.59	0.14784
1256			Transportation Linear Disturbance	Natural	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	6422.27	1.21634
1257			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	6626.29	1.25498
1258			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	1129.35	0.21389
1259			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	732.34	0.13870
1260			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2685.88	0.50869
1262			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	6031.70	1.14237
1263	1020		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1089.89	0.20642
1264			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1439.81	0.27269
1265			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1203.59	0.22795
1266			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1696.72	0.32135
1267	1035		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2000.47	0.37888
1268			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	846.16	0.16026
1269	1126	Mare Canyon	BLM Road	Natural	Bladed Route	Repeated Use	2wd	Seasonal Use		Complete	GPS Device	Yes	BLM	143.44	0.02717
1270	1126	Mare Canyon	BLM Road	Natural	Bladed Route	Repeated Use	2wd	Seasonal Use		Complete	GPS Device	Yes	BLM	2037.21	0.38584
1271			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	510.67	0.09672
1272			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	632.57	0.11981
1273			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	1652.41	0.31296
1274			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Trail	Complete	Digitized	Yes	BLM	3261.17	0.61764
1275	1187		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5158.96	0.97708
1279			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2669.37	0.50556
1280			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2520.93	0.47745

1281	1129		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	3088.54	0.58495
1283			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	585.96	0.11098
1287			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2465.47	0.46694
1288			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	1873.30	0.35479
1291	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	784.56	0.14859
1292	1136		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	No	BLM	967.06	0.18315
1293			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	822.06	0.15569
1294			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	1569.30	0.29722
1295			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1360.90	0.25775
1296			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5119.01	0.96951
1297			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3023.27	0.57259
1298			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1921.49	0.36392
1302			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Trail	Complete	Digitized	No	BLM	704.82	0.13349
1303			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	20594.64	3.90050
1304	1035		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1614.41	0.30576
1306			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	679.38	0.12867
1307	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	718.73	0.13612
1308			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	58.09	0.01100
1309			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	48.66	0.00922
1310			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	338.04	0.06402
1311			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	771.52	0.14612
1312			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	458.80	0.08689
1313			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	469.62	0.08894
1314	1020		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2930.43	0.55501
1315			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	12942.56	2.45124
1316			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	Digitized	Yes	BLM	2186.14	0.41404
1317			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	4285.66	0.81168
1318			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	159.84	0.03027
1319	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1985.62	0.37606
1320			Transportation Linear Disturbance	Natural	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1098.75	0.20810
1321			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	87.88	0.01664

1322	1025		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	2672.76	0.50621
1323			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	367.75	0.06965
1324	1129		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	246.47	0.04668
1325			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3268.62	0.61906
1326	1190		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	4857.06	0.91990
1327	1033	North Barcus Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	8620.94	1.63275
1328			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1632.69	0.30922
1329			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	5030.01	0.95265
1330	1036		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	161.63	0.03061
1332			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	11435.23	2.16576
1333			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	545.89	0.10339
1334			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1093.05	0.20702
1335	1129		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1059.16	0.20060
1337			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2921.39	0.55329
1338			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	575.79	0.10905
1339			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2750.04	0.52084
1340			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	72.93	0.01381
1341			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	293.18	0.05553
1342			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1629.36	0.30859
1344			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1450.04	0.27463
1346			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	7924.96	1.50094
1347			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1935.11	0.36650
1348			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Light Use	Trail	Complete	GPS Device	Yes	BLM	10328.24	1.95611
1349			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	968.05	0.18334
1350	1187		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4505.92	0.85339
1351	1136		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	No	BLM	7216.00	1.36667
1352			Transportation Linear Disturbance	Natural	2 Track >50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	6223.59	1.17871
1353			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2003.40	0.37943
1354	1187	Rocky	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	6568.60	1.24405
1355			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3141.25	0.59493
1356			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	787.54	0.14916
1358	1129		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4184.86	0.79259

1359	1187	Rocky	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	214.14	0.04056
1361	1035		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	6455.81	1.22269
1363			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	135.90	0.02574
1364			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1009.99	0.19129
1365			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1946.17	0.36859
1366			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	297.33	0.05631
1367			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	1386.16	0.26253
1369			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	532.50	0.10085
1370			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	20082.01	3.80341
1371	1187	Rocky	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	624.28	0.11823
1372			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	562.06	0.10645
1373			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2175.14	0.41196
1374			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2721.39	0.51542
1375			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	2509.52	0.47529
1376	1189		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1262.09	0.23903
1377			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	No	BLM	3368.88	0.63805
1378			BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2421.60	0.45864
1379			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	7886.11	1.49358
1380			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1254.45	0.23758
1381	1189		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	94.45	0.01789
1382	1129		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3307.75	0.62647
1385			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1149.14	0.21764
1386			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3407.72	0.64540
1387			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1336.91	0.25320
1388			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1721.05	0.32596
1389			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1841.32	0.34873
1390			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	644.25	0.12202
1391	1020		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	10063.55	1.90598
1392	1189		Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1625.35	0.30783
1393			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	7316.26	1.38566
1394			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	832.21	0.15762
1395			BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	803.25	0.15213

1396			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	166.30	0.03150
1397			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	3104.32	0.58794
1398	1189		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	246.13	0.04661
1399			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	945.54	0.17908
1400			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	458.18	0.08678
1401			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	555.86	0.10528
1402			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1230.16	0.23298
1404			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Light Use	Trail	Complete	GPS Device	Yes	BLM	3341.95	0.63295
1405	1033	North Barcus Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	4658.22	0.88224
1406			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	1729.09	0.32748
1407			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	571.48	0.10824
1408			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	637.10	0.12066
1410	1032	Barcus Creek Road	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Light Use		Complete	GPS Device	Yes	BLM	11611.22	2.19910
1411			BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	4860.02	0.92046
1412	1189		BLM Primitive Road	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	4595.50	0.87036
1413	1035		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	6149.59	1.16469
1414			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	13099.39	2.48095
1415			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1240.39	0.23492
1416			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Light Use	Trail	Complete	GPS Device	Yes	BLM	3738.32	0.70801
1418			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1943.27	0.36804
1420	1130	Middle Barcus Cr.	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	Digitized	Yes	BLM	8930.30	1.69134
1421	1184		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	14549.98	2.75568
1422			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	771.33	0.14608
1424			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4478.40	0.84818
1425	1033	North Barcus Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	871.35	0.16503
1427	1255		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	17944.11	3.39851
1428			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1393.02	0.26383
1429			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4784.21	0.90610
1430			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3808.52	0.72131
1431			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	6258.76	1.18537
1432			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Light Use	Trail	Complete	GPS Device	Yes	BLM	2693.31	0.51010
1433			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3553.36	0.67298

1435	1138A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1011.44	0.19156
1436			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3422.99	0.64829
1437	1035		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1929.27	0.36539
1438	1256		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	2558.60	0.48458
1440			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Seasonal Use	Trail	Complete	GPS Device	Yes	BLM	1255.32	0.23775
1441			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	Stock	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1830.61	0.34671
1442			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	Stock	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	1037.16	0.19643
1443			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1593.36	0.30177
1444			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4109.03	0.77823
1445	1189		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	3658.25	0.69285
1447			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	2wd	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	1360.96	0.25776
1448			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3921.87	0.74278
1449			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	818.34	0.15499
1451			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4000.01	0.75758
1452			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	662.20	0.12542
1453			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2365.57	0.44802
1455			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1164.40	0.22053
1457	1032	Barcus Creek Road	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Light Use		Complete	GPS Device	Yes	BLM	1999.72	0.37874
1458			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	6552.81	1.24106
1459			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	942.07	0.17842
1460			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1180.14	0.22351
1461	1035		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	4274.45	0.80955
1463			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1706.81	0.32326
1464			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1594.71	0.30203
1465			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	347.33	0.06578
1466			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6370.50	1.20653
1467			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1074.46	0.20350
1470			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	3388.96	0.64185
1471			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3299.19	0.62485
1472	1189		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	286.10	0.05419
1473			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2438.35	0.46181

1475			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2409.65	0.45637
1476			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	2wd	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	5964.91	1.12972
1477	1184		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	950.84	0.18008
1478			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3470.57	0.65730
1480			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	511.95	0.09696
1481			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1866.89	0.35358
1482			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1017.77	0.19276
1483			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	168.01	0.03182
1485			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	5143.76	0.97420
1486	1256		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	5483.14	1.03847
1487			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	170.04	0.03220
1488			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2052.19	0.38867
1489	1184		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	247.70	0.04691
1490			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	545.37	0.10329
1493			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1189.40	0.22526
1495	1189		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	2276.81	0.43121
1496			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	528.87	0.10016
1497	1508	Coal Creek	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	123.03	0.02330
1498			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1973.50	0.37377
1499			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	202.24	0.03830
1501	1035		BLM Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2128.41	0.40311
1503	1184	Black Sulphur	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	2276.38	0.43113
1504			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	3587.15	0.67938
1506	1181		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	5466.72	1.03536
1508			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1941.90	0.36778
1509			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	1424.18	0.26973
1511			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5785.11	1.09566
1512			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1306.26	0.24740
1514	1130	Middle Barcus Cr.	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	Digitized	Yes	BLM	3697.89	0.70036
1517			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	815.50	0.15445
1518			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5691.08	1.07786
1520			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	358.41	0.06788

1521			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	8728.18	1.65306
1522			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	435.64	0.08251
1524	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	433.48	0.08210
1525			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	3506.35	0.66408
1526			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	909.97	0.17234
1527			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	454.77	0.08613
1528			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5597.41	1.06012
1529			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	570.83	0.10811
1532			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3310.04	0.62690
1533			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	175.49	0.03324
1534			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1712.80	0.32439
1535	1135		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Technical	Heavy Use		Complete	GPS Device	Yes	BLM	13899.50	2.63248
1538			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5635.24	1.06728
1539	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	729.51	0.13816
1540			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	997.83	0.18898
1541			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	365.12	0.06915
1542			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	91.17	0.01727
1544			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1131.74	0.21434
1545	1256		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	891.61	0.16887
1546			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5153.55	0.97605
1547	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	355.15	0.06726
1548			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4280.70	0.81074
1549			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2091.60	0.39614
1550			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2838.27	0.53755
1551			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	254.64	0.04823
1552			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	787.04	0.14906
1553			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	707.79	0.13405
1556			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3066.75	0.58082
1557			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2919.29	0.55290
1558			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	495.70	0.09388

1559			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1326.55	0.25124
1561	1256		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	435.93	0.08256
1562			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1677.98	0.31780
1563	1183		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	17779.70	3.36737
1564			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	514.60	0.09746
1565			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2717.57	0.51469
1566			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	45.74	0.00866
1569	1180		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2296.66	0.43497
1570			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	1409.77	0.26700
1571	1256		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	374.24	0.07088
1572			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	653.18	0.12371
1573	1256		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	500.96	0.09488
1574			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3102.71	0.58763
1575	1130	Middle Barcus Cr.	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	Digitized	Yes	BLM	1192.74	0.22590
1576	1130	Middle Barcus Cr.	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	Digitized	Yes	BLM	1204.07	0.22804
1577			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	547.91	0.10377
1578			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4081.54	0.77302
1579	1035	1035	BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use		Complete	GPS Device	Yes	BLM	6680.73	1.26529
1580			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	1370.72	0.25961
1581	1033	North Barcus Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	16452.72	3.11605
1582	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3073.76	0.58215
1584			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1771.31	0.33548
1585			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1388.49	0.26297
1588			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	39.44	0.00747
1589			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	917.96	0.17386
1590			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3738.13	0.70798
1591			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1291.60	0.24462
1592			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	602.95	0.11419
1593	1181		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4881.84	0.92459
1594			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2114.08	0.40039
1595			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	935.66	0.17721
1596			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4962.08	0.93979

1598			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1251.58	0.23704
1599			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	875.38	0.16579
1602			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	456.66	0.08649
1603			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	866.23	0.16406
1604			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2805.08	0.53127
1605			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1180.47	0.22357
1606			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2479.97	0.46969
1607			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	463.98	0.08787
1608			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	407.66	0.07721
1609	1182		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	5864.09	1.11062
1610			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2275.80	0.43102
1611			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	371.06	0.07028
1613			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Non-existent	Primitive Road	Complete	GPS Device	Yes	BLM	1944.11	0.36820
1614			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2472.37	0.46825
1615			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1173.92	0.22233
1616			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2086.76	0.39522
1617			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	184.14	0.03488
1618			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3133.85	0.59353
1619			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	277.37	0.05253
1620			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5813.30	1.10100
1621	1256		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	3314.65	0.62777
1622			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1415.07	0.26801
1623			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2868.02	0.54319
1624			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5289.46	1.00179
1625			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	723.18	0.13697
1627			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	971.50	0.18400
1628			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	384.79	0.07288
1629			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	542.06	0.10266
1630			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	77.01	0.01459

1631	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1091.40	0.20670
1632			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	85.35	0.01616
1633			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	6006.74	1.13764
1634			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1219.59	0.23098
1635			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1272.61	0.24102
1636			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1774.63	0.33610
1637			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3435.17	0.65060
1638			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2869.45	0.54346
1639			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1162.96	0.22026
1640			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	132.00	0.02500
1642			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	630.04	0.11932
1643			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	989.30	0.18737
1644			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1916.00	0.36288
1645			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1236.60	0.23421
1647			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2934.99	0.55587
1650			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	224.68	0.04255
1651			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	659.54	0.12491
1652			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1527.02	0.28921
1653			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	510.08	0.09661
1654			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	540.14	0.10230
1655	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	500.33	0.09476
1656			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	247.29	0.04684
1657			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2080.14	0.39397
1658			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	49.29	0.00934
1659			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	495.41	0.09383
1660			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	948.37	0.17961
1661			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	957.85	0.18141
1667			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	779.80	0.14769
1668			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Trail	Complete	Digitized	Yes	BLM	4466.52	0.84593

1669			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5833.77	1.10488
1670			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2346.27	0.44437
1671			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1704.20	0.32276
1672	1182	Boies	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	7049.43	1.33512
1673			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4433.14	0.83961
1674	1139		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	2368.92	0.44866
1675			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	235.01	0.04451
1676			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1177.72	0.22305
1677	1135		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Technical	Heavy Use		Complete	GPS Device	Yes	BLM	442.27	0.08376
1678			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1238.67	0.23460
1679	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1684.47	0.31903
1680	1142	Pinto Spur	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1757.15	0.33279
1681			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1485.39	0.28132
1683			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2845.37	0.53890
1684			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1571.70	0.29767
1685			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2981.11	0.56460
1686			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1001.38	0.18966
1687			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	535.71	0.10146
1688			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1460.94	0.27669
1690			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2321.16	0.43961
1691			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	153.63	0.02910
1692			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	5280.38	1.00007
1693			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	956.41	0.18114
1694			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	716.44	0.13569
1695			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	931.32	0.17639
1696			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2606.36	0.49363
1697			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	10911.41	2.06655
1698			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	129.38	0.02450
1699			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1647.97	0.31211
1700			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1010.77	0.19143

1701			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	886.06	0.16781
1703	1142	Pinto Spur	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3275.01	0.62027
1704			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	940.13	0.17806
1705			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	851.13	0.16120
1707			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	503.72	0.09540
1708			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1511.14	0.28620
1709			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	15772.68	2.98725
1710			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	285.60	0.05409
1711	1183	Yankee Gulch *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	3643.78	0.69011
1712			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	720.58	0.13647
1713			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	636.98	0.12064
1715			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3152.66	0.59709
1716			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	344.97	0.06533
1717			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1453.84	0.27535
1718			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4339.58	0.82189
1719			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1925.98	0.36477
1721			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4165.82	0.78898
1722			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3903.73	0.73934
1724			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	4445.27	0.84191
1726	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3579.45	0.67793
1727			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	822.09	0.15570
1728			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5228.22	0.99019
1729			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	981.36	0.18586
1730			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	688.55	0.13041
1734	1142	Pinto Spur	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3133.64	0.59349
1735			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	849.01	0.16080
1736			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1335.85	0.25300
1738			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	264.76	0.05014
1739			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	681.53	0.12908
1742			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2924.76	0.55393

1744			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	193.63	0.03667
1745			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	18659.10	3.53392
1746	1183	Yankee Gulch *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1250.79	0.23689
1747			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	665.27	0.12600
1748	1014		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	1726.26	0.32694
1749	1181		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	6442.86	1.22024
1750			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	490.23	0.09285
1751			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1081.41	0.20481
1753			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	331.20	0.06273
1754			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1032.01	0.19546
1755	1256		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	8449.38	1.60026
1756			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	10970.08	2.07767
1757			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	528.78	0.10015
1758			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1161.07	0.21990
1759			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	5417.66	1.02607
1760			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	509.70	0.09653
1761			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	789.07	0.14945
1762			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5427.77	1.02799
1763			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5095.71	0.96510
1764	1182	Boies	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	9355.50	1.77188
1766	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	479.32	0.09078
1769			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3997.13	0.75703
1770			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	472.64	0.08952
1772			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2867.87	0.54316
1773			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	628.37	0.11901
1776			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	796.83	0.15091
1777			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2719.61	0.51508
1778	1180		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1897.49	0.35937
1779	1183	Yankee Gulch *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	2349.29	0.44494
1781			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1027.72	0.19464
1782			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2101.70	0.39805

1783			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	203.42	0.03853
1784	1181		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	7283.50	1.37945
1785			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	268.36	0.05083
1786	1014		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	1969.13	0.37294
1787			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2170.77	0.41113
1788			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	556.18	0.10534
1789	1128	The Shoulder	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1366.10	0.25873
1790			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	152.03	0.02879
1791			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	11857.85	2.24580
1793			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Non-existent	Trail	Complete	GPS Device	Yes	BLM	174.69	0.03309
1794			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	495.48	0.09384
1795			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1001.48	0.18967
1796			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1479.64	0.28023
1798			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1495.16	0.28317
1799			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2219.51	0.42036
1803			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	709.90	0.13445
1804	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3229.52	0.61165
1805			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1948.22	0.36898
1806			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	705.18	0.13356
1807			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1400.48	0.26524
1808			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	585.18	0.11083
1809			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	191.21	0.03621
1810			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5144.61	0.97436
1811			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	780.68	0.14786
1812			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1433.63	0.27152
1814			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	617.80	0.11701
1815			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	7380.36	1.39780
1816			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	102.60	0.01943
1820	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	128.00	0.02424
1821	1014		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	979.71	0.18555

1822			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2006.08	0.37994
1823			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1810.28	0.34286
1824			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	237.12	0.04491
1825	1180		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2945.94	0.55794
1829	1183	Yankee Gulch *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	4275.24	0.80970
1830			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	387.21	0.07333
1831			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	823.05	0.15588
1832			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2735.35	0.51806
1833			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Non-existent	Trail	Complete	GPS Device	Yes	BLM	138.59	0.02625
1834	1128	The Shoulder	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1246.53	0.23609
1835			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	235.27	0.04456
1836			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	632.64	0.11982
1837			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1817.90	0.34430
1838			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5210.31	0.98680
1839			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1050.67	0.19899
1840			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2286.28	0.43301
1841			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1442.22	0.27315
1842			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	355.87	0.06740
1843			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Non-existent	Trail	Complete	GPS Device	Yes	BLM	336.35	0.06370
1844			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1907.28	0.36123
1845			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1156.63	0.21906
1846			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	743.47	0.14081
1847			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2281.38	0.43208
1848			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Non-existent	Trail	Complete	GPS Device	Yes	BLM	1125.54	0.21317
1849			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	660.91	0.12517
1850			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	643.15	0.12181
1851	1014		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	1245.77	0.23594
1852	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	4249.66	0.80486
1853			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2376.97	0.45018
1854			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2675.44	0.50671

1855			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	106.48	0.02017
1856			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1521.85	0.28823
1857			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	534.93	0.10131
1858			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	93.74	0.01775
1859			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1550.12	0.29358
1860			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	748.78	0.14181
1861	1142	Pinto Spur	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	13770.76	2.60810
1862			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2293.90	0.43445
1863			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1532.31	0.29021
1865			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	Digitized	Yes	BLM	778.93	0.14753
1866	1706		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use		Complete	GPS Device	Yes	BLM	3282.62	0.62171
1867			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	641.59	0.12151
1868			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2030.34	0.38453
1870			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1807.62	0.34235
1871			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4016.57	0.76071
1872			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	76.57	0.01450
1873			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	682.23	0.12921
1874			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	Digitized	Yes	BLM	764.99	0.14488
1875			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	204.40	0.03871
1876			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2412.54	0.45692
1877	1014		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	129.33	0.02449
1878			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	263.18	0.04984
1879			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2481.67	0.47001
1880			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	359.73	0.06813
1881			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3462.88	0.65585
1882	1180		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	208.72	0.03953
1883	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1408.24	0.26671
1884			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3829.17	0.72522
1885			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1532.90	0.29032
1886	1014		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	268.44	0.05084

1887			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1946.62	0.36868
1889	1180		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1364.08	0.25835
1890			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1411.99	0.26742
1891			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	4699.90	0.89013
1892			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	Digitized	Yes	BLM	397.10	0.07521
1893			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	925.98	0.17537
1894			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1111.75	0.21056
1895			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	423.90	0.08028
1896			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	5655.94	1.07120
1897			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	211.04	0.03997
1898			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1185.31	0.22449
1899			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1852.87	0.35092
1900			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	216.62	0.04103
1901			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	706.85	0.13387
1902			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	565.79	0.10716
1903			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2341.67	0.44350
1904			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1943.28	0.36804
1905	1128	The Shoulder	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	2100.64	0.39785
1906			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	351.76	0.06662
1907			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	260.90	0.04941
1908			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	326.92	0.06192
1909			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2856.94	0.54109
1910			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Trail	Complete	Digitized	Yes	BLM	451.05	0.08543
1911			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1791.10	0.33922
1912	1014		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	1255.93	0.23786
1913			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1704.96	0.32291
1914			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	631.72	0.11964
1915			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	324.05	0.06137
1916	1181		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1069.00	0.20246
1917			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	349.83	0.06626

1918			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	658.47	0.12471
1920			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	354.46	0.06713
1921			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	778.05	0.14736
1922			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3314.70	0.62778
1923			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	916.85	0.17365
1924			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	936.53	0.17737
1925			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1468.32	0.27809
1926			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Trail	Complete	Digitized	Yes	BLM	2008.36	0.38037
1927			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1868.78	0.35394
1928			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3446.42	0.65273
1929			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	722.35	0.13681
1930			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	11171.51	2.11582
1931			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1484.13	0.28109
1932			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	4595.65	0.87039
1933			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	635.11	0.12029
1934			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	Digitized	Yes	BLM	3200.62	0.60618
1935			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	10009.75	1.89579
1936			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	667.62	0.12644
1937	1181		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	92.69	0.01756
1938			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1177.94	0.22309
1939			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	142.94	0.02707
1940			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	344.77	0.06530
1941			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1421.07	0.26914
1942			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	974.00	0.18447
1943			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	592.94	0.11230
1944			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	793.12	0.15021
1945			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	850.77	0.16113
1946			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	651.75	0.12344

1947			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	781.03	0.14792
1948			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2408.11	0.45608
1949			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3181.18	0.60250
1950			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3858.83	0.73084
1951			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3182.34	0.60272
1952			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	708.55	0.13419
1953			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1368.22	0.25913
1954			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	Digitized	Yes	BLM	1595.77	0.30223
1955			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	75.74	0.01434
1956			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	259.48	0.04914
1957			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1514.97	0.28693
1958			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1458.49	0.27623
1959	1014		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	3838.12	0.72692
1960	1181		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	715.85	0.13558
1961			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	664.04	0.12576
1962	1706		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use		Complete	GPS Device	Yes	BLM	952.51	0.18040
1963			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	695.22	0.13167
1964	1128	The Shoulder	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1806.91	0.34222
1965			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4554.75	0.86264
1966			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4023.64	0.76205
1967			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	839.07	0.15891
1968			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3010.54	0.57018
1969	1706		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use		Complete	GPS Device	Yes	BLM	3854.49	0.73002
1970			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	8656.67	1.63952
1971			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1204.34	0.22809
1973			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1006.30	0.19059
1974			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3663.61	0.69387
1975	1182	Boies	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	5136.47	0.97282
1976			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1538.26	0.29134
1977			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	56.99	0.01079

1978			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	672.34	0.12734
1979			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3358.54	0.63609
1980			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	166.81	0.03159
1981			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	642.26	0.12164
1982			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	244.03	0.04622
1983			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	654.73	0.12400
1984			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	725.76	0.13745
1985			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3409.05	0.64565
1986			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1289.30	0.24419
1987			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1135.87	0.21513
1988			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	424.45	0.08039
1989			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1348.26	0.25535
1990			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	311.90	0.05907
1991			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4455.07	0.84376
1992			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	3029.55	0.57378
1993			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2432.95	0.46079
1994			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	148.30	0.02809
1995			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	7998.66	1.51490
1996			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	111.65	0.02115
1997	1181		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1368.00	0.25909
1998			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	669.89	0.12687
1999			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	526.77	0.09977
2000			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	40.42	0.00765
2001			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	Digitized	Yes	BLM	199.74	0.03783
2002			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3148.35	0.59628
2003			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1953.04	0.36989
2004			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2710.60	0.51337
2005			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2308.88	0.43729

2006			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	701.19	0.13280
2007			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	Digitized	Yes	BLM	4069.84	0.77080
2008			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4287.05	0.81194
2009			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	826.07	0.15645
2010	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	4222.53	0.79972
2011			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	973.50	0.18438
2012			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2235.57	0.42340
2013			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4764.59	0.90238
2014			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	617.04	0.11686
2015	1706		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	899.53	0.17036
2016			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	Digitized	Yes	BLM	412.38	0.07810
2017			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3571.10	0.67635
2019			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	647.90	0.12271
2020			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1390.00	0.26326
2021			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5404.31	1.02354
2022			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4084.16	0.77352
2023			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1265.40	0.23966
2024			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	434.91	0.08237
2025			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	4967.02	0.94072
2026	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	2534.06	0.47994
2027	1143		BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	Digitized	Yes	BLM	5546.74	1.05052
2028			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	Digitized	Yes	BLM	631.93	0.11968
2029			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	8036.75	1.52211
2030			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2181.78	0.41322
2031			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	103.89	0.01968
2032	1014		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	268.26	0.05081
2033	1706		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2588.45	0.49024
2034			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	703.08	0.13316
2035			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1677.24	0.31766
2036	1181		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1065.76	0.20185
2037	1014		Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	417.78	0.07913

2038			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2006.94	0.38010
2039			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2344.65	0.44406
2040	1012		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	374.21	0.07087
2041			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	614.02	0.11629
2042			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2985.13	0.56536
2043			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2845.76	0.53897
2044			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	729.34	0.13813
2045			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1137.33	0.21540
2046			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1336.14	0.25306
2047			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	90.28	0.01710
2048			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2560.17	0.48488
2050			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	97.75	0.01851
2051			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1434.96	0.27177
2052			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	910.73	0.17249
2053			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	615.03	0.11648
2054			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3466.74	0.65658
2055	1182	Boies	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	632.74	0.11984
2056	1143		BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	Digitized	Yes	BLM	67.09	0.01271
2057			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4338.24	0.82164
2058			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	520.15	0.09851
2059			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	529.55	0.10029
2061	1128	The Shoulder	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	3186.52	0.60351
2062			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1919.43	0.36353
2063	1143		BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	Digitized	Yes	BLM	691.46	0.13096
2065			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1705.21	0.32296
2067			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2614.27	0.49513
2068	1707		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	4236.07	0.80229
2069			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	686.64	0.13005
2070			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1658.14	0.31404
2071			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	State	805.21	0.15250

2072			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	755.72	0.14313
2073			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2591.29	0.49077
2074			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1454.30	0.27543
2075			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3831.81	0.72572
2076			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1396.12	0.26442
2077	1012		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	2849.86	0.53975
2078			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2483.28	0.47032
2080			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2634.52	0.49896
2081	1181		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3717.29	0.70403
2082			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3259.31	0.61729
2083			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1456.32	0.27582
2084			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	276.96	0.05245
2085			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	249.39	0.04723
2086			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	7868.09	1.49017
2087			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	816.01	0.15455
2088			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1592.92	0.30169
2089			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1887.33	0.35745
2090			Transportation Linear Disturbance						Primitive Road	Complete	GPS Device	Yes	State	3707.95	0.70226
2091			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1093.25	0.20705
2092			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	10461.73	1.98139
2093	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1363.24	0.25819
2094			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4595.66	0.87039
2095			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6497.93	1.23067
2096	1706		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	7375.46	1.39687
2097	1001		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	833.47	0.15785
2098	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	784.91	0.14866
2099			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	551.94	0.10453
2100			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1977.15	0.37446
2101			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	7492.15	1.41897
2102			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1974.56	0.37397

2103			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1115.69	0.21130
2104	1182	Boies	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	6874.87	1.30206
2105			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	535.07	0.10134
2106			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2100.59	0.39784
2107			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1440.79	0.27288
2108	1709	Winter Valley	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1988.77	0.37666
2109			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	State	2143.49	0.40596
2110			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1710.51	0.32396
2111	1014		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	3853.90	0.72991
2113			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1532.99	0.29034
2114	1101		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	1494.32	0.28302
2117			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4200.96	0.79564
2118			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4899.94	0.92802
2119			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1634.84	0.30963
2120			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	864.50	0.16373
2121			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	922.63	0.17474
2122			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1390.52	0.26336
2123	1101		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	6169.81	1.16852
2124			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1648.43	0.31220
2125	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1425.60	0.27000
2126			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	7152.98	1.35473
2127			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3028.86	0.57365
2128			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	991.82	0.18784
2129			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	865.47	0.16391
2130			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	931.51	0.17642
2131	1181		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4487.91	0.84998
2132	1012		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	5406.29	1.02392
2133			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1262.89	0.23918
2134	1707		Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Verify	GPS Device	Yes	State	1698.60	0.32170
2135	1101		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	121.04	0.02293
2136			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	923.06	0.17482
2137	1101		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	207.16	0.03923

2138	1706		Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	746.67	0.14141
2141			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1512.20	0.28640
2142			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	7084.95	1.34185
2144			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1832.05	0.34698
2145	1182	Boies	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	559.65	0.10599
2146			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	373.73	0.07078
2147			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2207.06	0.41800
2148			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	614.29	0.11634
2149			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1470.88	0.27858
2151			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3251.30	0.61578
2153	1014		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	4874.23	0.92315
2154			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1095.47	0.20748
2155			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1646.27	0.31179
2156			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	265.06	0.05020
2159			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2025.81	0.38368
2160			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3865.18	0.73204
2161			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	720.71	0.13650
2162			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6345.56	1.20181
2163			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3493.73	0.66169
2164			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5347.83	1.01285
2165	1182	Boies	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	70.60	0.01337
2166			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1125.19	0.21310
2167			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3245.12	0.61461
2168			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2503.64	0.47417
2169	1001		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1559.99	0.29545
2170			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5843.14	1.10665
2171			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	59.53	0.01128
2172	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1412.20	0.26746
2173			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	875.57	0.16583
2174			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3300.79	0.62515

2175	1706		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2290.11	0.43373
2176			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	397.90	0.07536
2177			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	139.35	0.02639
2178			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1619.43	0.30671
2180			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	349.10	0.06612
2181			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1662.54	0.31488
2182			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3640.20	0.68943
2183			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2037.74	0.38593
2184	1014		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	344.14	0.06518
2185		Private	Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1044.41	0.19780
2186			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1135.31	0.21502
2187			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6094.19	1.15420
2189			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1118.46	0.21183
2190			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	136.92	0.02593
2191			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	643.00	0.12178
2192			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	794.84	0.15054
2193			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2466.99	0.46723
2194			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1084.30	0.20536
2195			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	91.21	0.01727
2196	1014		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1790.72	0.33915
2197			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use		Complete	GPS Device	Yes	State	5069.10	0.96006
2198			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3024.46	0.57281
2199			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1055.27	0.19986
2200			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1080.36	0.20461
2201			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	63.20	0.01197
2203			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	911.30	0.17259
2204			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1914.29	0.36256
2205			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1058.15	0.20041
2206			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2890.26	0.54740
2207	1128	The Shoulder	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	6648.52	1.25919

2208			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	320.20	0.06064
2209			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	265.08	0.05020
2210			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1756.72	0.33271
2211			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5744.31	1.08794
2212			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	287.15	0.05439
2213			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	811.29	0.15365
2214			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2886.13	0.54662
2215			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	155.28	0.02941
2216	1182	Boies	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	5999.88	1.13634
2217	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1922.37	0.36408
2218			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	311.09	0.05892
2219			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	64.49	0.01221
2220	1001		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2719.49	0.51506
2221			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	4971.35	0.94154
2222			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1982.10	0.37540
2223			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2718.00	0.51477
2224			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2866.33	0.54287
2225			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	352.64	0.06679
2226			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2749.38	0.52072
2227			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2325.44	0.44042
2229			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3197.90	0.60566
2230			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	445.68	0.08441
2231			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	602.60	0.11413
2232			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	5252.29	0.99475
2233			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	3550.36	0.67242
2234			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	868.59	0.16451
2235			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	378.68	0.07172
2236			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1240.68	0.23498
2237			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4949.17	0.93734
2238	1181		BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	3048.81	0.57743

2239			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	514.30	0.09741
2240			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	738.65	0.13990
2241			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2091.46	0.39611
2242			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	914.50	0.17320
2243			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3454.27	0.65422
2244			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2881.36	0.54571
2245			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	452.49	0.08570
2246			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	Stock	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	549.89	0.10415
2247	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	346.46	0.06562
2248			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	63.04	0.01194
2249			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	Digitized	Yes	BLM	3579.77	0.67799
2250			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2168.14	0.41063
2251			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	806.94	0.15283
2252			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5481.02	1.03807
2253			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1351.87	0.25604
2254			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2812.18	0.53261
2255			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	149.50	0.02831
2256	1707		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1181.36	0.22374
2258			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	935.14	0.17711
2259	1182A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	6822.15	1.29207
2260	1706		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	554.72	0.10506
2261			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	392.08	0.07426
2262			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1864.62	0.35315
2263			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	723.08	0.13695
2264	1706		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	212.89	0.04032
2265			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1482.51	0.28078
2266			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	843.45	0.15974
2267			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	423.93	0.08029
2268			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	405.36	0.07677
2269	1014		BLM Primitive Road	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	6250.12	1.18373
2270	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	876.01	0.16591

2272			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	699.87	0.13255
2273			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	705.99	0.13371
2275			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	977.42	0.18512
2276			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3125.52	0.59196
2277			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1317.15	0.24946
2278			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1042.33	0.19741
2279			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1274.29	0.24134
2280			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1669.34	0.31616
2281	1148		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	1123.06	0.21270
2282			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	296.91	0.05623
2283			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	984.71	0.18650
2284			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1664.92	0.31533
2285			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1416.37	0.26825
2286	1102		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	403.59	0.07644
2287	1102		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	177.25	0.03357
2288			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1206.00	0.22841
2289			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	9814.64	1.85883
2291			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1050.61	0.19898
2292			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	643.62	0.12190
2293	1102		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	3251.96	0.61590
2294	1102		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	516.50	0.09782
2295			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	383.76	0.07268
2296	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	490.47	0.09289
2297			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	714.55	0.13533
2298			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	19534.89	3.69979
2299			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	318.91	0.06040
2300			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	459.81	0.08708
2301			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	771.87	0.14619
2302			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	67.74	0.01283
2303	1148		BLM Primitive Road	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2249.06	0.42596
2304			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	657.09	0.12445

2305			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	141.85	0.02686
2306			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	472.36	0.08946
2307			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	663.39	0.12564
2308			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4322.93	0.81874
2309	1148		BLM Primitive Road	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	780.26	0.14778
2310			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	44.64	0.00845
2311	1102		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	308.58	0.05844
2313			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	254.60	0.04822
2315			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	263.94	0.04999
2316			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1383.55	0.26204
2318	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	477.97	0.09052
2319	1706		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2129.84	0.40338
2320	1148		BLM Primitive Road	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	95.26	0.01804
2321			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	24.99	0.00473
2322			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	66.67	0.01263
2323			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1889.67	0.35789
2324			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3620.50	0.68570
2325			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1619.58	0.30674
2326			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5867.69	1.11130
2327			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	810.54	0.15351
2328			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	7484.31	1.41748
2329			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	Digitized	Yes	CPW	273.90	0.05188
2330			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1828.58	0.34632
2331			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1645.81	0.31171
2332			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2352.42	0.44553
2333	1148	Tower	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	7128.73	1.35014
2335	1001		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	7364.92	1.39487
2336			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	150.24	0.02845
2337			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	8663.20	1.64076
2339			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3110.42	0.58909
2340			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	576.06	0.10910

2341			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	6979.07	1.32179
2342			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	834.65	0.15808
2343			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3943.32	0.74684
2344			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1608.20	0.30458
2345			Transportation Linear Disturbance	Paved	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	447.67	0.08479
2346			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3081.22	0.58356
2347			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4169.43	0.78966
2348			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	160.89	0.03047
2349			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1425.47	0.26998
2350			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	204.89	0.03881
2351			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	6139.86	1.16285
2352			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2113.49	0.40028
2353			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5055.61	0.95750
2354			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4537.91	0.85945
2355			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	683.06	0.12937
2356			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	975.77	0.18480
2357			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1828.25	0.34626
2358			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	18349.23	3.47523
2359			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2528.61	0.47890
2360			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	73.34	0.01389
2361			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2814.54	0.53306
2362			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3342.54	0.63306
2363			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	138.44	0.02622
2364	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2567.02	0.48618
2365			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	144.47	0.02736
2367			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3637.55	0.68893
2368			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1803.51	0.34157
2369			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	143.89	0.02725
2370	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	15686.30	2.97089

2371			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1633.32	0.30934
2372			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	679.63	0.12872
2373			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1202.36	0.22772
2374			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	714.54	0.13533
2375	1102		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	4557.93	0.86325
2376			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1132.83	0.21455
2377			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	742.89	0.14070
2378			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1308.93	0.24790
2379			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	204.12	0.03866
2380			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	675.46	0.12793
2381	1148	Tower	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1341.92	0.25415
2382	1128	The Shoulder	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	2376.23	0.45004
2383			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1042.59	0.19746
2384			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1190.85	0.22554
2385			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	308.78	0.05848
2386			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	756.71	0.14332
2387			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	339.05	0.06421
2388			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2595.48	0.49157
2389			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4084.87	0.77365
2390			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	146.50	0.02775
2391			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	389.17	0.07371
2392			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	947.07	0.17937
2393	1182A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4490.41	0.85046
2394			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	574.04	0.10872
2396	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	880.83	0.16682
2397			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1345.77	0.25488
2398			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1730.50	0.32775
2399			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	170.25	0.03224
2400			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	705.61	0.13364
2401			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1801.97	0.34128

2402			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	107.28	0.02032
2403	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	544.69	0.10316
2404			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2273.48	0.43058
2405			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1316.81	0.24940
2406			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	644.37	0.12204
2407		The Shoulder	Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	CPW	2197.82	0.41625
2408			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2401.70	0.45487
2409	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	155.86	0.02952
2410			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1867.52	0.35370
2411			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	493.50	0.09347
2412			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	579.95	0.10984
2413			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	653.04	0.12368
2414			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	625.00	0.11837
2415			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	603.16	0.11423
2416			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	404.02	0.07652
2417			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5393.23	1.02144
2418			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1911.10	0.36195
2419	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	704.79	0.13348
2420	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1239.87	0.23482
2421			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1158.77	0.21946
2422	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	221.26	0.04191
2423	1148	Tower	BLM Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	Digitized	Yes	BLM	6680.44	1.26523
2424	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	89.33	0.01692
2425			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2020.80	0.38273
2426	1128	The Shoulder	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	233.20	0.04417
2427			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1012.96	0.19185
2428	1147		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2464.08	0.46668
2429	1148	Tower	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1801.22	0.34114
2430			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3415.02	0.64678
2432			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1558.66	0.29520
2433			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1181.19	0.22371
2434			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2850.86	0.53994

2436			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	736.37	0.13946
2437			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1654.71	0.31339
2438	1182A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	485.85	0.09202
2440			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1256.43	0.23796
2442			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	7185.66	1.36092
2443	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	431.24	0.08167
2445			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2628.44	0.49781
2446			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1158.94	0.21950
2447			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2900.05	0.54925
2448			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	467.33	0.08851
2449			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	78.98	0.01496
2450			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1709.05	0.32368
2451			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	358.45	0.06789
2452			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1438.01	0.27235
2453			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	84.53	0.01601
2454			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3323.65	0.62948
2455	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3121.83	0.59126
2456	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	5866.47	1.11107
2457			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3602.39	0.68227
2458			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1984.28	0.37581
2459			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2399.76	0.45450
2460			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4418.69	0.83687
2461			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1074.76	0.20355
2462	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2831.83	0.53633
2463	1102	Blair Mesa	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	2768.60	0.52436
2464	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2790.67	0.52854
2465			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1537.07	0.29111
2466	1147		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	223.66	0.04236
2467			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	480.62	0.09103
2468			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1415.46	0.26808
2469			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	547.40	0.10367
2470	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	965.25	0.18281

2471	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1218.25	0.23073
2472			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	2220.35	0.42052
2473	1001		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4147.81	0.78557
2474			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1666.50	0.31563
2475	1148	Tower	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	646.27	0.12240
2476	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3871.85	0.73331
2477			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	635.59	0.12038
2478		The Shoulder	Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	CPW	3680.24	0.69701
2479	1019A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1677.60	0.31773
2480	1102		BLM Primitive Road	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1285.28	0.24342
2481			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	1547.85	0.29315
2482	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	826.00	0.15644
2483			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	3280.53	0.62131
2485			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2807.73	0.53177
2486		Crooked Wash	Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	264.57	0.05011
2487			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1267.77	0.24011
2488			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	274.36	0.05196
2490			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	964.66	0.18270
2491			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1149.78	0.21776
2492			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5899.33	1.11730
2493			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	154.31	0.02922
2494			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1956.14	0.37048
2495			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1777.23	0.33660
2496			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	384.04	0.07273
2497			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	842.65	0.15959
2499			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	81.82	0.01550
2500			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	120.69	0.02286
2501	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	17743.88	3.36058
2502			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	113.22	0.02144
2503			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	139.94	0.02650
2504			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	323.99	0.06136

2505			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	155.96	0.02954
2506			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	339.95	0.06439
2508	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	715.49	0.13551
2510			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	759.07	0.14376
2511			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	991.58	0.18780
2512			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	340.43	0.06447
2513	1102B	Blair Mesa B	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	2834.33	0.53680
2514	1722		BLM Primitive Road	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	702.95	0.13313
2515			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1936.08	0.36668
2516	1722		BLM Primitive Road	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1945.92	0.36855
2517	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	615.61	0.11659
2518	1102	Blair Mesa	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	1515.33	0.28700
2519			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	8762.64	1.65959
2520			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	308.80	0.05849
2521	1014	Little Dry Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	12474.88	2.36267
2522			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	322.01	0.06099
2523			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	270.48	0.05123
2524			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1918.39	0.36333
2526			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1368.69	0.25922
2527			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	103.79	0.01966
2529	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	114.08	0.02161
2530			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	CPW	928.34	0.17582
2531			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	Stock	Light Use	Trail	Complete	GPS Device	Yes	BLM	1671.14	0.31650
2532			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	670.37	0.12696
2535	1722		BLM Primitive Road	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1431.58	0.27113
2536			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1606.62	0.30428
2537			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2977.57	0.56393
2538		Crooked Wash	Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	863.25	0.16349
2539	1102	Blair Mesa	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	171.85	0.03255
2540	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	611.64	0.11584
2541			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	8316.13	1.57502
2543	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2165.27	0.41009
2544			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	477.23	0.09038

2546			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3659.81	0.69315
2547			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	447.08	0.08467
2548	1102	Blair Mesa	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	431.93	0.08180
2550			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	810.94	0.15359
2551	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	270.87	0.05130
2552			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1149.33	0.21768
2553	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3464.32	0.65612
2554			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	704.04	0.13334
2555	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	965.38	0.18284
2556			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3081.98	0.58371
2557	1722		BLM Primitive Road	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2982.79	0.56492
2558	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	148.38	0.02810
2559	1146		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1890.16	0.35798
2560			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	929.53	0.17605
2561	1102	Blair Mesa	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	64.20	0.01216
2562			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Trail	Complete	GPS Device	Yes	BLM	3279.32	0.62108
2563			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1077.78	0.20412
2564	1102	Blair Mesa	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	2133.77	0.40412
2565	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	535.69	0.10146
2566			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	160.41	0.03038
2567			Transportation Linear Disturbance	Natural	Width <50 Inches	Unknown	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1459.15	0.27635
2568			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	240.70	0.04559
2569			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	2048.10	0.38790
2570	1722		BLM Primitive Road	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	4902.35	0.92847
2574	1145	MR-12	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	828.13	0.15684
2575			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2202.95	0.41723
2577			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2030.24	0.38451
2578			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	444.77	0.08424
2580			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	589.16	0.11158
2582			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	568.65	0.10770
2583	1147		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	7917.38	1.49950
2584			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	785.00	0.14867
2585	1102A	Blair Mesa A	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	Yes	BLM	1454.04	0.27539
2586			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	874.43	0.16561

2587	1010B	West Will Creek	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	2132.63	0.40391
2588	1146		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1316.89	0.24941
2589			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	883.89	0.16740
2591			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	839.52	0.15900
2592			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	9045.43	1.71315
2593			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	293.73	0.05563
2594			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2957.56	0.56014
2595	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	996.68	0.18877
2596			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1070.98	0.20284
2597			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	308.58	0.05844
2598	1019A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	4584.99	0.86837
2599			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2059.27	0.39001
2601	1001		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	6509.82	1.23292
2602			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	863.08	0.16346
2604			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1412.65	0.26755
2605			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	320.01	0.06061
2606	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3801.94	0.72006
2607			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	12474.56	2.36261
2608	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	5809.55	1.10029
2609			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2399.20	0.45439
2610			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2203.88	0.41740
2611			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1570.29	0.29740
2612			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1340.54	0.25389
2613	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	167.71	0.03176
2614			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1690.50	0.32017
2615			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	166.94	0.03162
2616			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1557.75	0.29503
2618			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	196.71	0.03725
2619			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	90.97	0.01723
2621			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5662.42	1.07243
2622	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3735.70	0.70752
2623	1145	MR-12	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	2933.72	0.55563

2624			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	109.14	0.02067
2625	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	950.99	0.18011
2626			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3519.66	0.66660
2627			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5636.32	1.06748
2628	1146		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1935.04	0.36648
2629	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2159.33	0.40896
2630			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1038.22	0.19663
2631	1102A	Blair Mesa A	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use		Complete	GPS Device	Yes	BLM	2249.54	0.42605
2632	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	5125.23	0.97069
2633	1010A	West Willow Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1517.63	0.28743
2636			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1194.57	0.22625
2637			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	7806.02	1.47841
2638			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	645.52	0.12226
2641	1010		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2344.07	0.44395
2642			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	199.39	0.03776
2645			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	171.07	0.03240
2646	1146		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1497.99	0.28371
2647			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	485.89	0.09202
2648			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	457.66	0.08668
2649	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	479.09	0.09074
2650			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	97.04	0.01838
2651			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	100.37	0.01901
2652			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	109.94	0.02082
2653			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1048.65	0.19861
2654	1147		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	176.97	0.03352
2655			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1383.64	0.26205
2656			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	209.31	0.03964
2657			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	443.79	0.08405
2658			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	307.85	0.05831
2661	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1521.42	0.28815
2662			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2402.63	0.45504
2663	1146		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	897.12	0.16991
2664			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4382.42	0.83000

2665			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	Stock	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1829.00	0.34640
2666			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	548.19	0.10382
2668			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1075.00	0.20360
2669		Lower Yellow Cr.	Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	Digitized	Yes	CPW	2711.99	0.51363
2670	1147		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1047.35	0.19836
2672			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	272.96	0.05170
2673	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	4205.80	0.79655
2674			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	CPW	174.63	0.03307
2676			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	76.68	0.01452
2677	1019	Hog Lot Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	102.86	0.01948
2678	1728		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	9470.85	1.79372
2679			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5641.82	1.06853
2680			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	118.82	0.02250
2681			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	633.41	0.11996
2683	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1055.69	0.19994
2684			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	435.52	0.08248
2685			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2683.42	0.50822
2686	1102	Blair Mesa	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	4976.57	0.94253
2688			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV		Trail	Complete	GPS Device	Yes	CPW	884.29	0.16748
2689			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1080.51	0.20464
2690			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	176.10	0.03335
2691			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	380.57	0.07208
2692			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	434.79	0.08235
2693		Lower Yellow Cr.	Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	Digitized	Yes	CPW	1359.66	0.25751
2694	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	579.92	0.10983
2695			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	448.36	0.08492
2696	1257	Lower Yellow Cr.	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	Digitized	Yes	BLM	1762.85	0.33387
2697	1019A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	197.65	0.03743
2698			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2025.08	0.38354
2699	1147		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	571.35	0.10821
2700			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	533.86	0.10111
2701			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	476.88	0.09032

2702			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3988.74	0.75544
2703			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1214.75	0.23007
2704	1145	MR-12	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	2205.12	0.41764
2705			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	15908.20	3.01292
2706			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	334.83	0.06341
2707	1257	Lower Yellow Cr.	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	Digitized	Yes	BLM	3211.40	0.60822
2708	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	392.93	0.07442
2709			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	611.88	0.11589
2710			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	10918.64	2.06792
2711			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	969.24	0.18357
2712			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	404.45	0.07660
2713			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3932.61	0.74481
2714	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	629.25	0.11918
2715			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1449.19	0.27447
2716			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	CPW	274.87	0.05206
2717			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Light Use	Trail	Complete	GPS Device	Yes	CPW	231.65	0.04387
2718	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	884.53	0.16752
2719	1019A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	728.21	0.13792
2720			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2636.39	0.49932
2722			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Light Use	Trail	Complete	GPS Device	Yes	BLM	1064.54	0.20162
2723			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	584.54	0.11071
2724			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1987.24	0.37637
2725	1257	Lower Yellow Cr.	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	Digitized	Yes	BLM	770.72	0.14597
2726	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	648.76	0.12287
2728			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1170.66	0.22172
2730	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	7909.33	1.49798
2731			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	724.68	0.13725
2732			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2882.25	0.54588
2733			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	171.83	0.03254
2734			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1623.44	0.30747
2735			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2229.14	0.42219
2736	1010		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3218.98	0.60965

2737	1726		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	892.80	0.16909
2738	1257	Lower Yellow Cr.	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	Digitized	Yes	BLM	568.26	0.10763
2739			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2128.42	0.40311
2740			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	443.70	0.08403
2741			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	178.56	0.03382
2742			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	360.76	0.06833
2743			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	304.86	0.05774
2744			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2449.84	0.46398
2745	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	7582.01	1.43599
2746			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	9187.44	1.74005
2747			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	77.63	0.01470
2748			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1213.25	0.22978
2749			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	157.98	0.02992
2750			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV		Trail	Complete	GPS Device	Yes	BLM	1955.20	0.37030
2751			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1194.42	0.22622
2752			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	443.85	0.08406
2753			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2615.08	0.49528
2754	1257	Lower Yellow Cr.	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	Digitized	Yes	BLM	466.43	0.08834
2755			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5291.82	1.00224
2756			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1497.16	0.28355
2757	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	142.20	0.02693
2758			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1866.18	0.35344
2759	1257		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	1428.18	0.27049
2760	1146		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	10043.56	1.90219
2761			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	506.85	0.09599
2762			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1447.56	0.27416
2763	1019A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1031.00	0.19527
2764	1726		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	445.32	0.08434
2765			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3167.11	0.59983
2766			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	663.71	0.12570
2767			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1785.97	0.33825
2768			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	5246.66	0.99369

2769			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	50.81	0.00962
2770			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1613.87	0.30566
2771			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1718.13	0.32540
2772			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1086.43	0.20576
2773			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3718.99	0.70435
2774			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2120.94	0.40169
2776	1509B		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1946.18	0.36859
2777			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	106.42	0.02016
2778	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1884.50	0.35691
2779			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	366.84	0.06948
2780			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	State	139.61	0.02644
2781	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2026.14	0.38374
2783			Transportation Linear Disturbance	Gravel	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	476.54	0.09025
2784			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	781.61	0.14803
2785			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	840.40	0.15917
2786	1019A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	972.49	0.18418
2787			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	469.78	0.08897
2788			Transportation Linear Disturbance	Natural	Width <50 Inches	Unknown	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	5279.40	0.99989
2789			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	597.95	0.11325
2790			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV		Trail	Complete	GPS Device	Yes	CPW	3565.45	0.67527
2791			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4453.04	0.84338
2792			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3681.94	0.69734
2793			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	3114.67	0.58990
2794			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	570.82	0.10811
2795			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	538.73	0.10203
2796	1014	Little Dry Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	16138.89	3.05661
2797			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6408.14	1.21366
2798			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	95.36	0.01806
2799			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1828.37	0.34628
2801			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	68.95	0.01306

2802			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1367.88	0.25907
2803			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	760.00	0.14394
2804			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	CPW	1485.97	0.28143
2805			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2623.63	0.49690
2806			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	316.88	0.06001
2807			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3033.06	0.57444
2808			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	456.56	0.08647
2809	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	126.89	0.02403
2810			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	524.59	0.09935
2811			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1598.93	0.30283
2814			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	349.66	0.06622
2815			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1818.56	0.34443
2817			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	471.96	0.08939
2818			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	765.15	0.14491
2819			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5649.19	1.06992
2820			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3821.80	0.72383
2821			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	337.01	0.06383
2822	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	476.84	0.09031
2823	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	550.34	0.10423
2824	1145	MR-12	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	7496.58	1.41981
2825			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2640.33	0.50006
2826			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	622.35	0.11787
2828	1146		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	634.71	0.12021
2829			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	538.07	0.10191
2830	1019A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1108.69	0.20998
2831			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	804.02	0.15228
2832			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Trail	Complete	GPS Device	Yes	BLM	793.34	0.15025
2833			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	183.33	0.03472
2834			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	176.04	0.03334
2835			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	281.52	0.05332

2836			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	42.70	0.00809
2837			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	CPW	3749.63	0.71016
2838			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	267.10	0.05059
2839			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3773.50	0.71468
2840			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	9053.29	1.71464
2841			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	431.43	0.08171
2842			Transportation Linear Disturbance	Gravel	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4317.02	0.81762
2843	1102	Blair Mesa	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	434.01	0.08220
2845			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1031.87	0.19543
2846			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	200.99	0.03807
2847			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	320.65	0.06073
2848			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	403.84	0.07648
2849			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	507.68	0.09615
2850	1010		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3436.17	0.65079
2851			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	2957.99	0.56023
2852			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	266.16	0.05041
2853	1728		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	3512.39	0.66523
2854			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	78.35	0.01484
2855			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	927.98	0.17575
2856			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	174.05	0.03296
2857	1102	Blair Mesa	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	551.29	0.10441
2858			Transportation Linear Disturbance	Paved	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1656.33	0.31370
2859	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2744.72	0.51983
2860			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	645.10	0.12218
2861			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2077.60	0.39348
2862	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	1274.33	0.24135
2863			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	123.39	0.02337
2864			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1037.73	0.19654
2865			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1196.83	0.22667
2866			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2157.85	0.40868
2867	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3530.20	0.66860

2868			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3114.40	0.58985
2869			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2129.08	0.40323
2870			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2385.69	0.45184
2871	1019A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1052.46	0.19933
2872	1014	Little Dry Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	614.56	0.11639
2873			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1077.55	0.20408
2874			Transportation Linear Disturbance	Paved	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	441.32	0.08358
2875			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	5412.41	1.02508
2876			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2031.69	0.38479
2877			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	168.33	0.03188
2878			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	168.33	0.03188
2879			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	629.29	0.11918
2880			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2652.00	0.50227
2881	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2564.80	0.48576
2883			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	102.48	0.01941
2885			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	92.38	0.01750
2886	1014	Little Dry Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	51.65	0.00978
2887			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	51.65	0.00978
2889			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	594.22	0.11254
2890			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1619.87	0.30679
2891			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	219.57	0.04159
2892			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	219.57	0.04159
2893			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3335.82	0.63178
2894			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1868.74	0.35393
2895			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	93.70	0.01775
2896			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	93.70	0.01775
2897	1019A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	262.32	0.04968
2899			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2456.08	0.46517
2900			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1584.51	0.30010
2901			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	203.00	0.03845

2902			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	203.00	0.03845
2904			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1052.23	0.19929
2905			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	629.21	0.11917
2906			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2157.04	0.40853
2907			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	218.76	0.04143
2908			Transportation Linear Disturbance	Paved	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1236.21	0.23413
2909	1726		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	4575.30	0.86653
2910			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2284.25	0.43262
2912			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	8124.34	1.53870
2913			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	993.77	0.18821
2914			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1832.20	0.34701
2915			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	427.32	0.08093
2916			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2924.17	0.55382
2917			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	1062.74	0.20128
2918	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	536.88	0.10168
2920	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	1357.59	0.25712
2921			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3931.60	0.74462
2923	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2280.41	0.43190
2924	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3492.34	0.66143
2925			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2086.35	0.39514
2926			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	391.38	0.07412
2927			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1929.51	0.36544
2928			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	510.73	0.09673
2929	1010A	West Willow Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	9348.62	1.77057
2930			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1613.59	0.30561
2931			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	181.24	0.03432
2932			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	220.10	0.04169
2933			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Trail	Complete	GPS Device	Yes	BLM	805.52	0.15256
2934	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	415.64	0.07872
2935			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6180.75	1.17060
2936			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	751.36	0.14230

2937			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	350.59	0.06640
2938			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1885.25	0.35705
2939			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	136.05	0.02577
2940			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	5947.74	1.12647
2941			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	43.92	0.00832
2942			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	46.26	0.00876
2943	1145		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use		Complete	GPS Device	Yes	BLM	73.41	0.01390
2944			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	11390.25	2.15724
2945			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	5023.08	0.95134
2946			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	53.70	0.01017
2947			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1801.50	0.34119
2948			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2541.61	0.48137
2949			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	3551.48	0.67263
2950			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2592.90	0.49108
2951			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3353.50	0.63513
2953			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	820.80	0.15545
2954			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	2477.07	0.46914
2955			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2914.31	0.55195
2956			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	119.93	0.02271
2957			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2535.87	0.48028
2958	1102	Blair Mesa	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	1244.08	0.23562
2959			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1254.44	0.23758
2960			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	6356.07	1.20380
2961			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	324.22	0.06141
2962			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Trail	Complete	GPS Device	Yes	BLM	868.08	0.16441
2964			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3375.69	0.63934
2965	1145		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use		Complete	GPS Device	Yes	BLM	779.50	0.14763
2966			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3585.19	0.67901
2967	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	653.49	0.12377
2970			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1103.14	0.20893

2971			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	1718.52	0.32548
2972	1010		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	7080.33	1.34097
2973			Transportation Linear Disturbance	Paved	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4307.09	0.81574
2974	1145	MR-12	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	2863.25	0.54228
2975			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	5265.15	0.99719
2976			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	998.58	0.18913
2977	1145		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use		Complete	GPS Device	Yes	BLM	170.19	0.03223
2978			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	59.14	0.01120
2979			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	890.22	0.16860
2980			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	7025.93	1.33067
2981			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	494.57	0.09367
2982			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1301.66	0.24653
2983	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	238.34	0.04514
2984	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	1840.56	0.34859
2985			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	3115.25	0.59001
2986	1000	Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	104.23	0.01974
2987			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1172.84	0.22213
2988			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	383.30	0.07259
2989			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	7981.69	1.51168
2991			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	74.37	0.01409
2992			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1961.13	0.37143
2993			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	127.80	0.02420
2994			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	4236.43	0.80235
2995			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	296.10	0.05608
2996	1145		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use		Complete	GPS Device	Yes	BLM	1165.39	0.22072
2997	1010A	West Willow Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	807.88	0.15301
2998			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	205.21	0.03887
2999			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3244.83	0.61455
3000			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	93.08	0.01763
3001	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	297.93	0.05643
3002			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	356.40	0.06750
3004			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	797.91	0.15112

3005			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	293.37	0.05556
3006			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	409.33	0.07752
3007	1013	Hunter Creek Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	337.88	0.06399
3008			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	431.42	0.08171
3009			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	280.50	0.05313
3010			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	400.59	0.07587
3011			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2579.21	0.48849
3012			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2140.41	0.40538
3013			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	331.73	0.06283
3014			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	351.93	0.06665
3015			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3187.89	0.60377
3016			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	105.71	0.02002
3017			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1941.81	0.36777
3018	1728		BLM Trail	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	3951.88	0.74846
3019	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	737.05	0.13959
3020			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1377.05	0.26081
3021			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	51.36	0.00973
3022			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	51.36	0.00973
3023			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	494.05	0.09357
3024			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	340.07	0.06441
3025			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1456.33	0.27582
3026			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	625.14	0.11840
3027	1102	Blair Mesa	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	2958.00	0.56023
3028			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Trail	Complete	GPS Device	Yes	BLM	1729.44	0.32755
3030	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3441.80	0.65186
3031			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	5111.13	0.96802
3032			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2107.03	0.39906
3033	1019A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	6446.45	1.22092
3034			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	362.88	0.06873
3035			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	819.18	0.15515

3037			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1318.93	0.24980
3038			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	983.17	0.18621
3039			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	712.72	0.13498
3041			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	3912.82	0.74106
3042			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	890.76	0.16871
3043			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1163.49	0.22036
3045	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	792.38	0.15007
3046			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	988.23	0.18717
3049			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4468.37	0.84628
3050			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2138.13	0.40495
3052			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4568.81	0.86531
3053	1010A	West Willow Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	3284.04	0.62198
3054			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3481.46	0.65937
3056			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	517.02	0.09792
3057			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	720.81	0.13652
3058			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1458.31	0.27620
3059			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	55.11	0.01044
3060			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	366.68	0.06945
3061			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	647.71	0.12267
3062	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	2010.11	0.38070
3063	1103		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	698.44	0.13228
3064			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4141.71	0.78442
3065			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1226.19	0.23223
3066			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1399.89	0.26513
3067			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	413.31	0.07828
3068			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	201.29	0.03812
3069	1145		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	636.35	0.12052
3070			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	202.93	0.03843
3071			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	112.28	0.02126
3072			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	972.90	0.18426

3073			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	94.67	0.01793
3074	1019A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	70.52	0.01336
3076			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	348.31	0.06597
3079			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	319.87	0.06058
3080			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	243.94	0.04620
3081	1013	Hunter Creek Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2882.26	0.54588
3082			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	990.32	0.18756
3084	1010	Bull Fork	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	8180.14	1.54927
3086			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	623.62	0.11811
3087			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2111.49	0.39990
3088			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	562.16	0.10647
3089			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	412.59	0.07814
3091			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5385.32	1.01995
3092			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	483.49	0.09157
3093			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	921.88	0.17460
3094			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	797.09	0.15096
3095			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	518.30	0.09816
3096	1103		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1163.70	0.22040
3097			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	195.47	0.03702
3098			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2198.59	0.41640
3099			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	57.94	0.01097
3100	1103		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	369.70	0.07002
3101	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1708.55	0.32359
3102	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	475.95	0.09014
3103			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	625.81	0.11852
3104			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4068.11	0.77048
3105			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	417.91	0.07915
3106			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	193.01	0.03656
3107	1145		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	401.62	0.07606
3108	1257		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	8681.06	1.64414
3109	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2245.17	0.42522
3110			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	504.65	0.09558

3111			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	618.63	0.11716
3112	1103		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	204.74	0.03878
3113	1103		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1217.61	0.23061
3114			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	811.99	0.15379
3115	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1323.91	0.25074
3116			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1499.92	0.28408
3117	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2723.26	0.51577
3118			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	352.55	0.06677
3119	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	850.64	0.16111
3120			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2051.50	0.38854
3121			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	872.12	0.16517
3122			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	839.72	0.15904
3123			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1180.51	0.22358
3124			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	567.73	0.10753
3125	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	277.46	0.05255
3126			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	471.11	0.08923
3127			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	974.59	0.18458
3128	1103		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	846.75	0.16037
3129			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	602.56	0.11412
3130			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	686.78	0.13007
3131			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	423.13	0.08014
3132			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	353.96	0.06704
3133	1103		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1564.18	0.29625
3134			Transportation Linear Disturbance	Natural		Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	145.59	0.02757
3135			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	251.26	0.04759
3136			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	395.97	0.07499
3138	1010	Bull Fork	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	590.62	0.11186
3139			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1503.54	0.28476
3140	1010A	West Willow Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	493.74	0.09351
3141			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	549.30	0.10403
3143	1718		BLM Road	Gravel	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1868.72	0.35392
3144	1726		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	7001.61	1.32606
3145			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	606.37	0.11484

3146			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3317.95	0.62840
3147	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3254.23	0.61633
3148			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	650.28	0.12316
3149			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	108.61	0.02057
3150			Transportation Linear Disturbance	Natural		Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	112.28	0.02127
3151	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	131.26	0.02486
3152			Transportation Linear Disturbance	Paved	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2665.86	0.50490
3153			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	736.66	0.13952
3154			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1792.52	0.33949
3155			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	316.28	0.05990
3156			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	404.32	0.07658
3157			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	834.62	0.15807
3158			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	620.37	0.11749
3159			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	636.77	0.12060
3160			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	7497.28	1.41994
3161			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	1504.59	0.28496
3162			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	300.56	0.05692
3164			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3512.34	0.66522
3166			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	670.59	0.12701
3167	1103		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	2559.11	0.48468
3168	1010	Bull Fork	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	245.87	0.04657
3170			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	744.74	0.14105
3171			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	520.61	0.09860
3172	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	7300.89	1.38274
3173	1010	Bull Fork	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	501.16	0.09492
3174			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	571.65	0.10827
3175			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1139.63	0.21584
3176	1010	Bull Fork	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	144.28	0.02733
3177			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	185.21	0.03508
3178			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1089.07	0.20626
3179			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	658.65	0.12474

3180			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	186.09	0.03524
3181			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	6178.93	1.17025
3182			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2739.36	0.51882
3183			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	588.00	0.11136
3184			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	191.00	0.03618
3186			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	860.98	0.16306
3187			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	253.51	0.04801
3188			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1708.80	0.32364
3189			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	203.48	0.03854
3190			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	941.39	0.17829
3191	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2314.35	0.43832
3192			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1645.88	0.31172
3193			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	7575.25	1.43471
3194			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1515.43	0.28701
3195			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4245.69	0.80411
3196			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	120.95	0.02291
3197			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1416.77	0.26833
3198			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)		Primitive Road	Complete	GPS Device	Yes	BLM	193.35	0.03662
3199	1010	Bull Fork	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	677.97	0.12840
3200			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2236.28	0.42354
3201	1103		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	764.68	0.14483
3202			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	449.32	0.08510
3203			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	159.43	0.03020
3204			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	45.84	0.00868
3205			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	2168.25	0.41065
3206			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)		Primitive Road	Complete	GPS Device	Yes	CPW	248.46	0.04706
3207			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1235.86	0.23406
3208			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	560.14	0.10609
3209	1718		BLM Road	Gravel	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2504.15	0.47427
3210			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	139.19	0.02636

3211	1150A		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	190.55	0.03609
3212			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1052.78	0.19939
3213			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	176.40	0.03341
3214			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	698.57	0.13231
3215			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1258.98	0.23844
3216			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	266.42	0.05046
3217	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	134.01	0.02538
3218			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	Stock	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	667.63	0.12645
3219			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1815.57	0.34386
3220			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	8112.27	1.53641
3221			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	75.61	0.01432
3222			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)		Primitive Road	Complete	GPS Device	Yes	BLM	702.52	0.13305
3223			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)		Primitive Road	Complete	GPS Device	Yes	CPW	50.42	0.00955
3224			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5131.33	0.97184
3225			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)		Primitive Road	Complete	GPS Device	Yes	CPW	622.06	0.11781
3226			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	4544.40	0.86068
3228			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1556.29	0.29475
3229			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2285.57	0.43287
3230			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)		Primitive Road	Complete	GPS Device	Yes	BLM	374.24	0.07088
3231			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	8626.24	1.63376
3232			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	302.37	0.05727
3233			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	246.46	0.04668
3235			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3998.10	0.75721
3236			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	552.15	0.10457
3237			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	653.43	0.12376
3238			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3299.64	0.62493
3239			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1992.75	0.37741
3240			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	225.86	0.04278
3241			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	127.41	0.02413

3243			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	1746.68	0.33081
3244			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	371.35	0.07033
3245			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	790.37	0.14969
3246			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	362.13	0.06858
3247			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1553.09	0.29415
3248			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	663.49	0.12566
3249			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	302.04	0.05721
3250			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1616.20	0.30610
3251			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2563.99	0.48560
3252			Transportation Linear Disturbance	Natural	ATV < 50 Inches	Mechanical	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2113.07	0.40020
3253			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5148.69	0.97513
3254			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	283.23	0.05364
3255	1150A		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1239.05	0.23467
3258	1103		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	3388.77	0.64181
3259			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	152.24	0.02883
3260	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	5208.10	0.98638
3261			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	834.05	0.15796
3262			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1025.11	0.19415
3263			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	176.41	0.03341
3266			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	179.53	0.03400
3267			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	786.40	0.14894
3268			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Trail	Complete	GPS Device	Yes	BLM	68.44	0.01296
3269	1013	Hunter Creek Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	4932.50	0.93419
3270			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Trail	Complete	Digitized	Yes	BLM	2197.75	0.41624
3271			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd		Primitive Road	Complete	GPS Device	Yes	BLM	408.85	0.07743
3272			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	191.32	0.03623
3273			Transportation Linear Disturbance	Paved	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	191.80	0.03633
3274			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	8076.14	1.52957
3275			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	807.23	0.15288
3276	1010	Bull Fork	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	4299.88	0.81437

3277			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	362.61	0.06868
3278			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5920.18	1.12125
3280			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	132.84	0.02516
3281			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2858.53	0.54139
3282			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	661.93	0.12537
3283			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd		Primitive Road	Complete	GPS Device	Yes	BLM	228.19	0.04322
3284			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	966.74	0.18310
3286			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	963.10	0.18241
3288			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	132.71	0.02513
3289			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Motorcycle	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1637.96	0.31022
3290			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1555.73	0.29465
3291	1010	Bull Fork	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	507.52	0.09612
3292			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1056.14	0.20003
3293			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2389.39	0.45254
3294	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1228.85	0.23274
3295			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	795.94	0.15075
3298			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	917.06	0.17369
3299	1010	Bull Fork	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	5886.15	1.11480
3301			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2834.47	0.53683
3302	1755		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	2515.10	0.47634
3303			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	228.40	0.04326
3304			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1125.73	0.21321
3305			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1049.83	0.19883
3306			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	996.18	0.18867
3307			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2898.94	0.54904
3308			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2146.98	0.40662
3309	1509	Crooked Wash	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	4392.43	0.83190
3310	1010	Willow Creek *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	465.54	0.08817
3311			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	CPW	1282.52	0.24290
3312			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2326.12	0.44055

3313			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4755.02	0.90057
3314			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3103.01	0.58769
3315			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	116.54	0.02207
3316			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	241.31	0.04570
3317			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	616.88	0.11683
3318			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3348.68	0.63422
3319			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1046.40	0.19818
3320			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	503.23	0.09531
3321			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3020.40	0.57205
3322			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	713.47	0.13513
3323	1718		BLM Road	Gravel	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	4526.55	0.85730
3324	1013	Hunter Creek Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	518.32	0.09817
3325	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	493.69	0.09350
3326			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	51.44	0.00974
3327			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	326.20	0.06178
3328			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	85.21	0.01614
3329			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	275.85	0.05224
3330			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4467.47	0.84611
3331			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	313.34	0.05935
3332	1150A		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2830.92	0.53616
3333			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2557.19	0.48432
3334	1755		BLM Trail	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	4205.54	0.79650
3335			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	941.02	0.17822
3336			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1896.31	0.35915
3337			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	686.52	0.13002
3338	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	303.81	0.05754
3339			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	85.26	0.01615
3340			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	128.07	0.02426
3341			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	595.73	0.11283
3342	1013	Hunter Creek Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	402.49	0.07623
3343			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	580.07	0.10986

3344			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6086.69	1.15278
3345			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	1735.30	0.32866
3346			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1301.53	0.24650
3347			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	624.21	0.11822
3348			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	864.57	0.16374
3349	1755		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	1963.80	0.37193
3350			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	285.71	0.05411
3351			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	566.14	0.10722
3352			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4958.93	0.93919
3353	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	616.24	0.11671
3354			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	587.78	0.11132
3355	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1353.26	0.25630
3356			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3575.79	0.67723
3357			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	1650.12	0.31252
3359	1013	Hunter Creek Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1002.89	0.18994
3360			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2381.65	0.45107
3361			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4127.99	0.78182
3362			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3348.23	0.63413
3363			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	338.42	0.06410
3364			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	1618.02	0.30644
3365			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	60.34	0.01143
3366			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	268.84	0.05092
3367			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	475.05	0.08997
3368			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	100.79	0.01909
3369			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	45.01	0.00852
3370			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	154.73	0.02930
3371			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	63.55	0.01204
3374			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	157.29	0.02979
3375			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	694.48	0.13153
3376	1015	Big Jimmy Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	788.40	0.14932

3377	1718		BLM Road	Gravel	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1016.86	0.19259
3379	1511		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	7752.23	1.46823
3380			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	201.13	0.03809
3381			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	219.97	0.04166
3382			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1088.81	0.20621
3383			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	250.38	0.04742
3384	1258		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	680.04	0.12880
3385	1511		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	5879.18	1.11348
3386	1150		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	12196.89	2.31002
3387			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	216.84	0.04107
3388			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	486.25	0.09209
3390	1013	Hunter Creek Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1527.03	0.28921
3391	1257		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	4235.18	0.80212
3392			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3468.21	0.65686
3394			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	752.64	0.14254
3395			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV		Trail	Complete	GPS Device	Yes	CPW	300.88	0.05698
3396			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1489.60	0.28212
3397			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	1914.14	0.36253
3398			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	241.22	0.04569
3399			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1342.05	0.25418
3400			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	841.65	0.15940
3401	1755		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	5311.52	1.00597
3402			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	891.45	0.16884
3403			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2296.94	0.43503
3404			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3796.16	0.71897
3405			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	64.38	0.01219
3406			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	878.58	0.16640
3407	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	1390.81	0.26341
3408			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	510.05	0.09660
3409			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2374.10	0.44964
3410			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Motorcycle	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1297.19	0.24568
3411	1010C		BLM Trail	Natural	ATV < 50 inches	Mechanical	ATV	Light Use		Complete	GPS Device	Yes	BLM	3177.89	0.60187

3412	1718		BLM Road	Gravel	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	659.62	0.12493
3413			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2338.30	0.44286
3414			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	508.98	0.09640
3416			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	338.36	0.06408
3417	1013	Hunter Creek Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	61.44	0.01164
3418	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	7273.20	1.37750
3419			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	389.22	0.07372
3420	1015	Big Jimmy Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1659.68	0.31433
3421			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2026.32	0.38377
3422	1150A		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1037.52	0.19650
3423			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	824.24	0.15611
3424			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1599.23	0.30288
3425			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	456.51	0.08646
3427			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	CPW	83.33	0.01578
3428			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	143.19	0.02712
3429			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	984.29	0.18642
3430			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	439.07	0.08316
3431	1257		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	607.44	0.11505
3432			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4360.48	0.82585
3433			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1816.47	0.34403
3434			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1017.34	0.19268
3435			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	891.59	0.16886
3436	1013	Hunter Creek Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	832.18	0.15761
3437			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	517.52	0.09802
3438	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3704.98	0.70170
3439			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	8862.46	1.67850
3440			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	567.81	0.10754
3442	1718		BLM Road	Gravel	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	966.60	0.18307
3443			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3223.43	0.61050
3444			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	235.23	0.04455
3445	1258		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1828.86	0.34637
3446			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	723.42	0.13701

3447			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	219.27	0.04153
3448	1257		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	406.52	0.07699
3449			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	509.76	0.09654
3450			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	13744.83	2.60319
3451			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	712.76	0.13499
3453		BLM 1015 Loop Road	Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	184.95	0.03503
3454			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	140.74	0.02666
3455			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1163.02	0.22027
3456			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	661.40	0.12527
3457			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	187.26	0.03547
3458			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	128.12	0.02426
3459	1755		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	110.64	0.02095
3460			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	6350.31	1.20271
3461	1173		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	581.72	0.11017
3462			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	421.96	0.07992
3463	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	989.67	0.18744
3464			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2625.79	0.49731
3465			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	92.45	0.01751
3466			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2911.29	0.55138
3467			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	CPW	155.87	0.02952
3468			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	515.93	0.09771
3469			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	CPW	1163.21	0.22030
3470	1755		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	134.35	0.02544
3471	1265	McKee Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	1707.37	0.32336
3472			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	52.30	0.00991
3473			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	861.74	0.16321
3474			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	506.78	0.09598
3475			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	59.42	0.01125
3476			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1048.29	0.19854
3477			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	66.81	0.01265

3478			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	1918.06	0.36327
3479	1726		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	9926.90	1.88010
3480	1257		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	658.66	0.12475
3481			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	944.09	0.17881
3482			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	911.52	0.17264
3484			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	748.68	0.14179
3485	1011A	East Hunter Creek Road	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1771.39	0.33549
3486		BLM 1015 Loop Road	Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1840.13	0.34851
3487			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	CPW	765.20	0.14492
3488	1009		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	5181.38	0.98132
3489			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	331.98	0.06287
3490	1150A		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1591.63	0.30145
3491			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	237.20	0.04493
3492	1015	Big Jimmy Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1508.56	0.28571
3493			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	559.08	0.10589
3495			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	785.63	0.14879
3496			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	5629.25	1.06615
3497			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1301.63	0.24652
3498			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	674.85	0.12781
3499	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1528.34	0.28946
3500			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	500.51	0.09479
3501			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	425.20	0.08053
3502			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	64.52	0.01222
3503	1257		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	717.03	0.13580
3504	1266		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1212.76	0.22969
3505			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	282.59	0.05352
3506			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3222.82	0.61038
3507	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1159.16	0.21954
3508			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3992.19	0.75610
3509	1258		BLM Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1097.75	0.20791
3510	1258		BLM Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2838.50	0.53759
3511			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	190.53	0.03609
3512			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2940.90	0.55699

3513	1015	Big Jimmy Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1215.76	0.23026
3514	1015	Big Jimmy Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	185.15	0.03507
3515			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	263.57	0.04992
3516			Transportation Linear Disturbance	Gravel	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	281.10	0.05324
3517	1726		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	773.31	0.14646
3518			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1479.72	0.28025
3520			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	181.60	0.03439
3521			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1357.34	0.25707
3522			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1691.29	0.32032
3523			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2271.54	0.43022
3524			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1767.58	0.33477
3526	1015	Big Jimmy Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1775.18	0.33621
3527			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1036.40	0.19629
3528			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	10833.94	2.05188
3529			Transportation Linear Disturbance	Gravel	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	224.77	0.04257
3530			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	CPW	1611.94	0.30529
3532	1718		BLM Road	Gravel	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	3920.69	0.74255
3533			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1079.07	0.20437
3534	1015	Big Jimmy Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1369.35	0.25935
3535	1258		BLM Road	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	2129.82	0.40338
3536	1150A		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1457.86	0.27611
3537	1015	Big Jimmy Cut	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	717.92	0.13597
3538			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	3296.00	0.62424
3539			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2255.78	0.42723
3540	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	426.66	0.08081
3542			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	816.36	0.15461
3543			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4748.01	0.89924
3544			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	946.43	0.17925
3545	1009		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1356.17	0.25685
3546			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	362.97	0.06874
3547			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1208.75	0.22893
3548	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	124.68	0.02361
3549	1511		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1311.28	0.24835
3550	1717		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	5645.66	1.06925

3551	1258		BLM Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1877.39	0.35557
3552	1009		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	951.60	0.18023
3553	1009		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	143.97	0.02727
3554			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	579.10	0.10968
3555			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	10203.64	1.93251
3556			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	279.38	0.05291
3558	1266		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	4344.95	0.82291
3559			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	135.06	0.02558
3560			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	270.22	0.05118
3561			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	373.96	0.07083
3563			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	4186.54	0.79291
3564			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	4172.73	0.79029
3565			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2934.93	0.55586
3566	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1299.83	0.24618
3567			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	347.99	0.06591
3568			Transportation Linear Disturbance	Natural	ATV < 50 inches	Mechanical	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5127.69	0.97115
3570			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	CPW	23.23	0.00440
3571			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	603.11	0.11423
3572			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	446.35	0.08454
3573	1009		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3890.05	0.73675
3574			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	941.29	0.17828
3575			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	925.83	0.17535
3576			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	83.57	0.01583
3578			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	56.78	0.01075
3579			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	5127.12	0.97105
3580	1258		BLM Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical			Complete	GPS Device	Yes	BLM	5105.39	0.96693
3581	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	788.51	0.14934
3582			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2141.64	0.40561
3583	1150		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	2143.90	0.40604
3584			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2003.85	0.37952
3585	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	475.60	0.09008
3586	1173		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	11081.57	2.09878

3587			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1479.63	0.28023
3588			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	599.00	0.11345
3589	1755		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	5941.05	1.12520
3590			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2390.05	0.45266
3591			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	604.43	0.11448
3592			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	86.68	0.01642
3593	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	5262.46	0.99668
3594			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4155.67	0.78706
3595	1172		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	4091.31	0.77487
3596			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1616.39	0.30613
3597			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2371.35	0.44912
3598			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1353.75	0.25639
3599			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	2326.13	0.44056
3600			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1991.14	0.37711
3601			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2659.09	0.50362
3602			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	182.73	0.03461
3603			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	755.83	0.14315
3605			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3390.12	0.64207
3606			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	228.22	0.04322
3607			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2656.58	0.50314
3608			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	103.56	0.01961
3609			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	668.08	0.12653
3610	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1534.81	0.29068
3611			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	224.93	0.04260
3612			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	555.04	0.10512
3613	1010	Willow Creek *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	612.50	0.11600
3614			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	822.51	0.15578
3615	1009		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1657.01	0.31383
3616			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	2270.39	0.43000
3617			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2075.31	0.39305
3618	1150A		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2924.22	0.55383

3619			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	5539.89	1.04922
3620	1265	McKee Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	6285.98	1.19053
3621			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2237.05	0.42368
3622			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3287.81	0.62269
3623			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6315.60	1.19614
3624			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	642.17	0.12162
3625	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	4490.14	0.85040
3626			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	97.07	0.01839
3627			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	355.15	0.06726
3628			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2766.14	0.52389
3629			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	167.80	0.03178
3630			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	129.44	0.02451
3632			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4542.94	0.86041
3633			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	72.41	0.01371
3634	1009		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	474.34	0.08984
3635			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	151.98	0.02878
3636			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	118.72	0.02248
3637			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	2782.09	0.52691
3638			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	475.53	0.09006
3639			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	168.60	0.03193
3640			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	319.29	0.06047
3641			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1338.54	0.25351
3643			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	CPW	205.72	0.03896
3644			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	316.92	0.06002
3645			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	CPW	313.18	0.05931
3646			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2861.75	0.54200
3647			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2185.08	0.41384
3648	1179		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	6858.21	1.29890
3650			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1908.09	0.36138
3651			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	1313.98	0.24886

3652			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	CPW	602.62	0.11413
3653			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1097.28	0.20782
3654			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	280.29	0.05308
3655	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3372.94	0.63881
3657			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	719.97	0.13636
3658			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	1604.21	0.30383
3659			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2677.85	0.50717
3660			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	351.69	0.06661
3661			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical			Complete	GPS Device	Yes	CPW	9588.59	1.81602
3662			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2010.38	0.38075
3663			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3041.76	0.57609
3664			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1035.75	0.19616
3665			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	214.93	0.04071
3666			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1191.47	0.22566
3667	1172		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1542.74	0.29218
3668	1266		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	2954.54	0.55957
3669	1010	Willow Creek *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	1454.46	0.27547
3670			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	814.67	0.15429
3671			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	382.41	0.07243
3672			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	757.58	0.14348
3673	1258		BLM Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical			Complete	GPS Device	Yes	BLM	1992.84	0.37743
3676			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1239.94	0.23484
3677			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	2301.96	0.43598
3678	1179		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1067.33	0.20215
3679			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	47.85	0.00906
3680			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	47.30	0.00896
3681			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	52.34	0.00991
3682			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1180.21	0.22352
3683			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	13127.30	2.48623
3684			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	556.76	0.10545

3685			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	443.18	0.08394
3686			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2160.93	0.40927
3687			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	254.37	0.04818
3688			Transportation Linear Disturbance							Complete	Digitized	Yes	CPW	768.80	0.14561
3689			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	287.02	0.05436
3690			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	741.63	0.14046
3692	1011	Big Jimmy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	670.63	0.12701
3693	1009		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	10721.21	2.03053
3694			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	766.44	0.14516
3695			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	510.73	0.09673
3696			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	345.04	0.06535
3697			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1252.27	0.23717
3699			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1122.09	0.21252
3700			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4784.48	0.90615
3701			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	19687.36	3.72867
3703			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	981.74	0.18594
3705			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	388.41	0.07356
3706			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	116.65	0.02209
3707		Private	Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	138.38	0.02621
3708			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	5245.86	0.99353
3709			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	79.26	0.01501
3710			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	709.79	0.13443
3711			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	573.63	0.10864
3714			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1898.91	0.35964
3715			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	272.86	0.05168
3716			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	477.90	0.09051
3717	1755		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1873.71	0.35487
3718			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	497.18	0.09416
3720	1150		BLM Primitive Road						Primitive Road	Complete	Digitized	Yes	BLM	1639.56	0.31052
3721			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	8373.21	1.58583

3722			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	943.59	0.17871
3723			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	341.89	0.06475
3724			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	331.50	0.06278
3725			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	6115.11	1.15817
3726			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	218.70	0.04142
3727			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2917.34	0.55253
3728			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	814.86	0.15433
3729			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	638.92	0.12101
3730			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	117.72	0.02230
3732			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1973.73	0.37381
3733			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2671.21	0.50591
3734			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3834.80	0.72629
3736	1179		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1398.42	0.26485
3739			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	223.15	0.04226
3740			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4433.77	0.83973
3742	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	1567.75	0.29692
3743			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1331.37	0.25215
3744	1266		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1636.96	0.31003
3747	1010	Willow Creek *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	1065.04	0.20171
3748			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	216.67	0.04104
3749	1265		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	435.96	0.08257
3750	1265	McKee Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	420.51	0.07964
3751			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1398.08	0.26479
3752			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	693.12	0.13127
3753			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	700.74	0.13272
3754			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	638.31	0.12089
3755			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1182.73	0.22400
3757	1717		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	10573.12	2.00248
3758	1755		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	5692.69	1.07816
3759			Transportation Linear Disturbance	Natural	2 Track >50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	Digitized	No	BLM	1587.64	0.30069
3760			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	471.94	0.08938

3761			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1131.66	0.21433
3762			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1200.20	0.22731
3763			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1243.46	0.23550
3766			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	788.98	0.14943
3767			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2024.52	0.38343
3768			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	320.37	0.06068
3769			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	936.55	0.17738
3770			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3135.82	0.59390
3771	1266		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1308.50	0.24782
3772			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4228.32	0.80082
3775			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	595.88	0.11286
3776			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	887.08	0.16801
3777			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1881.03	0.35625
3779			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2934.23	0.55573
3780			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2572.06	0.48713
3781			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2780.52	0.52661
3783			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	244.17	0.04624
3784			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	361.37	0.06844
3785			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	618.28	0.11710
3786	1265	McKee Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	2965.35	0.56162
3787			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1204.58	0.22814
3788	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	962.52	0.18230
3789			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	911.96	0.17272
3790			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1452.22	0.27504
3791			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2840.09	0.53790
3792			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2696.40	0.51068
3793			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	1913.89	0.36248
3794			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	327.89	0.06210
3795			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1938.17	0.36708

3798			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2751.65	0.52115
3799	1266		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1334.31	0.25271
3801			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1099.25	0.20819
3802			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	35.23	0.00667
3803	1078		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	223.89	0.04240
3804			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1068.86	0.20243
3805	1010	Willow Creek *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	737.19	0.13962
3806			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	881.45	0.16694
3807			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4082.76	0.77325
3808			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	160.05	0.03031
3809			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1739.48	0.32945
3810			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3845.92	0.72839
3811			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2608.45	0.49402
3812			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2746.88	0.52024
3813			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	202.47	0.03835
3814			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1304.62	0.24709
3815			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	11740.16	2.22351
3816	1009	Willow Creek *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	283.04	0.05361
3817	1266		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	614.03	0.11629
3818			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1195.86	0.22649
3820			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1196.84	0.22667
3821			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	205.79	0.03898
3822			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	48.23	0.00913
3823	1266		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use		Complete	GPS Device	Yes	BLM	163.71	0.03101
3824			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	12349.16	2.33886
3826			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	577.98	0.10947
3827			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	204.94	0.03881
3828			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	516.98	0.09791
3829			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	403.12	0.07635
3830			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	539.38	0.10216

3831			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	723.21	0.13697
3833			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2446.62	0.46338
3835			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3698.64	0.70050
3836			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	9415.06	1.78316
3837			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	281.89	0.05339
3838	1266		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1938.97	0.36723
3839			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	871.09	0.16498
3840			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	Motorcycle	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1156.88	0.21911
3841	1009	Willow Creek *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	144.40	0.02735
3842	1755		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	363.85	0.06891
3843			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	421.16	0.07976
3844	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	2258.57	0.42776
3844	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	402.44	0.07622
3845			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	264.42	0.05008
3846			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	309.02	0.05853
3847			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	171.96	0.03257
3848			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5489.18	1.03962
3849	1265	McKee Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	1785.45	0.33815
3851	1009		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	3831.11	0.72559
3852	1008B		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2815.65	0.53327
3854			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6536.40	1.23795
3855			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	403.93	0.07650
3856			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2028.69	0.38422
3857			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4844.01	0.91743
3858	1755		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	424.10	0.08032
3859			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1428.62	0.27057
3860			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1276.40	0.24174
3861			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1744.83	0.33046
3862			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1068.39	0.20235
3863			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1131.58	0.21432
3864	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2699.70	0.51131
3867			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	500.09	0.09471

3868			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1034.23	0.19588
3869	1266		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	1763.67	0.33403
3870			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1331.95	0.25226
3871			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2072.92	0.39260
3872			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1758.94	0.33313
3873	1755		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	559.42	0.10595
3874			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1578.94	0.29904
3875			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	576.67	0.10922
3876			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	995.02	0.18845
3877	1755		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2623.15	0.49681
3878			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1499.35	0.28397
3879			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2186.21	0.41405
3880	1755		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	368.24	0.06974
3881			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2301.30	0.43585
3882	1009		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	Digitized	No	BLM	233.42	0.04421
3883			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	2001.98	0.37916
3884	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	4726.26	0.89512
3885			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	202.45	0.03834
3887			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2160.16	0.40912
3888	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	577.37	0.10935
3889			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	338.21	0.06406
3890	1755		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	91.39	0.01731
3891			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	CPW	1503.52	0.28476
3892			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Motorcycle	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	791.23	0.14985
3893	1009	Willow Creek *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	786.89	0.14903
3894			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Motorcycle	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	401.10	0.07597
3895			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1003.55	0.19007
3897			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2976.61	0.56375
3898			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1679.95	0.31817
3900			Transportation Linear Disturbance	Gravel	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3669.16	0.69492
3901	1755		BLM Road	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1021.48	0.19346
3902	1265	McKee Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	2699.43	0.51125
3903	1009		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	3194.16	0.60495

3904			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2364.58	0.44784
3905	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	1493.26	0.28282
3906			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	777.82	0.14731
3907	1266		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	3382.06	0.64054
3908	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1325.82	0.25110
3909			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1141.97	0.21628
3910	1009		Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Technical	Heavy Use	Primitive Road	Verify	GPS Device	Yes	BLM	286.28	0.05422
3911			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	148.17	0.02806
3912	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1689.96	0.32007
3913			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2657.33	0.50328
3914			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	803.19	0.15212
3915			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1490.24	0.28224
3916	1009		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	47.05	0.00891
3917	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1081.27	0.20479
3918			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1942.68	0.36793
3919			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	441.36	0.08359
3920			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Motorcycle	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	939.26	0.17789
3921	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2003.82	0.37951
3922			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	575.54	0.10900
3923			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	93.41	0.01769
3924			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	5718.72	1.08309
3925			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	209.51	0.03968
3927			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6001.44	1.13664
3928	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	154.71	0.02930
3929			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2089.32	0.39570
3930			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1777.84	0.33671
3931			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1280.99	0.24261
3932	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2817.14	0.53355
3933			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4040.10	0.76517
3934			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1325.47	0.25104
3935			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3708.96	0.70246
3936	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	1246.02	0.23599

3937			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	834.17	0.15799
3938			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	233.23	0.04417
3940			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1793.75	0.33973
3941			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	289.84	0.05489
3942			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	291.23	0.05516
3943			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	1885.50	0.35710
3944			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Motorcycle	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	590.61	0.11186
3945			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1076.46	0.20388
3946			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	467.64	0.08857
3947			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	643.66	0.12191
3948			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1977.95	0.37461
3949			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	112.80	0.02136
3950			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3059.57	0.57946
3951			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	293.34	0.05556
3952			Transportation Linear Disturbance				ATV	Light Use		Complete	GPS Device	Yes	CPW	1563.51	0.29612
3953			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	708.32	0.13415
3954	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	764.24	0.14474
3955			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	893.43	0.16921
3956			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	222.17	0.04208
3957			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	809.93	0.15340
3958			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	385.44	0.07300
3959			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1142.93	0.21646
3960			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	5975.14	1.13165
3961			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6824.94	1.29260
3962			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	377.48	0.07149
3963	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	334.35	0.06332
3964			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1622.90	0.30737
3966			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2392.45	0.45312
3967			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	217.32	0.04116

3968			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2114.07	0.40039
3970			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1505.49	0.28513
3971			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	76.52	0.01449
3972			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	363.25	0.06880
3973	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2146.71	0.40657
3974			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	290.90	0.05509
3975			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1785.44	0.33815
3976	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	427.73	0.08101
3977	1266		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1455.19	0.27561
3978			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Non-existent	Primitive Road	Complete	GPS Device	Yes	BLM	1108.92	0.21002
3979			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	7051.75	1.33556
3980			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	609.20	0.11538
3981			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	807.38	0.15291
3982			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	346.18	0.06556
3983			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	438.58	0.08306
3984			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	72.61	0.01375
3985			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5020.62	0.95088
3986			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	1106.27	0.20952
3987			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	696.69	0.13195
3988			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	370.55	0.07018
3989	1175	P L Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	9338.87	1.76873
3990			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	425.35	0.08056
3991			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4314.19	0.81708
3992			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	832.18	0.15761
3993			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	856.87	0.16229
3994			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1081.76	0.20488
3995			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5124.30	0.97051
3996			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	235.42	0.04459
3997			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	523.99	0.09924
3998			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	133.46	0.02528

3999			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1706.10	0.32313
4000	1009		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	20368.17	3.85761
4001	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	1379.15	0.26120
4002			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1463.19	0.27712
4003			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	852.03	0.16137
4004			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	500.67	0.09482
4005			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4642.80	0.87932
4006			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1184.45	0.22433
4007			Transportation Linear Disturbance	Natural		Repeated Use	4wd-Touring (Low)	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	2530.16	0.47920
4008			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	1183.57	0.22416
4009			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3305.22	0.62599
4010			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1885.72	0.35714
4012			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4973.04	0.94186
4013			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1712.58	0.32435
4014	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	725.77	0.13746
4015			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1480.25	0.28035
4016			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1418.21	0.26860
4018			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	10059.36	1.90518
4019	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	350.65	0.06641
4020	1008		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	186.82	0.03538
4022			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	362.91	0.06873
4023			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2370.51	0.44896
4024	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	345.12	0.06536
4025			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	593.61	0.11243
4026			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	221.19	0.04189
4027			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	180.24	0.03414
4028			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Non-existent	Primitive Road	Complete	GPS Device	Yes	BLM	567.38	0.10746
4029			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1024.99	0.19413
4030	1078		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	17973.76	3.40412
4031	1008		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	575.80	0.10905
4032			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1843.27	0.34910
4033	1179		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	7092.79	1.34333

4034			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1446.49	0.27396
4035			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	842.25	0.15952
4036			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	263.51	0.04991
4037			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1354.52	0.25654
4037			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	283.74	0.05374
4038			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	4576.55	0.86677
4039			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	16775.84	3.17724
4040	1008		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2818.68	0.53384
4041			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	128.06	0.02425
4042			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	414.49	0.07850
4043			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	301.82	0.05716
4044	1515	Colorow	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	227.76	0.04314
4045	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	757.66	0.14350
4046	1175	P L Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2600.91	0.49260
4047			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	622.90	0.11797
4048			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1495.04	0.28315
4049	1175	P L Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	311.36	0.05897
4050			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	317.53	0.06014
4051	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1984.33	0.37582
4052			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3162.13	0.59889
4053			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	331.01	0.06269
4054			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4968.71	0.94104
4055			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1295.69	0.24540
4056	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	631.91	0.11968
4057			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	589.08	0.11157
4058	1175	P L Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	641.29	0.12146
4059			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	303.59	0.05750
4060			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1874.50	0.35502
4061	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1699.92	0.32195
4062	1174		BLM Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	44.49	0.00843
4063			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1752.66	0.33194
4064			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1126.73	0.21340

4065			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	382.56	0.07245
4068			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2633.98	0.49886
4069			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	378.14	0.07162
4070	1266		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3580.60	0.67814
4072			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2896.78	0.54863
4073			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1809.09	0.34263
4074			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1185.53	0.22453
4075			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	735.06	0.13922
4076			Transportation Linear Disturbance						Primitive Road	Complete	GPS Device	Yes	BLM	51.93	0.00983
4077	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	11270.24	2.13452
4078	1008A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1091.31	0.20669
4080	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	462.46	0.08759
4081			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	670.16	0.12692
4082	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	364.74	0.06908
4083			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3032.07	0.57425
4084			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1164.03	0.22046
4085			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	256.99	0.04867
4086			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	83.45	0.01580
4088			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	480.30	0.09097
4089			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2696.72	0.51074
4090			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	507.61	0.09614
4091			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	2070.89	0.39221
4092			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	351.56	0.06658
4093			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1098.77	0.20810
4094			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2407.60	0.45599
4095			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	579.13	0.10968
4096			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1921.48	0.36392
4097			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	338.26	0.06407
4098			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Non-existent	Primitive Road	Complete	GPS Device	Yes	BLM	678.31	0.12847
4099	1175	P L Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3027.52	0.57339

4100			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	470.51	0.08911
4101			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	448.04	0.08486
4102			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	311.81	0.05905
4103			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	260.10	0.04926
4104			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1200.72	0.22741
4105	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	137.52	0.02605
4106	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1348.10	0.25532
4107			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	159.56	0.03022
4108	1000		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1643.38	0.31125
4109			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	637.07	0.12066
4110			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Non-existent	Primitive Road	Complete	GPS Device	Yes	BLM	182.08	0.03449
4111			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Non-existent	Primitive Road	Complete	GPS Device	Yes	BLM	128.33	0.02430
4112			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	486.50	0.09214
4113			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2088.04	0.39546
4114			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	7422.78	1.40583
4115			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1242.40	0.23530
4116			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	568.64	0.10770
4117	1727		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	5949.96	1.12689
4118			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	297.92	0.05642
4119			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	672.27	0.12732
4120	1000	Divide Road	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	No	BLM	431.37	0.08170
4121			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2603.28	0.49305
4122			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1900.29	0.35990
4124			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	4840.76	0.91681
4125			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1749.12	0.33127
4126	1515	Colorow	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	2438.63	0.46186
4127	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1349.84	0.25565
4128			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	52.76	0.00999
4129			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	217.32	0.04116
4130	1154		BLM Trail				ATV	Light Use		Complete	GPS Device	Yes	BLM	8117.73	1.53745
4131			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2784.44	0.52736

4132			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	107.80	0.02042
4133			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	130.16	0.02465
4134			Transportation Linear Disturbance						Primitive Road	Complete	GPS Device	Yes	County	2936.87	0.55623
4135			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4909.52	0.92983
4136			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1764.65	0.33421
4137			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	174.15	0.03298
4138			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	7008.18	1.32731
4139	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2293.53	0.43438
4140			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	313.72	0.05942
4141			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	67.97	0.01287
4142	1266		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3622.59	0.68610
4143			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	2318.48	0.43911
4144			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	103.71	0.01964
4145			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	688.85	0.13046
4146			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	307.21	0.05818
4147			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	122.72	0.02324
4148			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	87.52	0.01658
4149	1515	Colorow	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	1938.77	0.36719
4150			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	628.96	0.11912
4151			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1848.60	0.35011
4152			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1659.08	0.31422
4153	1000	Divide Road	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	No	BLM	1025.53	0.19423
4154	1515	Colorow	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	1014.47	0.19213
4155			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2802.12	0.53070
4156			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	5359.27	1.01501
4157			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	53.41	0.01012
4158			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	358.16	0.06783
4159	1008A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3496.54	0.66222
4160			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	7530.56	1.42624
4161			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1954.72	0.37021

4162			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	1133.50	0.21468
4163			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1061.12	0.20097
4164			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1573.94	0.29809
4165	1266		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1981.35	0.37526
4166			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3882.21	0.73527
4167			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	2336.14	0.44245
4168			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5351.65	1.01357
4169			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	198.14	0.03753
4170	1266		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	335.11	0.06347
4171	1266		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	77.77	0.01473
4172	1179		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	7324.51	1.38722
4173	1176		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	6925.02	1.31156
4175			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	574.74	0.10885
4176			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2876.24	0.54474
4177	1000	Divide Road	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	No	BLM	562.52	0.10654
4178			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	99.32	0.01881
4179			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1230.35	0.23302
4181			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	638.50	0.12093
4182			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	649.00	0.12292
4183			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	157.44	0.02982
4184			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	County	205.32	0.03889
4185			Transportation Linear Disturbance						Primitive Road	Complete	GPS Device	Yes	BLM	48.70	0.00922
4186			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	768.16	0.14548
4187			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	472.04	0.08940
4189			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	337.14	0.06385
4190	1515	Colorow	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	1612.88	0.30547
4191	1156		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	6254.10	1.18449
4192			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	132.22	0.02504
4193			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	418.96	0.07935
4194			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	131.40	0.02489
4195	1008B		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1334.94	0.25283
4198	1000	Divide Road	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	No	BLM	707.91	0.13407

4199			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	117.44	0.02224
4200			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	972.39	0.18416
4201			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	152.85	0.02895
4202			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	137.45	0.02603
4203	1176A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	2668.57	0.50541
4204			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	626.31	0.11862
4205			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	953.37	0.18056
4206	1512	Indian Valley	Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	State	3809.94	0.72158
4207			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4279.20	0.81045
4208	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	Private	19407.91	3.67574
4209			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1122.10	0.21252
4210			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2169.38	0.41087
4211			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	7422.01	1.40568
4212	1176A		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	506.05	0.09584
4214			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1090.50	0.20653
4215			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1424.98	0.26988
4216			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Repeated Use	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2296.07	0.43486
4218			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	4147.55	0.78552
4219			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	307.83	0.05830
4220			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	1060.89	0.20093
4221			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	500.57	0.09480
4223			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	5839.78	1.10602
4224			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4332.80	0.82061
4225			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2924.32	0.55385
4227			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4782.48	0.90577
4228			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5366.81	1.01644
4230			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1145.34	0.21692
4233			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1094.81	0.20735
4234			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2250.91	0.42631
4235	1266		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2898.71	0.54900

4236	1179		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1318.99	0.24981
4237			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3354.00	0.63523
4238			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	412.94	0.07821
4239			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	755.74	0.14313
4240			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1402.53	0.26563
4241			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	8754.92	1.65813
4242			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1561.50	0.29574
4243			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1016.55	0.19253
4244			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	2115.36	0.40064
4245			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	197.84	0.03747
4246			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3022.62	0.57247
4248			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	67.07	0.01270
4249	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	438.91	0.08313
4250			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	674.00	0.12765
4251			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1533.62	0.29046
4252			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2625.99	0.49735
4253			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	337.11	0.06385
4254			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	661.39	0.12526
4255			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	573.94	0.10870
4256			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	628.37	0.11901
4257			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1271.64	0.24084
4258			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	390.17	0.07390
4259			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1723.77	0.32647
4261			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	576.83	0.10925
4262			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2809.90	0.53218
4263	1512		BLM Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	128.14	0.02427
4265			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	569.73	0.10790
4266	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	240.81	0.04561
4267			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	248.24	0.04701
4268			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	109.98	0.02083

4269	1008B		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1876.10	0.35532
4271			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	401.74	0.07609
4272			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	938.01	0.17765
4274	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2013.87	0.38141
4275			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	588.72	0.11150
4276			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	172.32	0.03264
4277			Transportation Linear Disturbance	Gravel	Width <50 Inches	Unknown	ATV		Primitive Road	Complete	GPS Device	Yes	CPW	702.87	0.13312
4278			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	587.61	0.11129
4279	1179		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2122.21	0.40193
4280			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2115.75	0.40071
4281			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2798.20	0.52996
4282			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	42.94	0.00813
4283			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1928.59	0.36526
4284			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	54.91	0.01040
4285			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1248.54	0.23647
4286			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	543.15	0.10287
4287	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	676.45	0.12812
4288			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	413.50	0.07831
4289	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	896.71	0.16983
4290			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	653.91	0.12385
4291			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	CPW	384.28	0.07278
4292			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	835.30	0.15820
4293	1176		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	10497.63	1.98819
4294	1515		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	10834.23	2.05194
4295			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	109.67	0.02077
4296			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3339.46	0.63247
4297			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	368.15	0.06972
4298			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3364.20	0.63716
4299			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	557.76	0.10564
4300	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	5567.10	1.05438
4301			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	578.53	0.10957

4302			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	16056.33	3.04097
4303			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	956.70	0.18119
4304			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1930.57	0.36564
4305			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	8781.15	1.66310
4306	1179		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	728.33	0.13794
4307			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	764.79	0.14485
4308			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2774.63	0.52550
4310			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1821.28	0.34494
4311			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2195.33	0.41578
4312	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	Private	491.40	0.09307
4313			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	21.40	0.00405
4314	1266		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2796.20	0.52958
4316	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	803.94	0.15226
4318			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	694.42	0.13152
4319			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1575.39	0.29837
4320	1179		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	322.34	0.06105
4321			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	649.60	0.12303
4322	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	Private	944.89	0.17896
4324	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	302.50	0.05729
4325			Transportation Linear Disturbance	Gravel	Width <50 Inches	Unknown	ATV		Primitive Road	Complete	GPS Device	Yes	CPW	2665.69	0.50487
4326			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2976.99	0.56382
4327			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3053.62	0.57834
4328			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3886.26	0.73603
4329			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	456.38	0.08644
4330			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2542.75	0.48158
4331			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	3555.07	0.67331
4332			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	98.07	0.01857
4333			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	88.00	0.01667
4334			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	75.04	0.01421
4335			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	867.89	0.16437
4336			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	102.71	0.01945

4337	1512	Indian Valley	BLM Road						Primitive Road	Complete	Digitized	Yes	BLM	602.26	0.11406
4338	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	898.79	0.17023
4339			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1322.46	0.25047
4340			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5845.39	1.10708
4341	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	561.41	0.10633
4343			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	157.77	0.02988
4344			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	130.39	0.02470
4345	1179		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	208.94	0.03957
4346			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1341.91	0.25415
4347			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	176.45	0.03342
4348			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1777.15	0.33658
4349			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	9605.50	1.81922
4350			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1124.35	0.21295
4351			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	319.70	0.06055
4352			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	201.91	0.03824
4353	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	130.06	0.02463
4354			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	418.75	0.07931
4355			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	6205.13	1.17521
4356			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	State	3735.86	0.70755
4358			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	4086.23	0.77391
4359	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	303.40	0.05746
4360			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2913.21	0.55174
4361	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	Private	1913.95	0.36249
4362			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	5205.15	0.98582
4363			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	126.07	0.02388
4364			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	120.59	0.02284
4365			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	133.44	0.02527
4366			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	976.89	0.18502
4367			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	LIght Use	Primitive Road	Complete	GPS Device	Yes	BLM	660.53	0.12510
4368			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	782.99	0.14829
4369			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	LIght Use	Primitive Road	Complete	GPS Device	Yes	BLM	9773.00	1.85095

4370			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	State	726.55	0.13760
4371			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2134.77	0.40431
4372			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6166.08	1.16782
4373	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	5885.14	1.11461
4375			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	589.03	0.11156
4376			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	337.89	0.06399
4377	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	6200.34	1.17431
4378	1266		BLM Road	Gravel	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1509.71	0.28593
4379			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	State	86.91	0.01646
4380			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	462.28	0.08755
4381			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	558.86	0.10584
4382			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2871.31	0.54381
4383	1008		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	5142.22	0.97391
4384	1179		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	3008.71	0.56983
4385	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1950.33	0.36938
4386	1179		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	8200.64	1.55315
4387			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	133.48	0.02528
4388			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1804.02	0.34167
4389			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	2wd	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	361.52	0.06847
4390	1156		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	6619.53	1.25370
4391			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	300.78	0.05697
4392			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	CPW	3757.80	0.71170
4393			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	No	BLM	1199.26	0.22713
4394			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	519.96	0.09848
4396			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	7257.96	1.37461
4397			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	234.73	0.04446
4398			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3441.09	0.65172
4399			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	397.18	0.07522
4400	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2970.93	0.56268
4401			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1637.91	0.31021
4402			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1599.80	0.30299
4403			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	174.17	0.03299

4404			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	617.36	0.11692
4405			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	169.35	0.03207
4406			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	249.37	0.04723
4407			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	71.06	0.01346
4408			Transportation Linear Disturbance						Primitive Road	Complete	GPS Device	Yes	CPW	71.90	0.01362
4409	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	157.73	0.02987
4410	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	455.70	0.08631
4411			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	14458.81	2.73841
4412			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	6679.64	1.26508
4413			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	13708.61	2.59633
4414			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	2359.99	0.44697
4415			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	1235.31	0.23396
4416			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	622.29	0.11786
4417	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	762.36	0.14439
4418	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2808.33	0.53188
4419	1179A		BLM Road	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	479.10	0.09074
4420			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	800.83	0.15167
4421			Transportation Linear Disturbance						Primitive Road	Complete	GPS Device	Yes	BLM	1152.49	0.21827
4422			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd - Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	211.95	0.04014
4423			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3269.35	0.61920
4424			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	622.59	0.11791
4425			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2257.90	0.42763
4426			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4299.06	0.81422
4427			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	3244.49	0.61449
4429			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	87.47	0.01657
4430			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2330.52	0.44139
4431	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	888.63	0.16830
4433			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	88.65	0.01679
4434			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2310.13	0.43752
4436			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	335.29	0.06350

4437			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1613.50	0.30559
4438			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2190.01	0.41477
4439			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	420.26	0.07959
4440			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2783.60	0.52720
4441			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	762.37	0.14439
4442			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	1687.49	0.31960
4443			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	930.73	0.17627
4444			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	772.83	0.14637
4445			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	758.87	0.14373
4446			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3171.36	0.60064
4447			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5554.71	1.05203
4448			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1808.03	0.34243
4449			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	1603.17	0.30363
4450			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	209.71	0.03972
4451			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	1365.27	0.25857
4452			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	352.42	0.06675
4453			Transportation Linear Disturbance						Trail	Complete	GPS Device	Yes	CPW	411.94	0.07802
4454			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	765.50	0.14498
4455			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1047.79	0.19845
4456			Transportation Linear Disturbance						No	Complete	Digitized	No	BLM	1636.91	0.31002
4457			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	2099.25	0.39759
4458			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	4821.69	0.91320
4459			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1190.28	0.22543
4460			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	999.41	0.18928
4461	1008		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	239.71	0.04540
4462			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	621.31	0.11767
4463	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	4509.97	0.85416
4464			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2250.72	0.42627
4466			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1991.39	0.37716

4467	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3542.99	0.67102
4468			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	295.25	0.05592
4469	1179A		BLM Primitive Road	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	6002.84	1.13690
4470	1008		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	974.23	0.18451
4471			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	243.77	0.04617
4472			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	925.13	0.17521
4473			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	417.39	0.07905
4474			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	52.98	0.01003
4475			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	475.68	0.09009
4476			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1668.00	0.31591
4479	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	Private	616.72	0.11680
4482			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	2664.92	0.50472
4483			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	3075.78	0.58253
4484			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	15000.07	2.84092
4485			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1983.88	0.37573
4486			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	677.83	0.12838
4487	1154		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	533.60	0.10106
4488	1512	Indian Valley	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	607.29	0.11502
4489	1008		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1351.62	0.25599
4490			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	77.59	0.01470
4491			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1939.91	0.36741
4493			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	514.41	0.09743
4497			Transportation Linear Disturbance						Primitive Road	Complete	GPS Device	Yes	CPW	2618.34	0.49590
4499			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1189.98	0.22538
4501	1008		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	437.86	0.08293
4502			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	216.01	0.04091
4503	1513		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1042.47	0.19744
4505			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1166.70	0.22097
4506			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1724.18	0.32655
4509			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	3797.78	0.71928
4510			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2914.93	0.55207
4512			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	CPW	503.59	0.09538

4514	1158	Littlt Corral Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	6028.04	1.14167
4515			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2725.55	0.51620
4516	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2837.29	0.53737
4517			Transportation Linear Disturbance						No	Complete	Digitized	No	BLM	918.84	0.17402
4518			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1610.91	0.30510
4519			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	BLM	894.12	0.16934
4520			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	4050.56	0.76715
4521			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5239.86	0.99240
4522	1154		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	75.97	0.01439
4523			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	963.77	0.18253
4525			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4532.08	0.85835
4526			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	1456.91	0.27593
4530	1154		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	156.23	0.02959
4531			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4288.47	0.81221
4533			Transportation Linear Disturbance						Primitive Road	Complete	GPS Device	Yes	CPW	570.11	0.10798
4535			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	880.86	0.16683
4536			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	943.31	0.17866
4537			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	901.52	0.17074
4538			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	205.84	0.03899
4539			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	16286.53	3.08457
4540	1154		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	528.40	0.10008
4541	1008		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	9943.00	1.88314
4542			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3101.66	0.58744
4544	1515		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	742.19	0.14057
4545			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3524.14	0.66745
4546			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2322.96	0.43996
4549			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3106.51	0.58835
4550			Transportation Linear Disturbance						No	Complete	Digitized	No	BLM	744.92	0.14108
4551			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	236.52	0.04479
4554			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	CPW	384.74	0.07287
4555			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	390.70	0.07400

4556	1154		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	231.14	0.04378
4557			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	276.34	0.05234
4559			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1853.84	0.35111
4562	1753		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	292.56	0.05541
4563			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	436.85	0.08274
4564			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	219.60	0.04159
4565			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1091.85	0.20679
4566			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4657.75	0.88215
4568			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	310.00	0.05871
4569			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	546.35	0.10347
4570			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	966.56	0.18306
4571			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	290.95	0.05510
4572	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	842.29	0.15952
4573	1753		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	826.51	0.15654
4575	1753		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1470.45	0.27849
4576			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1585.19	0.30022
4577			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2067.28	0.39153
4578			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	BLM	1805.81	0.34201
4579	1753		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1300.44	0.24629
4580			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	339.63	0.06432
4581	1753		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1150.28	0.21786
4582			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	CPW	4871.83	0.92269
4583			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	337.13	0.06385
4584	1154		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1504.71	0.28498
4585			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4219.91	0.79922
4586	1158	Littlt Corral Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2750.91	0.52101
4588	1753		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	920.04	0.17425
4589			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	803.01	0.15209
4590			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	530.97	0.10056
4591	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1572.00	0.29773
4592			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	11705.57	2.21696
4593			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1250.33	0.23680

4594			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	69.19	0.01310
4595			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2236.60	0.42360
4596	1154		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	303.45	0.05747
4597			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	566.77	0.10734
4598			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	BLM	246.34	0.04665
4599	1008B		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2945.67	0.55789
4600			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	425.80	0.08064
4601	1006	Middle Stewart *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	871.03	0.16497
4602			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2777.60	0.52606
4603			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1130.66	0.21414
4604			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1484.86	0.28122
4605	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	1692.81	0.32061
4606			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2715.80	0.51436
4607	1754		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2592.30	0.49097
4608	1753		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1320.87	0.25016
4609			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2445.58	0.46318
4610			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1074.47	0.20350
4611			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	10885.27	2.06160
4612			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	938.16	0.17768
4615			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	480.27	0.09096
4616			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2479.91	0.46968
4619			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4861.65	0.92077
4621	1513		BLM Primitive Road						Primitive Road	Complete	Digitized	Yes	BLM	2116.94	0.40093
4622	1154		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2567.49	0.48627
4623			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3257.17	0.61689
4624			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	514.85	0.09751
4625			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1504.74	0.28499
4627			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2636.60	0.49936
4628	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2033.10	0.38506
4629	1158	Littlt Corral Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	7681.70	1.45487
4630	1753		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	884.04	0.16743
4632			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	4793.72	0.90790
4633	1006	Middle Stewart *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	542.61	0.10277

4635	1753		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3389.75	0.64200
4637			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	4928.04	0.93334
4638	1753		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	758.71	0.14369
4639	1753		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	153.62	0.02910
4640			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1032.81	0.19561
4641			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	5434.07	1.02918
4644	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	1399.54	0.26506
4645			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	524.04	0.09925
4646			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	588.80	0.11151
4648			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1987.43	0.37641
4649	1008A	Middle Stewart *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	2697.26	0.51084
4650			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	BLM	4751.53	0.89991
4651	1753		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	378.60	0.07170
4656			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	824.62	0.15618
4658			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6228.50	1.17964
4659			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	227.58	0.04310
4660	1157		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	7493.47	1.41922
4661			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	286.64	0.05429
4662	1008A	Middle Stewart *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	21.08	0.00399
4663			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	408.51	0.07737
4664			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1121.12	0.21233
4665	1008A	Middle Stewart *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	2342.89	0.44373
4666			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	286.50	0.05426
4667	1154		BLM Primitive Road	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	10731.50	2.03248
4668			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	518.50	0.09820
4669			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	241.82	0.04580
4670			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	3116.34	0.59022
4671			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	407.43	0.07717
4673			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	689.87	0.13066
4675			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Unknown	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	796.10	0.15078
4679			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1908.36	0.36143
4680			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	700.32	0.13264

4681			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2049.78	0.38822
4682	1007	Barnes Ridge *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	500.19	0.09473
4683			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	805.50	0.15256
4684	1154		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	765.54	0.14499
4685			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1626.74	0.30810
4686	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	160.66	0.03043
4687			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	7185.62	1.36091
4688	1157		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	683.13	0.12938
4689			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1056.56	0.20011
4690	1157		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	9260.81	1.75394
4691			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	958.77	0.18159
4693			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	192.98	0.03655
4695	1006	Middle Stewart *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	98.41	0.01864
4696	1008A	Middle Stewart *	BLM Primitive Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	134.25	0.02543
4699	1154		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	124.70	0.02362
4700			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	133.91	0.02536
4701			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	922.39	0.17470
4702	1157		BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	380.32	0.07203
4704			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Motorcycle	Light Use	Trail	Complete	GPS Device	Yes	CPW	1114.83	0.21114
4705			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	209.25	0.03963
4706			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	986.00	0.18674
4707			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	224.28	0.04248
4708	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1471.25	0.27865
4709			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1865.50	0.35331
4710			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1679.05	0.31800
4712	1158	Littlt Corral Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1549.21	0.29341
4713			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	802.13	0.15192
4714			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3942.02	0.74660
4715			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1615.07	0.30589
4716			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	480.68	0.09104
4717			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	183.21	0.03470
4719			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	165.99	0.03144

4720			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	1135.76	0.21511
4721			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1594.59	0.30200
4722			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	724.53	0.13722
4723			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	8565.93	1.62233
4726			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	269.82	0.05110
4727			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	681.36	0.12905
4728			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1502.58	0.28458
4729			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Motorcycle	Light Use	Trail	Complete	GPS Device	Yes	BLM	1020.17	0.19321
4730			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2187.81	0.41436
4731	1158	Littlt Corral Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2476.54	0.46904
4732	1513		BLM Primitive Road						Primitive Road	Complete	Digitized	Yes	BLM	3805.41	0.72072
4733			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1161.71	0.22002
4734			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6147.23	1.16425
4735			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5748.22	1.08868
4736			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1191.79	0.22572
4737			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3124.33	0.59173
4738			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	CPW	963.60	0.18250
4739			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1443.37	0.27337
4740			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	434.72	0.08233
4741			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	1000.29	0.18945
4742	1006	Steward Gulch	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3709.79	0.70261
4744			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	BLM	595.29	0.11274
4745			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1578.94	0.29904
4746			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical		Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	296.68	0.05619
4747			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	262.00	0.04962
4748			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	304.17	0.05761
4749			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5805.09	1.09945
4750			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	BLM	473.51	0.08968
4751	1157		BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Non-existent		Complete	GPS Device	Yes	BLM	6495.27	1.23016
4752			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	969.88	0.18369

4753	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1392.44	0.26372
4754			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1292.05	0.24471
4755			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	No	BLM	1028.05	0.19471
4757			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	699.07	0.13240
4758			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	743.70	0.14085
4760			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	335.90	0.06362
4761			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4698.77	0.88992
4762			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	313.29	0.05934
4763			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1897.65	0.35940
4765			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	191.41	0.03625
4766			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4055.48	0.76808
4767			Transportation Linear Disturbance	Gravel	Width <50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	139.27	0.02638
4768			Transportation Linear Disturbance	Gravel	Width <50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	153.57	0.02909
4769			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	BLM	3396.91	0.64335
4770			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	407.60	0.07720
4771			Transportation Linear Disturbance	Gravel	Width <50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1985.41	0.37602
4772	1007	Barnes Ridge *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1279.81	0.24239
4774			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	399.08	0.07558
4775	1082	Dark Canyon	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	6064.62	1.14860
4776	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	6810.61	1.28989
4777			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	181.57	0.03439
4778			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2120.77	0.40166
4779			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1283.43	0.24307
4780			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1343.59	0.25447
4781			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	411.99	0.07803
4782	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	237.20	0.04492
4783			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	7891.43	1.49459
4784			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	577.54	0.10938
4785			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	90.25	0.01709
4786			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	361.97	0.06856

4787			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2612.45	0.49478
4788			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4006.20	0.75875
4789			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	No	BLM	1384.54	0.26222
4790			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	275.94	0.05226
4791			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1397.16	0.26461
4792			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	496.47	0.09403
4793			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1096.31	0.20763
4794			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	142.29	0.02695
4796	1081A	Jessup Gulch	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	8300.28	1.57202
4797			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1638.95	0.31041
4798			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5308.33	1.00537
4801	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1106.12	0.20949
4802			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2276.14	0.43109
4803			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2760.83	0.52288
4806	1713		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	4805.90	0.91021
4807		Private	Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	898.09	0.17009
4809			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4353.07	0.82444
4810			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	596.46	0.11297
4811	1713		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	343.51	0.06506
4812			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4164.16	0.78867
4813			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	87.33	0.01654
4815			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	895.80	0.16966
4816			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	No	BLM	463.00	0.08769
4817	1713		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	302.85	0.05736
4818			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	980.46	0.18569
4818			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	980.46	0.18569
4819			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2844.22	0.53868
4820			Transportation Linear Disturbance	Gravel	Width <50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	614.04	0.11629
4821			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1237.57	0.23439
4823			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	2727.96	0.51666

4824			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	713.74	0.13518
4825			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3468.63	0.65694
4826			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4222.33	0.79968
4827	1082	Dark Canyon	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3979.12	0.75362
4828	1713		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	527.70	0.09994
4829			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2924.59	0.55390
4830	1515		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	ATV	Heavy Use		Complete	GPS Device	Yes	BLM	5028.07	0.95229
4831			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	3891.48	0.73702
4832			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	428.70	0.08119
4833			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3753.31	0.71085
4834			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1669.75	0.31624
4835			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	208.13	0.03942
4837			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	290.21	0.05496
4838			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1465.07	0.27748
4839			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	366.01	0.06932
4840			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	143.44	0.02717
4841			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	985.13	0.18658
4841			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	985.13	0.18658
4842	1081	Old Oldland Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	7950.97	1.50587
4843			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	478.04	0.09054
4844	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1542.04	0.29205
4845			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1438.88	0.27252
4846			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	401.58	0.07606
4847			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	975.60	0.18477
4848			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1411.80	0.26739
4850			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Trail	Complete	GPS Device	Yes	BLM	2329.55	0.44120
4851			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	242.97	0.04602
4852			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2376.21	0.45004
4853	1007	Barnes Ridge *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1223.74	0.23177
4854			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Stock	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	878.66	0.16641

4855			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1141.06	0.21611
4856	1713		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	3928.59	0.74405
4857			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	243.64	0.04614
4858			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1373.06	0.26005
4859			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1227.70	0.23252
4861	1713		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	1942.73	0.36794
4862			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	418.45	0.07925
4863			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4927.01	0.93315
4864	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	717.77	0.13594
4865	1158	Littlt Corral Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	16041.71	3.03820
4866			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	314.80	0.05962
4867	1158	Littlt Corral Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2744.80	0.51985
4868			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2843.42	0.53853
4869			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5663.74	1.07268
4870			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	896.04	0.16971
4871	1713		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	829.79	0.15716
4872	1713		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	294.86	0.05585
4873	1713		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	1499.80	0.28405
4874			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical		Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	8645.50	1.63741
4875	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	5520.41	1.04553
4876			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	BLM	4293.72	0.81320
4877			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	974.91	0.18464
4878			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1160.84	0.21986
4879			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	127.17	0.02409
4880			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	936.62	0.17739
4881			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	928.48	0.17585
4882			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	834.45	0.15804
4883	1006	Steward Gulch	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4132.00	0.78258
4884			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	742.44	0.14061
4885	1081A		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	5978.42	1.13228
4886			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2474.31	0.46862
4887			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	1806.41	0.34212

4888			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Motorcycle	Light Use	Trail	Complete	GPS Device	Yes	BLM	7263.84	1.37573
4889			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	1612.28	0.30536
4890	1082	Dark Canyon	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	4192.85	0.79410
4891	1513		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2265.78	0.42913
4892			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1452.58	0.27511
4893			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2503.48	0.47414
4894			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1475.12	0.27938
4895		Littlt Corral Gulch	Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	CPW	1685.37	0.31920
4896	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1285.16	0.24340
4897			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	47.31	0.00896
4898			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	146.49	0.02775
4899			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2080.05	0.39395
4900			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3115.87	0.59013
4901			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	13877.43	2.62830
4904			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	732.46	0.13872
4905	1006	Steward Gulch	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4437.73	0.84048
4906	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	3296.16	0.62427
4907			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5034.45	0.95349
4908			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2727.54	0.51658
4909			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4524.17	0.85685
4910			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1305.56	0.24726
4911			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	406.89	0.07706
4912			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	5446.90	1.03161
4915			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	219.37	0.04155
4916	1006	Steward Gulch	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3841.36	0.72753
4918			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2010.82	0.38084
4919			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2732.09	0.51744
4920			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	4032.65	0.76376
4922	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1984.96	0.37594
4924			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	292.63	0.05542
4925			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	3784.19	0.71670

4927	1081	Old Oldland Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	3402.02	0.64432
4928			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	885.87	0.16778
4929			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	410.49	0.07774
4930	1006	Steward Gulch	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	320.06	0.06062
4931			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1171.24	0.22183
4933			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	3182.67	0.60278
4934			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3118.60	0.59064
4935		Private	Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	261.63	0.04955
4936			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	557.69	0.10562
4937			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	339.31	0.06426
4938			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	237.87	0.04505
4939			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	341.73	0.06472
4940	1082	Dark Canyon	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	882.14	0.16707
4941			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	925.83	0.17535
4942			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	3228.06	0.61138
4944	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1375.18	0.26045
4945			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV		Primitive Road	Complete	GPS Device	Yes	BLM	448.80	0.08500
4946			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	494.44	0.09364
4947			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2623.26	0.49683
4948			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1351.91	0.25604
4949			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6255.09	1.18468
4950			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	4681.92	0.88673
4951			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1575.80	0.29845
4952	1081	Old Oldland Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	252.24	0.04777
4953			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1188.21	0.22504
4954			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	878.13	0.16631
4955			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Trail	Complete	GPS Device	No	BLM	2383.22	0.45137
4956			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	3297.11	0.62445
4957	1081		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	491.79	0.09314
4958			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1369.14	0.25931
4959	1081	Old Oldland Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	525.70	0.09956

4960	1082	Dark Canyon	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	5400.47	1.02282
4961			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	256.21	0.04853
4962	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	1186.42	0.22470
4963			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1239.52	0.23476
4964			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	548.40	0.10386
4965			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1832.34	0.34703
4966			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	5074.65	0.96111
4967			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1446.25	0.27391
4968			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	914.94	0.17328
4969			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1258.46	0.23835
4970	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	590.79	0.11189
4971			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	CPW	2886.08	0.54661
4972			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	103.12	0.01953
4973			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	427.20	0.08091
4974			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	192.28	0.03642
4975	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	984.32	0.18642
4976			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	187.89	0.03558
4977			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	CPW	2108.01	0.39924
4978			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1184.20	0.22428
4979			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1337.11	0.25324
4980	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	271.63	0.05145
4981			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	284.17	0.05382
4982	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	409.69	0.07759
4983			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1292.16	0.24473
4984			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	743.02	0.14072
4985			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	419.45	0.07944
4986	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	540.10	0.10229
4987			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	411.91	0.07801
4988			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	246.71	0.04673
4989			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1949.09	0.36914
4990			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1621.26	0.30706

4991			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1228.84	0.23273
4992			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2888.88	0.54714
4993			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	130.96	0.02480
4994			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	929.40	0.17602
4997	1082	Dark Canyon	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	10204.37	1.93265
4998			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	330.93	0.06268
4999			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	2408.46	0.45615
5000			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3316.75	0.62817
5001			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2892.68	0.54786
5002	1513		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1367.47	0.25899
5003		Gray Hills	Transportation Linear Disturbance							Complete	Digitized	Yes	CPW	14391.12	2.72559
5004	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1546.39	0.29288
5005			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	630.89	0.11949
5006			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	285.04	0.05398
5007			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	922.06	0.17463
5009			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	117.71	0.02229
5010			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	147.46	0.02793
5011			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	57.51	0.01089
5012			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	585.39	0.11087
5013	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	390.57	0.07397
5014			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1976.28	0.37430
5016			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1070.18	0.20269
5017			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	2653.73	0.50260
5018			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2510.63	0.47550
5019	1170		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	6582.92	1.24676
5020			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3626.95	0.68692
5022			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	686.19	0.12996
5023	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1639.84	0.31058
5024			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4752.89	0.90017
5025			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1663.51	0.31506

5026			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	3290.04	0.62311
5027			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1273.37	0.24117
5028			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	818.19	0.15496
5029			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4117.70	0.77987
5030			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4429.85	0.83899
5031			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	166.07	0.03145
5032			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2570.15	0.48677
5033			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	4361.01	0.82595
5034	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2147.59	0.40674
5035			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2667.99	0.50530
5036			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3279.88	0.62119
5037	1082	Dark Canyon	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	384.31	0.07279
5038			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	CPW	474.94	0.08995
5039			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	510.77	0.09674
5040	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	435.15	0.08241
5041			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1694.15	0.32086
5042			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	2534.69	0.48005
5043			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	111.84	0.02118
5044			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3234.61	0.61262
5048			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	952.29	0.18036
5049			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	BLM	1186.25	0.22467
5050			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	8656.29	1.63945
5051			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5677.85	1.07535
5053			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Non-existent	Trail	Complete	GPS Device	Yes	BLM	622.08	0.11782
5054			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	375.42	0.07110
5055			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4414.76	0.83613
5056			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2727.06	0.51649
5057	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	3139.74	0.59465
5058			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	370.83	0.07023
5059			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1285.49	0.24346

5060	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1262.10	0.23903
5061	1712		BLM Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2293.19	0.43432
5062			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	156.12	0.02957
5063			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	160.08	0.03032
5064			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2141.28	0.40555
5065			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1436.24	0.27202
5067			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	519.98	0.09848
5069			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	588.27	0.11141
5071			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3747.53	0.70976
5075			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2104.48	0.39858
5076			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	306.57	0.05806
5077			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	78.19	0.01481
5078	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	112.71	0.02135
5079			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	278.88	0.05282
5080			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2344.01	0.44394
5081			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1159.79	0.21966
5082			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2235.51	0.42339
5083	1178	R Pine	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	182.82	0.03462
5085			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	672.44	0.12736
5086			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	8075.06	1.52937
5087	1170		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	1540.55	0.29177
5088	1081	Old Oldland Gulch	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	6598.74	1.24976
5090			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	5102.67	0.96641
5091			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	1428.71	0.27059
5092			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1224.30	0.23188
5093			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1852.17	0.35079
5094			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5535.02	1.04830
5095			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1767.30	0.33472
5096			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1235.66	0.23403
5098			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2978.91	0.56419

5099			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	332.20	0.06292
5100	1170	Jones	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	1080.19	0.20458
5101			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1951.80	0.36966
5102			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	CPW	72.46	0.01372
5103			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	722.76	0.13689
5104			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3633.89	0.68824
5105			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	10289.79	1.94882
5107			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	2304.54	0.43647
5108	1005	Sprague Gulch	BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	2662.14	0.50419
5110			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	699.45	0.13247
5111			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	766.72	0.14521
5112			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2584.28	0.48945
5113	1005	Sprague Gulch	BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	3893.74	0.73745
5114	1712		BLM Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2429.78	0.46019
5115	1515		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	7680.57	1.45465
5116	1005	Sprague Gulch	BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	616.13	0.11669
5118			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2101.31	0.39798
5119			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4563.45	0.86429
5120			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2777.47	0.52604
5121	1513		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1774.77	0.33613
5122	1170	Jones	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	2751.88	0.52119
5123			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3056.34	0.57885
5124			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1707.70	0.32343
5125	1005	Sprague Gulch	BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	5597.56	1.06014
5126			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	544.91	0.10320
5127	1005	Sprague Gulch	BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	149.77	0.02837
5129			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	597.97	0.11325
5130			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1042.15	0.19738
5131	1005	Sprague Gulch	BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	379.94	0.07196
5132		Gray Hills	Transportation Linear Disturbance							Complete	Digitized	No	CPW	2565.05	0.48580
5133			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	251.13	0.04756
5134	1005	Sprague Gulch	BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	1457.35	0.27601
5135			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	248.37	0.04704

5137			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1815.74	0.34389
5138			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	669.62	0.12682
5139	1159	Meyers	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Light Use		Complete	GPS Device	Yes	BLM	448.70	0.08498
5142			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3117.07	0.59035
5143	1712		BLM Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1513.07	0.28657
5144			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	No	BLM	7302.92	1.38313
5145	1159	Meyers	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Light Use		Complete	GPS Device	Yes	BLM	372.48	0.07055
5146	1159	Meyers	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Light Use		Complete	GPS Device	Yes	BLM	4314.51	0.81714
5147			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1104.08	0.20911
5148			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	537.67	0.10183
5149	1005	Sprague Gulch	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	8060.87	1.52668
5150			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1819.95	0.34469
5151	1515		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	274.92	0.05207
5152			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	4682.15	0.88677
5153	1515		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	ATV	Heavy Use		Complete	GPS Device	Yes	BLM	193.56	0.03666
5154			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1470.50	0.27850
5155			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	277.26	0.05251
5156	1005	Sprague Gulch	BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	3320.42	0.62887
5157			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2733.79	0.51776
5158			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5021.22	0.95099
5159			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Trail	Complete	GPS Device	Yes	BLM	404.75	0.07666
5160			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	9651.39	1.82792
5161	1005	Sprague Gulch	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	49.63	0.00940
5163	1710	Gray Hills	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	288.51	0.05464
5165			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	307.30	0.05820
5167			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	352.78	0.06682
5168			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	334.05	0.06327
5169	1711		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	Bicycle	Light Use		Complete	GPS Device	Yes	BLM	11869.06	2.24793
5170			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Trail	Complete	GPS Device	Yes	BLM	4328.21	0.81974
5171			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	710.32	0.13453
5172	1170	Jones	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	2668.95	0.50548
5173	1712		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	762.76	0.14446
5174	1159	Meyers	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Light Use		Complete	GPS Device	Yes	BLM	6289.64	1.19122
5175			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	2505.39	0.47451

5176	1712		BLM Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	802.51	0.15199
5177			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6137.36	1.16238
5178	1005	Sprague Gulch	BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	3117.26	0.59039
5179			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4245.56	0.80408
5181			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5851.41	1.10822
5182	1264	Post Gulch	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2275.53	0.43097
5183	1712		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	275.95	0.05226
5184			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	1452.64	0.27512
5185	1159	Meyers	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Light Use		Complete	GPS Device	Yes	BLM	4594.40	0.87015
5186	1088		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	2173.07	0.41157
5188			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	358.53	0.06790
5189	1264	Post Gulch	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	179.18	0.03394
5190			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	9635.00	1.82481
5191			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	7919.25	1.49986
5192			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	2592.66	0.49103
5193			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1155.39	0.21882
5194		Gray Hills	Transportation Linear Disturbance							Complete	Digitized	No	CPW	3549.18	0.67219
5195	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4361.36	0.82602
5197			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	1884.78	0.35697
5198			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	7768.94	1.47139
5199			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	694.15	0.13147
5200	1081	Old Oldland Gulch	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	926.01	0.17538
5201			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2925.14	0.55400
5202	1177		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2658.13	0.50343
5203	1712		BLM Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1715.75	0.32495
5204			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6674.42	1.26410
5205	1264	Post Gulch	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1850.49	0.35047
5206			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	507.61	0.09614
5207			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1020.80	0.19333
5208			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	No	BLM	2661.94	0.50415
5209			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	158.30	0.02998
5210			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	91.50	0.01733
5211			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	No	BLM	2498.50	0.47320

5212			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	132.17	0.02503
5213			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	119.95	0.02272
5214	1170	Jones	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	1482.38	0.28075
5215			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	111.46	0.02111
5216			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	520.93	0.09866
5217		Private	Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	248.58	0.04708
5218			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1236.57	0.23420
5219			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	928.72	0.17589
5220			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	BLM	399.86	0.07573
5221			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	687.38	0.13019
5224			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1408.67	0.26679
5225			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	CPW	2031.27	0.38471
5226	1177		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4378.39	0.82924
5227	1088		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	8710.37	1.64969
5228			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	502.00	0.09508
5229			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1358.64	0.25732
5230			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	640.66	0.12134
5231			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1611.13	0.30514
5232			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	159.76	0.03026
5233			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	CPW	868.47	0.16448
5234			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	4486.53	0.84972
5235	1170	Jones	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	1830.83	0.34675
5236	1005	Sprague Gulch	BLM Road	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	Private	10218.01	1.93523
5237			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	455.16	0.08621
5238	1177		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	5022.72	0.95127
5239	1081	Old Oldland Gulch	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	3665.29	0.69418
5240	1710	Gray Hills	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1376.20	0.26064
5241			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	4250.23	0.80497
5242	1264	Post Gulch	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2944.58	0.55769
5243			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	BLM	2796.48	0.52964
5244			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	653.49	0.12377
5245			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	161.93	0.03067

5246			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	8120.55	1.53798
5247			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2005.24	0.37978
5248			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	427.38	0.08094
5249	1170	Jones	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	1161.84	0.22004
5250			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2125.13	0.40249
5251			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	No	BLM	7112.42	1.34705
5252			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1556.26	0.29475
5253			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	4106.39	0.77772
5254			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	CPW	6395.07	1.21119
5255			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4591.87	0.86967
5256	1170	Jones	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	1221.83	0.23141
5257			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1950.61	0.36943
5258	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1913.13	0.36234
5259			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3455.33	0.65442
5260			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	330.73	0.06264
5261			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3271.55	0.61961
5262			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3879.47	0.73475
5263			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	413.53	0.07832
5264			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	CPW	717.36	0.13586
5265			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	702.66	0.13308
5266			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	666.93	0.12631
5267			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2841.97	0.53825
5268	1088		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	214.30	0.04059
5269			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1675.61	0.31735
5270			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	94.30	0.01786
5271			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	2350.96	0.44526
5272			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	CPW	159.15	0.03014
5273	1088		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	335.78	0.06359
5274			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	133.11	0.02521
5275			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	564.31	0.10688

5276	1169		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	856.79	0.16227
5277			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	CPW	175.36	0.03321
5278			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	507.65	0.09615
5279			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	Stock	Light Use	Trail	Complete	GPS Device	Yes	BLM	1418.36	0.26863
5280	1169		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	2539.51	0.48097
5281			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	CPW	1008.71	0.19104
5282	1169		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	825.55	0.15635
5283	1264	Post Gulch	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	2203.41	0.41731
5284			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	550.62	0.10428
5285			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	339.84	0.06436
5286	1081	Old Oldland Gulch	BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use		Complete	GPS Device	Yes	BLM	513.75	0.09730
5287			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4408.12	0.83487
5288			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6243.14	1.18241
5289			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1366.52	0.25881
5290		Gray Hills	Transportation Linear Disturbance							Complete	Digitized	No	CPW	3723.89	0.70528
5291			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	510.00	0.09659
5292			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	694.46	0.13153
5293			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Motorcycle	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3833.07	0.72596
5294	1088		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	689.24	0.13054
5295	1169		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	1376.15	0.26063
5296			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	665.95	0.12613
5297			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	CPW	3843.36	0.72791
5298			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	CPW	2004.56	0.37965
5299			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	968.41	0.18341
5302			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	353.73	0.06699
5303			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	596.18	0.11291
5304			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	333.24	0.06311
5305			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	7367.83	1.39542
5308			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3539.90	0.67044
5309	1264	Post Gulch	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	271.37	0.05140
5310			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	CPW	1262.58	0.23912

5311			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1827.18	0.34606
5312			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	253.28	0.04797
5313			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	991.51	0.18779
5314			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	123.05	0.02330
5315			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	162.17	0.03071
5316	1264	Post Gulch	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	658.79	0.12477
5317			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	548.81	0.10394
5318			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	256.34	0.04855
5319			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	651.71	0.12343
5320			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	CPW	1173.60	0.22227
5321			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	698.02	0.13220
5322	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4926.83	0.93311
5323			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2621.44	0.49648
5324			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	CPW	1633.82	0.30944
5325	1088		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	1367.34	0.25896
5326	1088		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	178.33	0.03378
5327	1088		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	172.55	0.03268
5328			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	837.02	0.15853
5329			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	231.32	0.04381
5330			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	521.99	0.09886
5331			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4665.17	0.88356
5332	1169		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	1490.07	0.28221
5333			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1352.97	0.25624
5335	1263	Main Prong	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	10342.91	1.95888
5336			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1365.30	0.25858
5337			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	CPW	4776.98	0.90473
5338			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	5718.81	1.08311
5339			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3721.98	0.70492
5340	1264	Post Gulch	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1961.32	0.37146
5341			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2139.13	0.40514
5342			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	951.10	0.18013

5343			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	Bicycle	Light Use	Trail	Complete	GPS Device	Yes	BLM	12103.32	2.29230
5344			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	CPW	520.25	0.09853
5345			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	124.97	0.02367
5346			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	146.44	0.02774
5347			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	276.14	0.05230
5348			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2747.42	0.52034
5349			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	660.50	0.12509
5350	1264	Post Gulch	BLM Road	Natural	2-Track > 50 Inches	Repeated Use	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	1350.70	0.25581
5351			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	7216.77	1.36681
5352	1169		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	1406.51	0.26638
5353			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1363.72	0.25828
5354	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	7510.41	1.42243
5355	1085		BLM Trail	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	10722.33	2.03074
5356			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	570.65	0.10808
5357			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	999.21	0.18924
5358	1169		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	1483.15	0.28090
5359			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	CPW	2702.49	0.51184
5360			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	247.42	0.04686
5361			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1016.36	0.19249
5362			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1598.80	0.30280
5363			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	9600.27	1.81823
5364			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	5614.19	1.06329
5365			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3863.96	0.73181
5366			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3613.80	0.68443
5367			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	576.65	0.10921
5368	1169		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	2188.91	0.41457
5369			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2596.60	0.49178
5370			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1284.44	0.24327
5371			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	CPW	1169.14	0.22143
5372			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	No	CPW	3060.24	0.57959
5373	1515		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2825.99	0.53522

5374			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	Yes	BLM	7500.66	1.42058
5375			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1714.48	0.32471
5376			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	10288.45	1.94857
5377			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	416.38	0.07886
5378			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1427.35	0.27033
5379	1003A	Shutte Gulch A	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	6143.54	1.16355
5380	1088		BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	Yes	BLM	8797.42	1.66618
5381			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1352.81	0.25621
5382	1752		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	4621.27	0.87524
5383			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2724.61	0.51602
5384	1161		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1213.84	0.22989
5385	1086		BLM Primitive Road	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	11094.09	2.10115
5386			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	6294.01	1.19205
5387			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3197.65	0.60561
5388			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	207.44	0.03929
5389	1084	Timber Gulch	BLM Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	Yes	BLM	178.61	0.03383
5390	1515		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	ATV	Heavy Use		Complete	GPS Device	Yes	BLM	233.73	0.04427
5391	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	132.91	0.02517
5392	1752		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2756.84	0.52213
5393			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	8703.04	1.64830
5394			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5577.13	1.05627
5395			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3838.19	0.72693
5396	1710		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	ATV	Heavy Use		Complete	GPS Device	Yes	BLM	550.55	0.10427
5397			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	8951.04	1.69527
5399	1710		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	ATV	Heavy Use		Complete	GPS Device	Yes	BLM	140.91	0.02669
5400	1752A		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	3098.02	0.58675
5401	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Heavy Use		Complete	GPS Device	Yes	BLM	113.98	0.02159
5402			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2519.16	0.47711
5403	1084	Timber Gulch	BLM Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	No	BLM	656.25	0.12429
5404			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	3277.74	0.62078
5406	1752		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use		Complete	GPS Device	Yes	BLM	4639.90	0.87877
5407			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	5567.76	1.05450
5408	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Heavy Use		Complete	GPS Device	Yes	BLM	1210.88	0.22933
5409			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1419.43	0.26883

5410			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	891.63	0.16887
5411			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1138.45	0.21561
5412			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	600.60	0.11375
5414			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1364.41	0.25841
5415			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1757.01	0.33277
5416			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3994.49	0.75653
5417			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6113.58	1.15787
5418			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	4740.10	0.89775
5419	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Heavy Use		Complete	GPS Device	Yes	BLM	1654.35	0.31332
5420			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	149.41	0.02830
5421	1752A		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	3070.10	0.58146
5422			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2492.51	0.47207
5424	1003A	Shutte Gulch A	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1594.89	0.30206
5425			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5807.96	1.09999
5426			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4299.36	0.81427
5427			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1102.56	0.20882
5428			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1688.22	0.31974
5429			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1392.92	0.26381
5432			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3106.19	0.58829
5433	1161		BLM Road	Gravel	Ditched Route	Mechanical	2wd	Heavy Use		Complete	GPS Device	Yes	BLM	4483.90	0.84922
5434			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4008.02	0.75909
5435			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1177.16	0.22295
5436			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	257.04	0.04868
5437	1752		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	6282.24	1.18982
5438	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	2788.28	0.52808
5439			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	143.22	0.02713
5441			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	3771.84	0.71436
5442			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1299.84	0.24618
5443			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	972.19	0.18413
5444	1003A	Shutte Gulch A	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1738.38	0.32924
5445			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1620.09	0.30683

5446			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	253.58	0.04803
5447			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3348.21	0.63413
5448	1080		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	6767.67	1.28176
5449	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	703.21	0.13318
5450			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	713.32	0.13510
5451			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	31.73	0.00601
5452			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	523.90	0.09922
5453	1003A	Shutte Gulch A	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2637.27	0.49948
5454			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2474.89	0.46873
5455	1752		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Technical	Moderate Use		Complete	GPS Device	No	BLM	7229.13	1.36915
5456	1003A	Shutte Gulch A	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4965.08	0.94036
5457			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1458.23	0.27618
5458			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4150.43	0.78607
5459			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1841.84	0.34883
5460			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3146.43	0.59592
5461			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2061.28	0.39039
5462	1003A	Shutte Gulch A	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2548.11	0.48260
5463	1086		BLM Primitive Road	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4327.08	0.81952
5464	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	3062.75	0.58007
5465			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1120.22	0.21216
5467			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1392.34	0.26370
5468	1161		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	758.52	0.14366
5469			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1489.71	0.28214
5470			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	90.61	0.01716
5471			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	195.86	0.03710
5472			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	73.88	0.01399
5473			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	26.68	0.00505
5475	1752		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	64.11	0.01214
5477			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	65.19	0.01235
5478			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	751.38	0.14231
5479			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	14358.81	2.71947
5480	1752		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	297.14	0.05628

5481			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	503.79	0.09542
5482			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	824.28	0.15611
5483			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1444.92	0.27366
5484			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Foot Only	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	549.31	0.10404
5485	1003A	Shutte Gulch A	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1942.35	0.36787
5486	1752		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2033.25	0.38509
5487	1003A	Shutte Gulch A	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2128.62	0.40315
5488	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	289.57	0.05484
5489			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	80.25	0.01520
5490			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6062.53	1.14821
5491	1752		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2963.21	0.56121
5492			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1232.29	0.23339
5493	1161		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1552.70	0.29407
5494			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1264.05	0.23940
5495	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	1092.76	0.20696
5496			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	12300.91	2.32972
5497			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1371.74	0.25980
5498			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	128.92	0.02442
5499			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	14387.11	2.72483
5500			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2215.22	0.41955
5501			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2659.44	0.50368
5502			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	346.65	0.06565
5503			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	310.96	0.05889
5504	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use		Complete	GPS Device	Yes	BLM	2522.21	0.47769
5505			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3374.51	0.63911
5506			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	651.11	0.12332
5507			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	11168.22	2.11519
5508		Private	Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1657.21	0.31387
5509			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2507.81	0.47496
5510			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6528.02	1.23637
5511	1003B	Shutte Gulch B	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3306.10	0.62616
5512	1080		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	5411.90	1.02498

5513			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2174.42	0.41182
5514	1160	Segar Mtn	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	6435.26	1.21880
5515			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1096.17	0.20761
5517			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	6065.96	1.14886
5518			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2989.93	0.56627
5519	1710		BLM Primitive Road	Natural	Width <50 Inches	Repeated Use	ATV	Light Use		Complete	GPS Device	Yes	BLM	5371.23	1.01728
5520	1003B	Shutte Gulch B	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1295.12	0.24529
5522	1086		BLM Primitive Road	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3213.14	0.60855
5523			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	7592.91	1.43805
5524			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	1368.95	0.25927
5525			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	944.79	0.17894
5526	1163		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	9574.37	1.81333
5528	1003B	Shutte Gulch B	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2919.89	0.55301
5529	1133		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	9925.69	1.87987
5530			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1261.18	0.23886
5531			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	428.39	0.08113
5533			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1724.33	0.32658
5535			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	3909.71	0.74048
5536			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3759.44	0.71201
5538			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	1284.67	0.24331
5539			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	648.47	0.12282
5541			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	BLM	872.78	0.16530
5542			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6786.74	1.28537
5543			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	6846.48	1.29668
5547			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4745.07	0.89869
5548			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2740.98	0.51913
5549	1086		BLM Primitive Road	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2025.41	0.38360
5550			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1541.08	0.29187
5551	1080		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1175.57	0.22265
5553			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5271.08	0.99831
5554	1003	Shutte Gulch	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3336.29	0.63187
5557	1084	Timber Gulch	BLM Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	No	BLM	10078.75	1.90885

5558			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	772.20	0.14625
5559			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	7354.86	1.39297
5560			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	270.83	0.05129
5561			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	No	BLM	2446.24	0.46330
5562			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1785.79	0.33822
5563			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3559.62	0.67417
5564	1160	Segar Mtn	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2270.42	0.43000
5565			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	756.44	0.14326
5567			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	2805.06	0.53126
5570			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	989.32	0.18737
5571	1080		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1018.68	0.19293
5572			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	305.28	0.05782
5573			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	278.25	0.05270
5574			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2935.79	0.55602
5575			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3923.56	0.74310
5576			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	93.79	0.01776
5577			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	46.43	0.00879
5578			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Foot Only	Light Use	Trail	Complete	GPS Device	Yes	BLM	513.28	0.09721
5579			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3992.59	0.75617
5580			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1154.05	0.21857
5581	1003	Shutte Gulch	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	12944.16	2.45155
5582			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	464.30	0.08793
5583			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1169.33	0.22146
5584			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	840.06	0.15910
5585	1133		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	238.11	0.04510
5587			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	12084.81	2.28879
5588	1160	Segar Mtn	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1855.75	0.35147
5589			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4335.11	0.82104
5590	1162		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	13683.92	2.59165
5591			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	165.21	0.03129

5592			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1238.77	0.23462
5593	1133		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	890.08	0.16858
5594	1080		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	521.16	0.09870
5596			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	605.68	0.11471
5597	1163		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2315.75	0.43859
5598			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5720.16	1.08336
5599			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2984.97	0.56534
5600			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2765.57	0.52378
5601			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	848.76	0.16075
5602			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1590.76	0.30128
5603			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2753.61	0.52152
5604			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2427.73	0.45980
5605			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5484.54	1.03874
5606	1133A		BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use		Complete	GPS Device	No	BLM	5080.80	0.96227
5607			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	712.03	0.13485
5608			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4273.48	0.80937
5609	1003C	McCarthy	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	No	BLM	2783.65	0.52721
5610			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6543.66	1.23933
5611	1164		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	11172.49	2.11600
5612	1133A		BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use		Complete	GPS Device	No	BLM	1497.98	0.28371
5613			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1050.90	0.19903
5614			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	371.16	0.07030
5615			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4269.42	0.80860
5616			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	815.58	0.15447
5617			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	842.68	0.15960
5618			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	915.07	0.17331
5619			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	733.93	0.13900
5620			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	599.88	0.11361
5621			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5238.96	0.99223
5622			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2543.34	0.48169
5623			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	496.87	0.09410

5624			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2007.01	0.38011
5625		Private	Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	302.79	0.05735
5627			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3096.41	0.58644
5628			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	238.57	0.04518
5629			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5378.70	1.01869
5630			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4543.87	0.86058
5631			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	383.09	0.07256
5632			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2383.85	0.45149
5633			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	980.37	0.18568
5634	1133A		BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use		Complete	GPS Device	No	BLM	1629.21	0.30856
5635			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	930.83	0.17629
5636			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	1256.95	0.23806
5637	1164		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1530.40	0.28985
5639	1163		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	461.41	0.08739
5640			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2100.71	0.39786
5641			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	865.28	0.16388
5642			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	925.33	0.17525
5643	1080		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2511.76	0.47571
5644			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	3453.29	0.65403
5645			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	888.76	0.16833
5646			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	8248.47	1.56221
5647			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5042.63	0.95504
5648			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2137.99	0.40492
5649			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	891.04	0.16876
5650			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	2989.35	0.56617
5651			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	632.93	0.11987
5652			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	375.30	0.07108
5653			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2944.19	0.55761
5654	1164		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	891.84	0.16891
5655			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6410.13	1.21404

5656	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	5485.25	1.03887
5657			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1781.87	0.33748
5658			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	651.91	0.12347
5659			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	522.11	0.09888
5660			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	622.68	0.11793
5661	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1310.26	0.24816
5662	1160	Segar Mtn	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	9105.98	1.72462
5664			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	773.49	0.14649
5665	1165		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4534.80	0.85886
5666			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	758.46	0.14365
5667			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3813.33	0.72222
5668			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	378.29	0.07165
5669	1133A		BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use		Complete	GPS Device	No	BLM	3371.39	0.63852
5670			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2141.59	0.40560
5671	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1006.22	0.19057
5672			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	397.49	0.07528
5673			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	315.20	0.05970
5674			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1041.66	0.19728
5675			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	317.18	0.06007
5676			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6165.09	1.16763
5677			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	149.32	0.02828
5678			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	62.56	0.01185
5679			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1518.81	0.28765
5680			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Trail	Complete	GPS Device	Yes	BLM	212.38	0.04022
5681			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	113.33	0.02146
5683			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2074.90	0.39297
5684			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1058.26	0.20043
5685			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	No	BLM	214.26	0.04058
5687	1164		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2867.77	0.54314
5688	1080		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	501.19	0.09492
5689	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2304.76	0.43651
5691			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6262.73	1.18612

5692	1166		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	10698.49	2.02623
5694			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	No	BLM	5850.18	1.10799
5695			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	138.42	0.02622
5696			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	554.28	0.10498
5698			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	632.50	0.11979
5699		Private	Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	688.91	0.13048
5700			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3929.96	0.74431
5701	1165		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1942.22	0.36784
5703			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4731.96	0.89620
5704	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1163.99	0.22045
5705			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1991.40	0.37716
5706	1084	Timber Gulch	BLM Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Moderate Use		Complete	GPS Device	No	BLM	12814.63	2.42701
5707			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1496.74	0.28347
5708	1087	Puckett Gulch	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4660.63	0.88270
5709			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3369.47	0.63816
5710	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	515.33	0.09760
5712			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	405.45	0.07679
5713			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4279.43	0.81050
5714			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	No	BLM	1095.31	0.20745
5715			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1347.29	0.25517
5716			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	450.41	0.08531
5717			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	301.18	0.05704
5718			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	738.28	0.13983
5720			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1153.30	0.21843
5723	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3926.71	0.74370
5725			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1455.23	0.27561
5726	1133A		BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use		Complete	GPS Device	No	BLM	3053.65	0.57834
5727			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1186.56	0.22473
5731			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1210.01	0.22917
5732			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6020.40	1.14023
5733		Private	Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	341.24	0.06463

5734			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1141.47	0.21619
5735	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	200.19	0.03792
5736	1164		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3904.00	0.73939
5737	1261		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	6140.85	1.16304
5738	1087	Puckett Gulch	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	712.59	0.13496
5739			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	416.18	0.07882
5740	1002	Cow Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	Private	23830.66	4.51338
5742			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	641.44	0.12148
5743			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2212.78	0.41909
5744			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	155.33	0.02942
5745			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	307.97	0.05833
5747	1002	Cow Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	410.33	0.07771
5748			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	250.96	0.04753
5749	1002	Cow Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	Private	2142.24	0.40573
5750			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	505.53	0.09574
5751			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	784.41	0.14856
5752			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1378.05	0.26100
5753			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5774.38	1.09363
5754	1259A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4354.44	0.82470
5755	1165		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3063.11	0.58013
5756			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1718.23	0.32542
5757	1133A		BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use		Complete	GPS Device	No	BLM	2053.99	0.38901
5758			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	350.40	0.06636
5759			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1576.79	0.29864
5760			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	406.64	0.07702
5761			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1404.51	0.26600
5762			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1262.22	0.23906
5764			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	2774.83	0.52554
5765			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6731.41	1.27489
5766	1133A		BLM Primitive Road	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use		Complete	GPS Device	No	BLM	1294.70	0.24521
5767	1002	Cow Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	3908.70	0.74028
5768			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3842.44	0.72774
5769	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1033.61	0.19576

5770			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1137.19	0.21538
5771	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1574.39	0.29818
5772			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	969.39	0.18360
5773			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	511.02	0.09678
5774			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	403.30	0.07638
5775	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1230.18	0.23299
5776	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	122.76	0.02325
5777	1002	Cow Creek	BLM Road	Natural	Bladed Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	10045.00	1.90246
5778			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3041.38	0.57602
5779			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	917.83	0.17383
5780			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	159.51	0.03021
5782	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	619.48	0.11733
5783			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1953.59	0.37000
5784	1259B		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1572.13	0.29775
5786	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1238.00	0.23447
5787			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	259.81	0.04921
5788	1259B		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	809.12	0.15324
5790			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5360.67	1.01528
5790			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2511.43	0.47565
5791			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3535.55	0.66961
5792	1164		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1276.51	0.24176
5793			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1486.49	0.28153
5794	1165		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2895.19	0.54833
5796			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	352.32	0.06673
5797			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2662.77	0.50431
5798			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1173.18	0.22219
5799	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	219.75	0.04162
5801			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5703.15	1.08014
5802			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	939.25	0.17789
5803	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	881.49	0.16695
5804			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3064.38	0.58037
5807			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1257.23	0.23811
5809			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	914.21	0.17315

5810	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1822.86	0.34524
5811			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	874.40	0.16561
5812	1259A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2393.63	0.45334
5813			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2435.13	0.46120
5814			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	766.95	0.14526
5815			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4966.75	0.94067
5817			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	728.66	0.13800
5820			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1166.27	0.22088
5822			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4279.89	0.81058
5823			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	179.54	0.03400
5825			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2517.83	0.47686
5826	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	241.27	0.04569
5827			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4242.38	0.80348
5830			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1248.56	0.23647
5831			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	731.84	0.13861
5832	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1013.76	0.19200
5833			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	350.11	0.06631
5834			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	924.92	0.17517
5837	1167		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	9579.77	1.81435
5838			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1186.12	0.22464
5839			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	705.61	0.13364
5840			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	640.11	0.12123
5841	1260		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1356.86	0.25698
5843	1080		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	7660.07	1.45077
5844			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1368.07	0.25910
5846	1261		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1422.76	0.26946
5848			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1532.71	0.29029
5849			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3525.85	0.66777
5850	1168		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2621.21	0.49644
5851			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	122.30	0.02316
5852			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1552.33	0.29400
5853			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1080.43	0.20463

5855			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5657.46	1.07149
5858			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4002.69	0.75809
5859			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1474.07	0.27918
5862			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2849.01	0.53959
5864	1165		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	915.09	0.17331
5865			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1668.04	0.31592
5867	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1040.43	0.19705
5868			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3595.95	0.68105
5869			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3503.53	0.66355
5870	1262		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	6311.64	1.19539
5871			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2061.91	0.39051
5873	1165		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	663.60	0.12568
5874			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1534.77	0.29068
5875			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	5382.85	1.01948
5876	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	288.82	0.05470
5877			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3876.51	0.73419
5878			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	867.72	0.16434
5879			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1996.94	0.37821
5880			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	623.22	0.11803
5881			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4415.55	0.83628
5882			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3162.15	0.59889
5883			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1562.08	0.29585
5884			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1746.41	0.33076
5885			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1525.72	0.28896
5886	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2102.61	0.39822
5888	1080		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	27.29	0.00517
5889			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1577.59	0.29879
5890			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2761.04	0.52292
5891			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	26.91	0.00510
5892	1080		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1915.77	0.36284
5893			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1452.30	0.27506

5894			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	748.94	0.14184
5895	1084	Timber Gulch	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	710.62	0.13459
5896	1086	Kendall Pk Rd	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2064.09	0.39093
5897	1167		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	120.58	0.02284
5898			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	7500.82	1.42061
5899	1165		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4311.70	0.81661
5900			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	802.98	0.15208
5901	1262		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3095.25	0.58622
5902	1168		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	6084.50	1.15237
5904			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4146.56	0.78533
5905	1165		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1861.48	0.35255
5908			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	88.43	0.01675
5909	1253A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	132.89	0.02517
5910			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	453.78	0.08594
5911			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2933.08	0.55551
5912			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4035.19	0.76424
5913			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4920.23	0.93186
5914			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5032.82	0.95319
5915			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1365.32	0.25858
5916	1262		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3984.37	0.75462
5918	1165		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1710.14	0.32389
5919			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3059.25	0.57940
5922	1262		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1252.74	0.23726
5923			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2301.05	0.43581
5924			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1506.05	0.28524
5925			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	627.02	0.11875
5926	1165		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1279.93	0.24241
5927			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1648.09	0.31214
5928			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1067.65	0.20221
5929			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1853.96	0.35113
5931	1253A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2582.50	0.48911
5932			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1978.69	0.37475
5935	1253		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4656.11	0.88184
5936			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2803.53	0.53097

5937	1253		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2367.66	0.44842
5938			Transportation Linear Disturbance	Natural	Width <50 Inches	Unknown	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1816.30	0.34400
5939	1253		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2536.88	0.48047
5941	1253A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1534.54	0.29063
5942			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5282.34	1.00044
5943			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	226.47	0.04289
5944	1253		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2599.15	0.49226
5945			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3949.73	0.74806
5946			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2331.91	0.44165
5947			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2251.26	0.42638
5948	1253		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2819.34	0.53397
5950			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	604.18	0.11443
5951			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1498.85	0.28387
5953			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Foot Only	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	640.93	0.12139
5954			Transportation Linear Disturbance	Natural	Width <50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4025.00	0.76231
5956			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	712.93	0.13502
5957			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3171.85	0.60073
5958			Transportation Linear Disturbance	Natural	Single Track >1 meter	Repeated Use	Foot Only	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	1172.67	0.22210
5959			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6698.37	1.26863
5960			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2003.07	0.37937
5961			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	548.19	0.10382
5962			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	553.19	0.10477
5963	1253		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	3572.30	0.67657
5965			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1471.91	0.27877
5967			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	614.99	0.11648
5969			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	771.70	0.14616
5970			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1441.49	0.27301
5971			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4660.52	0.88267
5972			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1112.31	0.21066
5973			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1435.04	0.27179

5974			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2005.43	0.37982
5976			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	882.85	0.16721
5977			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	698.60	0.13231
5978			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	608.47	0.11524
5979			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	53.69	0.01017
5980			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	907.41	0.17186
5982	1268		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	413.91	0.07839
5983			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	209.59	0.03970
5984			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5600.02	1.06061
5985			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	297.06	0.05626
5986	1268		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	366.59	0.06943
5987			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Trail	Complete	GPS Device	Yes	BLM	2218.59	0.42019
5988			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	199.97	0.03787
5989			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	882.28	0.16710
5990	1268		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	696.53	0.13192
5991			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4121.75	0.78063
5992			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	496.22	0.09398
5993			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1044.22	0.19777
5994			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	963.83	0.18254
5995	1268		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	131.51	0.02491
5996	1268		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	127.46	0.02414
5997			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3025.06	0.57293
5998	1268		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	166.85	0.03160
5999			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	225.02	0.04262
6000			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	685.56	0.12984
6001			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	487.60	0.09235
6002	1268		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	650.46	0.12319
6005	1268		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	505.72	0.09578
6006			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1421.20	0.26917
6007	1268		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	501.89	0.09505
6008			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2557.56	0.48439
6009			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	676.17	0.12806

6011	1268		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	990.68	0.18763
6012			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	741.90	0.14051
6013			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2042.39	0.38682
6014	1268		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1778.27	0.33679
6015			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4937.95	0.93522
6016			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3478.47	0.65880
6017	1268		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	1659.59	0.31432
6018			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	928.30	0.17581
6019			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1703.29	0.32259
6020	1268		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	921.62	0.17455
6021			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1111.74	0.21056
6023			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	158.13	0.02995
6024	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	625.04	0.11838
6025			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Trail	Complete	GPS Device	Yes	BLM	1052.95	0.19942
6026	1268		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	343.58	0.06507
6027	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	78.79	0.01492
6028			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	143.90	0.02725
6030	1268		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	839.36	0.15897
6032	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	653.44	0.12376
6034	1268		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	883.31	0.16729
6035			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	411.34	0.07791
6036			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	834.44	0.15804
6037			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1146.68	0.21717
6038			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	331.80	0.06284
6039	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	185.19	0.03507
6040			BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1411.01	0.26724
6040			BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	711.55	0.13476
6041			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	263.61	0.04993
6042			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	204.02	0.03864
6043			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	134.74	0.02552
6044	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	288.96	0.05473
6046			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	267.19	0.05060
6047	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	552.30	0.10460
6048			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	393.88	0.07460

6049			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	2256.21	0.42731
6050	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	490.77	0.09295
6052	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	1426.38	0.27015
6054			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1677.81	0.31777
6055			BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	922.49	0.17471
6057	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2336.92	0.44260
6058	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	469.28	0.08888
6059	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	629.47	0.11922
6060			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1666.99	0.31572
6062			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1719.16	0.32560
6063			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2398.48	0.45426
6068			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1523.45	0.28853
6069	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	827.99	0.15682
6070			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1741.10	0.32975
6071			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6012.70	1.13877
6072	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	164.63	0.03118
6074	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2785.95	0.52764
6075	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	230.86	0.04372
6076			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3010.00	0.57008
6077			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1449.12	0.27445
6079		Devils Hole Mountain	Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1875.96	0.35530
6080			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2818.85	0.53387
6081	1554	Agee Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	18262.09	3.45873
6082	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	2835.55	0.53704
6083			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1126.43	0.21334
6084			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	4705.39	0.89117
6086			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	527.07	0.09982
6087			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	272.87	0.05168
6088			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	892.25	0.16899
6089			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	481.21	0.09114
6090	1268A		BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	690.89	0.13085
6091			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	611.41	0.11580
6092			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1191.64	0.22569
6093	1554A	Devils Hole Mountain	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	81.46	0.01543

6094			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	980.22	0.18565
6097	1554A	Devils Hole Mountain	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	160.50	0.03040
6098	1554A	Devils Hole Mountain	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	487.97	0.09242
6100			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1038.50	0.19668
6102			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	1650.79	0.31265
6103			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	1761.12	0.33354
6105	1554A	Devils Hole Mountain	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	3302.62	0.62550
6108	1554	Agee Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	2737.77	0.51852
6110			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1557.29	0.29494
6111			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1535.36	0.29079
6112	1554	Agee Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1170.32	0.22165
6113	1554	Agee Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	360.79	0.06833
6114	1750		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	8418.61	1.59443
6115			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	283.26	0.05365
6117	1545	Sheriff Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	No	BLM	9337.46	1.76846
6119			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	194.84	0.03690
6120	1554	Agee Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1394.28	0.26407
6122			Transportation Linear Disturbance	Natural	ATV < 50 Inches	Mechanical	ATV	Unknown	Primitive Road	Complete	GPS Device	No	BLM	3345.27	0.63357
6124	1554	Agee Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1111.62	0.21053
6125	1545	Sheriff Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	No	BLM	2967.34	0.56200
6126	1554	Agee Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	838.39	0.15879
6128	1545	Sheriff Ridge	BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	No	BLM	1321.42	0.25027
6129	1554B		BLM Primitive Road	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use		Complete	GPS Device	No	BLM	3304.70	0.62589
6130			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	867.20	0.16424
6131	1554	Agee Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	10158.52	1.92396
6133	1554	Agee Ridge	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	1574.61	0.29822
6134			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Seasonal Use	Primitive Road	Complete	GPS Device	No	BLM	180.06	0.03410
6136			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1571.04	0.29755
6137			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	111.52	0.02112
6138			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	320.38	0.06068
6139			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	868.24	0.16444
6140			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4912.64	0.93043
6141			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	468.15	0.08866
6142			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4657.55	0.88211

6143			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1698.09	0.32161
6146			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	7113.90	1.34733
6149			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1232.24	0.23338
6150			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	538.52	0.10199
6151			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3026.63	0.57323
6152			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	657.26	0.12448
6153			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	499.52	0.09461
6154			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	252.45	0.04781
6155			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3227.46	0.61126
6156			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1445.52	0.27377
6157			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1691.58	0.32038
6159			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1127.56	0.21355
6160			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4433.30	0.83964
6161			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2189.10	0.41460
6163			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4246.11	0.80419
6165			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	934.12	0.17692
6166			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2450.92	0.46419
6167			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2070.78	0.39219
6168			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1214.77	0.23007
6170			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	12332.29	2.33566
6171			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6503.22	1.23167
6172			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2906.60	0.55049
6173			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1643.09	0.31119
6175			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1021.14	0.19340
6176			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1307.39	0.24761
6177			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1759.59	0.33326
6178			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	905.53	0.17150
6179			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1818.26	0.34437

6180			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	840.98	0.15928
6181			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6439.38	1.21958
6182			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3062.24	0.57997
6183			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	157.08	0.02975
6184			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1755.99	0.33257
6187			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1158.20	0.21936
6188			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1485.56	0.28136
6189			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1098.91	0.20813
6191			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2337.91	0.44279
6192			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1256.16	0.23791
6193			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	600.86	0.11380
6194			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	107.04	0.02027
6195			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1458.92	0.27631
6197			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	68.79	0.01303
6198			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2469.55	0.46772
6201			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	710.06	0.13448
6203			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	105.23	0.01993
6204			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1532.32	0.29021
6206			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	379.47	0.07187
6207			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3041.91	0.57612
6208			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1845.53	0.34953
6209			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	696.93	0.13199
6212			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3700.08	0.70077
6213			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	949.73	0.17987
6214			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	813.25	0.15402
6215			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	CPW	749.99	0.14204
6216			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	CPW	279.02	0.05285
6217			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	25.95	0.00491

6218			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	314.39	0.05954
6219			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	951.92	0.18029
6226			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	CPW	84.03	0.01591
6227			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	397.66	0.07531
6228			Transportation Linear Disturbance	Gravel	2-Track >50 Inches	Mechanical	2wd	Heavy Use	Primitive Road	Complete	GPS Device	No	BLM	136.96	0.02594
6229			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1443.49	0.27339
6230			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	263.12	0.04983
6231			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	675.36	0.12791
6232			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	84.20	0.01595
6234			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	588.31	0.11142
6235			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	652.85	0.12365
6236			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1382.08	0.26176
6237	1009A		BLM Road	Paved	Ditched Route	Mechanical	2wd	Moderate Use		Complete	GPS Device	Yes	BLM	11893.01	2.25246
6238	1009		BLM Primitive Road	Natural	2-Track >50 Inches	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	240.46	0.04554
6239	1179A		BLM Road	Natural	Bladed Route	Mechanical	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	3284.64	0.62209
6240	1007	Barnes Ridge *	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	6778.57	1.28382
6241	1554A	Devils Hole Mountain	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	GPS Device	No	BLM	123.99	0.02348
6242	1257	Lower Yellow Cr.	BLM Road	Natural	Bladed Route	Mechanical	2wd	Light Use		Complete	Digitized	Yes	BLM	2551.20	0.48318
6243			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	3148.17	0.59624
6244			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	4938.73	0.93537
6245			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	959.59	0.18174
6246			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	GPS Device	Yes	BLM	4035.18	0.76424
6247			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1056.88	0.20017
6248			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	4053.81	0.76777
6249			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	4wd-Touring (Low)	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	966.81	0.18311
6250			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	ATV	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	1379.19	0.26121
6251			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	2185.13	0.41385
6252			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1466.08	0.27767
6253			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	512.07	0.09698
6254			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Technical	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1349.49	0.25559

6255			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	3786.33	0.71711
6256			Transportation Linear Disturbance	Natural	Bladed Route	Mechanical	2wd	Moderate Use	Primitive Road	Complete	GPS Device	Yes	BLM	122.12	0.02313
6257			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Mechanical	4wd-Touring (Low)	Light Use	Primitive Road	Complete	GPS Device	Yes	BLM	1556.57	0.29481
6258			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1577.23	0.29872
6259			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use	Primitive Road	Complete	GPS Device	Yes	BLM	1247.02	0.23618
6260			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	413.26	0.07827
6261			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1286.90	0.24373
6262			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2049.95	0.38825
6263			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	399.33	0.07563
6264			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	479.67	0.09085
6265			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5979.80	1.13254
6266			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2575.80	0.48784
6267			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1541.01	0.29186
6268			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	777.86	0.14732
6269			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3536.58	0.66981
6270			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1382.23	0.26179
6271			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3567.09	0.67559
6272			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1656.60	0.31375
6273			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2901.14	0.54946
6274			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4028.88	0.76305
6275			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1743.20	0.33015
6276			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	6244.25	1.18262
6277			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	512.27	0.09702
6278			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	8938.54	1.69291
6279			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2600.52	0.49252
6280			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	8421.74	1.59503
6281			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	10419.96	1.97348
6282			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4252.47	0.80539

6283			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2149.17	0.40704
6284			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1347.14	0.25514
6285			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	870.70	0.16491
6286			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3144.95	0.59563
6287			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2207.07	0.41801
6288			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1397.19	0.26462
6289			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2651.93	0.50226
6290			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1646.29	0.31180
6291			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	723.76	0.13708
6292			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Light Use	Primitive Road	Complete	Digitized	No	BLM	874.39	0.16561
6293			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1370.44	0.25955
6294			Transportation Linear Disturbance							Complete	Digitized	No	BLM	903.40	0.17110
6295			Transportation Linear Disturbance							Complete	Digitized	No	BLM	645.63	0.12228
6296			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	674.19	0.12769
6297			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	820.13	0.15533
6298			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	180.08	0.03411
6299			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3917.19	0.74189
6300			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	104.89	0.01987
6301			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1262.47	0.23910
6302			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	939.64	0.17796
6303			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	258.78	0.04901
6304			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1564.78	0.29636
6305			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4003.83	0.75830
6306			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1669.48	0.31619
6307			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1104.91	0.20926
6308			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1440.11	0.27275
6309			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1196.94	0.22669
6310			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1918.84	0.36342

6311			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1003.42	0.19004
6312			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1553.91	0.29430
6313			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	188.73	0.03574
6314			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	266.20	0.05042
6315			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1806.21	0.34209
6316			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	405.40	0.07678
6317			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1311.67	0.24842
6318			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3793.09	0.71839
6319			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	843.55	0.15976
6320			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	5578.17	1.05647
6321			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5603.32	1.06123
6322			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2610.75	0.49446
6323			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1059.12	0.20059
6324			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1781.72	0.33745
6325			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	425.71	0.08063
6326			Transportation Linear Disturbance		2-Track >50 Inches	Repeated Use				Complete	Digitized	Yes	BLM	5506.59	1.04291
6327			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1286.75	0.24370
6328			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1483.05	0.28088
6329			Transportation Linear Disturbance	Unknown	Width < 50 Inches	Unknown	ATV	Light Use		Complete	Digitized	Yes	BLM	3038.00	0.57538
6330			Transportation Linear Disturbance	Unknown	Width < 50 Inches	Unknown	ATV	Light Use		Complete	Digitized	Yes	BLM	1462.25	0.27694
6331			Transportation Linear Disturbance	Unknown		Unknown	ATV	Light Use	Primitive Road	Complete	Digitized	Yes	BLM	1029.17	0.19492
6332			Transportation Linear Disturbance	Unknown		Unknown	ATV	Light Use	Primitive Road	Complete	Digitized	Yes	BLM	1211.67	0.22948
6333			Transportation Linear Disturbance	Unknown		Unknown	ATV	Light Use		Complete	Digitized	Yes	BLM	440.88	0.08350
6334			Transportation Linear Disturbance	Unknown	2 Track > 50 Inches	Unknown	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	Yes	BLM	343.92	0.06514
6335			Transportation Linear Disturbance	Unknown	2 Track > 50 Inches	Unknown	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	Yes	BLM	246.94	0.04677
6336			Transportation Linear Disturbance	Unknown	2 Track > 50 Inches	Unknown	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	Yes	BLM	1144.09	0.21668
6337			Transportation Linear Disturbance	Natural	2 Track > 50 Inches	Unknown	4wd-Touring Low	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	756.79	0.14333
6338			Transportation Linear Disturbance	Unknown	2 Track > 50 Inches	Repeated Use	4wd-Touring Low	Light Use		Complete	Digitized	Yes	BLM	303.32	0.05745

6339			Transportation Linear Disturbance	Unknown	2 Track > 50 Inches	Unknown	4wd-Touring Low	Light Use	Primitive Road	Verify	Digitized	Yes	BLM	1651.34	0.31275
6340			Transportation Linear Disturbance	Natural	2 Track > 50 Inches	Unknown	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	227.75	0.04313
6341			Transportation Linear Disturbance	Natural	2 Track > 50 Inches	Unknown		Light Use	Primitive Road	Complete	Digitized	Yes	BLM	3292.58	0.62360
6342			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	487.38	0.09231
6343			Transportation Linear Disturbance	Natural	2 Track > 50 Inches	Unknown		Light Use	Primitive Road	Complete	Digitized	Yes	BLM	2952.34	0.55916
6344			Transportation Linear Disturbance	Natural	2 Track > 50 Inches	Repeated Use		Light Use	Primitive Road	Verify	Digitized	Yes	BLM	1667.42	0.31580
6345			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2 wd	Heavy Use	Road	Complete	Digitized	Yes	BLM	1644.02	0.31137
6346			Transportation Linear Disturbance	Gravel	Width < 50 Inches	Mechanical	2 wd	Light Use		Verify	Digitized	No	BLM	1272.98	0.24110
6347			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2 wd	Heavy Use		Complete	Digitized	Yes	BLM	263.20	0.04985
6348			Transportation Linear Disturbance	Unknown	Unknown	Unknown	ATV			Verify	Digitized	Yes	BLM	2367.67	0.44842
6349			Transportation Linear Disturbance	Natural	2 Track > 50 Inches	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	Yes	BLM	874.99	0.16572
6350			Transportation Linear Disturbance	Natural	2 Track > 50 Inches	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	425.07	0.08051
6351			Transportation Linear Disturbance	Natural	2 Track > 50 Inches	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	857.83	0.16247
6352			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	1310.95	0.24829
6353			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	3838.96	0.72708
6354			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	1721.59	0.32606
6355			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	2266.80	0.42932
6356			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	688.09	0.13032
6357			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	707.69	0.13403
6358			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	1930.92	0.36570
6359			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	662.98	0.12557
6360			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	678.05	0.12842
6361			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	548.13	0.10381
6362			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	414.99	0.07860
6363			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	523.24	0.09910
6364			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	443.00	0.08390
6365			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	1006.87	0.19069
6366			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	1299.19	0.24606

6367			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	1452.18	0.27503
6368			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Verify	Digitized	No	BLM	1055.79	0.19996
6369			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	2144.91	0.40623
6370			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	2247.56	0.42567
6371			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	1167.13	0.22105
6372			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	647.03	0.12254
6373			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	858.81	0.16265
6374			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	314.94	0.05965
6375			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	294.27	0.05573
6376			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Verify	Digitized	No	BLM	732.55	0.13874
6377			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	Yes	BLM	386.94	0.07328
6378			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	2148.88	0.40699
6379			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	732.29	0.13869
6380			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1681.81	0.31852
6381			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1413.67	0.26774
6382			Transportation Linear Disturbance							Complete	Digitized	No	BLM	1202.38	0.22772
6383			Transportation Linear Disturbance							Complete	Digitized	No	BLM	631.06	0.11952
6384			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1101.99	0.20871
6385			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4698.81	0.88993
6386			Transportation Linear Disturbance							Complete	Digitized	No	BLM	468.69	0.08877
6387			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	823.95	0.15605
6388			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	265.38	0.05026
6389			Transportation Linear Disturbance							Complete	Digitized	No	BLM	1079.62	0.20447
6390			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1783.38	0.33776
6391			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3464.46	0.65615
6392			Transportation Linear Disturbance				ATV			Complete	Digitized	No	BLM	1931.04	0.36573
6393			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	770.23	0.14588
6394			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	715.71	0.13555

6395			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	495.00	0.09375
6396			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2159.51	0.40900
6397			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1355.71	0.25676
6398			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1405.45	0.26618
6399			Transportation Linear Disturbance	Gravel	Ditched Route	Mechanical	2wd	Heavy Use	Primitive Road	Complete	Digitized	Yes	BLM	1148.42	0.21750
6400			Transportation Linear Disturbance	Natural		Unknown		Unknown	Primitive Road	Complete	Digitized	Yes	BLM	3411.81	0.64618
6401			Transportation Linear Disturbance	Unknown		Unknown			Primitive Road	Complete	Digitized	Yes	BLM	2846.31	0.53907
6402			Transportation Linear Disturbance	Unknown		Unknown			Primitive Road	Complete	Digitized	Yes	BLM	313.63	0.05940
6403			Transportation Linear Disturbance	Unknown		Unknown			Primitive Road	Complete	Digitized	Yes	BLM	719.03	0.13618
6404			Transportation Linear Disturbance	Unknown		Unknown			Primitive Road	Complete	Digitized	Yes	BLM	1381.39	0.26163
6405			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	716.66	0.13573
6406			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	75.84	0.01436
6407			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	73.43	0.01391
6408			Transportation Linear Disturbance							Complete	Digitized	No	BLM	738.53	0.13987
6409			Transportation Linear Disturbance							Complete	Digitized	No	BLM	64.73	0.01226
6410			Transportation Linear Disturbance							Complete	Digitized	No	BLM	75.72	0.01434
6411			Transportation Linear Disturbance							Complete	Digitized	No	BLM	132.00	0.02500
6412			Transportation Linear Disturbance							Complete	Digitized	No	BLM	120.41	0.02280
6413			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	333.94	0.06325
6414			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	278.74	0.05279
6415			Transportation Linear Disturbance							Complete	Digitized	No	BLM	2148.24	0.40686
6416			Transportation Linear Disturbance							Complete	Digitized	No	BLM	1568.90	0.29714
6417			Transportation Linear Disturbance							Complete	Digitized	No	BLM	258.51	0.04896
6418			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	713.41	0.13512
6419	<Null>		Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	3768.98	0.71382
6420			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	629.55	0.11923
6421			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1536.87	0.29107
6422			Transportation Linear Disturbance							Verify	Digitized	No	BLM	1713.62	0.32455

6423			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	347.20	0.06576
6424			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	803.24	0.15213
6425			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1874.90	0.35510
6426			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	5645.81	1.06928
6427			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	822.49	0.15578
6428			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1681.06	0.31838
6429			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	482.26	0.09134
6430			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4064.34	0.76976
6431			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	906.84	0.17175
6432			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	125.27	0.02373
6433			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	444.63	0.08421
6434			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	477.02	0.09035
6435			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	617.85	0.11702
6436			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	464.81	0.08803
6437			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	370.02	0.07008
6438			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	189.61	0.03591
6439			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	613.81	0.11625
6440			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2373.16	0.44946
6441			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2993.64	0.56698
6442			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1883.78	0.35678
6443			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	768.14	0.14548
6444			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	217.98	0.04128
6445			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3021.90	0.57233
6446			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	372.93	0.07063
6447			Transportation Linear Disturbance							Complete	Digitized	No	BLM	6399.47	1.21202
6448			Transportation Linear Disturbance							Complete	Digitized	No	BLM	671.25	0.12713
6449			Transportation Linear Disturbance							Complete	Digitized	No	BLM	1661.15	0.31461
6450			Transportation Linear Disturbance							Complete	Digitized	No	BLM	1139.13	0.21574

6451			Transportation Linear Disturbance							Verify	Digitized	No	BLM	1878.60	0.35580
6452			Transportation Linear Disturbance							Verify	Digitized	No	BLM	1296.59	0.24557
6453			Transportation Linear Disturbance							Verify	Digitized	No	BLM	379.61	0.07190
6454			Transportation Linear Disturbance							Verify	Digitized	No	BLM	1081.77	0.20488
6455			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	889.47	0.16846
6456			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1477.49	0.27983
6457			Transportation Linear Disturbance							Verify	Digitized	No	BLM	1379.47	0.26126
6458			Transportation Linear Disturbance							Complete	Digitized	No	BLM	2353.58	0.44575
6459			Transportation Linear Disturbance							Verify	Digitized	No	BLM	1201.72	0.22760
6460			Transportation Linear Disturbance							Complete	Digitized	No	BLM	672.97	0.12746
6461			Transportation Linear Disturbance							Complete	Digitized	No	BLM	496.46	0.09403
6462			Transportation Linear Disturbance							Complete	Digitized	No	BLM	1016.58	0.19253
6463			Transportation Linear Disturbance							Complete	Digitized	No	BLM	1873.79	0.35488
6464			Transportation Linear Disturbance	Natural	2-Track >50 Inches					Complete	Digitized	Yes	BLM	1703.89	0.32271
6465			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1303.80	0.24693
6466			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	727.34	0.13775
6467			Transportation Linear Disturbance	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)			Complete	Digitized	Yes	BLM	1772.58	0.33572
6468			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	871.94	0.16514
6469			Transportation Linear Disturbance	Natural	Unknown	Repeated Use	4wd-Touring Low	Light Use	Primitive Road	Complete	Digitized	No	BLM	292.56	0.05541
6470			Transportation Linear Disturbance							Complete	Digitized	No	BLM	642.72	0.12173
6471			Transportation Linear Disturbance							Complete	Digitized	No	BLM	2621.25	0.49645
6472			Transportation Linear Disturbance							Complete	Digitized	No	BLM	372.94	0.07063
6473			Transportation Linear Disturbance							Complete	Digitized	No	BLM	724.71	0.13726
6474			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	302.59	0.05731
6475			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	3094.61	0.58610
6476			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2867.54	0.54310
6477			Transportation Linear Disturbance		2-Track >50 Inches	Unknown	2wd		Primitive Road	Complete	Digitized	No	BLM	4065.56	0.76999
6478			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	4254.34	0.80575

6479			Transportation Linear Disturbance		2-Track >50 Inches				Primitive Road	Complete	Digitized	Yes	BLM	5359.95	1.01514
6480			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	3603.07	0.68240
6481			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	2847.04	0.53921
6482			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	1907.64	0.36130
6483			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	1053.84	0.19959
6484			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	175.90	0.03331
6485			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	280.02	0.05303
6486			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	7710.95	1.46041
6487			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	192.15	0.03639
6488			Transportation Linear Disturbance						Trail	Verify	Digitized	Yes	BLM	1312.99	0.24867
6489			Transportation Linear Disturbance						Trail	Verify	Digitized	Yes	BLM	1411.73	0.26737
6490			Transportation Linear Disturbance						Trail	Verify	Digitized	Yes	BLM	5489.19	1.03962
6491			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	Yes	BLM	365.00	0.06913
6492			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	4802.94	0.90965
6493			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	271.51	0.05142
6494			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	117.74	0.02230
6495			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	1567.25	0.29683
6496			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	774.69	0.14672
6497			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	80.17	0.01518
6498			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1540.31	0.29173
6499			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	1596.03	0.30228
6500			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	4315.48	0.81732
6501			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	1599.82	0.30300
6502			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	373.77	0.07079
6503			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	923.59	0.17492
6504			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	401.04	0.07595
6505			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1595.21	0.30212
6506			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	315.29	0.05971

6507			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	1276.65	0.24179
6508			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	1161.17	0.21992
6509			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2350.37	0.44515
6510			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	666.13	0.12616
6511			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	368.65	0.06982
6512			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	49.93	0.00946
6513			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	359.99	0.06818
6514			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1547.98	0.29318
6515			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	857.47	0.16240
6516			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	3208.04	0.60758
6517			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	634.97	0.12026
6518			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1178.03	0.22311
6519			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2154.70	0.40809
6520			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1643.66	0.31130
6521	1020		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	7643.89	1.44771
6522	1008		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	11687.74	2.21359
6523	1005	Sprague Gulch	BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	2609.83	0.49429
6524	1253A		BLM Primitive Road						Primitive Road	Complete	Digitized	No	BLM	4051.71	0.76737
6525			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2534.58	0.48003
6526			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2975.67	0.56357
6527			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	3038.98	0.57556
6528			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	445.10	0.08430
6529			Transportation Linear Disturbance							Complete	Digitized	No	BLM	255.34	0.04836
6530			Transportation Linear Disturbance							Complete	Digitized	No	BLM	125.30	0.02373
6531			Transportation Linear Disturbance							Complete	Digitized	No	BLM	139.08	0.02634
6532			Transportation Linear Disturbance							Complete	Digitized	No	BLM	4806.48	0.91032
6533			Transportation Linear Disturbance							Complete	Digitized	No	BLM	745.38	0.14117
6534			Transportation Linear Disturbance							Complete	Digitized	No	BLM	3025.31	0.57297
6535			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	379.93	0.07196
6536			Transportation Linear Disturbance							Complete	Digitized	No	BLM	363.60	0.06886

6537			Transportation Linear Disturbance							Complete	Digitized	No	BLM	397.73	0.07533
6538			Transportation Linear Disturbance							Complete	Digitized	No	BLM	123.93	0.02347
6539			Transportation Linear Disturbance							Complete	Digitized	No	BLM	313.31	0.05934
6540			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1344.94	0.25472
6541			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	386.54	0.07321
6542			Transportation Linear Disturbance							Complete	Digitized	No	BLM	11311.19	2.14227
6543			Transportation Linear Disturbance							Complete	Digitized	No	BLM	663.86	0.12573
6544			Transportation Linear Disturbance							Complete	Digitized	No	BLM	374.11	0.07085
6545			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	3516.53	0.66601
6546			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	CPW	1290.22	0.24436
6547			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	4259.56	0.80674
6548			Transportation Linear Disturbance							Verify	Digitized	Yes	BLM	3727.95	0.70605
6549			Transportation Linear Disturbance							Complete	Digitized	Yes	CPW	928.81	0.17591
6550			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	2657.36	0.50329
6551			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	2842.58	0.53837
6552			Transportation Linear Disturbance							Complete	Digitized	No	BLM	342.29	0.06483
6553			Transportation Linear Disturbance							Complete	Digitized	No	BLM	5460.52	1.03419
6554			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1631.71	0.30904
6555			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1292.83	0.24485
6556			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1034.71	0.19597
6557			Transportation Linear Disturbance							Complete	Digitized	No	BLM	651.89	0.12346
6558			Transportation Linear Disturbance							Complete	Digitized	No	BLM	386.15	0.07313
6559			Transportation Linear Disturbance							Complete	Digitized	No	BLM	1639.98	0.31060
6560			Transportation Linear Disturbance							Complete	Digitized	No	BLM	1246.95	0.23616
6561			Transportation Linear Disturbance							Complete	Digitized	No	BLM	1045.39	0.19799
6562			Transportation Linear Disturbance							Complete	Digitized	No	BLM	1281.24	0.24266
6563			Transportation Linear Disturbance							Complete	Digitized	No	BLM	641.10	0.12142
6564			Transportation Linear Disturbance							Complete	Digitized	No	BLM	416.70	0.07892

6565			Transportation Linear Disturbance							Complete	Digitized	No	BLM	565.32	0.10707
6566			Transportation Linear Disturbance							Complete	Digitized	No	BLM	475.41	0.09004
6567			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	276.38	0.05234
6568			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	201.93	0.03824
6569			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	317.35	0.06010
6570			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	2792.56	0.52889
6571			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	4475.86	0.84770
6572			Transportation Linear Disturbance			Mechanical				Complete	Digitized	No	BLM	4092.94	0.77518
6573			Transportation Linear Disturbance			Mechanical				Complete	Digitized	No	BLM	3907.62	0.74008
6574			Transportation Linear Disturbance							Complete	Digitized	No	BLM	5104.14	0.96669
6575	1135		Transportation Linear Disturbance						Primitive Road	Verify	Digitized	No	BLM	15437.91	2.92385
6576			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1357.10	0.25703
6577			Transportation Linear Disturbance						Primitive Road	Verify	Digitized	Yes	BLM	3864.00	0.73182
6578			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1787.36	0.33851
6579			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	428.33	0.08112
6580			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	CPW	789.56	0.14954
6581			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	CPW	716.26	0.13565
6582			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	Yes	BLM	1448.24	0.27429
6583			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	CPW	2552.79	0.48348
6584			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	535.65	0.10145
6585			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	200.23	0.03792
6586			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	CPW	200.22	0.03792
6587			Transportation Linear Disturbance				ATV		Trail	Complete	Digitized	Yes	BLM	1682.24	0.31861
6588			Transportation Linear Disturbance	Natural	Width <50 Inches	Repeated Use	ATV	Moderate Use	Trail	Complete	Digitized	Yes	BLM	2941.22	0.55705
6589			Transportation Linear Disturbance	Natural	2-Track > 50 Inches	Repeated Use			Primitive Road	Complete	Digitized	No	BLM	5585.80	1.05792
6590			Transportation Linear Disturbance		2-Track >50 Inches				Primitive Road	Complete	Digitized	Yes	BLM	1683.89	0.31892
6591			Transportation Linear Disturbance		2-Track >50 Inches				Primitive Road	Verify	Digitized	Yes	BLM	1192.21	0.22580
6592			Transportation Linear Disturbance		2-Track >50 Inches				Primitive Road	Complete	Digitized	Yes	CPW	752.59	0.14254

6593			Transportation Linear Disturbance		2-Track >50 Inches				Primitive Road	Complete	Digitized	Yes	BLM	1021.26	0.19342
6594			Transportation Linear Disturbance				ATV		Trail	Complete	Digitized	Yes	BLM	3416.59	0.64708
6595			Transportation Linear Disturbance		2-Track >50 Inches				Primitive Road	Complete	Digitized	Yes	BLM	1296.12	0.24548
6596			Transportation Linear Disturbance				ATV		Primitive Road	Complete	Digitized	No	BLM	3670.39	0.69515
6597			Transportation Linear Disturbance				ATV		Trail	Complete	Digitized	No	BLM	4283.38	0.81125
6598			Transportation Linear Disturbance		2-Track >50 Inches					Complete	Digitized	Yes	BLM	1197.40	0.22678
6599			Transportation Linear Disturbance							Complete	Digitized	No	BLM	1925.70	0.36472
6600			Transportation Linear Disturbance		2-Track >50 Inches				Primitive Road	Complete	Digitized	No	BLM	4523.79	0.85678
6601			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	1166.40	0.22091
6602			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	430.53	0.08154
6603			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	1421.63	0.26925
6604			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	785.78	0.14882
6605			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	1079.50	0.20445
6606			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1224.70	0.23195
6607			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	873.61	0.16546
6608			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	1674.92	0.31722
6609			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	183.90	0.03483
6610			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	582.02	0.11023
6611			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	902.30	0.17089
6612			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	3729.77	0.70640
6613			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	490.85	0.09296
6614			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	427.98	0.08106
6615			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	No	BLM	507.37	0.09609
6616			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1763.14	0.33393
6617			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	337.11	0.06385
6618			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1577.11	0.29869
6619			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	2699.32	0.51123
6620			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	1120.27	0.21217

6621			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	1574.13	0.29813
6622			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	771.95	0.14620
6623			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	854.45	0.16183
6624			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	525.93	0.09961
6625			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	281.65	0.05334
6626			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	231.69	0.04388
6627			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	109.48	0.02073
6628			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	89.49	0.01695
6629			Transportation Linear Disturbance						Trail	Complete	Digitized	No	BLM	2277.05	0.43126
6630			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	240.79	0.04560
6631			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	490.11	0.09282
6632			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	Yes	BLM	482.28	0.09134
6633			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd			Complete	Digitized	Yes	BLM	1150.92	0.21798
6634			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	762.79	0.14447
6635			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	170.28	0.03225
6636			Transportation Linear Disturbance	Gravel	Bladed Route	Mechanical	2wd	Heavy Use		Complete	Digitized	Yes	BLM	1540.22	0.29171
6637			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	1336.78	0.25318
6638			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	4368.88	0.82744
6639			Transportation Linear Disturbance						Trail	Complete	Digitized	Yes	BLM	2449.44	0.46391
6640			Transportation Linear Disturbance						Primitive Road	Complete	Digitized	No	BLM	670.19	0.12693
6641			Transportation Linear Disturbance							Complete	Digitized	No	BLM	428.17	0.08109
6642			Transportation Linear Disturbance							Complete	Digitized	No	BLM	368.91	0.06987
6643			Transportation Linear Disturbance							Complete	Digitized	No	BLM	132.68	0.02513
6644			Transportation Linear Disturbance							Complete	Digitized	No	BLM	197.02	0.03731
6645			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	71.55	0.01355
6646			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	173.06	0.03278
6647			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	2615.44	0.49535
6648			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	427.59	0.08098

6649			Transportation Linear Disturbance							Complete	Digitized	Yes	BLM	329.15	0.06234
6650			Transportation Linear Disturbance	Natural	2 Track > 50 Inches	Unknown	4wd-Touring Low	Moderate Use	Primitive Road	Complete	Digitized	Yes	BLM	3976.59	0.75314
6651			BLM Primitive Road	Natural	2-Track >50 Inches	Repeated Use	4wd-Touring (Low)	Heavy Use		Complete	GPS Device	Yes	BLM	727.32	0.13775