

Common Name	Scientific Name	Designation of other agencies: CNHP Global and State Ranking G_ / S_ ; Forest Service FS ; Colorado Div. of Wildlife S_	Occurrence BLM Field Offices/Districts		
			Northwest	Southwest	Front Range
MAMMALS					
Townsend's big-eared bat	<i>Corynorhinus townsendii pallescens</i>	G4T4/S2, FS, SC	GJ, GS, WR	SJ, UN	LJ, RG, S
Gunnison's prairie dog	<i>Cynomys gunnisoni</i>	G5/S5, FS, <i>Federal Candidate</i> in Montane populations		GN, SJ, UN	LJ, RG, S
White-tailed prairie dog	<i>Cynomys leucurus</i>	G4/S4, FS	GJ, GS, K, LS, WR	UN	
Black-tailed prairie dog	<i>Cynomys ludovicianus</i>	G4/S3, FS, SC			RG
Spotted bat	<i>Euderma maculatum</i>	G4/S2, FS	GJ, LS, WR	SJ, UN	
Allen's (Mexican) big-eared bat	<i>Idionycteris phyllotis</i>	G3G4/S2, FS		SJ, UN	
Fringed myotis	<i>Myotis thysanodes</i>	G4G5/S3, FS	GJ, GS, WR	SJ, UN	RG
Big free-tailed bat	<i>Nyctinomops macrotis</i>	G5/S1	GJ	SJ, UN	LJ, RG, S
Desert bighorn sheep	<i>Ovis canadensis nelsoni</i>	G4T4; FS	GJ	SJ, UN	
Kit fox	<i>Vulpes macrotis</i>	G4/S1, FS, SE	GJ	UN	
Swift fox	<i>Vulpes velox</i>	G3/S3, FS, SC	LS		RG
New Mexico meadow jumping mouse	<i>Zapus hudsonius luteus</i>	<i>Federal Candidate</i>		SJ	
BIRDS					
Northern goshawk	<i>Accipiter gentilis</i>	G5/S3B, FS	GJ, GS, K, LS, WR	GN, SJ, UN	LJ, RG, S
Burrowing owl	<i>Athene cunicularia</i>	G4/S4B, FS, ST	GJ, LS, WR	SJ	
Ferruginous hawk	<i>Buteo regalis</i>	G4/S3BS4N, FS, SC	GJ, LS, K, WR	SJ, UN	LJ, RG, S
Gunnison sage-grouse	<i>Centrocercus minimus</i>	G1/S1, FS, SC	GJ	GN, SJ, UN	S
Greater sage-grouse	<i>Centrocercus urophasianus</i>	G4/S4, FS, SC	GJ, GS, K, LS, WR		
Western snowy plover	<i>Charadrius alexandrinus nivosus</i>	G4T3/S1B, SC	GJ		LJ, RG, S
Mountain plover	<i>Charadrius montanus</i>	G2/S2B, FS, SC	LS, K, WR		LJ, RG, S
Western yellow-billed cuckoo	<i>Coccyzus americanus occidentalis</i>	<i>Federal Candidate</i>	GJ	UN	LJ
Black swift	<i>Cypseloides niger</i>	G4/S3B		GN, SJ	LJ
American peregrine falcon	<i>Falco peregrinus anatum</i>	G4T4/S2B, FS, SC	LS, GS, WR	SJ, UN	LJ

Common Name	Scientific Name	Designation of other agencies: CNHP Global and State Ranking G_ / S_ ; Forest Service FS ; Colorado Div. of Wildlife S_	Occurrence BLM Field Offices/Districts		
			Northwest	Southwest	Front Range
Bald eagle	<i>Haliaeetus leucocephalus</i>	G5/S1B/S3N, FS, ST	GJ, GS, LS, WR	GN, SJ, UN	LJ, RG, S
Long-billed curlew	<i>Numenius americanus</i>	G5/S2B, FS, SC	GJ, LS, WR	UN	RG
White-faced ibis	<i>Plegadis chihi</i>	G5/S2B, FS	GJ, GS, K, LS, WR	GN, SJ, UN	LJ, RG, S
American white pelican	<i>Pelecanus erythrorhynchos</i>	G3/S1B	GJ, K, LS, WR	UN	LJ, RG, S
Brewer's sparrow	<i>Spizella berweri</i>	G5/S4B	GJ, K, LS, WR	GN, SJ, UN	LJ, RG, S
Lesser prairie chicken	<i>Tympanuchus pallidicinctus</i>	<i>Federal Candidate</i>			RG
Columbian sharp-tailed grouse	<i>Tympanuchus phasianellus columbianus</i>	G4G3/S2, FS, SC	LS, WR	SJ, UN	
FISH					
Bluehead sucker	<i>Catostomus discobolus</i>	G4/S4, FS	GJ, GS, K, LS, WR	SJ, UN	
Flannelmouth sucker	<i>Catostomas latipinnis</i>	G3G4/S3, FS	GJ, GS, K, LS, WR	SJ, UN	
Mountain sucker	<i>Catostomas platyrhynchus</i>	G5/S2, FS, SC	GS, LS, WR		
Rio Grande sucker	<i>Catostomus plebeius</i>	G3G4/S1, FS, SE			LJ
Arkansas darter	<i>Etheostoma cragini</i>	<i>Federal Candidate</i>			RG
Rio Grande chub	<i>Gila pandora</i>	G3/S1?, FS, SC			LJ, S
Roundtail chub	<i>Gila robusta</i>	G3/ S2, FS, SC	GJ, GS, LS, WR	SJ, UN	
Colorado River cutthroat trout	<i>Oncorhynchus clarki pleuriticus</i>	G4T3/S3, FS, SC	GJ, GS, K, LS, WR	GN, SJ, UN	
Rio Grande cutthroat trout	<i>Oncorhynchus clarki virginialis</i>	G4T3/ S3, FS, SC			LJ, RG, S
REPTILES					
Midget faded rattlesnake	<i>Crotalus viridis concolor</i>	G5T4/S3?, SC	GJ, GS, LS,	UN	
Longnose leopard lizard	<i>Gambelia wislizenii</i>	G5/S1, SC	GJ	SJ, UN	

Common Name	Scientific Name	Designation of other agencies: CNHP Global and State Ranking G_ / S_ ; Forest Service FS ; Colorado Div. of Wildlife S_	Occurrence BLM Field Offices/Districts		
			Northwest	Southwest	Front Range
Common kingsnake	<i>Lampropeltis getula</i>	G5/S1, SC			RG
Milk snake	<i>Lampropeltis triangulum taylori</i>	G5T4Q/ S2?, FS, SC	GJ	UN	RG, LJ, S
Desert spiny lizard	<i>Sceloporus magister</i>	G5/ S2		SJ	
Massasauga	<i>Sistrurus catenatus</i>	G4/ S3, FS, SC			RG
AMPHIBIANS					
Northern cricket frog	<i>Acris crepitans</i>	G5/SH, SC			RG
Boreal toad	<i>Anaxyrus boreas boreas</i>	FS, SE, G4T1Q/S1	LS, WR	GN, SJ, UN	
Canyon treefrog	<i>Hyla arenicolor</i>	G5/ S2	GJ	SJ, UN	
Plain's leopard frog	<i>Rana blairi</i>	G5/S3, FS, SC			RG
Northern leopard frog	<i>Rana pipiens*</i>	G5/ S3, FS, SC	GJ, GS, K, LS, WR	SJ, UN	RG, LJ, S
Great Basin spadefoot	<i>Spea intermontana</i>	G5/ S3	GJ, GS, LS, WR		
INVERTEBRATES					
Butterfly, Great Basin silverspot	<i>Speyeria nokomis nokomis</i>	G4T2/S1	GJ	SJ, UN	
PLANTS					
Narrow-stem gilia	<i>Aliciella stenothyrsa</i> (<i>Gilia stenothyrsa</i>)	G3/S1	GJ, WR		
Jones' bluestar	<i>Amsonia jonesii</i>	G4/S1	GJ	SJ	
Rydberg's golden columbine	<i>Aquilegia chrysantha</i> var. <i>rydbergii</i>	G4T1/S1; FS			RG
Crandall's rockcress	<i>Arabis crandallii</i> (<i>Boechera crandallii</i>)	G4/S2		GN	RG
Dwarf milkweed	<i>Asclepias uncialis</i>	G3G4/T2T3/S2; FS			RG
Gunnison milkvetch	<i>Astragalus anisus</i>	G3/G2		GN	
DeBeque milkvetch	<i>Astragalus debequaeus</i>	G2/S2	GJ, GS		
Horseshoe milkvetch	<i>Astragalus equisolensis</i>	G5T1/S1	GJ		
Debris milkvetch	<i>Astragalus detritalis</i>	G3/S2	LS, WR		
Duchesne milkvetch	<i>Astragalus duchesnensis</i>	G3/S1S2	LS, WR		
Grand Junction milkvetch	<i>Astragalus linifolius</i>	G3Q/S3	GJ	UN	
Skiff milkvetch	<i>Astragalus microcymbus</i>	G1/S1		GN	

Common Name	Scientific Name	Designation of other agencies: CNHP Global and State Ranking G_/S_ ; Forest Service FS; Colorado Div. of Wildlife S_	Occurrence BLM Field Offices/Districts		
			Northwest	Southwest	Front Range
Ferron's milkvetch	<i>Astragalus musiniensis</i>	G3/S1	GJ		
Naturita milkvetch	<i>Astragalus naturitensis</i>	G2G3/S2S3	GJ	SJ, UN	
Fisher milkvetch	<i>Astragalus piscator</i>	G1?/S1	GJ		
San Rafael milkvetch	<i>Astragalus rafaensis</i>	G3Q/S1	GJ	UN	
Ripley's milkvetch	<i>Astragalus ripleyi</i>	G3/S2; FS			LJ
Sandstone milkvetch	<i>Astragalus sesquiflorus</i>	G3/S1?		UN	
Sleeping Ute milkvetch	<i>Astragalus tortipes</i>	Federal Candidate		SJ	
Grand Junction suncup	<i>Camissonia eastwoodiae</i>	G2/S1	GJ		
Slender spiderflower	<i>Cleome multicaulis</i>	G2G3/S2S3			LJ, S
Crescent bugseed	<i>Corispermum navicula</i>	G1?/S1	K		
Tufted cryptantha	<i>Cryptantha caespitosa</i> (<i>Oreocarya caespitosa</i>)	G3/S2	LS, WR		
Gypsum Valley cateye	<i>Cryptantha gypsophila</i>	G1G2/S1S2	GJ	SJ, UN	
Osterhout's cryptantha	<i>Cryptantha osterhoutii</i> (<i>Oreocarya osterhoutii</i>)	G3/S1S2	GJ	GN	
Rollins' cryptantha	<i>Cryptantha rollinsii</i> (<i>Oreocarya rollinsii</i>)	G4/S2	WR		
Fragile rockbrake	<i>Cryptogramma stelleri</i>	G5/S2	K	GN, SJ, UN	LJ
Uinta Basin springparsley	<i>Cymopterus duchesnensis</i>	G3/S1	LS		
Kachina fleabane	<i>Erigeron kachinensis</i>	G2/S1	GJ	SJ	
Singlestem buckwheat	<i>Eriogonum acaule</i>	G3/S1	LS		
Brandegee's buckwheat	<i>Eriogonum brandegeei</i>	G1G2/S1S2; FS			RG
Comb Wash buckwheat	<i>Eriogonum clavellatum</i>	G2/S1		SJ	
Colorado buckwheat	<i>Eriogonum coloradense</i>	G3/S2		GN	RG
Grand buckwheat	<i>Eriogonum contortum</i>	G3/S2	GJ		
Ephedra buckwheat	<i>Eriogonum ephedroides</i>	G3/S1	LS, WR		
Woodside buckwheat	<i>Eriogonum tumulosum</i>	G3Q/S2	LS		
Clay hill buckwheat	<i>Eriogonum viridulum</i>	G4Q/S1	LS		
Tufted frasera	<i>Frasera paniculata</i>	G4/S1	GJ		
Cathedral Bluff dwarf gentian	<i>Gentianella tortuosa</i>	G3?/S1	WR		
Lone Mesa snakeweed	<i>Gutierrezia elegans</i>	G1/S1		SJ	
Pagosa skyrocket	<i>Ipomopsis polyantha</i>	Federal Candidate		SJ	

Common Name	Scientific Name	Designation of other agencies: CNHP Global and State Ranking G_/S_ ; Forest Service FS; Colorado Div. of Wildlife S_	Occurrence BLM Field Offices/Districts		
			Northwest	Southwest	Front Range
Piceance bladderpod	<i>Lesquerella parviflora</i>	G2/S2	GJ, WR		
Pagosa Springs bladderpod	<i>Lesquerella pruinosa</i>	G2/S2; FS		SJ	
Uncompaghre bladderpod	<i>Lesquerella vicina</i>	G2/S2		UN	
Adobe desertparsley	<i>Lomatium concinnum</i>	G2G3/S2S3		UN	
Canyonlands biscuitroot	<i>Lomatium latilobum</i> (<i>Aletes latilobus</i>)	G1/S1	GJ		
Paradox lupine	<i>Lupinus crassus</i>	G2/S2		UN	
Dolores River skeletonplant	<i>Lygodesmia doloresensis</i>	G1G2/S1	GJ	SJ	
Gold blazingstar	<i>Mentzelia chrysantha</i> (<i>Nuttallia chrysantha</i>)	G2/S2			RG
Royal Gorge blazingstar	<i>Mentzelia densa</i> (<i>Nuttallia densa</i>)	G2/S2			RG
Roan cliffs blazingstar	<i>Mentzelia rhizomata</i> (<i>Nuttallia argillosa</i> , <i>Mentzelia argillosa</i>)	G2/S2	GJ, GS		
Eastwood's monkeyflower	<i>Mimulus eastwoodiae</i>	G3G4/S1	GJ	SJ, UN	
Bill's neoparrya	<i>Neoparrya lithophila</i> (<i>Aletes lithophilus</i>)	G3/S3; FS			LJ, S
Flaming Gorge evening primrose	<i>Oenothera acutissima</i>	G2/S2	LS, WR		
Few-flower ragwort	<i>Packera pauciflora</i>	G4G5/S1S2			RG
Colorado feverfew	<i>Parthenium ligulatum</i> (<i>Bolophyta ligulata</i>)	G3/S2	LS, WR		
Aromatic Indian breadroot	<i>Pedimelum aromaticum</i>	G3/S2	GJ	SJ, UN	
Parachute beardtongue	<i>Penstemon debilis</i>	<i>Federal Candidate</i>	GJ, GS		
Degener's beardtongue	<i>Penstemon degeneri</i>	G2/S2			RG
Gibbens' beardtongue	<i>Penstemon gibbensii</i>	G1G2/S1	LS		
Graham's beardtongue	<i>Penstemon grahamii</i>	G2/S1	WR		
Harrington's beardtongue	<i>Penstemon harringtonii</i>	G3/S3; FS	GS, K		
White River beardtongue	<i>Penstemon scariosus</i> var. <i>albifluvis</i>	<i>Federal Candidate</i>	WR		
DeBeque phacelia	<i>Phacelia submutica</i>	<i>Federal Candidate</i>	GJ, GS		

Common Name	Scientific Name	Designation of other agencies: CNHP Global and State Ranking G_/S_ ; Forest Service FS; Colorado Div. of Wildlife S_	Occurrence BLM Field Offices/Districts		
			Northwest	Southwest	Front Range
Cushion bladderpod	<i>Physaria pulvinata</i>	G1/S1		SJ	
Pale blue-eyed grass	<i>Sisyrinchium pallidum</i>	G2G3/S2	K		RG, S
Rock tansy	<i>Sphaeromeria capitata</i>	G3/S1	LS		
Cathedral Bluff meadow-rue	<i>Thalictrum heliophilum</i>	G2/S2, FS	GJ, GS, WR		
Hairy Townsend daisy	<i>Townsendia strigosa</i>	G4/S1	LS		
Rolland's bulrush	<i>Trichophorum pumilum</i> (<i>Scirpus rollandii</i>)	G5/S2		GN	RG

1 STATUS: The source used to assign status is from:
 Colorado's Natural Heritage: Rare and Imperiled Animals, Plants, and Plant Communities; Vol.3, No.1, 10/1997.
 Colorado's Threatened, Endangered, and Special Concern Wildlife; May/98.
 Conservation Status Handbook: Colorado's Animals, Plants and Plant Communities of Special Concern Vol. 3, No.2, 5/1999.
 GROUP: Colorado Natural Heritage Program (CNHP)
 CNHP - Global Rarity Ranking is based on the range-wide status of a species.
 G1- Critically imperiled globally because of extreme rarity (5 or fewer occurrences, or very few remaining individuals), or because of some factor of its biology making it especially vulnerable to extinction. (Critically endangered throughout its range).
 G2-Imperiled globally because of rarity (6 to 20 occurrences), or because of other factors demonstrably making it very vulnerable to extinction throughout its range. (Endangered throughout its range).
 G3-Very rare or local throughout its range or found locally in a restricted range (21 to 100 occurrences). (Threatened throughout its range).
 G4-Apparently secure globally, though it might be quite rare in parts of its range, especially at the periphery.
 G5-Demonstrably secure globally, though it may be quite rare in parts of its range, especially at the periphery.
 T- Taxa of subspecies or varieties, ranked on same criteria as G1-G5.
 CNHP - State Rarity Ranking is based on the status of a species (relative abundance of individuals) in each state.
 S1- Critically imperiled in state because of extreme rarity (5 or fewer occurrences, or very few remaining individuals), or because of some factor of its biology making it especially vulnerable to extirpation from the state. (Critically endangered in state).
 S2- Imperiled in state because of rarity (6 to 20 occurrences), or because of other factors demonstrably making it very vulnerable to extirpation from the state. (Endangered or threatened in state).
 S3- Rare in state (21 to 100 occurrences).

S#B- Refers to the breeding season imperilment of elements that are not permanent residents.
 S#N- Refers to the non-breeding season imperilment of elements that are not permanent residents. Where no consistent location can be discerned for migrants or non-breeding populations, a rank of SZN is used.
 SZ- Migrant whose occurrences are too irregular, transitory, and/or dispersed to be reliably identified, mapped, and protected.
 AGENCY: U.S. Forest Service, Region 2
 FS - Sensitive: those plant and animal species identified by the Regional Forester for which population viability is a concern as evidenced by:
 a. Significant current or predicated downward trends in population numbers or density.
 b. Significant current or predicated downward trends in habitat capability that would reduce a species' existing distribution.
 State: Colorado Division of Wildlife
 SC - Species of Special Concern
 2 OCCURRENCE:
 Indicates Field Office of known occurrence using the following codes:
 Northwest=
 LS Little Snake
 WR White River
 KR Kremmling
 GJ Grand Junction
 GS Glenwood Springs
 Southwest=
 UN Uncompahgre
 GN Gunnison
 SJ San Juan
 Front Range =
 RG Royal Gorge
 LJ LaJara
 S Saguache