

DOI-BLM-NM-P010-2011-0042-EA

FINDING OF NO SIGNIFICANT IMPACT: I have reviewed this environmental assessment including the explanation and resolution of any potentially significant environmental impacts. I have determined the proposed action will not have significant impacts on the human environment and that preparation of an Environmental Impact Statement (EIS) is not required.

Rationale for Recommendations: The proposed action would not result in any undue or unnecessary environmental degradation. The proposed action will be in compliance with the 1997 Roswell Resource Management Plan and Record of Decision and the 2001 New Mexico Standards for Public Land Health and Guidelines for Livestock Grazing Management.

/s/ J H Parman
J H Parman
Assistant Field Manager, Resources

1/28/11
Date

PROPOSED DECISION: It is my decision to implement the proposed action as described in DOI-BLM-NM-P010-2011-0042-EA and to issue a permit or lease for the allotment analyzed in this document. The mitigation measures identified in the attached EA have been formulated into terms and conditions that will be attached to the grazing permits or leases. This decision incorporates, by reference, those conditions identified in the attached Environmental Assessment. The EA authorizes 14 Animal Units on 100 percent public land for 168 Animal Unit Months.

Rationale: Based on the rangeland health assessments (RHAs) and previous monitoring, resource conditions on these allotments are sufficient and sustainable to support the level of use outlined in the term grazing permits or leases.

The Proposed Action will be in compliance with the 1997 Roswell Resource Management Plan and Record of Decision and the 2001 New Mexico Standards for Public Land Health and Guidelines for Livestock Grazing Management.

If you wish to protest this proposed decision in accordance with 43 CFR 4160.2, you are allowed 15 days to do so in person or in writing to the authorized officer, after the receipt of this decision. Please be specific in your points of protest. The protest shall be filed with the Field Manager, Bureau of Land Management, 2909 West 2nd, Roswell, NM 88201. This protest should specify, clearly and concisely, why you think the proposed action is in error.

In the absence of a protest within the time allowed, the above decision shall constitute my final decision. Should this notice become the final decision, you are allowed an additional 30 days within which to file an appeal for the purpose of a hearing before the Interior Board of Land Appeals, and to petition for stay of the decision pending final determination on the appeal (43 CFR 4.21 and 4.410). If a petition for stay is not requested and granted, the decision will be put into effect following the 30-day appeal period. The appeal and petition for stay should be filed with the Field Manager at the above address. The appeal should specify, clearly and concisely, why you think the decision is in error. The petition for stay should specify how you will be harmed if the stay is not granted.

/s/ J H Parman
J H Parman
Assistant Field Manager, Resources

1/28/11
Date

ENVIRONMENTAL ASSESSMENT

GRAZING AUTHORIZATION


For

ALLOTMENT 65035
White Lakes Ranch

DOI-BLM-NM-P010-2011-0042-EA

November 2010

U.S. Department of the Interior
Bureau of Land Management
Roswell Field Office
Roswell, New Mexico



No warranty is made by the Bureau of Land Management as to the accuracy, reliability, or completeness of these data for individual use or aggregate use with other data. Original data was compiled from various sources. Spatial information may not meet National Map Accuracy Standards. This information may be updated without notification.

Allotment 65035

I. BACKGROUND

Purpose And Need For The Proposed Action

The purpose of issuing a new grazing lease would be to authorize livestock grazing on public range on Allotment 65035 White Lakes Ranch. When authorizing livestock grazing on public range, the Bureau of Land Management (BLM) must conduct a site-specific NEPA analysis before issuing a permit to authorize livestock grazing. This environmental assessment fulfills the NEPA requirement by providing the necessary site-specific analysis of the effects of issuing a new grazing permit on this allotment. The lease would be needed to specify the types and levels of use authorized, and the terms and conditions of the authorization pursuant to 43 CFR §§4130.3, 4130.3-1, 4130.3-2, and 4180.1.

The scope of this environmental assessment is limited to the effects of issuing a new grazing lease on this allotment. Over time, the need could arise for subsequent management activities which relate to grazing authorization. These activities could include vegetation treatments (e.g., prescribed fires, herbicide projects), range improvement projects (e.g., fences, water developments), and others. Future rangeland management actions related to livestock grazing would be addressed in project-specific NEPA documents as they are proposed.

Though this environmental assessment specifically addresses the impacts of issuing a grazing lease on this allotment, it does so within the context of overall BLM management goals. Allotment management activities would have to be coordinated with projects intended to achieve those other goals. For example, a vegetation treatment designed to enhance watershed condition or wildlife habitat may require rest from livestock grazing for one or more growing seasons. Requirements of this type would be written into the lease as terms and conditions.

Conformance with Land Use Planning

The proposed action conforms to the 1997 Roswell Approved Resource Management Plan (RMP) and Record of Decision; the 2000 New Mexico Standards for Public Land health and Guidelines for Livestock Grazing Management and Record of Decision as required by 43 CFR 1610.5-3.

Relationships to Statutes, Regulations, or Other Plans

The proposal to renew the livestock grazing permit on this allotment is in conformance with the 1994 Environmental Impact Statement for Rangeland Reform; the Federal Land Policy and Management Act of 1976 (FLPMA) (43 U.S.C. 1700 et seq.); the Taylor Grazing Act of 1934 (TGA) (43 U.S.C. 315 et seq.); the Public Rangelands Improvement Act of 1978 (PRIA) (43 U.S.C. 1901 et seq.).

II. PROPOSED ACTION AND ALTERNATIVES

Proposed Action - Current Livestock Management

The proposed action is to issue a ten-year lease to graze cattle on this allotment. Current permitted use is based on long-term monitoring and rangeland conditions. Additionally a rangeland health assessment has been completed and the allotment meet the Standards for Public Land Health. See Table 1 below for details of this allotment.

Table 1. Animal Units/Animal Unit Months

Allot Number	Allotment Name	Acres of Public Land	Percent Public Land	Animal Units Authorized	Animal Unit Months Authorized	Permitted Animal Units	Permitted Animal Unit Months
65035	White Lakes Ranch	960	100	14	168	14	168
Totals		960	100	14	168	14	168

There would be no changes from current livestock management as conducted by the permittee, or to existing range improvements already in place. Future projects or activities identified by the permittee or the BLM can still be considered for implementation. Rangeland monitoring would continue on the allotment and changes to livestock management would be made as necessary. If new information surfaces that livestock grazing is negatively impacting other resources, action will be taken to mitigate those impacts.

No Grazing Alternative

Under this alternative a new grazing lease would not be issued for this allotment. No grazing would be authorized on federal land on this allotment under this alternative. Under this alternative and based on the land status pattern within the allotment, new fences would be required to exclude grazing on the federal land.

Alternatives Considered But Not Analyzed

Grazing with reduced numbers – BLM considered authorizing grazing with reduced numbers on this allotment. Grazing with reduced numbers would produce impacts similar to the proposed action. Additionally, these allotments meet the Standard for Public Land Health and monitoring studies do not indicate changes are necessary. Therefore, BLM will not analyze this alternative.

III. AFFECTED ENVIRONMENT AND ENVIRONMENTAL IMPACTS

General Setting

This allotment is located in Chaves County, approximately 22 miles northeast of Roswell, NM .

Shinnery oak/dune (SOD) and Grasslands (GR) are the major plant communities occurring within allotment #65035. Annual precipitation for this region averages 12 -13 inches. These communities are in the Canadian Plains major land resource system between elevations of 3,800 and 4,300 feet.

The grassland vegetative community as identified in the Roswell Resource Management Plan/Environmental Impact Statement (RMP/EIS). Vegetative communities managed by the Roswell Field Office are identified and explained in the RMP/EIS. Appendix 11 of the draft RMP/EIS describes the Desired Plant Community (DPC) concept and identifies the components of each community.

Affected Resources

The following resources or values are not present or would not be affected by the authorization of livestock grazing on these allotments: Cultural Resources, Native American Religious Concerns, Floodplains, Prime or Unique Farmland, Minority/Low Income Populations, Hazardous or Solid Wastes, Wild and Scenic Rivers, and Wilderness. Cultural resources are not usually adversely affected by livestock grazing, although concentrated livestock activity such as around livestock water troughs can have an adverse effect on cultural resources. Prior to authorizing range improvements, a Class III Cultural Survey must be completed ensuring cultural resources will not be affected. There are several known cultural resources within the allotment. Affected resources and the impacts resulting from livestock grazing are described below.

Vegetation

Affected Environment

The allotment is comprised of two vegetation community types arranged in a mosaic over the allotment. Shinnery Oak Dune (SOD) and Grassland communities dominate.

General objectives or guidelines for each vegetation community are described in the Roswell Approved RMP and Record of Decision (BLM 1997) and the Roswell Draft RMP/EIS (BLM 1994).

The primary features in the SOD community are topography influenced by aeolian and alluvial sedimentation on upland plains forming hummocks, dunes, sand ridges and swales and presence of shinnery oak (*Quercus havardii*). This is a unique community type found primarily below the Llano Estacado or Staked Plains, in an area known as Mescalero Sands. Topography is gently sloping and undulating sandy plains, with moderate to very steep hummocky dunes of up to ten feet and more in height scattered throughout. Some dunes are stabilized with vegetation, while a number of them are unstable and shifting. Dune blowouts with shinnery oak and bluestem (*Andropogon* spp.) either isolated or in dune complexes are common in this community.

A distinguishing feature for the Grassland community is that grass species typically comprises 75% or more of the potential plant community. This community also includes shrub, half-shrub, and forb species. The percentages of grasses, forbs, and shrubs actually found at a particular location will vary with recent weather factors, past resource uses and the potential of the site. The Grassland community is scattered throughout the allotment.

Grasslands are intermixed with all community types. Sand dropseed, three-awn, black grama, bush muhly and fluffgrass are common in the sandy uplands. Alkali sacaton is the dominant species in the bottomlands where it is interspersed with saltcedar. Tobosa is found in both sandy uplands and bottomlands. Grassland sites also have a mesquite or broom snakeweed shrub component. Blue grama is primarily found on loamy soils and black grama on more gravelly soils. Gyp grama is common on the gypsiferous soil types found throughout the allotment.

Grassland communities on the uplands and shallow breaks support a large percentage of shrub species. Mesquite, broom snakeweed, fourwing saltbush, and yucca are common shrub species. The primary grasses are sand dropseed and bush muhly, bush muhly, vine mesquite and black grama.

The Rangeland Health assessment indicates a problem with invasive plants, most notably mesquite. Mesquite dominates the deep sand ecological sites and affects both the plant community and hydrologic functions of these sites.

Rangeland monitoring studies have been established in one key area within the allotment. The rangeland study is situated in a Sandy Hills CP-2 ecological site complex. This permanent site is used to track vegetation changes and to determine proper stocking rates.

The description for these ecological sites was developed by the Soil Conservation Service (now referred to as the National Resource Conservation Service) in their ecological site guides. Ecological site descriptions are available for review at the Roswell BLM office, any Natural Resources Conservation Service office or can be accessed at www.nm.nrcs.usda.gov.

From 1978 to 1999 agencies were using the traditional range condition methodology to depict range condition. This compared collected rangeland monitoring information with the potential vegetation community in terms of species composition by weight. The rating is based on a scaled of 0 to 100 with 100 being the actual representative site.

In 1999 the National Resource Conservation Service (NRCS) revised the methodology for comparing the existing vegetation community with the potential vegetation community and to aid in the determination of ecological condition. This methodology is called the Similarity Index (SI). The BLM is currently incorporating this revision into the monitoring and evaluation processes. The SI compares existing vegetation data (collected from rangeland monitoring) with the potential vegetation community described in the NRCS ecological site guide for that site. The index is based on a scaled of 0 to 100 with 100 being the actual representative site. For the Sandy Hills CP-2 ecological (range) site, the normal year production is about 1700 pounds per acre. The index takes into account vegetation species present and the relative amount of production for each species when compared to the potential for the range site.

The percent bare ground and rock found on the allotment fall within the parameters established by the RMP/EIS for this vegetative community.

Noxious and Invasive Weeds: Noxious weeds affect both crops and native plant species in the same way, by out-competing for light, water and soil nutrients. Losses are attributed to decreased quality and quantity of agricultural products due to high levels of competition from noxious weeds and infestations. Noxious weeds can negatively affect livestock productivity by making forage unpalatable to livestock thus decreasing livestock productivity and potentially increasing producer's feed costs. Potential noxious weed species include African rue, non native thistles (*Cirsium* spp.), leafy spurge, goldenrod. There are known populations of African rue on surrounding allotments therefore monitoring for noxious weeds on the allotment is necessary.

Environmental Impacts

Under the proposed action the vegetation in the Shinnery Oak Dune and Grassland communities will continue to be grazed and trampled by domestic livestock as well as other herbivores. The area has been grazed by livestock since the early part of the 1900's, if not longer. Ecological condition and trend is expected to remain stable and/or improve over the long term at the permitted number of livestock.

Upland sites would reflect a static ecological condition trend at the existing permit level. In the long term, upland vegetation would continue to improve in all pastures from the implementation of a rest-rotation system.

Range monitoring data indicate that the vegetation is sustainable to meet multiple resource requirements and forage at the permitted use level under the Proposed Action. Data indicate that livestock grazing is compatible with vegetation cover and composition objectives. In addition to the upward trend in ecological condition, monitoring data show the vegetative resources have been improved and sustained since monitoring began in 1981.

Under the No Grazing Alternative, no impacts to vegetation resources would occur on public lands from authorized livestock grazing. Vegetation cover would increase over the long term in some areas. Grasslands in the uplands would increase in cover and composition, but composition would be tempered by mesquite somewhat dominating the shrub component.

Soils

Affected Environment

The Soil Survey of Chaves County, New Mexico (USDA Soil Conservation Service 1983) was used to describe and analyze impacts to soils on these allotments. The soil units covering the most area are described below, more in depth information can be found in the soil survey.

The primary soil units on these public lands are the Faskin fine sands, Roswell-Jalmar fine sands and the Ratliff-Redona association.

Faskin-fine sand, 0 to 2 percent slopes (FaA) Permeability of the Faskin soil is moderate. Runoff of the unit soil is medium and the hazard of water erosion is moderate and the hazard of soil blowing is high. Permeability of the Malmstrom soil is moderately rapid. Runoff of the unit soil is medium and the hazard of water erosion is moderate and the hazard of soil blowing is high.

Ratliff Redona association, 0 to 2 percent slopes (RBA) Permeability of the Ratliff soil is moderate. Runoff of the Ratliff soil is slow and the hazard of water erosion is slight and the hazard of soil blowing is high. Permeability of the Redona soil moderate. Runoff of the Redona soil is slow and the hazard of water erosion is slight and soil blowing is high.

Roswell-Jalmar fine sand, hilly, 0 to 25 percent slopes (RPD) Permeability of the Roswell soil is rapid. Runoff of the soil is slow and the hazard of water erosion is slight and the hazard of soil blowing is very high. Permeability of the Jalmar soil is moderate. Runoff of the unit soil is slow and the hazard of water erosion is slight and the hazard of soil blowing is very high.

Environmental Impacts

Under the Proposed Action, livestock would remove some of the cover of standing vegetation and litter, and compact the soil by trampling. If livestock management were inadequate, these effects could be severe enough to reduce infiltration rates and increase runoff, leading to greater water erosion and soil losses (Moore et al. 1979, Stoddart et al. 1975). Producing forage and protecting the soil from further erosion would then be more difficult. The greatest impacts of removing vegetation and trampling would be expected in areas of concentrated livestock use, such as trails, waters, feeders, and shade.

Under the Proposed Action rangeland monitoring would help ensure that adequate vegetation cover is maintained to protect the soil from erosion. Low/moderate forage quality plants provide protection to the soils resource. Cumulative long-term monitoring data reflect the soils are being adequately protected. The ground cover data is shown at the end of this document.

Under the No Grazing Alternative, any adverse impact from livestock grazing would be eliminated. However, it is possible that removing grazing animals from an area where they were a natural part of the landscape could result in poor use of precipitation and inefficient mineral cycling (Savory 1988). Bare soil could be sealed by raindrop impact, and vegetation could become decadent, inhibiting new growth. Therefore, the results of no grazing could be similar to those of overgrazing in some respects.

Watershed – Hydrology

Affected Environment

The watershed and hydrology in the area is affected by land and water use practices. The degree to which hydrologic processes are affected by land and water use depends on the location, extent, timing and the type of activity. Factors that currently cause short-lived alterations to the hydrologic regime in the area include livestock grazing management, recreational use activities, groundwater pumping and also oil and gas developments such as well pads, permanent roads, temporary roads, pipelines, and powerlines.

Environmental Impacts

Livestock grazing management and range improvement projects can result in long-term and short-term alterations to the hydrologic regime. Peak flow and low flow of perennial streams, ephemeral, and intermittent rivers and streams would be directly affected by an increase in impervious surfaces resulting from soil compaction. The potential hydrologic effects to peak flow is reduced infiltration where surface flows can move more quickly to perennial or ephemeral rivers and streams, causing peak flow to occur earlier and to be larger. Increased magnitude and volume of peak flow can cause bank erosion, channel widening, downward incision, and disconnection from the floodplain. The potential hydrologic effects to low flow is reduced surface storage and groundwater recharge, resulting in reduced baseflow to perennial, ephemeral, and intermittent rivers and streams. The direct impact would be that hydrologic processes may be altered where the perennial, ephemeral, and intermittent river and stream system responds by changing physical parameters, such as channel configuration. These changes may in turn impact chemical parameters and ultimately the aquatic ecosystem.

Long-term direct and indirect impacts to the watershed and hydrology would continue for the life of the livestock grazing management and range improvement projects and would decrease once reclamation of the range improvement projects has taken place. Short-term direct and indirect impacts to the watershed and hydrology from access roads that are not surfaced with material would occur and would likely decrease in time due to reclamation efforts.

Under the Proposed Action rangeland monitoring would help ensure that adequate vegetation cover is maintained to protect the hydrologic regime. Low/moderate forage quality plants provide protection to the soils resource and hydrologic regime. Cumulative long-term monitoring data reflect the hydrologic regime is being adequately protected.

Under the No Grazing Alternative, any adverse impact from livestock grazing management and range improvement projects would be eliminated. However, it is possible that removing grazing

animals from an area where they were a natural part of the landscape could result in poor use of precipitation and inefficient mineral cycling (Savory 1988). Bare soil could be sealed by raindrop impact, and vegetation could become decadent, inhibiting new growth. Therefore, the results of no grazing could be similar to those of overgrazing in some respects.

Water Quality

Affected Environment – Surface Water

No perennial surface water is found on the Public Land on these allotments. Ephemeral streams occur on Public Land on these allotments.

Environmental Consequences – Surface Water

Direct impacts to surface water quality would be minor, short-term impacts during stormflow. Indirect impacts to water-quality related resources, such as fisheries, would not occur.

Affected Environment - Ground Water

Fresh water sources are in the Quaternary Shallow Alluvium Aquifer. The approximate depth to water in the Quaternary Shallow Alluvium Aquifer in the area ranges from 80 to 150 feet (Water Table Contour Map of Part of East Chaves County, Geohydrology and Associates 1978).

Environmental Impacts – Ground Water

The Proposed Action would not have a significant effect on ground water. Livestock would be dispersed over the allotment, and the soil would filter potential contaminants.

Under the Proposed Action rangeland monitoring would help ensure that adequate vegetation cover is maintained to protect surface and groundwater. Low/moderate forage quality plants provide protection to the surface and groundwater. Cumulative long-term monitoring data reflect the surface and groundwater are being adequately protected.

Under the No Grazing Alternative, any adverse impact from livestock grazing would be eliminated. However, it is possible that removing grazing animals from an area where they were a natural part of the landscape could result in poor use of precipitation and inefficient mineral cycling (Savory 1988). Bare soil could be sealed by raindrop impact, and vegetation could become decadent, inhibiting new growth. Therefore, the results of no grazing could be similar to those of overgrazing in some respects.

Wildlife

Affected Environment

The allotment provides a variety of habitat types for terrestrial wildlife species. The diversity and abundance of wildlife species in the area is due to the presence of a mixture of grassland habitat and mixed desert shrub vegetation.

Avian species potentially occurring within this allotment based on the presence of suitable habitat include the lesser prairie-chicken, bobwhite quail, scaled quail, mourning dove, white-winged dove, road runner, western king bird, scissor-tailed flycatcher, ash-throated flycatcher, pyrrhuloxia, Scott's oriole, Bullock's oriole, Chihuahuan raven, turkey vulture, Harris' hawk,

northern harrier, prairie falcon, Swainson's hawk, Ferruginous hawk, red-tailed hawk, golden eagle, merlin, American kestrel, barn owl, great horned owl, burrowing owl, lesser night hawk, various hummingbirds, horned larks, lark bunting, logger-headed shrike, cactus wren, western tanager, curve-billed thrasher, mocking bird, various warblers and sparrows.

Mammals known to occur throughout the allotment include various bats, mule deer, pronghorn antelope, javalina, desert cottontail, black-tailed jackrabbit, spotted ground squirrel, pocket gopher, porcupine, coyote, gray fox, bobcat, raccoon, striped and spotted skunk, wood rat and various other small rodents. This is not a complete list, as there are other mammal species that are highly likely to occur on this allotment.

Herpetofauna (reptiles and amphibians) potentially associated with the allotment include the Couch's spadefoot toad, green toad, Red-spotted toad, plains leopard frog, collared lizard, Texas horned lizard, short-horned lizard, roundtail horned lizard, prairie lizard, Texas spotted whiptail, six-lined racerunner, western whiptail, little striped whiptail, great plains skink, leopard lizard, lesser earless lizard, sand dune lizard, side-blotched lizard, many lined skink, New Mexico milk snake, ringneck snake, Texas blind snake, glossy snake, longnose snake, plains black-headed snake, checkered garter snake, coachwhip, striped whipsnake, gopher snake, western hognose snake, common kingsnake, blackneck garter snake, western garter snake, western rattlesnake, massasauga and the western diamondback rattlesnake.

Migratory Birds: Executive order #13186 titled "Responsibilities of Federal Agencies to Protect Migratory Birds"; signed 1/10/01 requires that the BLM evaluate the effects of federal actions on migratory birds. No migratory bird inventory has been completed for the proposed project area. Common migratory birds which may use the area as habitat include various species of song birds, owls, ravens, hawks, finches, doves, thrashers, and meadow larks.

Environmental Impacts

Under the Proposed Action, livestock grazing management and range improvement projects designed with consideration for wildlife would generally enhance the quality of wildlife habitat. Vegetation condition, forage production, and habitat diversity would improve, and wildlife species distribution and abundance would increase. The construction of livestock waters in previously unwatered areas would promote increased wildlife distribution and abundance, but may potentially increase grazing pressure in those same areas. Short-term impacts of range improvement projects would be the temporary displacement of wildlife species during construction activities.

Under the No Grazing Alternative, there would no longer be direct competition between livestock and wildlife for forage, browse and cover. Wildlife habitat would moderately improve. The limitation for improvement would continue to be the existing invading species component (e.g., mesquite, snakeweed) affecting plant composition. Since livestock grazing would not be permitted, range improvement projects that benefit wildlife, such as water developments, would be abandoned. New range improvement projects that would also benefit wildlife habitat, such as brush control, may not be implemented because these projects are primarily driven and funded through range improvement efforts.

Special Status Species, Including Threatened and Endangered Species

Federally Listed Threatened/Endangered Species:

There are no species listed as endangered, threatened, or proposed for protection under the Endangered Species Act known on this allotment. Designated critical habitat for a listed species also does not occur on this allotment.

Other Special Status Species

The species below is potentially associated with this allotment and are considered sensitive due to their state of NM status and BLM sensitive status.

Loggerhead Shrike

The shrike occurs throughout the sand shinnery oak community of Chavez, Eddy and Lea county. The shrike is usually seen in relatively xeric habitats dominated by shrubs and desert grasses. Some of the important shrubs are honey mesquite and fourwing saltbush, and some of the grasses include tobosa, grama spp., sand dropseed, and three-awn. Trees are generally uncommon but a few large honey mesquite, soapberry, or hackberry are occasionally present.

Air Quality

Affected Environment

The Environmental Protection Agency (EPA) has the primary responsibility for regulating air quality, including seven nationally regulated ambient air pollutants. Regulation of air quality is also delegated to some states. Air quality is determined by atmospheric pollutants and chemistry, dispersion meteorology and terrain, and also includes applications of noise, smoke management, and visibility.

The allotments are in an area that is considered a Class II air quality area. A Class II area allows moderate amounts air quality degradation. The primary sources of air pollution are dust from blowing wind on disturbed or exposed soil and exhaust emissions from motorized equipment. Air quality in the area is generally good and is not located in any of the areas designated by the Environmental Protection Agency as "non-attainment areas" for any listed pollutants regulated by the Clean Air Act (CAA).

Air quality in the region is generally good, with winds averaging 10-16 miles per hour depending on the season. Peak velocities reach more than 50 miles per hour in the spring. These conditions rapidly disperse air pollutants in the region.

Environmental Impacts

Air quality would temporary be directly impacted with pollution from enteric fermentation (ruminant livestock), chemical odors, and dust. Dust levels resulting from allotment management activities would be slightly higher under the Proposed Action than the No Grazing Alternative. The cumulative impact on air quality from the allotment would be negligible compared to all pollution sources in the region.

The federal Clean Air Act requires that air pollutant emissions be controlled from all significant sources in areas that do not meet the national ambient Air quality standards. The New Mexico Air Quality Bureau is responsible for enforcing the state and national ambient air quality standards in New Mexico. At the present time, the counties that lie within the jurisdictional

boundaries of the Roswell Field Office are classified as in attainment of all state and national ambient air quality standards as defined in the CAA of 1972, as amended.

The Environmental Protection Agency (EPA), on October 17, 2006, issued a final ruling on the lowering of the National Ambient Air Quality Standard (NAAQS) for particulate matter ranging from 2.5 micron or smaller particle size. This ruling became effective on December 18, 2006, stating that the 24-hour standard for PM_{2.5}, was lowered to 35 ug/m³ from the previous standard of 65 ug/m³. This revised PM_{2.5} daily NAAQS was promulgated to better protect the public from short-term particle exposure. The significant threshold of 35 ug/m³ daily PM_{2.5} NAAQS is not expected to be exceeded under the proposed action.

Climate

Affected Environment

Climate is the composite of generally prevailing weather conditions of a particular region throughout the year, averaged over a series of years.

Greenhouse gasses (GHG), including carbon dioxide (CO₂) and methane (CH₄), and the potential effects of GHG emissions on climate, are not regulated by the EPA under the Clean Air Act. However, climate has the potential to influence renewable and non-renewable resource management. The EPA's Inventory of US Greenhouse Gas Emissions and Sinks found that in 2006, total US GHG emissions were over 6 billion metric tons and that total US GHG emissions have increased by 14.1% from 1990 to 2006. The report also noted that GHG emissions fell by 1.5% from 2005 to 2006. This decrease was, in part, attributed to the increased use of natural gas and other alternatives to burning coal in electric power generation.

The levels of these GHGs are expected to continue increasing. The rate of increase is expected to slow as greater awareness of the potential environmental and economic costs associated with increased levels of GHGs result in behavioral and industrial adaptations.

Global mean surface temperatures have increased nearly 1.0°C (1.8°F) from 1890 to 2006 (Goddard Institute for Space Studies, 2007). However, observations and predictive models indicate that average temperature changes are likely to be greater in the Northern Hemisphere. Without additional meteorological monitoring systems, it is difficult to determine the spatial and temporal variability and change of climatic conditions, but increasing concentrations of GHGs are likely to accelerate the rate of climate change.

In 2001, the Intergovernmental Panel on Climate Change (IPCC) predicted that by the year 2100, global average surface temperatures would increase 1.4 to 5.8°C (2.5 to 10.4°F) above 1990 levels. The National Academy of Sciences (2006) supports these predictions, but has acknowledged that there are uncertainties regarding how climate change may affect different regions. Computer model predictions indicate that increases in temperature will not be equally distributed, but are likely to be accentuated at higher latitudes. Warming during the winter months is expected to be greater than during the summer, and increases in daily minimum temperatures is more likely than increases in daily maximum temperatures.

A 2007 US Government Accountability Office (GAO) Report on Climate Change found that, "federal land and water resources are vulnerable to a wide range of effects from climate change, some of which are already occurring. These effects include, among others: 1) physical effects such as droughts, floods, glacial melting, and sea level rise; 2) biological effects, such as increases in insect and disease infestations, shifts in species distribution, and changes in the

timing of natural events; and 3) economic and social effects, such as adverse impacts on tourism, infrastructure, fishing, and other resource uses." It is not, however, possible to predict with any certainty regional or site specific effects on climate relative to the proposed lease parcels and subsequent actions.

In New Mexico, a recent study indicated that the mean annual temperatures have exceeded the global averages by nearly 50% since the 1970's (Enquist and Gori). Similar to trends in national data, increases in mean winter temperatures in the southwest have contributed to this rise. When compared to baseline information, periods between 1991 and 2005 show temperature increases in over 95% of the geographical area of New Mexico. Warming is greatest in the northwestern, central, and southwestern parts of the state.

Environmental Impacts

Climate change analyses are comprised of several factors, including greenhouse gases (GHGs), land use management practices, the albino effect, etc. The tools necessary to quantify climatic impacts from the Proposed Action are presently unavailable. As a consequence, impact assessment of specific effects of anthropogenic activities cannot be determined. Additionally, specific levels of significance have not yet been established. Therefore, climate change analysis for the purpose of this document is limited to accounting and disclosing of factors that may contribute to climate change. Qualitative and/or quantitative evaluation of potential contributing factors within the planning area is included where appropriate and practicable.

Livestock Management

Affected Environment

In the past, this allotment has been permitted to be grazed yearlong by cattle. The lease authorized 14 Animal Units (Aus). Grazing is by a cow/calf operation.

The allotment contains about 8860 total acres (see Location Map). Landownership consists of approximately 7480 acres of private land, 960 acres of federal land, and 420 acres of state land. Current range improvement projects for the management of livestock include earthen tanks, wells, and several drinking troughs with associated pipelines, pasture and boundary fences and corrals.

Environmental Impacts

Under the Proposed Action, livestock would continue to graze public lands within the allotments. Existing pasture configurations and water developments would remain the same. Livestock management would still follow the single-herd rotation system.

Under the No Grazing Alternative, there would be no livestock grazing authorized on public lands. The public lands would have to be fenced apart from the private lands or livestock would be considered in trespass if found grazing on public land (43 CFR 4140.1(b)(1)). Exclusion of livestock from the public land would approximately cost \$27,600 (based on 2.3 miles at \$12,000/mile). This expense would be borne by the private landowner. Range improvements on public land would not be maintained and the BLM would have to compensate the permittee if any of the improvements were cost shared at the time of their authorization.

Under the No Grazing Alternative, the overall livestock operation could be reduced by 14 AUs (those attached to the public lands) to approximately 132 AUs. This would have an adverse economic impact on the permittee.

Cumulative impacts of the grazing and no grazing alternatives were analyzed in Rangeland Reform '94 Draft Environmental Impact Statement (BLM and USDA Forest Service 1994) and in the Roswell Resource Area Draft RMP/EIS (BLM 1994). The no livestock grazing alternative was not selected in either document.

Visual Resources Management

Affected Environment

The allotment is in a Class III and IV area for visual resources management. The Class III objective is to partially retain existing landscape character. The level of change to the characteristic landscape should be moderate. Management activities may attract attention but should not dominate a casual observer's view. Changes should repeat the basic elements found in the predominant natural features of the characteristic landscape. The objective of Class IV is to: "Provide for management activities which require major modification of the existing landscape character...Every attempt, however, should be made to reduce or eliminate activity impacts through careful location, minimal disturbance, and repeating the basic landscape elements."

Environmental Impacts

The basic elements of the landscape would not change within the allotment under any management alternative. Potential impacts to visual resources would be analyzed and mitigated as allotment management activities are proposed in the future.

Recreation

Affected Environment

The allotment provides habitat for numerous game species including desert mule deer, pronghorn, mourning dove and scaled quail. Predator and feral pig hunting may occur on the allotment, as well as trapping for predators or furbearers.

General sightseeing, wildlife viewing and photography are non-consumptive recreational activities that may occur. Rock collectors find various minerals unique to the area, such as Pecos diamonds.

Environmental Impacts

Game and non-game wildlife species could realize long-term benefits through the improvement of habitat. It is expected that hunter success and wildlife viewing opportunities would be enhanced.

Under the No Grazing Alternative, no conflicts between ranching activities and recreational use would occur on public lands. Success of hunts and non-consumptive opportunities would remain the same or slightly improve. Vandalism could still occur to range improvements. Conflicts with OHV use would continue.

Cave and Karst

Affected Environment

This allotment is located within a designated area of medium Cave or Karst Potential. A complete significant cave or karst inventory has not been completed for the public land located in this grazing allotment. Presently, no known significant caves or karst features have been identified within this allotment.

Environmental Impact

Since no caves or major karst features have been identified on this grazing allotment, grazing would not affect these resources. If a significant cave or karst feature were discovered on public land within this allotment, that cave or feature may be fenced to exclude livestock and off-highway vehicle use.

IV. CUMULATIVE IMPACTS

A cumulative impact is defined in 40 CFR 1508.7 as:

“the impact on the environment which results from the incremental impact of the action when added to other past, present, and reasonably foreseeable future actions regardless of what agency (Federal or non-Federal) or person undertakes such other actions. Cumulative impacts can result from individually minor but collectively significant actions taking place over a period of time.”

The incremental impact of issuing a grazing permit on these resources must be analyzed in the context of impacts from other actions. Other BLM actions that could have impacts on the identified resources include: livestock authorization on other allotments in this area; oil and gas activities on the uplands; rights-of-way crossing the area; and recreation use, particularly off-highway vehicles. All authorized activities which occur on BLM land can also take place on state and private land.

Many of the actions which could contribute to cumulative impacts have occurred over many years. Impacts from open-range livestock grazing in the last century are still being addressed today. Oil and gas activities began in the early part of the 20th century. These activities are still occurring today, and are expected to continue into the foreseeable future to some degree.

If the No-Grazing Alternative were chosen, some adverse cumulative impacts would be eliminated, but others would occur. Grazing would no longer be available as a vegetation management tool, and BLM lands within the allotment would be less intensively managed.

Wildlife: Wildlife, as well as domestic livestock, will continue to utilize the available forage and browse. The amount of cover available for the various wildlife species present on the allotment will fluctuate, based on livestock use levels and amount of precipitation. Maintenance and operation of existing waterings will continue to provide a dependable water source for wildlife, as well as livestock.

Livestock grazing may have an impact on the various habitat components of some wildlife species. Livestock select the herbaceous component, which provides a source of food for various neotropical migrants and upland game birds, first before other vegetative types such as

browse or forbs. Subsequently, impacts to the ground nesting birds and to the various food types utilized by avian species (seeds, green vegetative material, etc.) can range from beneficial to detrimental depending on specific livestock management scheme including season of use, pasture rotation system, annual precipitation and number of livestock.

Specifically, in the White Lakes Ranch allotment, cattle are rotated between pastures outside of the designated allotment, adequate growing season rest is given to pastures before cattle return to them, voluntary nonuse is taken during drought periods, and utilization levels are within the acceptable range so the impacts from livestock grazing to wildlife is minimized.

V. MITIGATION MEASURES

Vegetation monitoring studies will continue if a new grazing permit were issued under the Proposed Action. Changes to livestock management would be made if monitoring data showed adverse impacts to the vegetation.

If new information surfaces that livestock grazing is negatively impacting other resources, action will be taken at that time to mitigate those impacts.

VI. RESIDUAL IMPACTS

Residual impacts are direct, indirect, or cumulative impacts that would remain after applying the mitigation measures. Residual impacts following authorization of livestock grazing would be insignificant if the mitigation measures are properly applied.

VII. Socio-Economic Factors

The Proposed Action as outlined in this document is not anticipated to alter the socio-economic conditions for either the permittees or Chaves County. Should the No Livestock Grazing alternative be adopted, economic impacts would occur. Chaves County would lose tax revenues on approximately 56 head of cattle annually.

Under the No Livestock Grazing alternative, it would be the responsibility of the permittees to prevent livestock from grazing on the public lands. To accomplish this, the permittees would most likely have to construct fences to exclude the public land. New fence would be needed at a cost of approximately \$12,000/mile. BLM would also have to provide compensation to the permittees for their interest in authorized range improvements due to the exclusion of livestock grazing. These costs could be reduced or mitigated by land exchanges with either the state or the permittees to block up the public land.

IX. BLM Team Members

Helen Miller - Rangeland Management Specialist
Kyle Arnold - Rangeland Management Specialist
Michael McGee - Hydrologist
Rebecca L. Hill – Archaeologist
Philip Watts, Jr. –
Bill Murry – Outdoor Recreation Planner
Dan Baggao – Wildlife Biologist
Monica Ketcham – Writer/Editor

X. PERSONS AND AGENCIES CONSULTED

Chaves County Public Land Use Advisory Committee
New Mexico Department of Game and Fish
New Mexico Energy, Minerals, and Natural Resources Department
- Forestry and Resource Conservation Division
New Mexico Environment Department - Surface Water Quality Bureau
New Mexico State Land Office
U.S. Fish and Wildlife Service - Ecological Services
U.S. Fish and Wildlife Service - Fishery Resources Office

XI. LITERATURE CITED

- Bureau of Land Management. 1994. Roswell resource area draft resource management plan/environmental impact statement. BLM-NM-PT-94-0009-4410.
- Bureau of Land Management. 1997. Roswell approved resource management plan and record of decision. BLM-NM-PT-98-003-1610. 71 pp.
- Bureau of Land Management and USDA Forest Service. 1994. Rangeland reform '94, draft environmental impact statement.
- Enquist, Carolyn and Gori, Dave. 2008. Implications of Recent Climate Change on Conservation Priorities in New Mexico. April 2008.
- Federal Emergency Management Agency. 1983. Flood insurance rate map. Community-Panel Nos. 350125 0450B and 0475B.
- Geohydrology Associates, Inc. 1978. Collection of hydrologic data, eastside Roswell range EIS area, New Mexico. Prepared for BLM under Contract No. YA-512-CT7-217. 97 pp.
- GISS Surface Temperature Analysis, Analysis Graphs and Plots. New York, New York. (Available on the Internet: <http://data.giss.nasa.gov/gistemp/graphs/fig.B.lrg.gif>.)
- Goddard Institute for Space Studies. 2007. Annual Mean Temperature Change for Three Latitude Bands Datasets and Images.
- Hogge, David. 1998. Personal communication. New Mex. Env. Dept., Surf. Water Qual. Bur.
- Hudson, J.D. and R.L. Borton. 1983. Ground-water levels in New Mexico, 1978-1980. NM State Engr. Basic Data Rep. 283 pp.
- Intergovernmental Panel on Climate Change (IPCC). 2007. Climate Change 2007: The Physical Basis (Summary for Policymakers). Cambridge University Press. Cambridge, England and New York, New York. (Available on the Internet: <http://www.ipcc.ch/pdf/assessment-report/ar4/wg1/ar4-wg1-spm.pdf>)
- Climate Change 2007, Synthesis Report. A Report of the Intergovernmental Panel on Climate Change.

- Land, Lewis. 2004. Configuration of Walter Level in the Shallow Aquifer, Roswell Artesian Basin, January-February, 2004 Map. .
- Moore, E., E. Janes, F. Kinsinger, K. Pitney, and J. Sainsbury. 1979. Livestock grazing management and water quality protection - state of the art reference document. EPA 910/9-79-67. Environmental Protection Agency. Seattle, WA. 147 pp.
- National Academy of Sciences. 2006. Understanding and Responding to Climate Change: Highlights of National Academies Reports. Division on Earth and Life Studies. National Academy of Sciences. Washington, D.C. (Available on the Internet: <http://dels.nas.edu/basc/Climate-HIGH.pdf>.)
- New Mexico Department of Game and Fish. 1988. Handbook of species endangered in New Mexico. G-253:1-2. Santa Fe.
- New Mexico Department of Game and Fish. 1997. Biota information system of New Mexico (BISON-M). Version 9/97.
- New Mexico Environment Department. 1998a. Record of decision concerning the development of total daily maximum loads for segments 2206 and 2207 of the Pecos River. Surf. Water Qual. Bur., Plan. and Eval. Sec. Santa Fe.
- New Mexico Environment Department. 1998b. 1998-2000 State of New Mexico §303(d) list for assessed river/stream reaches requiring total maximum daily loads (TMDLs), final record of decision (ROD) for river/stream listings. Surf. Water Qual. Bur. Santa Fe. 30 pp.
- New Mexico Office of the State Engineer Groundwater Data, (Available at the Roswell District 2 Office and at <http://nmwrrs.ose.state.nm.us/WRDispatcher>)
- New Mexico Office of the State Engineer. 1995. Rules and regulations governing drilling of wells and appropriation and use of ground water in New Mexico. 166 pp.
- New Mexico Water Quality Control Commission. 1996. Water quality and water pollution control in New Mexico. NMED/SWQ-96/4. 163 pp.
- New Mexico Water Quality Control Commission. 1995. State of New Mexico standards for interstate and intrastate streams. 20 NMAC 6.1. 51 pp.
- Rosgen, D. 1996. Applied river morphology. Wildland Hydrology. Pagosa Springs, CO.
- Savory, A. 1988. Holistic resource management. Covelo, CA, USA Island Press. 564 pp.
- Stoddart, L.A., A.D. Smith, and T.W. Box. 1975. Range management. Third Ed. McGraw-Hill, Inc. New York. 532 pp.
- USDA Soil Conservation Service. 1980. Soil survey of Chaves County, New Mexico, southern part. 224 pp.
- U.S. Environmental Protection Agency. 2008. Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990-2006. April 2008. USEPA #430-R-08-005.

_____. Inventory of US Greenhouse Gas Emissions and Sinks: 1990-2006.
Environmental Protection Agency. Washington, D.C.

U.S. Fish and Wildlife Service. 1997. Biological opinion on the Roswell Resource Area
Resource Management Plans. Consult. #2-22-96-F-102.

U.S. Government Accountability Office Report "Climate Change, Agencies Should Develop
Guidance for Addressing the Effects on Federal Land and Water Resources" GAO-07-
863, August 2007 (1st paragraph, 1st page, GAO Highlights) at:
<http://www.gao.gov/news.items/d07863.pdf>

Wilkins, D.W. and B.M. Garcia. 1995. Ground-water hydrographs and 5-year
ground-water-level changes, 1984-93, for selected areas in and adjacent to New Mexico.
U.S. Geol. Survey Open-File Rep. 95-434. 267 pp.

Wilson, L. 1981. Potential for ground-water pollution in New Mexico. New Mex. Geol. Soc.,
Spec. Pub. No. 10

Environmental Assessment Checklist, DOI-BLM-NM-P010-2011-0042-EA

Resources	Not Present on Site	No Impacts	May Be Impacts	Mitigation Included	BLM Reviewer	Date
Air Quality			X	X	SWA Spec/Hydro. /s/ Michael McGee	1/3/2010
Soils			X	X		
Watershed Hydrology			X	X		
Floodplains	X					
Water Quality - Surface			X	X		
Water Quality - Ground			X	X	Geologist/Hydrologist /s/ Michael McGee	1/3/2010
Cultural Resources		X			/s/Rebecca L. Hill	10Dec2010
Native American Religious Concerns	X					
Paleontology	X				Archaeologist	
Areas of Critical Environmental Concern	X				/s/ Phil Watts for Plan & Env. Coord.	11/30/2010
Farmlands, Prime or Unique	X				/s/Tate Salas Realty	12/3/2010
Rights-of-Way	X					
Invasive, Non-native Species		X			/s/ Shane Trautner Range Mgmt. Spec.	Jan. 5 th , 2011
Vegetation			X	X		
Livestock Grazing			X	X		
Wastes, Hazardous or Solid	X				/s/ Jared Reese Nat. Resource Spec.	11/24/2010
Threatened or Endangered Species	X				/s/ D Baggao Biologist	11/23/10
Special Status Species		X				
Wildlife			X	X		
Wetlands/Riparian Zones	X					
Wild and Scenic Rivers	X				/s/Bill Murry Outdoor Rec. Plnrr.	12/9/2010
Wilderness	X					
Recreation		X				
Visual Resources			X	X		
Cave/Karst		X				
Environmental Justice		X			/s/ Jared Reese Nat. Resource Spec.	11/24/2010
Public Health and Safety		X				
Solid Mineral Resources		X			Geo/SPS /s/ Jerry Dutchover	12/01/10
Fluid Mineral Resources		X			/s/ John S. Simitz Geologist	11/30/2010